



Price List

Effective August 1, 2022

Send Mail To:

P.O. Box 459
Rosemount, MN 55068

Phone:

651-423-1126 or 800-328-0953

Fax:

651-423-2662 or 800-334-8823

Web Site:

www.reeseusa.com

Email:

info@reeseusa.com

Freight:

- * All orders are F.O.B. origin.
- * For open credit customers only, orders shipping within the continental United States exceeding \$1,450.00 net, freight will be prepaid using the most economical way to one shipping address per order.
- * Non-transportation surcharges (lift-gate fee, limited access fee, construction site delivery, etc.) will be billed to the customer regardless of the net value of the order.
- * Expedited shipping fees will be billed to the customer, regardless of the net value of the order.
- * ***All cartons 96" and longer (add 6" to the material length to determine overall carton dimension) will have an additional handling fee added to the order and will be billed to the customer regardless of the net value of the order.***

Minimum Order:

- * An invoice charge of \$15.00 will be added to orders less than \$100.00 net.

Brass & Steel Prices

- * Brass, stainless steel and steel prices are subject to change depending on market value.

Terms:

- * Standard terms are available to customers with satisfactory credit, 2% 10 days, net 30 days from the invoice date.

Terms - Continued

- * Accounts with outstanding balances of 60 days and over from the invoice date will be subject to a late payment charge of 1 1/2% per month of the total balance outstanding. Accounts with outstanding balances of 60 days and over may require Cash in Advance or Credit Card payment when an order is placed.
- * Payment can be made with Cash, Check or Credit Card. Reese Enterprises accepts the following credit cards: Mastercard, Visa, American Express and Discover. Payments made with a Credit Card are NET only (no prompt pay discounts). We do not accept two party or third party checks.
- * The effective price is the price at the time the order is placed with the exception of orders with quoted prices for individual jobs. If, under the law now and hereafter passed, the seller is required to pay a tax on sales or an excise tax, the amount of such taxes will be added to the invoice.
- * Reese Enterprises shall not be responsible for any loss or damages resulting from a delay in filling orders caused by fire, flood, strikes, differences with workers, government regulations, accidents, transportation delays, material shortages or other causes beyond our control.
- * Prices and terms are subject to change without notice.
- * Parts maybe discontinued without notice.

Claims

- * Goods in transit are at the risk of the purchaser for loss or damage.
- * Claims for shortage or improper fulfillment of orders must be made within two weeks from the date of receipt.
- * If goods appear defective, the purchaser should discontinue their use and notify Reese Enterprises at once so the matter can be investigated.
- * Reese Enterprises does not assume liability for consequential damages or delays and claims for labor will not be allowed.
- * Reese Enterprises, at its option, shall repair or replace any part or component part which shall prove defective to the original purchaser.

Warranty:

- * All Reese weatherstrip and threshold products are guaranteed for a period of five years from the date of delivery against defects in material and workmanship.
- * Self-adhesive weatherstripping must be installed within six months of the delivery date in order for the warranty to be valid.
- * Defective goods will be replaced or repaired at the discretion of Reese Enterprises. No claims for damage incurred or work done thereon will be allowed.
- * Cost of replacement shall not exceed the original purchase price.
- * Warranty claims must be submitted in writing within the warranty period.
- * Reese does not assume liability for defects or damage arising from improper installation, lack of recommended maintenance, misuse, modifications, use in incompatible products, or ordinary wear and tear.

Cancellation Charge:

- * Orders for special products and non-standard sizes are subject to a cancellation charge based on labor and material used prior to cancellation.

Return Goods:

- * No merchandise will be accepted for return without prior written approval.
- * Specially fabricated products, non-standard drilling, and non-standard sizes are not returnable.
- * Returned material must be of a recent sale (less than a year from the invoice date), standard stock sizes, and in resalable condition.
- * All returns are subject to a 35% restocking charge plus freight charges.

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6". Odd inches are billed at next higher even inch.
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Thresholds ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Thresholds ordered 120" and OVER are supplied with out holes.
5. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
6. To receive UL label on parts, add prefix "F" when ordering.

THRESHOLD SCREW OPTIONS		
All Prices for thresholds include standard fasteners which are #10 Phillips Flat Head Wood Screws. For anchors and other fasteners - add to the list price per foot as follows:		
Wood screws and Plastic Plug	WS/PA	.90
Wood screws and Lead Expansion Shields	WS/LES	1.20
10-24 Machine Screws and Lead Anchors	10-24 MSA	1.20
1/4-20 Machine Screws and Lead Anchors	1/4-20 MSA	1.60
1/4" x 2 Flat Head Slotted Combo Anchor	FHSL	3.10
#10 Stainless Steel Wood Screws	SS WS	1.25
10-24 Stainless Steel Machine Screws and Lead Anchors	10-24 SSMSA	1.95
1/4-20 Stainless Steel Machine Screws and Lead Anchors	1/4-20 SSMSA	2.40
10 x 1-1/2 Torx Head Wood Screws		3.60
10-24 x 1-1/2 Torx Machine Screws		3.70
Stainless Steel Wood Screws and Plastic Plug	SS WS/PA	1.95
Stainless Steel Wood Screws and Lead Expansion Shields	SS WS/LES	2.05

WEATHERSTRIP SCREW OPTIONS		
Standard screws for Jamb Weatherstrip are #6 x 5/8 Self Tapping Sheet Metal Screws. For other fasteners - add to the list price per foot as follows:		
#6 Tek (self drilling) screws	no charge but need to be specified "tek"	
#6 Torx sheet metal screws		1.75
#6 Stainless steel sheet metal screws		.70
Thru - Bolts for Part 183		3.75
Bulk Regular & Tek Screws Finish A & C		0.50
Bulk Regular & Tek Screws Finish D & G		1.20

SPECIAL SERVICES AVAILABLE		
Alum. RCE	41.00/ea	Alum. L-Notch, one side 6.75/ea
Alum. Beveling, per foot per edge	8.00/ft	Brass L-Notch, one side 8.00/ea
Alum. Ripping, per foot per cut	8.00/ft	Alum. Jamb Notch, one side 13.00/ea
Alum. Welding, per foot per weld	13.00/ft	Brass Jamb Notch, one side 14.00/ea
Brass Ripping, per foot per cut	10.50/ft	Polishing bronze charge Add 50%
Tape can be applied on certain products upon request. Call customer service for details.		Special Drilling Per Quote
SRS "slip resistant surface" only available on "A" finish thresholds		\$1.75/foot
Per Quote		

----- ALUMINUM FINISH OPTIONS -----	----- MATERIAL DESIGNATIONS -----	----- INSERT OPTIONS -----
A - Aluminum mill finish	B - Brass material*	P - Pile
C - Clear anodized	SP - Steel material - primed	PR - Polypropene
D - Dark bronze anodized	SRS - Slip resistant surface	S - Silicone
BLK - Black anodized - Quoted upon request	SS - Stainless steel material	U - Polyurethane
G - Gold anodized - Quoted upon request	* LIMITED AVAILABILITY	V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F" when ordering.

Catalog Number	List Price
E1A	4.40 /ft
E1D	6.71 /ft
TS1APR	9.32 /ft
TS1AS	9.55 /ft
TS1AU	9.66 /ft
TS1AV	8.19 /ft
TS1DPR	12.09 /ft
TS1DS	12.31 /ft
TS1DU	13.03 /ft
TS1DV	10.32 /ft
E2A	5.14 /ft
E2D	8.14 /ft
TS2A	22.56 /ft
TS2D	26.03 /ft
DKB3	54.23 /ea
TJ3A-48"	20.20 /ea
*TJ3B-36"	QUOTE
*TJ3B-48"	QUOTE
S4LA	21.65 /ft
S4LD	26.11 /ft
TL4C	3.70 /ft
TL4D	6.54 /ft
HD5A	41.06 /ft
HD5D	54.88 /ft
CP6 BLACK/2 PK	6.44 /pk
CP6 WHITE/2 PK	6.44 /pk
TMR8 for 36" Door	628.79 /ea
TMR8 for 72" Door	1257.57 /ea
BAP14A per Inch of Width (Min. 2" wide)	16.87 /InWide
Example: 4" wide = (4 * 16.87) =67.48/ft	
TMR14 for 36" Door	922.56 /ea
TMR14 for 72" Door	1845.12 /ea
M15A	4.25 /ft
M15BLK	9.35 /ft
M15C	5.54 /ft
M15D	7.41 /ft

Catalog Number	List Price
M15G	13.97 /ft
BAP18A per Inch of Width (Min. 2" wide)	10.72 /InWide
Example: 4" wide = (4 * 10.72) =42.88/ft	
33C	17.08 /ft
33D	21.03 /ft
M35A	5.45 /ft
M35BLK	8.49 /ft
M35C	6.33 /ft
M35D	8.10 /ft
M35G	12.98 /ft
39C	11.49 /ft
39D	13.23 /ft
TO40A	24.89 /ft
TO40D	31.50 /ft
49C	7.07 /ft
49D	9.12 /ft
59C	22.95 /ft
59D	25.69 /ft
DS62A	2.96 /ft
DS62C	4.25 /ft
DS62D	7.53 /ft
DS62G	9.48 /ft
DS63A	2.92 /ft
DS63BLK	8.92 /ft
DS63C	4.19 /ft
DS63D	6.08 /ft
DS63G	13.79 /ft
64A	8.28 /ft
64BLK	23.24 /ft
64C	14.58 /ft
64D	20.07 /ft
64G	23.13 /ft
DS69C	6.06 /ft
DS69D	7.66 /ft
DS70C	5.85 /ft
DS70D	7.59 /ft

Catalog Number	List Price
DS75A	2.28 /ft
DS75C	3.01 /ft
DS75D	5.65 /ft
DS76C	8.45 /ft
DS76D	11.03 /ft
DS77C	6.72 /ft
DS77D	8.33 /ft
DS78A	6.56 /ft
*DS78B	QUOTE
DS78BLK	9.87 /ft
DS78C	6.96 /ft
DS78D	9.29 /ft
DS79C	8.59 /ft
DS79D	11.84 /ft
86AP	6.29 /ft
86AV	6.41 /ft
86DP	8.42 /ft
86DV	8.42 /ft
87C	17.21 /ft
87D	24.72 /ft
91A	10.49 /ft
92C	8.10 /ft
92D	10.25 /ft
93C	8.92 /ft
93D	12.37 /ft
95C	21.22 /ft
95CP	23.62 /ft
95CV	23.62 /ft
95C X 95CP	44.84 /ft
95C X 95CV	44.84 /ft
95D	28.63 /ft
95DP	29.75 /ft
95DV	29.75 /ft
95D X 95DP	58.38 /ft
95D X 95DV	58.38 /ft
99C	27.85 /ft
99D	31.40 /ft

----- ALUMINUM FINISH OPTIONS -----
A - Aluminum mill finish
C - Clear anodized
D - Dark bronze anodized
BLK - Black anodized - Quoted upon request
G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----
B - Brass material*
SP - Steel material - primed
SRS - Slip resistant surface
SS - Stainless steel material
* LIMITED AVAILABILITY

----- INSERT OPTIONS -----
P - Pile
PR - Polypropene
S - Silicone
U - Polyurethane
V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
103C	8.08 /ft
103D	10.19 /ft
S104A	14.25 /ft
S104D	20.03 /ft
S105A	19.16 /ft
S105D	24.76 /ft
DS106A	2.57 /ft
DS106BLK	8.09 /ft
DS106C	4.10 /ft
DS106D	5.32 /ft
DS106G	7.64 /ft
126AV	7.33 /ft
126DV	8.36 /ft
128CP	7.72 /ft
128CV	7.72 /ft
128DP	9.60 /ft
128DV	9.60 /ft
129CP	8.90 /ft
129CV	8.74 /ft
129DP	12.96 /ft
129DV	12.72 /ft
*T130B	QUOTE
132C	3.41 /ft
132D	7.69 /ft
133C	3.95 /ft
133D	5.13 /ft
V138A	5.97 /ft
V138D	9.35 /ft
T150A	15.90 /ft
T150A x Pan	17.03 /ft
T150D	22.83 /ft
T150D x Pan	24.16 /ft
183C-84	66.57 /ea
183C-96	76.08 /ea
183C-120	95.10 /ea
183D-84	85.82 /ea
183D-96	98.08 /ea

Catalog Number	List Price
183D-120	122.60 /ea
183SP-84	171.15 /ea
183SP-96	195.60 /ea
183SP-120	244.50 /ea
183SS-84	316.96 /ea
183SS-96	362.24 /ea
184A	7.33 /ft
184C	8.91 /ft
184D	12.86 /ft
195C (ASTRAGAL SET)	57.71 /ft
195D (ASTRAGAL SET)	67.27 /ft
R199A	4.05 /ft
*R199B	QUOTE
R199D	8.05 /ft
R201A	7.35 /ft
R201BLK	11.26 /ft
R201C	8.00 /ft
R201D	10.59 /ft
202C	6.05 /ft
202D	9.63 /ft
203C	5.89 /ft
203D	9.24 /ft
S204A	12.78 /ft
*S204B	QUOTE
S204D	18.41 /ft
S205A	16.96 /ft
*S205B	QUOTE
S205D	25.00 /ft
S206A	21.63 /ft
*S206B	QUOTE
S206D	28.30 /ft
S207A	28.54 /ft
*S207B	QUOTE
S207D	36.58 /ft
S211A	10.62 /ft
S211D	16.26 /ft
S225A	8.07 /ft

Catalog Number	List Price
*S225B	QUOTE
S225BLK	13.62 /ft
S225D	11.17 /ft
232A	12.75 /ft
*232B	QUOTE
232D	15.95 /ft
233A	17.03 /ft
*233B	QUOTE
233D	22.97 /ft
234A	21.64 /ft
*234B	QUOTE
234D	28.85 /ft
235A	26.84 /ft
*235B	QUOTE
235D	36.18 /ft
236A	30.72 /ft
*236B	QUOTE
236D	41.11 /ft
237A	7.53 /ft
237D	11.43 /ft
238A	11.29 /ft
238D	16.73 /ft
S239A	26.46 /ft
*S239B	QUOTE
S239D	37.78 /ft
S243A	15.34 /ft
S243D	21.34 /ft
S245A	31.09 /ft
*S245B	QUOTE
S245D	41.12 /ft
S247A	11.12 /ft
S247D	15.86 /ft
S248AP	14.94 /ft
S248APR	16.04 /ft
S248AU	16.72 /ft
S248AV	15.60 /ft
S248DP	19.39 /ft

----- ALUMINUM FINISH OPTIONS -----
A - Aluminum mill finish
C - Clear anodized
D - Dark bronze anodized
BLK - Black anodized - Quoted upon request
G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----
B - Brass material*
SP - Steel material - primed
SRS - Slip resistant surface
SS - Stainless steel material
* LIMITED AVAILABILITY

----- INSERT OPTIONS -----
P - Pile
PR - Polypropene
S - Silicone
U - Polyurethane
V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
S248DPR	20.54 /ft
S248DU	21.42 /ft
S248DV	20.38 /ft
S249A	13.11 /ft
S249D	17.20 /ft
S252AP	19.92 /ft
S252APR	22.57 /ft
S252AU	24.77 /ft
S252AV	19.92 /ft
S252DP	26.99 /ft
S252DPR	29.96 /ft
S252DU	31.34 /ft
S252DV	26.99 /ft
S255A	20.10 /ft
S255D	26.50 /ft
S256A	22.61 /ft
S256D	24.55 /ft
S257APR	18.15 /ft
S257AS	18.37 /ft
S257AU	20.12 /ft
S257AV	17.15 /ft
S257DPR	23.12 /ft
S257DS	23.35 /ft
S257DU	25.80 /ft
S257DV	21.88 /ft
S258A	20.61 /ft
S258D	27.85 /ft
260A	7.57 /ft
260D	9.91 /ft
261A	8.02 /ft
*261B	QUOTE
261D	11.58 /ft
262A	9.74 /ft
262D	14.63 /ft
S263A	10.86 /ft
S263D	14.53 /ft
S266A	13.16 /ft

Catalog Number	List Price
S266D	17.10 /ft
276C	9.03 /ft
276D	11.89 /ft
277A	38.04 /ft
277D	51.95 /ft
278A	40.45 /ft
278D	57.79 /ft
279A	54.49 /ft
279D	77.36 /ft
280A	55.26 /ft
280D	78.01 /ft
S281AP	26.60 /ft
S281APR	28.06 /ft
S281AU	30.36 /ft
S281AV	26.80 /ft
S281DP	35.37 /ft
S281DPR	36.18 /ft
S281DU	40.00 /ft
S281DV	35.71 /ft
S282A	25.54 /ft
S282D	33.46 /ft
S283A	11.77 /ft
S283AS	15.75 /ft
S283D	15.95 /ft
S283DS	20.00 /ft
S284A	14.23 /ft
S284AS	19.03 /ft
S284D	19.95 /ft
S284DS	25.04 /ft
S285A	18.27 /ft
S285AS	23.07 /ft
S285D	24.80 /ft
S285DS	30.16 /ft
V300A	23.08 /ft
V300D	29.98 /ft
V301A	24.54 /ft
V301D	30.09 /ft

Catalog Number	List Price
** Automatics -- See Note 4 above **	
320BLK-36	146.19 /ea
320BLK-48	182.74 /ea
320C-36	96.17 /ea
320C-48	120.21 /ea
320D-36	111.88 /ea
320D-48	139.85 /ea
320BLKxLead-36	248.86 /ea
320BLKxLead-48	311.08 /ea
320CxLead-36	184.17 /ea
320CxLead-48	230.22 /ea
320DxLead-36	203.49 /ea
320DxLead-48	254.36 /ea
321C-24	50.73 /ea
321C-36	59.68 /ea
321C-48	74.60 /ea
321D-24	59.16 /ea
321D-36	69.76 /ea
321D-48	87.20 /ea
323A	6.76 /ft
*323B	QUOTE
323BLK	9.64 /ft
323C	7.07 /ft
323D	9.43 /ft
323G	17.47 /ft
323SS	37.25 /ft
** Automatics -- See Note 4 above **	
330C-36	147.42 /ea
330C-48	184.28 /ea
330D-36	164.47 /ea
330D-48	197.36 /ea
340	4.98 /ft
350 Strip Only	4.35 /ft
350 x Nails	5.23 /ft
353A	5.61 /ft
353C	6.78 /ft
353D	8.51 /ft

----- ALUMINUM FINISH OPTIONS -----
A - Aluminum mill finish
C - Clear anodized
D - Dark bronze anodized
BLK - Black anodized - Quoted upon request
G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----
B - Brass material*
SP - Steel material - primed
SRS - Slip resistant surface
SS - Stainless steel material
* LIMITED AVAILABILITY

----- INSERT OPTIONS -----
P - Pile
PR - Polypropene
S - Silicone
U - Polyurethane
V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
354A	8.79 /ft
354C	9.07 /ft
354D	11.15 /ft
354G	18.79 /ft
362A	7.94 /ft
*362B	QUOTE
362BLK	12.44 /ft
362C	8.24 /ft
362D	10.64 /ft
364SS	38.27 /ft
** Automatics -- See Note 4 above **	
370A-36	77.15 /ea
370A-48	96.44 /ea
370A-60	120.55 /ea
370AxLead-36	162.70 /ea
370AxLead-48	203.38 /ea
370AxLead-60	241.39 /ea
372A-36 pre-cut to 35-1/2"	71.66 /ea
372A-48	91.92 /ea
372A-60	115.69 /ea
373SS	32.94 /ft
377BLK	11.68 /ft
377C	8.72 /ft
377D	10.92 /ft
399C	31.19 /ft
399D	35.49 /ft
S404A	10.22 /ft
*S404B	QUOTE
S404D	16.87 /ft
S405A	15.12 /ft
S405BLK	26.41 /ft
S405D	22.67 /ft
S406A	18.38 /ft
S406D	25.96 /ft
S407A	24.77 /ft
*S407B	QUOTE
S407D	33.26 /ft

Catalog Number	List Price
S408A	29.52 /ft
S408D	39.39 /ft
S411A	18.63 /ft
S411D	26.09 /ft
S412A	32.63 /ft
S412D	41.32 /ft
S424A	11.01 /ft
S424D	17.03 /ft
S425A	15.08 /ft
S425BLK	23.97 /ft
S425D	22.55 /ft
S426A	18.31 /ft
S426D	26.81 /ft
S427A	25.35 /ft
S427D	32.96 /ft
S428A	31.97 /ft
S428D	43.40 /ft
** Automatics -- See Note 4 above **	
430A-36	140.17 /ea
430A-48	176.28 /ea
437A	8.34 /ft
*437B	QUOTE
437D	11.17 /ft
S439A	13.99 /ft
S439D	18.00 /ft
DB469BLK	15.89 /ft
DB469C	12.51 /ft
DB469D	14.74 /ft
DB469G	25.46 /ft
S470A	8.14 /ft
S470AS	12.70 /ft
S470D	11.82 /ft
S470DS	17.87 /ft
S471A	24.86 /ft
S471D	33.29 /ft
S472A	22.31 /ft
S472D	29.12 /ft

Catalog Number	List Price
S473A	27.45 /ft
S473D	37.44 /ft
S474AP	32.47 /ft
S474APR	33.70 /ft
S474AU	37.93 /ft
S474AV	31.24 /ft
S474DP	40.05 /ft
S474DPR	42.88 /ft
S474DU	46.92 /ft
S474DV	40.97 /ft
S475A	31.44 /ft
S475D	41.70 /ft
S476AP	35.69 /ft
S476APR	36.89 /ft
S476AU	43.61 /ft
S476AV	35.69 /ft
S476DP	45.73 /ft
S476DPR	46.37 /ft
S476DU	51.47 /ft
S476DV	45.30 /ft
S478A	33.75 /ft
S478D	46.17 /ft
S479A	37.89 /ft
S479D	50.06 /ft
480A	13.19 /ft
480D	16.97 /ft
S481A	42.09 /ft
S481D	55.99 /ft
S482A	12.55 /ft
S482AS	17.93 /ft
S482D	18.31 /ft
S482DS	22.63 /ft
S483APR	17.70 /ft
S483AS	18.00 /ft
S483AU	19.94 /ft
S483AV	16.48 /ft
S483DPR	22.80 /ft

----- ALUMINUM FINISH OPTIONS -----
A - Aluminum mill finish
C - Clear anodized
D - Dark bronze anodized
BLK - Black anodized - Quoted upon request
G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----
B - Brass material*
SP - Steel material - primed
SRS - Slip resistant surface
SS - Stainless steel material
* LIMITED AVAILABILITY

----- INSERT OPTIONS -----
P - Pile
PR - Polypropene
S - Silicone
U - Polyurethane
V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
S483DS	22.99 /ft
S483DU	26.08 /ft
S483DV	21.60 /ft
S484AP	17.44 /ft
S484APR	19.67 /ft
S484AU	23.08 /ft
S484AV	17.44 /ft
S484DP	25.36 /ft
S484DPR	26.86 /ft
S484DU	32.92 /ft
S484DV	25.36 /ft
S485AP	17.76 /ft
S485APR	18.96 /ft
S485AU	23.05 /ft
S485AV	17.76 /ft
S485DP	25.61 /ft
S485DPR	26.81 /ft
S485DU	33.49 /ft
S485DV	25.61 /ft
S486AP	20.14 /ft
S486APR	21.33 /ft
S486AU	24.12 /ft
S486AV	19.95 /ft
S486DP	27.19 /ft
S486DPR	28.26 /ft
S486DU	34.88 /ft
S486DV	27.09 /ft
S487AP	19.49 /ft
S487APR	20.92 /ft
S487AU	24.61 /ft
S487AV	20.04 /ft
*S487BP	QUOTE
*S487BPR	QUOTE
*S487BU	QUOTE
*S487BV	QUOTE
S487DP	26.66 /ft
S487DPR	27.86 /ft

Catalog Number	List Price
S487DU	36.21 /ft
S487DV	26.43 /ft
S488AP	20.31 /ft
S488APR	21.47 /ft
S488AU	25.32 /ft
S488AV	20.52 /ft
S488DP	27.72 /ft
S488DPR	29.07 /ft
S488DU	36.21 /ft
S488DV	27.46 /ft
S498A	25.36 /ft
S498AS	30.87 /ft
S498D	32.35 /ft
S498DS	37.70 /ft
S500A	31.12 /ft
S500AS	33.36 /ft
S500D	37.53 /ft
S500DS	40.23 /ft
S501A	35.68 /ft
S501AS	38.22 /ft
S501D	42.01 /ft
S501DS	45.05 /ft
S502A	40.84 /ft
S502AS	43.75 /ft
S502D	47.20 /ft
S502DS	50.57 /ft
S512A	20.22 /ft
S512D	31.39 /ft
S514A	19.65 /ft
S514D	29.10 /ft
** Automatics -- See Note 4 above **	
521C-36	165.86 /ea
521C-48	207.33 /ea
521C-60	259.16 /ea
521C-96	404.94 /ea
521D-36	185.02 /ea
521D-48	231.28 /ea

Catalog Number	List Price
** Automatics -- See Note 4 above **	
521D-60	289.10 /ea
521D-96	433.65 /ea
544A	10.44 /ft
544D	14.79 /ft
548A	10.54 /ft
548D	14.79 /ft
T550A	19.62 /ft
T550D	26.45 /ft
551A	10.44 /ft
551D	14.65 /ft
FBR555-36"	270.67 /ea
FBR555-72"	541.35 /ea
S563A	14.66 /ft
S563D	19.83 /ft
S565A	8.24 /ft
S565D	11.44 /ft
S567A	33.94 /ft
S567D	40.77 /ft
S568AP	35.52 /ft
S568APR	36.75 /ft
S568AU	38.05 /ft
S568AV	35.07 /ft
S568DP	41.26 /ft
S568DPR	42.19 /ft
S568DU	44.03 /ft
S568DV	40.79 /ft
S569A	38.91 /ft
S569D	46.02 /ft
S570A	44.20 /ft
S570D	51.40 /ft
S571A	49.50 /ft
S571D	56.77 /ft
574C-36	38.28 /ea
574C-48	51.04 /ea
574C-84	89.32 /ea
574C-96	102.08 /ea

----- ALUMINUM FINISH OPTIONS -----

A - Aluminum mill finish
 C - Clear anodized
 D - Dark bronze anodized
 BLK - Black anodized - Quoted upon request
 G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----

B - Brass material*
 SP - Steel material - primed
 SRS - Slip resistant surface
 SS - Stainless steel material
 * LIMITED AVAILABILITY

----- INSERT OPTIONS -----

P - Pile
 PR - Polypropene
 S - Silicone
 U - Polyurethane
 V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
574D-36	48.57 /ea
574D-48	64.76 /ea
574D-84	113.33 /ea
574D-96	129.52 /ea
588D-18 FT	69.49 /ea
588D-21 FT	81.06 /ea
588D-24 FT	92.64 /ea
588CH-18 FT	69.49 /ea
588CH-21 FT	81.06 /ea
588CH-24 FT	92.64 /ea
588W-18 FT	69.49 /ea
588W-21 FT	81.06 /ea
588W-24 FT	92.64 /ea
DB591AF	5.27 /ft
DB591AP	5.53 /ft
DB591AU	13.62 /ft
DB591DF	7.77 /ft
DB591DP	8.19 /ft
DB591DU	15.07 /ft
DB593AF	6.00 /ft
DB593AP	6.25 /ft
DB593AU	14.24 /ft
DB593CF	7.56 /ft
DB593CP	7.75 /ft
DB593CU	15.51 /ft
DB593DF	9.10 /ft
DB593DP	9.39 /ft
DB593DU	19.47 /ft
DB594AF	7.72 /ft
DB594AU	17.45 /ft
DB594CF	9.30 /ft
DB594CU	19.49 /ft
DB594DF	13.04 /ft
DB594DU	26.54 /ft
DB595AF	9.57 /ft
DB595AU	20.40 /ft
DB595CF	10.47 /ft

Catalog Number	List Price
DB595CU	22.28 /ft
DB595DF	14.78 /ft
DB595DU	30.75 /ft
DB596AF	9.53 /ft
DB596AU	19.87 /ft
DB596CF	10.55 /ft
DB596CU	21.50 /ft
DB596DF	12.67 /ft
DB596DU	26.13 /ft
DB597AP	10.89 /ft
DB597CP	14.01 /ft
DB597DP	16.94 /ft
S598A	36.02 /ft
S598AS	38.57 /ft
S598D	44.21 /ft
S598DS	47.75 /ft
599C	25.56 /ft
599D	30.24 /ft
DB600AF	21.27 /ft
DB600AP	21.83 /ft
DB600AU	26.33 /ft
DB600CF	24.70 /ft
DB600CP	26.06 /ft
DB600CU	31.11 /ft
DB600DF	28.83 /ft
DB600DP	29.26 /ft
DB600DU	34.57 /ft
602A	7.91 /ft
602C	8.45 /ft
602D	10.64 /ft
603A	7.56 /ft
603C	7.95 /ft
603D	10.57 /ft
603G	18.84 /ft
608-25'	21.29 /ea
612C	10.42 /ft
612D	12.89 /ft

Catalog Number	List Price
619C	9.53 /ft
619D	11.49 /ft
628-96"	27.04 /ea
628-120"	33.80 /ea
629-50'	144.99 /ea
631-50'	77.34 /ea
632-100'	299.33 /ea
633C	19.26 /ft
633D	22.36 /ft
633G	29.44 /ft
638CH-17 FT	39.44 /ea
638CH-19 FT	44.08 /ea
638CH- 21 FT	48.72 /ea
638CH- 25 FT	58.00 /ea
638CH-500 FT	1160.00 /ea
653A	16.56 /ft
653C	17.02 /ft
653D	20.07 /ft
655A	12.48 /ft
655C	13.32 /ft
655D	15.80 /ft
657A	10.59 /ft
657C	13.04 /ft
657D	13.53 /ft
659C	28.85 /ft
659D	32.30 /ft
669C	8.28 /ft
669D	10.17 /ft
678A	3.96 /ft
678BLK	7.42 /ft
678C	5.84 /ft
678D	6.61 /ft
678G	14.68 /ft
688A	3.97 /ft
688C	7.04 /ft
688D	8.04 /ft
701A	17.39 /ft

----- ALUMINUM FINISH OPTIONS -----
A - Aluminum mill finish
C - Clear anodized
D - Dark bronze anodized
BLK - Black anodized - Quoted upon request
G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----
B - Brass material*
SP - Steel material - primed
SRS - Slip resistant surface
SS - Stainless steel material
* LIMITED AVAILABILITY

----- INSERT OPTIONS -----
P - Pile
PR - Polypropene
S - Silicone
U - Polyurethane
V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
*701B	Quote
701BLK	22.65 /ft
701C	17.51 /ft
701D	21.18 /ft
S714A	24.84 /ft
S714D	33.75 /ft
754A	10.68 /ft
754C	11.47 /ft
754D	13.65 /ft
755A	12.06 /ft
755C	12.42 /ft
755D	14.48 /ft
756A	12.40 /ft
756C	13.52 /ft
756D	16.48 /ft
757A	12.05 /ft
757C	13.12 /ft
757D	15.76 /ft
758A	11.69 /ft
758C	12.63 /ft
758D	15.43 /ft
759A	11.19 /ft
759C	11.79 /ft
759D	13.30 /ft
769A	5.66 /ft
769BLK	9.10 /ft
769C	7.25 /ft
769D	8.21 /ft
769G	15.12 /ft
770A	11.26 /ft
770C	12.06 /ft
770D	14.60 /ft
772A	12.28 /ft
*772B	QUOTE
772BLK	16.22 /ft
772C	13.17 /ft
772D	15.65 /ft

Catalog Number	List Price
773A	12.79 /ft
773C	13.37 /ft
773D	16.01 /ft
775A	12.78 /ft
775C	13.61 /ft
775D	16.03 /ft
778C	10.36 /ft
778D	13.50 /ft
779C	9.99 /ft
779D	13.76 /ft
786A	7.74 /ft
786D	10.80 /ft
788A	6.00 /ft
788C	6.65 /ft
788D	8.99 /ft
792B-84"	21.49 /ea
792B-96"	24.56 /ea
792B-108"	27.63 /ea
793B-36"	10.38 /ea
793B-48"	13.84 /ea
793B-72"	20.76 /ea
793B-84"	24.22 /ea
793B-96"	27.68 /ea
793B-108"	31.14 /ea
793B-144"	41.52 /ea
793W-36"	10.38 /ea
793W-48"	13.84 /ea
793W-72"	20.76 /ea
793W-84"	24.22 /ea
793W-96"	27.68 /ea
793W-108"	31.14 /ea
793W-144"	41.52 /ea
795C	24.56 /ft
795D	29.28 /ft
797B-17	29.07 /ea
797B-19	32.49 /ea
797B-21	35.91 /ea

Catalog Number	List Price
797B-25	42.75 /ea
797B-500	789.20 /ea
797W-17	31.11 /ea
797W-19	34.77 /ea
797W-21	38.43 /ea
797W-25	45.75 /ea
797W-500	850.65 /ea
798B-17	34.51 /ea
798B-19	38.57 /ea
798B-21	42.63 /ea
798B-25	50.75 /ea
798B-500	942.61 /ea
S803A	17.70 /ft
S803D	24.02 /ft
804A	3.90 /ft
804BLK	6.94 /ft
804C	5.15 /ft
804D	6.42 /ft
804G	12.78 /ft
805A	5.50 /ft
805BLK	12.03 /ft
805C	6.93 /ft
805D	7.54 /ft
805G	11.51 /ft
806A	3.73 /ft
806BLK	9.18 /ft
806C	5.10 /ft
806D	6.13 /ft
806G	8.15 /ft
807A	2.30 /ft
807BLK	8.05 /ft
807C	3.90 /ft
807D	4.81 /ft
807G	10.92 /ft
810C	10.26 /ft
810D	12.14 /ft
S814A	12.20 /ft

----- ALUMINUM FINISH OPTIONS -----

A - Aluminum mill finish
 C - Clear anodized
 D - Dark bronze anodized
 BLK - Black anodized - Quoted upon request
 G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----

B - Brass material*
 SP - Steel material - primed
 SRS - Slip resistant surface
 SS - Stainless steel material
 * LIMITED AVAILABILITY

----- INSERT OPTIONS -----

P - Pile
 PR - Polypropene
 S - Silicone
 U - Polyurethane
 V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
S814D	16.31 /ft
815A	3.39 /ft
815BLK	7.08 /ft
815C	4.72 /ft
815D	5.97 /ft
815G	14.09 /ft
818A	4.18 /ft
818C	5.78 /ft
818D	6.54 /ft
825A	5.36 /ft
825BLK	9.67 /ft
825C	6.60 /ft
825D	7.33 /ft
825G	14.46 /ft
854A	9.09 /ft
854C	10.66 /ft
854D	11.76 /ft
855A	9.92 /ft
855C	12.31 /ft
855D	12.57 /ft
856A	11.08 /ft
856C	13.02 /ft
856D	14.17 /ft
858A	9.33 /ft
858C	10.40 /ft
858D	12.16 /ft
859A	8.66 /ft
859C	10.09 /ft
859D	11.51 /ft
863A	4.18 /ft
863C	5.54 /ft
863D	7.25 /ft
875A	10.94 /ft
875C	12.06 /ft
875D	13.84 /ft
884A	4.61 /ft
884C	6.18 /ft

Catalog Number	List Price
884D	7.94 /ft
888A	2.34 /ft
888C	2.91 /ft
888D	5.55 /ft
918A	6.36 /ft
918C	7.72 /ft
918D	10.37 /ft
** Automatics -- See Note 4 above **	
933C-36"	153.33 /ea
933C-48"	191.66 /ea
933D-36"	171.74 /ea
933D-48"	214.68 /ea
934A	6.46 /ft
934C	6.93 /ft
934D	9.28 /ft
** Automatics -- See Note 4 above **	
943A-36"	146.93 /ea
943A-48"	183.66 /ea
954C	9.16 /ft
954D	13.13 /ft
955C	10.31 /ft
955D	14.48 /ft
956A	6.79 /ft
956BLK	10.31 /ft
956C	7.17 /ft
956D	9.60 /ft
956G	15.99 /ft
958A	5.26 /ft
958C	5.50 /ft
958D	8.06 /ft
959C	5.39 /ft
959D	7.89 /ft
960BLK	23.97 /ft
960C	22.09 /ft
960D	23.36 /ft
961C	6.23 /ft
961D	9.73 /ft

Catalog Number	List Price
962BLK	14.96 /ft
962C	12.86 /ft
962D	14.18 /ft
963BLK	25.03 /ft
963C	18.19 /ft
963D	24.32 /ft
964C	6.31 /ft
964D	8.69 /ft
965BLK	20.62 /ft
965C	15.44 /ft
965D	20.43 /ft
966C	20.66 /ft
966D	25.45 /ft
967BLK	12.80 /ft
967C	9.50 /ft
967D	12.40 /ft
968C	13.91 /ft
968D	15.52 /ft
969C	18.01 /ft
969D	22.39 /ft
970C	9.46 /ft
970D	12.74 /ft
971C	15.70 /ft
971D	20.85 /ft
973C	21.09 /ft
973D	23.96 /ft
977C	21.96 /ft
977D	25.73 /ft
978C	29.26 /ft
978D	32.56 /ft
979C	28.08 /ft
979D	30.30 /ft
984C	9.35 /ft
984D	12.65 /ft
985C	9.47 /ft
985D	13.02 /ft
986C	9.92 /ft

----- ALUMINUM FINISH OPTIONS -----
A - Aluminum mill finish
C - Clear anodized
D - Dark bronze anodized
BLK - Black anodized - Quoted upon request
G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----
B - Brass material*
SP - Steel material - primed
SRS - Slip resistant surface
SS - Stainless steel material
* LIMITED AVAILABILITY

----- INSERT OPTIONS -----
P - Pile
PR - Polypropene
S - Silicone
U - Polyurethane
V - Vinyl

WEATHERSTRIPS & THRESHOLDS

1. Lengths over 12 feet are billed at 15'6".
2. Thresholds ordered 47" and UNDER carry 1/2" extra for fitting. Exact cut must be specified on order.
3. Threshold ordered 48" and OVER carry 1" extra for fitting. Exact cut must be specified on order.
4. Automatic Door Bottoms are available cut to size. Price at net higher size plus 2.50/ea.
5. To receive UL label on parts, add prefix "F-" when ordering.

Catalog Number	List Price
986D	14.00 /ft
1010B-36"	51.24 /ea
1010B-48"	68.32 /ea
1011B-36"	52.02 /ea
1011B-48"	69.36 /ea
1012B-36"	52.89 /ea
1012B-48"	70.52 /ea
1013B-36"	68.70 /ea
1013B-48"	91.60 /ea
1020B-36"	56.79 /ea
1020B-48"	75.72 /ea
1021B-36"	57.15 /ea
1021B-48"	76.20 /ea
1030A-35-5/8"	21.69 /ea
1030A-36"	21.69 /ea
1030A-48"	28.92 /ea
1030A-AN-35-5/8"	32.40 /ea
1030A-AN-36"	32.40 /ea
1030A-AN-48"	43.20 /ea
1030D-35-5/8"	26.31 /ea
1030D-36"	26.31 /ea
1030D-48"	35.08 /ea
1030D-AN-35-5/8"	37.80 /ea
1030D-AN-36"	37.80 /ea
1030D-AN-48"	50.40 /ea
1031A-35-5/8"	31.95 /ea
1031A-36"	31.95 /ea
1031A-48"	42.60 /ea
1031A-AN-35-5/8"	44.61 /ea
1031A-AN-36"	44.61 /ea
1031A-AN-48"	59.48 /ea
1031C-35-5/8"	33.66 /ea
1031C-36"	33.66 /ea
1031C-48"	44.88 /ea
1031C-AN-35-5/8"	46.89 /ea
1031C-AN-36"	46.89 /ea
1031C-AN-48"	62.52 /ea

Catalog Number	List Price
1031D-35-5/8"	40.98 /ea
1031D-36"	40.98 /ea
1031D-48"	54.64 /ea
1031D-AN-35-5/8"	55.41 /ea
1031D-AN-36"	55.41 /ea
1031D-AN-48"	73.88 /ea
1032A-35-5/8"	32.58 /ea
1032A-36"	32.58 /ea
1032A-48"	43.44 /ea
1032A-AN-35-5/8"	44.16 /ea
1032A-AN-36"	44.16 /ea
1032A-AN-48"	58.88 /ea
1032C-35-5/8"	35.46 /ea
1032C-36"	35.46 /ea
1032C-48"	47.28 /ea
1032C-AN-35-5/8"	48.15 /ea
1032C-AN-36"	48.15 /ea
1032C-AN-48"	64.20 /ea
1032D-35-5/8"	43.17 /ea
1032D-36"	43.17 /ea
1032D-48"	57.56 /ea
1032D-AN-35-5/8"	53.31 /ea
1032D-AN-36"	53.31 /ea
1032D-AN-48"	71.08 /ea
1033D-35-5/8"	36.03 /ea
1033D-36"	36.03 /ea
1033D-48"	48.04 /ea
1033D-AN-35-5/8"	41.13 /ea
1033D-AN-36"	41.13 /ea
1033D-AN-48"	54.84 /ea
S2048A	16.96 /ft
S2048D	26.05 /ft
S2058A	22.97 /ft
S2058D	26.76 /ft
2124SS-36	402.87 /ea
2124SS-48	537.16 /ea
2124SS-72	805.74 /ea

Catalog Number	List Price
2124SS-84	940.03 /ea
2124SS-96	1074.32 /ea
2125SS-36	456.81 /ea
2125SS-48	609.08 /ea
2125SS-72	913.62 /ea
2125SS-84	1065.89 /ea
2125SS-96	1218.16 /ea
2144SS-36	430.02 /ea
2144SS-48	573.36 /ea
2144SS-72	860.04 /ea
2144SS-96	1146.72 /ea
2145SS-36	465.39 /ea
2145SS-48	620.52 /ea
2145SS-72	930.78 /ea
2145SS-96	1241.04 /ea

----- ALUMINUM FINISH OPTIONS -----

A - Aluminum mill finish
 C - Clear anodized
 D - Dark bronze anodized
 BLK - Black anodized - Quoted upon request
 G - Gold anodized - Quoted upon request

----- MATERIAL DESIGNATIONS -----

B - Brass material*
 SP - Steel material - primed
 SRS - Slip resistant surface
 SS - Stainless steel material
 * LIMITED AVAILABILITY

----- INSERT OPTIONS -----

P - Pile
 PR - Polypropene
 S - Silicone
 U - Polyurethane
 V - Vinyl