



**TARIFF PRICE  
ADJUSTMENTS  
EFFECTIVE:**

(In addition to prices herein)

USA 2025 Tariff Price  
Adjustments

Canada 2025 Tariff Price  
Adjustments

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

**ROCKWOOD**  
PRICE BOOK – ARCHITECTURAL

USA & CANADA PRICES EFFECTIVE FEBRUARY 2, 2026

## Table of Contents

|                                                |             |                                                  |              |
|------------------------------------------------|-------------|--------------------------------------------------|--------------|
| <b>General Information</b>                     | <b>2-6</b>  |                                                  |              |
| Numeric Index                                  | 3           |                                                  |              |
| Ordering Information                           | 4-5         |                                                  |              |
| Post Mounted Pulls/General Information         | 6           |                                                  |              |
| <b>Architectural Pulls</b>                     | <b>7-57</b> |                                                  |              |
| AccenTek™ (solid pulls with accents)           | 47          |                                                  |              |
| AccenTek™ (solid groove pulls)                 | 52-53       |                                                  |              |
| ArborMet (wood grip pulls)                     | 41-43       |                                                  |              |
| ArborTek (wood grip pulls)                     | 44-48       |                                                  |              |
| BandWidth (collar mount pulls)                 | 18-20       |                                                  |              |
| Centrex (shaped pulls)                         | 51          |                                                  |              |
| Classic (finial pulls)                         | 55          |                                                  |              |
| Edge Pulls (for closet doors)                  | 10          |                                                  |              |
| Flush Pulls                                    | 10          |                                                  |              |
| GeoMetek (hex, diamond & narrow profile pulls) | 69-72       |                                                  |              |
| Groove (straight & offset pulls)               | 25          |                                                  |              |
| Knurled (straight & offset pulls)              | 69          |                                                  |              |
| LineaMax (grooved pulls)                       | 33-36       |                                                  |              |
| Locking Door Pull System                       | 72-77       |                                                  |              |
| MariTek (tapered pulls)                        | 55          |                                                  |              |
| MegaCurve (long curved pulls)                  | 16          |                                                  |              |
| MegaTek (straight & offset pulls)              | 26-28       |                                                  |              |
| MezzoTek (necked post pulls)                   | 17          |                                                  |              |
| NeoCylinder (w/ or w/o GripZone)               | 68          |                                                  |              |
| NeoMax (pulls w/GripZone)                      | 29-32       |                                                  |              |
| NeoMetrix (w/GripZone)                         | 24          |                                                  |              |
| NeoMitre (w/ or w/o GripZone)                  | 66          |                                                  |              |
| NoirMet (black anodized grip)                  | 36-38       |                                                  |              |
| NoirTek (black anodized grip)                  | 38-40       |                                                  |              |
| OvalTek (true oval grip)                       | 21          |                                                  |              |
| OvalTek (flat oval grip)                       | 22          |                                                  |              |
| Panic Device                                   | 78          |                                                  |              |
| PlanTek (flat front pulls)                     | 53-54       |                                                  |              |
|                                                |             | RightAngles (w/ or w/o GripZone)                 | 9            |
|                                                |             | Single Motion Device                             | 80           |
|                                                |             | SkewTek (angled end, D-tube, & wing pulls)       | 48-50        |
|                                                |             | Strikes                                          | 79-80        |
|                                                |             | SoftMet (*Santoprene™ grip)                      | 23           |
|                                                |             | SoftTek (Santoprene™ grip)                       | 24           |
|                                                |             | Traditional (decorative pulls & plates)          | 55           |
|                                                |             | Tubular (1 ¼" and 1 ½" diameter pulls)           | 8            |
|                                                |             | <b>Leather Architectural Pulls</b>               | <b>50-60</b> |
|                                                |             | English Bridle Leather (straight & offset pulls) | 56-57        |
|                                                |             | Flush Leather Pulls                              | 62-65        |
|                                                |             | Leather Oval (ergonomic pulls)                   | 61           |
|                                                |             | LeatherWood Pulls (straight & offset pulls)      | 43           |
|                                                |             | Upholstery Leather GeoMetek                      | 66           |
|                                                |             | Upholstery Leather (straight & offset pulls)     | 58-60        |
|                                                |             | <b>Small Architectural Pulls</b>                 | <b>9-61</b>  |
|                                                |             | ArborMet                                         | 15           |
|                                                |             | GripZone                                         | 14           |
|                                                |             | Groove                                           | 14           |
|                                                |             | Knurled                                          | 16           |
|                                                |             | Leather                                          | 67           |
|                                                |             | MegaTek                                          | 13           |
|                                                |             | NeoMitre                                         | 15           |
|                                                |             | NoirMet                                          | 15           |
|                                                |             | Wire                                             | 9            |
|                                                |             | <b>Architectural Accessories</b>                 | <b>10-11</b> |
|                                                |             | Coat Hooks                                       | 11           |
|                                                |             | Door Stops                                       | 11-12        |
|                                                |             | Push Plates, Pull Plates and Signage             | 12           |
|                                                |             | <b>Architectural Finishes</b>                    | <b>81</b>    |
|                                                |             | <b>Mounting Types</b>                            | <b>82</b>    |
|                                                |             | <b>Mounting Details</b>                          | <b>83-84</b> |
|                                                |             | <b>Fasteners - Spare Parts</b>                   | <b>85-87</b> |
|                                                |             | <b>Mounting Kits</b>                             | <b>88</b>    |

\*Santoprene™ is a registered trademark of the Exxon Mobil Corporation.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

# Numeric Index

| No.                    | Description                           | Page  |
|------------------------|---------------------------------------|-------|
| 570                    | Dust Proof Strike .....               | 76    |
| DGBKIT                 | Bushing Kit for Glass Doors.....      | 77    |
| DP3301                 | MegaTek Dummy Pull (round).....       | 76    |
| DP3401                 | NeoTek Dummy Pull.....                | 76    |
| DP7901                 | GeoMetek Dummy Pull (square)...       | 76    |
| ESK-SGL                | Panic Strike Kits .....               | 79    |
| ESK-MS-SGL             | Panic Strike Kits .....               | 79    |
| ES-310-1-3/4           | Electric Strike Kits.....             | 79    |
| ESK-1600-SGL           | Panic Strike Kits .....               | 80    |
| FL3301                 | Flat Latch Locking Pull .....         | 77    |
| INSFL3301              | Flat Latch Inswing Locking Pull ..... | 77    |
| LP3301                 | Locking Pull PostMount .....          | 72-73 |
| LP3305                 | Locking Pull PostMount .....          | 73    |
| LP3401                 | Locking Pull NeoTek .....             | 74    |
| LP6061                 | Locking Pull English Bridle .....     | 74-75 |
|                        | Leather Wrapped                       |       |
| LP6161                 | Locking Pull Upholstery .....         | 75    |
|                        | Leather Wrapped                       |       |
| LP6440                 | Locking Pull Upholstery .....         | 76    |
|                        | Leather Wrapped                       |       |
| LP7901                 | Locking Pull GeoMetek.....            | 76    |
| LPS01 - LPS12          | Locking Pull Strikes.....             | 76    |
| PDU8500 -<br>PDU8500-6 | Panic Device .....                    | 78    |
| RM201 - RM372          | Tubular.....                          | 8     |
| RM405 - RM423          | RightAngles .....                     | 9     |
| RM710 - RM735          | Small Pulls (Wire).....               | 9     |
| RM751 - RM760          | Edge Pulls - for Closet Doors.....    | 10    |
| RM780 - RM791          | Flush Pulls .....                     | 10    |
| RM801 - RM843          | Coat Hooks.....                       | 11    |
| RM850 - RM877          | Door Stops.....                       | 11-12 |
| RM1010 - RM1160        | Push Plates, Pull Plates, .....       | 12    |
|                        | and Signage                           |       |
| RM1200 - RM1270        | Small Pulls (MegaTek, Groove)..       | 13-14 |
| RM1300 - RM1370        | Small Pulls (GripZone) .....          | 14    |
| RM1410 - RM1470        | Small Pulls (NoirMet) .....           | 15    |
| RM1510 - RM1570        | Small Pulls (ArborMet) .....          | 15    |
| RM1665 - RM1675        | Small Pulls (NeoMitre).....           | 15    |
| RM1701 - RM1731        | Small Pulls (Knurled) .....           | 16    |
| RM2000 - RM2034        | MegaCurve.....                        | 16    |

| No.               | Description                      | Page  |
|-------------------|----------------------------------|-------|
| RM2110 - RM2150   | MezzoTek .....                   | 17    |
| RM2200 - RM2290   | BandWidth .....                  | 18-20 |
| RM2300 - RM2330   | OvalTek (true oval).....         | 21    |
| RM2400 - RM2420   | OvalTek (flat oval).....         | 22    |
| RM2510 - RM2570   | SoftMet .....                    | 24    |
| RM2610 - RM2640   | SoftTek .....                    | 25    |
| RM3010 - RM3060   | NeoMetrix.....                   | 24    |
| RM3101 - RM3181   | Groove.....                      | 25    |
| RM3300 - RM3342   | MegaTek.....                     | 26-28 |
| RM3400 - RM3442   | NeoMax.....                      | 29-32 |
| RM3512 - RM3782   | LineaMax.....                    | 33-36 |
| RM3800 - RM3854   | NoirMet.....                     | 36-38 |
| RM3900 - RM3954   | NoirTek .....                    | 39-40 |
| RM4000 - RM4054   | ArborMet .....                   | 41-43 |
| RM4100 - RM4190MP | ArborTek .....                   | 44-48 |
| RM4200 - RM4282   | SkewTek .....                    | 48-50 |
| RM4400 - RM4516RH | CenTrex.....                     | 51    |
| RM4700 - RM4850   | AccenTek™ .....                  | 52-53 |
| RM5200 - RM5280   | PlanTek.....                     | 53-54 |
| RM5500 - RM5598   | Traditional.....                 | 55    |
| RM5650 - RM5670   | Classic.....                     | 55    |
| RM5700 - RM5702   | MariTek.....                     | 55    |
| RM6060 - RM6092   | English Bridle Leather .....     | 56-57 |
| RM6121 - RM6192   | Upholstery Leather .....         | 58-60 |
| RM6200 - RM6240   | Leather Oval .....               | 61    |
| RM6300 - RM6354   | Flush Leather Pulls .....        | 62-65 |
| RM6400 - RM6440   | Upholstery Leather GeoMetek..... | 66    |
| RM6500 - RM6730   | Small Pulls (Leather) .....      | 67    |
| RM7101 - RM7240   | NeoCylinder .....                | 68    |
| RM7300 - RM7450   | NeoMitre .....                   | 68    |
| RM7500 - RM7531   | Knurled .....                    | 69    |
| RM7700            | GeoMetek (Hexagonal) .....       | 69    |
| RM7800 - RM7865   | GeoMetek (Diamond) .....         | 70    |
| RM7900 - RM7960   | GeoMetek (Narrow Profile).....   | 71-72 |
| SMU9000           | Single Motion Device.....        | 80    |
| SP1001 - SP1082   | Fasteners - Spare Parts .....    | 85-87 |
| KIT1 - KITRM380G  | Mounting Kits.....               | 88    |

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## Ordering Information

This price list cancels and supersedes all prior listings. Surcharges may be necessary due to a change in laws, including but not limited to, tariffs, duties, and surtaxes. Any price change, if applicable, are in addition to any regularly announced price adjustments and are subject to implementation without advance notice.

Orders are accepted with the understanding that they will be billed at prices in effect at time of shipment.

Prices are subject to change without notice.

We reserve the right to decline the whole or part of orders in which the price or quantity of goods is not acceptable to us.

NOTE: If matching pulls to a previous job, please provide original PO or Order #.

## Easy Order Placement

### USA:

By Phone: 1-800-458-2424 Monday through Thursday 8:00 am ET to 7:30 pm ET, Friday 8:00 am ET to 5:00 pm ET

By Fax: Orders may be faxed to 1-800-922-9212

By Email: [orders.rockwood@assaabloy.com](mailto:orders.rockwood@assaabloy.com)

By Internet: <http://extranet.assaabloydss.com/> and select Order Entry under the Customer Service Menu

### Canada:

By Phone: 1-800-461-3007 Monday through Friday 8:00 am ET to 5:00 pm ET

By Fax: Orders may be faxed to 1-800-461-8989

By Email: [cavau-orders@assaabloy.com](mailto:cavau-orders@assaabloy.com)

By Internet: <http://extranet.assaabloydss.ca/> and select Order Entry under the Customer Service Menu

## Terms and Conditions of Sale

Terms: 1% 15 days, net 30 days

Remit Payment To: PNC Bank/Rockwood, PO Box 644489, Pittsburgh, PA 15264-4489

For Terms & Conditions and Warranty information pertaining to product sales in Canada, please visit [www.assaabloy.ca/terms](http://www.assaabloy.ca/terms)

## Freight Policy

**Freight Terms Continental US:** All orders are F.O.B. factory via the most economical routing. Purchaser assumes the risk of loss or damage in transit.

- **Standard Freight:** For NET orders of \$2,000 or more, freight will be prepaid.
- **Long Length Freight:** All shipments that exceed 96" in packaged length must be shipped LTL. A surcharge fee of \$150 will be applied to all Net orders below \$3,000. Add 4" to the length of the product for finish package length.
- **Extreme Length Freight:** All shipments between 144" – 216" in packaged length must be shipped LTL. A surcharge fee of \$400 will be applied to all orders.

**Freight Terms Alaska & Hawaii:** All orders are F.O.B. factory via the most economical routing. Purchaser assumes the risk of loss or damage in transit.

- **Standard Freight:** For NET orders of \$2,750 or more, freight will be prepaid.
- **Long Length Freight:** All shipments that exceed 96" in packaged length must be shipped LTL. A surcharge fee of \$250 will be applied to all Net orders below \$3,750. Add 4" to the length of the product for finish package length.
- **Extreme Length & Bulky Freight:** Actual Freight will be charged. Please contact for a freight estimate.

## Special Order Material

Special items made to your specifications are not returnable. These items are not subject to cancellation without consideration of expense involved at the cancellation date.

## Samples

Salable samples will be charged at regular prices.

## Returned Goods

Return no merchandise without written permission from the factory. Authorization will ensure your receiving proper credit. Errors in shipping may occasionally occur. If this is the case immediately notify the factory, and we will gladly make the proper adjustments. If the error is at the customer's end, a minimum charge of 25% plus freight will be incurred for handling. Unauthorized claims for labor or charges will not be allowed. No credit will be allowed beyond six months after invoice date.

## Shortages

Claims for shortages must be made within 30 days of invoice date.

## Templates

Upon request we will furnish templates for any of our standard items of manufacture. Commonly used templates are available on our website at [www.rockwoodmfg.com](http://www.rockwoodmfg.com).

## Product Weight Information

NOTE: Weights indicated throughout the price list are approximate for brass, bronze or stainless steel base material. Aluminum base materials weigh approximately 1/3 the listed weights.

## Engraving

Engraving may be added on many pulls and plates. Call factory for pricing.

## Safer2Open™ Solutions

**Safer2Open™** Solutions available on select Architectural Pulls with a straight post. Configure extended posts and/or closer posts, to easily allow for your arm to be placed above, below, or through the pull, limiting touch points.

**For Terms and Conditions as well as Warranty information pertaining to product sales in Canada, please visit [www.assaabloy.ca/terms](http://www.assaabloy.ca/terms).**

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Export Control and Sanctions

- 1.1 The Customer represents and warrants to ASSA ABLOY Rockwood that it will always act in compliance with Economic Sanctions and Export Control Laws, and that:
  - a) neither the Customer, its affiliates, or any of their respective directors, officers, employees nor, so far as the Customer is aware, any agents or other persons acting on behalf of any of the foregoing;
  - I. is, or has been, a Listed Person;
  - II. has engaged in any business dealings or activities that would reasonably be expected to result in it becoming a Listed Person;
  - III. directly or indirectly, has conducted or is conducting any business dealings or activities with or for the benefit of, or is otherwise involved in any business with a Listed Person, or otherwise acting in violation of Economic Sanctions and Export Control Laws;
  - IV. has engaged or is engaging in any transaction that circumvents, evades or avoids, or has the purpose or effect of circumventing, evading or avoiding, or attempts to violate, any Economic Sanctions and Export Control Laws; or
  - V. is, or has been, in violation of, or subject to, any investigation or enquiry by, or on behalf of, any governmental or other regulatory body relating to Economic Sanctions and Export Control Laws.
  - b) the Customer shall act in compliance with Economic Sanctions and Export Control Laws, and shall not sell nor re-export the Product without all requisite licenses and approvals under Economic Sanctions and Export Control Laws;
  - c) the Customer shall not sell, export or re-export, the Product, directly or indirectly, to the Russian Federation or Belarus or for use in the Russian Federation or Belarus (whether or not permitted under Economic Sanctions and Export Control Laws applicable to the Customer);
  - d) the Customer shall undertake its best efforts to ensure that the purpose of this Clause is not frustrated by any third parties further down the commercial chain, including by possible resellers;
  - e) the Customer agrees to (i) cascade the contractual obligations set forth in this Section 1.1. in contracts with third parties, including possible resellers, further down the commercial chain.; and (ii) set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of this Section 1.1;
  - f) the representations and warranties set forth in this Section 1.1 above shall always remain true and correct;
  - g) the Customer will provide written notice to ASSA ABLOY Rockwood as promptly as possible and in any event within five business days, if (i) any representation or warranty should cease to be true at any time., or (ii) the Customer should encounter any problems in applying paragraphs b)- e) in this Section 1.1 above, including any relevant activities by third parties that could frustrate the purpose of said paragraphs b)- e); and
  - h) the Customer will not engage in any transaction for Military End-Use unless explicitly approved in writing by ASSA ABLOY Rockwood.
  - i) The Customer will provide all information relating to requests for Products that the Customer suspects could violate or circumvent Economic Sanctions and Export Control Laws, including requests from or on behalf of a Listed Person, and other attempts to acquire ASSA ABLOY Rockwood products in violation of Economic Sanctions and Export Control Laws. The Customer will, to the best of its abilities, cooperate with ASSA ABLOY Rockwood to facilitate compliance with Economic Sanctions and Export Control Laws and will upon ASSA ABLOY Rockwood's request provide ASSA ABLOY Rockwood with true, complete and correct copies of all documentation relating to any business dealings involving the Product, including but not limited to, end-user certifications, information concerning compliance with the obligations under above paragraphs b)- e) in this Section 1.1, and other information as may be required by ASSA ABLOY Rockwood within two weeks of the simple request of such information.
- 1.2 ASSA ABLOY Rockwood shall not be obliged to make any payment or take any other action if ASSA ABLOY Rockwood believes in good faith that such action may constitute a violation, contribute to a violation, or constitute a circumvention of any Economic Sanctions and Export Control Laws.
- 1.3 This agreement may be terminated immediately by ASSA ABLOY Rockwood by written notice to the Customer if:
  - (a) the Customer fails to provide any notice required under this Section 1.1 above, or should ASSA ABLOY Rockwood determine, in its sole discretion, that any representation or warranty set forth in Section 1.1 above has failed to be true and correct at any time;
  - (b) the Customer has misrepresented or failed to properly disclose any material fact, or to provide any documentation, certifications or information requested by Rockwood; or,
  - (c) either party's ability to fulfil an obligation under this agreement is materially affected by the imposition of restrictions in Economic Sanctions and Export Control Laws.
- 1.4 Upon any such termination, this agreement and all rights and obligations hereunder shall immediately terminate, provided that the Customer shall remain liable to ASSA ABLOY Rockwood for any breach of its obligations hereunder.
- 1.5 The Customer shall indemnify ASSA ABLOY Rockwood and its affiliates, directors, officers, employees, advisors, agents and holders of its equity interests (collectively, "Indemnitees") against, and shall hold each Indemnitee harmless from, any and all third party claims, damages and liabilities, including the reasonable fees, charges and disbursements of counsel, incurred by or asserted against any Indemnitee arising out of, in connection with, or as a result of (a) any representation or warranty set forth in Section 1.1 above not being true and correct when made, (b) any breach by the Supplier of any obligation under Section 1.1 or 1.2 above, or (c) any claim, litigation, investigation or proceeding relating to any of the foregoing, whether based on contract, tort or any other theory. This indemnity shall survive the termination of this agreement indefinitely.

For the purposes of this part of the agreement under the heading "Export Control and Sanctions",

**"Economic Sanctions and Export Control Laws"** means all economic sanctions and export control laws, regulations, rules or restrictive measures, including but not limited to import and export restrictions on materials, intellectual property, other intangible personal property, services, items and transactions, adopted and enforced by governmental authorities of Canada, the EU, UK, UN, USA or any other relevant governmental or regulatory authority, applicable to the ASSA ABLOY Rockwood or the Customer.

**"Listed Person"** means individuals and entities listed, or parties that are determined to be owned or controlled by one or more individuals or entities listed, in Economic Sanctions and Export Control Laws.

## Compliance with Anti-Trust, Anti-Corruption and Data Privacy Laws

The Customer, its directors, officers, and employees shall perform their obligations under these Terms and Conditions in full compliance with the ASSA ABLOY Code of Conduct which is accessible online at: [Our Code of Conduct for business partners | ASSA ABLOY](#).

[Click this Link to Export Control and Sanctions for Canada.](#)

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD**


**ASSA ABLOY**

Experience a safer  
and more open world

## Post Mounted Pulls

It is our goal that you get the best possible functional and aesthetic door pull from our wide selection. On long door pulls there will naturally be a small amount of flexing between mounting points that are far apart. We offer the following guidelines to help you determine when a mid-post is required or when you should consider altering the location of the mounting posts (by moving them closer together) in order to minimize the flexing of the grip. Making the grip rigid by adding a mid-post is the ideal condition for long pulls on all doors but is particularly important on all glass doors that have an inherent flexing in the door itself. The combined flexing of the door and the pull can loosen mechanical joints and stress the fasteners.

Our recommendations for adding a mid-post to long door pulls is based on a theoretical pull load of 30 lbs. (foot pounds) maximum to open the door, which is a greater than the typical force required to open an average door. The maximum amount of deflection of the grip you will see at that force is  $\frac{3}{8}$ ". The conditions on your job site can vary due to door weight, wind loading, closer settings, locked doors being aggressively pulled and other circumstances. It is our recommendation that you add a mid-post if there is any question about heavy or hard to open doors; having an extra mounting point always makes for a more stable and durable installation.






On long pulls, post can be positioned closer to each other and farther away from ends as a strategy to avoid mid-post if door condition permits.

NOTE: When ordering Post Mounted Pulls, please list both CTC and OA lengths.

NOTE: Back-to-Back pulls are entered as a set.

NOTE: When adding a mid-post additional mounting charges will apply.

| POST MOUNTED PULLS SHAPES AND SIZES                                                 |                 |               |             |
|-------------------------------------------------------------------------------------|-----------------|---------------|-------------|
| SHAPE                                                                               | MATERIAL        | MATERIAL Size | MAXIMUM CTC |
| Round                                                                               |                 |               |             |
|    | Stainless Steel | 1"            | 70"         |
|                                                                                     |                 | 1 1/4"        | 90"         |
|                                                                                     |                 | 1 1/2"        | 110"        |
|                                                                                     | Brass/Bronze    | 1"            | 57"         |
|                                                                                     |                 | 1 1/4"        | 73"         |
|                                                                                     |                 | 1 1/2"        | 87"         |
|                                                                                     | Aluminum        | 1"            | 66"*        |
|                                                                                     |                 | 1 1/4"        | 90"*        |
| 1 1/2"                                                                              |                 | 115"*         |             |
| Oval                                                                                |                 |               |             |
|   | Stainless Steel | 1" x 1 1/2"   | 100"        |
|                                                                                     |                 | 1" x 1 7/8"   | 119"        |
| Flat Oval                                                                           |                 |               |             |
|  | Stainless Steel | 3/4" x 1 1/2" | 93"         |
| Square                                                                              |                 |               |             |
|  | Stainless Steel | 3/4" x 3/4"   | 62"         |
|                                                                                     |                 | 1" x 1"       | 85"         |
| Rectangular                                                                         |                 |               |             |
|  | Stainless Steel | 1/2" x 1 1/4" | 86"         |
|                                                                                     |                 | 3/4" x 1 1/2" | 110"        |
|                                                                                     | Brass/Bronze    | 3/4" x 1 1/2" | 89"         |
|                                                                                     |                 | Rectangular   |             |
|  | Stainless Steel | 1/2" x 1 1/4" | 52"         |
|                                                                                     |                 | 3/4" x 1 1/2" | 75"         |
|                                                                                     | Brass/Bronze    | 3/4" x 1 1/2" | 60"         |

\*The maximum length of anodized aluminum pulls is 140" due to our tank size.

\*The maximum length to powder coat a pull is 118".

\*Exception: RM4850/RM6317 - Maximum CTC is 60" Brass/Bronze and 84" Stainless Steel.

**ROCKWOOD**

**ASSA ABLOY**








Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Tubular – 1 ¼" &amp; 1 ½" Diameter Pulls


| Straight Pulls                                                                                         |           |      |        |                    |                |                   |                       |         |        |        |       |           |
|--------------------------------------------------------------------------------------------------------|-----------|------|--------|--------------------|----------------|-------------------|-----------------------|---------|--------|--------|-------|-----------|
| Part                                                                                                   | CTC       | Dia. | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
|  RM301                | 12"       | 1 ¼" | 192    | 214                | 495            | 534               | 270                   | 177     | 201    | 292    | 327   | 338       |
| RM302                                                                                                  | 18"       | 1 ¼" | 216    | 238                | 525            | 566               | 300                   | 206     | 230    | 337    | 375   | 375       |
| RM303                                                                                                  | 24"       | 1 ¼" | 238    | 262                | 554            | 597               | 328                   | 232     | 259    | 381    | 426   | 410       |
| RM304                                                                                                  | 36"       | 1 ¼" | 285    | 314                | 612            | 664               | 432                   | 287     | 320    | 465    | 519   | 540       |
|  RM321                | 12"       | 1 ½" | 216    | 237                | 600            | 647               | 318                   | 224     | 250    | 364    | 407   | 398       |
| RM322                                                                                                  | 18"       | 1 ½" | 238    | 262                | 630            | 680               | 347                   | 250     | 279    | 408    | 455   | 434       |
| RM323                                                                                                  | 24"       | 1 ½" | 261    | 288                | 659            | 712               | 374                   | 276     | 308    | 450    | 504   | 468       |
| RM324                                                                                                  | 36"       | 1 ½" | 307    | 340                | 719            | 776               | 479                   | 329     | 368    | 538    | 603   | 599       |
| 90° Offset Pulls                                                                                       |           |      |        |                    |                |                   |                       |         |        |        |       |           |
|  RM201                | 12"       | 1 ¼" | 219    | 252                | 377            | 397               | 313                   | 218     | 266    | 339    | 395   | 391       |
| RM202                                                                                                  | 18"       | 1 ¼" | 239    | 274                | 420            | 440               | 340                   | 244     | 293    | 374    | 430   | 425       |
| RM203                                                                                                  | 24"       | 1 ¼" | 258    | 295                | 461            | 482               | 366                   | 266     | 314    | 418    | 475   | 458       |
| RM204                                                                                                  | 36"       | 1 ¼" | 302    | 338                | 554            | 575               | 445                   | 298     | 351    | 461    | 519   | 556       |
| RM221                                                                                                  | 12"       | 1 ½" | 283    | 311                | 449            | 482               | 347                   | 250     | 314    | 407    | 454   | 434       |
| RM222                                                                                                  | 18"       | 1 ½" | 302    | 325                | 501            | 525               | 430                   | 284     | 351    | 461    | 516   | 538       |
| RM223                                                                                                  | 24"       | 1 ½" | 325    | 346                | 565            | 585               | 462                   | 312     | 384    | 514    | 570   | 578       |
| RM224                                                                                                  | 36"       | 1 ½" | 369    | 389                | 667            | 689               | 505                   | 354     | 424    | 578    | 643   | 631       |
| Push Bars – Add \$6.80/in. per bar for extra length bars over 36".                                     |           |      |        |                    |                |                   |                       |         |        |        |       |           |
|  RM350               | Up to 36" | 1 ¼" | 283    | 316                | 420            | 449               | 347                   | 250     | 279    | 408    | 418   | 433       |
| RM370                                                                                                  | Up to 36" | 1 ½" | 325    | 357                | 501            | 542               | 454                   | 305     | 342    | 498    | 557   | 568       |
| Straight Push Pull Sets – Specify Push Bar CTC. Add \$6.80/in. per bar for extra length bars over 36". |           |      |        |                    |                |                   |                       |         |        |        |       |           |
|  RM351              | 12"       | 1 ¼" | 448    | 503                | 736            | 793               | 615                   | 453     | 509    | 740    | 761   | 769       |
| RM352                                                                                                  | 18"       | 1 ¼" | 459    | 513                | 778            | 840               | 631                   | 470     | 525    | 767    | 782   | 789       |
| RM371                                                                                                  | 12"       | 1 ½" | 555    | 609                | 882            | 953               | 700                   | 533     | 597    | 870    | 973   | 875       |
| RM372                                                                                                  | 18"       | 1 ½" | 586    | 642                | 911            | 984               | 770                   | 564     | 632    | 926    | 1031  | 963       |
| Offset Push Pull Sets – Specify Push Bar CTC. Add \$6.80/in. per bar for extra length bars over 36".   |           |      |        |                    |                |                   |                       |         |        |        |       |           |
|  RM251              | 12"       | 1 ¼" | 528    | 586                | 820            | 882               | 652                   | 489     | 548    | 797    | 841   | 815       |
| RM252                                                                                                  | 18"       | 1 ¼" | 544    | 609                | 861            | 927               | 675                   | 509     | 569    | 831    | 870   | 844       |
| RM271                                                                                                  | 12"       | 1 ½" | 630    | 684                | 974            | 1,054             | 778                   | 573     | 643    | 935    | 1,044 | 973       |
| RM272                                                                                                  | 18"       | 1 ½" | 658    | 706                | 1,027          | 1,109             | 811                   | 607     | 677    | 989    | 1,102 | 1,014     |
| Heavy Duty 30° Offset Pulls                                                                            |           |      |        |                    |                |                   |                       |         |        |        |       |           |
|  RM257              | 10"       | 1 ¼" | 230    | 252                | 505            | 546               | 464                   | 314     | 353    | 514    | 564   | 580       |
| RM258                                                                                                  | 12"       | 1 ¼" | 252    | 274                | 542            | 586               | 494                   | 343     | 385    | 561    | 599   | 618       |
| RM259                                                                                                  | 18"       | 1 ¼" | 258    | 283                | 599            | 646               | 532                   | 378     | 423    | 617    | 648   | 665       |

NOTE: Engraving "Push" or "Pull" add \$108.00 (½" letter height).

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

- Order form available on website under RM201 – RM224, RM257 – RM259, RM301 – RM324, RM350 and RM370.

## RightAngles - with or without GripZone



| Without GripZone (RM410-RM413 specify handing and height x width when ordering.) |        |                    |                |                   |                       |         |        |        |       |           |
|----------------------------------------------------------------------------------|--------|--------------------|----------------|-------------------|-----------------------|---------|--------|--------|-------|-----------|
| Part                                                                             | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
| <b>RM405-15</b>                                                                  | 347    | 393                | 582            | 629               | 483                   | 282     | 317    | 456    | 517   | 604       |
| <b>RM410</b> (leg up)                                                            | 717    | 824                | 1,244          | 1,343             | 897                   | 582     | 668    | 945    | 1,088 | 1,121     |
| <b>RM411</b> (leg down)                                                          | 717    | 824                | 1,244          | 1,343             | 897                   | 582     | 668    | 945    | 1,088 | 1,121     |
| <b>RM412</b> (leg up)                                                            | 1,219  | 1,393              | 1,405          | 1,518             | 1,398                 | 984     | 1,127  | 1,604  | 1,835 | 1,748     |
| <b>RM413</b> (leg down)                                                          | 1,219  | 1,393              | 1,405          | 1,518             | 1,398                 | 984     | 1,127  | 1,604  | 1,835 | 1,748     |
| With GripZone (RM420-RM423 specify handing and height x width when ordering.)    |        |                    |                |                   |                       |         |        |        |       |           |
| Part                                                                             | 3/605  | 9/611              | 32/629         | 32316             |                       |         |        |        |       |           |
| <b>RM415-15</b>                                                                  | 799    | 923                | 551            | 1,152             |                       |         |        |        |       |           |
| <b>RM420</b> (leg up)                                                            | 1,571  | 1,800              | 1,076          | 2,247             |                       |         |        |        |       |           |
| <b>RM421</b> (leg down)                                                          | 1,571  | 1,800              | 1,076          | 2,247             |                       |         |        |        |       |           |
| <b>RM422</b> (leg up)                                                            | 2,031  | 2,334              | 1,372          | 2,916             |                       |         |        |        |       |           |
| <b>RM423</b> (leg down)                                                          | 2,031  | 2,334              | 1,372          | 2,916             |                       |         |        |        |       |           |

## Small Pulls - for Cabinets, Casework and Closets




| Wire Pulls - without base plates |     |      |                |         |                       |                   |         |        |           |
|----------------------------------|-----|------|----------------|---------|-----------------------|-------------------|---------|--------|-----------|
| Part                             | CTC | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 26/625<br>26D/626 | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM710-4</b>                   | 4"  | 3/8" | 49             | 54      | 51                    | 49                | 29      | 33     | 64        |
| <b>RM710-5</b>                   | 5"  | 3/8" | 51             | 55      | 52                    | 51                | 32      | 34     | 65        |
| <b>RM710-6</b>                   | 6"  | 3/8" | 54             | 60      | 55                    | 55                | 33      | 38     | 69        |
| <b>RM720-4</b>                   | 4"  | 1/2" | 62             | 67      | 58                    | 62                | 33      | 38     | 73        |
| <b>RM720-5</b>                   | 5"  | 1/2" | 63             | 68      | 60                    | 63                | 34      | 40     | 75        |
| <b>RM720-6</b>                   | 6"  | 1/2" | 65             | 69      | 64                    | 65                | 38      | 42     | 80        |
| <b>RM730-5</b>                   | 5"  | 5/8" | 71             | 76      | 67                    | 71                | 40      | 43     | 84        |
| <b>RM730-6</b>                   | 6"  | 5/8" | 74             | 78      | 68                    | 74                | 41      | 45     | 85        |
| <b>RM730-7</b>                   | 7"  | 5/8" | 75             | 82      | 69                    | 75                | 42      | 46     | 86        |
| Wire Pulls - with base plates    |     |      |                |         |                       |                   |         |        |           |
| <b>RM715-4</b>                   | 4"  | 3/8" | 78             | 83      | 80                    | 78                | 55      | 59     | 100       |
| <b>RM715-5</b>                   | 5"  | 3/8" | 82             | 88      | 84                    | 82                | 57      | 61     | 105       |
| <b>RM715-6</b>                   | 6"  | 3/8" | 83             | 89      | 85                    | 87                | 58      | 68     | 106       |
| <b>RM725-4</b>                   | 4"  | 1/2" | 93             | 100     | 88                    | 93                | 59      | 69     | 110       |
| <b>RM725-5</b>                   | 5"  | 1/2" | 95             | 101     | 89                    | 95                | 60      | 70     | 111       |
| <b>RM725-6</b>                   | 6"  | 1/2" | 97             | 105     | 92                    | 97                | 61      | 71     | 115       |
| <b>RM735-5</b>                   | 5"  | 5/8" | 101            | 111     | 92                    | 101               | 61      | 71     | 115       |
| <b>RM735-6</b>                   | 6"  | 5/8" | 105            | 113     | 95                    | 105               | 67      | 75     | 119       |
| <b>RM735-7</b>                   | 7"  | 5/8" | 106            | 116     | 96                    | 106               | 68      | 76     | 120       |


ROCKWOOD®

ASSA ABLOY

Experience a safer  
and more open worldUSA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.




RM782




RM785

## Flush Pulls

| Flush Pulls  |                   |                |         |                       |                   |           |
|--------------|-------------------|----------------|---------|-----------------------|-------------------|-----------|
| Part         | Size              | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 26/625<br>26D/626 | OptiCoat™ |
| <b>RM780</b> | 2 3/16" x 3 1/4"  | 53             | 59      | 59                    | 59                | 74        |
| <b>RM782</b> | 2 1/16" x 4 3/16" | 59             | 62      | 73                    | 62                | 91        |
| <b>RM785</b> | 3 1/2" Dia.       | 72             | 64      | 76                    | 76                | 95        |



RM790




RM791

| Flush Cup Pull |     |                       |         |        |           |
|----------------|-----|-----------------------|---------|--------|-----------|
| Part           | OA  | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM790</b>   | 14" | 222                   | 141     | 158    | 278       |
|                | 26" | 261                   | 166     | 186    | 326       |
|                | 38" | 283                   | 197     | 222    | 354       |
| <b>RM791</b>   | 8"  | 273                   | 229     | 256    | 341       |
|                | 12" | 298                   | 253     | 284    | 373       |
|                | 24" | 370                   | 326     | 364    | 463       |
|                | 36" | 442                   | 397     | 434    | 553       |


NOTE: If ordering pull to mate with RM790, the CTC of the pull needs to be 2" less than the overall of the flush pull.

- Order form available when ordering.

## Edge Pulls - for Closet Doors



RM752



RM760


| Square Edge Door               |           |                |                   |                       |                       |                   |           |
|--------------------------------|-----------|----------------|-------------------|-----------------------|-----------------------|-------------------|-----------|
| Part                           | Max<br>OA | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630               | 32/629            | OptiCoat™ |
| RM751                          | Up to 12" | 134            | 143               | 125                   | 92                    | 103               | 156       |
| RM752                          | Up to 12" | 138            | 146               | 129                   | 96                    | 106               | 161       |
| Bevel Edge Door                |           |                |                   |                       |                       |                   |           |
| RM753                          | Up to 12" | 141            | 152               | 133                   | 98                    | 111               | 166       |
| RM754                          | Up to 12" | 143            | 154               | 136                   | 103                   | 116               | 170       |
| Double Edge Pull - Square Edge |           |                |                   |                       |                       |                   |           |
| RM755                          | Up to 12" | 263            | 282               | 227                   | 184                   | 207               | 284       |
| Concealed Edge Pull            |           |                |                   |                       |                       |                   |           |
| Part                           | Size      |                | 3/605<br>4/606    | 10/612<br>10B/613     | Stock PC/<br>10BE/BSP | 26/625<br>26D/626 | OptiCoat™ |
| RM760                          | 1" x 4 ¼" |                | 71                | 76                    | 72                    | 76                | 90        |

- Specifying Information: 1. Select style pull number; 2. Select standard length [2", 2 1/2", 3", 4", 5", 6", 12" (max)]; 3. Specify door thickness [Example: RM752-4" 32D 1 3/4" door].


\*RM760 cannot be modified.

- Order form available when ordering.


## Coat Hooks




RM801




RM813



RM817



RM820



RM830




RM839




RM842

| Part                 | Size                             | 3/605<br>4/606            | 10/612<br>10B/613     | Stock PC/<br>10BE/BSP | 26/625<br>26D/626 | 32D/630   | OptiCoat™ |
|----------------------|----------------------------------|---------------------------|-----------------------|-----------------------|-------------------|-----------|-----------|
| RM801                | 1 ¼" x 1 ¾"                      | 92                        | 99                    | 93                    | 97                | 67        | 116       |
| RM802                | 1 ¼" x 2 ¾"                      | 93                        | 100                   | 94                    | 99                | 70        | 118       |
| RM803                | 1" x 2"                          | 92                        | 99                    | 93                    |                   | 85        | 116       |
| RM804                | 1" x 3"                          | 93                        | 100                   | 94                    |                   | 86        | 118       |
| RM805                | 1" x 1 ¾"                        | 114                       | 125                   | 118                   | 125               |           | 148       |
| RM806                | 1" x 3"                          | 125                       | 138                   | 127                   | 138               |           | 159       |
| RM807                | 1 ¼" x 2 ¾"                      | 141                       | 152                   | 142                   | 152               |           | 178       |
| RM808                | 1 ¼" x 3 ½"                      | 152                       | 163                   | 154                   | 161               |           | 193       |
| RM811                | ¾" x 1 ½"                        | 63                        | 67                    | 63                    | 63                |           | 79        |
| RM812                | 1 ¼" x 2 ¼"                      | 65                        | 71                    | 67                    | 65                |           | 84        |
| RM813 (w/bumper)     | ¾" x 3"                          | 106                       | 114                   | 110                   |                   | 86        | 138       |
| Part                 | Size                             |                           |                       | Stock PC/10BE/BSP     |                   | 15/619    | OptiCoat™ |
| RM817                | Square 1 ¾", 2 11⁄16" Projection |                           |                       | 70                    |                   | 69        | 88        |
| Part                 | Size                             | 3/605<br>4/606<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630               | 32/629            | OptiCoat™ |           |
| RM820                | ½" x 1 ⅝"                        |                           | 70                    | 50                    |                   | 88        |           |
| RM821                | ⅝" x 2 ⅛"                        |                           | 72                    | 51                    |                   | 90        |           |
| RM822                | ½" x 1 ½"                        |                           | 51                    | 36                    |                   | 64        |           |
| RM823                | ⅝" x 2"                          |                           | 54                    | 37                    |                   | 68        |           |
| RM828                | ¾"W x 2 ⅞"                       | 109                       | 85                    | 67                    | 90                | 106       |           |
| RM829                | ¾"W x 1 ⅞"                       | 99                        | 83                    | 84                    | 86                | 104       |           |
| LineaMet Coat Hooks  |                                  |                           |                       |                       |                   |           |           |
| RM830 (w/base plate) | 1 ¼" x 2 ¼"                      |                           | 108                   | 78                    | 84                | 135       |           |
| RM831                | ⅝" x 2 ⅛"                        |                           | 108                   | 78                    | 84                | 135       |           |
| ArborMet Coat Hooks  |                                  |                           |                       |                       |                   |           |           |
| RM835 (w/base plate) | 1 ¼" x 2 ¼"                      |                           | 108                   | 78                    | 84                | 135       |           |
| RM836                | ⅝" x 2 ⅛"                        |                           | 108                   | 78                    | 84                | 135       |           |
| SoftMet Coat Hooks   |                                  |                           |                       |                       |                   |           |           |
| RM838 (w/base plate) | 1 ¼" x 2 ¼"                      |                           | 108                   | 78                    | 84                | 135       |           |
| RM839                | ⅝" x 2 ⅛"                        |                           | 108                   | 78                    | 84                | 135       |           |
| Groove Coat Hooks    |                                  |                           |                       |                       |                   |           |           |
| RM840 (w/base plate) | ½" x 1 ⅝"                        |                           | 89                    | 60                    |                   | 111       |           |
| RM841 (w/base plate) | ⅝" x 2 ⅛"                        |                           | 94                    | 66                    |                   | 118       |           |
| RM842                | ½" x 1 ½"                        |                           | 77                    | 50                    |                   | 96        |           |
| RM843                | ⅝" x 2"                          |                           | 83                    | 53                    |                   | 104       |           |

## Door Stops



RM850



RM857

| Floor Mounted |        |                |                   |                       |            |         |        |                       |           |
|---------------|--------|----------------|-------------------|-----------------------|------------|---------|--------|-----------------------|-----------|
| Part          | Height | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | US26/US26D | 32D/630 | 15/619 | Translucent PC/<br>4E | OptiCoat™ |
| RM850         | 1 1/2" | 36             | 38                | 53                    | 36         | 42      | 37     | 58                    | 66        |
| RM851         | 2 1/2" | 78             | 85                | 80                    | 78         | 64      | 89     | 88                    | 100       |
| RM855         | 1 3/4" | 68             | 74                | 68                    | 63         | 56      | 78     | 75                    | 85        |
| RM856         | 2 3/4" | 83             | 89                | 85                    | 83         | 68      | 97     | 94                    | 106       |

Black bumper available. Suffix BB after part number (ex: RM850BB.32D). Add on charge of \$2.22 will apply.

| Part  | Size                              | Stock PC/<br>10BE/BSP | 15/619 | OptiCoat™ |
|-------|-----------------------------------|-----------------------|--------|-----------|
| RM857 | Square 1" Base, 2 3/4" Projection | 87                    | 86     | 109       |

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Door Stops (con't)



RM867

| Wall Mounted       |                                 |                |                   |                       |                       |         |           |
|--------------------|---------------------------------|----------------|-------------------|-----------------------|-----------------------|---------|-----------|
| Part               | Projection                      | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 26/625<br>26D/626     | 32D/630 | OptiCoat™ |
| RM860              | 1 ⅜"                            | 40             | 42                | 40                    | 39                    | 29      | 50        |
| RM861              | 1 ⅜"                            | 40             | 42                | 40                    | 39                    | 29      | 50        |
| Part               | Size                            |                |                   |                       | Stock PC/<br>10BE/BSP | 15/619  | OptiCoat™ |
| RM867              | Square 1 ¾" Base, ¾" Projection |                |                   |                       | 69                    | 68      | 86        |
| Base Board Mounted |                                 |                |                   |                       |                       |         |           |
| Part               | Projection                      | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 26/625<br>26D/626     | 32D/630 | OptiCoat™ |
| RM870              | 1 ½"                            | 54             | 60                | 55                    | 49                    | 34      | 69        |
| RM871              | 3 ¼"                            | 54             | 60                | 55                    | 49                    | 34      | 69        |
| RM872              | 3 ¾"                            | 54             | 60                | 55                    | 49                    | 34      | 69        |
| RM875              | 1 ½"                            | 76             | 82                | 75                    | 76                    | 51      | 94        |
| RM876              | 3 ¼"                            | 76             | 82                | 75                    | 76                    | 51      | 94        |
| RM877              | 3 ¾"                            | 76             | 82                | 75                    | 76                    | 51      | 94        |



RM876

## Push Plates, Pull Plates and Signage



RM1010

| Square Corner - Adhesive Mount              |           |                |                   |                       |         |        |           |
|---------------------------------------------|-----------|----------------|-------------------|-----------------------|---------|--------|-----------|
| Part                                        | Size      | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM1010                                      | 4" x 22"  | 144            | 156               | 112                   | 76      | 82     | 140       |
| RM1010H                                     | 4" x 22"  | 194            | 208               | 157                   | 111     | 125    | 196       |
| RM1010L                                     | 4" x 22"  | 194            | 208               | 157                   | 111     | 125    | 196       |
| Square Corner - Screw Mount                 |           |                |                   |                       |         |        |           |
| RM1020                                      | 4" x 22"  | 122            | 134               | 91                    | 53      | 60     | 114       |
| RM1020H                                     | 4" x 22"  | 172            | 186               | 136                   | 92      | 104    | 170       |
| RM1020L                                     | 4" x 22"  | 172            | 186               | 136                   | 92      | 104    | 170       |
| Radius End Corner - Adhesive Mount          |           |                |                   |                       |         |        |           |
| RM1030                                      | 4" x 22"  | 108            | 109               | 113                   | 92      | 104    | 142       |
| RM1030H                                     | 4" x 22"  | 152            | 152               | 158                   | 130     | 145    | 198       |
| RM1030L                                     | 4" x 22"  | 152            | 152               | 158                   | 130     | 145    | 198       |
| Radius End Corner - Screw Mount             |           |                |                   |                       |         |        |           |
| RM1040                                      | 4" x 22"  | 149            | 162               | 113                   | 76      | 82     | 141       |
| RM1040H                                     | 4" x 22"  | 195            | 213               | 155                   | 111     | 125    | 194       |
| RM1040L                                     | 4" x 22"  | 195            | 213               | 155                   | 111     | 125    | 194       |
| Leather Push Plates                         |           |                |                   |                       |         |        |           |
| Leather Inlay - Square Corner - Screw Mount |           |                |                   |                       |         |        |           |
| RM1060                                      | 4" x 22"  | 363            | 392               | 294                   | 259     | 275    | 367       |
| Full Wrapped Leather                        |           |                |                   |                       |         |        |           |
| RM1065                                      | 4" x 22"  | 296            |                   |                       |         |        |           |
| Indicator Plates - Adhesive Mount           |           |                |                   |                       |         |        |           |
| Part                                        | Size      | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM1110H                                     | 1" Dia.   | 101            | 114               | 109                   | 78      | 87     | 136       |
| RM1110L                                     | 1" Dia.   | 101            | 114               | 109                   | 78      | 87     | 136       |
| RM1120H                                     | 2½" Dia.  | 101            | 114               | 109                   | 78      | 87     | 136       |
| RM1120L                                     | 2½" Dia.  | 101            | 114               | 109                   | 78      | 87     | 136       |
| RM1150M                                     | 2" x 4"   | 109            | 125               | 117                   | 87      | 98     | 146       |
| RM1150W                                     | 2" x 5 ¾" | 112            | 129               | 120                   | 90      | 100    | 150       |
| Indicator Plates - Screw Mount              |           |                |                   |                       |         |        |           |
| RM1160M                                     | 2" x 4"   | 109            | 125               | 117                   | 87      | 98     | 146       |
| RM1160W                                     | 2" x 5 ¾" | 112            | 129               | 120                   | 90      | 100    | 150       |



RM1030



RM1060



RM1065



RM1120H



RM1120L

• Order form available on website under RM1060 and RM1065.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

## MegaTek - Small Pulls for Cabinets, Casework &amp; Closet Doors

| Straight - Flat Ends |         |      |                |         |                       |         |        |           |
|----------------------|---------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                 | Max OA  | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM1200-4             | 5 7/8"  | 1/2" | 82             | 88      | 67                    | 40      | 54     | 84        |
| RM1200-5             | 6 7/8"  | 1/2" | 83             | 92      | 68                    | 41      | 55     | 85        |
| RM1200-6             | 7 7/8"  | 1/2" | 85             | 93      | 85                    | 47      | 56     | 106       |
| RM1200-8             | 9 7/8"  | 1/2" | 89             | 97      | 89                    | 55      | 59     | 111       |
| RM1200-10            | 11 7/8" | 1/2" | 95             | 101     | 95                    | 58      | 64     | 119       |
| RM1200-12            | 13 7/8" | 1/2" | 106            | 117     | 99                    | 61      | 71     | 124       |
| RM1200-18            | 19 7/8" | 1/2" | 143            | 154     | 105                   | 68      | 77     | 131       |
| RM1200-24            | 25 7/8" | 1/2" | 163            | 177     | 121                   | 81      | 92     | 151       |
| RM1200-30            | 31 7/8" | 1/2" | 194            | 207     | 135                   | 96      | 105    | 169       |
| RM1210-5             | 6 7/8"  | 5/8" | 109            | 116     | 84                    | 46      | 53     | 105       |
| RM1210-6             | 7 7/8"  | 5/8" | 111            | 117     | 88                    | 51      | 58     | 110       |
| RM1210-7             | 8 7/8"  | 5/8" | 111            | 119     | 96                    | 59      | 68     | 120       |
| RM1210-8             | 9 7/8"  | 5/8" | 113            | 121     | 99                    | 61      | 71     | 124       |
| RM1210-10            | 11 7/8" | 5/8" | 128            | 141     | 102                   | 64      | 75     | 128       |
| RM1210-12            | 13 7/8" | 5/8" | 138            | 146     | 105                   | 68      | 77     | 131       |
| RM1210-18            | 19 7/8" | 5/8" | 188            | 203     | 125                   | 88      | 99     | 156       |
| RM1210-24            | 25 7/8" | 5/8" | 215            | 233     | 140                   | 100     | 114    | 175       |
| RM1210-30            | 31 7/8" | 5/8" | 257            | 279     | 152                   | 110     | 122    | 190       |
| Offset - Flat Ends   |         |      |                |         |                       |         |        |           |
| RM1230-5             | 6 7/8"  | 5/8" |                |         | 139                   | 99      | 111    | 174       |
| RM1230-6             | 7 7/8"  | 5/8" |                |         | 140                   | 100     | 112    | 175       |
| RM1230-7             | 8 7/8"  | 5/8" |                |         | 144                   | 104     | 116    | 180       |
| RM1230-8             | 9 7/8"  | 5/8" |                |         | 149                   | 108     | 122    | 186       |
| RM1230-10            | 11 7/8" | 5/8" |                |         | 152                   | 110     | 124    | 190       |
| RM1230-12            | 13 7/8" | 5/8" |                |         | 154                   | 112     | 126    | 193       |
| RM1230-18            | 19 7/8" | 5/8" |                |         | 184                   | 127     | 141    | 230       |
| RM1230-24            | 25 7/8" | 5/8" |                |         | 205                   | 143     | 161    | 256       |
| RM1230-30            | 31 7/8" | 5/8" |                |         | 210                   | 149     | 168    | 263       |



RM1210




RM1230


**ROCKWOOD®****ASSA ABLOY**Experience a safer  
and more open worldUSA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## MegaTek - Small Pulls for Cabinets, Casework & Closet Doors (con't)

| Straight - Round Ends |         |      |                |         |                       |         |        |           |
|-----------------------|---------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                  | Max OA  | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM1240-4              | 5 7/8"  | 1/2" | 97             | 105     | 93                    | 57      | 64     | 117       |
| RM1240-5              | 6 7/8"  | 1/2" | 99             | 106     | 95                    | 58      | 67     | 119       |
| RM1240-6              | 7 7/8"  | 1/2" | 100            | 109     | 96                    | 59      | 68     | 120       |
| RM1240-8              | 9 7/8"  | 1/2" | 104            | 113     | 102                   | 64      | 71     | 128       |
| RM1240-10             | 11 7/8" | 1/2" | 106            | 117     | 107                   | 70      | 79     | 134       |
| RM1240-12             | 13 7/8" | 1/2" | 116            | 122     | 114                   | 77      | 85     | 143       |
| RM1240-18             | 19 7/8" | 1/2" | 149            | 163     | 136                   | 81      | 90     | 170       |
| RM1240-24             | 25 7/8" | 1/2" | 176            | 188     | 145                   | 90      | 101    | 181       |
| RM1240-30             | 31 7/8" | 1/2" | 196            | 214     | 161                   | 105     | 118    | 201       |
| RM1250-5              | 6 7/8"  | 5/8" | 116            | 122     | 107                   | 70      | 79     | 134       |
| RM1250-6              | 7 7/8"  | 5/8" | 119            | 128     | 108                   | 71      | 80     | 135       |
| RM1250-7              | 8 7/8"  | 5/8" | 121            | 134     | 111                   | 75      | 81     | 139       |
| RM1250-8              | 9 7/8"  | 5/8" | 125            | 137     | 113                   | 76      | 84     | 141       |
| RM1250-10             | 11 7/8" | 5/8" | 141            | 149     | 116                   | 78      | 86     | 145       |
| RM1250-12             | 13 7/8" | 5/8" | 145            | 160     | 119                   | 80      | 89     | 149       |
| RM1250-18             | 19 7/8" | 5/8" | 194            | 212     | 135                   | 96      | 107    | 169       |
| RM1250-24             | 25 7/8" | 5/8" | 224            | 239     | 152                   | 110     | 125    | 190       |
| RM1250-30             | 31 7/8" | 5/8" | 263            | 280     | 158                   | 118     | 129    | 198       |
| Offset - Round Ends   |         |      |                |         |                       |         |        |           |
| RM1270-5              | 6 7/8"  | 5/8" |                |         | 154                   | 114     | 126    | 193       |
| RM1270-6              | 7 7/8"  | 5/8" |                |         | 155                   | 114     | 127    | 194       |
| RM1270-7              | 8 7/8"  | 5/8" |                |         | 156                   | 116     | 128    | 195       |
| RM1270-8              | 9 7/8"  | 5/8" |                |         | 160                   | 119     | 130    | 200       |
| RM1270-10             | 11 7/8" | 5/8" |                |         | 161                   | 121     | 133    | 201       |
| RM1270-12             | 13 7/8" | 5/8" |                |         | 164                   | 124     | 137    | 205       |
| RM1270-18             | 19 7/8" | 5/8" |                |         | 184                   | 140     | 159    | 231       |
| RM1270-24             | 25 7/8" | 5/8" |                |         | 198                   | 155     | 170    | 248       |
| RM1270-30             | 31 7/8" | 5/8" |                |         | 205                   | 160     | 176    | 256       |



RM1250



RM1270

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.


Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world


## Groove - Small Pulls



## Straight - Flat Ends

| Part      | Max OA  | Dia. | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|-----------|---------|------|----------------|-------------------|-----------------------|---------|--------|-----------|
| RM1211-5  | 6 7/8"  | 5/8" | 120            | 129               | 107                   | 70      | 79     | 134       |
| RM1211-6  | 7 7/8"  | 5/8" | 121            | 130               | 108                   | 71      | 80     | 135       |
| RM1211-7  | 8 7/8"  | 5/8" | 122            | 134               | 111                   | 75      | 81     | 139       |
| RM1211-8  | 9 7/8"  | 5/8" | 125            | 137               | 113                   | 76      | 84     | 141       |
| RM1211-10 | 11 7/8" | 5/8" | 138            | 146               | 114                   | 77      | 85     | 143       |
| RM1211-12 | 13 7/8" | 5/8" | 144            | 158               | 119                   | 80      | 89     | 149       |

## GripZone - Small Pulls for Cabinets, Casework &amp; Closet Doors



## Straight - Flat Ends


| Part      | Max OA  | Dia. | 32/629 |
|-----------|---------|------|--------|
| RM1300-4  | 5 7/8"  | 1/2" | 81     |
| RM1300-5  | 6 7/8"  | 1/2" | 84     |
| RM1300-6  | 7 7/8"  | 1/2" | 85     |
| RM1300-8  | 9 7/8"  | 1/2" | 86     |
| RM1300-10 | 11 7/8" | 1/2" | 89     |
| RM1300-12 | 13 7/8" | 1/2" | 97     |
| RM1300-18 | 19 7/8" | 1/2" | 101    |
| RM1300-24 | 25 7/8" | 1/2" | 118    |
| RM1300-30 | 31 7/8" | 1/2" | 128    |

## Straight - Flat Ends

|           |         |      |     |
|-----------|---------|------|-----|
| RM1310-5  | 6 7/8"  | 5/8" | 92  |
| RM1310-6  | 7 7/8"  | 5/8" | 95  |
| RM1310-7  | 8 7/8"  | 5/8" | 96  |
| RM1310-8  | 9 7/8"  | 5/8" | 97  |
| RM1310-10 | 11 7/8" | 5/8" | 99  |
| RM1310-12 | 13 7/8" | 5/8" | 101 |
| RM1310-18 | 19 7/8" | 5/8" | 124 |
| RM1310-24 | 25 7/8" | 5/8" | 135 |
| RM1310-30 | 31 7/8" | 5/8" | 154 |

## Offset - Flat Ends

|           |         |      |     |
|-----------|---------|------|-----|
| RM1330-5  | 6 7/8"  | 5/8" | 135 |
| RM1330-6  | 7 7/8"  | 5/8" | 137 |
| RM1330-7  | 8 7/8"  | 5/8" | 138 |
| RM1330-8  | 9 7/8"  | 5/8" | 143 |
| RM1330-10 | 11 7/8" | 5/8" | 145 |
| RM1330-12 | 13 7/8" | 5/8" | 154 |
| RM1330-18 | 19 7/8" | 5/8" | 168 |
| RM1330-24 | 25 7/8" | 5/8" | 184 |
| RM1330-30 | 31 7/8" | 5/8" | 195 |



## Straight - Round Ends


| Part      | Max OA  | Dia. | 32/629 |
|-----------|---------|------|--------|
| RM1340-4  | 5 7/8"  | 1/2" | 95     |
| RM1340-5  | 6 7/8"  | 1/2" | 96     |
| RM1340-6  | 7 7/8"  | 1/2" | 97     |
| RM1340-8  | 9 7/8"  | 1/2" | 99     |
| RM1340-10 | 11 7/8" | 1/2" | 101    |
| RM1340-12 | 13 7/8" | 1/2" | 112    |
| RM1340-18 | 19 7/8" | 1/2" | 121    |
| RM1340-24 | 25 7/8" | 1/2" | 128    |
| RM1340-30 | 31 7/8" | 1/2" | 143    |

## Straight - Round Ends

|           |         |      |     |
|-----------|---------|------|-----|
| RM1350-5  | 6 7/8"  | 5/8" | 108 |
| RM1350-6  | 7 7/8"  | 5/8" | 110 |
| RM1350-7  | 8 7/8"  | 5/8" | 111 |
| RM1350-8  | 9 7/8"  | 5/8" | 112 |
| RM1350-10 | 11 7/8" | 5/8" | 118 |
| RM1350-12 | 13 7/8" | 5/8" | 121 |
| RM1350-18 | 19 7/8" | 5/8" | 135 |
| RM1350-24 | 25 7/8" | 5/8" | 154 |
| RM1350-30 | 31 7/8" | 5/8" | 164 |

## Offset - Round Ends


|           |         |      |     |
|-----------|---------|------|-----|
| RM1370-5  | 6 7/8"  | 5/8" | 154 |
| RM1370-6  | 7 7/8"  | 5/8" | 155 |
| RM1370-7  | 8 7/8"  | 5/8" | 156 |
| RM1370-8  | 9 7/8"  | 5/8" | 159 |
| RM1370-10 | 11 7/8" | 5/8" | 161 |
| RM1370-12 | 13 7/8" | 5/8" | 164 |
| RM1370-18 | 19 7/8" | 5/8" | 184 |
| RM1370-24 | 25 7/8" | 5/8" | 195 |
| RM1370-30 | 31 7/8" | 5/8" | 212 |



ROCKWOOD®


ASSA ABLOY

Experience a safer  
and more open worldUSA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.




## NoirMet - Small Pulls

| Straight - Flat Ends  |        |      |                |        |         |                       |         |        |           |
|-----------------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                  | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM1410-5</b>       | 6 7/8" | 5/8" | 188            | 205    | 205     | 135                   | 96      | 105    | 169       |
| <b>RM1410-6</b>       | 7 7/8" | 5/8" | 194            | 212    | 212     | 137                   | 98      | 110    | 171       |
| Offset - Flat Ends    |        |      |                |        |         |                       |         |        |           |
| <b>RM1430-5</b>       | 6 7/8" | 5/8" |                |        |         | 193                   | 149     | 169    | 241       |
| <b>RM1430-6</b>       | 7 7/8" | 5/8" |                |        |         | 198                   | 155     | 171    | 248       |
| Straight - Round Ends |        |      |                |        |         |                       |         |        |           |
| <b>RM1450-5</b>       | 6 7/8" | 5/8" | 225            | 243    | 243     | 160                   | 119     | 130    | 200       |
| <b>RM1450-6</b>       | 7 7/8" | 5/8" | 229            | 245    | 245     | 164                   | 124     | 135    | 205       |
| Offset - Round Ends   |        |      |                |        |         |                       |         |        |           |
| <b>RM1470-5</b>       | 6 7/8" | 5/8" |                |        |         | 223                   | 174     | 195    | 279       |
| <b>RM1470-6</b>       | 7 7/8" | 5/8" |                |        |         | 229                   | 180     | 205    | 286       |



## ArborMet - Small Pulls

| Straight - Flat Ends  |        |      |                |        |         |                       |         |        |           |
|-----------------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                  | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM1510-5</b>       | 6 7/8" | 5/8" | 198            | 215    | 215     | 140                   | 100     | 116    | 175       |
| <b>RM1510-6</b>       | 7 7/8" | 5/8" | 203            | 219    | 219     | 145                   | 105     | 121    | 182       |
| Offset - Flat Ends    |        |      |                |        |         |                       |         |        |           |
| <b>RM1530-5</b>       | 6 7/8" | 5/8" |                |        |         | 205                   | 160     | 179    | 256       |
| <b>RM1530-6</b>       | 7 7/8" | 5/8" |                |        |         | 209                   | 164     | 187    | 261       |
| Straight - Round Ends |        |      |                |        |         |                       |         |        |           |
| <b>RM1550-5</b>       | 6 7/8" | 5/8" | 234            | 254    | 254     | 171                   | 128     | 144    | 213       |
| <b>RM1550-6</b>       | 7 7/8" | 5/8" | 239            | 257    | 257     | 176                   | 131     | 154    | 220       |
| Offset - Round Ends   |        |      |                |        |         |                       |         |        |           |
| <b>RM1570-5</b>       | 6 7/8" | 5/8" |                |        |         | 231                   | 185     | 210    | 289       |
| <b>RM1570-6</b>       | 7 7/8" | 5/8" |                |        |         | 236                   | 187     | 217    | 295       |



## NeoMitre - Small Pulls - for Cabinets, Casework and Closets

| Straight Pulls |     |      |                       |         |        |           |
|----------------|-----|------|-----------------------|---------|--------|-----------|
| Part           | CTC | Dia. | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM1665</b>  | 6"  | 1/2" | 137                   | 99      | 122    | 171       |
|                | 8"  | 1/2" | 140                   | 101     | 125    | 175       |
|                | 10" | 1/2" | 142                   | 104     | 128    | 178       |
|                | 12" | 1/2" | 145                   | 106     | 131    | 181       |
|                | 18" | 1/2" | 154                   | 113     | 139    | 193       |
|                | 24" | 1/2" | 161                   | 122     | 149    | 201       |
|                | 30" | 1/2" | 170                   | 129     | 158    | 212       |
| <b>RM1675</b>  | 6"  | 3/4" | 151                   | 113     | 126    | 189       |
|                | 8"  | 3/4" | 154                   | 116     | 129    | 193       |
|                | 10" | 3/4" | 156                   | 119     | 132    | 195       |
|                | 12" | 3/4" | 159                   | 121     | 135    | 199       |
|                | 18" | 3/4" | 167                   | 128     | 143    | 210       |
|                | 24" | 3/4" | 176                   | 137     | 154    | 220       |
|                | 30" | 3/4" | 184                   | 144     | 163    | 231       |

- Order form available on website under RM1665 and RM1675.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world



RM1701



RM1731

## Knurled - Small Pulls - for Cabinets, Casework and Closets

### Straight Pulls - Flat Ends

| Part          | Max OA | Dia. | 4/606 | Stock PC/10BE/BSP | 32D/630 | OptiCoat™ |
|---------------|--------|------|-------|-------------------|---------|-----------|
| <b>RM1701</b> | 9 7/8" | 5/8" | 243   | 190               | 150     | 237       |

### Offset Pulls- Flat Ends

|               |        |      |     |     |     |     |
|---------------|--------|------|-----|-----|-----|-----|
| <b>RM1711</b> | 9 7/8" | 5/8" | 306 | 248 | 208 | 310 |
|---------------|--------|------|-----|-----|-----|-----|

### Straight Pulls - Round Ends

|               |        |      |     |     |     |     |
|---------------|--------|------|-----|-----|-----|-----|
| <b>RM1721</b> | 9 7/8" | 5/8" | 279 | 215 | 173 | 269 |
|---------------|--------|------|-----|-----|-----|-----|

### Offset Pulls- Round Ends

|               |        |      |     |     |     |     |
|---------------|--------|------|-----|-----|-----|-----|
| <b>RM1731</b> | 9 7/8" | 5/8" | 327 | 278 | 233 | 348 |
|---------------|--------|------|-----|-----|-----|-----|

- Order form available on website under RM1701, RM1711, RM1721, RM1731.

## MegaCurve - Long Curved Pulls

### Mid Bow

| Part          | Max OA | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
|---------------|--------|----------------|-------------------|-----------------------|---------|--------|--------|-------|-----------|
| <b>RM2000</b> | 72"    | 2,640          | 2,854             | 1,847                 | 1,519   | 1,703  | 2,478  | 2,763 | 2,309     |
|               | 84"    | 2,730          | 2,948             | 1,925                 | 1,594   | 1,784  | 2,598  | 2,899 | 2,406     |
|               | 96"    | 2,816          | 3,042             | 2,006                 | 1,667   | 1,870  | 2,719  | 3,034 | 2,508     |
| <b>RM2004</b> | 72"    | 2,807          | 3,030             | 1,981                 | 1,646   | 1,844  | 2,684  | 2,994 | 2,476     |
|               | 84"    | 2,894          | 3,125             | 2,063                 | 1,720   | 1,926  | 2,804  | 3,127 | 2,579     |
|               | 96"    | 2,980          | 3,220             | 2,142                 | 1,792   | 2,011  | 2,925  | 3,262 | 2,678     |

### Long Bow Pulls

|               |     |       |       |       |       |       |       |       |       |
|---------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| <b>RM2010</b> | 72" | 3,462 | 3,737 | 2,531 | 2,150 | 2,352 | 3,419 | 3,816 | 3,164 |
|               | 84" | 3,548 | 3,831 | 2,612 | 2,172 | 2,434 | 3,539 | 3,950 | 3,265 |
|               | 96" | 3,634 | 3,925 | 2,692 | 2,246 | 2,515 | 3,662 | 4,083 | 3,365 |
| <b>RM2014</b> | 72" | 3,628 | 3,920 | 2,669 | 2,277 | 2,550 | 3,711 | 4,140 | 3,336 |
|               | 84" | 3,718 | 4,014 | 2,751 | 2,353 | 2,633 | 3,833 | 4,276 | 3,439 |
|               | 96" | 3,803 | 4,108 | 2,830 | 2,426 | 2,715 | 3,954 | 4,409 | 3,538 |

### 45° Pulls

|               |     |       |       |       |       |       |       |       |       |
|---------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| <b>RM2020</b> | 72" | 2,807 | 3,030 | 1,981 | 1,646 | 1,844 | 2,684 | 2,994 | 2,476 |
|               | 84" | 2,894 | 3,125 | 2,063 | 1,720 | 1,926 | 2,804 | 3,127 | 2,579 |
|               | 96" | 2,980 | 3,220 | 2,142 | 1,792 | 2,011 | 2,925 | 3,262 | 2,678 |
| <b>RM2024</b> | 72" | 2,972 | 3,210 | 2,119 | 1,771 | 1,983 | 2,888 | 3,219 | 2,649 |
|               | 84" | 3,059 | 3,303 | 2,201 | 1,846 | 2,069 | 3,009 | 3,357 | 2,751 |
|               | 96" | 3,146 | 3,398 | 2,281 | 1,919 | 2,149 | 3,130 | 3,491 | 2,851 |

### Triangle Pulls

|               |     |       |       |       |       |       |       |       |       |
|---------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| <b>RM2030</b> | 72" | 2,807 | 3,030 | 1,981 | 1,646 | 1,844 | 2,684 | 2,994 | 2,476 |
|               | 84" | 2,894 | 3,125 | 2,063 | 1,720 | 1,926 | 2,804 | 3,127 | 2,579 |
|               | 96" | 2,980 | 3,220 | 2,142 | 1,792 | 2,011 | 2,925 | 3,262 | 2,678 |
| <b>RM2034</b> | 72" | 2,972 | 3,210 | 2,119 | 1,771 | 1,983 | 2,888 | 3,219 | 2,649 |
|               | 84" | 3,059 | 3,303 | 2,201 | 1,846 | 2,069 | 3,009 | 3,357 | 2,751 |
|               | 96" | 3,146 | 3,398 | 2,281 | 1,919 | 2,149 | 3,130 | 3,491 | 2,851 |

- Add \$6.80/in. over 96".

- Order form available on website under RM2000, RM2004, RM2010, RM2014, RM2020, RM2024, RM2030, RM2034.

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.


USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


## MezzoTek - Necked Post Pulls




RM2110




RM2112



RM2130



RM2132



RM2150

### Straight Pulls without GripZone

| Part          | Max OA | Dia.   | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
|---------------|--------|--------|----------------|-------------------|-----------------------|---------|--------|--------|-------|-----------|
| <b>RM2110</b> | 12"    | 1 1/4" | 759            | 822               | 431                   | 284     | 317    | 461    | 516   | 539       |
|               | 24"    | 1 1/4" | 822            | 886               | 508                   | 354     | 395    | 578    | 644   | 635       |
|               | 36"    | 1 1/4" | 883            | 953               | 583                   | 424     | 475    | 692    | 773   | 729       |
|               | 48"    | 1 1/4" | 944            | 1,020             | 660                   | 495     | 554    | 808    | 902   | 825       |
|               | 60"    | 1 1/4" | 984            | 1,062             | 712                   | 541     | 607    | 886    | 984   | 890       |
|               | 72"    | 1 1/4" | 1,025          | 1,107             | 791                   | 588     | 659    | 960    | 1,069 | 989       |
|               | 84"    | 1 1/4" | 1,066          | 1,150             | 843                   | 633     | 712    | 1,039  | 1,155 | 1,054     |
|               | 96"    | 1 1/4" | 1,106          | 1,193             | 895                   | 681     | 764    | 1,113  | 1,242 | 1,119     |
| <b>RM2120</b> | 12"    | 1 1/2" | 825            | 890               | 446                   | 298     | 334    | 487    | 542   | 558       |
|               | 24"    | 1 1/2" | 886            | 958               | 525                   | 370     | 414    | 603    | 673   | 656       |
|               | 36"    | 1 1/2" | 947            | 1,025             | 601                   | 439     | 492    | 717    | 801   | 751       |
|               | 48"    | 1 1/2" | 1,010          | 1,090             | 677                   | 510     | 571    | 831    | 929   | 846       |
|               | 60"    | 1 1/2" | 1,050          | 1,133             | 727                   | 555     | 623    | 907    | 1,013 | 909       |
|               | 72"    | 1 1/2" | 1,090          | 1,179             | 809                   | 603     | 673    | 983    | 1,097 | 1,011     |
|               | 84"    | 1 1/2" | 1,131          | 1,222             | 859                   | 650     | 727    | 1,061  | 1,180 | 1,074     |
|               | 96"    | 1 1/2" | 1,172          | 1,265             | 909                   | 695     | 780    | 1,137  | 1,265 | 1,136     |

### Push Bars without GripZone

|               |               |        |     |       |     |     |     |     |     |     |
|---------------|---------------|--------|-----|-------|-----|-----|-----|-----|-----|-----|
| <b>RM2112</b> | Up to 36" CTC | 1 1/4" | 883 | 953   | 583 | 424 | 475 | 692 | 773 | 729 |
| <b>RM2122</b> | Up to 36" CTC | 1 1/2" | 947 | 1,025 | 601 | 439 | 492 | 717 | 801 | 751 |

### Straight Pulls with GripZone

| Part          | Max OA | Dia.   | 3/605<br>4/606 | 9/611<br>10B/613 | 32/629<br>10BE/BSP | 32316 |  |  |  |  |
|---------------|--------|--------|----------------|------------------|--------------------|-------|--|--|--|--|
| <b>RM2130</b> | 12"    | 1 1/4" | 922            | 1,041            | 459                | 759   |  |  |  |  |
|               | 24"    | 1 1/4" | 983            | 1,109            | 538                | 888   |  |  |  |  |
|               | 36"    | 1 1/4" | 1,043          | 1,180            | 618                | 1,017 |  |  |  |  |
|               | 48"    | 1 1/4" | 1,106          | 1,248            | 695                | 1,142 |  |  |  |  |
|               | 60"    | 1 1/4" | 1,147          | 1,295            | 749                | 1,221 |  |  |  |  |
|               | 72"    | 1 1/4" | 1,184          | 1,341            | 799                | 1,308 |  |  |  |  |
|               | 84"    | 1 1/4" | 1,225          | 1,386            | 853                | 1,389 |  |  |  |  |
|               | 96"    | 1 1/4" | 1,266          | 1,431            | 905                | 1,475 |  |  |  |  |
| <b>RM2140</b> | 12"    | 1 1/2" | 987            | 1,115            | 475                | 834   |  |  |  |  |
|               | 24"    | 1 1/2" | 1,049          | 1,184            | 554                | 978   |  |  |  |  |
|               | 36"    | 1 1/2" | 1,109          | 1,253            | 632                | 1,122 |  |  |  |  |
|               | 48"    | 1 1/2" | 1,172          | 1,323            | 713                | 1,265 |  |  |  |  |
|               | 60"    | 1 1/2" | 1,210          | 1,369            | 764                | 1,361 |  |  |  |  |
|               | 72"    | 1 1/2" | 1,251          | 1,414            | 816                | 1,457 |  |  |  |  |
|               | 84"    | 1 1/2" | 1,293          | 1,457            | 868                | 1,550 |  |  |  |  |
|               | 96"    | 1 1/2" | 1,332          | 1,506            | 922                | 1,648 |  |  |  |  |

### Push Bars with GripZone

|               |               |        |       |       |     |       |  |  |  |  |
|---------------|---------------|--------|-------|-------|-----|-------|--|--|--|--|
| <b>RM2132</b> | Up to 36" CTC | 1 1/4" | 1,043 | 1,180 | 618 | 1,017 |  |  |  |  |
| <b>RM2142</b> | Up to 36" CTC | 1 1/2" | 1,109 | 1,253 | 632 | 1,122 |  |  |  |  |

### Double Stepped Post Pulls

| Part          | Max OA | Dia. | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
|---------------|--------|------|----------------|-------------------|-----------------------|---------|--------|--------|-------|-----------|
| <b>RM2150</b> | 12"    | 1"   | 587            | 636               | 461                   | 309     | 349    | 507    | 566   | 576       |
|               | 24"    | 1"   | 681            | 738               | 537                   | 382     | 427    | 623    | 694   | 671       |
|               | 36"    | 1"   | 776            | 839               | 615                   | 452     | 506    | 738    | 825   | 769       |
|               | 48"    | 1"   | 869            | 939               | 692                   | 524     | 587    | 853    | 953   | 865       |
|               | 60"    | 1"   | 962            | 1,040             | 775                   | 569     | 638    | 931    | 1,039 | 969       |
|               | 72"    | 1"   | 1,056          | 1,140             | 824                   | 618     | 690    | 1,005  | 1,122 | 1,030     |
|               | 84"    | 1"   | 1,150          | 1,243             | 876                   | 664     | 744    | 1,085  | 1,209 | 1,095     |
|               | 96"    | 1"   | 1,244          | 1,343             | 926                   | 711     | 795    | 1,162  | 1,293 | 1,158     |

- Add \$6.80/in. over 36" for push bars.
- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See pg. 6 for guidelines.)
- Pulls with GripZone offer an additional aesthetic look, not a tactile feel. The grip zones are satin, the post and end sections are polished. US10B finish is not available on GripZone pulls.
- Order form available on website under RM2110 - RM2120, RM2130 - RM2140, RM2150.

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## BandWidth - Collar Mount Pulls

## Straight Pulls - Flat Ends

| Part          | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| <b>RM2200</b> | 12"    | 1"   | 769            | 832     | 665                   | 468     | 523    | 831       |
|               | 24"    | 1"   | 893            | 963     | 725                   | 521     | 585    | 906       |
|               | 36"    | 1"   | 1,021          | 1,101   | 817                   | 572     | 643    | 1,021     |
|               | 48"    | 1"   | 1,147          | 1,238   | 878                   | 626     | 698    | 1,098     |
|               | 60"    | 1"   | 1,271          | 1,371   | 918                   | 659     | 739    | 1,148     |
|               | 72"    | 1"   | 1,395          | 1,508   | 958                   | 695     | 778    | 1,198     |
|               | 84"    | 1"   | 1,521          | 1,642   | 997                   | 731     | 817    | 1,246     |
|               | 96"    | 1"   | 1,649          | 1,778   | 1,038                 | 764     | 857    | 1,298     |
| <b>RM2210</b> | 12"    | 1 ¼" | 823            | 888     | 684                   | 482     | 541    | 855       |
|               | 24"    | 1 ¼" | 945            | 1,021   | 743                   | 534     | 600    | 929       |
|               | 36"    | 1 ¼" | 1,067          | 1,152   | 834                   | 589     | 658    | 1,043     |
|               | 48"    | 1 ¼" | 1,187          | 1,283   | 895                   | 639     | 717    | 1,119     |
|               | 60"    | 1 ¼" | 1,307          | 1,414   | 935                   | 675     | 754    | 1,169     |
|               | 72"    | 1 ¼" | 1,431          | 1,544   | 973                   | 711     | 793    | 1,216     |
|               | 84"    | 1 ¼" | 1,552          | 1,676   | 1,013                 | 746     | 834    | 1,266     |
|               | 96"    | 1 ¼" | 1,674          | 1,809   | 1,053                 | 778     | 873    | 1,316     |

## Offset Pulls - Flat Ends

|               |     |      |       |       |       |     |     |       |
|---------------|-----|------|-------|-------|-------|-----|-----|-------|
| <b>RM2230</b> | 12" | 1"   | 839   | 905   | 719   | 515 | 574 | 899   |
|               | 24" | 1"   | 962   | 1,041 | 811   | 568 | 635 | 1,014 |
|               | 36" | 1"   | 1,089 | 1,176 | 873   | 622 | 695 | 1,091 |
|               | 48" | 1"   | 1,217 | 1,313 | 934   | 673 | 753 | 1,168 |
|               | 60" | 1"   | 1,338 | 1,447 | 972   | 710 | 792 | 1,215 |
|               | 72" | 1"   | 1,467 | 1,583 | 1,012 | 743 | 833 | 1,265 |
|               | 84" | 1"   | 1,590 | 1,717 | 1,052 | 777 | 872 | 1,315 |
|               | 96" | 1"   | 1,716 | 1,854 | 1,094 | 812 | 910 | 1,368 |
| <b>RM2240</b> | 12" | 1 ¼" | 891   | 962   | 735   | 530 | 595 | 919   |
|               | 24" | 1 ¼" | 1,013 | 1,092 | 829   | 585 | 652 | 1,036 |
|               | 36" | 1 ¼" | 1,135 | 1,227 | 889   | 635 | 713 | 1,111 |
|               | 48" | 1 ¼" | 1,254 | 1,356 | 948   | 686 | 770 | 1,185 |
|               | 60" | 1 ¼" | 1,378 | 1,489 | 989   | 721 | 806 | 1,236 |
|               | 72" | 1 ¼" | 1,497 | 1,619 | 1,030 | 756 | 846 | 1,288 |
|               | 84" | 1 ¼" | 1,620 | 1,749 | 1,067 | 791 | 884 | 1,334 |
|               | 96" | 1 ¼" | 1,743 | 1,880 | 1,108 | 827 | 925 | 1,385 |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See pg. 6 for guidelines.)
- Specify finish of grip and collar.
- Order form available on website under RM2200 - RM2210, RM2230 - RM2240.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

**ROCKWOOD®****ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## BandWidth - Collar Mount Pulls (con't)


| Straight Pulls - Round Ends |        |      |                |         |                       |         |        |           |
|-----------------------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                        | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM2204</b>               | 12"    | 1"   | 914            | 988     | 728                   | 523     | 587    | 910       |
|                             | 24"    | 1"   | 1,041          | 1,126   | 820                   | 574     | 646    | 1,025     |
|                             | 36"    | 1"   | 1,168          | 1,260   | 880                   | 628     | 706    | 1,100     |
|                             | 48"    | 1"   | 1,293          | 1,395   | 942                   | 681     | 762    | 1,178     |
|                             | 60"    | 1"   | 1,415          | 1,531   | 983                   | 717     | 802    | 1,229     |
|                             | 72"    | 1"   | 1,542          | 1,667   | 1,021                 | 751     | 842    | 1,276     |
|                             | 84"    | 1"   | 1,670          | 1,800   | 1,062                 | 786     | 880    | 1,328     |
|                             | 96"    | 1"   | 1,793          | 1,937   | 1,100                 | 820     | 918    | 1,375     |
| <b>RM2214</b>               | 12"    | 1 ¼" | 971            | 1,048   | 746                   | 538     | 603    | 933       |
|                             | 24"    | 1 ¼" | 1,090          | 1,179   | 838                   | 592     | 663    | 1,048     |
|                             | 36"    | 1 ¼" | 1,211          | 1,307   | 899                   | 645     | 721    | 1,124     |
|                             | 48"    | 1 ¼" | 1,335          | 1,442   | 958                   | 695     | 778    | 1,198     |
|                             | 60"    | 1 ¼" | 1,455          | 1,572   | 997                   | 731     | 817    | 1,246     |
|                             | 72"    | 1 ¼" | 1,577          | 1,703   | 1,038                 | 764     | 857    | 1,298     |
|                             | 84"    | 1 ¼" | 1,700          | 1,834   | 1,077                 | 800     | 896    | 1,346     |
|                             | 96"    | 1 ¼" | 1,820          | 1,966   | 1,118                 | 836     | 933    | 1,398     |
| Offset Pulls - Round Ends   |        |      |                |         |                       |         |        |           |
| <b>RM2234</b>               | 12"    | 1"   | 984            | 1,064   | 813                   | 570     | 638    | 1,016     |
|                             | 24"    | 1"   | 1,109          | 1,199   | 876                   | 624     | 697    | 1,095     |
|                             | 36"    | 1"   | 1,234          | 1,335   | 936                   | 676     | 756    | 1,170     |
|                             | 48"    | 1"   | 1,362          | 1,470   | 995                   | 730     | 815    | 1,244     |
|                             | 60"    | 1"   | 1,487          | 1,604   | 1,037                 | 762     | 856    | 1,296     |
|                             | 72"    | 1"   | 1,611          | 1,739   | 1,076                 | 799     | 895    | 1,345     |
|                             | 84"    | 1"   | 1,737          | 1,876   | 1,117                 | 834     | 932    | 1,396     |
|                             | 96"    | 1"   | 1,865          | 2,012   | 1,155                 | 868     | 971    | 1,444     |
| <b>RM2244</b>               | 12"    | 1 ¼" | 1,038          | 1,124   | 832                   | 587     | 656    | 1,040     |
|                             | 24"    | 1 ¼" | 1,159          | 1,252   | 893                   | 638     | 715    | 1,116     |
|                             | 36"    | 1 ¼" | 1,283          | 1,385   | 953                   | 690     | 775    | 1,191     |
|                             | 48"    | 1 ¼" | 1,403          | 1,515   | 1,012                 | 743     | 833    | 1,265     |
|                             | 60"    | 1 ¼" | 1,524          | 1,649   | 1,052                 | 777     | 872    | 1,315     |
|                             | 72"    | 1 ¼" | 1,645          | 1,777   | 1,094                 | 812     | 910    | 1,368     |
|                             | 84"    | 1 ¼" | 1,769          | 1,909   | 1,131                 | 846     | 950    | 1,414     |
|                             | 96"    | 1 ¼" | 1,889          | 2,040   | 1,171                 | 881     | 988    | 1,464     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify finish of grip and collar. Two-tone finish options available.
- Order form available on website under RM2234 - RM2244, RM2260 - RM2290.
- Finish listed above is for grip section.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.




RM2214




RM2244

## BandWidth - Collar Mount Pulls (con't)




RM2260



RM2290



RM2212



RM2216

| Straight Pull - Rectangular Posts |               |      |                |         |                       |         |        |           |
|-----------------------------------|---------------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                              | Max OA        | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM2260</b>                     | 12"           | 1 ¼" | 548            | 596     | 347                   | 239     | 274    | 434       |
|                                   | 24"           | 1 ¼" | 600            | 647     | 395                   | 289     | 323    | 494       |
|                                   | 36"           | 1 ¼" | 650            | 698     | 444                   | 338     | 373    | 555       |
|                                   | 48"           | 1 ¼" | 701            | 749     | 493                   | 386     | 422    | 616       |
|                                   | 60"           | 1 ¼" | 752            | 800     | 542                   | 436     | 471    | 678       |
|                                   | 72"           | 1 ¼" | 803            | 851     | 590                   | 485     | 521    | 738       |
|                                   | 84"           | 1 ¼" | 854            | 902     | 639                   | 534     | 569    | 799       |
|                                   | 96"           | 1 ¼" | 905            | 952     | 688                   | 584     | 618    | 860       |
| Offset Pull - Rectangular Posts   |               |      |                |         |                       |         |        |           |
| <b>RM2290</b>                     | 12"           | 1 ¼" | 615            | 669     | 399                   | 285     | 328    | 499       |
|                                   | 24"           | 1 ¼" | 665            | 720     | 447                   | 333     | 377    | 559       |
|                                   | 36"           | 1 ¼" | 717            | 771     | 496                   | 382     | 426    | 620       |
|                                   | 48"           | 1 ¼" | 768            | 822     | 545                   | 432     | 476    | 681       |
|                                   | 60"           | 1 ¼" | 819            | 873     | 594                   | 481     | 525    | 743       |
|                                   | 72"           | 1 ¼" | 869            | 924     | 642                   | 530     | 573    | 803       |
|                                   | 84"           | 1 ¼" | 921            | 974     | 691                   | 579     | 623    | 864       |
|                                   | 96"           | 1 ¼" | 971            | 1,026   | 740                   | 628     | 672    | 925       |
| Push Bars - Flat Ends             |               |      |                |         |                       |         |        |           |
| <b>RM2202</b>                     | Up to 36" CTC | 1"   | 1,021          | 1,101   | 817                   | 572     | 643    | 1,021     |
| <b>RM2212</b>                     | Up to 36" CTC | 1 ¼" | 1,067          | 1,152   | 834                   | 589     | 658    | 1,043     |
| Push Bars - Round Ends            |               |      |                |         |                       |         |        |           |
| <b>RM2206</b>                     | Up to 36" CTC | 1"   | 1,168          | 1,260   | 880                   | 628     | 706    | 1,100     |
| <b>RM2216</b>                     | Up to 36" CTC | 1 ¼" | 1,211          | 1,307   | 899                   | 645     | 721    | 1,124     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify finish of grip and collar. Two-tone finish options available.
- Order form available on website under RM2234 - RM2244, RM2260 - RM2290.
- Finish listed above is for grip section.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## OvalTek - True Oval Grip

| Straight Pulls |               |             |                       |         |        |           |
|----------------|---------------|-------------|-----------------------|---------|--------|-----------|
| Part           | Max OA        | Size        | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM2300</b>  | 12"           | 1" x 1 ½"   | 630                   | 463     | 520    | 788       |
|                | 24"           | 1" x 1 ½"   | 710                   | 538     | 602    | 888       |
|                | 36"           | 1" x 1 ½"   | 823                   | 612     | 686    | 1,029     |
|                | 48"           | 1" x 1 ½"   | 903                   | 686     | 769    | 1,129     |
|                | 60"           | 1" x 1 ½"   | 984                   | 759     | 849    | 1,230     |
|                | 72"           | 1" x 1 ½"   | 1,065                 | 835     | 933    | 1,331     |
|                | 84"           | 1" x 1 ½"   | 1,146                 | 908     | 1,017  | 1,433     |
|                | 96"           | 1" x 1 ½"   | 1,224                 | 982     | 1,099  | 1,530     |
| Offset Pulls   |               |             |                       |         |        |           |
| <b>RM2320</b>  | 12"           | 1" x 1 ½"   | 686                   | 513     | 574    | 858       |
|                | 24"           | 1" x 1 ½"   | 798                   | 588     | 659    | 998       |
|                | 36"           | 1" x 1 ½"   | 878                   | 663     | 741    | 1,098     |
|                | 48"           | 1" x 1 ½"   | 960                   | 736     | 826    | 1,200     |
|                | 60"           | 1" x 1 ½"   | 1,039                 | 811     | 908    | 1,299     |
|                | 72"           | 1" x 1 ½"   | 1,121                 | 886     | 989    | 1,401     |
|                | 84"           | 1" x 1 ½"   | 1,200                 | 959     | 1,075  | 1,500     |
|                | 96"           | 1" x 1 ½"   | 1,280                 | 1,033   | 1,156  | 1,600     |
| Straight Pulls |               |             |                       |         |        |           |
| <b>RM2310</b>  | 12"           | 1 ⅝" x 1 ⅞" | 654                   | 485     | 542    | 818       |
|                | 24"           | 1 ⅝" x 1 ⅞" | 745                   | 568     | 637    | 931       |
|                | 36"           | 1 ⅝" x 1 ⅞" | 868                   | 653     | 731    | 1,085     |
|                | 48"           | 1 ⅝" x 1 ⅞" | 961                   | 738     | 827    | 1,201     |
|                | 60"           | 1 ⅝" x 1 ⅞" | 1,052                 | 821     | 922    | 1,315     |
|                | 72"           | 1 ⅝" x 1 ⅞" | 1,143                 | 906     | 1,016  | 1,429     |
|                | 84"           | 1 ⅝" x 1 ⅞" | 1,237                 | 991     | 1,110  | 1,546     |
|                | 96"           | 1 ⅝" x 1 ⅞" | 1,327                 | 1,076   | 1,206  | 1,659     |
| Offset Pulls   |               |             |                       |         |        |           |
| <b>RM2330</b>  | 12"           | 1 ⅝" x 1 ⅞" | 708                   | 536     | 601    | 885       |
|                | 24"           | 1 ⅝" x 1 ⅞" | 832                   | 621     | 693    | 1,040     |
|                | 36"           | 1 ⅝" x 1 ⅞" | 925                   | 704     | 790    | 1,156     |
|                | 48"           | 1 ⅝" x 1 ⅞" | 1,014                 | 790     | 884    | 1,268     |
|                | 60"           | 1 ⅝" x 1 ⅞" | 1,107                 | 874     | 978    | 1,384     |
|                | 72"           | 1 ⅝" x 1 ⅞" | 1,199                 | 958     | 1,074  | 1,499     |
|                | 84"           | 1 ⅝" x 1 ⅞" | 1,291                 | 1,044   | 1,169  | 1,614     |
|                | 96"           | 1 ⅝" x 1 ⅞" | 1,382                 | 1,126   | 1,261  | 1,728     |
| Push Bars      |               |             |                       |         |        |           |
| <b>RM2302</b>  | Up to 36" CTC | 1" x 1 ½"   | 823                   | 612     | 686    | 1,029     |
| <b>RM2312</b>  | Up to 36" CTC | 1 ⅝" x 1 ⅞" | 868                   | 653     | 731    | 1,085     |

- RM2310 pulls add \$8.00/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM2300, RM2310, RM2320, RM2330.

NOTE: Post location on push bars can be located ⅝" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## OvalTek - Flat Oval Grip



## Straight Pulls - Small Round Posts

| Part          | Max OA | Size      | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|-----------|-----------------------|---------|--------|-----------|
| <b>RM2400</b> | 12"    | ¾" x 1 ½" | 696                   | 525     | 588    | 870       |
|               | 24"    | ¾" x 1 ½" | 838                   | 626     | 700    | 1,048     |
|               | 36"    | ¾" x 1 ½" | 947                   | 727     | 814    | 1,184     |
|               | 48"    | ¾" x 1 ½" | 1,057                 | 827     | 926    | 1,321     |
|               | 60"    | ¾" x 1 ½" | 1,166                 | 926     | 1,038  | 1,458     |
|               | 72"    | ¾" x 1 ½" | 1,275                 | 1,027   | 1,151  | 1,594     |
|               | 84"    | ¾" x 1 ½" | 1,383                 | 1,127   | 1,263  | 1,729     |
|               | 96"    | ¾" x 1 ½" | 1,525                 | 1,227   | 1,377  | 1,906     |

## Straight Pulls - Large Round Posts

|               |     |           |       |       |       |       |
|---------------|-----|-----------|-------|-------|-------|-------|
| <b>RM2410</b> | 12" | ¾" x 1 ½" | 754   | 574   | 647   | 943   |
|               | 24" | ¾" x 1 ½" | 895   | 677   | 758   | 1,119 |
|               | 36" | ¾" x 1 ½" | 1,004 | 778   | 870   | 1,255 |
|               | 48" | ¾" x 1 ½" | 1,112 | 878   | 982   | 1,390 |
|               | 60" | ¾" x 1 ½" | 1,221 | 978   | 1,095 | 1,526 |
|               | 72" | ¾" x 1 ½" | 1,329 | 1,080 | 1,210 | 1,661 |
|               | 84" | ¾" x 1 ½" | 1,471 | 1,179 | 1,320 | 1,839 |
|               | 96" | ¾" x 1 ½" | 1,582 | 1,280 | 1,432 | 1,978 |

## Straight Pulls - Oblong Posts

|               |     |           |       |       |       |       |
|---------------|-----|-----------|-------|-------|-------|-------|
| <b>RM2420</b> | 12" | ¾" x 1 ½" | 943   | 721   | 809   | 1,179 |
|               | 24" | ¾" x 1 ½" | 1,052 | 821   | 922   | 1,315 |
|               | 36" | ¾" x 1 ½" | 1,161 | 923   | 1,033 | 1,451 |
|               | 48" | ¾" x 1 ½" | 1,271 | 1,024 | 1,147 | 1,589 |
|               | 60" | ¾" x 1 ½" | 1,380 | 1,124 | 1,259 | 1,725 |
|               | 72" | ¾" x 1 ½" | 1,518 | 1,223 | 1,369 | 1,898 |
|               | 84" | ¾" x 1 ½" | 1,630 | 1,324 | 1,484 | 2,038 |
|               | 96" | ¾" x 1 ½" | 1,738 | 1,426 | 1,595 | 2,173 |

## Push Bar - Large Round Posts

|               |               |           |       |     |     |       |
|---------------|---------------|-----------|-------|-----|-----|-------|
| <b>RM2402</b> | Up to 36" CTC | ¾" x 1 ½" | 1,004 | 778 | 870 | 1,255 |
|---------------|---------------|-----------|-------|-----|-----|-------|

- RM2410 pulls add \$8.00/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM2400, RM2410, RM2420.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.


**ROCKWOOD®**
**ASSA ABLOY**

Experience a safer  
and more open world



USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc. Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## SoftMet - Santoprene™ Grip



## Straight Pulls - Flat Ends

| Part          | Max OA | Dia.   | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|--------|----------------|---------|-----------------------|---------|--------|-----------|
| <b>RM2510</b> | 12"    | 1 1/4" | 632            | 681     | 601                   | 434     | 488    | 751       |
|               | 24"    | 1 1/4" | 819            | 883     | 750                   | 569     | 639    | 938       |
|               | 36"    | 1 1/4" | 1,003          | 1,085   | 931                   | 708     | 792    | 1,164     |
|               | 48"    | 1 1/4" | 1,188          | 1,284   | 1,062                 | 844     | 945    | 1,328     |
|               | 60"    | 1 1/4" | 1,374          | 1,485   | 1,212                 | 979     | 1,096  | 1,515     |
|               | 72"    | 1 1/4" | 1,560          | 1,684   | 1,385                 | 1,114   | 1,250  | 1,731     |
|               | 84"    | 1 1/4" | 1,746          | 1,886   | 1,535                 | 1,253   | 1,403  | 1,919     |

## Offset Pulls - Flat Ends

|               |     |        |       |       |       |       |       |       |
|---------------|-----|--------|-------|-------|-------|-------|-------|-------|
| <b>RM2540</b> | 12" | 1 1/4" | 694   | 749   | 658   | 488   | 545   | 823   |
|               | 24" | 1 1/4" | 881   | 948   | 837   | 623   | 696   | 1,046 |
|               | 36" | 1 1/4" | 1,064 | 1,150 | 986   | 759   | 849   | 1,233 |
|               | 48" | 1 1/4" | 1,250 | 1,347 | 1,119 | 896   | 1,004 | 1,399 |
|               | 60" | 1 1/4" | 1,435 | 1,549 | 1,267 | 1,032 | 1,155 | 1,584 |
|               | 72" | 1 1/4" | 1,620 | 1,751 | 1,443 | 1,169 | 1,308 | 1,804 |
|               | 84" | 1 1/4" | 1,806 | 1,951 | 1,591 | 1,304 | 1,460 | 1,989 |

## Straight Pulls - Round Ends

|               |     |        |       |       |       |       |       |       |
|---------------|-----|--------|-------|-------|-------|-------|-------|-------|
| <b>RM2514</b> | 12" | 1 1/4" | 772   | 834   | 665   | 494   | 553   | 833   |
|               | 24" | 1 1/4" | 958   | 1,034 | 847   | 630   | 707   | 1,059 |
|               | 36" | 1 1/4" | 1,142 | 1,233 | 993   | 768   | 858   | 1,241 |
|               | 48" | 1 1/4" | 1,328 | 1,435 | 1,126 | 903   | 1,012 | 1,408 |
|               | 60" | 1 1/4" | 1,515 | 1,635 | 1,274 | 1,038 | 1,162 | 1,593 |
|               | 72" | 1 1/4" | 1,700 | 1,835 | 1,450 | 1,175 | 1,317 | 1,813 |
|               | 84" | 1 1/4" | 1,886 | 2,037 | 1,596 | 1,310 | 1,468 | 1,995 |

## Offset Pulls - Round Ends

|               |     |        |       |       |       |       |       |       |
|---------------|-----|--------|-------|-------|-------|-------|-------|-------|
| <b>RM2544</b> | 12" | 1 1/4" | 834   | 901   | 722   | 545   | 611   | 903   |
|               | 24" | 1 1/4" | 1,020 | 1,101 | 903   | 683   | 764   | 1,129 |
|               | 36" | 1 1/4" | 1,204 | 1,301 | 1,049 | 818   | 918   | 1,311 |
|               | 48" | 1 1/4" | 1,390 | 1,499 | 1,182 | 956   | 1,067 | 1,478 |
|               | 60" | 1 1/4" | 1,577 | 1,703 | 1,358 | 1,091 | 1,221 | 1,698 |
|               | 72" | 1 1/4" | 1,763 | 1,902 | 1,507 | 1,225 | 1,371 | 1,884 |
|               | 84" | 1 1/4" | 1,948 | 2,102 | 1,656 | 1,361 | 1,526 | 2,070 |

## Push Bars

|               |               |        |       |       |     |     |     |       |
|---------------|---------------|--------|-------|-------|-----|-----|-----|-------|
| <b>RM2512</b> | Up to 36" CTC | 1 1/4" | 1,003 | 1,085 | 931 | 708 | 792 | 1,164 |
| <b>RM2516</b> | Up to 36" CTC | 1 1/4" | 1,142 | 1,233 | 993 | 768 | 858 | 1,241 |

- Add \$6.80/in. over 84".

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

## Offset Pulls

| Part          | CTC | Dia.   | 3/605<br>4/606 | 10B/613 | Stock PC/<br>PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|-----|--------|----------------|---------|--------------------------|---------|--------|-----------|
| <b>RM2570</b> | 12" | 1 1/4" | 505            | 545     | 537                      | 405     | 460    | 671       |
|               | 24" | 1 1/4" | 551            | 596     | 582                      | 449     | 504    | 728       |
|               | 36" | 1 1/4" | 599            | 646     | 626                      | 495     | 549    | 783       |

- NOTE: Engraving "RKW" add \$108.00 (5/16" letter height).
- Order form available on website under RM2570.

\*Santoprene™ is a registered trademark of the Exxon Mobil Corporation.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.



Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## SoftTek - Santoprene™ Grip






| Straight Pulls |               |      |                |         |                       |         |        |           |
|----------------|---------------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part           | Max OA        | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM2610         | 12"           | 1 ¼" | 568            | 615     | 583                   | 420     | 469    | 729       |
|                | 24"           | 1 ¼" | 746            | 802     | 726                   | 550     | 616    | 908       |
|                | 36"           | 1 ¼" | 921            | 992     | 900                   | 679     | 760    | 1,125     |
|                | 48"           | 1 ¼" | 1,095          | 1,182   | 1,024                 | 809     | 906    | 1,280     |
|                | 60"           | 1 ¼" | 1,271          | 1,371   | 1,166                 | 938     | 1,053  | 1,458     |
|                | 72"           | 1 ¼" | 1,446          | 1,562   | 1,337                 | 1,070   | 1,198  | 1,671     |
|                | 84"           | 1 ¼" | 1,620          | 1,749   | 1,479                 | 1,200   | 1,347  | 1,849     |
| Offset Pulls   |               |      |                |         |                       |         |        |           |
| RM2640         | 12"           | 1 ¼" | 630            | 680     | 640                   | 471     | 526    | 800       |
|                | 24"           | 1 ¼" | 803            | 869     | 813                   | 602     | 672    | 1,016     |
|                | 36"           | 1 ¼" | 982            | 1,059   | 957                   | 730     | 818    | 1,196     |
|                | 48"           | 1 ¼" | 1,155          | 1,248   | 1,080                 | 860     | 965    | 1,350     |
|                | 60"           | 1 ¼" | 1,331          | 1,437   | 1,222                 | 991     | 1,110  | 1,528     |
|                | 72"           | 1 ¼" | 1,507          | 1,629   | 1,394                 | 1,122   | 1,258  | 1,743     |
|                | 84"           | 1 ¼" | 1,681          | 1,818   | 1,536                 | 1,254   | 1,405  | 1,920     |
| Push Bar       |               |      |                |         |                       |         |        |           |
| RM2612         | Up to 36" CTC | 1 ¼" | 921            | 992     | 900                   | 679     | 760    | 1,125     |

- Add \$6.80/in. over 84".
- Order form available on website under RM2510, RM2514, RM2540, RM2544, RM2610, RM2640.

\*Santoprene™ is a registered trademark of the Exxon Mobil Corporation.

## NeoMetrix - with GripZone



| Straight Pulls |     |      |       |       |        |       |
|----------------|-----|------|-------|-------|--------|-------|
| Part           | CTC | Dia. | 3/605 | 9/611 | 32/629 | 32316 |
| RM3010         | 12" | 1"   | 525   | 592   | 292    | 530   |
|                | 24" | 1"   | 648   | 730   | 354    | 643   |
|                | 36" | 1"   | 770   | 869   | 415    | 757   |
| RM3020         | 12" | 1 ¼" | 573   | 648   | 307    | 562   |
|                | 24" | 1 ¼" | 693   | 783   | 371    | 675   |
|                | 36" | 1 ¼" | 812   | 920   | 432    | 785   |
| RM3030         | 12" | 1 ½" | 673   | 759   | 343    | 624   |
|                | 24" | 1 ½" | 786   | 885   | 410    | 745   |
|                | 36" | 1 ½" | 895   | 1012  | 477    | 868   |

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

| Offset Pulls        |           |      |       |       |        |       |
|---------------------|-----------|------|-------|-------|--------|-------|
| Part                | CTC       | Dia. | 3/605 | 9/611 | 32/629 | 32316 |
| RM3040              | 12"       | 1"   | 585   | 659   | 338    | 612   |
|                     | 24"       | 1"   | 708   | 800   | 400    | 729   |
|                     | 36"       | 1"   | 832   | 939   | 462    | 841   |
| RM3050              | 12"       | 1 ¼" | 636   | 718   | 355    | 647   |
|                     | 24"       | 1 ¼" | 752   | 851   | 418    | 758   |
|                     | 36"       | 1 ¼" | 874   | 988   | 480    | 870   |
| RM3060              | 12"       | 1 ½" | 734   | 831   | 390    | 711   |
|                     | 24"       | 1 ½" | 844   | 954   | 455    | 828   |
|                     | 36"       | 1 ½" | 956   | 1082  | 524    | 953   |
| Push Bars - 7" Grip |           |      |       |       |        |       |
| RM3012              | Up to 36" | 1"   | 770   | 869   | 415    | 757   |
| RM3022              | Up to 36" | 1 ¼" | 812   | 920   | 432    | 785   |
| RM3032              | Up to 36" | 1 ½" | 895   | 1012  | 477    | 868   |

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.


USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Groove - Straight &amp; Offset Pulls



| Straight Pulls - Flat Ends |        |      |                |        |         |                       |         |        |           |
|----------------------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                       | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM3101                     | 12"    | 1"   | 607            | 655    | 655     | 345                   | 245     | 272    | 431       |
|                            | 24"    | 1"   | 673            | 726    | 726     | 452                   | 299     | 337    | 565       |
|                            | 36"    | 1"   | 736            | 794    | 794     | 513                   | 355     | 396    | 641       |
|                            | 48"    | 1"   | 800            | 864    | 864     | 572                   | 411     | 461    | 715       |
|                            | 60"    | 1"   | 842            | 910    | 910     | 614                   | 446     | 500    | 768       |
|                            | 72"    | 1"   | 885            | 954    | 954     | 652                   | 483     | 541    | 815       |
|                            | 84"    | 1"   | 927            | 1,002  | 1,002   | 692                   | 521     | 583    | 865       |
|                            | 96"    | 1"   | 971            | 1,048  | 1,048   | 730                   | 555     | 623    | 913       |
| RM3161                     | 12"    | 1 ¼" | 621            |        | 670     | 427                   | 268     | 300    | 534       |
|                            | 24"    | 1 ¼" | 660            |        | 713     | 467                   | 308     | 344    | 584       |
|                            | 36"    | 1 ¼" | 700            |        | 756     | 508                   | 348     | 390    | 635       |
|                            | 48"    | 1 ¼" | 740            |        | 799     | 548                   | 387     | 434    | 685       |
|                            | 60"    | 1 ¼" | 780            |        | 842     | 588                   | 427     | 479    | 735       |
|                            | 72"    | 1 ¼" | 820            |        | 885     | 629                   | 467     | 523    | 786       |
|                            | 84"    | 1 ¼" | 860            |        | 929     | 669                   | 507     | 568    | 836       |
|                            | 96"    | 1 ¼" | 900            |        | 972     | 709                   | 547     | 613    | 886       |



| Offset Pulls - Flat Ends |     |      |       |  |       |     |     |     |       |
|--------------------------|-----|------|-------|--|-------|-----|-----|-----|-------|
| RM3131                   | 12" | 1"   | 667   |  | 720   | 400 | 296 | 331 | 500   |
|                          | 24" | 1"   | 730   |  | 790   | 508 | 352 | 393 | 635   |
|                          | 36" | 1"   | 794   |  | 860   | 569 | 406 | 454 | 711   |
|                          | 48" | 1"   | 861   |  | 929   | 628 | 462 | 518 | 785   |
|                          | 60" | 1"   | 903   |  | 975   | 668 | 498 | 558 | 835   |
|                          | 72" | 1"   | 945   |  | 1,021 | 707 | 534 | 599 | 884   |
|                          | 84" | 1"   | 987   |  | 1,066 | 746 | 569 | 638 | 933   |
|                          | 96" | 1"   | 1,029 |  | 1,110 | 817 | 607 | 680 | 1,021 |
| RM3181                   | 12" | 1 ¼" | 674   |  | 728   | 483 | 319 | 358 | 604   |
|                          | 24" | 1 ¼" | 714   |  | 771   | 524 | 359 | 402 | 655   |
|                          | 36" | 1 ¼" | 754   |  | 814   | 564 | 399 | 447 | 705   |
|                          | 48" | 1 ¼" | 794   |  | 857   | 604 | 439 | 491 | 755   |
|                          | 60" | 1 ¼" | 834   |  | 901   | 644 | 479 | 537 | 805   |
|                          | 72" | 1 ¼" | 874   |  | 944   | 685 | 519 | 581 | 856   |
|                          | 84" | 1 ¼" | 914   |  | 987   | 725 | 559 | 626 | 906   |
|                          | 96" | 1 ¼" | 953   |  | 1,030 | 765 | 599 | 670 | 956   |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls.  
See page 6 for guidelines.)
- Order form available on website under RM3101, RM3131, RM3161, RM3181.

## MegaTek - Straight &amp; Offset PostMount Pulls

| Straight Pulls - Flat Ends (87" max overall in aluminum, specify CTC and overall length.) |        |        |        |                    |                |        |         |                       |             |        |        |       |                      |           |
|-------------------------------------------------------------------------------------------|--------|--------|--------|--------------------|----------------|--------|---------|-----------------------|-------------|--------|--------|-------|----------------------|-----------|
| Part                                                                                      | Max OA | Dia.   | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/<br>630 | 32/629 | 32D316 | 32316 | Translucent<br>PC/4E | OptiCoat™ |
| <b>RM3300</b>                                                                             | 12"    | 1"     | 185    | 204                | 497            | 537    | 537     | 258                   | 164         | 184    | 270    | 303   | 284                  | 323       |
|                                                                                           | 24"    | 1"     | 242    | 259                | 555            | 600    | 600     | 313                   | 215         | 240    | 352    | 394   | 344                  | 391       |
|                                                                                           | 36"    | 1"     | 298    | 320                | 616            | 667    | 667     | 413                   | 263         | 294    | 431    | 482   | 454                  | 516       |
|                                                                                           | 48"    | 1"     | 323    | 383                | 676            | 730    | 730     | 468                   | 312         | 350    | 514    | 576   | 515                  | 585       |
|                                                                                           | 60"    | 1"     | 362    | 421                | 716            | 772    | 772     | 504                   | 346         | 385    | 565    | 635   | 554                  | 630       |
|                                                                                           | 72"    | 1"     | 399    | 459                | 752            | 813    | 813     | 543                   | 377         | 421    | 619    | 693   | 597                  | 679       |
|                                                                                           | 84"    | 1"     | 438    | 500                | 791            | 857    | 857     | 577                   | 408         | 458    | 672    | 754   | 635                  | 721       |
|                                                                                           | 96"    | 1"     | 478    | 540                | 831            | 899    | 899     | 613                   | 441         | 493    | 725    | 813   | 675                  | 766       |
| <b>RM3301</b>                                                                             | 12"    | 1 1/4" | 212    | 232                | 519            | 560    | 560     | 276                   | 178         | 202    | 295    | 332   | 304                  | 345       |
|                                                                                           | 24"    | 1 1/4" | 270    | 291                | 579            | 625    | 625     | 329                   | 229         | 255    | 376    | 420   | 362                  | 411       |
|                                                                                           | 36"    | 1 1/4" | 325    | 348                | 638            | 689    | 689     | 430                   | 278         | 311    | 457    | 511   | 473                  | 538       |
|                                                                                           | 48"    | 1 1/4" | 383    | 445                | 696            | 752    | 752     | 482                   | 327         | 363    | 535    | 598   | 530                  | 603       |
|                                                                                           | 60"    | 1 1/4" | 421    | 483                | 737            | 797    | 797     | 520                   | 357         | 401    | 588    | 659   | 573                  | 650       |
|                                                                                           | 72"    | 1 1/4" | 459    | 522                | 776            | 837    | 837     | 554                   | 390         | 437    | 642    | 716   | 610                  | 693       |
|                                                                                           | 84"    | 1 1/4" | 500    | 557                | 813            | 880    | 880     | 592                   | 421         | 473    | 693    | 778   | 652                  | 740       |
|                                                                                           | 96"    | 1 1/4" | 541    | 598                | 852            | 922    | 922     | 629                   | 455         | 508    | 747    | 835   | 692                  | 786       |
| <b>RM3302</b>                                                                             | 12"    | 1 1/2" | 248    | 337                | 547            | 593    | 593     | 298                   | 198         | 222    | 328    | 368   | 328                  | 373       |
|                                                                                           | 24"    | 1 1/2" | 305    | 394                | 608            | 658    | 658     | 354                   | 247         | 277    | 413    | 461   | 389                  | 443       |
|                                                                                           | 36"    | 1 1/2" | 365    | 453                | 668            | 725    | 725     | 454                   | 296         | 334    | 495    | 552   | 500                  | 568       |
|                                                                                           | 48"    | 1 1/2" | 464    | 511                | 728            | 789    | 789     | 508                   | 344         | 385    | 573    | 644   | 558                  | 635       |
|                                                                                           | 60"    | 1 1/2" | 502    | 551                | 769            | 832    | 832     | 545                   | 376         | 421    | 626    | 702   | 599                  | 681       |
|                                                                                           | 72"    | 1 1/2" | 540    | 586                | 809            | 874    | 874     | 582                   | 409         | 460    | 683    | 765   | 641                  | 728       |
|                                                                                           | 84"    | 1 1/2" | 579    | 627                | 847            | 916    | 916     | 618                   | 442         | 494    | 735    | 825   | 680                  | 773       |
|                                                                                           | 96"    | 1 1/2" | 620    | 669                | 886            | 961    | 961     | 654                   | 474         | 531    | 788    | 886   | 720                  | 818       |
| Offset Pulls - Flat Ends (Specify CTC and overall length.)                                |        |        |        |                    |                |        |         |                       |             |        |        |       |                      |           |
| <b>RM3310</b>                                                                             | 12"    | 1"     | 231    | 253                | 561            |        | 605     | 305                   | 205         | 229    | 327    | 361   | 336                  | 381       |
|                                                                                           | 24"    | 1"     | 289    | 308                | 620            |        | 670     | 361                   | 252         | 284    | 410    | 455   | 397                  | 451       |
|                                                                                           | 36"    | 1"     | 347    | 369                | 680            |        | 734     | 461                   | 303         | 340    | 494    | 544   | 508                  | 576       |
|                                                                                           | 48"    | 1"     | 370    | 429                | 740            |        | 799     | 515                   | 351         | 391    | 573    | 634   | 567                  | 644       |
|                                                                                           | 60"    | 1"     | 409    | 470                | 779            |        | 842     | 553                   | 383         | 427    | 626    | 697   | 608                  | 691       |
|                                                                                           | 72"    | 1"     | 447    | 509                | 821            |        | 884     | 587                   | 416         | 466    | 683    | 758   | 646                  | 734       |
|                                                                                           | 84"    | 1"     | 486    | 545                | 860            |        | 927     | 625                   | 447         | 501    | 735    | 820   | 688                  | 781       |
|                                                                                           | 96"    | 1"     | 527    | 586                | 900            |        | 971     | 664                   | 481         | 539    | 788    | 880   | 730                  | 830       |
| <b>RM3311</b>                                                                             | 12"    | 1 1/4" | 254    | 276                | 573            |        | 617     | 316                   | 219         | 243    | 342    | 378   | 348                  | 395       |
|                                                                                           | 24"    | 1 1/4" | 314    | 334                | 630            |        | 680     | 416                   | 265         | 298    | 423    | 465   | 458                  | 520       |
|                                                                                           | 36"    | 1 1/4" | 370    | 393                | 690            |        | 744     | 471                   | 314         | 352    | 503    | 558   | 518                  | 589       |
|                                                                                           | 48"    | 1 1/4" | 423    | 485                | 750            |        | 810     | 522                   | 359         | 403    | 579    | 643   | 575                  | 653       |
|                                                                                           | 60"    | 1 1/4" | 462    | 524                | 789            |        | 851     | 556                   | 393         | 439    | 633    | 701   | 612                  | 695       |
|                                                                                           | 72"    | 1 1/4" | 502    | 562                | 828            |        | 893     | 595                   | 423         | 476    | 685    | 760   | 655                  | 744       |
|                                                                                           | 84"    | 1 1/4" | 538    | 599                | 868            |        | 933     | 631                   | 457         | 511    | 738    | 820   | 694                  | 789       |
|                                                                                           | 96"    | 1 1/4" | 579    | 640                | 907            |        | 979     | 665                   | 488         | 545    | 792    | 880   | 733                  | 833       |
| <b>RM3312</b>                                                                             | 12"    | 1 1/2" | 292    | 380                | 604            |        | 650     | 339                   | 233         | 261    | 377    | 416   | 373                  | 424       |
|                                                                                           | 24"    | 1 1/2" | 349    | 440                | 663            |        | 717     | 439                   | 284         | 316    | 459    | 511   | 483                  | 549       |
|                                                                                           | 36"    | 1 1/2" | 409    | 497                | 722            |        | 779     | 496                   | 335         | 373    | 542    | 602   | 547                  | 620       |
|                                                                                           | 48"    | 1 1/2" | 507    | 553                | 783            |        | 845     | 546                   | 377         | 422    | 618    | 688   | 600                  | 683       |
|                                                                                           | 60"    | 1 1/2" | 542    | 590                | 822            |        | 888     | 583                   | 410         | 461    | 671    | 746   | 642                  | 729       |
|                                                                                           | 72"    | 1 1/2" | 582    | 630                | 863            |        | 930     | 620                   | 443         | 496    | 725    | 808   | 682                  | 775       |
|                                                                                           | 84"    | 1 1/2" | 621    | 669                | 903            |        | 973     | 656                   | 475         | 533    | 781    | 870   | 722                  | 820       |
|                                                                                           | 96"    | 1 1/2" | 662    | 710                | 943            |        | 1016    | 694                   | 510         | 570    | 838    | 931   | 763                  | 868       |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- HF (Hands-Free) Post - Add \$28 each. (Available on straight post only.) Order form available on website under RM3300 - RM3302.
- Order form available on website under RM3300, RM3301, RM3302, RM3310, RM3311, RM3312.

ROCKWOOD®

ASSA ABLOY

Experience a safer  
and more open worldUSA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## MegaTek - Straight &amp; Offset PostMount Pulls (con't)

| Straight Pulls - Round Ends (90" max overall in aluminum, specify CTC and overall length.) |           |      |        |                    |                |        |         |                       |             |            |        |       |                      |           |
|--------------------------------------------------------------------------------------------|-----------|------|--------|--------------------|----------------|--------|---------|-----------------------|-------------|------------|--------|-------|----------------------|-----------|
| Part                                                                                       | Max<br>OA | Dia. | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/<br>630 | 32/<br>629 | 32D316 | 32316 | Translucent<br>PC/4E | OptiCoat™ |
| RM3320                                                                                     | 12"       | 1"   | 235    | 256                | 625            | 677    | 677     | 313                   | 212         | 237        | 353    | 392   | 344                  | 391       |
|                                                                                            | 24"       | 1"   | 295    | 314                | 686            | 740    | 740     | 415                   | 261         | 293        | 435    | 490   | 456                  | 519       |
|                                                                                            | 36"       | 1"   | 352    | 373                | 747            | 803    | 803     | 471                   | 311         | 350        | 517    | 580   | 518                  | 589       |
|                                                                                            | 48"       | 1"   | 379    | 443                | 803            | 870    | 870     | 522                   | 356         | 400        | 594    | 665   | 575                  | 653       |
|                                                                                            | 60"       | 1"   | 417    | 481                | 844            | 912    | 912     | 558                   | 388         | 438        | 649    | 725   | 614                  | 698       |
|                                                                                            | 72"       | 1"   | 456    | 518                | 884            | 954    | 954     | 596                   | 421         | 473        | 702    | 787   | 656                  | 745       |
|                                                                                            | 84"       | 1"   | 494    | 555                | 924            | 999    | 999     | 633                   | 456         | 511        | 758    | 849   | 696                  | 791       |
|                                                                                            | 96"       | 1"   | 535    | 596                | 963            | 1,041  | 1,041   | 671                   | 487         | 545        | 812    | 908   | 737                  | 839       |
| RM3321                                                                                     | 12"       | 1 ¼" | 266    | 286                | 647            | 698    | 698     | 332                   | 228         | 253        | 379    | 427   | 365                  | 415       |
|                                                                                            | 24"       | 1 ¼" | 327    | 345                | 707            | 763    | 763     | 432                   | 277         | 309        | 461    | 515   | 476                  | 540       |
|                                                                                            | 36"       | 1 ¼" | 384    | 405                | 767            | 831    | 831     | 488                   | 329         | 366        | 544    | 610   | 538                  | 610       |
|                                                                                            | 48"       | 1 ¼" | 443    | 503                | 827            | 893    | 893     | 538                   | 371         | 416        | 618    | 692   | 590                  | 673       |
|                                                                                            | 60"       | 1 ¼" | 481    | 541                | 868            | 938    | 938     | 576                   | 404         | 454        | 673    | 754   | 633                  | 720       |
|                                                                                            | 72"       | 1 ¼" | 518    | 581                | 906            | 980    | 980     | 612                   | 438         | 488        | 725    | 814   | 673                  | 765       |
|                                                                                            | 84"       | 1 ¼" | 555    | 620                | 946            | 1,024  | 1,024   | 649                   | 470         | 524        | 783    | 877   | 714                  | 811       |
|                                                                                            | 96"       | 1 ¼" | 596    | 661                | 987            | 1,066  | 1,066   | 685                   | 501         | 562        | 838    | 935   | 754                  | 856       |
| RM3322                                                                                     | 12"       | 1 ½" | 296    | 319                | 668            | 725    | 725     | 364                   | 256         | 288        | 429    | 478   | 400                  | 455       |
|                                                                                            | 24"       | 1 ½" | 354    | 376                | 728            | 789    | 789     | 466                   | 306         | 344        | 513    | 573   | 513                  | 583       |
|                                                                                            | 36"       | 1 ½" | 414    | 435                | 789            | 854    | 854     | 522                   | 356         | 400        | 594    | 665   | 575                  | 653       |
|                                                                                            | 48"       | 1 ½" | 464    | 511                | 848            | 920    | 920     | 568                   | 399         | 446        | 664    | 744   | 623                  | 710       |
|                                                                                            | 60"       | 1 ½" | 502    | 551                | 889            | 962    | 962     | 608                   | 430         | 483        | 718    | 806   | 668                  | 760       |
|                                                                                            | 72"       | 1 ½" | 540    | 586                | 927            | 1,004  | 1,004   | 643                   | 465         | 520        | 773    | 865   | 707                  | 804       |
|                                                                                            | 84"       | 1 ½" | 579    | 627                | 967            | 1,048  | 1,048   | 679                   | 496         | 557        | 826    | 928   | 748                  | 849       |
|                                                                                            | 96"       | 1 ½" | 620    | 669                | 1,007          | 1,090  | 1,090   | 749                   | 528         | 594        | 882    | 989   | 823                  | 936       |
| Offset Pulls - Round Ends (Specify CTC and overall length.)                                |           |      |        |                    |                |        |         |                       |             |            |        |       |                      |           |
| RM3330                                                                                     | 12"       | 1"   | 279    | 299                | 678            |        | 730     | 356                   | 249         | 280        | 400    | 438   | 391                  | 445       |
|                                                                                            | 24"       | 1"   | 338    | 357                | 738            |        | 797     | 456                   | 299         | 336        | 481    | 537   | 502                  | 570       |
|                                                                                            | 36"       | 1"   | 395    | 416                | 798            |        | 861     | 513                   | 350         | 390        | 565    | 629   | 564                  | 641       |
|                                                                                            | 48"       | 1"   | 419    | 482                | 859            |        | 926     | 561                   | 391         | 440        | 636    | 712   | 618                  | 701       |
|                                                                                            | 60"       | 1"   | 457    | 519                | 898            |        | 968     | 599                   | 423         | 475        | 692    | 769   | 659                  | 749       |
|                                                                                            | 72"       | 1"   | 496    | 559                | 938            |        | 1,012   | 638                   | 458         | 513        | 745    | 834   | 701                  | 798       |
|                                                                                            | 84"       | 1"   | 535    | 597                | 978            |        | 1,055   | 674                   | 489         | 547        | 801    | 892   | 741                  | 843       |
|                                                                                            | 96"       | 1"   | 533    | 533                | 1,016          |        | 1,096   | 739                   | 522         | 586        | 855    | 953   | 813                  | 824       |
| RM3331                                                                                     | 12"       | 1 ¼" | 311    | 329                | 698            |        | 753     | 418                   | 264         | 295        | 427    | 472   | 459                  | 523       |
|                                                                                            | 24"       | 1 ¼" | 370    | 388                | 759            |        | 821     | 474                   | 313         | 352        | 509    | 564   | 520                  | 593       |
|                                                                                            | 36"       | 1 ¼" | 427    | 447                | 821            |        | 884     | 529                   | 363         | 406        | 592    | 657   | 583                  | 661       |
|                                                                                            | 48"       | 1 ¼" | 482    | 542                | 881            |        | 948     | 578                   | 405         | 455        | 661    | 735   | 636                  | 723       |
|                                                                                            | 60"       | 1 ¼" | 519    | 582                | 921            |        | 992     | 613                   | 439         | 489        | 717    | 799   | 675                  | 766       |
|                                                                                            | 72"       | 1 ¼" | 559    | 621                | 959            |        | 1,035   | 650                   | 471         | 525        | 769    | 856   | 715                  | 813       |
|                                                                                            | 84"       | 1 ¼" | 597    | 660                | 999            |        | 1,079   | 688                   | 503         | 563        | 825    | 921   | 757                  | 860       |
|                                                                                            | 96"       | 1 ¼" | 638    | 701                | 1,038          |        | 1,120   | 756                   | 535         | 599        | 880    | 980   | 831                  | 945       |
| RM3332                                                                                     | 12"       | 1 ½" | 340    | 361                | 721            |        | 778     | 452                   | 295         | 333        | 474    | 527   | 496                  | 565       |
|                                                                                            | 24"       | 1 ½" | 399    | 419                | 781            |        | 844     | 509                   | 345         | 386        | 558    | 620   | 559                  | 636       |
|                                                                                            | 36"       | 1 ½" | 456    | 477                | 842            |        | 909     | 564                   | 394         | 442        | 643    | 714   | 620                  | 705       |
|                                                                                            | 48"       | 1 ½" | 503    | 552                | 903            |        | 973     | 609                   | 432         | 485        | 707    | 787   | 670                  | 761       |
|                                                                                            | 60"       | 1 ½" | 541    | 589                | 943            |        | 1,016   | 646                   | 466         | 521        | 762    | 849   | 711                  | 808       |
|                                                                                            | 72"       | 1 ½" | 581    | 629                | 982            |        | 1,061   | 680                   | 497         | 558        | 818    | 908   | 749                  | 850       |
|                                                                                            | 84"       | 1 ½" | 620    | 667                | 1,021          |        | 1,105   | 751                   | 530         | 595        | 870    | 970   | 825                  | 939       |
|                                                                                            | 96"       | 1 ½" | 612    | 656                | 1,061          |        | 1,147   | 786                   | 563         | 631        | 927    | 1,032 | 864                  | 983       |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- HF (Hands-Free) Post - Add \$28 each. (Available on straight post only.)
- Order form available on website under RM3320, RM3321, RM3322, RM3330, RM3331, RM3332.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## MegaTek - Straight &amp; Offset PostMount Pulls (con't)

## Straight Pulls - Bent Ends (86" max CTC in aluminum, specify CTC.)

| Part          | CTC | Dia.   | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 32D/<br>630 | 32/629 | 32D316 | 32316 | Translucent<br>PC/4E | OptiCoat™ |
|---------------|-----|--------|--------|--------------------|----------------|-------------------|-----------------------|-------------|--------|--------|-------|----------------------|-----------|
| <b>RM3340</b> | 12" | 1"     | 178    | 194                | 419            | 453               | 247                   | 155         | 172    | 256    | 284   | 272                  | 309       |
|               | 24" | 1"     | 224    | 248                | 481            | 520               | 304                   | 203         | 228    | 338    | 379   | 335                  | 380       |
|               | 36" | 1"     | 270    | 298                | 542            | 584               | 359                   | 251         | 283    | 419    | 471   | 396                  | 449       |
|               | 48" | 1"     | 316    | 347                | 600            | 648               | 460                   | 301         | 339    | 501    | 565   | 507                  | 576       |
|               | 60" | 1"     | 363    | 401                | 655            | 707               | 484                   | 322         | 362    | 539    | 603   | 531                  | 605       |
|               | 72" | 1"     | 409    | 450                | 707            | 763               | 508                   | 344         | 385    | 573    | 644   | 558                  | 635       |
|               | 84" | 1"     | 454    | 499                | 835            | 903               | 555                   | 385         | 430    | 643    | 718   | 611                  | 694       |
|               | 96" | 1"     | 458    | 500                | 963            | 1,041             | 602                   | 424         | 476    | 712    | 796   | 661                  | 753       |
| <b>RM3341</b> | 12" | 1 1/4" | 192    | 214                | 503            | 544               | 263                   | 166         | 186    | 279    | 311   | 288                  | 329       |
|               | 24" | 1 1/4" | 238    | 262                | 564            | 608               | 318                   | 217         | 243    | 362    | 405   | 351                  | 398       |
|               | 36" | 1 1/4" | 285    | 314                | 625            | 677               | 420                   | 266         | 298    | 443    | 496   | 461                  | 525       |
|               | 48" | 1 1/4" | 330    | 366                | 686            | 740               | 476                   | 315         | 354    | 527    | 591   | 523                  | 595       |
|               | 60" | 1 1/4" | 378    | 416                | 739            | 798               | 500                   | 338         | 376    | 561    | 626   | 550                  | 625       |
|               | 72" | 1 1/4" | 422    | 467                | 793            | 857               | 522                   | 356         | 400    | 594    | 665   | 575                  | 653       |
|               | 84" | 1 1/4" | 470    | 518                | 932            | 1,006             | 568                   | 399         | 445    | 663    | 741   | 623                  | 710       |
|               | 96" | 1 1/4" | 473    | 518                | 1,071          | 1,156             | 615                   | 440         | 490    | 733    | 820   | 677                  | 769       |
| <b>RM3342</b> | 12" | 1 1/2" | 216    | 237                | 611            | 659               | 309                   | 208         | 232    | 348    | 387   | 340                  | 386       |
|               | 24" | 1 1/2" | 261    | 288                | 673            | 727               | 364                   | 256         | 288    | 429    | 478   | 400                  | 455       |
|               | 36" | 1 1/2" | 307    | 340                | 731            | 791               | 466                   | 306         | 344    | 513    | 573   | 513                  | 583       |
|               | 48" | 1 1/2" | 354    | 389                | 793            | 857               | 522                   | 356         | 400    | 594    | 665   | 575                  | 653       |
|               | 60" | 1 1/2" | 402    | 443                | 847            | 914               | 538                   | 371         | 416    | 618    | 692   | 590                  | 673       |
|               | 72" | 1 1/2" | 447    | 491                | 903            | 975               | 554                   | 384         | 428    | 642    | 717   | 610                  | 693       |
|               | 84" | 1 1/2" | 492    | 541                | 1,030          | 1,110             | 602                   | 424         | 476    | 707    | 796   | 661                  | 753       |
|               | 96" | 1 1/2" | 494    | 539                | 1,156          | 1,250             | 647                   | 468         | 522    | 777    | 870   | 712                  | 809       |

## Push Bars - Flat Ends

|               |               |        |     |     |     |     |     |     |     |     |     |     |     |
|---------------|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>RM3102</b> | Up to 36" CTC | 1"     | 298 | 320 | 616 | 667 | 413 | 263 | 294 | 431 | 482 | 454 | 516 |
| <b>RM3112</b> | Up to 36" CTC | 1 1/4" | 325 | 348 | 638 | 689 | 430 | 278 | 311 | 457 | 511 | 473 | 538 |
| <b>RM3122</b> | Up to 36" CTC | 1 1/2" | 365 | 453 | 668 | 725 | 454 | 296 | 334 | 495 | 552 | 500 | 568 |

## Push Bars - Round Ends

|               |               |        |     |     |     |     |     |     |     |     |     |     |     |
|---------------|---------------|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>RM3106</b> | Up to 36" CTC | 1"     | 352 | 373 | 747 | 803 | 471 | 311 | 350 | 517 | 580 | 518 | 589 |
| <b>RM3116</b> | Up to 36" CTC | 1 1/4" | 384 | 405 | 767 | 831 | 488 | 329 | 366 | 544 | 610 | 538 | 610 |
| <b>RM3126</b> | Up to 36" CTC | 1 1/2" | 414 | 435 | 789 | 854 | 522 | 356 | 400 | 594 | 665 | 575 | 653 |

- Add \$6.80/in. over 96".
- Add \$6.80/in. over 36" on Push Bars.
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3340, RM3341, RM3342.

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

## Quick Ship MegaTek - Straight PostMount Pulls

## Straight Pulls - Flat Ends - Back-to-Back Mounting

| Part                     | CTC | OA  | Dia.   | 32D/630 | BSP |
|--------------------------|-----|-----|--------|---------|-----|
| <b>RM3301BTB1224.32D</b> | 12" | 24" | 1 1/4" | 384     |     |
| <b>RM3301BTB1224.BSP</b> | 12" | 24" | 1 1/4" |         | 427 |
| <b>RM3301BTB1824.32D</b> | 18" | 24" | 1 1/4" | 384     |     |
| <b>RM3301BTB1824.BSP</b> | 18" | 24" | 1 1/4" |         | 427 |
| <b>RM3301BTB2436.32D</b> | 24" | 36" | 1 1/4" | 461     |     |
| <b>RM3301BTB3036.32D</b> | 30" | 36" | 1 1/4" | 461     |     |
| <b>RM3301BTB3036.BSP</b> | 30" | 36" | 1 1/4" |         | 491 |
| <b>RM3301BTB3648.32D</b> | 36" | 48" | 1 1/4" | 540     |     |

## Straight Pulls - Flat Ends - Back-to-Back Mounting

| Part                     | CTC | OA  | Dia.   | 32D/630 | BSP |
|--------------------------|-----|-----|--------|---------|-----|
| <b>RM3301BTB3648.BSP</b> | 36" | 48" | 1 1/4" |         | 567 |
| <b>RM3301BTB4248.BSP</b> | 42" | 48" | 1 1/4" |         | 567 |
| <b>RM3301BTB4860.32D</b> | 48" | 60" | 1 1/4" | 588     |     |
| <b>RM3301BTB4860.BSP</b> | 48" | 60" | 1 1/4" |         | 597 |
| <b>RM3301BTB6072.32D</b> | 60" | 72" | 1 1/4" | 641     |     |
| <b>RM3301BTB6072.BSP</b> | 60" | 72" | 1 1/4" |         | 672 |
| <b>RM3301BTB7284.32D</b> | 72" | 84" | 1 1/4" | 692     |     |
| <b>RM3301BTB8496.32D</b> | 84" | 96" | 1 1/4" | 746     |     |

- Mounting included for both 1 3/4" wood or metal doors and 1/2" glass doors.

ROCKWOOD®

ASSA ABLOY


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## NeoMax - Post Mounted GripZone



RM3400

| Straight Pulls - Flat Ends |        |        |       |       |        |       |
|----------------------------|--------|--------|-------|-------|--------|-------|
| Part                       | Max OA | Dia.   | 3/605 | 9/611 | 32/629 | 32316 |
| <b>RM3400</b>              | 12"    | 1"     | 475   | 536   | 249    | 397   |
|                            | 24"    | 1"     | 597   | 676   | 309    | 496   |
|                            | 36"    | 1"     | 720   | 813   | 373    | 595   |
|                            | 48"    | 1"     | 842   | 952   | 434    | 694   |
|                            | 60"    | 1"     | 966   | 1,090 | 496    | 795   |
|                            | 72"    | 1"     | 1,089 | 1,229 | 559    | 895   |
|                            | 84"    | 1"     | 1,210 | 1,369 | 621    | 994   |
|                            | 96"    | 1"     | 1,335 | 1,508 | 683    | 1,093 |
| <b>RM3401</b>              | 12"    | 1 1/4" | 525   | 593   | 265    | 483   |
|                            | 24"    | 1 1/4" | 643   | 727   | 327    | 595   |
|                            | 36"    | 1 1/4" | 762   | 861   | 390    | 694   |
|                            | 48"    | 1 1/4" | 882   | 994   | 452    | 821   |
|                            | 60"    | 1 1/4" | 1,002 | 1,131 | 513    | 933   |
|                            | 72"    | 1 1/4" | 1,119 | 1,265 | 574    | 1,048 |
|                            | 84"    | 1 1/4" | 1,241 | 1,399 | 637    | 1,162 |
|                            | 96"    | 1 1/4" | 1,357 | 1,535 | 698    | 1,271 |
| <b>RM3402</b>              | 12"    | 1 1/2" | 623   | 701   | 299    | 480   |
|                            | 24"    | 1 1/2" | 734   | 831   | 366    | 585   |
|                            | 36"    | 1 1/2" | 844   | 954   | 434    | 710   |
|                            | 48"    | 1 1/2" | 956   | 1,085 | 500    | 802   |
|                            | 60"    | 1 1/2" | 1,070 | 1,208 | 567    | 909   |
|                            | 72"    | 1 1/2" | 1,181 | 1,335 | 633    | 1,015 |
|                            | 84"    | 1 1/2" | 1,293 | 1,458 | 701    | 1,123 |
|                            | 96"    | 1 1/2" | 1,404 | 1,588 | 769    | 1,229 |
| Offset Pulls - Flat Ends   |        |        |       |       |        |       |
| <b>RM3410</b>              | 12"    | 1"     | 536   |       | 295    | 471   |
|                            | 24"    | 1"     | 657   |       | 356    | 568   |
|                            | 36"    | 1"     | 779   |       | 420    | 669   |
|                            | 48"    | 1"     | 905   |       | 481    | 768   |
|                            | 60"    | 1"     | 1,028 |       | 542    | 868   |
|                            | 72"    | 1"     | 1,151 |       | 604    | 969   |
|                            | 84"    | 1"     | 1,273 |       | 667    | 1,067 |
|                            | 96"    | 1"     | 1,397 |       | 728    | 1,165 |
| <b>RM3411</b>              | 12"    | 1 1/4" | 585   |       | 311    | 498   |
|                            | 24"    | 1 1/4" | 705   |       | 374    | 598   |
|                            | 36"    | 1 1/4" | 824   |       | 435    | 696   |
|                            | 48"    | 1 1/4" | 943   |       | 498    | 797   |
|                            | 60"    | 1 1/4" | 1,062 |       | 560    | 896   |
|                            | 72"    | 1 1/4" | 1,181 |       | 622    | 996   |
|                            | 84"    | 1 1/4" | 1,301 |       | 684    | 1,094 |
|                            | 96"    | 1 1/4" | 1,419 |       | 747    | 1,192 |
| <b>RM3412</b>              | 12"    | 1 1/2" | 684   |       | 348    | 554   |
|                            | 24"    | 1 1/2" | 797   |       | 412    | 660   |
|                            | 36"    | 1 1/2" | 907   |       | 481    | 768   |
|                            | 48"    | 1 1/2" | 1,020 |       | 548    | 875   |
|                            | 60"    | 1 1/2" | 1,131 |       | 616    | 983   |
|                            | 72"    | 1 1/2" | 1,243 |       | 680    | 1,091 |
|                            | 84"    | 1 1/2" | 1,355 |       | 749    | 1,197 |
|                            | 96"    | 1 1/2" | 1,468 |       | 815    | 1,305 |



RM3411

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3400, RM3401, RM3402, RM3410, RM3411, RM3412.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world


## NeoMax - Post Mounted GripZone (con't)

| Straight Pulls - Round Ends |        |      |       |       |        |       |
|-----------------------------|--------|------|-------|-------|--------|-------|
| Part                        | Max OA | Dia. | 3/605 | 9/611 | 32/629 | 32316 |
| <b>RM3420</b>               | 12"    | 1"   | 607   | 686   | 297    | 477   |
|                             | 24"    | 1"   | 730   | 825   | 358    | 577   |
|                             | 36"    | 1"   | 852   | 963   | 422    | 675   |
|                             | 48"    | 1"   | 978   | 1,103 | 483    | 775   |
|                             | 60"    | 1"   | 1,099 | 1,243 | 545    | 872   |
|                             | 72"    | 1"   | 1,223 | 1,382 | 607    | 971   |
|                             | 84"    | 1"   | 1,344 | 1,519 | 669    | 1,070 |
|                             | 96"    | 1"   | 1,469 | 1,657 | 730    | 1,171 |
| <b>RM3421</b>               | 12"    | 1 ¼" | 656   | 743   | 314    | 501   |
|                             | 24"    | 1 ¼" | 776   | 880   | 376    | 603   |
|                             | 36"    | 1 ¼" | 895   | 1,012 | 437    | 701   |
|                             | 48"    | 1 ¼" | 1,014 | 1,147 | 500    | 802   |
|                             | 60"    | 1 ¼" | 1,133 | 1,281 | 562    | 900   |
|                             | 72"    | 1 ¼" | 1,252 | 1,415 | 624    | 1,001 |
|                             | 84"    | 1 ¼" | 1,373 | 1,551 | 687    | 1,097 |
|                             | 96"    | 1 ¼" | 1,491 | 1,684 | 749    | 1,197 |
| <b>RM3422</b>               | 12"    | 1 ½" | 756   | 854   | 351    | 561   |
|                             | 24"    | 1 ½" | 868   | 982   | 415    | 664   |
|                             | 36"    | 1 ½" | 980   | 1,106 | 483    | 775   |
|                             | 48"    | 1 ½" | 1,090 | 1,232 | 550    | 880   |
|                             | 60"    | 1 ½" | 1,202 | 1,359 | 618    | 986   |
|                             | 72"    | 1 ½" | 1,316 | 1,485 | 684    | 1,094 |
|                             | 84"    | 1 ½" | 1,427 | 1,612 | 751    | 1,202 |
|                             | 96"    | 1 ½" | 1,537 | 1,738 | 817    | 1,308 |
| Offset Pulls - Round Ends   |        |      |       |       |        |       |
| <b>RM3430</b>               | 12"    | 1"   | 670   |       | 343    | 551   |
|                             | 24"    | 1"   | 792   |       | 405    | 649   |
|                             | 36"    | 1"   | 912   |       | 467    | 745   |
|                             | 48"    | 1"   | 1,036 |       | 530    | 848   |
|                             | 60"    | 1"   | 1,159 |       | 590    | 946   |
|                             | 72"    | 1"   | 1,284 |       | 653    | 1,047 |
|                             | 84"    | 1"   | 1,405 |       | 715    | 1,145 |
|                             | 96"    | 1"   | 1,531 |       | 778    | 1,244 |
| <b>RM3431</b>               | 12"    | 1 ¼" | 721   |       | 361    | 578   |
|                             | 24"    | 1 ¼" | 840   |       | 423    | 676   |
|                             | 36"    | 1 ¼" | 959   |       | 484    | 777   |
|                             | 48"    | 1 ¼" | 1,078 |       | 548    | 875   |
|                             | 60"    | 1 ¼" | 1,199 |       | 608    | 973   |
|                             | 72"    | 1 ¼" | 1,317 |       | 670    | 1,072 |
|                             | 84"    | 1 ¼" | 1,436 |       | 731    | 1,173 |
|                             | 96"    | 1 ¼" | 1,554 |       | 795    | 1,271 |
| <b>RM3432</b>               | 12"    | 1 ½" | 819   |       | 394    | 633   |
|                             | 24"    | 1 ½" | 929   |       | 462    | 738   |
|                             | 36"    | 1 ½" | 1,041 |       | 530    | 848   |
|                             | 48"    | 1 ½" | 1,152 |       | 595    | 953   |
|                             | 60"    | 1 ½" | 1,265 |       | 663    | 1,064 |
|                             | 72"    | 1 ½" | 1,376 |       | 729    | 1,169 |
|                             | 84"    | 1 ½" | 1,488 |       | 797    | 1,275 |
|                             | 96"    | 1 ½" | 1,600 |       | 863    | 1,382 |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3420, RM3421, RM3422, RM3430, RM3431, RM3432.

**ROCKWOOD®****ASSA ABLOY**Experience a safer  
and more open worldUSA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## NeoMax - Post Mounted GripZone (con't)



| Straight Pulls - Bent Ends         |        |      |                   |         |        |          |
|------------------------------------|--------|------|-------------------|---------|--------|----------|
| Part                               | CTC    | Dia. | 3/605             | 9/611   | 32/629 | 32316    |
| <b>RM3440</b>                      | 12"    | 1"   | 525               | 593     | 292    | 465      |
|                                    | 24"    | 1"   | 648               | 730     | 354    | 566      |
|                                    | 36"    | 1"   | 770               | 869     | 415    | 664      |
|                                    | 48"    | 1"   | 891               | 1,007   | 477    | 762      |
|                                    | 60"    | 1"   | 1,016             | 1,148   | 539    | 863      |
|                                    | 72"    | 1"   | 1,139             | 1,287   | 602    | 962      |
|                                    | 84"    | 1"   | 1,261             | 1,427   | 663    | 1,064    |
|                                    | 96"    | 1"   | 1,385             | 1,565   | 726    | 1,163    |
| <b>RM3441</b>                      | 12"    | 1 ¼" | 573               | 649     | 307    | 562      |
|                                    | 24"    | 1 ¼" | 693               | 784     | 371    | 675      |
|                                    | 36"    | 1 ¼" | 812               | 916     | 432    | 785      |
|                                    | 48"    | 1 ¼" | 930               | 1,051   | 495    | 899      |
|                                    | 60"    | 1 ¼" | 1,050             | 1,187   | 555    | 1,014    |
|                                    | 72"    | 1 ¼" | 1,171             | 1,322   | 620    | 1,124    |
|                                    | 84"    | 1 ¼" | 1,290             | 1,455   | 680    | 1,237    |
|                                    | 96"    | 1 ¼" | 1,408             | 1,591   | 744    | 1,350    |
| <b>RM3442</b>                      | 12"    | 1 ½" | 673               | 759     | 343    | 551      |
|                                    | 24"    | 1 ½" | 786               | 885     | 410    | 656      |
|                                    | 36"    | 1 ½" | 895               | 1,012   | 477    | 762      |
|                                    | 48"    | 1 ½" | 1,006             | 1,139   | 543    | 870      |
|                                    | 60"    | 1 ½" | 1,119             | 1,265   | 612    | 978      |
|                                    | 72"    | 1 ½" | 1,231             | 1,390   | 677    | 1,086    |
|                                    | 84"    | 1 ½" | 1,343             | 1,518   | 747    | 1,192    |
|                                    | 96"    | 1 ½" | 1,453             | 1,642   | 812    | 1,299    |
| Straight Gripzone Pull - Flat Ends |        |      |                   |         |        |          |
| Part                               | Max OA | Dia. | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat |
| <b>RM3451</b>                      | 12"    | 1 ¼" | 639               | 484     | 541    | 799      |
|                                    | 24"    | 1 ¼" | 785               | 591     | 660    | 981      |
|                                    | 36"    | 1 ¼" | 899               | 696     | 780    | 1,124    |
|                                    | 48"    | 1 ¼" | 1,014             | 804     | 900    | 1,268    |
|                                    | 60"    | 1 ¼" | 1,128             | 911     | 1,019  | 1,410    |
|                                    | 72"    | 1 ¼" | 1,245             | 1,015   | 1,139  | 1,556    |
|                                    | 84"    | 1 ¼" | 1,389             | 1,124   | 1,259  | 1,736    |
|                                    | 96"    | 1 ¼" | 1,504             | 1,232   | 1,379  | 1,880    |
| Offset Gripzone Pull - Flat Ends   |        |      |                   |         |        |          |
| <b>RM3461</b>                      | 12"    | 1 ¼" | 692               | 532     | 597    | 865      |
|                                    | 24"    | 1 ¼" | 837               | 638     | 716    | 1,046    |
|                                    | 36"    | 1 ¼" | 953               | 747     | 836    | 1,191    |
|                                    | 48"    | 1 ¼" | 1,067             | 852     | 955    | 1,334    |
|                                    | 60"    | 1 ¼" | 1,181             | 961     | 1,073  | 1,476    |
|                                    | 72"    | 1 ¼" | 1,297             | 1,066   | 1,194  | 1,621    |
|                                    | 84"    | 1 ¼" | 1,442             | 1,172   | 1,315  | 1,803    |
|                                    | 96"    | 1 ¼" | 1,557             | 1,280   | 1,434  | 1,946    |

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3440, RM3441, RM3442, RM3451, RM3461.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.



**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## NeoMax - Post Mounted GripZone (con't)

| Straight Full Gripzone Pull with End Caps |           |      |                   |         |        |          |
|-------------------------------------------|-----------|------|-------------------|---------|--------|----------|
| Part                                      | Max OA    | Dia. | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat |
| <b>RM3471</b>                             | 12"       | 1 ¼" | 501               | 356     | 398    | 626      |
|                                           | 24"       | 1 ¼" | 611               | 457     | 510    | 764      |
|                                           | 36"       | 1 ¼" | 749               | 557     | 626    | 936      |
|                                           | 48"       | 1 ¼" | 858               | 658     | 738    | 1,073    |
|                                           | 60"       | 1 ¼" | 966               | 759     | 851    | 1,208    |
|                                           | 72"       | 1 ¼" | 1,076             | 861     | 965    | 1,345    |
|                                           | 84"       | 1 ¼" | 1,185             | 964     | 1,078  | 1,481    |
|                                           | 96"       | 1 ¼" | 1,295             | 1,061   | 1,191  | 1,619    |
| Offset Gripzone Pull with End Caps        |           |      |                   |         |        |          |
| <b>RM3481</b>                             | 12"       | 1 ¼" | 555               | 404     | 452    | 694      |
|                                           | 24"       | 1 ¼" | 663               | 505     | 565    | 829      |
|                                           | 36"       | 1 ¼" | 801               | 606     | 678    | 1,001    |
|                                           | 48"       | 1 ¼" | 910               | 709     | 792    | 1,138    |
|                                           | 60"       | 1 ¼" | 1,019             | 808     | 905    | 1,274    |
|                                           | 72"       | 1 ¼" | 1,127             | 910     | 1,016  | 1,409    |
|                                           | 84"       | 1 ¼" | 1,236             | 1,010   | 1,131  | 1,545    |
|                                           | 96"       | 1 ¼" | 1,376             | 1,113   | 1,246  | 1,720    |
| Push Bars - Flat Ends                     |           |      |                   |         |        |          |
| Part                                      | CTC       | Dia. | 3/605             | 9/611   | 32/629 | 32316    |
| <b>RM3202</b>                             | Up to 36" | 1"   | 720               | 813     | 373    | 595      |
| <b>RM3212</b>                             | Up to 36" | 1 ¼" | 762               | 861     | 390    | 694      |
| <b>RM3222</b>                             | Up to 36" | 1 ½" | 844               | 954     | 434    | 710      |
| Push Bars - Round Ends                    |           |      |                   |         |        |          |
| <b>RM3206</b>                             | Up to 36" | 1"   | 852               | 963     | 422    | 675      |
| <b>RM3216</b>                             | Up to 36" | 1 ¼" | 895               | 1,012   | 437    | 701      |
| <b>RM3226</b>                             | Up to 36" | 1 ½" | 980               | 1,106   | 483    | 775      |



- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3471, RM3481.

**ROCKWOOD®****ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## LineaMax - Grooved Pulls

| Straight Pulls - Solid Flat Ends         |        |        |                |        |         |                       |         |        |           |
|------------------------------------------|--------|--------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                                     | Max OA | Dia.   | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM3701</b>                            | 12"    | 1 1/4" | 1,019          | 1,099  | 1,099   | 677                   | 508     | 568    | 846       |
|                                          | 24"    | 1 1/4" | 1,222          | 1,318  | 1,318   | 832                   | 621     | 693    | 1,040     |
|                                          | 36"    | 1 1/4" | 1,425          | 1,537  | 1,537   | 953                   | 731     | 819    | 1,191     |
|                                          | 48"    | 1 1/4" | 1,630          | 1,756  | 1,756   | 1,075                 | 844     | 945    | 1,344     |
|                                          | 60"    | 1 1/4" | 1,831          | 1,977  | 1,977   | 1,196                 | 957     | 1,070  | 1,495     |
|                                          | 72"    | 1 1/4" | 2,034          | 2,197  | 2,197   | 1,320                 | 1,066   | 1,196  | 1,650     |
|                                          | 84"    | 1 1/4" | 2,238          | 2,419  | 2,419   | 1,472                 | 1,180   | 1,322  | 1,840     |
|                                          | 96"    | 1 1/4" | 2,441          | 2,637  | 2,637   | 1,594                 | 1,294   | 1,448  | 1,993     |
|                                          | 12"    | 1 1/2" | 1,225          | 1,324  | 1,324   | 736                   | 561     | 629    | 920       |
| <b>RM3702</b>                            | 24"    | 1 1/2" | 1,446          | 1,562  | 1,562   | 902                   | 684     | 768    | 1,128     |
|                                          | 36"    | 1 1/2" | 1,667          | 1,799  | 1,799   | 1,036                 | 805     | 903    | 1,295     |
|                                          | 48"    | 1 1/2" | 1,887          | 2,039  | 2,039   | 1,167                 | 928     | 1,042  | 1,459     |
|                                          | 60"    | 1 1/2" | 2,108          | 2,276  | 2,276   | 1,300                 | 1,051   | 1,178  | 1,625     |
|                                          | 72"    | 1 1/2" | 2,329          | 2,515  | 2,515   | 1,466                 | 1,174   | 1,315  | 1,833     |
|                                          | 84"    | 1 1/2" | 2,546          | 2,753  | 2,753   | 1,596                 | 1,297   | 1,450  | 1,995     |
|                                          | 96"    | 1 1/2" | 2,770          | 2,989  | 2,989   | 1,729                 | 1,418   | 1,588  | 2,161     |
| Offset Pulls - Solid Flat Ends           |        |        |                |        |         |                       |         |        |           |
| <b>RM3711</b>                            | 12"    | 1 1/4" | 1,078          |        | 1,162   | 734                   | 559     | 627    | 918       |
|                                          | 24"    | 1 1/4" | 1,281          |        | 1,384   | 887                   | 670     | 752    | 1,109     |
|                                          | 36"    | 1 1/4" | 1,485          |        | 1,602   | 1,010                 | 784     | 878    | 1,263     |
|                                          | 48"    | 1 1/4" | 1,686          |        | 1,821   | 1,131                 | 895     | 1,003  | 1,414     |
|                                          | 60"    | 1 1/4" | 1,890          |        | 2,041   | 1,252                 | 1,009   | 1,127  | 1,565     |
|                                          | 72"    | 1 1/4" | 2,093          |        | 2,261   | 1,375                 | 1,119   | 1,254  | 1,719     |
|                                          | 84"    | 1 1/4" | 2,296          |        | 2,480   | 1,529                 | 1,231   | 1,381  | 1,911     |
|                                          | 96"    | 1 1/4" | 2,499          |        | 2,701   | 1,650                 | 1,344   | 1,506  | 2,063     |
|                                          | 12"    | 1 1/2" | 1,285          |        | 1,387   | 824                   | 614     | 687    | 1,030     |
| <b>RM3712</b>                            | 24"    | 1 1/2" | 1,506          |        | 1,626   | 958                   | 735     | 823    | 1,198     |
|                                          | 36"    | 1 1/2" | 1,726          |        | 1,866   | 1,090                 | 857     | 960    | 1,363     |
|                                          | 48"    | 1 1/2" | 1,947          |        | 2,101   | 1,222                 | 979     | 1,096  | 1,528     |
|                                          | 60"    | 1 1/2" | 2,168          |        | 2,339   | 1,356                 | 1,100   | 1,233  | 1,695     |
|                                          | 72"    | 1 1/2" | 2,386          |        | 2,578   | 1,518                 | 1,223   | 1,369  | 1,898     |
|                                          | 84"    | 1 1/2" | 2,607          |        | 2,816   | 1,654                 | 1,347   | 1,508  | 2,068     |
|                                          | 96"    | 1 1/2" | 2,829          |        | 3,056   | 1,787                 | 1,470   | 1,645  | 2,234     |
| Straight Pulls - Fully Grooved Flat Ends |        |        |                |        |         |                       |         |        |           |
| <b>RM3721</b>                            | 12"    | 1 1/4" | 730            | 790    | 790     | 531                   | 374     | 418    | 664       |
|                                          | 24"    | 1 1/4" | 923            | 995    | 995     | 648                   | 480     | 536    | 810       |
|                                          | 36"    | 1 1/4" | 1,114          | 1,203  | 1,203   | 794                   | 585     | 657    | 993       |
|                                          | 48"    | 1 1/4" | 1,305          | 1,409  | 1,409   | 909                   | 691     | 775    | 1,136     |
|                                          | 60"    | 1 1/4" | 1,496          | 1,615  | 1,615   | 1,024                 | 797     | 894    | 1,280     |
|                                          | 72"    | 1 1/4" | 1,687          | 1,825  | 1,825   | 1,141                 | 904     | 1,013  | 1,426     |
|                                          | 84"    | 1 1/4" | 1,880          | 2,031  | 2,031   | 1,256                 | 1,012   | 1,132  | 1,570     |
|                                          | 96"    | 1 1/4" | 2,072          | 2,238  | 2,238   | 1,373                 | 1,114   | 1,251  | 1,716     |
|                                          | 12"    | 1 1/2" | 797            | 861    | 861     | 589                   | 425     | 476    | 736       |
| <b>RM3722</b>                            | 24"    | 1 1/2" | 995            | 1,078  | 1,078   | 712                   | 539     | 603    | 890       |
|                                          | 36"    | 1 1/2" | 1,199          | 1,293  | 1,293   | 867                   | 652     | 730    | 1,084     |
|                                          | 48"    | 1 1/2" | 1,397          | 1,510  | 1,510   | 990                   | 765     | 857    | 1,238     |
|                                          | 60"    | 1 1/2" | 1,595          | 1,725  | 1,725   | 1,114                 | 879     | 984    | 1,393     |
|                                          | 72"    | 1 1/2" | 1,797          | 1,940  | 1,940   | 1,239                 | 992     | 1,111  | 1,549     |
|                                          | 84"    | 1 1/2" | 1,995          | 2,158  | 2,158   | 1,360                 | 1,106   | 1,238  | 1,700     |
|                                          | 96"    | 1 1/2" | 2,197          | 2,373  | 2,373   | 1,515                 | 1,220   | 1,365  | 1,894     |

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3701, RM3702, RM3711, RM3712, RM3721, RM3722.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.


Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## LineaMax - Grooved Pulls (con't)



RM3731

| Offset Pulls - Fully Grooved Flat Ends |        |        |                |        |         |                       |         |        |           |
|----------------------------------------|--------|--------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                                   | Max OA | Dia.   | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM3731</b>                          | 12"    | 1 1/4" | 791            |        | 852     | 588                   | 424     | 475    | 735       |
|                                        | 24"    | 1 1/4" | 983            |        | 1,061   | 703                   | 530     | 593    | 879       |
|                                        | 36"    | 1 1/4" | 1,174          |        | 1,268   | 849                   | 636     | 712    | 1,061     |
|                                        | 48"    | 1 1/4" | 1,366          |        | 1,474   | 965                   | 744     | 832    | 1,206     |
|                                        | 60"    | 1 1/4" | 1,557          |        | 1,680   | 1,080                 | 848     | 950    | 1,350     |
|                                        | 72"    | 1 1/4" | 1,748          |        | 1,889   | 1,195                 | 956     | 1,067  | 1,493     |
|                                        | 84"    | 1 1/4" | 1,940          |        | 2,094   | 1,310                 | 1,061   | 1,188  | 1,638     |
|                                        | 96"    | 1 1/4" | 2,133          |        | 2,300   | 1,459                 | 1,169   | 1,308  | 1,824     |
| <b>RM3732</b>                          | 12"    | 1 1/2" | 857            |        | 924     | 643                   | 476     | 533    | 804       |
|                                        | 24"    | 1 1/2" | 1,056          |        | 1,140   | 800                   | 589     | 660    | 1,000     |
|                                        | 36"    | 1 1/2" | 1,255          |        | 1,356   | 922                   | 701     | 789    | 1,153     |
|                                        | 48"    | 1 1/2" | 1,455          |        | 1,572   | 1,045                 | 816     | 916    | 1,306     |
|                                        | 60"    | 1 1/2" | 1,656          |        | 1,788   | 1,169                 | 929     | 1,043  | 1,461     |
|                                        | 72"    | 1 1/2" | 1,857          |        | 2,006   | 1,293                 | 1,045   | 1,170  | 1,616     |
|                                        | 84"    | 1 1/2" | 2,057          |        | 2,220   | 1,415                 | 1,156   | 1,297  | 1,769     |
|                                        | 96"    | 1 1/2" | 2,258          |        | 2,436   | 1,570                 | 1,272   | 1,425  | 1,963     |

## Straight Pulls - Solid Round Ends

|               |     |        |       |       |       |       |       |       |       |
|---------------|-----|--------|-------|-------|-------|-------|-------|-------|-------|
| <b>RM3751</b> | 12" | 1 1/4" | 1,152 | 1,245 | 1,245 | 757   | 582   | 651   | 946   |
|               | 24" | 1 1/4" | 1,356 | 1,467 | 1,467 | 912   | 692   | 777   | 1,140 |
|               | 36" | 1 1/4" | 1,560 | 1,684 | 1,684 | 1,034 | 804   | 901   | 1,293 |
|               | 48" | 1 1/4" | 1,764 | 1,903 | 1,903 | 1,154 | 918   | 1,026 | 1,443 |
|               | 60" | 1 1/4" | 1,969 | 2,124 | 2,124 | 1,277 | 1,028 | 1,153 | 1,596 |
|               | 72" | 1 1/4" | 2,170 | 2,344 | 2,344 | 1,399 | 1,142 | 1,279 | 1,749 |
|               | 84" | 1 1/4" | 2,374 | 2,564 | 2,564 | 1,554 | 1,254 | 1,405 | 1,943 |
|               | 96" | 1 1/4" | 2,578 | 2,783 | 2,783 | 1,674 | 1,363 | 1,528 | 2,093 |
| <b>RM3752</b> | 12" | 1 1/2" | 1,362 | 1,471 | 1,471 | 848   | 633   | 711   | 1,060 |
|               | 24" | 1 1/2" | 1,583 | 1,708 | 1,708 | 982   | 757   | 847   | 1,228 |
|               | 36" | 1 1/2" | 1,800 | 1,947 | 1,947 | 1,114 | 879   | 984   | 1,393 |
|               | 48" | 1 1/2" | 2,021 | 2,183 | 2,183 | 1,247 | 1,002 | 1,120 | 1,559 |
|               | 60" | 1 1/2" | 2,242 | 2,423 | 2,423 | 1,380 | 1,124 | 1,259 | 1,725 |
|               | 72" | 1 1/2" | 2,463 | 2,661 | 2,661 | 1,543 | 1,244 | 1,395 | 1,929 |
|               | 84" | 1 1/2" | 2,684 | 2,899 | 2,899 | 1,676 | 1,366 | 1,530 | 2,095 |
|               | 96" | 1 1/2" | 2,904 | 3,134 | 3,134 | 1,810 | 1,489 | 1,668 | 2,263 |

## Offset Pulls - Solid Round Ends

|               |     |        |       |  |       |       |       |       |       |
|---------------|-----|--------|-------|--|-------|-------|-------|-------|-------|
| <b>RM3761</b> | 12" | 1 1/4" | 1,211 |  | 1,307 | 845   | 631   | 708   | 1,056 |
|               | 24" | 1 1/4" | 1,415 |  | 1,529 | 966   | 746   | 834   | 1,208 |
|               | 36" | 1 1/4" | 1,619 |  | 1,748 | 1,089 | 856   | 959   | 1,361 |
|               | 48" | 1 1/4" | 1,824 |  | 1,970 | 1,212 | 967   | 1,085 | 1,515 |
|               | 60" | 1 1/4" | 2,025 |  | 2,188 | 1,331 | 1,082 | 1,211 | 1,664 |
|               | 72" | 1 1/4" | 2,230 |  | 2,409 | 1,485 | 1,192 | 1,334 | 1,856 |
|               | 84" | 1 1/4" | 2,433 |  | 2,627 | 1,606 | 1,304 | 1,461 | 2,008 |
|               | 96" | 1 1/4" | 2,637 |  | 2,851 | 1,728 | 1,415 | 1,587 | 2,160 |
| <b>RM3762</b> | 12" | 1 1/2" | 1,421 |  | 1,535 | 903   | 686   | 769   | 1,129 |
|               | 24" | 1 1/2" | 1,640 |  | 1,773 | 1,037 | 806   | 905   | 1,296 |
|               | 36" | 1 1/2" | 1,861 |  | 2,012 | 1,169 | 929   | 1,043 | 1,461 |
|               | 48" | 1 1/2" | 2,082 |  | 2,249 | 1,304 | 1,052 | 1,179 | 1,630 |
|               | 60" | 1 1/2" | 2,304 |  | 2,485 | 1,467 | 1,175 | 1,317 | 1,834 |
|               | 72" | 1 1/2" | 2,522 |  | 2,724 | 1,600 | 1,298 | 1,452 | 2,000 |
|               | 84" | 1 1/2" | 2,743 |  | 2,963 | 1,733 | 1,420 | 1,589 | 2,166 |
|               | 96" | 1 1/2" | 2,964 |  | 3,200 | 1,866 | 1,540 | 1,725 | 2,333 |

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3711, RM3712, RM3721, RM3722, RM3731, RM3732.

**ROCKWOOD®****ASSA ABLOY**Experience a safer  
and more open worldUSA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## LineaMax - Grooved Pulls (con't)

| Straight Pulls - Fully Grooved Round Ends |           |      |                |        |         |                       |         |        |           |
|-------------------------------------------|-----------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                                      | Max<br>OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM3771                                    | 12"       | 1 ¼" | 865            | 936    | 936     | 610                   | 444     | 499    | 763       |
|                                           | 24"       | 1 ¼" | 1,058          | 1,142  | 1,142   | 726                   | 552     | 618    | 908       |
|                                           | 36"       | 1 ¼" | 1,250          | 1,347  | 1,347   | 875                   | 658     | 737    | 1,094     |
|                                           | 48"       | 1 ¼" | 1,442          | 1,557  | 1,557   | 989                   | 764     | 856    | 1,236     |
|                                           | 60"       | 1 ¼" | 1,633          | 1,764  | 1,764   | 1,103                 | 870     | 974    | 1,379     |
|                                           | 72"       | 1 ¼" | 1,825          | 1,971  | 1,971   | 1,220                 | 977     | 1,094  | 1,525     |
|                                           | 84"       | 1 ¼" | 2,016          | 2,177  | 2,177   | 1,335                 | 1,084   | 1,214  | 1,669     |
|                                           | 96"       | 1 ¼" | 2,208          | 2,384  | 2,384   | 1,481                 | 1,189   | 1,330  | 1,851     |
|                                           | RM3772    | 12"  | 1 ½"           | 933    | 1,006   | 1,006                 | 668     | 498    | 558       |
| 24"                                       |           | 1 ½" | 1,132          | 1,223  | 1,223   | 823                   | 612     | 686    | 1,029     |
| 36"                                       |           | 1 ½" | 1,332          | 1,439  | 1,439   | 946                   | 726     | 812    | 1,183     |
| 48"                                       |           | 1 ½" | 1,533          | 1,655  | 1,655   | 1,070                 | 838     | 937    | 1,338     |
| 60"                                       |           | 1 ½" | 1,733          | 1,872  | 1,872   | 1,193                 | 953     | 1,065  | 1,491     |
| 72"                                       |           | 1 ½" | 1,932          | 2,087  | 2,087   | 1,315                 | 1,064   | 1,193  | 1,644     |
| 84"                                       |           | 1 ½" | 2,134          | 2,307  | 2,307   | 1,471                 | 1,179   | 1,320  | 1,839     |
| 96"                                       |           | 1 ½" | 2,332          | 2,519  | 2,519   | 1,594                 | 1,294   | 1,448  | 1,993     |
|                                           |           |      |                |        |         |                       |         |        |           |
| RM3781                                    | 12"       | 1 ¼" | 926            |        | 1,000   | 667                   | 496     | 555    | 834       |
|                                           | 24"       | 1 ¼" | 1,117          |        | 1,205   | 812                   | 603     | 673    | 1,015     |
|                                           | 36"       | 1 ¼" | 1,307          |        | 1,414   | 929                   | 709     | 795    | 1,161     |
|                                           | 48"       | 1 ¼" | 1,498          |        | 1,620   | 1,043                 | 815     | 915    | 1,304     |
|                                           | 60"       | 1 ¼" | 1,692          |        | 1,828   | 1,160                 | 922     | 1,032  | 1,450     |
|                                           | 72"       | 1 ¼" | 1,884          |        | 2,034   | 1,275                 | 1,027   | 1,151  | 1,594     |
|                                           | 84"       | 1 ¼" | 2,076          |        | 2,241   | 1,390                 | 1,135   | 1,272  | 1,738     |
|                                           | 96"       | 1 ¼" | 2,268          |        | 2,447   | 1,537                 | 1,239   | 1,389  | 1,921     |
|                                           | RM3782    | 12"  | 1 ½"           | 992    |         | 1,071                 | 723     | 550    | 616       |
| 24"                                       |           | 1 ½" | 1,192          |        | 1,287   | 878                   | 663     | 741    | 1,098     |
| 36"                                       |           | 1 ½" | 1,392          |        | 1,504   | 1,003                 | 777     | 869    | 1,254     |
| 48"                                       |           | 1 ½" | 1,592          |        | 1,720   | 1,125                 | 889     | 995    | 1,406     |
| 60"                                       |           | 1 ½" | 1,792          |        | 1,936   | 1,248                 | 1,003   | 1,124  | 1,560     |
| 72"                                       |           | 1 ½" | 1,992          |        | 2,150   | 1,373                 | 1,114   | 1,251  | 1,716     |
| 84"                                       |           | 1 ½" | 2,193          |        | 2,369   | 1,527                 | 1,230   | 1,378  | 1,909     |
| 96"                                       |           | 1 ½" | 2,391          |        | 2,583   | 1,650                 | 1,344   | 1,506  | 2,063     |
|                                           |           |      |                |        |         |                       |         |        |           |
| RM3741                                    | 12"       | 1 ¼" |                |        |         | 496                   | 417     | 467    | 620       |
|                                           | 24"       | 1 ¼" |                |        |         | 622                   | 523     | 585    | 778       |
|                                           | 36"       | 1 ¼" |                |        |         | 749                   | 629     | 704    | 936       |
|                                           | 48"       | 1 ¼" |                |        |         | 876                   | 735     | 823    | 1,095     |
|                                           | 60"       | 1 ¼" |                |        |         | 1,000                 | 840     | 943    | 1,250     |
|                                           | 72"       | 1 ¼" |                |        |         | 1,128                 | 948     | 1,061  | 1,410     |
|                                           | 84"       | 1 ¼" |                |        |         | 1,254                 | 1,053   | 1,180  | 1,568     |
|                                           | 96"       | 1 ¼" |                |        |         | 1,380                 | 1,159   | 1,300  | 1,725     |
|                                           | RM3742    | 12"  | 1 ½"           |        |         |                       | 560     | 470    | 525       |
| 24"                                       |           | 1 ½" |                |        |         | 693                   | 583     | 652    | 866       |
| 36"                                       |           | 1 ½" |                |        |         | 828                   | 695     | 780    | 1,035     |
| 48"                                       |           | 1 ½" |                |        |         | 962                   | 809     | 906    | 1,203     |
| 60"                                       |           | 1 ½" |                |        |         | 1,099                 | 923     | 1,033  | 1,374     |
| 72"                                       |           | 1 ½" |                |        |         | 1,233                 | 1,035   | 1,161  | 1,541     |
| 84"                                       |           | 1 ½" |                |        |         | 1,370                 | 1,151   | 1,287  | 1,713     |
| 96"                                       |           | 1 ½" |                |        |         | 1,503                 | 1,263   | 1,414  | 1,879     |

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3751, RM3752, RM3761, RM3762, RM3771, RM3772.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.



Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## LineaMax - Grooved Pulls (con't)



## Push Bars Solid Grooves Flat Ends

| Part          | Max CTC       | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|---------------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| <b>RM3512</b> | Up to 36" CTC | 1 ¼" | 1,425          | 1,537  | 1,537   | 953                   | 731     | 819    | 1,191     |
| <b>RM3522</b> | Up to 36" CTC | 1 ½" | 1,667          | 1,799  | 1,799   | 1,036                 | 805     | 903    | 1,295     |

## Push Bars Solid Grooves Round Ends

|               |               |      |       |       |       |       |     |     |       |
|---------------|---------------|------|-------|-------|-------|-------|-----|-----|-------|
| <b>RM3516</b> | Up to 36" CTC | 1 ¼" | 1,560 | 1,684 | 1,684 | 1,034 | 804 | 901 | 1,293 |
| <b>RM3526</b> | Up to 36" CTC | 1 ½" | 1,800 | 1,947 | 1,947 | 1,114 | 879 | 984 | 1,393 |

## Push Bars Fully Grooved - Flat Ends

|               |               |      |       |       |       |     |     |     |       |
|---------------|---------------|------|-------|-------|-------|-----|-----|-----|-------|
| <b>RM3612</b> | Up to 36" CTC | 1 ¼" | 1,114 | 1,203 | 1,203 | 794 | 585 | 657 | 993   |
| <b>RM3622</b> | Up to 36" CTC | 1 ½" | 1,199 | 1,293 | 1,293 | 867 | 652 | 730 | 1,084 |

## Push Bars Fully Grooved - Round Ends

|               |               |      |       |       |       |     |     |     |       |
|---------------|---------------|------|-------|-------|-------|-----|-----|-----|-------|
| <b>RM3616</b> | Up to 36" CTC | 1 ¼" | 1,250 | 1,347 | 1,347 | 875 | 658 | 737 | 1,094 |
| <b>RM3626</b> | Up to 36" CTC | 1 ½" | 1,332 | 1,439 | 1,439 | 946 | 726 | 812 | 1,183 |

## NoirMet - Black Anodized Grip with Contrasting Ends and Posts

## Straight Pulls - Flat Ends

| Part          | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
|---------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|--------|-------|-----------|
| <b>RM3800</b> | 12"    | 1"   | 508            | 587    | 587     | 490                   | 344     | 380    | 563    | 617   | 613       |
|               | 24"    | 1"   | 555            | 632    | 632     | 525                   | 378     | 417    | 616    | 676   | 656       |
|               | 36"    | 1"   | 573            | 650    | 650     | 545                   | 398     | 437    | 648    | 712   | 681       |
|               | 48"    | 1"   | 854            | 933    | 933     | 673                   | 521     | 573    | 848    | 933   | 841       |
|               | 60"    | 1"   | 929            | 992    | 992     | 704                   | 551     | 605    | 896    | 986   | 880       |
|               | 72"    | 1"   | 1,000          | 1,051  | 1,051   | 732                   | 579     | 636    | 942    | 1,039 | 915       |
|               | 84"    | 1"   | 1,142          | 1,208  | 1,208   | 807                   | 616     | 677    | 1,004  | 1,103 | 1,009     |
|               | 96"    | 1"   | 1,285          | 1,364  | 1,364   | 845                   | 653     | 718    | 1,065  | 1,171 | 1,056     |
| <b>RM3810</b> | 12"    | 1 ¼" | 537            | 611    | 611     | 499                   | 355     | 387    | 579    | 635   | 624       |
|               | 24"    | 1 ¼" | 611            | 659    | 659     | 545                   | 398     | 437    | 648    | 712   | 681       |
|               | 36"    | 1 ¼" | 636            | 687    | 687     | 566                   | 418     | 459    | 677    | 746   | 708       |
|               | 48"    | 1 ¼" | 857            | 933    | 933     | 696                   | 543     | 597    | 883    | 972   | 870       |
|               | 60"    | 1 ¼" | 904            | 968    | 968     | 719                   | 563     | 621    | 919    | 1,013 | 899       |
|               | 72"    | 1 ¼" | 951            | 1,003  | 1,003   | 743                   | 587     | 645    | 954    | 1,048 | 929       |
|               | 84"    | 1 ¼" | 1,131          | 1,181  | 1,181   | 848                   | 657     | 723    | 1,068  | 1,176 | 1,060     |
|               | 96"    | 1 ¼" | 1,313          | 1,357  | 1,357   | 919                   | 727     | 798    | 1,184  | 1,297 | 1,149     |
| <b>RM3820</b> | 12"    | 1 ½" | 664            | 712    | 712     | 566                   | 418     | 459    | 677    | 746   | 708       |
|               | 24"    | 1 ½" | 739            | 789    | 789     | 601                   | 452     | 496    | 737    | 809   | 751       |
|               | 36"    | 1 ½" | 801            | 852    | 852     | 650                   | 499     | 549    | 811    | 892   | 813       |
|               | 48"    | 1 ½" | 911            | 936    | 936     | 744                   | 588     | 647    | 955    | 1,050 | 930       |
|               | 60"    | 1 ½" | 994            | 1,024  | 1,024   | 820                   | 630     | 693    | 1,025  | 1,129 | 1,025     |
|               | 72"    | 1 ½" | 1,079          | 1,107  | 1,107   | 865                   | 672     | 739    | 1,094  | 1,202 | 1,081     |
|               | 84"    | 1 ½" | 1,234          | 1,264  | 1,264   | 937                   | 742     | 817    | 1,211  | 1,331 | 1,171     |
|               | 96"    | 1 ½" | 1,392          | 1,418  | 1,418   | 1,012                 | 814     | 895    | 1,324  | 1,457 | 1,265     |

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3800, RM3810, RM3820.

ROCKWOOD®

ASSA ABLOY

Experience a safer  
and more open worldUSA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## NoirMet - Black Anodized Grip with Contrasting Ends and Posts (con't)

| Offset Pulls - Flat Ends    |        |      |                |        |         |                       |         |        |        |       |           |
|-----------------------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|--------|-------|-----------|
| Part                        | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
| <b>RM3830</b>               | 12"    | 1"   | 573            |        | 712     | 545                   | 398     | 437    | 648    | 712   | 681       |
|                             | 24"    | 1"   | 680            |        | 809     | 607                   | 459     | 506    | 746    | 821   | 759       |
|                             | 36"    | 1"   | 802            |        | 912     | 673                   | 521     | 573    | 848    | 933   | 841       |
|                             | 48"    | 1"   | 924            |        | 1,021   | 736                   | 583     | 643    | 949    | 1,044 | 920       |
|                             | 60"    | 1"   | 999            |        | 1,080   | 771                   | 611     | 673    | 996    | 1,095 | 964       |
|                             | 72"    | 1"   | 1,070          |        | 1,139   | 830                   | 642     | 704    | 1,042  | 1,147 | 1,038     |
|                             | 84"    | 1"   | 1,215          |        | 1,295   | 887                   | 693     | 764    | 1,129  | 1,242 | 1,109     |
|                             | 96"    | 1"   | 1,355          |        | 1,449   | 942                   | 746     | 820    | 1,215  | 1,334 | 1,178     |
| <b>RM3840</b>               | 12"    | 1 ¼" | 599            |        | 739     | 554                   | 407     | 448    | 661    | 729   | 693       |
|                             | 24"    | 1 ¼" | 720            |        | 827     | 619                   | 469     | 515    | 762    | 837   | 774       |
|                             | 36"    | 1 ¼" | 823            |        | 924     | 684                   | 530     | 582    | 862    | 946   | 855       |
|                             | 48"    | 1 ¼" | 926            |        | 1,021   | 745                   | 589     | 648    | 958    | 1,051 | 931       |
|                             | 60"    | 1 ¼" | 974            |        | 1,056   | 770                   | 610     | 672    | 995    | 1,094 | 963       |
|                             | 72"    | 1 ¼" | 1,021          |        | 1,090   | 822                   | 631     | 695    | 1,028  | 1,130 | 1,028     |
|                             | 84"    | 1 ¼" | 1,201          |        | 1,269   | 896                   | 701     | 775    | 1,146  | 1,261 | 1,120     |
|                             | 96"    | 1 ¼" | 1,382          |        | 1,446   | 969                   | 772     | 848    | 1,257  | 1,382 | 1,211     |
| <b>RM3850</b>               | 12"    | 1 ½" | 726            |        | 841     | 621                   | 471     | 520    | 767    | 847   | 776       |
|                             | 24"    | 1 ½" | 801            |        | 912     | 650                   | 499     | 549    | 811    | 892   | 813       |
|                             | 36"    | 1 ½" | 891            |        | 971     | 722                   | 565     | 626    | 923    | 1,020 | 903       |
|                             | 48"    | 1 ½" | 983            |        | 1,025   | 823                   | 632     | 696    | 1,031  | 1,135 | 1,029     |
|                             | 60"    | 1 ½" | 1,067          |        | 1,109   | 869                   | 676     | 744    | 1,102  | 1,212 | 1,086     |
|                             | 72"    | 1 ½" | 1,149          |        | 1,194   | 914                   | 718     | 791    | 1,171  | 1,288 | 1,143     |
|                             | 84"    | 1 ½" | 1,305          |        | 1,347   | 986                   | 790     | 868    | 1,286  | 1,413 | 1,233     |
|                             | 96"    | 1 ½" | 1,464          |        | 1,506   | 1,061                 | 860     | 945    | 1,399  | 1,540 | 1,326     |
| Straight Pulls - Round Ends |        |      |                |        |         |                       |         |        |        |       |           |
| <b>RM3804</b>               | 12"    | 1"   | 573            | 650    | 650     | 545                   | 398     | 437    | 648    | 712   | 681       |
|                             | 24"    | 1"   | 617            | 696    | 696     | 583                   | 434     | 477    | 710    | 780   | 729       |
|                             | 36"    | 1"   | 636            | 712    | 712     | 601                   | 452     | 496    | 737    | 809   | 751       |
|                             | 48"    | 1"   | 921            | 994    | 994     | 736                   | 583     | 643    | 949    | 1,044 | 920       |
|                             | 60"    | 1"   | 991            | 1,056  | 1,056   | 771                   | 611     | 673    | 996    | 1,095 | 964       |
|                             | 72"    | 1"   | 1,061          | 1,111  | 1,111   | 832                   | 643     | 706    | 1,044  | 1,148 | 1,040     |
|                             | 84"    | 1"   | 1,203          | 1,268  | 1,268   | 888                   | 695     | 765    | 1,130  | 1,243 | 1,110     |
|                             | 96"    | 1"   | 1,343          | 1,421  | 1,421   | 943                   | 748     | 823    | 1,217  | 1,340 | 1,179     |
| <b>RM3814</b>               | 12"    | 1 ¼" | 599            | 677    | 677     | 554                   | 407     | 448    | 661    | 729   | 693       |
|                             | 24"    | 1 ¼" | 678            | 727    | 727     | 600                   | 450     | 495    | 732    | 807   | 750       |
|                             | 36"    | 1 ¼" | 701            | 750    | 750     | 621                   | 471     | 520    | 767    | 847   | 776       |
|                             | 48"    | 1 ¼" | 922            | 999    | 999     | 749                   | 592     | 650    | 962    | 1,062 | 936       |
|                             | 60"    | 1 ¼" | 968            | 1,030  | 1,030   | 773                   | 612     | 675    | 997    | 1,099 | 966       |
|                             | 72"    | 1 ¼" | 1,013          | 1,064  | 1,064   | 827                   | 633     | 698    | 1,038  | 1,136 | 1,034     |
|                             | 84"    | 1 ¼" | 1,192          | 1,244  | 1,244   | 900                   | 706     | 778    | 1,148  | 1,264 | 1,125     |
|                             | 96"    | 1 ¼" | 1,371          | 1,423  | 1,423   | 972                   | 777     | 851    | 1,263  | 1,387 | 1,215     |
| <b>RM3824</b>               | 12"    | 1 ½" | 726            | 777    | 777     | 621                   | 471     | 520    | 767    | 847   | 776       |
|                             | 24"    | 1 ½" | 801            | 852    | 852     | 650                   | 499     | 549    | 811    | 892   | 813       |
|                             | 36"    | 1 ½" | 863            | 912    | 912     | 707                   | 553     | 608    | 902    | 994   | 884       |
|                             | 48"    | 1 ½" | 974            | 1,002  | 1,002   | 827                   | 633     | 698    | 1,038  | 1,136 | 1,034     |
|                             | 60"    | 1 ½" | 1,058          | 1,087  | 1,087   | 870                   | 677     | 746    | 1,103  | 1,215 | 1,088     |
|                             | 72"    | 1 ½" | 1,140          | 1,170  | 1,170   | 915                   | 719     | 792    | 1,172  | 1,290 | 1,144     |
|                             | 84"    | 1 ½" | 1,295          | 1,323  | 1,323   | 985                   | 788     | 866    | 1,282  | 1,412 | 1,231     |
|                             | 96"    | 1 ½" | 1,449          | 1,475  | 1,475   | 1,057                 | 856     | 942    | 1,394  | 1,533 | 1,321     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3830, RM3840, RM3850, RM3804, RM3814, RM3824.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## NoirMet – Black Anodized Grip with Contrasting Ends and Posts (con't)

| Offset Pulls – Round Ends |               |      |                |        |         |                       |         |        |        |       |           |
|---------------------------|---------------|------|----------------|--------|---------|-----------------------|---------|--------|--------|-------|-----------|
| Part                      | Max<br>OA     | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
| RM3834                    | 12"           | 1"   | 636            |        | 687     | 601                   | 452     | 496    | 737    | 809   | 751       |
|                           | 24"           | 1"   | 747            |        | 803     | 665                   | 511     | 562    | 834    | 918   | 831       |
|                           | 36"           | 1"   | 868            |        | 939     | 726                   | 569     | 628    | 928    | 1,022 | 908       |
|                           | 48"           | 1"   | 989            |        | 1,068   | 818                   | 629     | 691    | 1,023  | 1,128 | 1,023     |
|                           | 60"           | 1"   | 1,061          |        | 1,147   | 849                   | 658     | 726    | 1,072  | 1,180 | 1,061     |
|                           | 72"           | 1"   | 1,131          |        | 1,222   | 879                   | 688     | 756    | 1,120  | 1,233 | 1,099     |
|                           | 84"           | 1"   | 1,273          |        | 1,374   | 936                   | 741     | 815    | 1,209  | 1,328 | 1,170     |
|                           | 96"           | 1"   | 1,413          |        | 1,526   | 991                   | 794     | 889    | 1,293  | 1,447 | 1,239     |
| RM3844                    | 12"           | 1 ¼" | 664            |        | 717     | 607                   | 459     | 515    | 746    | 837   | 759       |
|                           | 24"           | 1 ¼" | 784            |        | 844     | 671                   | 520     | 582    | 847    | 946   | 839       |
|                           | 36"           | 1 ¼" | 886            |        | 959     | 734                   | 581     | 649    | 945    | 1,056 | 918       |
|                           | 48"           | 1 ¼" | 991            |        | 1,070   | 829                   | 639     | 715    | 1,040  | 1,164 | 1,036     |
|                           | 60"           | 1 ¼" | 1,038          |        | 1,120   | 850                   | 659     | 738    | 1,075  | 1,201 | 1,063     |
|                           | 72"           | 1 ¼" | 1,085          |        | 1,172   | 875                   | 681     | 764    | 1,110  | 1,242 | 1,094     |
|                           | 84"           | 1 ¼" | 1,264          |        | 1,365   | 947                   | 752     | 843    | 1,224  | 1,373 | 1,184     |
|                           | 96"           | 1 ¼" | 1,442          |        | 1,557   | 1,020                 | 821     | 920    | 1,339  | 1,498 | 1,275     |
| RM3854                    | 12"           | 1 ½" | 789            |        | 851     | 675                   | 522     | 587    | 851    | 954   | 844       |
|                           | 24"           | 1 ½" | 863            |        | 932     | 707                   | 553     | 620    | 902    | 1,008 | 884       |
|                           | 36"           | 1 ½" | 953            |        | 1,030   | 808                   | 618     | 691    | 1,005  | 1,128 | 1,010     |
|                           | 48"           | 1 ½" | 1,043          |        | 1,129   | 875                   | 681     | 764    | 1,110  | 1,242 | 1,094     |
|                           | 60"           | 1 ½" | 1,129          |        | 1,220   | 918                   | 726     | 811    | 1,180  | 1,320 | 1,148     |
|                           | 72"           | 1 ½" | 1,210          |        | 1,306   | 962                   | 768     | 859    | 1,245  | 1,398 | 1,203     |
|                           | 84"           | 1 ½" | 1,366          |        | 1,474   | 1,036                 | 836     | 935    | 1,361  | 1,523 | 1,295     |
|                           | 96"           | 1 ½" | 1,519          |        | 1,639   | 1,107                 | 905     | 1,013  | 1,471  | 1,648 | 1,384     |
| Push Bars – Flat Ends     |               |      |                |        |         |                       |         |        |        |       |           |
| RM3802                    | Up to 36" CTC | 1"   | 573            | 650    | 650     | 545                   | 398     | 437    | 648    | 712   | 681       |
| RM3812                    | Up to 36" CTC | 1 ¼" | 636            | 687    | 687     | 566                   | 418     | 459    | 677    | 746   | 708       |
| RM3822                    | Up to 36" CTC | 1 ½" | 801            | 852    | 852     | 650                   | 499     | 549    | 811    | 892   | 813       |
| Push Bars – Round Ends    |               |      |                |        |         |                       |         |        |        |       |           |
| RM3806                    | Up to 36" CTC | 1"   | 636            | 712    | 712     | 601                   | 452     | 496    | 737    | 809   | 751       |
| RM3816                    | Up to 36" CTC | 1 ¼" | 701            | 750    | 750     | 621                   | 471     | 520    | 767    | 847   | 776       |
| RM3826                    | Up to 36" CTC | 1 ½" | 863            | 912    | 912     | 707                   | 553     | 608    | 902    | 994   | 884       |

- Add \$6.80/in. over 36" for push bars.
- Add \$6.80/in. over 96".
- MP (Mid-Post) – Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3834, RM3844, RM3854.

NOTE: Post location on push bars can be located ⅝" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## NoirTek - Black Anodized Grip with Contrasting Posts

| Straight Pulls - Flat Ends |        |      |        |                    |                |        |         |                       |         |        |           |
|----------------------------|--------|------|--------|--------------------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                       | Max OA | Dia. | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM3900</b>              | 12"    | 1"   | 248    | 274                | 336            | 360    | 360     | 320                   | 229     | 258    | 400       |
|                            | 24"    | 1"   | 351    | 384                | 381            | 410    | 410     | 354                   | 263     | 294    | 443       |
|                            | 36"    | 1"   | 455    | 499                | 401            | 431    | 431     | 374                   | 284     | 315    | 468       |
|                            | 48"    | 1"   | 559    | 615                | 679            | 734    | 734     | 553                   | 406     | 454    | 691       |
|                            | 60"    | 1"   | 662    | 729                | 752            | 812    | 812     | 583                   | 434     | 488    | 729       |
|                            | 72"    | 1"   | 767    | 840                | 824            | 889    | 889     | 614                   | 464     | 518    | 768       |
|                            | 84"    | 1"   | 868    | 954                | 968            | 1,047  | 1,047   | 654                   | 501     | 561    | 818       |
|                            | 96"    | 1"   | 970    | 1,067              | 1,112          | 1,204  | 1,204   | 694                   | 538     | 604    | 868       |
| <b>RM3910</b>              | 12"    | 1 ¼" | 273    | 299                | 360            | 389    | 389     | 331                   | 238     | 267    | 414       |
|                            | 24"    | 1 ¼" | 381    | 420                | 439            | 473    | 473     | 374                   | 284     | 315    | 468       |
|                            | 36"    | 1 ¼" | 492    | 541                | 460            | 499    | 499     | 398                   | 303     | 338    | 498       |
|                            | 48"    | 1 ¼" | 604    | 650                | 680            | 736    | 736     | 575                   | 426     | 477    | 719       |
|                            | 60"    | 1 ¼" | 712    | 750                | 728            | 788    | 788     | 599                   | 449     | 502    | 749       |
|                            | 72"    | 1 ¼" | 822    | 851                | 776            | 839    | 839     | 620                   | 470     | 525    | 775       |
|                            | 84"    | 1 ¼" | 933    | 948                | 954            | 1,033  | 1,033   | 694                   | 541     | 605    | 868       |
|                            | 96"    | 1 ¼" | 1,044  | 1,045              | 1,133          | 1,227  | 1,227   | 769                   | 611     | 685    | 961       |
| <b>RM3920</b>              | 12"    | 1 ½" | 323    | 354                | 489            | 527    | 527     | 398                   | 303     | 338    | 498       |
|                            | 24"    | 1 ½" | 413    | 454                | 563            | 608    | 608     | 479                   | 337     | 377    | 599       |
|                            | 36"    | 1 ½" | 502    | 552                | 628            | 678    | 678     | 530                   | 383     | 429    | 663       |
|                            | 48"    | 1 ½" | 593    | 663                | 738            | 797    | 797     | 621                   | 471     | 528    | 776       |
|                            | 60"    | 1 ½" | 683    | 783                | 822            | 886    | 886     | 668                   | 515     | 576    | 835       |
|                            | 72"    | 1 ½" | 772    | 904                | 904            | 978    | 978     | 712                   | 558     | 624    | 890       |
|                            | 84"    | 1 ½" | 861    | 1,026              | 1,061          | 1,147  | 1,147   | 817                   | 628     | 701    | 1,021     |
|                            | 96"    | 1 ½" | 1,057  | 1,148              | 1,217          | 1,316  | 1,316   | 922                   | 698     | 779    | 1,153     |
| Offset Pulls - Flat Ends   |        |      |        |                    |                |        |         |                       |         |        |           |
| <b>RM3930</b>              | 12"    | 1"   |        |                    | 394            |        | 428     | 375                   | 286     | 317    | 469       |
|                            | 24"    | 1"   |        |                    | 441            |        | 479     | 460                   | 315     | 354    | 575       |
|                            | 36"    | 1"   |        |                    | 460            |        | 499     | 479                   | 337     | 377    | 599       |
|                            | 48"    | 1"   |        |                    | 740            |        | 799     | 607                   | 459     | 513    | 759       |
|                            | 60"    | 1"   |        |                    | 813            |        | 881     | 640                   | 490     | 548    | 800       |
|                            | 72"    | 1"   |        |                    | 885            |        | 956     | 669                   | 516     | 579    | 836       |
|                            | 84"    | 1"   |        |                    | 1,029          |        | 1,110   | 708                   | 554     | 622    | 885       |
|                            | 96"    | 1"   |        |                    | 1,173          |        | 1,264   | 747                   | 593     | 665    | 934       |
| <b>RM3940</b>              | 12"    | 1 ¼" |        |                    | 423            |        | 456     | 387                   | 293     | 329    | 484       |
|                            | 24"    | 1 ¼" |        |                    | 500            |        | 540     | 479                   | 337     | 377    | 599       |
|                            | 36"    | 1 ¼" |        |                    | 523            |        | 563     | 501                   | 356     | 400    | 626       |
|                            | 48"    | 1 ¼" |        |                    | 743            |        | 801     | 631                   | 480     | 540    | 789       |
|                            | 60"    | 1 ¼" |        |                    | 790            |        | 852     | 656                   | 502     | 562    | 820       |
|                            | 72"    | 1 ¼" |        |                    | 838            |        | 904     | 676                   | 523     | 588    | 845       |
|                            | 84"    | 1 ¼" |        |                    | 1,019          |        | 1,098   | 752                   | 595     | 667    | 940       |
|                            | 96"    | 1 ¼" |        |                    | 1,199          |        | 1,293   | 827                   | 668     | 746    | 1,034     |
| <b>RM3950</b>              | 12"    | 1 ½" |        |                    | 549            |        | 595     | 501                   | 356     | 400    | 626       |
|                            | 24"    | 1 ½" |        |                    | 626            |        | 676     | 536                   | 387     | 435    | 670       |
|                            | 36"    | 1 ½" |        |                    | 688            |        | 743     | 588                   | 437     | 491    | 735       |
|                            | 48"    | 1 ½" |        |                    | 798            |        | 862     | 677                   | 524     | 589    | 846       |
|                            | 60"    | 1 ½" |        |                    | 883            |        | 952     | 723                   | 567     | 637    | 904       |
|                            | 72"    | 1 ½" |        |                    | 963            |        | 1,041   | 770                   | 610     | 683    | 963       |
|                            | 84"    | 1 ½" |        |                    | 1,124          |        | 1,211   | 875                   | 681     | 764    | 1,094     |
|                            | 96"    | 1 ½" |        |                    | 1,284          |        | 1,381   | 979                   | 753     | 846    | 1,224     |

- HF (Hands-Free) Post - Add \$28 each. (Available on straight post only.) Order form available on website under RM3900 - RM3920.
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3930 - RM3950.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## NoirTek - Black Anodized Grip with Contrasting Posts (con't)

| Straight Pulls - Round Ends |               |      |        |                    |                |        |         |                       |         |        |           |
|-----------------------------|---------------|------|--------|--------------------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                        | Max OA        | Dia. | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM3904</b>               | 12"           | 1"   | 307    | 339                | 475            | 511    | 511     | 385                   | 292     | 326    | 481       |
|                             | 24"           | 1"   | 407    | 447                | 522            | 562    | 562     | 467                   | 323     | 363    | 584       |
|                             | 36"           | 1"   | 503    | 554                | 540            | 583    | 583     | 489                   | 343     | 384    | 611       |
|                             | 48"           | 1"   | 604    | 663                | 820            | 885    | 885     | 618                   | 467     | 523    | 773       |
|                             | 60"           | 1"   | 701    | 771                | 891            | 963    | 963     | 648                   | 496     | 555    | 810       |
|                             | 72"           | 1"   | 798    | 877                | 963            | 1,041  | 1,041   | 676                   | 523     | 588    | 845       |
|                             | 84"           | 1"   | 897    | 987                | 1,108          | 1,199  | 1,199   | 718                   | 562     | 630    | 898       |
|                             | 96"           | 1"   | 997    | 1,097              | 1,181          | 1,358  | 1,358   | 759                   | 601     | 672    | 949       |
| <b>RM3914</b>               | 12"           | 1 ¼" | 330    | 365                | 501            | 542    | 542     | 395                   | 301     | 337    | 494       |
|                             | 24"           | 1 ¼" | 427    | 470                | 579            | 625    | 625     | 489                   | 343     | 384    | 611       |
|                             | 36"           | 1 ¼" | 524    | 577                | 600            | 648    | 648     | 511                   | 364     | 407    | 639       |
|                             | 48"           | 1 ¼" | 621    | 684                | 822            | 886    | 886     | 640                   | 490     | 548    | 800       |
|                             | 60"           | 1 ¼" | 717    | 789                | 868            | 938    | 938     | 661                   | 510     | 569    | 826       |
|                             | 72"           | 1 ¼" | 815    | 896                | 914            | 989    | 989     | 686                   | 533     | 597    | 858       |
|                             | 84"           | 1 ¼" | 912    | 1,002              | 1,096          | 1,183  | 1,183   | 759                   | 603     | 675    | 949       |
|                             | 96"           | 1 ¼" | 1,071  | 1,108              | 1,279          | 1,378  | 1,378   | 832                   | 672     | 753    | 1,040     |
| <b>RM3924</b>               | 12"           | 1 ½" | 381    | 420                | 629            | 679    | 679     | 511                   | 364     | 407    | 639       |
|                             | 24"           | 1 ½" | 488    | 536                | 705            | 761    | 761     | 545                   | 398     | 445    | 681       |
|                             | 36"           | 1 ½" | 593    | 650                | 767            | 827    | 827     | 595                   | 445     | 499    | 744       |
|                             | 48"           | 1 ½" | 699    | 769                | 877            | 947    | 947     | 687                   | 534     | 599    | 859       |
|                             | 60"           | 1 ½" | 800    | 883                | 961            | 1,038  | 1,038   | 731                   | 576     | 647    | 914       |
|                             | 72"           | 1 ½" | 907    | 998                | 1,043          | 1,128  | 1,128   | 808                   | 618     | 692    | 1,010     |
|                             | 84"           | 1 ½" | 1,013  | 1,115              | 1,201          | 1,296  | 1,296   | 880                   | 689     | 772    | 1,100     |
|                             | 96"           | 1 ½" | 1,119  | 1,231              | 1,360          | 1,464  | 1,464   | 952                   | 759     | 852    | 1,190     |
| Offset Pulls - Round Ends   |               |      |        |                    |                |        |         |                       |         |        |           |
| <b>RM3934</b>               | 12"           | 1"   |        |                    | 537            |        | 579     | 490                   | 344     | 385    | 613       |
|                             | 24"           | 1"   |        |                    | 582            |        | 628     | 525                   | 378     | 423    | 656       |
|                             | 36"           | 1"   |        |                    | 600            |        | 648     | 545                   | 398     | 445    | 681       |
|                             | 48"           | 1"   |        |                    | 882            |        | 951     | 673                   | 521     | 584    | 841       |
|                             | 60"           | 1"   |        |                    | 953            |        | 1,030   | 704                   | 551     | 616    | 880       |
|                             | 72"           | 1"   |        |                    | 1,026          |        | 1,108   | 732                   | 579     | 648    | 915       |
|                             | 84"           | 1"   |        |                    | 1,171          |        | 1,264   | 807                   | 616     | 690    | 1,009     |
|                             | 96"           | 1"   |        |                    | 1,316          |        | 1,421   | 881                   | 654     | 732    | 1,101     |
| <b>RM3944</b>               | 12"           | 1 ¼" |        |                    | 562            |        | 606     | 499                   | 355     | 398    | 624       |
|                             | 24"           | 1 ¼" |        |                    | 639            |        | 689     | 545                   | 398     | 445    | 681       |
|                             | 36"           | 1 ¼" |        |                    | 659            |        | 716     | 566                   | 418     | 469    | 708       |
|                             | 48"           | 1 ¼" |        |                    | 883            |        | 952     | 696                   | 543     | 608    | 870       |
|                             | 60"           | 1 ¼" |        |                    | 930            |        | 1,004   | 719                   | 563     | 631    | 899       |
|                             | 72"           | 1 ¼" |        |                    | 979            |        | 1,055   | 743                   | 587     | 654    | 929       |
|                             | 84"           | 1 ¼" |        |                    | 1,156          |        | 1,250   | 848                   | 657     | 736    | 1,060     |
|                             | 96"           | 1 ¼" |        |                    | 1,334          |        | 1,444   | 953                   | 728     | 818    | 1,191     |
| <b>RM3954</b>               | 12"           | 1 ½" |        |                    | 689            |        | 746     | 566                   | 418     | 469    | 708       |
|                             | 24"           | 1 ½" |        |                    | 765            |        | 825     | 601                   | 452     | 506    | 751       |
|                             | 36"           | 1 ½" |        |                    | 827            |        | 893     | 650                   | 499     | 560    | 813       |
|                             | 48"           | 1 ½" |        |                    | 939            |        | 1,013   | 744                   | 588     | 658    | 930       |
|                             | 60"           | 1 ½" |        |                    | 1,024          |        | 1,105   | 820                   | 630     | 708    | 1,025     |
|                             | 72"           | 1 ½" |        |                    | 1,106          |        | 1,193   | 865                   | 672     | 752    | 1,081     |
|                             | 84"           | 1 ½" |        |                    | 1,264          |        | 1,365   | 937                   | 742     | 834    | 1,171     |
|                             | 96"           | 1 ½" |        |                    | 1,423          |        | 1,537   | 1,009                 | 813     | 916    | 1,261     |
| Push Bars - Flat Ends       |               |      |        |                    |                |        |         |                       |         |        |           |
| <b>RM3902</b>               | Up to 36" CTC | 1"   | 455    | 499                | 401            | 431    | 431     | 374                   | 284     | 315    | 468       |
| <b>RM3912</b>               | Up to 36" CTC | 1 ¼" | 492    | 541                | 460            | 499    | 499     | 398                   | 303     | 338    | 498       |
| <b>RM3922</b>               | Up to 36" CTC | 1 ½" | 502    | 552                | 628            | 678    | 678     | 530                   | 383     | 429    | 663       |
| Push Bars - Round Ends      |               |      |        |                    |                |        |         |                       |         |        |           |
| <b>RM3906</b>               | Up to 36" CTC | 1"   | 503    | 554                | 540            | 583    | 583     | 489                   | 343     | 384    | 611       |
| <b>RM3916</b>               | Up to 36" CTC | 1 ¼" | 524    | 577                | 600            | 648    | 648     | 511                   | 364     | 407    | 639       |
| <b>RM3926</b>               | Up to 36" CTC | 1 ½" | 593    | 650                | 767            | 827    | 827     | 595                   | 445     | 499    | 744       |

- Add \$6.80/in. over 36" for push bars.
- HF (Hands-Free) Post - Add \$28 each. (Available on straight post only.) Order form available on website under RM3904 - RM3924.
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3934 - RM3954.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

**ROCKWOOD**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## ArborMet - Wood Grip Pulls

| Straight Pulls - Flat Ends  |        |      |                |        |         |                       |         |        |           |
|-----------------------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                        | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4000</b>               | 12"    | 1"   | 657            | 710    | 710     | 625                   | 459     | 513    | 781       |
|                             | 24"    | 1"   | 743            | 801    | 801     | 704                   | 532     | 594    | 880       |
|                             | 36"    | 1"   | 827            | 891    | 891     | 813                   | 604     | 675    | 1,016     |
|                             | 48"    | 1"   | 911            | 985    | 985     | 895                   | 677     | 758    | 1,119     |
| <b>RM4010</b>               | 12"    | 1 ¼" | 687            | 742    | 742     | 643                   | 476     | 533    | 804       |
|                             | 24"    | 1 ¼" | 771            | 834    | 834     | 723                   | 550     | 616    | 904       |
|                             | 36"    | 1 ¼" | 857            | 924    | 924     | 833                   | 622     | 695    | 1,041     |
|                             | 48"    | 1 ¼" | 941            | 1,016  | 1,016   | 914                   | 693     | 778    | 1,143     |
| <b>RM4020</b>               | 12"    | 1 ½" | 800            | 864    | 864     | 721                   | 545     | 612    | 901       |
|                             | 24"    | 1 ½" | 885            | 954    | 954     | 830                   | 620     | 692    | 1,038     |
|                             | 36"    | 1 ½" | 971            | 1,048  | 1,048   | 909                   | 691     | 775    | 1,136     |
|                             | 48"    | 1 ½" | 1,055          | 1,139  | 1,139   | 989                   | 764     | 856    | 1,236     |
| Offset Pulls - Flat Ends    |        |      |                |        |         |                       |         |        |           |
| <b>RM4030</b>               | 12"    | 1"   | 718            |        | 773     | 679                   | 509     | 569    | 849       |
|                             | 24"    | 1"   | 801            |        | 865     | 790                   | 583     | 652    | 988       |
|                             | 36"    | 1"   | 886            |        | 958     | 869                   | 654     | 733    | 1,086     |
|                             | 48"    | 1"   | 972            |        | 1,049   | 948                   | 728     | 815    | 1,185     |
| <b>RM4040</b>               | 12"    | 1 ¼" | 747            |        | 803     | 699                   | 526     | 590    | 874       |
|                             | 24"    | 1 ¼" | 832            |        | 898     | 810                   | 601     | 671    | 1,013     |
|                             | 36"    | 1 ¼" | 914            |        | 989     | 889                   | 671     | 754    | 1,111     |
|                             | 48"    | 1 ¼" | 1,000          |        | 1,080   | 967                   | 747     | 835    | 1,209     |
| <b>RM4050</b>               | 12"    | 1 ½" | 861            |        | 929     | 808                   | 597     | 668    | 1,010     |
|                             | 24"    | 1 ½" | 945            |        | 1,021   | 886                   | 669     | 750    | 1,108     |
|                             | 36"    | 1 ½" | 1,029          |        | 1,110   | 965                   | 744     | 832    | 1,206     |
|                             | 48"    | 1 ½" | 1,114          |        | 1,203   | 1,043                 | 815     | 915    | 1,304     |
| Straight Pulls - Round Ends |        |      |                |        |         |                       |         |        |           |
| <b>RM4004</b>               | 12"    | 1"   | 793            | 859    | 859     | 688                   | 518     | 579    | 860       |
|                             | 24"    | 1"   | 880            | 947    | 947     | 800                   | 589     | 660    | 1,000     |
|                             | 36"    | 1"   | 962            | 1,040  | 1,040   | 878                   | 663     | 741    | 1,098     |
|                             | 48"    | 1"   | 1,048          | 1,132  | 1,132   | 958                   | 735     | 823    | 1,198     |
| <b>RM4014</b>               | 12"    | 1 ¼" | 823            | 888    | 888     | 707                   | 534     | 599    | 884       |
|                             | 24"    | 1 ¼" | 907            | 980    | 980     | 817                   | 607     | 680    | 1,021     |
|                             | 36"    | 1 ¼" | 992            | 1,071  | 1,071   | 897                   | 680     | 760    | 1,121     |
|                             | 48"    | 1 ¼" | 1,078          | 1,162  | 1,162   | 976                   | 752     | 843    | 1,220     |
| <b>RM4024</b>               | 12"    | 1 ½" | 936            | 1,010  | 1,010   | 813                   | 604     | 675    | 1,016     |
|                             | 24"    | 1 ½" | 1,021          | 1,103  | 1,103   | 895                   | 677     | 758    | 1,119     |
|                             | 36"    | 1 ½" | 1,106          | 1,194  | 1,194   | 972                   | 750     | 839    | 1,215     |
|                             | 48"    | 1 ½" | 1,191          | 1,285  | 1,285   | 1,052                 | 821     | 922    | 1,315     |

- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 48.
- Order form available on website under RM4000 - RM4020, RM4030 - RM4050, RM4004 - RM4024.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.


USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world


## ArborMet – Wood Grip Pulls (con't)



RM4044



RM4012



RM4016

## Offset Pulls – Round Ends

| Part          | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| <b>RM4034</b> | 12"    | 1"   | 852            |        | 922     | 744                   | 567     | 636    | 930       |
|               | 24"    | 1"   | 938            |        | 1,013   | 855                   | 639     | 717    | 1,069     |
|               | 36"    | 1"   | 1,024          |        | 1,105   | 934                   | 713     | 798    | 1,168     |
|               | 48"    | 1"   | 1,107          |        | 1,196   | 1,012                 | 788     | 880    | 1,268     |
| <b>RM4044</b> | 12"    | 1 ¼" | 882            |        | 952     | 794                   | 585     | 657    | 993       |
|               | 24"    | 1 ¼" | 967            |        | 1,044   | 875                   | 658     | 737    | 1,094     |
|               | 36"    | 1 ¼" | 1,051          |        | 1,135   | 952                   | 730     | 818    | 1,190     |
|               | 48"    | 1 ¼" | 1,136          |        | 1,227   | 1,032                 | 803     | 900    | 1,290     |
| <b>RM4054</b> | 12"    | 1 ½" | 994            |        | 1,075   | 869                   | 654     | 733    | 1,086     |
|               | 24"    | 1 ½" | 1,080          |        | 1,168   | 948                   | 728     | 815    | 1,185     |
|               | 36"    | 1 ½" | 1,164          |        | 1,256   | 1,030                 | 799     | 897    | 1,288     |
|               | 48"    | 1 ½" | 1,250          |        | 1,347   | 1,107                 | 874     | 978    | 1,384     |

## Push Bars – Flat Ends

|               |               |      |     |       |       |     |     |     |       |
|---------------|---------------|------|-----|-------|-------|-----|-----|-----|-------|
| <b>RM4002</b> | Up to 36" CTC | 1"   | 827 | 891   | 891   | 813 | 604 | 675 | 1,016 |
| <b>RM4012</b> | Up to 36" CTC | 1 ¼" | 857 | 924   | 924   | 833 | 622 | 695 | 1,041 |
| <b>RM4022</b> | Up to 36" CTC | 1 ½" | 971 | 1,048 | 1,048 | 909 | 691 | 775 | 1,136 |

## Push Bars – Round Ends

|               |               |      |       |       |       |     |     |     |       |
|---------------|---------------|------|-------|-------|-------|-----|-----|-----|-------|
| <b>RM4006</b> | Up to 36" CTC | 1"   | 962   | 1,040 | 1,040 | 878 | 663 | 741 | 1,098 |
| <b>RM4016</b> | Up to 36" CTC | 1 ¼" | 992   | 1,071 | 1,071 | 897 | 680 | 760 | 1,121 |
| <b>RM4026</b> | Up to 36" CTC | 1 ½" | 1,106 | 1,194 | 1,194 | 972 | 750 | 839 | 1,215 |

- Add \$6.80/in. over 36" for push bars.
- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 48.
- Order form available on website under RM4034 – RM4054, RM4002 – RM4022, RM4006 – RM4026.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

**ROCKWOOD®**
**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.


USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


## ArborMet - Wood Grip Pulls (con't)




RM4010MP



RM4040MP



RM4014MP



RM4044MP

## Straight Pulls - Flat Ends

| Part            | Max OA | Dia.   | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|-----------------|--------|--------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| <b>RM4000MP</b> | 60"    | 1"     | 1,145          | 1,231  | 1,231   | 1,124                 | 895     | 992    | 1,405     |
|                 | 72"    | 1"     | 1,231          | 1,322  | 1,322   | 1,204                 | 968     | 1,073  | 1,505     |
|                 | 84"    | 1"     | 1,314          | 1,412  | 1,412   | 1,283                 | 1,042   | 1,155  | 1,604     |
|                 | 96"    | 1"     | 1,400          | 1,505  | 1,505   | 1,363                 | 1,115   | 1,238  | 1,704     |
| <b>RM4010MP</b> | 60"    | 1 1/4" | 1,173          | 1,261  | 1,261   | 1,144                 | 912     | 1,010  | 1,430     |
|                 | 72"    | 1 1/4" | 1,258          | 1,353  | 1,353   | 1,221                 | 985     | 1,095  | 1,526     |
|                 | 84"    | 1 1/4" | 1,340          | 1,443  | 1,443   | 1,303                 | 1,058   | 1,175  | 1,629     |
|                 | 96"    | 1 1/4" | 1,427          | 1,534  | 1,534   | 1,381                 | 1,132   | 1,258  | 1,726     |
| <b>RM4020MP</b> | 60"    | 1 1/2" | 1,287          | 1,384  | 1,384   | 1,218                 | 981     | 1,089  | 1,523     |
|                 | 72"    | 1 1/2" | 1,373          | 1,474  | 1,474   | 1,299                 | 1,053   | 1,172  | 1,624     |
|                 | 84"    | 1 1/2" | 1,457          | 1,567  | 1,567   | 1,378                 | 1,129   | 1,254  | 1,723     |
|                 | 96"    | 1 1/2" | 1,540          | 1,656  | 1,656   | 1,458                 | 1,199   | 1,337  | 1,823     |

## Offset Pulls - Flat Ends

|                 |     |        |       |  |       |       |       |       |       |
|-----------------|-----|--------|-------|--|-------|-------|-------|-------|-------|
| <b>RM4030MP</b> | 60" | 1"     | 1,204 |  | 1,293 | 1,180 | 944   | 1,048 | 1,475 |
|                 | 72" | 1"     | 1,288 |  | 1,385 | 1,258 | 1,017 | 1,131 | 1,573 |
|                 | 84" | 1"     | 1,374 |  | 1,476 | 1,337 | 1,093 | 1,213 | 1,671 |
|                 | 96" | 1"     | 1,458 |  | 1,569 | 1,418 | 1,167 | 1,296 | 1,773 |
| <b>RM4040MP</b> | 60" | 1 1/4" | 1,233 |  | 1,326 | 1,197 | 963   | 1,067 | 1,496 |
|                 | 72" | 1 1/4" | 1,316 |  | 1,416 | 1,277 | 1,037 | 1,149 | 1,596 |
|                 | 84" | 1 1/4" | 1,402 |  | 1,508 | 1,357 | 1,109 | 1,233 | 1,696 |
|                 | 96" | 1 1/4" | 1,487 |  | 1,600 | 1,437 | 1,181 | 1,314 | 1,796 |
| <b>RM4050MP</b> | 60" | 1 1/2" | 1,348 |  | 1,449 | 1,275 | 1,032 | 1,146 | 1,594 |
|                 | 72" | 1 1/2" | 1,430 |  | 1,537 | 1,354 | 1,106 | 1,229 | 1,693 |
|                 | 84" | 1 1/2" | 1,517 |  | 1,631 | 1,435 | 1,178 | 1,309 | 1,794 |
|                 | 96" | 1 1/2" | 1,601 |  | 1,720 | 1,514 | 1,253 | 1,393 | 1,893 |

## Straight Pulls - Round Ends

|                 |     |        |       |       |       |       |       |       |       |
|-----------------|-----|--------|-------|-------|-------|-------|-------|-------|-------|
| <b>RM4004MP</b> | 60" | 1"     | 1,280 | 1,377 | 1,377 | 1,187 | 952   | 1,056 | 1,484 |
|                 | 72" | 1"     | 1,365 | 1,468 | 1,468 | 1,267 | 1,026 | 1,138 | 1,584 |
|                 | 84" | 1"     | 1,450 | 1,559 | 1,559 | 1,347 | 1,099 | 1,221 | 1,684 |
|                 | 96" | 1"     | 1,533 | 1,651 | 1,651 | 1,427 | 1,172 | 1,303 | 1,784 |
| <b>RM4014MP</b> | 60" | 1 1/4" | 1,309 | 1,408 | 1,408 | 1,207 | 970   | 1,075 | 1,509 |
|                 | 72" | 1 1/4" | 1,393 | 1,498 | 1,498 | 1,285 | 1,043 | 1,159 | 1,606 |
|                 | 84" | 1 1/4" | 1,479 | 1,591 | 1,591 | 1,365 | 1,116 | 1,239 | 1,706 |
|                 | 96" | 1 1/4" | 1,563 | 1,679 | 1,679 | 1,445 | 1,188 | 1,322 | 1,806 |
| <b>RM4024MP</b> | 60" | 1 1/2" | 1,422 | 1,530 | 1,530 | 1,280 | 1,041 | 1,154 | 1,600 |
|                 | 72" | 1 1/2" | 1,508 | 1,621 | 1,621 | 1,362 | 1,112 | 1,236 | 1,703 |
|                 | 84" | 1 1/2" | 1,592 | 1,714 | 1,714 | 1,441 | 1,185 | 1,317 | 1,801 |
|                 | 96" | 1 1/2" | 1,676 | 1,805 | 1,805 | 1,521 | 1,260 | 1,402 | 1,901 |

## Offset Pulls - Round Ends

|                 |     |        |       |  |       |       |       |       |       |
|-----------------|-----|--------|-------|--|-------|-------|-------|-------|-------|
| <b>RM4034MP</b> | 60" | 1"     | 1,338 |  | 1,440 | 1,241 | 1,004 | 1,112 | 1,551 |
|                 | 72" | 1"     | 1,425 |  | 1,531 | 1,324 | 1,076 | 1,195 | 1,655 |
|                 | 84" | 1"     | 1,509 |  | 1,622 | 1,401 | 1,210 | 1,345 | 1,751 |
|                 | 96" | 1"     | 1,594 |  | 1,716 | 1,483 | 1,344 | 1,494 | 1,854 |
| <b>RM4044MP</b> | 60" | 1 1/4" | 1,369 |  | 1,471 | 1,261 | 1,020 | 1,132 | 1,576 |
|                 | 72" | 1 1/4" | 1,453 |  | 1,562 | 1,341 | 1,096 | 1,216 | 1,676 |
|                 | 84" | 1 1/4" | 1,537 |  | 1,654 | 1,420 | 1,169 | 1,298 | 1,775 |
|                 | 96" | 1 1/4" | 1,622 |  | 1,746 | 1,500 | 1,240 | 1,381 | 1,875 |
| <b>RM4054MP</b> | 60" | 1 1/2" | 1,482 |  | 1,594 | 1,336 | 1,092 | 1,211 | 1,670 |
|                 | 72" | 1 1/2" | 1,567 |  | 1,686 | 1,416 | 1,166 | 1,295 | 1,770 |
|                 | 84" | 1 1/2" | 1,652 |  | 1,778 | 1,496 | 1,237 | 1,377 | 1,870 |
|                 | 96" | 1 1/2" | 1,736 |  | 1,869 | 1,575 | 1,309 | 1,455 | 1,969 |

• Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 48.

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## ArborTek - Wood Grip Pulls

| Straight Pulls - Flat Ends  |        |      |                |        |         |                       |         |        |           |
|-----------------------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                        | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4100</b>               | 12"    | 1"   | 489            | 527    | 527     | 466                   | 312     | 352    | 583       |
|                             | 24"    | 1"   | 573            | 620    | 620     | 546                   | 385     | 432    | 683       |
|                             | 36"    | 1"   | 657            | 710    | 710     | 625                   | 459     | 513    | 781       |
|                             | 48"    | 1"   | 743            | 801    | 801     | 704                   | 532     | 594    | 880       |
| <b>RM4110</b>               | 12"    | 1 ¼" | 517            | 559    | 559     | 499                   | 344     | 385    | 624       |
|                             | 24"    | 1 ¼" | 603            | 650    | 650     | 579                   | 417     | 467    | 724       |
|                             | 36"    | 1 ¼" | 687            | 742    | 742     | 658                   | 490     | 549    | 823       |
|                             | 48"    | 1 ¼" | 771            | 834    | 834     | 736                   | 561     | 629    | 920       |
| <b>RM4120</b>               | 12"    | 1 ½" | 632            | 681    | 681     | 562                   | 400     | 448    | 703       |
|                             | 24"    | 1 ½" | 717            | 772    | 772     | 640                   | 474     | 530    | 800       |
|                             | 36"    | 1 ½" | 800            | 864    | 864     | 721                   | 545     | 612    | 901       |
|                             | 48"    | 1 ½" | 885            | 954    | 954     | 830                   | 620     | 692    | 1,038     |
| Offset Pulls - Flat Ends    |        |      |                |        |         |                       |         |        |           |
| <b>RM4130</b>               | 12"    | 1"   | 547            |        | 592     | 523                   | 364     | 407    | 654       |
|                             | 24"    | 1"   | 633            |        | 684     | 601                   | 436     | 490    | 751       |
|                             | 36"    | 1"   | 718            |        | 773     | 679                   | 509     | 569    | 849       |
|                             | 48"    | 1"   | 801            |        | 865     | 790                   | 583     | 652    | 988       |
| <b>RM4140</b>               | 12"    | 1 ¼" | 576            |        | 623     | 554                   | 394     | 440    | 693       |
|                             | 24"    | 1 ¼" | 659            |        | 716     | 635                   | 467     | 524    | 794       |
|                             | 36"    | 1 ¼" | 747            |        | 803     | 713                   | 540     | 605    | 891       |
|                             | 48"    | 1 ¼" | 832            |        | 898     | 824                   | 614     | 687    | 1,030     |
| <b>RM4150</b>               | 12"    | 1 ½" | 689            |        | 747     | 618                   | 450     | 505    | 773       |
|                             | 24"    | 1 ½" | 776            |        | 838     | 695                   | 524     | 587    | 869       |
|                             | 36"    | 1 ½" | 861            |        | 929     | 808                   | 597     | 668    | 1,010     |
|                             | 48"    | 1 ½" | 945            |        | 1,021   | 886                   | 669     | 750    | 1,108     |
| Straight Pulls - Round Ends |        |      |                |        |         |                       |         |        |           |
| <b>RM4104</b>               | 12"    | 1"   | 625            | 676    | 676     | 530                   | 371     | 417    | 663       |
|                             | 24"    | 1"   | 708            | 765    | 765     | 607                   | 442     | 498    | 759       |
|                             | 36"    | 1"   | 793            | 859    | 859     | 688                   | 518     | 579    | 960       |
|                             | 48"    | 1"   | 880            | 947    | 947     | 800                   | 589     | 660    | 1,000     |
| <b>RM4114</b>               | 12"    | 1 ¼" | 652            | 706    | 706     | 563                   | 401     | 449    | 704       |
|                             | 24"    | 1 ¼" | 738            | 797    | 797     | 641                   | 475     | 532    | 801       |
|                             | 36"    | 1 ¼" | 823            | 888    | 888     | 722                   | 549     | 614    | 903       |
|                             | 48"    | 1 ¼" | 907            | 980    | 980     | 832                   | 621     | 693    | 1,040     |
| <b>RM4124</b>               | 12"    | 1 ½" | 767            | 827    | 827     | 625                   | 459     | 513    | 781       |
|                             | 24"    | 1 ½" | 851            | 921    | 921     | 704                   | 532     | 594    | 880       |
|                             | 36"    | 1 ½" | 936            | 1,010  | 1,010   | 813                   | 604     | 675    | 1,016     |
|                             | 48"    | 1 ½" | 1,021          | 1,103  | 1,103   | 895                   | 677     | 758    | 1,119     |

• Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 48.

• Order form available on website under RM4100 - RM4120, RM4130 - RM4150, RM4104 - RM4124.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.


USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## ArborTek - Wood Grip Pulls (con't)



| Offset Pulls - Round Ends  |        |      |                |        |         |                       |         |        |           |
|----------------------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                       | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4134</b>              | 12"    | 1"   | 684            |        | 739     | 584                   | 423     | 474    | 730       |
|                            | 24"    | 1"   | 769            |        | 831     | 665                   | 495     | 554    | 833       |
|                            | 36"    | 1"   | 852            |        | 922     | 744                   | 567     | 636    | 930       |
|                            | 48"    | 1"   | 938            |        | 1,013   | 855                   | 639     | 717    | 1,069     |
| <b>RM4144</b>              | 12"    | 1 ¼" | 711            |        | 770     | 619                   | 453     | 506    | 774       |
|                            | 24"    | 1 ¼" | 797            |        | 861     | 696                   | 525     | 588    | 870       |
|                            | 36"    | 1 ¼" | 882            |        | 952     | 809                   | 599     | 670    | 1,011     |
|                            | 48"    | 1 ¼" | 967            |        | 1,044   | 887                   | 670     | 752    | 1,109     |
| <b>RM4154</b>              | 12"    | 1 ½" | 825            |        | 890     | 679                   | 509     | 569    | 849       |
|                            | 24"    | 1 ½" | 910            |        | 984     | 790                   | 583     | 652    | 988       |
|                            | 36"    | 1 ½" | 994            |        | 1,075   | 869                   | 654     | 733    | 1,087     |
|                            | 48"    | 1 ½" | 1,080          |        | 1,168   | 948                   | 728     | 815    | 1,185     |
| Straight Pulls - Flat Ends |        |      |                |        |         |                       |         |        |           |
| <b>RM4100MP</b>            | 60"    | 1"   | 974            | 1,046  | 1,046   | 934                   | 750     | 830    | 1,168     |
|                            | 72"    | 1"   | 1,062          | 1,137  | 1,137   | 1,013                 | 822     | 911    | 1,266     |
|                            | 84"    | 1"   | 1,145          | 1,231  | 1,231   | 1,094                 | 896     | 994    | 1,368     |
|                            | 94"    | 1"   | 1,231          | 1,322  | 1,322   | 1,173                 | 970     | 1,073  | 1,466     |
| <b>RM4110MP</b>            | 60"    | 1 ¼" | 1,005          | 1,077  | 1,077   | 966                   | 777     | 863    | 1,208     |
|                            | 72"    | 1 ¼" | 1,088          | 1,170  | 1,170   | 1,047                 | 853     | 944    | 1,309     |
|                            | 84"    | 1 ¼" | 1,173          | 1,261  | 1,261   | 1,126                 | 924     | 1,027  | 1,408     |
|                            | 94"    | 1 ¼" | 1,258          | 1,352  | 1,352   | 1,207                 | 1,000   | 1,109  | 1,509     |
| <b>RM4120MP</b>            | 60"    | 1 ½" | 1,118          | 1,199  | 1,199   | 1,059                 | 836     | 927    | 1,324     |
|                            | 72"    | 1 ½" | 1,203          | 1,292  | 1,292   | 1,141                 | 910     | 1,008  | 1,426     |
|                            | 84"    | 1 ½" | 1,287          | 1,384  | 1,384   | 1,219                 | 983     | 1,092  | 1,524     |
|                            | 94"    | 1 ½" | 1,373          | 1,474  | 1,474   | 1,300                 | 1,055   | 1,172  | 1,625     |




- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 48.
- Order form available on website under RM4134 - RM4154.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.

| Push Bars - Flat Ends  |               |      |                |        |         |                       |         |        |           |
|------------------------|---------------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                   | Max OA        | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4112</b>          | Up to 36" CTC | 1 ¼" | 687            | 742    | 742     | 658                   | 490     | 549    | 823       |
| <b>RM4122</b>          | Up to 36" CTC | 1 ½" | 800            | 864    | 864     | 721                   | 545     | 612    | 901       |
| Push Bars - Round Ends |               |      |                |        |         |                       |         |        |           |
| <b>RM4116</b>          | Up to 36" CTC | 1 ¼" | 823            | 888    | 888     | 722                   | 549     | 614    | 903       |
| <b>RM4126</b>          | Up to 36" CTC | 1 ½" | 936            | 1,010  | 1,010   | 813                   | 604     | 675    | 1,016     |

- Order form available on website under RM4112 - RM4122, RM4116 - RM4126.



USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.


Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## ArborTek - Wood Grip Pulls (con't)



## Offset Pulls - Flat Ends

| Part            | Max OA | Dia. | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|-----------------|--------|------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| <b>RM4130MP</b> | 60"    | 1"   | 1,035          |        | 1,111   | 1,021                 | 800     | 884    | 1,276     |
|                 | 72"    | 1"   | 1,119          |        | 1,203   | 1,099                 | 874     | 968    | 1,374     |
|                 | 84"    | 1"   | 1,204          |        | 1,293   | 1,181                 | 945     | 1,049  | 1,476     |
|                 | 94"    | 1"   | 1,288          |        | 1,385   | 1,259                 | 1,019   | 1,132  | 1,574     |
| <b>RM4140MP</b> | 60"    | 1 ¼" | 1,064          |        | 1,064   | 1,054                 | 832     | 920    | 1,318     |
|                 | 72"    | 1 ¼" | 1,148          |        | 1,148   | 1,133                 | 903     | 1,002  | 1,416     |
|                 | 84"    | 1 ¼" | 1,233          |        | 1,233   | 1,213                 | 978     | 1,085  | 1,516     |
|                 | 94"    | 1 ¼" | 1,316          |        | 1,316   | 1,294                 | 1,050   | 1,168  | 1,618     |
| <b>RM4150MP</b> | 60"    | 1 ½" | 1,176          |        | 1,265   | 1,116                 | 885     | 983    | 1,395     |
|                 | 72"    | 1 ½" | 1,263          |        | 1,356   | 1,194                 | 961     | 1,065  | 1,493     |
|                 | 84"    | 1 ½" | 1,348          |        | 1,449   | 1,275                 | 1,033   | 1,147  | 1,594     |
|                 | 94"    | 1 ½" | 1,430          |        | 1,537   | 1,354                 | 1,107   | 1,230  | 1,693     |

## Straight Pulls - Round Ends

|                 |     |      |       |       |       |       |       |       |       |
|-----------------|-----|------|-------|-------|-------|-------|-------|-------|-------|
| <b>RM4104MP</b> | 60" | 1"   | 1,111 | 1,192 | 1,192 | 1,028 | 805   | 893   | 1,285 |
|                 | 72" | 1"   | 1,194 | 1,285 | 1,285 | 1,107 | 880   | 977   | 1,384 |
|                 | 84" | 1"   | 1,280 | 1,377 | 1,377 | 1,187 | 953   | 1,056 | 1,484 |
|                 | 94" | 1"   | 1,365 | 1,468 | 1,468 | 1,267 | 1,027 | 1,139 | 1,584 |
| <b>RM4114MP</b> | 60" | 1 ¼" | 1,140 | 1,223 | 1,223 | 1,061 | 838   | 928   | 1,326 |
|                 | 72" | 1 ¼" | 1,224 | 1,315 | 1,315 | 1,142 | 911   | 1,010 | 1,428 |
|                 | 84" | 1 ¼" | 1,309 | 1,408 | 1,408 | 1,220 | 984   | 1,093 | 1,525 |
|                 | 94" | 1 ¼" | 1,393 | 1,498 | 1,498 | 1,302 | 1,056 | 1,175 | 1,628 |
| <b>RM4124MP</b> | 60" | 1 ½" | 1,255 | 1,348 | 1,348 | 1,124 | 895   | 992   | 1,405 |
|                 | 72" | 1 ½" | 1,337 | 1,439 | 1,439 | 1,204 | 968   | 1,072 | 1,505 |
|                 | 84" | 1 ½" | 1,422 | 1,530 | 1,530 | 1,283 | 1,042 | 1,155 | 1,604 |
|                 | 94" | 1 ½" | 1,508 | 1,621 | 1,621 | 1,363 | 1,115 | 1,237 | 1,704 |

## Offset Pulls - Round Ends

|                 |     |      |       |  |       |       |       |       |       |
|-----------------|-----|------|-------|--|-------|-------|-------|-------|-------|
| <b>RM4134MP</b> | 60" | 1"   | 1,171 |  | 1,258 | 1,085 | 857   | 950   | 1,356 |
|                 | 72" | 1"   | 1,256 |  | 1,349 | 1,163 | 930   | 1,033 | 1,454 |
|                 | 84" | 1"   | 1,338 |  | 1,440 | 1,244 | 1,004 | 1,115 | 1,555 |
|                 | 94" | 1"   | 1,425 |  | 1,531 | 1,325 | 1,076 | 1,196 | 1,656 |
| <b>RM4144MP</b> | 60" | 1 ¼" | 1,199 |  | 1,288 | 1,117 | 887   | 985   | 1,396 |
|                 | 72" | 1 ¼" | 1,285 |  | 1,379 | 1,195 | 962   | 1,066 | 1,494 |
|                 | 84" | 1 ¼" | 1,369 |  | 1,471 | 1,276 | 1,034 | 1,148 | 1,595 |
|                 | 94" | 1 ¼" | 1,453 |  | 1,562 | 1,356 | 1,108 | 1,233 | 1,695 |
| <b>RM4154MP</b> | 60" | 1 ½" | 1,313 |  | 1,411 | 1,180 | 944   | 1,048 | 1,475 |
|                 | 72" | 1 ½" | 1,399 |  | 1,503 | 1,258 | 1,017 | 1,131 | 1,573 |
|                 | 84" | 1 ½" | 1,482 |  | 1,594 | 1,337 | 1,093 | 1,213 | 1,671 |
|                 | 94" | 1 ½" | 1,567 |  | 1,686 | 1,418 | 1,167 | 1,296 | 1,773 |

- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 48.

NOTE: Post location on push bars can be located ⅝" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## ArborTek - Wood Grip Pulls (con't)

| Wood Pulls with Collar Mount Posts |        |        |                |         |                       |         |        |           |
|------------------------------------|--------|--------|----------------|---------|-----------------------|---------|--------|-----------|
| Straight Pulls - Flat Ends         |        |        |                |         |                       |         |        |           |
| Part                               | Max OA | Dia.   | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4160</b>                      | 12"    | 1"     | 718            | 776     | 718                   | 542     | 608    | 898       |
|                                    | 24"    | 1"     | 831            | 895     | 822                   | 638     | 716    | 1,028     |
|                                    | 36"    | 1"     | 939            | 1,013   | 925                   | 733     | 820    | 1,156     |
|                                    | 48"    | 1"     | 1,055          | 1,139   | 1,032                 | 834     | 932    | 1,290     |
| <b>RM4170</b>                      | 12"    | 1 1/4" | 729            | 789     | 727                   | 553     | 621    | 909       |
|                                    | 24"    | 1 1/4" | 863            | 933     | 851                   | 668     | 749    | 1,064     |
|                                    | 36"    | 1 1/4" | 994            | 1,075   | 976                   | 781     | 876    | 1,220     |
|                                    | 48"    | 1 1/4" | 1,090          | 1,177   | 1,065                 | 861     | 966    | 1,331     |
| Offset Pulls - Flat Ends           |        |        |                |         |                       |         |        |           |
| <b>RM4180</b>                      | 12"    | 1"     | 794            | 861     | 789                   | 609     | 683    | 986       |
|                                    | 24"    | 1"     | 916            | 989     | 903                   | 715     | 799    | 1,129     |
|                                    | 36"    | 1"     | 1,040          | 1,126   | 1,017                 | 819     | 919    | 1,271     |
|                                    | 48"    | 1"     | 1,126          | 1,211   | 1,096                 | 890     | 996    | 1,370     |
| <b>RM4190</b>                      | 12"    | 1 1/4" | 802            | 868     | 798                   | 618     | 691    | 998       |
|                                    | 24"    | 1 1/4" | 947            | 1,025   | 933                   | 741     | 830    | 1,166     |
|                                    | 36"    | 1 1/4" | 1,091          | 1,180   | 1,066                 | 864     | 967    | 1,333     |
|                                    | 48"    | 1 1/4" | 1,149          | 1,241   | 1,119                 | 915     | 1,022  | 1,399     |
| Straight Pulls - Flat Ends         |        |        |                |         |                       |         |        |           |
| Part                               | Max OA | Dia.   | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4160MP</b>                    | 60"    | 1"     | 1,495          | 1,609   | 1,125                 | 971     | 1,077  | 1,406     |
|                                    | 72"    | 1"     | 1,556          | 1,674   | 1,183                 | 1,029   | 1,142  | 1,479     |
|                                    | 84"    | 1"     | 1,617          | 1,740   | 1,241                 | 1,088   | 1,209  | 1,551     |
|                                    | 94"    | 1"     | 1,678          | 1,805   | 1,300                 | 1,147   | 1,274  | 1,625     |
| <b>RM4170MP</b>                    | 60"    | 1 1/4" | 1,515          | 1,630   | 1,218                 | 1,132   | 1,258  | 1,523     |
|                                    | 72"    | 1 1/4" | 1,576          | 1,696   | 1,276                 | 1,191   | 1,323  | 1,595     |
|                                    | 84"    | 1 1/4" | 1,637          | 1,761   | 1,335                 | 1,250   | 1,389  | 1,669     |
|                                    | 94"    | 1 1/4" | 1,698          | 1,828   | 1,393                 | 1,308   | 1,455  | 1,741     |
| Offset Pulls - Flat Ends           |        |        |                |         |                       |         |        |           |
| <b>RM4180MP</b>                    | 60"    | 1"     | 1,485          | 1,596   | 1,206                 | 1,119   | 1,243  | 1,508     |
|                                    | 72"    | 1"     | 1,546          | 1,662   | 1,265                 | 1,178   | 1,309  | 1,581     |
|                                    | 84"    | 1"     | 1,607          | 1,728   | 1,323                 | 1,237   | 1,374  | 1,654     |
|                                    | 94"    | 1"     | 1,667          | 1,793   | 1,381                 | 1,296   | 1,441  | 1,726     |
| <b>RM4190MP</b>                    | 60"    | 1 1/4" | 1,466          | 1,576   | 1,336                 | 1,250   | 1,389  | 1,670     |
|                                    | 72"    | 1 1/4" | 1,527          | 1,641   | 1,394                 | 1,308   | 1,455  | 1,743     |
|                                    | 84"    | 1 1/4" | 1,588          | 1,708   | 1,452                 | 1,367   | 1,521  | 1,815     |
|                                    | 94"    | 1 1/4" | 1,649          | 1,773   | 1,511                 | 1,426   | 1,588  | 1,889     |

- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 48.
- Order form available on website under RM4160 - RM4170, RM4180 - RM4190, RM4160MP - RM4170MP, RM4180MP - RM4190MP.

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.


Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## ArborTek - Wood Grip Pulls (con't)



| LeatherWood - Wood Pulls with Leather Grip |     |        |                |        |         |                          |         |        |           |
|--------------------------------------------|-----|--------|----------------|--------|---------|--------------------------|---------|--------|-----------|
| Straight Pulls - Flat Ends                 |     |        |                |        |         |                          |         |        |           |
| Part                                       | OA  | Dia.   | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4118</b>                              | 12" | 1 1/4" | 985            | 1,024  | 1,024   | 946                      | 798     | 841    | 1,183     |
|                                            | 24" | 1 1/4" | 1,067          | 1,113  | 1,113   | 1,021                    | 870     | 920    | 1,276     |
|                                            | 36" | 1 1/4" | 1,149          | 1,203  | 1,203   | 1,096                    | 943     | 999    | 1,370     |
|                                            | 48" | 1 1/4" | 1,231          | 1,293  | 1,293   | 1,171                    | 1,016   | 1,078  | 1,464     |
| Offset Pulls - Flat Ends                   |     |        |                |        |         |                          |         |        |           |
| <b>RM4148</b>                              | 12" | 1 1/4" | 1,041          |        | 1,087   | 1,000                    | 847     | 897    | 1,250     |
|                                            | 24" | 1 1/4" | 1,122          |        | 1,176   | 1,075                    | 920     | 975    | 1,344     |
|                                            | 36" | 1 1/4" | 1,204          |        | 1,266   | 1,150                    | 992     | 1,054  | 1,438     |
|                                            | 48" | 1 1/4" | 1,286          |        | 1,356   | 1,225                    | 1,065   | 1,134  | 1,531     |

- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See below.
- RM4118 & RM4148 - standard wood finish is Clear Coat.
- Specify leather type and color, wood species and wood finish.
- Order form available on website under RM4118, RM4148.

| Wood Species               |                                                     |
|----------------------------|-----------------------------------------------------|
| <b>Domestic (Standard)</b> | Hickory, White Oak, Red Oak, Maple                  |
| <b>Premium</b>             | Beech, Cherry, Birch                                |
| <b>Super Premium</b>       | Mahogany, Jatoba (Brazilian Cherry), Canary, Walnut |


## Wood Add-On

| Wood Species   | Wood Dia | Add-On | Wood Species         | Wood Dia | Add-On | Finish          | Add-On |
|----------------|----------|--------|----------------------|----------|--------|-----------------|--------|
| <b>Premium</b> | 1"       | 29     | <b>Super Premium</b> | 1"       | 65     | <b>Clear</b>    | 205*   |
|                | 1 1/4"   | 45     |                      | 1 1/4"   | 85     | <b>Dyed</b>     | 205*   |
|                | 1 1/2"   | 65     |                      | 1 1/2"   | 105    | <b>Tung Oil</b> | 70*    |

- Wood is a natural material, colors and grain will vary between pulls.
- Other wood species are available by request.
- Hickory, sanded unfinished is the stock species; other wood types will require longer lead times and may be subject to availability.

NOTE: \*Add-on charges are per wood dowel.

## SkewTek - Angled End Pulls



| Straight Pull - Forward Segment    |           |      |        |                    |                |        |         |                       |         |        |           |
|------------------------------------|-----------|------|--------|--------------------|----------------|--------|---------|-----------------------|---------|--------|-----------|
| Part                               | Max<br>OA | Dia. | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM4200-11                          | 16"       | 1 ½" | 688    | 757                | 923            | 994    | 994     | 752                   | 597     | 669    | 940       |
| Offset Pulls - Forward Segment     |           |      |        |                    |                |        |         |                       |         |        |           |
| RM4210LH-11                        | 16"       | 1 ½" | 737    | 811                | 982            |        | 1,058   | 829                   | 643     | 719    | 1,036     |
| RM4210RH-11                        | 16"       | 1 ½" | 737    | 811                | 982            |        | 1,058   | 829                   | 643     | 719    | 1,036     |
| Straight Pulls - Rectangular Posts |           |      |        |                    |                |        |         |                       |         |        |           |
| RM4270-12                          | 18"       | 2"   | 983    | 1,050              | 1,536          | 1,660  | 1,660   | 1,141                 | 938     | 1,052  | 1,426     |
| RM4270-24                          | 30"       | 2"   | 1,075  | 1,147              | 1,679          | 1,813  | 1,813   | 1,252                 | 1,048   | 1,173  | 1,565     |
| Offset Pulls - Rectangular Posts   |           |      |        |                    |                |        |         |                       |         |        |           |
| RM4272-12                          | 18"       | 2"   | 1,213  | 1,283              | 1,775          |        | 1,917   | 1,328                 | 1,119   | 1,254  | 1,660     |
| RM4272-24                          | 30"       | 2"   | 1,308  | 1,377              | 1,913          |        | 2,066   | 1,476                 | 1,230   | 1,372  | 1,845     |
| Straight Pulls - Round Posts       |           |      |        |                    |                |        |         |                       |         |        |           |
| RM4274-12                          | 18"       | 2"   | 983    | 1,050              | 1,536          | 1,660  | 1,660   | 1,141                 | 938     | 1,052  | 1,426     |
| RM4274-24                          | 30"       | 2"   | 1,075  | 1,147              | 1,679          | 1,813  | 1,813   | 1,252                 | 1,048   | 1,173  | 1,565     |

- Add \$6.80/in. over 30".
- MP (Mid-Post) - Add \$80 each (Recommended for maximum rigidity on long door pulls).
- Order form available on website under RM4200, RM4210, RM4270, RM4272, RM4274.

**ROCKWOOD**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## SkewTek - D-Tube Pulls




## Straight Pull - Round Posts

| Part          | Max OA | Stock PC/ 10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|--------------------|---------|--------|-----------|
| <b>RM4250</b> | 12"    | 315                | 211     | 238    | 394       |
|               | 24"    | 366                | 261     | 289    | 458       |
|               | 36"    | 417                | 312     | 339    | 521       |
|               | 48"    | 467                | 362     | 390    | 584       |
|               | 60"    | 518                | 413     | 440    | 648       |
|               | 72"    | 569                | 463     | 490    | 711       |
|               | 84"    | 620                | 513     | 541    | 775       |
|               | 96"    | 671                | 564     | 591    | 839       |




## Offset Pull - Round Posts

|               |     |     |     |     |     |
|---------------|-----|-----|-----|-----|-----|
| <b>RM4252</b> | 12" | 413 | 256 | 286 | 516 |
|               | 24" | 462 | 305 | 334 | 578 |
|               | 36" | 511 | 353 | 382 | 639 |
|               | 48" | 560 | 401 | 431 | 700 |
|               | 60" | 608 | 449 | 479 | 760 |
|               | 72" | 657 | 498 | 527 | 821 |
|               | 84" | 705 | 546 | 575 | 881 |
|               | 96" | 755 | 594 | 624 | 944 |



## Straight Pull - Rectangular Posts

|               |     |     |     |     |     |
|---------------|-----|-----|-----|-----|-----|
| <b>RM4260</b> | 12" | 331 | 227 | 260 | 414 |
|               | 24" | 382 | 277 | 311 | 478 |
|               | 36" | 432 | 328 | 361 | 540 |
|               | 48" | 483 | 378 | 412 | 604 |
|               | 60" | 534 | 428 | 462 | 668 |
|               | 72" | 585 | 479 | 512 | 731 |
|               | 84" | 636 | 529 | 563 | 795 |
|               | 96" | 687 | 580 | 613 | 859 |



## Offset Pull - Rectangular Posts

|               |     |     |     |     |     |
|---------------|-----|-----|-----|-----|-----|
| <b>RM4262</b> | 12" | 427 | 287 | 328 | 534 |
|               | 24" | 478 | 337 | 378 | 598 |
|               | 36" | 529 | 387 | 428 | 661 |
|               | 48" | 580 | 438 | 479 | 725 |
|               | 60" | 631 | 488 | 529 | 789 |
|               | 72" | 682 | 539 | 580 | 853 |
|               | 84" | 732 | 589 | 630 | 915 |
|               | 96" | 783 | 639 | 680 | 979 |

- Add \$8.00/in. over 96".
- MP (Mid-Post) - Add \$80 each (Recommended for maximum rigidity on long door pulls).
- Order form available on website under RM4250, RM4252, RM4260, RM4262.

## SkewTek - D-Tube Pulls (con't)



| Straight Pull - Round Mitered Posts |         |                   |         |        |           |
|-------------------------------------|---------|-------------------|---------|--------|-----------|
| Part                                | Max CTC | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4255</b>                       | 12"     | 369               | 254     | 292    | 461       |
|                                     | 24"     | 420               | 305     | 342    | 525       |
|                                     | 36"     | 471               | 355     | 393    | 589       |
|                                     | 48"     | 522               | 405     | 443    | 653       |
|                                     | 60"     | 572               | 456     | 494    | 715       |
|                                     | 72"     | 623               | 506     | 544    | 779       |
|                                     | 84"     | 674               | 557     | 594    | 843       |
|                                     | 96"     | 725               | 607     | 645    | 906       |




| Straight Pull - Rectangular Mitered Posts |         |                   |         |        |           |
|-------------------------------------------|---------|-------------------|---------|--------|-----------|
| Part                                      | Max CTC | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4265</b>                             | 12"     | 369               | 254     | 292    | 461       |
|                                           | 24"     | 420               | 305     | 342    | 525       |
|                                           | 36"     | 471               | 355     | 393    | 589       |
|                                           | 48"     | 522               | 405     | 443    | 653       |
|                                           | 60"     | 572               | 456     | 494    | 715       |
|                                           | 72"     | 623               | 506     | 544    | 779       |
|                                           | 84"     | 674               | 557     | 594    | 843       |
|                                           | 96"     | 725               | 607     | 645    | 906       |



| Offset Pull - Rectangular Mitered Posts |         |                   |         |        |           |
|-----------------------------------------|---------|-------------------|---------|--------|-----------|
| Part                                    | Max CTC | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4267</b>                           | 12"     | 625               | 483     | 547    | 781       |
|                                         | 24"     | 676               | 533     | 597    | 845       |
|                                         | 36"     | 727               | 584     | 648    | 909       |
|                                         | 48"     | 778               | 634     | 698    | 973       |
|                                         | 60"     | 829               | 685     | 749    | 1,036     |
|                                         | 72"     | 880               | 735     | 799    | 1,100     |
|                                         | 84"     | 931               | 785     | 849    | 1,164     |
|                                         | 90"     | 956               | 811     | 875    | 1,195     |

- Add \$8.00/in. over 96" (except RM4267).
- MP (Mid-Post) - Add \$80 each (Recommended for maximum rigidity on long door pulls).
- Order form available on website under RM4255, RM4265, RM4267.

## SkewTek - Wing Pulls



| Straight Pull - Square Posts |        |           |                   |         |        |           |
|------------------------------|--------|-----------|-------------------|---------|--------|-----------|
| Part                         | Max OA | Grip Size | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4280</b>                | 24"    | 1" x 1"   | 1,196             | 987     | 1,106  | 1,495     |
|                              | 36"    | 1" x 1"   | 1,227             | 1,019   | 1,137  | 1,534     |
|                              | 48"    | 1" x 1"   | 1,259             | 1,050   | 1,169  | 1,574     |
|                              | 60"    | 1" x 1"   | 1,291             | 1,082   | 1,200  | 1,614     |
| Offset Pull - Square Posts   |        |           |                   |         |        |           |
| <b>RM4282</b>                | 24"    | 1" x 1"   | 1,238             | 1,022   | 1,145  | 1,548     |
|                              | 36"    | 1" x 1"   | 1,270             | 1,053   | 1,176  | 1,588     |
|                              | 48"    | 1" x 1"   | 1,302             | 1,085   | 1,208  | 1,628     |
|                              | 60"    | 1" x 1"   | 1,333             | 1,116   | 1,239  | 1,666     |

- Order form available on website under RM4280 and RM4282.

**ROCKWOOD®**
**ASSA ABLOY**







Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

# CenTrex - Shaped Pulls



| Curved Pulls              |           |        |                    |                |                   |                       |                   |         |        |           |
|---------------------------|-----------|--------|--------------------|----------------|-------------------|-----------------------|-------------------|---------|--------|-----------|
| Part                      | CTC       | 28/628 | 313/710<br>315/711 | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 26/625<br>26D/626 | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4400-12</b>          | 12"       | 515    | 542                | 802            | 869               | 640                   | 802               | 475     | 531    | 800       |
| <b>RM4400-20</b>          | 20"       | 537    | 566                | 890            | 962               | 660                   | 890               | 494     | 553    | 825       |
| Double Curved Pulls       |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4402LH</b>           | 12"       | 617    | 644                | 890            | 962               | 708                   | 890               | 536     | 602    | 885       |
| <b>RM4402RH</b>           | 12"       | 617    | 644                | 890            | 962               | 708                   | 890               | 536     | 602    | 885       |
| Straight Radius Pulls     |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4410-12</b>          | 12"       | 456    | 483                | 802            | 869               | 570                   | 802               | 407     | 456    | 713       |
| <b>RM4410-18</b>          | 18"       | 483    | 511                | 890            | 962               | 595                   | 890               | 431     | 483    | 744       |
| <b>RM4410-24</b>          | 24"       | 511    | 537                | 974            | 1,050             | 640                   | 974               | 475     | 531    | 800       |
| Offset Radius Pulls       |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4412-12</b>          | 12"       | 566    | 590                | 921            | 992               | 660                   | 921               | 494     | 553    | 825       |
| <b>RM4412-18</b>          | 18"       | 590    | 617                | 999            | 1,079             | 687                   | 999               | 516     | 581    | 859       |
| <b>RM4412-24</b>          | 24"       | 617    | 644                | 1,085          | 1,171             | 731                   | 1,085             | 559     | 626    | 914       |
| Semi-Circular Pulls       |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4420</b>             | 9"        | 351    | 378                |                | 722               | 478                   | 670               | 323     | 362    | 598       |
| <b>RM4422</b>             | 12"       | 378    | 406                |                | 750               | 502                   | 696               | 349     | 387    | 628       |
| Radius Push Bars          |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4440LH</b>           | Up to 36" | 670    | 699                | 1,223          | 1,322             | 974                   | 1,223             | 754     | 843    | 1,218     |
| <b>RM4440RH</b>           | Up to 36" | 670    | 699                | 1,223          | 1,322             | 974                   | 1,223             | 754     | 843    | 1,218     |
| Compound Radius Push Bars |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4450LH</b>           | Up to 36" | 1,335  | 1,417              | 898            | 1,890             | 1,469                 | 1,749             | 1,180   | 1,322  | 1,836     |
| <b>RM4450RH</b>           | Up to 36" | 1,335  | 1,417              | 898            | 1,890             | 1,469                 | 1,749             | 1,180   | 1,322  | 1,836     |
| Semi-Circular Pulls       |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4500</b>             | 11"       | 537    | 566                | 1,111          | 1,201             | 784                   |                   | 579     | 648    | 980       |
| <b>RM4502</b>             | 11"       | 537    | 566                | 1,111          | 1,201             | 784                   |                   | 579     | 648    | 980       |
| <b>RM4506</b>             | 12"       |        |                    | 725            | 784               | 617                   |                   | 452     | 505    | 771       |
| Side Radius Pull          |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4510</b>             | 12"       | 590    | 644                | 834            | 901               | 708                   |                   | 536     | 602    | 885       |
| Projecting Radius Pull    |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4512</b>             | 12"       |        |                    | 1,223          | 1,322             | 903                   |                   | 687     | 769    | 1,129     |
| Radius Push Bars          |           |        |                    |                |                   |                       |                   |         |        |           |
| <b>RM4516LH</b>           | Up to 36" | 724    | 775                | 1,085          | 1,171             | 832                   |                   | 622     | 695    | 1,040     |
| <b>RM4516RH</b>           | Up to 36" | 724    | 775                | 1,085          | 1,171             | 832                   |                   | 622     | 695    | 1,040     |

• Add \$6.80/in. over 36" for push bars.

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)






Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world



## AccenTek™ - Solid Pulls with Accents

| Cast Pulls                                     |                   |                   |                       |                       |                   |                     |                   |         |                   |           |
|------------------------------------------------|-------------------|-------------------|-----------------------|-----------------------|-------------------|---------------------|-------------------|---------|-------------------|-----------|
| Part                                           | Grip              | CTC               | Stock PC/<br>10BE/BSP | 3/605<br>4/606        | 10/612<br>10A/722 | 10B/613<br>10BL/614 | 15/619<br>15A/620 | 20A/624 | 26/625<br>26D/626 | OptiCoat™ |
| RM4720                                         | 1 ½" x ½" x 12 ½" | 8"                | 639                   | 633                   | 686               | 686                 | 686               | 686     | 686               | 791       |
| RM4700W                                        | 1 ¼" x ⅝" x 14"   | 10"               | 743                   | 738                   | 794               | 794                 | 794               | 794     | 794               | 920       |
| RM4700B                                        | 1 ¼" x ⅝" x 14"   | 10"               | 743                   | 738                   | 794               | 794                 | 794               | 794     | 794               | 920       |
| OptiCoat™ Inlay Straight Pull                  |                   |                   |                       |                       |                   |                     |                   |         |                   |           |
| Part                                           | OA                | Stock PC/10BE/BSP | 32D/630               |                       | 32/629            |                     | 32DMS             |         |                   |           |
| RM4730                                         | 12"               | 551               | 512                   |                       | 556               |                     | 527               |         |                   |           |
|                                                | 24"               | 575               | 534                   |                       | 580               |                     | 550               |         |                   |           |
|                                                | 36"               | 599               | 556                   |                       | 604               |                     | 573               |         |                   |           |
|                                                | 48"               | 623               | 579                   |                       | 628               |                     | 596               |         |                   |           |
|                                                | 60"               | 647               | 601                   |                       | 653               |                     | 619               |         |                   |           |
| OptiCoat™ Inlay Offset Pull                    |                   |                   |                       |                       |                   |                     |                   |         |                   |           |
| RM4740                                         | 12"               | 586               | 547                   |                       | 591               |                     | 562               |         |                   |           |
|                                                | 24"               | 610               | 569                   |                       | 615               |                     | 585               |         |                   |           |
|                                                | 36"               | 634               | 591                   |                       | 639               |                     | 608               |         |                   |           |
|                                                | 48"               | 658               | 614                   |                       | 663               |                     | 631               |         |                   |           |
|                                                | 60"               | 682               | 636                   |                       | 688               |                     | 654               |         |                   |           |
| Solid Groove Pulls                             |                   |                   |                       |                       |                   |                     |                   |         |                   |           |
| Part                                           | Grip              | CTC               | 32D/630               |                       |                   | 32/629              |                   |         |                   |           |
| RM4750                                         | ½" x 1 ¼"         | 12"               | 408                   |                       |                   | 461                 |                   |         |                   |           |
|                                                | ½" x 1 ¼"         | 24"               | 475                   |                       |                   | 530                 |                   |         |                   |           |
|                                                | ½" x 1 ¼"         | 36"               | 538                   |                       |                   | 604                 |                   |         |                   |           |
|                                                | ½" x 1 ¼"         | 48"               | 603                   |                       |                   | 674                 |                   |         |                   |           |
| RM4755                                         | ¾" x 1 ¼"         | 12"               | 466                   |                       |                   | 521                 |                   |         |                   |           |
|                                                | ¾" x 1 ¼"         | 24"               | 528                   |                       |                   | 593                 |                   |         |                   |           |
|                                                | ¾" x 1 ¼"         | 36"               | 595                   |                       |                   | 665                 |                   |         |                   |           |
|                                                | ¾" x 1 ¼"         | 48"               | 657                   |                       |                   | 736                 |                   |         |                   |           |
| Formed Pulls with Distinguished Fastener Heads |                   |                   |                       |                       |                   |                     |                   |         |                   |           |
| Part                                           | Grip              | CTC               | Wrought Black         | Stock PC/<br>10BE/BSP | 32D/630           |                     | OptiCoat™         |         |                   |           |
| RM4800                                         | ¾" Dia            | 12"               | 564                   | 537                   | 434               |                     | 671               |         |                   |           |
|                                                |                   | 16"               | 564                   | 537                   | 434               |                     | 671               |         |                   |           |
|                                                |                   | 24"               | 623                   | 594                   | 498               |                     | 743               |         |                   |           |
|                                                |                   | 36"               | 852                   | 812                   | 657               |                     | 1,015             |         |                   |           |
| RM4810                                         | 1 ½" x ¼"         | 12"               | 464                   | 442                   | 352               |                     | 553               |         |                   |           |
|                                                |                   | 16"               | 464                   | 442                   | 352               |                     | 553               |         |                   |           |
|                                                |                   | 24"               | 514                   | 490                   | 403               |                     | 613               |         |                   |           |
|                                                |                   | 36"               | 704                   | 670                   | 531               |                     | 838               |         |                   |           |
| RM4820                                         | 1 ½" x ⅜"         | 12"               | 564                   | 537                   | 434               |                     | 671               |         |                   |           |
|                                                |                   | 16"               | 564                   | 537                   | 434               |                     | 671               |         |                   |           |
|                                                |                   | 24"               | 623                   | 594                   | 498               |                     | 743               |         |                   |           |
|                                                |                   | 36"               | 852                   | 812                   | 657               |                     | 1,015             |         |                   |           |
| RM4800 x RM4810                                |                   | 12"               | 1,030                 | 982                   | 785               |                     | 1,228             |         |                   |           |
|                                                |                   | 16"               | 1,030                 | 982                   | 785               |                     | 1,228             |         |                   |           |
|                                                |                   | 24"               | 1,140                 | 1,085                 | 902               |                     | 1,356             |         |                   |           |
|                                                |                   | 36"               | 1,558                 | 1,484                 | 1,187             |                     | 1,855             |         |                   |           |
| RM4820 x RM4810                                |                   | 12"               | 1,030                 | 982                   | 785               |                     | 1,228             |         |                   |           |
|                                                |                   | 16"               | 1,030                 | 982                   | 785               |                     | 1,228             |         |                   |           |
|                                                |                   | 24"               | 1,140                 | 1,085                 | 902               |                     | 1,356             |         |                   |           |
|                                                |                   | 36"               | 1,558                 | 1,484                 | 1,187             |                     | 1,855             |         |                   |           |

- RM4700 pulls contain white or black polycarbonate insert.
- RM4750 & RM4755 pulls add \$10.20/in. over 48". CTC up to 60".
- RM4800 Series, US32D and 10BE come with Socket Head Screws. Other finishes come with Hex Head Screws.
- RM4800 Series longer lengths may be offered, call factory for pricing.
- Specify CTC when ordering.
- Order form available on website under RM4700, RM4720, RM4730, RM4740, RM4750, RM4755, RM4800, RM4810, RM4820, RM4850.
- RM4850 - NOTE: Engraving "RKW" add \$108.00.
- RM4850MP (Mid-Post) - Add \$113.00 each (Recommended for maximum rigidity on long door pulls).

**ROCKWOOD**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## AccenTek™ - Solid Pulls with Accents (cont')



| AccenTek Scooped Pulls |     |        |                |         |        |                       |         |        |           |
|------------------------|-----|--------|----------------|---------|--------|-----------------------|---------|--------|-----------|
| Part                   | CTC | Dia.   | 3/605<br>4/606 | 10B/613 | 15/619 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM4850</b>          | 12" | 1 1/4" | 435            | 473     | 483    | 462                   | 240     | 269    | 573       |
|                        | 24" | 1 1/4" | 485            | 524     | 534    | 511                   | 290     | 324    | 633       |
|                        | 36" | 1 1/4" | 537            | 575     | 585    | 560                   | 339     | 379    | 693       |
|                        | 48" | 1 1/4" | 587            | 626     | 636    | 608                   | 387     | 435    | 754       |
|                        | 60" | 1 1/4" | 638            | 677     | 687    | 657                   | 437     | 489    | 814       |
|                        | 72" | 1 1/4" | 689            | 728     | 738    | 705                   | 486     | 545    | 873       |
|                        | 84" | 1 1/4" | 740            | 779     | 789    | 755                   | 536     | 600    | 935       |
|                        | 96" | 1 1/4" | 791            | 830     | 840    | 803                   | 585     | 655    | 995       |

## PlanTek - Flat Front Pulls



| Straight Cast Pulls     |           |           |                |        |         |                       |                   |         |        |           |
|-------------------------|-----------|-----------|----------------|--------|---------|-----------------------|-------------------|---------|--------|-----------|
| Part                    | CTC       | Grip Size | 3/605<br>4/606 | 10/612 | 10B/613 | Stock PC/<br>10BE/BSP | 26/625<br>26D/626 | 32D/630 | 32/629 | OptiCoat™ |
| RM5200-7                | 7"        | 1"        | 398            | 427    | 427     | 384                   | 398               |         |        | 480       |
| RM5200-12               | 12"       | 1"        | 458            | 495    | 495     | 442                   | 458               |         |        | 553       |
| RM5202                  | 12"       | 1 ¼"      | 576            | 623    | 623     | 559                   | 576               |         |        | 698       |
| Offset Cast Pulls       |           |           |                |        |         |                       |                   |         |        |           |
| RM5204-8                | 8"        | 1"        | 398            |        | 427     | 384                   | 398               |         |        | 480       |
| RM5204-12               | 12"       | 1"        | 458            |        | 495     | 442                   | 458               |         |        | 553       |
| Radius End Pulls        |           |           |                |        |         |                       |                   |         |        |           |
| RM5210-10               | 10"       | ½" x 1 ¼" | 812            | 879    | 879     | 598                   |                   | 432     | 485    | 747       |
| RM5210-12               | 12"       | ½" x 1 ¼" | 844            | 912    | 912     | 620                   |                   | 454     | 508    | 775       |
| RM5220-12               | 12"       | ¾" x 1 ½" | 1,086          | 1,172  | 1,172   | 661                   |                   | 495     | 554    | 832       |
| RM5220-18               | 18"       | ¾" x 1 ½" | 1,209          | 1,305  | 1,305   | 739                   |                   | 560     | 628    | 918       |
| Square End Pulls        |           |           |                |        |         |                       |                   |         |        |           |
| RM5230-10               | 10"       | ½" x 1 ¼" | 752            | 812    | 812     | 482                   |                   | 326     | 365    | 603       |
| RM5230-12               | 12"       | ½" x 1 ¼" | 789            | 851    | 851     | 502                   |                   | 348     | 386    | 628       |
| RM5240-12               | 12"       | ¾" x 1 ½" | 995            | 1,078  | 1,078   | 527                   |                   | 368     | 412    | 659       |
| RM5240-18               | 18"       | ¾" x 1 ½" | 1,114          | 1,205  | 1,205   | 550                   |                   | 390     | 436    | 688       |
| Bent End Pulls          |           |           |                |        |         |                       |                   |         |        |           |
| RM5250-10               | 10"       | ½" x 1 ¼" | 608            | 656    | 656     | 459                   |                   | 303     | 341    | 574       |
| RM5250-12               | 12"       | ½" x 1 ¼" | 636            | 685    | 685     | 482                   |                   | 326     | 365    | 603       |
| RM5260-12               | 12"       | ¾" x 1 ½" | 812            | 879    | 879     | 550                   |                   | 390     | 436    | 688       |
| RM5260-18               | 18"       | ¾" x 1 ½" | 963            | 1,041  | 1,041   | 598                   |                   | 432     | 485    | 748       |
| Radius End Pulls        |           |           |                |        |         |                       |                   |         |        |           |
| RM5270-10               | 10"       | ½" x ¾"   |                |        |         | 573                   |                   | 412     | 462    | 716       |
| RM5270-12               | 12"       | ½" x ¾"   |                |        |         | 591                   |                   | 427     | 481    | 739       |
| RM5270-16               | 16"       | ½" x ¾"   |                |        |         | 635                   |                   | 467     | 524    | 794       |
| Straight Cast Pull      |           |           |                |        |         |                       |                   |         |        |           |
| RM5280                  | 9"        | ½" x ½"   | 185            | 198    | 198     | 179                   | 185               |         |        | 224       |
| Push Bars – Radius Ends |           |           |                |        |         |                       |                   |         |        |           |
| RM5212                  | Up to 36" | ½" x 1 ¼" | 1,114          | 1,205  | 1,205   | 710                   |                   | 538     | 603    | 888       |
| RM5222                  | Up to 36" | ¾" x 1 ½" | 1,685          | 1,820  | 1,820   | 979                   |                   | 755     | 844    | 1,224     |
| Push Bars – Flat Ends   |           |           |                |        |         |                       |                   |         |        |           |
| RM5232                  | Up to 36" | ½" x 1 ¼" | 1,114          | 1,205  | 1,205   | 620                   |                   | 454     | 508    | 775       |
| RM5242                  | Up to 36" | ¾" x 1 ½" | 1,657          | 1,792  | 1,792   | 735                   |                   | 560     | 628    | 919       |

- Add \$10.20/in. over 36".
- RM5200, RM5202, RM5204 CTC can not be modified.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.


Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

## PlanTek – Flat Front Pulls (con't)



## Straight Pull – Radius Ends

| Part          | Max OA | Grip Size | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|-----------|----------------|---------|-----------------------|---------|--------|-----------|
| <b>RM5275</b> | 12"    | ½" x ¾"   | 519            | 560     | 284                   | 182     | 206    | 355       |
|               | 18"    | ½" x ¾"   | 548            | 592     | 312                   | 207     | 234    | 390       |
|               | 24"    | ½" x ¾"   | 579            | 625     | 338                   | 233     | 260    | 423       |
|               | 36"    | ½" x ¾"   | 638            | 689     | 442                   | 284     | 317    | 553       |
|               | 48"    | ½" x ¾"   | 696            | 752     | 496                   | 333     | 370    | 620       |
|               | 60"    | ½" x ¾"   | 737            | 797     | 535                   | 364     | 408    | 669       |



## Offset Pull – Radius Ends

|               |     |         |     |     |     |     |     |     |
|---------------|-----|---------|-----|-----|-----|-----|-----|-----|
| <b>RM5277</b> | 12" | ½" x ¾" | 573 | 617 | 325 | 224 | 248 | 406 |
|               | 18" | ½" x ¾" | 604 | 650 | 352 | 247 | 273 | 440 |
|               | 24" | ½" x ¾" | 630 | 680 | 428 | 270 | 303 | 535 |
|               | 36" | ½" x ¾" | 690 | 744 | 484 | 320 | 359 | 605 |
|               | 48" | ½" x ¾" | 750 | 810 | 537 | 366 | 411 | 671 |
|               | 60" | ½" x ¾" | 789 | 851 | 572 | 401 | 447 | 715 |

- Order form available on website under RM5275, RM5277.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world


USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Traditional - Decorative Pulls & Plates

Add pull price to plate price to make pull plate combination.




RM5512



RM5522



RM5530



RM5590



RM5592



RM5594



RM5598

### Cast Pulls

| Part   | CTC     | Base Plate | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 15/619<br>15A/620 | 26/625<br>26D/626 | OptiCoat™ |
|--------|---------|------------|----------------|-------------------|-----------------------|-------------------|-------------------|-----------|
| RM5500 | 6"      | no         | 154            | 164               | 146                   | 174               | 154               | 183       |
| RM5502 | 6 7/8"  | yes        | 253            | 269               | 239                   | 288               | 276               | 299       |
| RM5510 | 12"     | no         | 253            | 269               | 239                   | 321               | 299               | 299       |
| RM5512 | 12 7/8" | yes        | 349            | 380               | 337                   | 444               | 401               | 421       |

### Cast Pulls

|        |    |     |     |     |     |     |     |     |
|--------|----|-----|-----|-----|-----|-----|-----|-----|
| RM5520 | 8" | no  | 225 | 244 | 214 | 249 | 225 | 268 |
| RM5522 | 8" | yes | 276 | 297 | 261 | 297 | 276 | 326 |

### Cast Pulls

| Part   | Size   | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 15/619<br>15A/620 | 26/625<br>26D/626 | OptiCoat™ |
|--------|--------|----------------|-------------------|-----------------------|-------------------|-------------------|-----------|
| RM5530 | 5 1/2" | 79             | 85                | 75                    | 95                | 79                | 94        |
| RM5532 | 7 1/2" | 114            | 123               | 111                   | 130               | 122               | 139       |
| RM5534 | 12"    | 339            | 366               | 323                   | 359               | 339               | 404       |

### Heavy Decorative Plates - .090" Thick

|         |              |     |     |     |     |     |     |
|---------|--------------|-----|-----|-----|-----|-----|-----|
| RM5590A | 3" x 12"     | 132 | 145 | 129 | 161 | 146 | 161 |
| RM5590B | 3 1/2" x 15" | 146 | 160 | 140 | 172 | 162 | 175 |
| RM5590C | 4" x 16"     | 162 | 176 | 155 | 185 | 173 | 194 |

### Heavy Decorative Plates - .090" Thick

|         |              |     |     |     |     |  |     |
|---------|--------------|-----|-----|-----|-----|--|-----|
| RM5592A | 3" x 12"     | 132 | 145 | 129 | 161 |  | 161 |
| RM5592B | 3 1/2" x 15" | 146 | 160 | 140 | 172 |  | 175 |
| RM5592C | 4" x 16"     | 162 | 176 | 155 | 185 |  | 194 |

### Heavy Decorative Plates - .090" Thick

|         |              |     |     |     |     |     |     |
|---------|--------------|-----|-----|-----|-----|-----|-----|
| RM5594B | 3 1/2" x 15" | 266 | 288 | 255 | 289 | 276 | 319 |
|---------|--------------|-----|-----|-----|-----|-----|-----|

### Rope Border Cast Plates

|         |              |     |     |     |     |     |     |
|---------|--------------|-----|-----|-----|-----|-----|-----|
| RM5596A | 3" x 12"     | 162 | 176 | 155 | 172 | 162 | 194 |
| RM5596B | 3 1/2" x 15" | 186 | 203 | 179 | 196 | 186 | 224 |

### Plain Cast Plate - 5/16" Thick

|         |              |     |     |     |     |     |     |
|---------|--------------|-----|-----|-----|-----|-----|-----|
| RM5598B | 3 1/2" x 15" | 214 | 227 | 202 | 222 | 214 | 253 |
|---------|--------------|-----|-----|-----|-----|-----|-----|

## Classic - Finial Door Pulls


### 1" Door Pulls

| Part   | CTC | Grip   | Base Plate | 3/605<br>4/606 | 10/612<br>10B/613 | Stock PC/<br>10BE/BSP | 15/619<br>15A/620 | 26/625<br>26D/626 | OptiCoat™ |
|--------|-----|--------|------------|----------------|-------------------|-----------------------|-------------------|-------------------|-----------|
| RM5650 | 10" | Plain  | no         | 530            | 573               | 534                   | 625               | 585               | 668       |
| RM5652 | 10" | Rope   | no         | 530            | 573               | 534                   | 625               | 585               | 668       |
| RM5654 | 10" | Fluted | no         | 530            | 573               | 534                   | 625               | 585               | 668       |
| RM5660 | 10" | Plain  | yes        | 593            | 639               | 598                   | 688               | 648               | 748       |
| RM5662 | 10" | Rope   | yes        | 593            | 639               | 598                   | 688               | 648               | 748       |
| RM5664 | 10" | Fluted | yes        | 593            | 639               | 598                   | 688               | 648               | 748       |

### 1" Offset Door Pull

|        |     |       |    |     |     |     |     |     |     |
|--------|-----|-------|----|-----|-----|-----|-----|-----|-----|
| RM5670 | 10" | Plain | no | 599 | 648 | 603 | 664 | 652 | 754 |
|--------|-----|-------|----|-----|-----|-----|-----|-----|-----|

- To order suffix finial style number.
- Add \$6.80/in. for longer pulls up to 36".
- Please contact factory to order RM Finial only.




Finial Style Number  
(example: RM5650-4)

| Suffix | Finial Style: |
|--------|---------------|
| 1      | Plain         |
| 2      | Urn           |
| 3      | Berry         |
| 4      | Pinecone      |

## MariTek - Tapered Pulls

### Straight Door Pulls

| Part   | CTC | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 14/618<br>15/619 | 26/625<br>26D/626 | OptiCoat™ |
|--------|-----|----------------|---------|-----------------------|------------------|-------------------|-----------|
| RM5700 | 6"  | 391            | 419     | 394                   | 402              | 415               | 493       |
| RM5702 | 12" | 415            | 448     | 417                   | 426              | 437               | 521       |



RM5700

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## English Bridle Leather Pulls

## Straight Pulls – Flat Ends

| Part          | Max<br>OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|-----------|------|----------------|---------|-----------------------|---------|--------|-----------|
| <b>RM6060</b> | 12"       | 1"   | 995            | 1,076   | 889                   | 687     | 771    | 1,111     |
|               | 24"       | 1"   | 1,477          | 1,595   | 1,300                 | 1,035   | 1,162  | 1,625     |
|               | 36"       | 1"   | 1,959          | 2,114   | 1,684                 | 1,386   | 1,550  | 2,105     |
|               | 48"       | 1"   | 2,437          | 2,631   | 2,067                 | 1,737   | 1,946  | 2,584     |
|               | 60"       | 1"   | 2,937          | 3,170   | 2,452                 | 2,088   | 2,338  | 3,065     |
|               | 72"       | 1"   | 3,432          | 3,710   | 2,839                 | 2,440   | 2,732  | 3,549     |
|               | 84"       | 1"   | 3,713          | 4,008   | 2,984                 | 2,574   | 2,882  | 3,730     |
|               | 96"       | 1"   | 3,988          | 4,309   | 3,131                 | 2,710   | 3,033  | 3,914     |
| <b>RM6061</b> | 12"       | 1 ¼" | 1,111          | 1,200   | 1,010                 | 795     | 891    | 1,263     |
|               | 24"       | 1 ¼" | 1,809          | 1,952   | 1,582                 | 1,293   | 1,448  | 1,978     |
|               | 36"       | 1 ¼" | 2,505          | 2,704   | 2,126                 | 1,789   | 2,004  | 2,658     |
|               | 48"       | 1 ¼" | 3,080          | 3,326   | 2,600                 | 2,222   | 2,490  | 3,250     |
|               | 60"       | 1 ¼" | 3,654          | 3,946   | 3,073                 | 2,658   | 2,975  | 3,841     |
|               | 72"       | 1 ¼" | 3,841          | 4,148   | 3,252                 | 2,817   | 3,156  | 4,065     |
|               | 84"       | 1 ¼" | 4,024          | 4,346   | 3,429                 | 2,980   | 3,339  | 4,286     |
|               | 96"       | 1 ¼" | 4,209          | 4,547   | 3,578                 | 3,116   | 3,492  | 4,473     |
| <b>RM6062</b> | 12"       | 1 ½" | 1,264          | 1,366   | 1,135                 | 909     | 1,020  | 1,419     |
|               | 24"       | 1 ½" | 2,018          | 2,179   | 1,753                 | 1,449   | 1,621  | 2,191     |
|               | 36"       | 1 ½" | 2,770          | 2,993   | 2,343                 | 1,988   | 2,225  | 2,929     |
|               | 48"       | 1 ½" | 3,380          | 3,649   | 2,619                 | 2,241   | 2,508  | 3,274     |
|               | 60"       | 1 ½" | 3,988          | 4,309   | 2,895                 | 2,494   | 2,793  | 3,619     |
|               | 72"       | 1 ½" | 4,211          | 4,549   | 3,173                 | 2,747   | 3,073  | 3,966     |
|               | 84"       | 1 ½" | 4,434          | 4,788   | 3,448                 | 2,998   | 3,358  | 4,310     |
|               | 96"       | 1 ½" | 4,655          | 5,030   | 3,725                 | 3,251   | 3,641  | 4,656     |

## Offset Pulls – Flat Ends

|               |     |      |       |       |       |       |       |       |
|---------------|-----|------|-------|-------|-------|-------|-------|-------|
| <b>RM6070</b> | 12" | 1"   | 1,047 | 1,130 | 934   | 725   | 812   | 1,168 |
|               | 24" | 1"   | 1,527 | 1,646 | 1,344 | 1,075 | 1,202 | 1,680 |
|               | 36" | 1"   | 2,009 | 2,167 | 1,725 | 1,424 | 1,595 | 2,156 |
|               | 48" | 1"   | 2,485 | 2,686 | 2,108 | 1,776 | 1,988 | 2,635 |
|               | 60" | 1"   | 2,987 | 3,225 | 2,496 | 2,128 | 2,381 | 3,120 |
|               | 72" | 1"   | 3,484 | 3,762 | 2,880 | 2,479 | 2,775 | 3,600 |
|               | 84" | 1"   | 3,760 | 4,065 | 3,024 | 2,613 | 2,926 | 3,780 |
|               | 96" | 1"   | 4,037 | 4,362 | 3,174 | 2,748 | 3,075 | 3,968 |
| <b>RM6071</b> | 12" | 1 ¼" | 1,161 | 1,253 | 1,052 | 834   | 932   | 1,315 |
|               | 24" | 1 ¼" | 1,857 | 2,007 | 1,623 | 1,329 | 1,489 | 2,029 |
|               | 36" | 1 ¼" | 2,555 | 2,759 | 2,167 | 1,828 | 2,046 | 2,709 |
|               | 48" | 1 ¼" | 3,129 | 3,379 | 2,640 | 2,261 | 2,533 | 3,300 |
|               | 60" | 1 ¼" | 3,704 | 4,002 | 3,115 | 2,692 | 3,018 | 3,894 |
|               | 72" | 1 ¼" | 3,888 | 4,198 | 3,293 | 2,856 | 3,197 | 4,116 |
|               | 84" | 1 ¼" | 4,073 | 4,398 | 3,472 | 3,019 | 3,380 | 4,340 |
|               | 96" | 1 ¼" | 4,258 | 4,598 | 3,621 | 3,155 | 3,533 | 4,526 |
| <b>RM6072</b> | 12" | 1 ½" | 1,315 | 1,419 | 1,177 | 949   | 1,061 | 1,471 |
|               | 24" | 1 ½" | 2,067 | 2,232 | 1,795 | 1,487 | 1,665 | 2,244 |
|               | 36" | 1 ½" | 2,819 | 3,045 | 2,384 | 2,027 | 2,268 | 2,980 |
|               | 48" | 1 ½" | 3,428 | 3,703 | 2,661 | 2,279 | 2,553 | 3,326 |
|               | 60" | 1 ½" | 4,037 | 4,362 | 2,937 | 2,532 | 2,836 | 3,671 |
|               | 72" | 1 ½" | 4,259 | 4,599 | 3,214 | 2,786 | 3,117 | 4,018 |
|               | 84" | 1 ½" | 4,484 | 4,839 | 3,490 | 3,036 | 3,402 | 4,363 |
|               | 96" | 1 ½" | 4,705 | 5,081 | 3,766 | 3,288 | 3,683 | 4,708 |

- Add \$6.80/in. over 96".
- MP (Mid-Post) – Add \$80 each. (Recommended for maximum rigidity on long door pulls.  
See page 6 for guidelines.)
- FW (Full Wrap) available up to 72" overall length pull – Call for pricing.
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

**ROCKWOOD**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## English Bridle Leather Pulls (con't)

| Straight Pulls - Round Ends |        |      |                |         |                       |         |        |           |
|-----------------------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                        | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6080</b>               | 12"    | 1"   | 1,105          | 1,192   | 940                   | 732     | 819    | 1,175     |
|                             | 24"    | 1"   | 1,477          | 1,595   | 1,350                 | 1,080   | 1,211  | 1,688     |
|                             | 36"    | 1"   | 1,959          | 2,114   | 1,732                 | 1,430   | 1,602  | 2,165     |
|                             | 48"    | 1"   | 2,437          | 2,631   | 2,118                 | 1,782   | 1,997  | 2,648     |
|                             | 60"    | 1"   | 2,937          | 3,170   | 2,502                 | 2,134   | 2,389  | 3,128     |
|                             | 72"    | 1"   | 3,432          | 3,710   | 2,886                 | 2,486   | 2,785  | 3,608     |
|                             | 84"    | 1"   | 3,713          | 4,008   | 3,034                 | 2,620   | 2,933  | 3,793     |
|                             | 96"    | 1"   | 3,988          | 4,309   | 3,179                 | 2,753   | 3,085  | 3,974     |
| <b>RM6081</b>               | 12"    | 1 ¼" | 1,111          | 1,200   | 1,059                 | 840     | 939    | 1,324     |
|                             | 24"    | 1 ¼" | 1,809          | 1,952   | 1,630                 | 1,335   | 1,496  | 2,038     |
|                             | 36"    | 1 ¼" | 2,505          | 2,704   | 2,174                 | 1,833   | 2,054  | 2,718     |
|                             | 48"    | 1 ¼" | 3,080          | 3,326   | 2,648                 | 2,266   | 2,540  | 3,310     |
|                             | 60"    | 1 ¼" | 3,654          | 3,946   | 3,122                 | 2,700   | 3,025  | 3,903     |
|                             | 72"    | 1 ¼" | 3,841          | 4,148   | 3,301                 | 2,863   | 3,207  | 4,126     |
|                             | 84"    | 1 ¼" | 4,024          | 4,346   | 3,479                 | 3,026   | 3,389  | 4,349     |
|                             | 96"    | 1 ¼" | 4,209          | 4,547   | 3,626                 | 3,161   | 3,541  | 4,533     |
| <b>RM6082</b>               | 12"    | 1 ½" | 1,264          | 1,366   | 1,183                 | 954     | 1,070  | 1,479     |
|                             | 24"    | 1 ½" | 2,018          | 2,179   | 1,801                 | 1,492   | 1,672  | 2,251     |
|                             | 36"    | 1 ½" | 2,770          | 2,993   | 2,391                 | 2,032   | 2,276  | 2,989     |
|                             | 48"    | 1 ½" | 3,380          | 3,649   | 2,667                 | 2,284   | 2,559  | 3,334     |
|                             | 60"    | 1 ½" | 3,988          | 4,309   | 2,944                 | 2,538   | 2,842  | 3,680     |
|                             | 72"    | 1 ½" | 4,211          | 4,549   | 3,221                 | 2,792   | 3,125  | 4,026     |
|                             | 84"    | 1 ½" | 4,434          | 4,788   | 3,497                 | 3,043   | 3,407  | 4,371     |
|                             | 96"    | 1 ½" | 4,655          | 5,030   | 3,773                 | 3,296   | 3,690  | 4,716     |
| Offset Pulls - Round Ends   |        |      |                |         |                       |         |        |           |
| <b>RM6090</b>               | 12"    | 1"   | 1,152          | 1,245   | 982                   | 771     | 861    | 1,228     |
|                             | 24"    | 1"   | 1,632          | 1,763   | 1,391                 | 1,118   | 1,253  | 1,739     |
|                             | 36"    | 1"   | 2,113          | 2,281   | 1,773                 | 1,469   | 1,645  | 2,216     |
|                             | 48"    | 1"   | 2,591          | 2,800   | 2,158                 | 1,821   | 2,038  | 2,698     |
|                             | 60"    | 1"   | 3,090          | 3,338   | 2,544                 | 2,172   | 2,433  | 3,180     |
|                             | 72"    | 1"   | 3,589          | 3,878   | 2,929                 | 2,523   | 2,828  | 3,661     |
|                             | 84"    | 1"   | 3,868          | 4,176   | 3,074                 | 2,659   | 2,976  | 3,843     |
|                             | 96"    | 1"   | 4,144          | 4,474   | 3,222                 | 2,793   | 3,127  | 4,028     |
| <b>RM6091</b>               | 12"    | 1 ¼" | 1,264          | 1,366   | 1,100                 | 878     | 984    | 1,375     |
|                             | 24"    | 1 ¼" | 1,962          | 2,118   | 1,671                 | 1,374   | 1,539  | 2,089     |
|                             | 36"    | 1 ¼" | 2,660          | 2,873   | 2,215                 | 1,872   | 2,096  | 2,769     |
|                             | 48"    | 1 ¼" | 3,234          | 3,492   | 2,689                 | 2,307   | 2,581  | 3,361     |
|                             | 60"    | 1 ¼" | 3,808          | 4,114   | 3,164                 | 2,739   | 3,067  | 3,955     |
|                             | 72"    | 1 ¼" | 3,993          | 4,312   | 3,342                 | 2,902   | 3,250  | 4,178     |
|                             | 84"    | 1 ¼" | 4,178          | 4,515   | 3,519                 | 3,064   | 3,430  | 4,399     |
|                             | 96"    | 1 ¼" | 4,364          | 4,712   | 3,669                 | 3,198   | 3,584  | 4,586     |
| <b>RM6092</b>               | 12"    | 1 ½" | 1,419          | 1,532   | 1,224                 | 992     | 1,111  | 1,530     |
|                             | 24"    | 1 ½" | 2,172          | 2,345   | 1,843                 | 1,532   | 1,715  | 2,304     |
|                             | 36"    | 1 ½" | 2,925          | 3,159   | 2,433                 | 2,071   | 2,319  | 3,041     |
|                             | 48"    | 1 ½" | 3,535          | 3,816   | 2,708                 | 2,323   | 2,602  | 3,385     |
|                             | 60"    | 1 ½" | 4,144          | 4,474   | 2,985                 | 2,576   | 2,885  | 3,731     |
|                             | 72"    | 1 ½" | 4,365          | 4,713   | 3,262                 | 2,830   | 3,168  | 4,078     |
|                             | 84"    | 1 ½" | 4,589          | 4,955   | 3,539                 | 3,082   | 3,451  | 4,424     |
|                             | 96"    | 1 ½" | 4,808          | 5,194   | 3,816                 | 3,334   | 3,734  | 4,770     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- FW (Full Wrap) available up to 72" overall length pull - Call for pricing.
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.


Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## Upholstery Leather Pulls



RM6121


## Straight Pull - Square Posts

| Part          | Max OA | Grip Size | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|-----------|-----------------------|---------|--------|-----------|
| <b>RM6121</b> | 24"    | 1" x 1"   | 1,627                 | 1,343   | 1,504  | 2,034     |
|               | 36"    | 1" x 1"   | 1,704                 | 1,420   | 1,580  | 2,131     |
|               | 48"    | 1" x 1"   | 1,782                 | 1,496   | 1,657  | 2,227     |
|               | 60"    | 1" x 1"   | 1,859                 | 1,573   | 1,734  | 2,324     |

## Offset Pull - Square Posts

|               |     |         |       |       |       |       |
|---------------|-----|---------|-------|-------|-------|-------|
| <b>RM6131</b> | 24" | 1" x 1" | 1,668 | 1,378 | 1,542 | 2,086 |
|               | 36" | 1" x 1" | 1,746 | 1,454 | 1,619 | 2,182 |
|               | 48" | 1" x 1" | 1,823 | 1,531 | 1,696 | 2,279 |
|               | 60" | 1" x 1" | 1,901 | 1,608 | 1,772 | 2,376 |

- Specify leather color.
- Order form available on website.



RM6141

## Straight Pull - D-Tube

| Part          | Max OA | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|-----------------------|---------|--------|-----------|
| <b>RM6141</b> | 12"    | 536                   | 438     | 466    | 670       |
|               | 24"    | 827                   | 731     | 758    | 1,034     |
|               | 36"    | 1,117                 | 1,024   | 1,051  | 1,397     |
|               | 48"    | 1,408                 | 1,317   | 1,344  | 1,760     |
|               | 60"    | 1,698                 | 1,609   | 1,637  | 2,123     |
|               | 72"    | 1,989                 | 1,902   | 1,930  | 2,486     |
|               | 84"    | 2,279                 | 2,195   | 2,222  | 2,849     |
|               | 96"    | 2,569                 | 2,487   | 2,515  | 3,212     |

## Offset Pull - D-Tube

|               |     |       |       |       |       |
|---------------|-----|-------|-------|-------|-------|
| <b>RM6151</b> | 12" | 584   | 486   | 513   | 730   |
|               | 24" | 875   | 779   | 806   | 1,093 |
|               | 36" | 1,165 | 1,072 | 1,099 | 1,456 |
|               | 48" | 1,455 | 1,364 | 1,392 | 1,819 |
|               | 60" | 1,746 | 1,657 | 1,685 | 2,182 |
|               | 72" | 2,036 | 1,950 | 1,977 | 2,545 |
|               | 84" | 2,327 | 2,243 | 2,270 | 2,908 |
|               | 96" | 2,617 | 2,536 | 2,563 | 3,271 |

- Add \$8.00/in. over 96".
- MP (Mid-Post) - Add \$80.00 each. (Recommended for maximum rigidity on long door pulls.)
- FW (Full Wrap) available up to 72" overall length pull.
- Specify leather color.
- Order form available on website.

ROCKWOOD®

ASSA ABLOY

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Upholstery Leather Pulls (con't)

| Straight Pulls - Flat Ends |        |      |                |         |                       |         |        |           |
|----------------------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                       | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6160</b>              | 12"    | 1"   | 935            | 1,012   | 811                   | 630     | 708    | 1,014     |
|                            | 24"    | 1"   | 1,325          | 1,431   | 1,058                 | 864     | 967    | 1,322     |
|                            | 36"    | 1"   | 1,831          | 1,978   | 1,468                 | 1,224   | 1,369  | 1,835     |
|                            | 48"    | 1"   | 2,337          | 2,523   | 1,852                 | 1,586   | 1,776  | 2,315     |
|                            | 60"    | 1"   | 2,700          | 2,918   | 2,077                 | 1,794   | 2,011  | 2,596     |
|                            | 72"    | 1"   | 3,226          | 3,484   | 2,461                 | 2,157   | 2,417  | 3,077     |
|                            | 84"    | 1"   | 3,447          | 3,721   | 2,592                 | 2,280   | 2,553  | 3,240     |
|                            | 96"    | 1"   | 3,737          | 4,036   | 2,738                 | 2,419   | 2,710  | 3,422     |
| <b>RM6161</b>              | 12"    | 1 ¼" | 1,051          | 1,135   | 890                   | 708     | 793    | 1,113     |
|                            | 24"    | 1 ¼" | 1,834          | 1,980   | 1,524                 | 1,275   | 1,429  | 1,905     |
|                            | 36"    | 1 ¼" | 2,569          | 2,775   | 2,068                 | 1,788   | 2,003  | 2,585     |
|                            | 48"    | 1 ¼" | 3,175          | 3,429   | 2,542                 | 2,235   | 2,501  | 3,177     |
|                            | 60"    | 1 ¼" | 3,620          | 3,910   | 2,896                 | 2,567   | 2,875  | 3,620     |
|                            | 72"    | 1 ¼" | 3,815          | 4,120   | 3,076                 | 2,734   | 3,064  | 3,845     |
|                            | 84"    | 1 ¼" | 4,008          | 4,330   | 3,212                 | 2,864   | 3,209  | 4,015     |
|                            | 96"    | 1 ¼" | 4,206          | 4,539   | 3,360                 | 3,004   | 3,366  | 4,200     |
| <b>RM6162</b>              | 12"    | 1 ½" | 1,193          | 1,292   | 952                   | 764     | 857    | 1,190     |
|                            | 24"    | 1 ½" | 1,988          | 2,147   | 1,704                 | 1,447   | 1,619  | 2,131     |
|                            | 36"    | 1 ½" | 2,780          | 3,002   | 2,295                 | 2,003   | 2,242  | 2,869     |
|                            | 48"    | 1 ½" | 3,423          | 3,697   | 2,572                 | 2,262   | 2,535  | 3,214     |
|                            | 60"    | 1 ½" | 4,065          | 4,390   | 2,848                 | 2,522   | 2,822  | 3,560     |
|                            | 72"    | 1 ½" | 4,299          | 4,643   | 3,125                 | 2,784   | 3,116  | 3,906     |
|                            | 84"    | 1 ½" | 4,534          | 4,897   | 3,402                 | 3,042   | 3,407  | 4,252     |
|                            | 96"    | 1 ½" | 4,767          | 5,148   | 3,678                 | 3,302   | 3,699  | 4,598     |
| Straight Pulls - Flat Ends |        |      |                |         |                       |         |        |           |
| <b>RM6170</b>              | 12"    | 1"   | 987            | 1,066   | 851                   | 670     | 751    | 1,064     |
|                            | 24"    | 1"   | 1,376          | 1,487   | 1,098                 | 903     | 1,012  | 1,373     |
|                            | 36"    | 1"   | 1,884          | 2,034   | 1,509                 | 1,263   | 1,414  | 1,887     |
|                            | 48"    | 1"   | 2,389          | 2,579   | 1,895                 | 1,625   | 1,821  | 2,369     |
|                            | 60"    | 1"   | 2,752          | 2,972   | 2,117                 | 1,834   | 2,056  | 2,646     |
|                            | 72"    | 1"   | 3,277          | 3,540   | 2,503                 | 2,197   | 2,460  | 3,128     |
|                            | 84"    | 1"   | 3,499          | 3,778   | 2,633                 | 2,319   | 2,599  | 3,291     |
|                            | 96"    | 1"   | 3,788          | 4,093   | 2,781                 | 2,457   | 2,753  | 3,477     |
| <b>RM6171</b>              | 12"    | 1 ¼" | 1,103          | 1,191   | 934                   | 748     | 837    | 1,167     |
|                            | 24"    | 1 ¼" | 1,887          | 2,037   | 1,566                 | 1,316   | 1,473  | 1,957     |
|                            | 36"    | 1 ¼" | 2,621          | 2,831   | 2,108                 | 1,828   | 2,046  | 2,635     |
|                            | 48"    | 1 ¼" | 3,227          | 3,485   | 2,584                 | 2,272   | 2,546  | 3,230     |
|                            | 60"    | 1 ¼" | 3,673          | 3,967   | 2,937                 | 2,607   | 2,919  | 3,672     |
|                            | 72"    | 1 ¼" | 3,868          | 4,177   | 3,116                 | 2,775   | 3,106  | 3,896     |
|                            | 84"    | 1 ¼" | 4,060          | 4,386   | 3,253                 | 2,904   | 3,251  | 4,066     |
|                            | 96"    | 1 ¼" | 4,255          | 4,596   | 3,405                 | 3,043   | 3,408  | 4,256     |
| <b>RM6172</b>              | 12"    | 1 ½" | 1,246          | 1,346   | 993                   | 803     | 900    | 1,242     |
|                            | 24"    | 1 ½" | 2,040          | 2,204   | 1,747                 | 1,486   | 1,664  | 2,184     |
|                            | 36"    | 1 ½" | 2,832          | 3,059   | 2,337                 | 2,041   | 2,285  | 2,922     |
|                            | 48"    | 1 ½" | 3,473          | 3,752   | 2,612                 | 2,302   | 2,577  | 3,265     |
|                            | 60"    | 1 ½" | 4,116          | 4,448   | 2,890                 | 2,561   | 2,868  | 3,612     |
|                            | 72"    | 1 ½" | 4,350          | 4,699   | 3,166                 | 2,820   | 3,161  | 3,958     |
|                            | 84"    | 1 ½" | 4,587          | 4,952   | 3,443                 | 3,082   | 3,452  | 4,304     |
|                            | 96"    | 1 ½" | 4,820          | 5,205   | 3,720                 | 3,341   | 3,743  | 4,649     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- FW (Full Wrap) available up to 72" overall length pull - Call for pricing.
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.



Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## Upholstery Leather Pulls (con't)



| Straight Pulls - Round Ends |        |        |                |         |                       |         |        |           |
|-----------------------------|--------|--------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                        | Max OA | Dia.   | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6180</b>               | 12"    | 1"     | 1,048          | 1,130   | 860                   | 676     | 758    | 1,075     |
|                             | 24"    | 1"     | 1,435          | 1,552   | 1,107                 | 909     | 1,019  | 1,383     |
|                             | 36"    | 1"     | 1,943          | 2,097   | 1,516                 | 1,269   | 1,421  | 1,895     |
|                             | 48"    | 1"     | 2,447          | 2,642   | 1,902                 | 1,632   | 1,828  | 2,377     |
|                             | 60"    | 1"     | 2,813          | 3,037   | 2,126                 | 1,842   | 2,063  | 2,658     |
|                             | 72"    | 1"     | 3,337          | 3,605   | 2,510                 | 2,203   | 2,465  | 3,138     |
|                             | 84"    | 1"     | 3,554          | 3,841   | 2,639                 | 2,326   | 2,605  | 3,299     |
|                             | 96"    | 1"     | 3,848          | 4,155   | 2,788                 | 2,463   | 2,759  | 3,485     |
| <b>RM6181</b>               | 12"    | 1 1/4" | 1,162          | 1,255   | 941                   | 753     | 843    | 1,177     |
|                             | 24"    | 1 1/4" | 1,947          | 2,101   | 1,573                 | 1,322   | 1,482  | 1,966     |
|                             | 36"    | 1 1/4" | 2,680          | 2,895   | 2,115                 | 1,833   | 2,054  | 2,643     |
|                             | 48"    | 1 1/4" | 3,285          | 3,549   | 2,592                 | 2,280   | 2,553  | 3,240     |
|                             | 60"    | 1 1/4" | 3,731          | 4,029   | 2,947                 | 2,613   | 2,927  | 3,684     |
|                             | 72"    | 1 1/4" | 3,925          | 4,242   | 3,123                 | 2,783   | 3,115  | 3,903     |
|                             | 84"    | 1 1/4" | 4,120          | 4,450   | 3,261                 | 2,910   | 3,258  | 4,076     |
|                             | 96"    | 1 1/4" | 4,314          | 4,661   | 3,411                 | 3,051   | 3,416  | 4,264     |
| <b>RM6182</b>               | 12"    | 1 1/2" | 1,305          | 1,410   | 1,001                 | 811     | 907    | 1,251     |
|                             | 24"    | 1 1/2" | 2,100          | 2,269   | 1,754                 | 1,491   | 1,671  | 2,193     |
|                             | 36"    | 1 1/2" | 2,892          | 3,123   | 2,344                 | 2,048   | 2,293  | 2,930     |
|                             | 48"    | 1 1/2" | 3,535          | 3,816   | 2,620                 | 2,309   | 2,584  | 3,275     |
|                             | 60"    | 1 1/2" | 4,177          | 4,510   | 2,896                 | 2,567   | 2,875  | 3,620     |
|                             | 72"    | 1 1/2" | 4,409          | 4,764   | 3,175                 | 2,829   | 3,168  | 3,968     |
|                             | 84"    | 1 1/2" | 4,644          | 5,017   | 3,451                 | 3,089   | 3,459  | 4,314     |
|                             | 96"    | 1 1/2" | 4,878          | 5,269   | 3,727                 | 3,347   | 3,750  | 4,659     |
| Offset Pulls - Round Ends   |        |        |                |         |                       |         |        |           |
| <b>RM6190</b>               | 12"    | 1"     | 1,099          | 1,187   | 900                   | 716     | 803    | 1,125     |
|                             | 24"    | 1"     | 1,488          | 1,605   | 1,148                 | 950     | 1,062  | 1,435     |
|                             | 36"    | 1"     | 1,994          | 2,155   | 1,558                 | 1,308   | 1,466  | 1,948     |
|                             | 48"    | 1"     | 2,499          | 2,699   | 1,944                 | 1,671   | 1,872  | 2,430     |
|                             | 60"    | 1"     | 2,863          | 3,092   | 2,167                 | 1,882   | 2,105  | 2,708     |
|                             | 72"    | 1"     | 3,388          | 3,658   | 2,551                 | 2,244   | 2,512  | 3,189     |
|                             | 84"    | 1"     | 3,608          | 3,897   | 2,682                 | 2,366   | 2,650  | 3,352     |
|                             | 96"    | 1"     | 3,902          | 4,212   | 2,830                 | 2,504   | 2,805  | 3,538     |
| <b>RM6191</b>               | 12"    | 1 1/4" | 1,214          | 1,313   | 983                   | 793     | 887    | 1,228     |
|                             | 24"    | 1 1/4" | 1,999          | 2,157   | 1,613                 | 1,361   | 1,525  | 2,017     |
|                             | 36"    | 1 1/4" | 2,732          | 2,952   | 2,158                 | 1,874   | 2,097  | 2,698     |
|                             | 48"    | 1 1/4" | 3,338          | 3,606   | 2,633                 | 2,319   | 2,599  | 3,291     |
|                             | 60"    | 1 1/4" | 3,782          | 4,086   | 2,986                 | 2,653   | 2,973  | 3,733     |
|                             | 72"    | 1 1/4" | 3,978          | 4,296   | 3,165                 | 2,819   | 3,158  | 3,956     |
|                             | 84"    | 1 1/4" | 4,173          | 4,506   | 3,301                 | 2,948   | 3,303  | 4,126     |
|                             | 96"    | 1 1/4" | 4,367          | 4,716   | 3,452                 | 3,090   | 3,461  | 4,316     |
| <b>RM6192</b>               | 12"    | 1 1/2" | 1,358          | 1,466   | 1,041                 | 847     | 952    | 1,301     |
|                             | 24"    | 1 1/2" | 2,153          | 2,319   | 1,795                 | 1,532   | 1,716  | 2,243     |
|                             | 36"    | 1 1/2" | 2,942          | 3,179   | 2,386                 | 2,086   | 2,336  | 2,983     |
|                             | 48"    | 1 1/2" | 3,586          | 3,872   | 2,662                 | 2,347   | 2,629  | 3,327     |
|                             | 60"    | 1 1/2" | 4,228          | 4,566   | 2,937                 | 2,607   | 2,919  | 3,672     |
|                             | 72"    | 1 1/2" | 4,459          | 4,818   | 3,216                 | 2,868   | 3,212  | 4,020     |
|                             | 84"    | 1 1/2" | 4,696          | 5,072   | 3,491                 | 3,127   | 3,503  | 4,363     |
|                             | 96"    | 1 1/2" | 4,931          | 5,322   | 3,768                 | 3,387   | 3,796  | 4,710     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- FW (Full Wrap) available up to 72" overall length pull - Call for pricing.
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.


USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


## Leather Oval - Ergonomic Pulls




RM6200



RM6220



RM6230



RM6240

| True Oval                               |        |               |                   |         |        |           |
|-----------------------------------------|--------|---------------|-------------------|---------|--------|-----------|
| Part                                    | Max OA | Grip Size     | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| RM6200                                  | 12"    | 1" x 1 1/2"   | 1,180             | 1,004   | 1,125  | 1,475     |
|                                         | 24"    | 1" x 1 1/2"   | 1,651             | 1,432   | 1,604  | 2,064     |
|                                         | 36"    | 1" x 1 1/2"   | 2,095             | 1,860   | 2,083  | 2,619     |
|                                         | 48"    | 1" x 1 1/2"   | 2,539             | 2,287   | 2,563  | 3,174     |
|                                         | 60"    | 1" x 1 1/2"   | 2,982             | 2,717   | 3,042  | 3,728     |
|                                         | 72"    | 1" x 1 1/2"   | 3,425             | 3,145   | 3,522  | 4,281     |
|                                         | 84"    | 1" x 1 1/2"   | 3,868             | 3,574   | 4,002  | 4,835     |
|                                         | 96"    | 1" x 1 1/2"   | 4,312             | 4,001   | 4,479  | 5,390     |
| Flat Oval - 3/4" Diameter Posts         |        |               |                   |         |        |           |
| RM6220                                  | 12"    | 3/4" x 1 1/2" | 1,229             | 1,052   | 1,179  | 1,536     |
|                                         | 24"    | 3/4" x 1 1/2" | 1,694             | 1,474   | 1,652  | 2,118     |
|                                         | 36"    | 3/4" x 1 1/2" | 2,131             | 1,894   | 2,122  | 2,664     |
|                                         | 48"    | 3/4" x 1 1/2" | 2,567             | 2,317   | 2,592  | 3,209     |
|                                         | 60"    | 3/4" x 1 1/2" | 3,004             | 2,739   | 3,066  | 3,755     |
|                                         | 72"    | 3/4" x 1 1/2" | 3,441             | 3,159   | 3,537  | 4,301     |
|                                         | 84"    | 3/4" x 1 1/2" | 3,877             | 3,582   | 4,012  | 4,846     |
|                                         | 96"    | 3/4" x 1 1/2" | 4,313             | 4,002   | 4,481  | 5,391     |
| Flat Oval - 1" Diameter Posts           |        |               |                   |         |        |           |
| RM6230                                  | 12"    | 3/4" x 1 1/2" | 1,300             | 1,093   | 1,227  | 1,625     |
|                                         | 24"    | 3/4" x 1 1/2" | 1,736             | 1,516   | 1,698  | 2,170     |
|                                         | 36"    | 3/4" x 1 1/2" | 2,174             | 1,937   | 2,170  | 2,718     |
|                                         | 48"    | 3/4" x 1 1/2" | 2,610             | 2,359   | 2,641  | 3,263     |
|                                         | 60"    | 3/4" x 1 1/2" | 3,048             | 2,779   | 3,113  | 3,810     |
|                                         | 72"    | 3/4" x 1 1/2" | 3,483             | 3,200   | 3,586  | 4,354     |
|                                         | 84"    | 3/4" x 1 1/2" | 3,920             | 3,624   | 4,057  | 4,900     |
|                                         | 96"    | 3/4" x 1 1/2" | 4,357             | 4,043   | 4,529  | 5,446     |
| Flat Oval - 3/4"x 1 1/2" Diameter Posts |        |               |                   |         |        |           |
| RM6240                                  | 12"    | 3/4" x 1 1/2" | 1,466             | 1,254   | 1,403  | 1,833     |
|                                         | 24"    | 3/4" x 1 1/2" | 1,902             | 1,674   | 1,875  | 2,378     |
|                                         | 36"    | 3/4" x 1 1/2" | 2,338             | 2,096   | 2,347  | 2,923     |
|                                         | 48"    | 3/4" x 1 1/2" | 2,776             | 2,516   | 2,818  | 3,470     |
|                                         | 60"    | 3/4" x 1 1/2" | 3,211             | 2,938   | 3,291  | 4,014     |
|                                         | 72"    | 3/4" x 1 1/2" | 3,646             | 3,360   | 3,763  | 4,558     |
|                                         | 84"    | 3/4" x 1 1/2" | 4,084             | 3,781   | 4,235  | 5,105     |
|                                         | 96"    | 3/4" x 1 1/2" | 4,521             | 4,204   | 4,707  | 5,651     |


- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

## Flush Leather Pulls

| Straight Pulls – Flat Ends |        |      |                |         |                       |         |        |           |
|----------------------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                       | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6300</b>              | 12"    | 1"   | 1,111          | 1,200   | 1,014                 | 800     | 896    | 1,268     |
|                            | 24"    | 1"   | 1,657          | 1,790   | 1,543                 | 1,259   | 1,410  | 1,929     |
|                            | 36"    | 1"   | 2,206          | 2,381   | 2,044                 | 1,715   | 1,920  | 2,555     |
|                            | 48"    | 1"   | 2,752          | 2,972   | 2,545                 | 2,174   | 2,435  | 3,181     |
|                            | 60"    | 1"   | 3,299          | 3,563   | 3,045                 | 2,630   | 2,945  | 3,806     |
|                            | 72"    | 1"   | 3,846          | 4,152   | 3,546                 | 3,089   | 3,459  | 4,433     |
|                            | 84"    | 1"   | 4,393          | 4,744   | 4,046                 | 3,546   | 3,970  | 5,058     |
|                            | 96"    | 1"   | 4,939          | 5,336   | 4,547                 | 4,002   | 4,481  | 5,684     |
| <b>RM6310</b>              | 12"    | 1 ¼" | 1,332          | 1,439   | 1,180                 | 951     | 1,064  | 1,475     |
|                            | 24"    | 1 ¼" | 1,902          | 2,053   | 1,713                 | 1,411   | 1,580  | 2,141     |
|                            | 36"    | 1 ¼" | 2,473          | 2,668   | 2,214                 | 1,870   | 2,095  | 2,768     |
|                            | 48"    | 1 ¼" | 3,040          | 3,283   | 2,717                 | 2,330   | 2,610  | 3,396     |
|                            | 60"    | 1 ¼" | 3,610          | 3,901   | 3,221                 | 2,792   | 3,125  | 4,026     |
|                            | 72"    | 1 ¼" | 4,180          | 4,515   | 3,725                 | 3,251   | 3,641  | 4,656     |
|                            | 84"    | 1 ¼" | 4,751          | 5,130   | 4,227                 | 3,711   | 4,156  | 5,284     |
|                            | 96"    | 1 ¼" | 5,318          | 5,744   | 4,732                 | 4,170   | 4,673  | 5,915     |
| <b>RM6320</b>              | 12"    | 1 ½" | 1,442          | 1,558   | 1,312                 | 1,047   | 1,172  | 1,640     |
|                            | 24"    | 1 ½" | 2,027          | 2,188   | 1,830                 | 1,521   | 1,703  | 2,288     |
|                            | 36"    | 1 ½" | 2,612          | 2,820   | 2,349                 | 1,995   | 2,233  | 2,936     |
|                            | 48"    | 1 ½" | 3,196          | 3,451   | 2,869                 | 2,469   | 2,764  | 3,586     |
|                            | 60"    | 1 ½" | 3,781          | 4,083   | 3,387                 | 2,941   | 3,296  | 4,234     |
|                            | 72"    | 1 ½" | 4,366          | 4,716   | 3,906                 | 3,415   | 3,826  | 4,883     |
|                            | 84"    | 1 ½" | 4,951          | 5,349   | 4,424                 | 3,891   | 4,356  | 5,530     |
|                            | 96"    | 1 ½" | 5,537          | 5,979   | 4,943                 | 4,364   | 4,888  | 6,179     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls.  
See page 6 for guidelines.)
- Order form available on website.



RM6310


**ROCKWOOD®****ASSA ABLOY**Experience a safer  
and more open worldUSA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
 Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
 without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Flush Leather Pulls (con't)




| Offset Pulls – Flat Ends |        |      |                |         |                       |         |        |           |
|--------------------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                     | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6330</b>            | 12"    | 1"   | 1,161          | 1,253   | 1,064                 | 844     | 948    | 1,330     |
|                          | 24"    | 1"   | 1,707          | 1,844   | 1,592                 | 1,303   | 1,458  | 1,990     |
|                          | 36"    | 1"   | 2,252          | 2,435   | 2,092                 | 1,760   | 1,971  | 2,615     |
|                          | 48"    | 1"   | 2,801          | 3,025   | 2,595                 | 2,218   | 2,483  | 3,244     |
|                          | 60"    | 1"   | 3,347          | 3,614   | 3,094                 | 2,674   | 2,995  | 3,868     |
|                          | 72"    | 1"   | 3,892          | 4,207   | 3,594                 | 3,133   | 3,508  | 4,493     |
|                          | 84"    | 1"   | 4,443          | 4,796   | 4,095                 | 3,590   | 4,022  | 5,119     |
|                          | 96"    | 1"   | 4,990          | 5,389   | 4,597                 | 4,047   | 4,534  | 5,746     |
| <b>RM6340</b>            | 12"    | 1 ¼" | 1,383          | 1,492   | 1,227                 | 994     | 1,114  | 1,534     |
|                          | 24"    | 1 ¼" | 1,951          | 2,106   | 1,761                 | 1,454   | 1,630  | 2,201     |
|                          | 36"    | 1 ¼" | 2,521          | 2,723   | 2,263                 | 1,915   | 2,145  | 2,829     |
|                          | 48"    | 1 ¼" | 3,089          | 3,338   | 2,767                 | 2,375   | 2,661  | 3,459     |
|                          | 60"    | 1 ¼" | 3,658          | 3,951   | 3,270                 | 2,836   | 3,176  | 4,088     |
|                          | 72"    | 1 ¼" | 4,228          | 4,568   | 3,773                 | 3,296   | 3,690  | 4,716     |
|                          | 84"    | 1 ¼" | 4,797          | 5,182   | 4,275                 | 3,754   | 4,206  | 5,344     |
|                          | 96"    | 1 ¼" | 5,369          | 5,797   | 4,780                 | 4,215   | 4,721  | 5,975     |
| <b>RM6350</b>            | 12"    | 1 ½" | 1,491          | 1,610   | 1,360                 | 1,091   | 1,221  | 1,700     |
|                          | 24"    | 1 ½" | 2,076          | 2,241   | 1,879                 | 1,566   | 1,754  | 2,349     |
|                          | 36"    | 1 ½" | 2,661          | 2,874   | 2,400                 | 2,039   | 2,283  | 3,000     |
|                          | 48"    | 1 ½" | 3,245          | 3,505   | 2,917                 | 2,512   | 2,814  | 3,646     |
|                          | 60"    | 1 ½" | 3,831          | 4,137   | 3,437                 | 2,986   | 3,344  | 4,296     |
|                          | 72"    | 1 ½" | 4,414          | 4,768   | 3,955                 | 3,461   | 3,875  | 4,944     |
|                          | 84"    | 1 ½" | 4,999          | 5,401   | 4,473                 | 3,934   | 4,407  | 5,591     |
|                          | 96"    | 1 ½" | 5,584          | 6,031   | 4,990                 | 4,410   | 4,938  | 6,238     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) – Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify leather type and color.
- Order form available on website.

## Flush Leather Pulls (con't)


| Straight Pulls - Round Ends |        |      |                |         |                       |         |        |           |
|-----------------------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                        | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6304</b>               | 12"    | 1"   | 1,223          | 1,322   | 1,077                 | 858     | 960    | 1,346     |
|                             | 24"    | 1"   | 1,770          | 1,911   | 1,606                 | 1,316   | 1,474  | 2,008     |
|                             | 36"    | 1"   | 2,317          | 2,503   | 2,106                 | 1,772   | 1,986  | 2,633     |
|                             | 48"    | 1"   | 2,863          | 3,093   | 2,607                 | 2,231   | 2,498  | 3,259     |
|                             | 60"    | 1"   | 3,410          | 3,683   | 3,108                 | 2,687   | 3,010  | 3,885     |
|                             | 72"    | 1"   | 3,956          | 4,274   | 3,610                 | 3,146   | 3,522  | 4,513     |
|                             | 84"    | 1"   | 4,505          | 4,866   | 4,109                 | 3,603   | 4,034  | 5,136     |
|                             | 96"    | 1"   | 5,052          | 5,455   | 4,609                 | 4,060   | 4,545  | 5,761     |
| <b>RM6314</b>               | 12"    | 1 ¼" | 1,445          | 1,560   | 1,243                 | 1,009   | 1,128  | 1,554     |
|                             | 24"    | 1 ¼" | 2,014          | 2,175   | 1,773                 | 1,469   | 1,645  | 2,216     |
|                             | 36"    | 1 ¼" | 2,583          | 2,791   | 2,277                 | 1,927   | 2,158  | 2,846     |
|                             | 48"    | 1 ¼" | 3,153          | 3,406   | 2,781                 | 2,388   | 2,674  | 3,476     |
|                             | 60"    | 1 ¼" | 3,723          | 4,019   | 3,284                 | 2,849   | 3,190  | 4,105     |
|                             | 72"    | 1 ¼" | 4,292          | 4,635   | 3,786                 | 3,309   | 3,707  | 4,733     |
|                             | 84"    | 1 ¼" | 4,860          | 5,250   | 4,291                 | 3,768   | 4,219  | 5,364     |
|                             | 96"    | 1 ¼" | 5,432          | 5,864   | 4,794                 | 4,229   | 4,737  | 5,993     |
| <b>RM6324</b>               | 12"    | 1 ½" | 1,554          | 1,679   | 1,376                 | 1,105   | 1,236  | 1,720     |
|                             | 24"    | 1 ½" | 2,139          | 2,310   | 1,894                 | 1,578   | 1,766  | 2,368     |
|                             | 36"    | 1 ½" | 2,724          | 2,940   | 2,413                 | 2,051   | 2,297  | 3,016     |
|                             | 48"    | 1 ½" | 3,309          | 3,573   | 2,932                 | 2,525   | 2,829  | 3,665     |
|                             | 60"    | 1 ½" | 3,891          | 4,206   | 3,450                 | 2,999   | 3,361  | 4,313     |
|                             | 72"    | 1 ½" | 4,478          | 4,836   | 3,968                 | 3,473   | 3,891  | 4,960     |
|                             | 84"    | 1 ½" | 5,062          | 5,471   | 4,488                 | 3,948   | 4,421  | 5,610     |
|                             | 96"    | 1 ½" | 5,648          | 6,099   | 5,006                 | 4,421   | 4,952  | 6,258     |

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls.  
See page 6 for guidelines.)
- Specify leather type and color.
- Order form available on website.




## Flush Leather Pulls (con't)

| Offset Pulls - Round Ends |        |      |                |         |                       |         |        |           |
|---------------------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| Part                      | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6334</b>             | 12"    | 1"   | 1,271          | 1,373   | 1,126                 | 902     | 1,011  | 1,408     |
|                           | 24"    | 1"   | 1,819          | 1,966   | 1,657                 | 1,360   | 1,524  | 2,071     |
|                           | 36"    | 1"   | 2,368          | 2,556   | 2,156                 | 1,819   | 2,034  | 2,695     |
|                           | 48"    | 1"   | 2,915          | 3,145   | 2,655                 | 2,275   | 2,547  | 3,319     |
|                           | 60"    | 1"   | 3,461          | 3,737   | 3,157                 | 2,731   | 3,059  | 3,946     |
|                           | 72"    | 1"   | 4,007          | 4,327   | 3,659                 | 3,190   | 3,572  | 4,574     |
|                           | 84"    | 1"   | 4,555          | 4,917   | 4,158                 | 3,647   | 4,086  | 5,198     |
|                           | 96"    | 1"   | 5,101          | 5,510   | 4,660                 | 4,106   | 4,597  | 5,825     |
| <b>RM6344</b>             | 12"    | 1 ¼" | 1,494          | 1,613   | 1,319                 | 1,053   | 1,179  | 1,649     |
|                           | 24"    | 1 ¼" | 2,063          | 2,228   | 1,822                 | 1,513   | 1,694  | 2,278     |
|                           | 36"    | 1 ¼" | 2,631          | 2,843   | 2,326                 | 1,972   | 2,208  | 2,908     |
|                           | 48"    | 1 ¼" | 3,201          | 3,460   | 2,830                 | 2,434   | 2,725  | 3,538     |
|                           | 60"    | 1 ¼" | 3,772          | 4,073   | 3,332                 | 2,893   | 3,240  | 4,165     |
|                           | 72"    | 1 ¼" | 4,342          | 4,689   | 3,835                 | 3,353   | 3,754  | 4,794     |
|                           | 84"    | 1 ¼" | 4,910          | 5,304   | 4,339                 | 3,812   | 4,271  | 5,424     |
|                           | 96"    | 1 ¼" | 5,480          | 5,918   | 4,842                 | 4,274   | 4,785  | 6,053     |
| <b>RM6354</b>             | 12"    | 1 ½" | 1,602          | 1,731   | 1,424                 | 1,148   | 1,286  | 1,780     |
|                           | 24"    | 1 ½" | 2,188          | 2,361   | 1,943                 | 1,621   | 1,819  | 2,429     |
|                           | 36"    | 1 ½" | 2,772          | 2,996   | 2,462                 | 2,096   | 2,348  | 3,078     |
|                           | 48"    | 1 ½" | 3,358          | 3,626   | 2,979                 | 2,570   | 2,878  | 3,724     |
|                           | 60"    | 1 ½" | 3,943          | 4,258   | 3,498                 | 3,045   | 3,409  | 4,373     |
|                           | 72"    | 1 ½" | 4,528          | 4,891   | 4,016                 | 3,519   | 3,941  | 5,020     |
|                           | 84"    | 1 ½" | 5,111          | 5,521   | 4,537                 | 3,991   | 4,471  | 5,671     |
|                           | 96"    | 1 ½" | 5,697          | 6,154   | 5,054                 | 4,466   | 5,002  | 6,318     |



RM6344


- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify leather type and color.
- Order form available on website.



RM6317

| Straight Pull - Casted Ends |     |      |       |         |        |                       |           |
|-----------------------------|-----|------|-------|---------|--------|-----------------------|-----------|
| Part                        | CTC | Dia. | 4/606 | 10B/613 | 15/619 | Stock PC/<br>10BE/BSP | OptiCoat™ |
| <b>RM6317</b>               | 12" | 1 ½" | 618   | 696     | 713    | 683                   | 854       |
|                             | 24" | 1 ½" | 970   | 1,048   | 1,066  | 1,020                 | 1,275     |
|                             | 36" | 1 ½" | 1,323 | 1,401   | 1,418  | 1,357                 | 1,696     |
|                             | 48" | 1 ½" | 1,675 | 1,752   | 1,770  | 1,694                 | 2,098     |
|                             | 60" | 1 ½" | 2,028 | 2,105   | 2,122  | 2,031                 | 2,539     |
|                             | 72" | 1 ½" | 2,379 | 2,457   | 2,475  | 2,368                 | 2,960     |

- Add \$6.80/in over 72".
- NOTE: Engraving "RKW" add \$108.00.
- RM6317MP (Mid-Post) add \$113 each (Recommended for maximum rigidity on long door pulls).
- Specify leather type and color.
- Order form available on website.



RM6347

| Offset Pull - Casted Ends |     |      |                |         |        |                       |         |        |           |
|---------------------------|-----|------|----------------|---------|--------|-----------------------|---------|--------|-----------|
| Part                      | CTC | Dia. | 3/605<br>4/606 | 10B/613 | 15/619 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6347</b>             | 12" | 1 ¼" | 733            | 817     | 790    | 756                   | 642     | 753    | 945       |
|                           | 24" | 1 ¼" | 1,033          | 1,116   | 1,090  | 1,043                 | 930     | 1,043  | 1,304     |
|                           | 36" | 1 ¼" | 1,334          | 1,416   | 1,390  | 1,330                 | 1,220   | 1,332  | 1,663     |

- Specify leather type and color.
- NOTE: Engraving "RKW" add \$108.00.
- Order form available on website.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.





Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## Upholstery Leather GeoMetek - Narrow Profile Pulls



| Straight Square End Pulls      |     |                 |                       |         |        |           |
|--------------------------------|-----|-----------------|-----------------------|---------|--------|-----------|
| Part                           | CTC | Grip Size       | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM6400</b>                  | 12" | 3/4" x 3/4"     | 800                   | 621     | 695    | 1,000     |
|                                | 24" | 3/4" x 3/4"     | 1,284                 | 1,051   | 1,177  | 1,605     |
|                                | 36" | 3/4" x 3/4"     | 1,742                 | 1,479   | 1,657  | 2,178     |
|                                | 48" | 3/4" x 3/4"     | 2,196                 | 1,909   | 2,138  | 2,745     |
| <b>RM6440</b>                  | 12" | 1 1/4" x 1 1/4" | 928                   | 740     | 831    | 1,160     |
|                                | 24" | 1 1/4" x 1 1/4" | 1,533                 | 1,285   | 1,437  | 1,916     |
|                                | 36" | 1 1/4" x 1 1/4" | 2,107                 | 1,827   | 2,044  | 2,634     |
|                                | 48" | 1 1/4" x 1 1/4" | 2,684                 | 2,369   | 2,653  | 3,355     |
| Straight Rectangular End Pulls |     |                 |                       |         |        |           |
| <b>RM6410</b>                  | 12" | 3/4" x 1 1/2"   | 935                   | 749     | 838    | 1,169     |
|                                | 24" | 3/4" x 1 1/2"   | 1,346                 | 1,109   | 1,241  | 1,683     |
|                                | 36" | 3/4" x 1 1/2"   | 1,730                 | 1,471   | 1,647  | 2,163     |
|                                | 48" | 3/4" x 1 1/2"   | 2,113                 | 1,831   | 2,051  | 2,641     |
|                                | 60" | 3/4" x 1 1/2"   | 2,498                 | 2,192   | 2,454  | 3,123     |
|                                | 72" | 3/4" x 1 1/2"   | 2,882                 | 2,553   | 2,858  | 3,603     |
|                                | 84" | 3/4" x 1 1/2"   | 3,265                 | 2,914   | 3,264  | 4,081     |
|                                | 96" | 3/4" x 1 1/2"   | 3,649                 | 3,276   | 3,669  | 4,561     |
| Offset Square End Pulls        |     |                 |                       |         |        |           |
| <b>RM6420</b>                  | 12" | 3/4" x 3/4"     | 848                   | 667     | 748    | 1,060     |
|                                | 24" | 3/4" x 3/4"     | 1,333                 | 1,095   | 1,227  | 1,666     |
|                                | 36" | 3/4" x 3/4"     | 1,787                 | 1,526   | 1,708  | 2,234     |
|                                | 48" | 3/4" x 3/4"     | 2,245                 | 1,955   | 2,189  | 2,806     |
| Offset Rectangular End Pulls   |     |                 |                       |         |        |           |
| <b>RM6430</b>                  | 12" | 3/4" x 1 1/2"   | 984                   | 794     | 890    | 1,230     |
|                                | 24" | 3/4" x 1 1/2"   | 1,394                 | 1,154   | 1,295  | 1,743     |
|                                | 36" | 3/4" x 1 1/2"   | 1,780                 | 1,515   | 1,699  | 2,225     |
|                                | 48" | 3/4" x 1 1/2"   | 2,162                 | 1,878   | 2,101  | 2,703     |
|                                | 60" | 3/4" x 1 1/2"   | 2,545                 | 2,239   | 2,506  | 3,181     |
|                                | 72" | 3/4" x 1 1/2"   | 2,929                 | 2,600   | 2,911  | 3,661     |
|                                | 84" | 3/4" x 1 1/2"   | 3,314                 | 2,960   | 3,315  | 4,143     |
|                                | 96" | 3/4" x 1 1/2"   | 3,696                 | 3,320   | 3,719  | 4,620     |

• Order form available on website.

**ROCKWOOD®**

**ASSA ABLOY**





Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Leather - Small Pulls for Cabinets, Casework &amp; Closet Doors



## Straight Surface Wrapped - Flat Ends

| Part            | Max OA | Dia. | 3/605<br>4/606 | 10B/613 | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|-----------------|--------|------|----------------|---------|-----------------------|---------|--------|-----------|
| <b>RM6500-4</b> | 5 7/8" | 1/2" | 254            | 274     | 258                   | 173     | 184    | 323       |
| <b>RM6500-5</b> | 6 7/8" | 1/2" | 270            | 291     | 270                   | 185     | 198    | 338       |
| <b>RM6510-5</b> | 6 7/8" | 5/8" | 310            | 336     | 308                   | 219     | 237    | 385       |
| <b>RM6510-6</b> | 7 7/8" | 5/8" | 348            | 378     | 342                   | 252     | 269    | 428       |

## Offset Surface Wrapped - Flat Ends

|                 |    |      |  |  |     |     |     |     |
|-----------------|----|------|--|--|-----|-----|-----|-----|
| <b>RM6530-5</b> | 7" | 5/8" |  |  | 400 | 282 | 303 | 500 |
| <b>RM6530-6</b> | 8" | 5/8" |  |  | 436 | 312 | 335 | 545 |

## Straight Surface Wrapped - Round Ends

|                 |        |      |     |     |     |     |     |     |
|-----------------|--------|------|-----|-----|-----|-----|-----|-----|
| <b>RM6540-4</b> | 5 7/8" | 1/2" | 278 | 301 | 280 | 194 | 208 | 350 |
| <b>RM6540-5</b> | 6 7/8" | 1/2" | 298 | 324 | 296 | 210 | 224 | 370 |
| <b>RM6550-5</b> | 7"     | 5/8" | 339 | 366 | 334 | 245 | 258 | 418 |
| <b>RM6550-6</b> | 8"     | 5/8" | 377 | 404 | 387 | 272 | 292 | 484 |

## Offset Surface Wrapped - Round Ends

|                 |    |      |  |  |     |     |     |     |
|-----------------|----|------|--|--|-----|-----|-----|-----|
| <b>RM6570-5</b> | 7" | 5/8" |  |  | 427 | 306 | 249 | 534 |
| <b>RM6570-6</b> | 8" | 5/8" |  |  | 464 | 337 | 289 | 580 |

## Straight Flush Wrapped - Flat Ends

|                 |        |      |     |     |     |     |     |     |
|-----------------|--------|------|-----|-----|-----|-----|-----|-----|
| <b>RM6610-5</b> | 6 7/8" | 5/8" | 348 | 378 | 322 | 232 | 249 | 403 |
| <b>RM6610-6</b> | 7 7/8" | 5/8" | 391 | 424 | 406 | 270 | 289 | 508 |

## Offset Flush Wrapped - Flat Ends

|                 |        |      |  |  |     |     |     |     |
|-----------------|--------|------|--|--|-----|-----|-----|-----|
| <b>RM6630-5</b> | 6 7/8" | 5/8" |  |  | 417 | 282 | 303 | 521 |
| <b>RM6630-6</b> | 7 7/8" | 5/8" |  |  | 461 | 321 | 344 | 576 |

## Straight Flush Wrapped - Round Ends

|                 |        |      |     |     |     |     |     |     |
|-----------------|--------|------|-----|-----|-----|-----|-----|-----|
| <b>RM6650-5</b> | 6 7/8" | 5/8" | 368 | 394 | 338 | 249 | 265 | 423 |
| <b>RM6650-6</b> | 7 7/8" | 5/8" | 412 | 447 | 420 | 287 | 307 | 525 |

## Offset Flush Wrapped - Round Ends

|                 |        |      |  |  |     |     |     |     |
|-----------------|--------|------|--|--|-----|-----|-----|-----|
| <b>RM6670-5</b> | 6 7/8" | 5/8" |  |  | 436 | 299 | 318 | 545 |
| <b>RM6670-6</b> | 7 7/8" | 5/8" |  |  | 475 | 337 | 358 | 594 |

## Straight Full Wrapped - Flat Ends

|                 |        |      |     |     |     |     |     |     |
|-----------------|--------|------|-----|-----|-----|-----|-----|-----|
| <b>RM6700-4</b> | 5 7/8" | 1/2" | 290 | 311 | 297 | 223 | 239 | 371 |
| <b>RM6700-5</b> | 6 7/8" | 1/2" | 327 | 350 | 336 | 252 | 269 | 420 |
| <b>RM6710-5</b> | 6 7/8" | 5/8" | 356 | 385 | 369 | 276 | 298 | 461 |
| <b>RM6710-6</b> | 7 7/8" | 5/8" | 400 | 429 | 411 | 312 | 335 | 514 |

## Offset Full Wrapped - Flat Ends

|                 |        |      |  |  |     |     |     |     |
|-----------------|--------|------|--|--|-----|-----|-----|-----|
| <b>RM6730-5</b> | 6 7/8" | 5/8" |  |  | 431 | 326 | 349 | 539 |
| <b>RM6730-6</b> | 7 7/8" | 5/8" |  |  | 473 | 362 | 387 | 591 |

- Any size made to order.
- Specify leather type and color.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## NeoCylinder - with or without GripZone

| Straight Pulls without GripZone |           |      |                   |         |        |           |
|---------------------------------|-----------|------|-------------------|---------|--------|-----------|
| Part                            | CTC       | Dia. | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM7101*</b>                  | 12"       | 1 ¼" | 594               | 443     | 547    | 743       |
|                                 | 16"       | 1 ¼" | 617               | 467     | 570    | 771       |
|                                 | 24"       | 1 ¼" | 664               | 513     | 617    | 930       |
|                                 | 36"       | 1 ¼" | 734               | 585     | 688    | 918       |
| <b>RM7210</b>                   | 12"       | 1 ¼" | 552               | 407     | 455    | 690       |
|                                 | 24"       | 1 ¼" | 625               | 476     | 534    | 781       |
|                                 | 36"       | 1 ¼" | 696               | 545     | 610    | 870       |
| Offset Pulls without GripZone   |           |      |                   |         |        |           |
| <b>RM7220</b>                   | 12"       | 1 ¼" | 606               | 462     | 515    | 758       |
|                                 | 24"       | 1 ¼" | 679               | 530     | 593    | 849       |
|                                 | 36"       | 1 ¼" | 754               | 600     | 671    | 943       |
| Straight Pulls with GripZone    |           |      |                   |         |        |           |
| <b>RM7230</b>                   | 12"       | 1 ¼" |                   |         | 607    |           |
|                                 | 24"       | 1 ¼" |                   |         | 686    |           |
|                                 | 36"       | 1 ¼" |                   |         | 764    |           |
| Offset Pulls with GripZone      |           |      |                   |         |        |           |
| <b>RM7240</b>                   | 12"       | 1 ¼" |                   |         | 659    |           |
|                                 | 24"       | 1 ¼" |                   |         | 738    |           |
|                                 | 36"       | 1 ¼" |                   |         | 816    |           |
| Push Bar without GripZone       |           |      |                   |         |        |           |
| <b>RM7212</b>                   | Up to 36" | 1 ¼" | 696               | 545     | 610    | 870       |
| Push Bar with GripZone          |           |      |                   |         |        |           |
| <b>RM7232</b>                   | Up to 36" | 1 ¼" |                   |         | 764    |           |

• Add \$6.80/in. over 36".

• \*RM7101 not available over 36".

## NeoMitre - with or without GripZone

| Straight Pulls without GripZone |           |      |                   |         |        |           |
|---------------------------------|-----------|------|-------------------|---------|--------|-----------|
| Part                            | CTC       | Dia. | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM7300</b>                   | 12"       | 1"   | 583               | 440     | 492    | 729       |
|                                 | 24"       | 1"   | 684               | 536     | 600    | 855       |
|                                 | 36"       | 1"   | 812               | 629     | 706    | 1,015     |
| <b>RM7310</b>                   | 12"       | 1 ¼" | 784               | 603     | 675    | 980       |
|                                 | 24"       | 1 ¼" | 843               | 658     | 736    | 1,054     |
|                                 | 36"       | 1 ¼" | 900               | 712     | 798    | 1,125     |
| <b>RM7320</b>                   | 12"       | 1 ½" | 903               | 715     | 800    | 1,129     |
|                                 | 24"       | 1 ½" | 962               | 772     | 865    | 1,203     |
|                                 | 36"       | 1 ½" | 1,021             | 830     | 926    | 1,276     |
| Offset Pulls without GripZone   |           |      |                   |         |        |           |
| <b>RM7330</b>                   | 12"       | 1"   | 638               | 492     | 551    | 798       |
|                                 | 24"       | 1"   | 736               | 587     | 657    | 920       |
|                                 | 36"       | 1"   | 868               | 681     | 764    | 1,085     |
| <b>RM7340</b>                   | 12"       | 1 ¼" | 841               | 653     | 733    | 1,051     |
|                                 | 24"       | 1 ¼" | 897               | 710     | 794    | 1,121     |
|                                 | 36"       | 1 ¼" | 955               | 765     | 857    | 1,194     |
| <b>RM7350</b>                   | 12"       | 1 ½" | 958               | 769     | 859    | 1,198     |
|                                 | 24"       | 1 ½" | 1,017             | 826     | 923    | 1,271     |
|                                 | 36"       | 1 ½" | 1,075             | 879     | 984    | 1,344     |
| Push Bars without GripZone      |           |      |                   |         |        |           |
| <b>RM7302</b>                   | Up to 36" | 1"   | 812               | 629     | 706    | 1,015     |
| <b>RM7312</b>                   | Up to 36" | 1 ¼" | 900               | 712     | 798    | 1,125     |
| <b>RM7322</b>                   | Up to 36" | 1 ½" | 1,021             | 830     | 926    | 1,276     |

• Add \$6.80/in. over 36".

• Order form available on website under RM7101, RM7210, RM7220, RM7230, RM7240, RM7300, RM7310, RM7320, RM7330, RM7340, RM7350, RM7400, RM7410, RM7420, RM7430, RM7440, RM7450.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

| Straight Pulls with GripZone |           |      |        |
|------------------------------|-----------|------|--------|
| Part                         | CTC       | Dia. | 32/629 |
| <b>RM7400</b>                | 12"       | 1"   | 642    |
|                              | 24"       | 1"   | 747    |
|                              | 36"       | 1"   | 853    |
| <b>RM7410</b>                | 12"       | 1 ¼" | 823    |
|                              | 24"       | 1 ¼" | 884    |
|                              | 36"       | 1 ¼" | 945    |
| <b>RM7420</b>                | 12"       | 1 ½" | 949    |
|                              | 24"       | 1 ½" | 1,013  |
|                              | 36"       | 1 ½" | 1,076  |
| Offset Pulls with GripZone   |           |      |        |
| <b>RM7430</b>                | 12"       | 1"   | 698    |
|                              | 24"       | 1"   | 804    |
|                              | 36"       | 1"   | 914    |
| <b>RM7440</b>                | 12"       | 1 ¼" | 880    |
|                              | 24"       | 1 ¼" | 943    |
|                              | 36"       | 1 ¼" | 1,005  |
| <b>RM7450</b>                | 12"       | 1 ½" | 1,008  |
|                              | 24"       | 1 ½" | 1,071  |
|                              | 36"       | 1 ½" | 1,136  |
| Push Bars with GripZone      |           |      |        |
| <b>RM7402</b>                | Up to 36" | 1"   | 853    |
| <b>RM7412</b>                | Up to 36" | 1 ¼" | 945    |
| <b>RM7422</b>                | Up to 36" | 1 ½" | 1,076  |

**ROCKWOOD**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.


USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


## Knurled Series Pulls




RM7511



RM7521



RM7501MP



RM7531MP

## Straight Pulls – Flat Ends

| Part   | Max OA | Diameter | 4/606 | Stock PC/10BE/BSP | 32D/630 | OptiCoat™ |
|--------|--------|----------|-------|-------------------|---------|-----------|
| RM7500 | 12"    | 1"       | 583   | 418               | 293     | 523       |
|        | 24"    | 1"       | 610   | 445               | 320     | 556       |
|        | 36"    | 1"       | 643   | 478               | 353     | 598       |
| RM7501 | 12"    | 1 1/4"   | 639   | 434               | 312     | 543       |
|        | 24"    | 1 1/4"   | 668   | 461               | 340     | 576       |
|        | 36"    | 1 1/4"   | 701   | 494               | 373     | 618       |

## Offset Pulls – Flat Ends

|        |     |        |     |     |     |     |
|--------|-----|--------|-----|-----|-----|-----|
| RM7510 | 12" | 1"     | 621 | 456 | 331 | 570 |
|        | 24" | 1"     | 648 | 483 | 358 | 604 |
|        | 36" | 1"     | 680 | 516 | 391 | 645 |
| RM7511 | 12" | 1 1/4" | 679 | 472 | 351 | 590 |
|        | 24" | 1 1/4" | 708 | 499 | 378 | 624 |
|        | 36" | 1 1/4" | 742 | 532 | 411 | 665 |

## Straight Pulls – Round Ends

|        |     |        |     |     |     |     |
|--------|-----|--------|-----|-----|-----|-----|
| RM7520 | 12" | 1"     | 691 | 472 | 341 | 590 |
|        | 24" | 1"     | 718 | 499 | 369 | 624 |
|        | 36" | 1"     | 751 | 532 | 401 | 665 |
| RM7521 | 12" | 1 1/4" | 753 | 489 | 361 | 611 |
|        | 24" | 1 1/4" | 782 | 515 | 389 | 644 |
|        | 36" | 1 1/4" | 815 | 549 | 422 | 686 |

## Offset Pulls – Round Ends

|        |     |        |     |     |     |     |
|--------|-----|--------|-----|-----|-----|-----|
| RM7530 | 12" | 1"     | 729 | 511 | 379 | 639 |
|        | 24" | 1"     | 756 | 538 | 406 | 673 |
|        | 36" | 1"     | 789 | 571 | 439 | 714 |
| RM7531 | 12" | 1 1/4" | 793 | 527 | 400 | 659 |
|        | 24" | 1 1/4" | 822 | 554 | 427 | 693 |
|        | 36" | 1 1/4" | 857 | 587 | 461 | 734 |

## Straight Pulls – Flat Ends

|          |     |        |       |     |     |       |
|----------|-----|--------|-------|-----|-----|-------|
| RM7501MP | 48" | 1 1/4" | 989   | 803 | 739 | 1,004 |
|          | 60" | 1 1/4" | 1,084 | 856 | 793 | 1,070 |
|          | 72" | 1 1/4" | 1,177 | 909 | 845 | 1,136 |
|          | 84" | 1 1/4" | 1,272 | 962 | 899 | 1,203 |

## Offset Pulls – Flat Ends

|          |     |        |       |       |     |       |
|----------|-----|--------|-------|-------|-----|-------|
| RM7511MP | 48" | 1 1/4" | 1,046 | 894   | 795 | 1,118 |
|          | 60" | 1 1/4" | 1,139 | 947   | 848 | 1,184 |
|          | 72" | 1 1/4" | 1,234 | 1,000 | 901 | 1,250 |
|          | 84" | 1 1/4" | 1,328 | 1,053 | 954 | 1,316 |

## Straight Pulls – Round Ends

|          |     |        |       |       |     |       |
|----------|-----|--------|-------|-------|-----|-------|
| RM7521MP | 48" | 1 1/4" | 1,024 | 858   | 772 | 1,073 |
|          | 60" | 1 1/4" | 1,117 | 911   | 825 | 1,139 |
|          | 72" | 1 1/4" | 1,212 | 964   | 879 | 1,205 |
|          | 84" | 1 1/4" | 1,306 | 1,017 | 932 | 1,271 |


## Offset Pulls – Round Ends

|          |     |        |       |       |     |       |
|----------|-----|--------|-------|-------|-----|-------|
| RM7531MP | 48" | 1 1/4" | 1,079 | 947   | 826 | 1,184 |
|          | 60" | 1 1/4" | 1,174 | 1,000 | 880 | 1,250 |
|          | 72" | 1 1/4" | 1,268 | 1,053 | 933 | 1,316 |
|          | 84" | 1 1/4" | 1,362 | 1,106 | 987 | 1,383 |

Order form available on website. Two tone finish options available. Ends and Post will match finish. Finish listed above is for knurled section.

NOTE: MP part # includes the price of the mid-post.

## GeoMetek – Hex Pulls



RM7700

## Flat End – Square Post

| Part   | Max OA | Grip | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|--------|--------|------|-------------------|---------|--------|-----------|
| RM7700 | 12"    | 1"   | 671               | 484     | 542    | 839       |
|        | 24"    | 1"   | 762               | 539     | 604    | 953       |
|        | 36"    | 1"   | 827               | 594     | 664    | 1034      |
|        | 48"    | 1"   | 888               | 648     | 726    | 1110      |
|        | 60"    | 1"   | 951               | 701     |        | 1189      |
|        | 72"    | 1"   | 1012              | 755     |        | 1265      |
|        | 84"    | 1"   | 1075              | 809     |        | 1344      |
|        | 96"    | 1"   | 1136              | 865     |        | 1420      |

- Add \$10.20/in. over 96".
- Order form available on website.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.


Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

## GeoMetek - Diamond Pulls




RM7800

| Flat End - Square Post     |        |         |                   |         |        |           |
|----------------------------|--------|---------|-------------------|---------|--------|-----------|
| Part                       | Max OA | Grip    | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM7800</b>              | 12"    | ¾" x ¾" | 570               | 390     | 434    | 713       |
|                            | 24"    | ¾" x ¾" | 630               | 442     | 496    | 788       |
|                            | 36"    | ¾" x ¾" | 693               | 497     | 555    | 866       |
|                            | 48"    | ¾" x ¾" | 784               | 550     | 615    | 980       |
| <b>RM7840</b>              | 12"    | 1" x 1" | 628               | 428     | 479    | 785       |
|                            | 24"    | 1" x 1" | 693               | 486     | 545    | 866       |
|                            | 36"    | 1" x 1" | 761               | 546     | 611    | 951       |
|                            | 48"    | 1" x 1" | 863               | 605     | 677    | 1,079     |
| Flat End - Diamond Post    |        |         |                   |         |        |           |
| <b>RM7805</b>              | 12"    | ¾" x ¾" | 606               | 421     | 473    | 758       |
|                            | 24"    | ¾" x ¾" | 668               | 477     | 532    | 835       |
|                            | 36"    | ¾" x ¾" | 731               | 530     | 595    | 914       |
|                            | 48"    | ¾" x ¾" | 824               | 585     | 653    | 1,030     |
| <b>RM7845</b>              | 12"    | 1" x 1" | 668               | 464     | 521    | 835       |
|                            | 24"    | 1" x 1" | 734               | 524     | 586    | 918       |
|                            | 36"    | 1" x 1" | 805               | 584     | 654    | 1,006     |
|                            | 48"    | 1" x 1" | 906               | 644     | 718    | 1,133     |
| Flat End - Offset Post     |        |         |                   |         |        |           |
| <b>RM7825</b>              | 12"    | ¾" x ¾" | 652               | 466     | 522    | 815       |
|                            | 24"    | ¾" x ¾" | 713               | 521     | 581    | 891       |
|                            | 36"    | ¾" x ¾" | 778               | 573     | 645    | 973       |
|                            | 48"    | ¾" x ¾" | 869               | 628     | 701    | 1,086     |
| <b>RM7860</b>              | 12"    | 1" x 1" | 685               | 488     | 546    | 856       |
|                            | 24"    | 1" x 1" | 749               | 545     | 609    | 936       |
|                            | 36"    | 1" x 1" | 816               | 603     | 675    | 1,020     |
|                            | 48"    | 1" x 1" | 913               | 659     | 737    | 1,141     |
| Diamond End - Square Post  |        |         |                   |         |        |           |
| <b>RM7810</b>              | 12"    | ¾" x ¾" | 790               | 554     | 643    | 988       |
|                            | 24"    | ¾" x ¾" | 852               | 609     | 681    | 1,065     |
|                            | 36"    | ¾" x ¾" | 916               | 664     | 746    | 1,145     |
|                            | 48"    | ¾" x ¾" | 979               | 718     | 803    | 1,224     |
| <b>RM7850</b>              | 12"    | 1" x 1" | 869               | 610     | 706    | 1,086     |
|                            | 24"    | 1" x 1" | 938               | 669     | 750    | 1,173     |
|                            | 36"    | 1" x 1" | 1,008             | 731     | 820    | 1,260     |
|                            | 48"    | 1" x 1" | 1,076             | 790     | 883    | 1,345     |
| Diamond End - Diamond Post |        |         |                   |         |        |           |
| <b>RM7815</b>              | 12"    | ¾" x ¾" | 830               | 590     | 659    | 1,038     |
|                            | 24"    | ¾" x ¾" | 890               | 644     | 720    | 1,113     |
|                            | 36"    | ¾" x ¾" | 955               | 698     | 782    | 1,194     |
|                            | 48"    | ¾" x ¾" | 1,014             | 751     | 841    | 1,268     |
| <b>RM7855</b>              | 12"    | 1" x 1" | 914               | 650     | 725    | 1,143     |
|                            | 24"    | 1" x 1" | 982               | 707     | 793    | 1,228     |
|                            | 36"    | 1" x 1" | 1,049             | 770     | 860    | 1,311     |
|                            | 48"    | 1" x 1" | 1,117             | 826     | 926    | 1,396     |
| Diamond End - Offset Post  |        |         |                   |         |        |           |
| <b>RM7835</b>              | 12"    | ¾" x ¾" | 877               | 633     | 708    | 1,096     |
|                            | 24"    | ¾" x ¾" | 937               | 687     | 771    | 1,171     |
|                            | 36"    | ¾" x ¾" | 1,001             | 741     | 831    | 1,251     |
|                            | 48"    | ¾" x ¾" | 1,061             | 794     | 890    | 1,326     |
| <b>RM7865</b>              | 12"    | 1" x 1" | 919               | 665     | 743    | 1,149     |
|                            | 24"    | 1" x 1" | 984               | 720     | 807    | 1,230     |
|                            | 36"    | 1" x 1" | 1,049             | 779     | 873    | 1,311     |
|                            | 48"    | 1" x 1" | 1,115             | 834     | 933    | 1,394     |



RM7815



RM7835

- Add \$10.20/in. over 48".
- Order form available on website.

**ROCKWOOD®****ASSA ABLOY**





Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## GeoMetek - Narrow Profile Pulls



## Straight Square End Pulls

| Part          | CTC | Grip Size       | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|-----|-----------------|-------------------|---------|--------|-----------|
| <b>RM7900</b> | 12" | 3/4" x 3/4"     | 375               | 257     | 290    | 469       |
|               | 24" | 3/4" x 3/4"     | 487               | 312     | 351    | 609       |
|               | 36" | 3/4" x 3/4"     | 550               | 366     | 411    | 688       |
|               | 48" | 3/4" x 3/4"     | 614               | 423     | 474    | 768       |
| <b>RM7907</b> | 12" | 1" x 1"         | 413               | 286     | 318    | 516       |
|               | 24" | 1" x 1"         | 534               | 344     | 383    | 668       |
|               | 36" | 1" x 1"         | 603               | 403     | 452    | 754       |
|               | 48" | 1" x 1"         | 673               | 466     | 522    | 841       |
| <b>RM7940</b> | 12" | 1 1/4" x 1 1/4" | 502               | 327     | 366    | 628       |
|               | 24" | 1 1/4" x 1 1/4" | 575               | 391     | 435    | 719       |
|               | 36" | 1 1/4" x 1 1/4" | 648               | 452     | 506    | 810       |
|               | 48" | 1 1/4" x 1 1/4" | 718               | 515     | 573    | 898       |

## Straight Square Bridge Pulls

| Part          | Max OA | Grip Size   | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|-------------|-------------------|---------|--------|-----------|
| <b>RM7902</b> | 12"    | 3/4" x 3/4" | 491               | 318     | 356    | 614       |
|               | 24"    | 3/4" x 3/4" | 553               | 371     | 417    | 691       |
|               | 36"    | 3/4" x 3/4" | 617               | 426     | 478    | 771       |
|               | 48"    | 3/4" x 3/4" | 677               | 479     | 536    | 846       |
| <b>RM7917</b> | 12"    | 1" x 1"     | 542               | 352     | 394    | 678       |
|               | 24"    | 1" x 1"     | 607               | 408     | 456    | 759       |
|               | 36"    | 1" x 1"     | 677               | 469     | 525    | 846       |
|               | 48"    | 1" x 1"     | 746               | 526     | 590    | 933       |

## Straight Rectangular End Pulls

| Part          | CTC | Grip Size     | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|-----|---------------|-------------------|---------|--------|-----------|
| <b>RM7910</b> | 12" | 3/4" x 1 1/2" | 469               | 299     | 334    | 586       |
|               | 24" | 3/4" x 1 1/2" | 725               | 520     | 581    | 906       |
|               | 36" | 3/4" x 1 1/2" | 1,011             | 739     | 828    | 1,264     |
|               | 48" | 3/4" x 1 1/2" | 1,262             | 959     | 1,075  | 1,578     |

## Straight Rectangular Bridge Pulls

| Part          | Max OA | Grip Size     | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|--------|---------------|-------------------|---------|--------|-----------|
| <b>RM7912</b> | 12"    | 3/4" x 1 1/2" | 534               | 355     | 398    | 668       |
|               | 24"    | 3/4" x 1 1/2" | 822               | 574     | 646    | 1,028     |
|               | 36"    | 3/4" x 1 1/2" | 1,076             | 795     | 891    | 1,345     |
|               | 48"    | 3/4" x 1 1/2" | 1,331             | 1,016   | 1,137  | 1,664     |

## Offset Pulls

| Part          | CTC | Grip Size     | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
|---------------|-----|---------------|-------------------|---------|--------|-----------|
| <b>RM7920</b> | 12" | 3/4" x 3/4"   | 473               | 301     | 337    | 591       |
|               | 24" | 3/4" x 3/4"   | 530               | 352     | 394    | 663       |
|               | 36" | 3/4" x 3/4"   | 590               | 403     | 450    | 738       |
|               | 48" | 3/4" x 3/4"   | 649               | 453     | 507    | 811       |
| <b>RM7927</b> | 12" | 1" x 1"       | 522               | 331     | 371    | 653       |
|               | 24" | 1" x 1"       | 583               | 384     | 432    | 729       |
|               | 36" | 1" x 1"       | 649               | 443     | 497    | 811       |
|               | 48" | 1" x 1"       | 714               | 498     | 558    | 893       |
| <b>RM7930</b> | 12" | 3/4" x 1 1/2" | 531               | 353     | 395    | 664       |
|               | 24" | 3/4" x 1 1/2" | 807               | 562     | 629    | 1,009     |
|               | 36" | 3/4" x 1 1/2" | 1,049             | 774     | 866    | 1,311     |
|               | 48" | 3/4" x 1 1/2" | 1,293             | 982     | 1,100  | 1,616     |

- Add \$10.20/in over 48".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world



## GeoMetek - Narrow Profile Pulls (con't)

| Offset Square Bridge Pull |        |           |                   |         |        |           |
|---------------------------|--------|-----------|-------------------|---------|--------|-----------|
| Part                      | Max OA | Grip Size | Stock PC/10BE/BSP | 32D/630 | 32/629 | OptiCoat™ |
| <b>RM7925</b>             | 12"    | ¾" x ¾"   | 536               | 362     | 406    | 670       |
|                           | 24"    | ¾" x ¾"   | 598               | 415     | 466    | 748       |
|                           | 36"    | ¾" x ¾"   | 660               | 470     | 526    | 825       |
|                           | 48"    | ¾" x ¾"   | 752               | 523     | 585    | 940       |
| <b>RM7937</b>             | 12"    | 1" x 1"   | 563               | 380     | 427    | 704       |
|                           | 24"    | 1" x 1"   | 628               | 435     | 488    | 785       |
|                           | 36"    | 1" x 1"   | 694               | 492     | 552    | 868       |
|                           | 48"    | 1" x 1"   | 788               | 549     | 614    | 985       |


### Offset Rectangular Bridge Pull

|               |     |           |       |       |       |       |
|---------------|-----|-----------|-------|-------|-------|-------|
| <b>RM7935</b> | 12" | ¾" x 1 ½" | 578   | 399   | 446   | 723   |
|               | 24" | ¾" x 1 ½" | 863   | 617   | 693   | 1,079 |
|               | 36" | ¾" x 1 ½" | 1,119 | 840   | 940   | 1,399 |
|               | 48" | ¾" x 1 ½" | 1,402 | 1,058 | 1,187 | 1,753 |

### Straight Rectangular End Stepped Post Pull

| Part          | CTC | Grip Size | Stock PC/10BE/BSP | 32D/630 | 32/629 | 32/629 |
|---------------|-----|-----------|-------------------|---------|--------|--------|
| <b>RM7960</b> | 12" | ¾" x ¾"   | 534               | 355     | 398    | 668    |
|               | 24" | ¾" x ¾"   | 604               | 417     | 467    | 755    |
|               | 36" | ¾" x ¾"   | 675               | 477     | 532    | 844    |
|               | 48" | ¾" x ¾"   | 778               | 538     | 603    | 973    |

- Add \$10.20/in over 48".
- MP (Mid-Post) – Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website.



### Straight Rectangular End Stepped Post Cast Pull

| Part          | CTC | Grip Size | 3/605<br>4/606 | 10B/613 | 15/619 |
|---------------|-----|-----------|----------------|---------|--------|
| <b>RM7960</b> | 12" | ¾" x ¾"   | 540            | 554     | 591    |

- Order form available on website.

### Quick Ship Half Height Locking Pulls

| Part                   | CTC | OA  | Door Thickness | Price |
|------------------------|-----|-----|----------------|-------|
| <b>LP3301DBU48.32D</b> | 39" | 48" | ½" Glass       | 1,221 |
| <b>LP3301DBU48.BSP</b> | 39" | 48" | ½" Glass       | 1,605 |
| <b>LP3301DBU60.32D</b> | 51" | 60" | ½" Glass       | 1,221 |
| <b>LP3301DBU60.BSP</b> | 51" | 60" | ½" Glass       | 1,605 |
| <b>LP3301DBD51.32D</b> | 42" | 51" | ½" Glass       | 1,197 |
| <b>LP3301DBD51.BSP</b> | 42" | 51" | ½" Glass       | 1,531 |

- DBU come with LPS12 Strikes and ADA Thumbturn
- DBD come with 570 Dustproof Strike and ADA Thumbturn
- 09 Cylinder standard

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.


USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

# Locking Door Pulls



LP3301DBD



LP3305DBD

| PostMount - Round                                                |                                                                                   |                |                       |                     |             |            |                      |           |
|------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------|-----------------------|---------------------|-------------|------------|----------------------|-----------|
| Part                                                             | Description                                                                       | 3/605<br>4/606 | Stock PC/<br>10BE/BSP | 10B/613<br>10BL/614 | 32D/<br>630 | 32/<br>629 | Translucent<br>PC/4E | OptiCoat™ |
| LP3301DBD                                                        | Half Height Pull - Bolts Down                                                     | 2,481          | 1,922                 | 2,680               | 1,275       | 1,425      | 2,114                | 2,402     |
| LP3301DBU                                                        | Half Height Pull - Bolts Up                                                       | 2,723          | 2,049                 | 2,940               | 1,374       | 1,539      | 2,255                | 2,561     |
| LP3301FHD                                                        | Full Height Pull - Bolts Down                                                     | 3,010          | 2,171                 | 3,257               | 1,471       | 1,650      | 2,388                | 2,714     |
| LP3301FHU                                                        | Full Height Pull - Bolts Up                                                       | 3,304          | 2,316                 | 3,570               | 1,589       | 1,780      | 2,547                | 2,895     |
| LP3301FHB                                                        | Full Height Pull - Bolts Up and Down                                              | 3,639          | 2,663                 | 3,928               | 1,898       | 2,129      | 2,929                | 3,329     |
| Horizontal Push/Pull Bar Option - Half Height - Bolts Down (DBD) |                                                                                   |                |                       |                     |             |            |                      |           |
| LP3301DBDBEPB                                                    | Bent End Both Sides                                                               | 3,300          | 2,448                 | 3,564               | 1,783       | 1,930      | 2,692                | 3,060     |
| LP3301DBDBEPT                                                    | Bent End Thumbturn Side - Mating Side Vert.                                       | 2,892          | 2,186                 | 3,123               | 1,510       | 1,692      | 2,404                | 2,733     |
| LP3301DBDBEPC                                                    | Bent End Cylinder Side - Mating Side Vertical                                     | 2,892          | 2,186                 | 3,123               | 1,510       | 1,692      | 2,404                | 2,733     |
| LP3301DBDPMPT                                                    | Post Mount Both Sides                                                             | 3,620          | 2,612                 | 3,912               | 1,826       | 2,046      | 2,874                | 3,265     |
| LP3301DBDPMPT                                                    | Post Mount Thumbturn Side - Mating Side Vert.                                     | 3,620          | 2,612                 | 3,912               | 1,826       | 2,046      | 2,874                | 3,265     |
| LP3301DBDPMPC                                                    | Post Mount Cylinder Side - Mating Side Vert.                                      | 3,171          | 2,330                 | 3,425               | 1,628       | 1,825      | 2,563                | 2,913     |
| Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)   |                                                                                   |                |                       |                     |             |            |                      |           |
| LP3301DBUBEPT                                                    | Bent End Both Sides                                                               | 3,300          | 2,448                 | 3,564               | 1,783       | 1,930      | 2,692                | 3,060     |
| LP3301DBUBEPT                                                    | Bent End Thumbturn Side - Mating Side Vert.                                       | 2,892          | 2,186                 | 3,123               | 1,510       | 1,692      | 2,404                | 2,733     |
| LP3301DBUBEPC                                                    | Bent End Cylinder Side - Mating Side Vert.                                        | 2,892          | 2,186                 | 3,123               | 1,510       | 1,692      | 2,404                | 2,733     |
| LP3301DBUPMPT                                                    | Post Mount Both Sides                                                             | 3,620          | 2,612                 | 3,912               | 1,826       | 2,046      | 2,874                | 3,265     |
| LP3301DBUPMPT                                                    | Post Mount Thumbturn Side - Mating Side Vert.                                     | 3,171          | 2,330                 | 3,425               | 1,628       | 1,825      | 2,563                | 2,913     |
| LP3301DBUPMPC                                                    | Post Mount Cylinder Side - Mating Side Vert.                                      | 3,171          | 2,330                 | 3,425               | 1,628       | 1,825      | 2,563                | 2,913     |
| Horizontal Push/Pull Bar Option - Full Height - Bolts Up (FHU)   |                                                                                   |                |                       |                     |             |            |                      |           |
| LP3301FHUBEPT                                                    | Bent End Thumbturn Side - Mating Side Vert.                                       | 3,714          | 2,580                 | 4,013               | 1,830       | 2,053      | 2,839                | 3,225     |
| LP3301FHUBEPC                                                    | Bent End Cylinder Side - Mating Side Vertical                                     | 3,714          | 2,580                 | 4,013               | 1,830       | 2,053      | 2,839                | 3,225     |
| LP3301FHUPMPT                                                    | Post Mount Thumbturn Side - Mating Side Vert.                                     | 3,994          | 2,725                 | 4,313               | 1,946       | 2,186      | 2,998                | 3,406     |
| LP3301FHUPMPC                                                    | Post Mount Cylinder Side - Mating Side Vert.                                      | 3,994          | 2,725                 | 4,313               | 1,946       | 2,186      | 2,998                | 3,406     |
| Round - 10" Clearance on Cylinder Side                           |                                                                                   |                |                       |                     |             |            |                      |           |
| LP3305DBD                                                        | Round Half Height Pull - Bolts Down / Minimum of 10" Clearance on Keyside of Pull | 2,536          | 1,956                 | 2,734               | 1,347       | 1,499      | 2,151                | 2,445     |
| LP3305FHD                                                        | Full Height Pull - Bolts Down                                                     | 3,077          | 2,209                 | 3,320               | 1,553       | 1,734      | 2,430                | 2,761     |
| LP3305FHU                                                        | Full Height Pull - Bolts Up                                                       | 3,376          | 2,355                 | 3,641               | 1,675       | 1,871      | 2,590                | 2,944     |
| LP3305FHB                                                        | Full Height Pull - Bolts Up and Down                                              | 3,717          | 2,709                 | 4,005               | 1,969       | 2,197      | 2,980                | 3,386     |
| Horizontal Push/Pull Bar Option - 10" Clearance on Cylinder Side |                                                                                   |                |                       |                     |             |            |                      |           |
| Part                                                             | Description                                                                       | 3/605<br>4/606 | StockPC<br>10BE       | 10B/613<br>10BL/614 | 32D/<br>630 | 32/<br>629 | Translucent<br>PC/4E | OptiCoat™ |
| LP3305DBDBEPB                                                    | Bent End Both Sides                                                               | 3,355          | 2,477                 | 3,617               | 1,775       | 1,978      | 2,725                | 3,096     |
| LP3305DBDBEPT                                                    | Bent End Thumbturn Side - Mating Side Vert.                                       | 2,944          | 2,218                 | 3,175               | 1,561       | 1,741      | 2,440                | 2,773     |
| LP3305DBDBEPC                                                    | Bent End Cylinder Side - Mating Side Vert.                                        | 2,944          | 2,218                 | 3,175               | 1,561       | 1,741      | 2,440                | 2,773     |
| LP3305DBDPMPT                                                    | Post Mount Both Sides                                                             | 3,674          | 2,641                 | 3,965               | 1,908       | 2,132      | 2,905                | 3,301     |
| LP3305DBDPMPT                                                    | Post Mount Thumbturn Side - Mating Side Vert.                                     | 3,226          | 2,361                 | 3,479               | 1,678       | 1,872      | 2,598                | 2,951     |
| LP3305DBDPMPC                                                    | Post Mount Cylinder Side - Mating Side Vert.                                      | 3,226          | 2,361                 | 3,479               | 1,678       | 1,872      | 2,598                | 2,951     |

- DBD and DBU priced as 51" overall. Add \$13/in. over 96" long for full height or 51" long for half height.
- Horizontal Push/Pull Option, add \$13/in. over 36".
- Order form available when ordering LP3301 and LP3305.

LP3305 has a minimum of 10" clearance on the keyside to reduce interference with mobility devices. Product comes standard with ADA thumbturn.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.


Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

## Locking Door Pulls (con't)



LP3401DBD

| NeoTek with GripZone - Round                                     |                                                  |       |        |  |
|------------------------------------------------------------------|--------------------------------------------------|-------|--------|--|
| Part                                                             | Description                                      | 3/605 | 32/629 |  |
| LP3401DBD                                                        | Half Height Pull - Bolts Down                    | 2,660 | 1,558  |  |
| LP3401DBU                                                        | Half Height Pull - Bolts Up                      | 2,918 | 1,678  |  |
| LP3401FHD                                                        | Full Height Pull - Bolts Down                    | 3,190 | 1,796  |  |
| LP3401FHU                                                        | Full Height Pull - Bolts Up                      | 3,500 | 1,938  |  |
| LP3401FHB                                                        | Full Height Pull - Bolts Up and Down             | 3,836 | 2,219  |  |
| Horizontal Push/Pull Bar Option - Half Height - Bolts Down (DBD) |                                                  |       |        |  |
| LP3401DBDBEPB                                                    | Bent End Both Sides                              | 3,536 | 2,071  |  |
| LP3401DBDBEPT                                                    | Bent End Thumbturn Side - Mating Side Vertical   | 3,098 | 1,814  |  |
| LP3401DBDBEPC                                                    | Bent End Cylinder Side - Mating Side Vertical    | 3,098 | 1,814  |  |
| LP3401DBDPM PB                                                   | Post Mount Both Sides                            | 3,536 | 2,071  |  |
| LP3401DBDPMPT                                                    | Post Mount Thumbturn Side - Mating Side Vertical | 3,098 | 1,814  |  |
| LP3401DBDPMPC                                                    | Post Mount Cylinder Side - Mating Side Vertical  | 3,098 | 1,814  |  |
| Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)   |                                                  |       |        |  |
| LP3401DBUBEPB                                                    | Bent End Both Sides                              | 3,881 | 2,233  |  |
| LP3401DBUBEPT                                                    | Bent End Thumbturn Side - Mating Side Vertical   | 3,399 | 1,956  |  |
| LP3401DBUBEPC                                                    | Bent End Cylinder Side - Mating Side Vertical    | 3,399 | 1,956  |  |
| LP3401DBUPMPB                                                    | Post Mount Both Sides                            | 3,881 | 2,233  |  |
| LP3401DBUPMPT                                                    | Post Mount Thumbturn Side - Mating Side Vertical | 3,399 | 1,956  |  |
| LP3401DBUPMPC                                                    | Post Mount Cylinder Side - Mating Side Vertical  | 3,399 | 1,956  |  |



LP6061DBD

| English Bridle Leather Wrapped - Round                           |                                               |                |                       |                     |             |            |                      |           |  |
|------------------------------------------------------------------|-----------------------------------------------|----------------|-----------------------|---------------------|-------------|------------|----------------------|-----------|--|
| Part                                                             | Description                                   | 3/605<br>4/606 | Stock PC/<br>10BE/BSP | 10B/613<br>10BL/614 | 32D/<br>630 | 32/<br>629 | Translucent<br>PC/4E | OptiCoat™ |  |
| LP6061DBD                                                        | Half Height Pull - Bolts Down                 | 6,910          | 5,776                 | 7,461               | 5,126       | 5,741      | 6,355                | 7,220     |  |
| LP6061DBU                                                        | Half Height Pull - Bolts Up                   | 7,149          | 5,902                 | 7,722               | 5,241       | 5,843      | 6,493                | 7,378     |  |
| LP6061FHD                                                        | Full Height Pull - Bolts Down                 | 8,797          | 7,436                 | 9,500               | 6,642       | 7,438      | 8,180                | 9,295     |  |
| LP6061FHU                                                        | Full Height Pull - Bolts Up                   | 9,089          | 7,580                 | 9,814               | 6,775       | 7,557      | 8,338                | 9,475     |  |
| LP6061FHB                                                        | Full Height Pull - Bolts Up and Down          | 9,425          | 7,928                 | 10,175              | 7,091       | 7,838      | 8,721                | 9,910     |  |
| Horizontal Push/Pull Bar Option - Half Height - Bolts Down (DBD) |                                               |                |                       |                     |             |            |                      |           |  |
| LP6061DBDBEPB*                                                   | Bent End Both Sides                           | 8,975          | 6,885                 | 9,693               | 6,140       | 6,828      | 7,574                | 8,606     |  |
| LP6061DBDBEPT*                                                   | Bent End Thumbturn Side - Mating Side Vert.   | 7,940          | 6,330                 | 8,577               | 5,633       | 6,283      | 6,963                | 7,913     |  |
| LP6061DBDBEPC*                                                   | Bent End Cylinder Side - Mating Side Vert.    | 7,940          | 6,330                 | 8,577               | 5,633       | 6,283      | 6,963                | 7,913     |  |
| LP6061DBDPM PB*                                                  | Post Mount Both Sides                         | 8,975          | 6,885                 | 9,693               | 6,140       | 6,828      | 7,574                | 8,606     |  |
| LP6061DBDPMPT*                                                   | Post Mount Thumbturn Side - Mating Side Vert. | 7,940          | 6,330                 | 8,577               | 5,633       | 6,283      | 6,963                | 7,913     |  |
| LP6061DBDPMPC*                                                   | Post Mount Cylinder Side - Mating Side Vert.  | 7,940          | 6,330                 | 8,577               | 5,633       | 6,283      | 6,963                | 7,913     |  |

- DBD and DBU priced as 51" overall, add \$13/in. over 96" long for full height or 51" long for half height.
- Horizontal Push/Pull Option, add \$13/in. over 36".
- Order form available when ordering LP3401.

\*Price includes up to 42" of English Bridle Leather on vertical. Other options available upon request.

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

# Locking Door Pulls (con't)



LP6161DBD


| Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)   |                                               |                |                       |                     |             |            |                      |           |
|------------------------------------------------------------------|-----------------------------------------------|----------------|-----------------------|---------------------|-------------|------------|----------------------|-----------|
| Part                                                             | Description                                   | 3/605<br>4/606 | Stock PC/<br>10BE/BSP | 10B/613<br>10BL/614 | 32D/<br>630 | 32/<br>629 | Translucent<br>PC/4E | OptiCoat™ |
| LP6061DBUBEPP*                                                   | Bent End Both Sides                           | 9,217          | 7,012                 | 9,953               | 6,255       | 6,927      | 7,713                | 8,765     |
| LP6061DBUBEPT*                                                   | Bent End Thumbturn Side - Mating Side Vert.   | 8,182          | 6,458                 | 8,839               | 5,748       | 6,385      | 7,104                | 8,073     |
| LP6061DBUBEPC*                                                   | Bent End Cylinder Side - Mating Side Vert.    | 8,182          | 6,458                 | 8,839               | 5,748       | 6,385      | 7,104                | 8,073     |
| LP6061DBUPMPB*                                                   | Post Mount Both Sides                         | 9,217          | 7,012                 | 9,953               | 6,255       | 6,927      | 7,713                | 8,765     |
| LP6061DBUPMPT*                                                   | Post Mount Thumbturn Side - Mating Side Vert. | 8,182          | 6,458                 | 8,839               | 5,748       | 6,385      | 7,104                | 8,073     |
| LP6061DBUPMPC*                                                   | Post Mount Cylinder Side - Mating Side Vert.  | 8,182          | 6,458                 | 8,839               | 5,748       | 6,385      | 7,104                | 8,073     |
| PostMount Upholstery Leather Wrapped - Round                     |                                               |                |                       |                     |             |            |                      |           |
| LP6161DBD                                                        | Half Height Pull - Bolts Down                 | 6,774          | 5,657                 | 7,314               | 5,018       | 5,621      | 6,224                | 7,071     |
| LP6161DBU                                                        | Half Height Pull - Bolts Up                   | 7,014          | 5,785                 | 7,577               | 5,133       | 5,724      | 6,363                | 7,231     |
| LP6161FHD                                                        | Full Height Pull - Bolts Down                 | 8,357          | 6,998                 | 9,025               | 6,242       | 6,993      | 7,699                | 8,748     |
| LP6161FHU                                                        | Full Height Pull - Bolts Up                   | 8,647          | 7,142                 | 9,341               | 6,374       | 7,109      | 7,857                | 8,928     |
| LP6161FHB                                                        | Full Height Pull - Bolts Up and Down          | 8,982          | 7,489                 | 9,697               | 6,693       | 7,391      | 8,238                | 9,361     |
| Horizontal Push/Pull Bar Option - Half Height - Bolts Down (DBD) |                                               |                |                       |                     |             |            |                      |           |
| LP6161DBDBEPP*                                                   | Bent End Both Sides                           | 8,753          | 6,750                 | 9,453               | 6,018       | 6,691      | 7,425                | 8,438     |
| LP6161DBDBEPT*                                                   | Bent End Thumbturn Side - Mating Side Vert.   | 7,763          | 6,206                 | 8,382               | 5,555       | 6,122      | 6,827                | 7,758     |
| LP6161DBDBEPC*                                                   | Bent End Cylinder Side - Mating Side Vert.    | 7,763          | 6,206                 | 8,382               | 5,555       | 6,122      | 6,827                | 7,758     |
| LP6161DBDPMPP*                                                   | Post Mount Both Sides                         | 8,753          | 6,750                 | 9,453               | 6,018       | 6,691      | 7,425                | 8,438     |
| LP6161DBDPMPT*                                                   | Post Mount Thumbturn Side - Mating Side Vert. | 7,763          | 6,206                 | 8,382               | 5,555       | 6,122      | 6,827                | 7,758     |
| LP6161DBDPMPC*                                                   | Post Mount Cylinder Side - Mating Side Vert.  | 7,763          | 6,206                 | 8,382               | 5,555       | 6,122      | 6,827                | 7,758     |
| Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)   |                                               |                |                       |                     |             |            |                      |           |
| LP6161DBUBEPP*                                                   | Bent End Both Sides                           | 8,992          | 6,877                 | 9,713               | 6,132       | 6,792      | 7,565                | 8,596     |
| LP6161DBUBEPT*                                                   | Bent End Thumbturn Side - Mating Side Vert.   | 8,002          | 6,332                 | 8,645               | 5,668       | 6,224      | 6,965                | 7,915     |
| LP6161DBUBEPC*                                                   | Bent End Cylinder Side - Mating Side Vert.    | 8,002          | 6,332                 | 8,645               | 5,668       | 6,224      | 6,965                | 7,915     |
| LP6161DBUPMPB*                                                   | Post Mount Both Sides                         | 8,992          | 6,877                 | 9,713               | 6,132       | 6,792      | 7,565                | 8,596     |
| LP6161DBUPMPT*                                                   | Post Mount Thumbturn Side - Mating Side Vert. | 8,002          | 6,332                 | 8,645               | 5,668       | 6,224      | 6,965                | 7,915     |
| LP6161DBUPMPC*                                                   | Post Mount Cylinder Side - Mating Side Vert.  | 8,002          | 6,332                 | 8,645               | 5,668       | 6,224      | 6,965                | 7,915     |

• DBD and DBU priced as 51" overall, add \$13/in. over 96" long for full height or 51" long for half height.

\*Price includes up to 42" of English Bridle or Upholstery Leather on vertical.

Other options available upon request.

## Locking Door Pulls (con't)




LP7901DBD

| GeoMetek Upholstery Leather Wrapped - Square |                                      |                |                       |                     |         |        |                      |           |
|----------------------------------------------|--------------------------------------|----------------|-----------------------|---------------------|---------|--------|----------------------|-----------|
| Part                                         | Description                          | 3/605<br>4/606 | Stock PC/<br>10BE/BSP | 10B/613<br>10BL/614 | 32D/630 | 32/629 | Translucent<br>PC/4E | OptiCoat™ |
| LP6440DBD                                    | Half Height Pull - Bolts Down        |                | 5,946                 |                     | 5,282   | 5,914  | 6,540                | 7,433     |
| LP6440DBU                                    | Half Height Pull - Bolts Up          |                | 6,073                 |                     | 5,396   | 6,017  | 6,680                | 7,591     |
| LP6440FHD                                    | Full Height Pull - Bolts Down        |                | 7,284                 |                     | 6,503   | 7,282  | 8,014                | 9,105     |
| LP6440FHU                                    | Full Height Pull - Bolts Up          |                | 7,430                 |                     | 6,638   | 7,400  | 8,173                | 9,288     |
| LP6440FHB                                    | Full Height Pull - Bolts Up and Down |                | 7,776                 |                     | 6,955   | 7,683  | 8,554                | 9,720     |
| GeoMetek - Square                            |                                      |                |                       |                     |         |        |                      |           |
| LP7901DBD                                    | Half Height Pull - Bolts Down        |                | 2,035                 |                     | 1,555   | 1,663  | 2,239                | 2,544     |
| LP7901DBU                                    | Half Height Pull - Bolts Up          |                | 2,168                 |                     | 1,674   | 1,792  | 2,385                | 2,710     |
| LP7901FHD                                    | Full Height Pull - Bolts Down        |                | 2,306                 |                     | 1,798   | 1,925  | 2,536                | 2,883     |
| LP7901FHU                                    | Full Height Pull - Bolts Up          |                | 2,457                 |                     | 1,940   | 2,075  | 2,703                | 3,071     |
| LP7901FHB                                    | Full Height Pull - Bolts Up and Down |                | 2,828                 |                     | 2,277   | 2,437  | 3,111                | 3,535     |
| MegaTek Dummy Pull - Round                   |                                      |                |                       |                     |         |        |                      |           |
| DP3301DBD                                    | Half Height Pull - Bolts Down        | 1,948          | 1,469                 | 2,103               | 1,037   | 1,109  | 1,617                | 1,836     |
| DP3301DBU                                    | Half Height Pull - Bolts Up          | 1,948          | 1,469                 | 2,103               | 1,037   | 1,109  | 1,617                | 1,836     |
| DP3301FHD                                    | Full Height Pull - Bolts Down        | 2,660          | 1,813                 | 2,873               | 1,350   | 1,444  | 1,994                | 2,266     |
| DP3301FHU                                    | Full Height Pull - Bolts Up          | 2,660          | 1,813                 | 2,873               | 1,350   | 1,444  | 1,994                | 2,266     |
| NeoTek with GripZone Dummy Pull - Round      |                                      |                |                       |                     |         |        |                      |           |
| DP3401DBD                                    | Half Height Pull - Bolts Down        | 2,086          |                       |                     |         | 1,243  |                      |           |
| DP3401DBU                                    | Half Height Pull - Bolts Up          | 2,086          |                       |                     |         | 1,243  |                      |           |
| DP3401FHD                                    | Full Height Pull - Bolts Down        | 2,815          |                       |                     |         | 1,616  |                      |           |
| DP3401FHU                                    | Full Height Pull - Bolts Up          | 2,815          |                       |                     |         | 1,616  |                      |           |
| GeoMetek Dummy Pull - Square                 |                                      |                |                       |                     |         |        |                      |           |
| DP7901DBD                                    | Half Height Pull - Bolts Down        |                | 1,694                 |                     | 1,241   | 1,328  | 1,862                | 2,118     |
| DP7901DBU                                    | Half Height Pull - Bolts Up          |                | 1,694                 |                     | 1,241   | 1,328  | 1,862                | 2,118     |
| DP7901FHD                                    | Full Height Pull - Bolts Down        |                | 2,106                 |                     | 1,619   | 1,734  | 2,317                | 2,633     |
| DP7901FHU                                    | Full Height Pull - Bolts Up          |                | 2,106                 |                     | 1,619   | 1,734  | 2,317                | 2,633     |


• DBD and DBU priced as 51" overall, add \$13/in. over 96" long for full height or over 51" long for half height.

NOTE: Square Locking Pulls only available in stainless steel finishes.

## Locking Door Pull Accessories



LPS01



570

| Part         | Description                                        |       |       |                |                    | Stock PC/<br>10BE/BSP | 28/628                | 32D/630 | 32/629               | Translucent<br>PC/4E | OptiCoat™ |
|--------------|----------------------------------------------------|-------|-------|----------------|--------------------|-----------------------|-----------------------|---------|----------------------|----------------------|-----------|
| LPS01        | Top Strike – ¾" x 1 ½" x 3"                        |       |       |                |                    | 55                    | 51                    | 85      | 93                   | 60                   | 65        |
| LPS02        | Top Strike – w/Rubber Stop – ¾" x 2 ½" x 3"        |       |       |                |                    | 55                    | 51                    | 85      | 93                   | 60                   | 65        |
| LPS03        | Top Strike – Stainless Steel – .050" x 1 ⅝" x 2 ¼" |       |       |                |                    | 55                    |                       | 39      | 44                   | 60                   | 65        |
| LPS04        | Transom Strike – 1 ¼"D x 4 ½"H                     |       |       |                |                    | 176                   |                       | 117     | 128                  | 193                  | 208       |
| LPS05        | Transom Strike – 1 ¼"SQ x 4 ½"H                    |       |       |                |                    | 205                   |                       | 133     | 151                  | 225                  | 241       |
| LPS06        | Mortised Header Strike 2" Dia.                     |       |       |                |                    | 207                   |                       | 134     | 152                  | 227                  | 244       |
| LPS07        | Top Inswinging Strike                              |       |       |                |                    | 228                   |                       | 197     | 222                  | 251                  | 269       |
| LPS12        | Top Strike – w/Adjustable Stops – ¾" x 1 ½" x 3"   |       |       |                |                    | 156                   |                       | 103     | 117                  | 171                  | 184       |
| Part         | Description                                        | 3/605 | 4/606 | 10/612         | 10B/613            | 10BE/BSP              | 15/619                | 26D/626 | 26/625               | OptiCoat™            |           |
| 570          | Dust Proof Strike                                  | 29.60 | 27.60 | 30.70          | 30.70              | 48.40                 | 35.90                 | 23.20   | 29.70                | 60.00                |           |
| Part         | Description                                        |       |       | 3/605<br>4/606 | 10/612<br>10BL/614 | Stock PC/<br>10BE/BSP | 26/625<br>26D/626     | 32D/630 | Translucent<br>PC/4E | OptiCoat™            |           |
| RM850        | Floor Mounted Stop 1 ½" Projection                 |       |       | 36             | 38                 | 53                    | 36                    | 42      | 58                   | 66                   |           |
| RM851        | Floor Mounted Stop 2 ½" Projection                 |       |       | 78             | 85                 | 80                    | 78                    | 64      | 88                   | 100                  |           |
| Part         | Description                                        |       |       | 3/605<br>4/606 | 10B/613            | Stock PC/<br>10BE/BSP | 32D/630               | 32/629  | Translucent<br>PC/4E | OptiCoat™            |           |
| LPTD01       | Dummy Thumbturn                                    |       |       | 62             | 66                 | 57                    | 55                    | 61      | 63                   | 71                   |           |
| Part         | Description                                        |       |       |                |                    | 3/605<br>4/606        | Stock PC/<br>10BE/BSP | 32D/630 | Translucent<br>PC/4E | OptiCoat™            |           |
| ADA (suffix) | ADA Large Thumbturn – 1 ⅜" Projection              |       |       |                |                    |                       | 59                    | 54      | 51                   | 59                   | 68        |

NOTE: Thumbturn design differs between the round and square versions.

NOTE: If the 09 cylinder is specified, an add-on charge will be applied.

• Order form available for LPS07.

ROCKWOOD®

ASSA ABLOY

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Door Pull Accessories

| Part   | Description                                    | 3/605<br>4/606 | Stock PC/<br>10BE/BSP | 10B/613 | 32D/630 | 32/629 | OptiCoat™ |
|--------|------------------------------------------------|----------------|-----------------------|---------|---------|--------|-----------|
| DGBKIT | Double Glazed Door Bushing Kit for Glass Doors | 112            | 112                   | 121     | 92      | 104    | 140       |

## Locking Door Pull with Flat Latch

| Part                                                                  | Description                                   | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | Translucent<br>PC/4E | OptiCoat™ |
|-----------------------------------------------------------------------|-----------------------------------------------|-----------------------|---------|--------|----------------------|-----------|
| FL3301DBU                                                             | Half Height Pull - Bolts Up                   | 7,456                 | 5,201   | 5,981  | 8,202                | 9,321     |
| FL3301FHU                                                             | Full Height Pull - Bolts Up                   | 7,532                 | 5,565   | 6,400  | 8,286                | 9,416     |
| <b>Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)</b> |                                               |                       |         |        |                      |           |
| FL3301DBUBEPP                                                         | Bent End Both Sides                           | 7,825                 | 5,523   | 6,343  | 8,607                | 9,782     |
| FL3301DBUBEPT                                                         | Bent End Thumbturn Side - Mating Side Vert.   | 7,582                 | 5,312   | 6,105  | 8,340                | 9,477     |
| FL3301DBUBEPC                                                         | Bent End Cylinder Side - Mating Side Vert.    | 7,582                 | 5,312   | 6,105  | 8,340                | 9,477     |
| FL3301DBUPMPB                                                         | Post Mount Both Sides                         | 7,979                 | 5,657   | 6,493  | 8,776                | 9,974     |
| FL3301DBUPMPT                                                         | Post Mount Thumbturn Side - Mating Side Vert. | 7,715                 | 5,427   | 6,236  | 8,486                | 9,644     |
| FL3301DBUPMPC                                                         | Post Mount Cylinder Side - Mating Side Vert.  | 7,715                 | 5,427   | 6,236  | 8,486                | 9,644     |
| <b>Horizontal Push/Pull Bar Option - Full Height - Bolts Up (FHU)</b> |                                               |                       |         |        |                      |           |
| FL3301FHUBEPT                                                         | Bent End Thumbturn Side - Mating Side Vert.   | 7,659                 | 5,677   | 6,524  | 8,425                | 9,573     |
| FL3301FHUBEPC                                                         | Bent End Cylinder Side - Mating Side Vert.    | 7,659                 | 5,677   | 6,524  | 8,425                | 9,573     |
| FL3301FHUPMPT                                                         | Post Mount Thumbturn Side - Mating Side Vert. | 7,792                 | 5,792   | 6,654  | 8,570                | 9,740     |
| FL3301FHUPMPC                                                         | Post Mount Cylinder Side - Mating Side Vert.  | 7,792                 | 5,792   | 6,654  | 8,570                | 9,740     |

- See page 79-80 for strike options.

## Locking Door Pull with Flat Latch for Inswing

| Part                                                           | Description                                   | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | Translucent<br>PC/4E | OptiCoat™ |
|----------------------------------------------------------------|-----------------------------------------------|-----------------------|---------|--------|----------------------|-----------|
| INSFL3301DBU                                                   | Half Height Pull - Bolts Up                   | 7,456                 | 5,201   | 5,981  | 8,202                | 9,321     |
| INSFL3301FHU                                                   | Full Height Pull - Bolts Up                   | 7,532                 | 5,565   | 6,400  | 8,286                | 9,416     |
| Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU) |                                               |                       |         |        |                      |           |
| INSFL3301DBUBEPB                                               | Bent End Both Sides                           | 7,825                 | 5,523   | 6,343  | 8,607                | 9,782     |
| INSFL3301DBUBEPT                                               | Bent End Thumbturn Side - Mating Side Vert.   | 7,582                 | 5,312   | 6,105  | 8,340                | 9,477     |
| INSFL3301DBUBEPC                                               | Bent End Cylinder Side - Mating Side Vert.    | 7,582                 | 5,312   | 6,105  | 8,340                | 9,477     |
| INSFL3301DBUPMPB                                               | Post Mount Both Sides                         | 7,979                 | 5,657   | 6,493  | 8,776                | 9,974     |
| INSFL3301DBUPMPT                                               | Post Mount Thumbturn Side - Mating Side Vert. | 7,715                 | 5,427   | 6,236  | 8,486                | 9,644     |
| INSFL3301DBUPMPC                                               | Post Mount Cylinder Side - Mating Side Vert.  | 7,715                 | 5,427   | 6,236  | 8,486                | 9,644     |
| Horizontal Push/Pull Bar Option - Full Height - Bolts Up (FHU) |                                               |                       |         |        |                      |           |
| INSFL3301FHUBEPT                                               | Bent End Thumbturn Side - Mating Side Vert.   | 7,659                 | 5,677   | 6,524  | 8,425                | 9,573     |
| INSFL3301FHUBEPC                                               | Bent End Cylinder Side - Mating Side Vert.    | 7,659                 | 5,677   | 6,524  | 8,425                | 9,573     |
| INSFL3301FHUPMPT                                               | Post Mount Thumbturn Side - Mating Side Vert. | 7,792                 | 5,792   | 6,654  | 8,570                | 9,740     |
| INSFL3301FHUPMPC                                               | Post Mount Cylinder Side - Mating Side Vert.  | 7,792                 | 5,792   | 6,654  | 8,570                | 9,740     |
| Inswing Flat Latch Strike Options                              |                                               |                       |         |        |                      |           |
| Part                                                           |                                               | Stock PC/<br>10BE/BSP | 32D/630 | 32/629 | Translucent<br>PC/4E | OptiCoat™ |
| INSFL-1600                                                     |                                               | 744                   | 572     | 686    | 930                  | 930       |
| INSFL-MSK                                                      |                                               | 182                   | 115     | 148    | 156                  | 228       |

- DBU priced as 51" overall. FHU priced as 96" overall, add \$13/in. for over 51" long for half height or over 96" long for full height.
- Horizontal Push/Pull Option, add \$13/in. over 36".
- For the 09 cylinder there is a \$58 add-on price.
- ADA Thumbturn is standard, no additional charge.
- Order form available when ordering FL3301 and INSFL3301.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## Panic Device (for Storefront, Wood, and Metal doors)



| Part             | Latches | Mating Handle Shape | Mating Handle Length | Stock PC/10BE/BSP | 32D/630 | 32/629 | 32/32D | 32D316 | 32316 | Tranlucent PC/4E | OptiCoat™ |
|------------------|---------|---------------------|----------------------|-------------------|---------|--------|--------|--------|-------|------------------|-----------|
| <b>PDU8500</b>   | Up      | None                | None                 | 7,090             | 5,931   | 6,821  | 6,939  | 6,717  | 7,725 | 7,799            | 8,863     |
| <b>PDU8500-1</b> | Up      | L-Shape             | Full                 | 9,020             | 7,548   | 8,681  | 8,832  | 8,548  | 9,831 | 9,923            | 11,275    |
| <b>PDU8500-2</b> | Up      | L-Shape             | Half                 | 8,806             | 7,369   | 8,473  | 8,620  | 8,345  | 9,595 | 9,687            | 11,008    |
| <b>PDU8500-3</b> | Up      | Vertical            | Full                 | 8,657             | 7,279   | 8,370  | 8,513  | 8,243  | 9,479 | 9,522            | 10,821    |
| <b>PDU8500-4</b> | Up      | Vertical            | Half                 | 8,127             | 6,801   | 7,819  | 7,957  | 7,702  | 8,855 | 8,940            | 10,159    |
| <b>PDU8500-5</b> | Up      | Vertical            | Short                | 7,802             | 6,527   | 7,507  | 7,636  | 7,391  | 8,502 | 8,582            | 9,753     |
| <b>PDU8500-6</b> | Up      | Horizontal          | Full                 | 7,802             | 6,527   | 7,507  | 7,636  | 7,391  | 8,502 | 8,582            | 9,753     |

If door size is over 42" wide or 114" tall there is a \$360 add-on price. Order form available for PDU8500 configurations.

| Dummy Pulls (Pricing is for back-to-back set) |                     |                      |                   |         |        |        |        |        |       |                  |           |
|-----------------------------------------------|---------------------|----------------------|-------------------|---------|--------|--------|--------|--------|-------|------------------|-----------|
| Part                                          | Mating Handle Shape | Mating Handle Length | Stock PC/10BE/BSP | 32D/630 | 32/629 | 32/32D | 32/BSP | 32D316 | 32316 | Tranlucent PC/4E | OptiCoat™ |
| <b>DDU8000</b>                                | None                | None                 | 1,771             | 1,398   | 1,566  | 1,636  | 1,863  | 1,501  | 1,681 | 1,948            | 2,214     |
| <b>DDU8000-1</b>                              | L-Shape             | Full                 | 2,479             | 1,959   | 2,194  | 2,293  | 2,608  | 2,103  | 2,356 | 2,727            | 3,099     |
| <b>DDU8000-2</b>                              | L-Shape             | Half                 | 2,415             | 1,908   | 2,137  | 2,232  | 2,541  | 2,048  | 2,294 | 2,655            | 3,019     |
| <b>DDU8000-3</b>                              | Vertical            | Full                 | 2,534             | 2,004   | 2,244  | 2,345  | 2,668  | 2,151  | 2,409 | 2,789            | 3,168     |
| <b>DDU8000-4</b>                              | Vertical            | Half                 | 2,366             | 1,868   | 2,092  | 2,186  | 2,489  | 2,005  | 2,246 | 2,603            | 2,958     |
| <b>DDU8000-5</b>                              | Vertical            | Short                | 2,237             | 1,766   | 1,978  | 2,065  | 2,355  | 1,896  | 2,124 | 2,461            | 2,797     |
| <b>DDU8000-6</b>                              | Horizontal          | Full                 | 2,237             | 1,766   | 1,978  | 2,065  | 2,355  | 1,896  | 2,124 | 2,461            | 2,797     |

If door size is over 42" wide or 114" tall there is a \$360 add-on price. Engraving to match Panic – add \$150/side. Order form available.

| "PUSH" Infill                  | Price  |
|--------------------------------|--------|
| <b>BLACK (Standard)</b>        |        |
| <b>WHITE</b>                   | 22.00  |
| <b>CUSTOM</b>                  | 216.00 |
| <b>NO FILL</b>                 |        |
| Panic Mounting Spare Parts Kit | Price  |
| <b>PDU8500</b>                 | 450.00 |




Infill not available on US32. Infill is available on US32D and powdercoat options.

\*Only available on PDU8000 and PDU8000-6.

\*\*For pricing use standard panic pricing.

| Panic Additional Options                                          | Price    |
|-------------------------------------------------------------------|----------|
| <b>Security Dogging</b>                                           | 52.00    |
| <b>Bent End Return (Panic side only)</b>                          | 250.00   |
| <b>To Meet California Building Code (2013) Sec. 11B-309.4</b>     | 111.00   |
| <b>2-piece Modular Panic</b>                                      | **       |
| <b>Fire Rated</b>                                                 | 1,350.00 |
| <b>Cylinder Options</b>                                           | Price    |
| <b>Mortise Cylinder</b>                                           |          |
| <b>7-pin SFIC Housing w/Plastic Construction Core</b>             |          |
| <b>Special Order (Keyed alike) (4 week minimum lead time)</b>     | 52.00    |
| <b>Customer Supplied Cylinder/Swap In Field</b>                   | 23.00    |
| <b>Dummy Cylinder Housing</b>                                     |          |
| <b>*Non-Keyed Function (Blank escutcheon plate provided)</b>      |          |
| <b>Keyed Construction Core for 7-pin SFIC Cylinder (Standard)</b> |          |

For Fire Rated Please use Fire Rated Panic Order Form\*  
Hollow Metal Pair of Doors Only



**ROCKWOOD**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Strikes

| Panic Strike Kits (Strike, Shims, Cover) for Stiles 5" or greater, Wood and Hollow Metal Frames. |                                     |                      |         |             |                   |                   |         |             |        |       |           |
|--------------------------------------------------------------------------------------------------|-------------------------------------|----------------------|---------|-------------|-------------------|-------------------|---------|-------------|--------|-------|-----------|
| Part                                                                                             | Description                         | Keeper Length        | Voltage | Mode        | Translucent PC/4E | Stock PC/10BE/BSP | 32D/630 | 32/629      | 32D316 | 32316 | OptiCoat™ |
| ESK-SGL-24D                                                                                      | Single Door                         | 3/4"                 | 24V DC  | Fail Secure | 1,496             | 1,496             | 1,266   | 1,456       | 1,329  | 1,481 | 1,869     |
| ESK-DBL-24D                                                                                      | Double Door                         | 3/4"                 | 24V DC  | Fail Secure | 2,992             | 2,992             | 2,532   | 2,913       | 2,659  | 2,962 | 3,740     |
| ESK-SGL-12D                                                                                      | Single Door                         | 3/4"                 | 12V DC  | Fail Secure | 1,496             | 1,496             | 1,266   | 1,456       | 1,329  | 1,481 | 1,869     |
| ESK-DBL-12D                                                                                      | Double Door                         | 3/4"                 | 12V DC  | Fail Secure | 2,992             | 2,992             | 2,532   | 2,913       | 2,659  | 2,962 | 3,740     |
| ESK-SGL-24D-FS                                                                                   | Single Door                         | 3/4"                 | 24V DC  | Fail Safe   | 1,496             | 1,496             | 1,266   | 1,456       | 1,329  | 1,481 | 1,869     |
| ESK-DBL-24D-FS                                                                                   | Double Door                         | 3/4"                 | 24V DC  | Fail Safe   | 2,992             | 2,992             | 2,532   | 2,913       | 2,659  | 2,962 | 3,740     |
| ESK-SGL-12D-FS                                                                                   | Single Door                         | 3/4"                 | 12V DC  | Fail Safe   | 1,496             | 1,496             | 1,266   | 1,456       | 1,329  | 1,481 | 1,869     |
| ESK-DBL-12D-FS                                                                                   | Double Door                         | 3/4"                 | 12V DC  | Fail Safe   | 2,992             | 2,992             | 2,532   | 2,913       | 2,659  | 2,962 | 3,740     |
| MSK-SGL                                                                                          | Single Door                         |                      |         |             | 256               | 256               | 222     | 255         | 235    | 261   | 320       |
| MSK-DBL                                                                                          | Double Door                         |                      |         |             | 366               | 366               | 319     | 366         | 335    | 373   | 457       |
| SL100                                                                                            | Security Latch Adapter              | Single Manual Strike |         |             | 2,972             | 2,972             | 2,511   | 2,887       |        |       | 3,716     |
|                                                                                                  |                                     | Double Manual Strike |         |             | 5,944             | 5,944             | 5,021   | 5,772       |        |       | 7,430     |
| AC-Rectifier                                                                                     | AC Converter for Electric Strike    |                      |         |             | 93                |                   |         |             |        |       |           |
| ES-SmartpacIII                                                                                   | Power Controller                    |                      |         |             | 142               |                   |         |             |        |       |           |
| LCBMA                                                                                            | Door Monitoring                     |                      |         |             | 191               |                   |         |             |        |       |           |
| Medium Stile Panic Strike Kits (Strike, Adapter Plate, Cover) for Stiles 3 ½" and less than 5".  |                                     |                      |         |             |                   |                   |         |             |        |       |           |
| ESK-MS-SGL-24D                                                                                   | Single Door                         | 3/4"                 | 24V DC  | Fail Secure | 1,722             | 1,722             | 1,456   | 1,675       | 1,530  | 1,704 | 2,153     |
| ESK-MS-DBL-24D                                                                                   | Double Door                         | 3/4"                 | 24V DC  | Fail Secure | 3,442             | 3,442             | 2,911   | 3,351       | 3,057  | 3,407 | 4,303     |
| ESK-MS-SGL-12D                                                                                   | Single Door                         | 3/4"                 | 12V DC  | Fail Secure | 1,722             | 1,722             | 1,456   | 1,675       | 1,530  | 1,704 | 2,153     |
| ESK-MS-DBL-12D                                                                                   | Double Door                         | 3/4"                 | 12V DC  | Fail Secure | 3,442             | 3,442             | 2,911   | 3,351       | 3,057  | 3,407 | 4,303     |
| ESK-MS-SGL-24D-FS                                                                                | Single Door                         | 3/4"                 | 24V DC  | Fail Safe   | 1,722             | 1,722             | 1,456   | 1,675       | 1,530  | 1,704 | 2,153     |
| ESK-MS-DBL-24D-FS                                                                                | Double Door                         | 3/4"                 | 24V DC  | Fail Safe   | 3,442             | 3,442             | 2,911   | 3,351       | 3,057  | 3,407 | 4,303     |
| ESK-MS-SGL-12D-FS                                                                                | Single Door                         | 3/4"                 | 12V DC  | Fail Safe   | 1,722             | 1,722             | 1,456   | 1,675       | 1,530  | 1,704 | 2,153     |
| ESK-MS-DBL-12D-FS                                                                                | Double Door                         | 3/4"                 | 12V DC  | Fail Safe   | 3,442             | 3,442             | 2,911   | 3,351       | 3,057  | 3,407 | 4,303     |
| MSK-MS-DBL                                                                                       | Double Door                         |                      |         |             | 432               | 432               | 367     | 420         | 385    | 428   | 540       |
| AC-Rectifier                                                                                     | AC Converter for Electric Strike    |                      |         |             | 93                |                   |         |             |        |       |           |
| ES-SmartpacIII                                                                                   | Power Controller                    |                      |         |             | 142               |                   |         |             |        |       |           |
| 310-1 Electric Strikes Body Only                                                                 |                                     |                      |         |             |                   |                   |         |             |        |       |           |
| Part                                                                                             | Description                         |                      |         |             | Keeper Length     |                   | Voltage | Mode        |        | Price |           |
| ES-310-1-3/4-24D                                                                                 | Electric Strike                     |                      |         |             | 3/4"              |                   | 24V DC  | Fail Secure |        | 729   |           |
| ES-310-1-3/4-12D                                                                                 | Electric Strike                     |                      |         |             | 3/4"              |                   | 12V DC  | Fail Secure |        | 729   |           |
| ES-310-1-3/4-24D-FS                                                                              | Electric Strike                     |                      |         |             | 3/4"              |                   | 24V DC  | Fail Safe   |        | 729   |           |
| ES-310-1-3/4-12D-FS                                                                              | Electric Strike                     |                      |         |             | 3/4"              |                   | 12V DC  | Fail Safe   |        | 729   |           |
| ES-310-1-1-3/4-24D                                                                               | Medium Stile Double Electric Strike |                      |         |             | 3/4"              |                   | 24V DC  | Fail Secure |        | 822   |           |
| ES-310-1-1-3/4-12D                                                                               | Medium Stile Double Electric Strike |                      |         |             | 3/4"              |                   | 12V DC  | Fail Secure |        | 822   |           |
| ES-310-1-1-3/4-24D-FS                                                                            | Medium Stile Double Electric Strike |                      |         |             | 3/4"              |                   | 24V DC  | Fail Safe   |        | 822   |           |
| ES-310-1-1-3/4-12D-FS                                                                            | Medium Stile Double Electric Strike |                      |         |             | 3/4"              |                   | 12V DC  | Fail Safe   |        | 822   |           |

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## Strikes (con't)

| 1600 Panic Strike Kit for Medium and Wide Stiles |              |               |               |                          |                   |                   |         |        |        |       |           |
|--------------------------------------------------|--------------|---------------|---------------|--------------------------|-------------------|-------------------|---------|--------|--------|-------|-----------|
| Part                                             | Description  | Keeper Length | Voltage       | Mode                     | Translucent PC/4E | Stock PC/10BE/BSP | 32D/630 | 32/629 | 32D316 | 32316 | OptiCoat™ |
| <b>ESK-1600-SGL</b>                              | Single Door  | 1"            | 12V/24V AC/DC | Fail Secure or Fail Safe | 1,496             | 1,496             | 1,266   | 1,456  | 1,329  | 1,481 | 1,869     |
| <b>ESK-1600-DBL</b>                              | Double Door  | 1"            | 12V/24V AC/DC | Fail Secure or Fail Safe | 2,992             | 2,992             | 2,532   | 2,913  | 2,659  | 2,962 | 3,740     |
| <b>ESK-9100</b>                                  | Single Door  | 1"            | 12V/24V AC/DC | Fail Secure or Fail Safe | 1,151             | 1,046             | 962     | 1,142  |        |       | 1,308     |
| <b>ESK-9200</b>                                  | Double Door  | 1"            | 12V/24V AC/DC | Fail Secure or Fail Safe | 2,346             | 1,937             | 1,805   | 2,105  |        |       | 2,422     |
| <b>LM</b>                                        | Lock Monitor |               |               |                          | 191               |                   |         |        |        |       |           |

NOTE: Medium stiles are 3 1/2" - less than 5". Wide stiles are over 5".  
MSK-SGL will work on both wide and medium stiles.




SMU9000


### Single Motion Device

| Part             | Latches | Mating Pull | Mating Handle Length | Translucent PC/4E | Stock PC/10BE/BSP | 32D/630 | 32/629 | 32/32D | 32D316 | 32316 | OptiCoat™ |
|------------------|---------|-------------|----------------------|-------------------|-------------------|---------|--------|--------|--------|-------|-----------|
| <b>SMU9000</b>   | Up      | None        | None                 | 6,190             | 5,627             | 4,032   | 4,636  | 4,233  | 4,435  | 5,100 | 7,034     |
| <b>SMU9000-3</b> | Up      | Vertical    | Full                 | 7,817             | 7,106             | 5,393   | 6,202  | 5,662  | 5,932  | 6,822 | 8,883     |
| <b>SMU9000-4</b> | Up      | Vertical    | Half                 | 7,738             | 7,034             | 5,040   | 5,796  | 5,292  | 5,544  | 6,376 | 8,793     |
| <b>SMU9000-5</b> | Up      | Vertical    | Short                | 7,738             | 7,037             | 5,040   | 5,796  | 5,292  | 5,544  | 6,376 | 8,793     |


Single Motion Device Options: To Meet California Building Code (2013) Sec. 11B-309.4 - §111.  
For strike options see page 79-80.




SMU9000-0



SMU9000-3



SMU9000-4



SMU9000-5

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Architectural Finishes

Most of Rockwood's products are available in all of the following architectural finishes. The catalog indicates exceptions. This finish list is grouped by base metal.

| Base Metal                                 | Description                                  | Price Book Code | Rockwood Code | BHMA Code |
|--------------------------------------------|----------------------------------------------|-----------------|---------------|-----------|
| Aluminum                                   | Satin                                        | 27              | US27          | 627       |
| Aluminum                                   | Clear Anodized                               | 28              | US28          | 628       |
| Aluminum                                   | Light Bronze Anodized                        | 311             | 311           | —         |
| Aluminum                                   | Medium Bronze Anodized                       | 312             | 312           | —         |
| Aluminum                                   | Dark Bronze Anodized                         | 313             | 313           | 710       |
| Aluminum                                   | Extra Dark Bronze Anodized                   | 314             | 314           | —         |
| Aluminum                                   | Black Anodized                               | 315             | 315           | 711       |
| Aluminum                                   | White Powder Coat                            | WPC             | WPC           | —         |
| Aluminum                                   | Red Powder Coat                              | RPC             | RPC           | —         |
| Aluminum                                   | Black Powder Coat                            | BPC             | BPC           | —         |
| Brass                                      | Polished Clear Coated                        | 3               | US3           | 605       |
| Brass                                      | Polished No Coating                          | 3NL             | US3NL         | —         |
| Brass                                      | Satin Clear Coated                           | 4               | US4           | 606       |
| Brass                                      | Satin Oxidized Relieved                      | 5               | US5           | 609       |
| Brass                                      | Satin Nickel Plated Clear Coated             | 15              | US15          | 619       |
| Brass                                      | Satin Nickel Blackened Relieved Clear Coated | 15A             | US15A         | 620       |
| Brass                                      | Flat Black Powder Coated                     | 19              | US19          | 622       |
| Brass                                      | Polished Chrome Plated                       | 26              | US26          | 625       |
| Brass                                      | Satin Chrome Plated                          | 26D             | US26D         | 626       |
| Bronze*                                    | Polished Clear Coated                        | 9               | US9           | 611       |
| Bronze*                                    | Satin Clear Coated                           | 10              | US10          | 612       |
| Bronze*                                    | Satin Black Oxidized Oil Rubbed              | 10A             | US10A         | 722       |
| Bronze*                                    | Satin Oxidized Oil Rubbed                    | 10B             | US10B         | 613       |
| Bronze*                                    | Satin Oxidized Clear Coated                  | 10BL            | US10BL        | 614       |
| Bronze*                                    | Dark Oxidized Statuary Clear Coated          | 20A             | US20A         | 624       |
| Stainless Steel                            | Polished                                     | 32              | US32          | 629       |
| Stainless Steel                            | Satin                                        | 32D             | US32D         | 630       |
| <b>Special Finishes</b> (see descriptions) |                                              |                 |               |           |
| Stainless Steel                            | Satin MicroShield® Coated                    | 32DMS***        | US32DMS***    | —         |
| Stainless Steel                            | Polished 316 Alloy                           | 32316***        | US32316***    | —         |
| Stainless Steel                            | Satin 316 Alloy                              | 32D316***       | US32D316***   | —         |
|                                            | Dark Oxidized Satin Bronze, Equivalent       | 10BE            | 10BE          | (613E)    |
|                                            | Black Suede Powder Coat                      | BSP             | BSP           | —         |
|                                            | White Suede Powder Coat                      | WSP             | WSP           | —         |
|                                            | Wrought Black Powder Coat                    | WB              | WB            | —         |
|                                            | Translucent Brass Powder Coat                | 4E              | 4E            | —         |

| OptiCoat™ Finish Codes |               |
|------------------------|---------------|
| Description            | Rockwood Code |
| Somerset Pine          | SPS           |
| Casselman Pine         | CPS           |
| Scarlett Oak           | SOS           |
| Tangerine Oak          | TOS           |
| Amber Oak              | AOS           |
| Blonde Oak             | BOS           |
| Espresso Walnut        | EWS           |
| Toasted Walnut         | TWS           |
| Auburn Cherry          | ACS           |
| Burnt Sienna Cherry    | BCS           |
| Maple Cherry           | MCS           |
| Sunrise Cherry         | SCS           |
| White Marble           | WMS           |

\*Available on select product categories.

## Special Finishes Description

**32DMS** (MicroShield®): As part of its promise to provide innovative solutions to their customers, ASSA ABLOY Group companies offer the MicroShield® technology, a silver-based antimicrobial coating designed to inhibit the spread of germs and bacteria.

**32316** and **32D316** are made from alloy 316 stainless steel containing molybdenum and extra nickel, giving it substantially higher corrosion resistance than the standard stainless steels typically used in door hardware. This finish is ideal for use in coastal, urban, and industrial areas that have harsh environmental conditions. **32316** (polish) finishes offer the best corrosion resistance and should be used in caustic environments.

**10BE** Dark Oxidized Satin Bronze equivalent: This finish provides the richness and warmth of the 10B/613 "living" finish, but maintains its original color and appearance and will not fade or wear over time. The 10BE finish is offered by Corbin Russwin, McKinney, Norton, Rixson, Rockwood, SARGENT and Accentra, providing visual consistency between ASSA ABLOY Group brands.

\*On most bronze finishes we will supply solid bronze material. Where solid bronze material is not available, we will use brass as a base material with a bronze look powder coat in its place.

\*\*\*Available on select items as indicated by the finish icon throughout the catalog.

## Wood Finishes

Wood species and finishes are found on page 48.



MicroShield® is a registered trademark of ASSA ABLOY Access and Egress Hardware Group, Inc., an ASSA ABLOY Group company.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Mounting Types

| PULL STYLE                       | PULL ON ONE SIDE OF DOOR |                |           |        |         |        | PULL ON BOTH SIDES OF DOOR (BTB) |         |                |         |
|----------------------------------|--------------------------|----------------|-----------|--------|---------|--------|----------------------------------|---------|----------------|---------|
| MOUNTING STYLE                   | Thru Bolt                | Deco Thru Bolt | Concealed |        |         |        | Cone Head/Set Screw              |         | Spanner Collar |         |
| DOOR TYPE                        | Wood/Metal               |                | Glass     | Metal  | Metal   | Wood   | Wood/Metal                       | Glass   | Wood/Metal     | Glass   |
| CONE HEADS                       | NA                       | NA             | NA        | Single | Single  | Single | Single                           | Single  | NA             | NA      |
| MOUNTING TYPE                    | Type 1                   | Type 12        | Type 15   | Type 6 | Type 6R | Type 8 | Type 5                           | Type 13 | Type 11        | Type 14 |
| Standard (STD) Bolt Size         | ¼"-20                    | ¼"-20          | ¼"-20     | ¼"-20  | ¼"-20   | ¼"-20  | ¼"-20                            | ¼"-20   |                |         |
| Price                            | INCL                     | 30.02          | 35.47     | 8.91   | 14.06   | 11.68  | 8.91                             | 16.43   |                |         |
| Heavy Duty (HD) Bolt Size        | ⅝"-18                    | ⅝"-18          | ⅝"-18     | ⅝"-18  | ⅝"-18   | ⅝"-18  | ⅝"-18                            | ⅝"-18   |                |         |
| Price                            | 8.91                     | 35.47          | 42.03     | 13.28  | 19.90   | 16.33  | 13.28                            | 20.80   |                |         |
| Extra Heavy Duty (XHD) Bolt Size | ¾"-16                    | ¾"-16          | ¾"-16     |        |         |        |                                  |         | ¾"-16          | ¾"-16   |
| Price                            | 13.04                    | 38.75          | 45.31     |        |         |        |                                  |         | 33.84          | 40.38   |

| Straight Pulls |      |                           |         |         |        |         |        |                           |         |         |         |
|----------------|------|---------------------------|---------|---------|--------|---------|--------|---------------------------|---------|---------|---------|
| Pull Type      | Dia. | MAXIMUM BOLT SIZE ALLOWED |         |         |        |         |        | MAXIMUM BOLT SIZE ALLOWED |         |         |         |
|                |      | Type 1                    | Type 12 | Type 15 | Type 6 | Type 6R | Type 8 | Type 5                    | Type 13 | Type 11 | Type 14 |
| Straight       | ⅝"   | 8-32                      | STD     | STD     | 8-32   | 8-32    | 8-32   |                           | STD     |         |         |
| Straight       | ¾"   | HD                        | HD      | HD      | STD    |         | STD    | STD                       | STD     |         |         |
| Straight       | 1"   | HD                        | HD      | HD      | HD     | HD      | HD     | HD                        | HD      | HD      | HD      |
| Straight       | 1 ¼" | HD                        | HD      | HD      | HD     | HD      | HD     | HD                        | HD      | HD      | HD      |
| Straight       | 1 ½" | HD                        | HD      | HD      | HD     | HD      | HD     | HD                        | HD      | HD      | HD      |

| Offset Pulls - Postmount |      |                           |         |         |        |         |        |                           |         |         |         |
|--------------------------|------|---------------------------|---------|---------|--------|---------|--------|---------------------------|---------|---------|---------|
| Pull Type                | Dia. | MAXIMUM BOLT SIZE ALLOWED |         |         |        |         |        | MAXIMUM BOLT SIZE ALLOWED |         |         |         |
|                          |      | Type 1                    | Type 12 | Type 15 | Type 6 | Type 6R | Type 8 | Type 5                    | Type 13 | Type 11 | Type 14 |
| Offset                   | ⅝"   | 8-32                      | 8-32    | 8-32    | 8-32   | 8-32    | 8-32   | 8-32                      | 8-32    |         |         |
| Offset                   | 1"   | HD                        | HD      | HD      | HD     | HD      | HD     | HD                        | HD      |         |         |
| Offset                   | 1 ¼" | HD                        | HD      | HD      | HD     | HD      | HD     | HD                        | HD      |         |         |
| Offset                   | 1 ½" | HD                        | HD      | HD      | HD     | HD      | HD     | HD                        | HD      |         |         |

| Offset Pulls - Tubular Bent Ends |      |                           |         |         |        |         |        |                           |         |         |         |
|----------------------------------|------|---------------------------|---------|---------|--------|---------|--------|---------------------------|---------|---------|---------|
| Pull Type                        | Dia. | MAXIMUM BOLT SIZE ALLOWED |         |         |        |         |        | MAXIMUM BOLT SIZE ALLOWED |         |         |         |
|                                  |      | Type 1                    | Type 12 | Type 15 | Type 6 | Type 6R | Type 8 | Type 5                    | Type 13 | Type 11 | Type 14 |
| Offset                           | 1"   | XHD                       | XHD     | XHD     | HD     | HD      | HD     |                           |         | XHD     | XHD     |
| Offset                           | 1 ¼" | XHD                       | XHD     | XHD     | HD     | HD      | HD     |                           |         | XHD     | XHD     |
| Offset                           | 1 ½" | XHD                       | XHD     | XHD     | HD     | HD      | HD     |                           |         | XHD     | XHD     |

For all bent 1 ¼" - 1 ½" solid Aluminum pulls and bars use the following mountings: (1HD-12HD-6HD-8HD-5HD-15HD-13HD).

**ROCKWOOD**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

# Door Pull Mounting Details

## Free End Thru Bolt

**TYPE 1 - Thru Bolt Wood or Metal Door**

| Type | Bolt Size | Drill Size | Price |
|------|-----------|------------|-------|
| 1    | 1/4"-20   | 9/32       | Incl. |
| 1HD  | 5/16"-18  | 11/32      | 8.91  |
| 1XHD | 3/8"-16   | 13/32      | 13.04 |

**TYPE 12 - Decorative Thru Bolt Wood or Metal Door**

| Type  | Bolt Size | Drill Size | Price |
|-------|-----------|------------|-------|
| 12    | 1/4"-20   | 9/32       | 30.02 |
| 12HD  | 5/16"-18  | 11/32      | 35.47 |
| 12XHD | 3/8"-16   | 13/32      | 38.75 |

**TYPE 15 - Decorative Thru Bolt Glass Door**

| Type  | Bolt Size | Drill Size | Price |
|-------|-----------|------------|-------|
| 15    | 1/4"-20   | 5/8        | 35.47 |
| 15HD  | 5/16"-18  | 5/8        | 42.03 |
| 15XHD | 3/8"-16   | 5/8        | 45.31 |

## Free End Concealed

**TYPE 6 - Surface Concealed Metal Door**

Minimum diameter of pull is 5/8"

| Type | Bolt Size | Drill Size   | Price |
|------|-----------|--------------|-------|
| 6    | 1/4"-20   | 1/4"-20 Tap  | 8.91  |
| *6HD | 5/16"-18  | 5/16"-18 Tap | 13.28 |

**TYPE 6R - Surface Concealed Metal Door**

Minimum diameter of pull is 1"

| Type  | Bolt Size | Drill Size | Price |
|-------|-----------|------------|-------|
| 6R    | 1/4"-20   | N/A        | 14.06 |
| *6RHD | 5/16"-18  | N/A        | 19.90 |

**TYPE 8 - Surface Concealed Wood Door**

| Type | Bolt Size | Drill Size       | Price |
|------|-----------|------------------|-------|
| 8    | 1/4"-20   | 23/64 - 9/16 dp. | 11.68 |
| *8HD | 5/16"-18  | 7/16 - 9/16 dp.  | 16.33 |

## Back-to-Back

**TYPE 5 - Back-to-Back Wood or Metal Door**

Minimum diameter of pull is 5/8"

| Type | Bolt Size | Drill Size | Price |
|------|-----------|------------|-------|
| 5    | 1/4"-20   | 9/32       | 8.91  |
| 5HD  | 5/16"-18  | 11/32      | 13.28 |

**TYPE 13 - Back-to-Back Glass Door**

| Type  | Bolt Size | Drill Size | Price |
|-------|-----------|------------|-------|
| 13    | 1/4"-20   | 5/8        | 16.43 |
| *13HD | 5/16"-18  | 5/8        | 20.80 |

**TYPE 11/11XHD - Back-to-Back w/Spinner Collar - Wood or Metal Door**

Minimum diameter of pull is 1"

| Type     | Bolt Size | Drill Size | Price |
|----------|-----------|------------|-------|
| 11/11XHD | 3/8"-16   | 13/32      | 33.84 |

**TYPE 14/14XHD - Back-to-Back Glass Door**

Minimum diameter of pull is 1"

| Type     | Bolt Size | Drill Size | Price |
|----------|-----------|------------|-------|
| 14/14XHD | 3/8"-16   | 5/8        | 40.38 |

\*HD mountings feature 2 set screws 180° apart.

## RM4800 Mounting Only

**RM4800 Series - Thru Bolt Wood or Metal Door**

| Bolt Size | Drill Size | Price |
|-----------|------------|-------|
| 3/8"-16   | 5/8        | 44.45 |

**RM4800 Series - Back-to-Back Wood or Metal Door**

| Bolt Size | Drill Size | Price |
|-----------|------------|-------|
| 3/8"-16   | 5/8        | 44.45 |

## RM790 x RM790 BTB Mounting Only

**TYPE 10 - Surface Mounted Wood or Metal Door**

| Type | Bolt Size | Drill Size | Price |
|------|-----------|------------|-------|
| 10   | #8-32     | 9/32       | 16.33 |

## Wire or Small Post Mount Pull Mounting

**TYPE 1S - Thru Bolt Wood or Metal Door**

| Type | Bolt Size | Drill Size | Price |
|------|-----------|------------|-------|
| 1S   | #8-32     | 13/64      | Incl. |

**TYPE 5S - Back-to-Back Wood or Metal Door**

| Type | Bolt Size | Drill Size | Price |
|------|-----------|------------|-------|
| 5S   | #8-32     | 13/64      | 13.28 |

**TYPE 6S - Surface Concealed Wood or Metal Door**

| Type | Bolt Size | Drill Size | Price |
|------|-----------|------------|-------|
| 6S   | #8-32     | 13/64 Tap  | 16.33 |

**TYPE 13S - Back-to-Back Glass Door**

| Type | Bolt Size | Drill Size | Price |
|------|-----------|------------|-------|
| 13S  | #8-32     | 5/8        | 20.80 |

NOTE: This mounting should only be used on pulls with mounting points that are 3/8", 1/2" or 5/8" in diameter.

NOTE: This mounting should only be used on pulls with mounting points that are 1/2" or greater in diameter.

NOTE: This mounting should only be used on pulls with mounting points that are 1/2" or greater in diameter.

NOTE: This mounting should only be used on pulls with mounting points that are 1/2" or 5/8" in diameter.

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**

Experience a safer  
and more open world

## Push and Pull Bar Mounting Details

### Sizing of Push Bars

#### Flush Doors


- Door width: • minus 5" for bent end bars
- minus 5" for flat end post mount bars
- minus 7" for round end post mount bars

#### Stile and Rail Doors or Doors with Lites

- Door width: • minus width of one stile

**CAUTION:** Always confirm bars will not interfere with jamb or cause pinching hazard.

**CAUTION:** On narrow stile doors, be sure push bar base fits on the stile and bar does not interfere with the stop.




### Handing of Doors


The handing of a door is determined from the outside of the opening.

Standing outside the door:

- If the hinges are on the right, it is a right hand door.
- If the hinges are on the left, it is a left hand door.
- If the door opens away from you, it is a regular bevel door.
- If the door opens toward you, it is a reverse bevel door.



### Typical Mounting



**ROCKWOOD**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

## Thru Bolt Mounting - for 1 3/4" Wood and Metal Doors



| Part          | Description                                                | Mounting Type | Price |
|---------------|------------------------------------------------------------|---------------|-------|
| <b>SP1004</b> | 1/4"-20 x 2 1/4" Flat Head Machine Screw Thru Bolt         | 1             | 1.32  |
| <b>SP1005</b> | 1/4"-20 Finishing Washer                                   | 1             | 0.93  |
| <b>SP1053</b> | 5/16"-18 x 2 1/2" Socket Flat Head Machine Screw Thru Bolt | 1HD           | 3.60  |
| <b>SP1054</b> | 5/16"-18 Finishing Washer                                  | 1HD           | 1.33  |
| <b>SP1001</b> | 3/8"-16 x 2 1/2" Socket Flat Head Machine Screw Thru Bolt  | 1XHD          | 5.58  |
| <b>SP1002</b> | 3/8"-16 Finishing Washer                                   | 1XHD          | 1.67  |
| <b>SP1003</b> | 1" Diameter Decorative Thru Bolt<br>1/4"-20 x 2 1/4"       | 12            | 15.09 |
| <b>SP1055</b> | 1" Diameter Decorative Thru Bolt<br>5/16"-18 x 2 1/4"      | 12HD          | 17.98 |
| <b>SP1041</b> | 1 1/4" Diameter Decorative Thru Bolt<br>3/8"-16 x 2 1/4"   | 12XHD         | 17.98 |

## Back-to-Back Mounting - for 1 3/4" Wood and Metal Doors



| Part          | Description                                                                         | Mounting Type | Price |
|---------------|-------------------------------------------------------------------------------------|---------------|-------|
| <b>SP1025</b> | 1/4"-20 x 2 1/4" Cone Head Machine Screw                                            | 5             | 3.92  |
| <b>SP1056</b> | 5/16"-18 x 2 1/4" Cone Head Machine Screw                                           | 5HD           | 6.20  |
| <b>SP1052</b> | 1/4"-20 x 2 1/4" Double Cone Head Machine Screw<br>(for use with offset pulls)      | 16            | 4.64  |
| <b>SP1057</b> | 5/16"-18 x 2 1/4" Double Cone Head Machine Screw<br>(for use with offset pulls)     | 16HD          | 7.62  |
| <b>SP1027</b> | 1/4"-20 Cone Head Union (Used to convert Cone Head to Thru Bolt Hole)               | N/A           | 3.92  |
| <b>SP1079</b> | 1/4"-20 Double Cone Head Union (Used to convert Double Cone Head to Thru Bolt Hole) | N/A           | 6.91  |
| <b>SP1068</b> | 5/16"-18 Cone Head Union (Used to convert Cone Head to Thru Bolt Hole)              | N/A           | 6.20  |
| <b>SP1026</b> | 1/4"-20 x 5/16" Set Screws (Standard)                                               | N/A           | 0.93  |
| <b>SP1065</b> | 1/4"-20 x 3/16" Set Screw (Short)                                                   | N/A           | 1.22  |
| <b>SP1032</b> | 3/8"-16 x 3 1/2" LH/RH Bolt                                                         | 11            | 8.18  |
| <b>SP1071</b> | Spanner Collar 1" Diameter for LH/RH Bolt                                           | 11            | 12.37 |
| <b>SP1033</b> | Spanner Collar 1 1/4" Diameter for LH/RH Bolt                                       | 11            | 12.37 |
| <b>SP1072</b> | Spanner Collar 1 1/2" Diameter for LH/RH Bolt                                       | 11            | 13.77 |

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.

**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world



## Concealed Mounting - for 1 3/4" Wood and Metal Doors


| Part          | Description                                    | Mounting Type | Price |
|---------------|------------------------------------------------|---------------|-------|
| <b>SP1039</b> | 1/4"-20 x 1/2" Cone Head Machine Screw         | 6 / 6R        | 3.92  |
| <b>SP1058</b> | 5/16"-18 x 1/2" Cone Head Machine Screw        | 6HD           | 6.20  |
| <b>SP1080</b> | 1/4"-20 Cone Head / Knife Thread Insert        | 8             | 6.52  |
| <b>SP1082</b> | 5/16"-18 Cone Head / Knife Thread Insert       | 8HD           | 6.52  |
| <b>SP1051</b> | 1/4"-20 x 1/2" Double Cone Head Machine Screw  | 17 / 17R      | 6.20  |
| <b>SP1059</b> | 5/16"-18 x 1/2" Double Cone Head Machine Screw | 17HD          | 7.62  |

## Bushings & Washers - for 1/2" Glass Doors



| Part          | Description                                                             | Mounting Type  | Price |
|---------------|-------------------------------------------------------------------------|----------------|-------|
| <b>SP1022</b> | Stainless Steel Washer for 1/4"-20 Cone Head Machine Screw .032" Thick  | 13             | 1.67  |
| <b>SP1060</b> | Stainless Steel Washer for 5/16"-18 Cone Head Machine Screw .060" Thick | 13HD           | 1.67  |
| <b>SP1023</b> | Plastic Washer for 1/4"-20 Bolt; Specify Size                           | 13             | 1.44  |
| <b>SP1061</b> | Plastic Washer for 5/16"-18 Bolt; Specify Size                          | 13HD           | 1.54  |
| <b>SP1062</b> | Plastic Washer for 3/8"-16 Bolt; Specify Size                           | 14             | 1.54  |
| <b>SP1024</b> | Glass Door Bushing for 5/8" Hole in Glass; Specify Size                 | 13 / 13HD / 14 | 1.67  |

## Thru Bolt Mounting - for 1/2" Glass Doors



| Part          | Description                                            | Mounting Type | Price |
|---------------|--------------------------------------------------------|---------------|-------|
| <b>SP1020</b> | 1" Diameter Decorative Thru Bolt; 1/4"-20 x 1 1/8"     | 15            | 15.09 |
| <b>SP1063</b> | 1" Diameter Decorative Thru Bolt; 5/16"-18 x 1 1/8"    | 15HD          | 17.98 |
| <b>SP1040</b> | 1 1/4" Diameter Decorative Thru Bolt; 3/8"-16 x 1 1/8" | 15XHD         | 17.98 |

**ROCKWOOD**

**ASSA ABLOY**


Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


## Back-to-Back Mounting - for ½" Glass Doors



| Part          | Description                                                                                       | Mounting Type | Price |
|---------------|---------------------------------------------------------------------------------------------------|---------------|-------|
| <b>SP1021</b> | ¼"-20 x 1 ½" Cone Head Machine Screw                                                              | 13            | 3.92  |
| <b>SP1064</b> | ⅝"-18 x 1 ½" Cone Head Machine Screw                                                              | 13HD          | 6.20  |
| <b>SP1067</b> | ¼"-20 x 1 ½" Double Cone Head Machine Screw                                                       | 18            | 6.20  |
| <b>SP1066</b> | ⅝"-18 x 1 ½" Double Cone Head Machine Screw                                                       | 18HD          | 7.62  |
| <b>SP1026</b> | ¼"-20 x ⅝" Set Screw (Standard)                                                                   | N/A           | 0.93  |
| <b>SP1065</b> | ¼"-20 x ⅝" Set Screw (Short)                                                                      | N/A           | 1.22  |
| <b>SP1031</b> | ⅜"-16 x 1 ¾" LH/RH Bolt (If SP1031 is ordered and KIT 14 is not called out fastener will be 2 ¼") | 14            | 8.18  |
| <b>SP1071</b> | Spanner Collar 1" Diameter for LH/RH Bolt                                                         | 14            | 12.37 |
| <b>SP1033</b> | Spanner Collar 1 ¼" Diameter for LH/RH Bolt                                                       | 14            | 12.37 |
| <b>SP1072</b> | Spanner Collar 1 ½" Diameter for LH/RH Bolt                                                       | 14            | 13.77 |


## Y Base Plates

Specify bolt hole size and finish. Standard pulls require two plates.



| Part          | Description              | For Use With                | Price |
|---------------|--------------------------|-----------------------------|-------|
| <b>SP1073</b> | ⅝" Thick x 1 ⅞" Diameter | ¾" Diameter Pulls           | 15.09 |
| <b>SP1074</b> | ⅝" Thick x 1 ¼" Diameter | 1" Diameter Pulls and Posts | 15.09 |
| <b>SP1075</b> | ⅝" Thick x 1 ½" Diameter | 1" Diameter Pulls and Posts | 15.09 |
| <b>SP1076</b> | ⅝" Thick x 1 ¾" Diameter | 1" Diameter Pulls and Posts | 15.09 |
| <b>SP1077</b> | ⅝" Thick x 2" Diameter   | 1" Diameter Pulls and Posts | 15.09 |

## Flush Pull Fasteners



| Part          | Description                             | Door Type     | Price |
|---------------|-----------------------------------------|---------------|-------|
| <b>SP1006</b> | #8 x ¾" Oval Head Sheet Metal Screw     | Wood or Metal | 0.71  |
| <b>SP1007</b> | #8-32 x ¾" Oval Head Machine Screw      | Metal         | 0.71  |
| <b>SP1034</b> | #8-32 x 1 ⅝" Brass Sleeve Machine Screw | Wood or Metal | 4.16  |

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)


Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.

Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.


**ROCKWOOD®**

**ASSA ABLOY**


Experience a safer  
and more open world




Standard Thru Bolt for Countersunk Holes



Decorative Thru Bolt for Wood or Metal Doors



Cone Head Bolt for Back-to-Back Wood or Metal Doors



LH/RH Bolt without Heads

## Mounting Kits for Door Pulls

| Part                 | Mounting Type | Description                                                                                                                                                                  | Price |
|----------------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| <b>KIT1</b>          | 1             | 2 ea. 1/4"-20 x 2 1/4" Thru Bolts and 2 ea. Finish Washers; Specify Finish                                                                                                   | 4.46  |
| <b>KIT1HD</b>        | 1HD           | 2 ea. 5/16"-18 x 2 1/4" Thru Bolts and 2 ea. Finish Washers; Specify Finish                                                                                                  | 8.91  |
| <b>KIT1XHD</b>       | 1XHD          | 2 ea. 3/8"-16 x 2 1/4" Thru Bolts and 2 ea. Finish Washers; Specify Finish                                                                                                   | 13.04 |
| <b>KIT5</b>          | 5             | 2 ea. 1/4"-20 x 2 1/4" Cone Head Bolts and 4 ea. Set Screws                                                                                                                  | 8.91  |
| <b>KIT5HD</b>        | 5HD           | 2 ea. 5/16"-18 x 2 1/4" Cone Head Bolts and 4 ea. Set Screws                                                                                                                 | 13.28 |
| <b>KIT6</b>          | 6             | 2 ea. 1/4"-20 x 1 1/2" Cone Head Bolts and 4 ea. Set Screws                                                                                                                  | 8.91  |
| <b>KIT6HD</b>        | 6HD           | 2 ea. 5/16"-18 x 1 1/2" Cone Head Bolts and 4 ea. Set Screws                                                                                                                 | 13.28 |
| <b>KIT11</b>         | 11            | 2 ea. 3/8"-16 x 3 1/2" LH/RH Bolt and 2 ea. Spanner Collars for 1 3/4" Doors; Specify Pull Diameter and Finish                                                               | 33.84 |
| <b>KIT12-1</b>       | 12            | 2 ea. 1/4"-20 x 2 1/4" Decorative Thru Bolts; 1" Dia.; Specify Finish                                                                                                        | 30.02 |
| <b>KIT12-1HD</b>     | 12HD          | 2 ea. 5/16"-18 x 2 1/4" Decorative Thru Bolts; 1" Dia.; Specify Finish                                                                                                       | 35.47 |
| <b>KIT12-1.25XHD</b> | 12XHD         | 2 ea. 3/8"-16 x 2 1/4" Decorative Thru Bolts; 1 1/4" Dia.; Specify Finish                                                                                                    | 38.75 |
| <b>KIT12-1.5XHD</b>  | 12XHD         | 2 ea. 3/8"-16 x 2 1/4" Decorative Thru Bolts; 1 1/2" Dia.; Specify Finish                                                                                                    | 45.47 |
| <b>KIT13</b>         | 13            | 2 ea. 1/4"-20 x 1 1/8" Cone Head Bolts; 2 ea. Metal Washers; 4 ea. Plastic Washers; 2 ea. Bushings for 1/2" Glass Doors; 4 ea. Set Screws; Specify if other than 1/2" Glass  | 16.43 |
| <b>KIT13HD</b>       | 13HD          | 2 ea. 5/16"-18 x 1 1/8" Cone Head Bolts; 2 ea. Metal Washers; 4 ea. Plastic Washers; 2 ea. Bushings for 1/2" Glass Doors; 4 ea. Set Screws; Specify if other than 1/2" Glass | 20.80 |
| <b>KIT14</b>         | 14            | 2 ea. 3/8"-16 x 2 1/4" LH/RH Bolt; 2 ea. Spanner Collars; 2 ea. Bushings; 4 ea. Washers for 1/2" Glass Doors; Specify Pull Diameter and Finish                               | 40.38 |
| <b>KIT15</b>         | 15            | 2 ea. 1/4"-20 x 1 1/8" Decorative Thru Bolts; 1" Dia.; 2 ea. Bushings; 4 ea. Plastic Washers; Specify Finish and Glass Thickness/Hole Size                                   | 35.47 |
| <b>KIT15HD</b>       | 15HD          | 2 ea. 5/16"-18 x 1 1/8" Decorative Thru Bolts; 1" Dia.; 2 ea. Bushings; 4 ea. Plastic Washers; Specify Finish and Glass Thickness/Hole Size                                  | 42.03 |
| <b>KIT15-1.25XHD</b> | 15XHD         | 2 ea. 3/8"-16 x 1 1/8" Decorative Thru Bolts; 1 1/4" Dia.; 2 ea. Bushings; 4 ea. Plastic Washers; Specify Finish and Glass Thickness/Hole Size                               | 45.31 |
| <b>KIT15-1.5XHD</b>  | 15XHD         | 2 ea. 3/8"-16 x 1 1/8" Decorative Thru Bolts; 1 1/2" Dia.; 2 ea. Bushings; 4 ea. Plastic Washers; Specify Finish and Glass Thickness/Hole Size                               | 51.84 |
| <b>KIT16</b>         | 16            | 2 ea. 1/4"-20 x 2 1/4" Double Cone Head Bolts and 4 ea. Set Screws                                                                                                           | 13.25 |
| <b>KIT16HD</b>       | 16HD          | 2 ea. 5/16"-18 x 2 1/4" Double Cone Head Bolts and 4 ea. Set Screws                                                                                                          | 16.33 |

| Part             | Mounting Type | Description                                                                                                                                                                                                          | Price |
|------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| <b>KIT17</b>     | 17            | 2 ea. 1/4"-20 x 1/2" Double Cone Head Bolts and 4 ea. Set Screws                                                                                                                                                     | 13.28 |
| <b>KIT17HD</b>   | 17HD          | 2 ea. 5/16"-18 x 1/2" Double Cone Head Bolts and 4 ea. Set Screws                                                                                                                                                    | 16.33 |
| <b>KIT18</b>     | 18            | 2 ea. 1/4"-20 x 1 1/8" Double Cone Head Bolts; 2 ea. Metal Washers; 4 ea. Plastic Washers; 2 ea. Bushings for 1/2" Glass Doors; Specify if other than 1/2" Glass and 4 ea. Set Screws                                | 22.75 |
| <b>KIT18HD</b>   | 18HD          | 2 ea. 5/16"-18 x 1 1/8" Double Cone Head Bolts; 2 ea. Metal Washers; 4 ea. Plastic Washers; 2 ea. Bushings for 1/2" Glass Doors; Specify if other than 1/2" Glass and 4 ea. Set Screws                               | 26.02 |
| <b>KIT-T1</b>    | T1            | 1 ea. 1/4"-20 X 2 1/4" Cone Head Bolt; 1 ea. 1/4"-20 Cone Head Union; 2 ea. Set Screws; 2 ea. 1/4"-20 x 2 1/4" Dia. Decorative Thru Bolts; Specify Finish                                                            | 34.48 |
| <b>KIT-T2</b>    | T2            | 1 ea. 1/4"-20 X 1 1/8" Cone Head Bolt; 1 ea. 1/4"-20 Cone Head Union; 2 ea. Set Screws; 2 ea. 1/4"-20 x 1 1/8" Dia. Decorative Thru Bolts; 1 ea. Metal Washer; 6 ea. Plastic Washers; 3 ea. Bushings; Specify Finish | 43.69 |
| <b>KIT-T3</b>    | T3            | 1 ea. 1/4"-20 X 2 1/4" Cone Head Bolt; 1 ea. 1/4"-20 Cone Head Union; 2 ea. Set Screws; 2 ea. 1/4"-20 x 2 1/4" Thru Bolts; 2 ea. Finish Washers; Specify Finish                                                      | 13.26 |
| <b>KIT-T4</b>    | T4            | 1 ea. 1/4"-20 X 2 1/4" Cone Head Bolt; 2 ea. 1/4"-20 x 1/2" Cone Head Bolts; 3 ea. Set Screws                                                                                                                        | 13.37 |
| <b>KIT-T5</b>    | T5            | 1 ea. 1/4"-20 X 2 1/4" Cone Head Bolt; 2 ea. 1/4"-20 x 1/2" Cone Head Wood Screws; 3 ea. Set Screws                                                                                                                  | 16.14 |
| <b>KITRM1.25</b> | 11x1XHD       | 2 ea. 3/8"-16 x 2 1/2" Thru Bolts; 2 ea. Finish Washers; 1 ea. 3/8"-16 x 3 1/2" LH/RH Bolt; 1 ea. 1 1/4" Spanner Collar; Specify Finish                                                                              | 30.02 |
| <b>KITRM360</b>  | 11x 12XHD     | 2 ea. 3/8"-16 x 2 1/4" Decorative Thru Bolts 1 1/4" Dia.; 1 ea. 3/8"-16 x 3 1/2" LH/RH Bolt; 1 ea. 1 1/4" Spanner Collar; Specify Finish                                                                             | 55.66 |
| <b>KITRM360G</b> | 14x 15XHD     | 2 ea. 3/8"-16 x 2 1/4" Decorative Thru Bolts 1 1/4" Dia.; 1 ea. 3/8"-16 x 2 1/4" LH/RH Bolt; 1 ea. 1 1/4" Spanner Collar; 3 ea. Bushings; 6 ea. Plastic Washers; Specify Finish                                      | 65.50 |
| <b>KITRM1.5</b>  | 11x1XHD       | 2 ea. 3/8"-16 x 2 1/2" Thru Bolts; 2 ea. Finish Washers; 1 ea. 3/8"-16 x 3 1/2" LH/RH Bolt; 1 ea. 1 1/2" Spanner Collar; Specify Finish                                                                              | 33.29 |
| <b>KITRM380</b>  | 11x 12XHD     | 2 ea. 3/8"-16 x 2 1/4" Decorative Thru Bolts 1 1/2" Dia.; 1 ea. 3/8"-16 x 3 1/2" LH/RH Bolt; 1 ea. 1 1/2" Spanner Collar; Specify Finish                                                                             | 65.50 |
| <b>KITRM380G</b> | 14x 15XHD     | 2 ea. 3/8"-16 x 2 1/4" Decorative Thru Bolts 1 1/2" Dia.; 1 ea. 3/8"-16 x 1 1/4" LH/RH Bolt; 1 ea. 1 1/2" Spanner Collar; 3 ea. Bushings; 6 ea. Plastic Washers; Specify Finish                                      | 75.32 |

**ROCKWOOD**

**ASSA ABLOY**

Experience a safer  
and more open world

USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.





USA & Canada Prices Effective February 2, 2026 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)  
Check the websites for the most updated product information.

USA: 800 458 2424 • [www.rockwoodmfg.com](http://www.rockwoodmfg.com) | Canada: 800 461 3007 • [www.assaabloydss.ca](http://www.assaabloydss.ca)

*Rockwood is a brand associated with ASSA ABLOY Accessories and Door Controls Group, Inc.  
Copyright © 2021-2026, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part  
without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited. Printed in the U.S.A.*

**ROCKWOOD®**  
**ASSA ABLOY**

Experience a safer  
and more open world

The ASSA ABLOY Group is the global leader in access solutions.  
Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within  
door openings and products for access solutions in homes, businesses  
and institutions. Our offering includes doors, frames, door and window  
hardware, mechanical and smart locks, access control and service.



Rockwood Manufacturing Company  
300 Main St.  
Rockwood, PA 15557  
[www.rockwoodmfg.com](http://www.rockwoodmfg.com)  
[orders.rockwood@assaabloy.com](mailto:orders.rockwood@assaabloy.com)  
800 458 2424

(In Canada)  
Door Security Solutions Canada  
160 Four Valley Drive  
Vaughan, ON L4K 4T9  
800 461 3007  
[www.assaabloydss.ca](http://www.assaabloydss.ca)