

TABLE OF CONTENTS

A

Accessories, 4500 Series Grade 1

Alarm Kit	26
Alarm Kit Latchbolt Monitor Switch	29
Alarm Kit Tamper Switch.....	29
Concealed Vertical Rod Bottom Latch Assembly.....	29
Concealed Vertical Rod Top Latch Assembly.....	29
Cylinder Cup Spacer 45PN/47PN.....	28
Cylinder Dogging Conversion Kit	24
End Cap Replacement Packs (4500/4600 standard & flush)	26-27
Extension Rod Kit - 24".....	25
Extension Rod Kit - 36".....	25
Hex Key for Dogging.....	29
Less Bottom Rod Fire Bolt Kit.....	28
Less Bottom Rod Replacement Head Cover Plug	28
Photoluminescent Push Bar	29
Replacement Head Covers	25
Rod to Rod Connector	28
Rod Guide Replacement Pack.....	26
Spring Cage/Hanging Pin Replacement Pack.....	27
Surface Vertical Rod Top Latch Assembly	24
Surface Vertical Rod Bottom Latch Assembly	24
Screwpacks	27-28
Top or Bottom Latch Cover Replacement Pack.....	27
Top or Bottom Rod Replacement Kits	24

Accessories, 4600 Series Grade 1 Narrow Stile

Alarm Kit.....	37
Alarm Kit Latchbolt Monitor Switch.....	37
Alarm Kit Tamper Switch.....	37
Cylinder Dogging Conversion Kit.....	37
End Cap Replacement Packs (standard and flush).....	39
Hex Key for Dogging.....	39
Rim Replacement Head Cover.....	36

Accessories, 4700 Series Standard Duty

Bottom Latch Assembly.....	47
Bottom Latch Cover	49
Cylinder Cup Spacer 45PN/47PN	28
End Cap Replacement Pack.....	50
Extension Rod Kit - 24".....	48
Extension Rod Kit - 36".....	48
Hex Key for Dogging.....	50
Replacement Dogging Plates	48
Replacement Head Covers.....	48
Rod to Rod Connector	50
Rod Guide Replacement	50
Screwpacks	49-50
Top Latch Assembly.....	47
Top Latch Cover.....	47

Top or Bottom Rod Replacement Kit.....	47
Trim Hanging Pin.....	47

C

Cylinders

Cylinder Collar, 4500 Trim.....	53
Cylinder Collar, 4700 Trim.....	53
Mortise.....	52
Retaining Cup.....	53
Rim.....	52

E

Exit Devices, Grade 1

How to Order	6
4500 Rim Device	9
4500 Mortise Lock Exit Device.....	13
4500 Concealed Vertical Rod Device	11
4500 Concealed Vertical Rod Device Less Bottom Rod	12
4500 Dummy Push Pad Device.....	13
4500 Surface Vertical Rod Device.....	10
4500 Surface Vertical Rod Device Less Bottom Rod.....	9
4500 Electric Modifications, Power Supplies, and Alarmed Devices	4-5

Exit Devices, Grade 1 Narrow Stile

How to Order	7
4600 Narrow Stile Rim Device.....	30
4600 Concealed Vertical Rod Device	30
4600 Concealed Vertical Rod Device Less Bottom Rod	32
4600 Electric Modifications, Power Supplies, and Alarmed Devices	4-5
4500/4600 Dummy Push Pad Device	13

Exit Devices, Standard Duty

How to Order	8
4700 Rim Device	41
4700 Surface Vertical Rod Device.....	41

M

Mullions

Mullion Set - Keyed Removable.....	51
Mullion Set - Non-Keyed Removable	50
Mullion Tube - Keyed Removable	48
Mullion Tube - Non-Keyed Removable	51
Stabilizer - Non-Keyed & Keyed Removable	51
Stabilizer - Non-Keyed & Keyed Removable	51
Top/Bottom Bracket Set - Keyed Removable.....	51
Top/Bottom Bracket Set - Non-Keyed Removable.....	50



Exit Devices

S

Shim Kit, 4500 Series Grade 1

Shim Kit, Rim Device	24
Shim Kit, Surface Vertical Rod	25

Shim Kit, 4600 Series Grade 1 Narrow Stile

Shim Kit, Narrow Stile Rim Device	38
---	----

Shim Kit, 4700 Series Standard Duty

Shim Kit, Rim Device	47
Shim Kit, Surface Vertical Rod	47

Strikes, 4500 Series Grade 1

Concealed Vertical Rod, Top Strike, Fire Rated	26
Concealed Vertical Rod, Top Strike, Standard	26
Double Door Strike, Standard	23
Mortise Device, Fire Rated	29
Mortise Device, Standard	29
Mullion, Strikes	51
Rim Device, Fire Rated	23
Rim Device, Standard	23
Surface Vertical Rod, Bottom Strike, Fire Rated	23
Surface Vertical Rod, Bottom Strike, Standard	23
Surface Vertical Rod, Top Strike, Fire Rated	23
Surface Vertical Rod, Top Strike, Standard	23
Threshold Strike, Standard	23

Strikes, 4600 Series Grade 1 Narrow Stile

Blade Stop	38
Rim, Fire Rated	38
Rim, Standard	38
Semi-Flush Mount	38
Single Rabbet	38

Strikes, 4700 Series Standard Duty

Double Door Strike, Standard	47
Mullion, Strikes	51
Rim Device, Standard	47
Surface Vertical Rod, Bottom Strike, Standard	47
Surface Vertical Rod, Top Strike, Standard	47
Threshold Strike, Standard	47

T

Trim, 4500 Series Grade 1

Anti-Vandal Pull	23
Blank Escutcheon	14-15
Blank Escutcheon, Mortise (MB)	15
Cylinder Escutcheon	16-17
Cylinder Escutcheon, Mortise (MC)	17
Dummy Trim	18
Dummy Trim, Mortise (MD)	19
Night Latch	20-21
Night Latch, Mortise (MN)	21
Pull Plate Trim	22

Trim, 4600 Series Grade 1 Narrow Stile

Blank Escutcheon	33
Cylinder Escutcheon	34
Dummy Trim	35
Night Latch	36

Trim, 4700 Series Standard Duty

Blank Escutcheon	42
Cylinder Escutcheon	42
Dummy Trim	43
Key-In-Lever Trim	44
Night Latch	43
Pull Plate Trim	46
Raised Lip - Dummy	46
Raised Lip - Night Latch	46



INTRODUCTION

Every model in Hager's line of exit devices is designed and engineered to assure you and your customers years of superior performance. Hager exit devices use fewer moving parts and are constructed with high-quality features.

Hager exit devices were designed with ease of installation in mind. We package our exit devices for convenience and versatility, with thru-bolts included for every model, slotted strikes, and non-handed designs. Hager offers escutcheon trim available in four functions, along with many other trim options.

Cancellation Notification

Cancellation for made-to-order items must be communicated within 48 hours of order placement.



Exit Devices

ELECTRIC MODIFICATIONS - For use with 4500 Series and 4600 Series exit devices

FUNCTION	FUNCTION #	DESCRIPTION	ADD TO LIST PRICE
Request to Exit	RX	Used to shunt an alarm, activate an alarm, provide release of magnetic locks, or signal a console.	\$383.12
Dual Request to Exit	RX2	Features two SPDT switches	\$460.00
Latchbolt Monitoring	LM	An internal SPDT switch that monitors the latchbolt to signal both egress and access of an opening	\$383.12
Latchbolt Monitoring/Request to Exit	RXLM	Two internal SPDT switches that monitor the latchbolt and the pushbar simultaneously	\$475.36
Electric Trim*	ET*	Provides the means of locking or unlocking outside lever trim controls remotely. Trim works with both 12V or 24V and is field selectable between Fail Safe and Fail Secure.	\$706.04
Authorized Ingress/Key Monitoring*	AI*	An internal SPDT switch that monitors the operation of the outside trim. Must be ordered with the device.	\$398.48
Request to Exit/Authorized Ingress*	RXAI*	Two internal SPDT switches that monitors the pushbar and outside trim simultaneously. Must be ordered with the device.	\$475.36
Delayed Egress	DE	Delays egress for 15 or 30 seconds when unauthorized egress is initiated. Wall mount controller (2-679-0630) provides digital countdown display with verbal instructions or alarm tone only and must be ordered separately, list price \$1,781.12. Requires 3902 Mortise Cylinder, 1-1/8" long. Longer cylinders can be used with a collar.	\$1,678.27
Onboard Delayed Egress	OBDE	Delays egress for 15 or 30 seconds when unauthorized egress is initiated. Wall mount controller (2-679-0630) provides digital countdown display with verbal instructions or alarm tone only and must be ordered separately, list price \$1,852.40. Required 3902 Mortise Cylinder, 1-1/8" long. Longer cylinders can be used with a collar.	\$3,767.65
Motor Driven Electric Latch Retraction	MLR	Provides the means of locking or unlocking exit devices remotely using an electric motor. Recommend Hager 2903 or 2904 Power Supply.	\$1,437.95
Motor Driven Electric Latch Retraction with Request to Exit	MLRX	Provides the means of locking or unlocking exit devices remotely using an electric motor, along with an SPDT switch. Recommend Hager 2903 or 2904 Power Supply.	\$1,952.50
Motor Driven Electric Latch Retraction with Request to Exit and Latchbolt Monitoring	MLRXLM	Provides the means of locking or unlocking exit devices remotely using an electric motor, along with two internal SPDT switches that monitor the pushbar and latchbolt simultaneously. Recommend Hager 2903 or 2904 Power Supply.	\$1,952.50
Motor Driven Electric Latch Retraction with Latchbolt Monitoring	MLRLM	Provides the means of locking or unlocking exit devices remotely using an electric motor along with an internal SPDT switch that monitors the latchbolt. Recommend Hager 2903 or 2904 Power Supply.	\$1,550.81
Electrified Mortise Exit Device	ELEU	Provides the means of locking or unlocking outside lever trim controls remotely. . Field selectable between Fail Safe (EL) or Fail Secure (EU). Works with both 12V and 24V.	\$706.04

*Available on 4500 Series only.



POWER SUPPLIES

PRODUCT #	DESCRIPTION	LIST PRICE
2903	Provides 24 Volt DC power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls	Reference Electrified Products for Pricing
2904	Provides 24 Volt DC power and control for openings with an electrified locking device and automatic door operator	Reference Electrified Products for Pricing
2908	Provides up to 1 amp of 12 or 24 Volt DC power.	Reference Electrified Products for Pricing
2909	Provides up to 2 amps of 12 or 24 Volt DC power.	Reference Electrified Products for Pricing

QUICK CONNECT

Available for use with 4500 and 4600 Series Electrifications ED, LM, MLR, RX and AI (4500 only). Compatible with Hager Quick Connect Harness Cables which can plug into Hager hinges with quick connect for quick and accurate wiring of the door. No additional charge.

ALARMED DEVICES

4501/4601 ALK - Alarm Kit

Add \$444.63 to the list price of the device

4501/4601 ALM - ALK with Latch Monitor Switch (recommended for use with SVR devices)

Add \$597.01 to the list price of the device

4501/4601 ALT - ALK with Tamper Switch

Add \$597.01 to the list price of the device

4501/4601 ALL - ALK with Latch Monitor and Tamper Switch

Add \$749.38 to the list price of the device

Note: Alarm kit components may be purchased separately.



Exit Devices

4500 SERIES HOW TO ORDER

4501	RIM	FR	36"	US3	1-3/4"	ALK
	Type			Finish		Electric Modifications
	RIM - Rim Device			US3		AI - Authorized Ingress ³
	SVR - Surface Vertical Rod			US4		ALK - Alarm Kit
	LBR - Surface Vertical Rod Less Bottom Rod ¹			US10B		ALL - Alarm Kit w/ Tamper Switch and Latch Monitor
	CVR - Concealed Vertical Rod			US26		ALM - Alarm Kit w/ Latch Monitor
	CLB - Concealed Vertical Rod Less Bottom Rod ¹			US26D		ALT - Alarm Kit w/ Tamper Switch
	DMY - Dummy Push Pad		Door Size²	US32D		DE - Delayed Egress
	MRT - Mortise Device (MC, MB, MD)		36"	BLK		OBDE - Onboarded Delayed Egress
	MRTN - Mortise Night Latch Device (MN)		48"		Door Thickness	LM - Latchbolt Monitor ³
Product Group		Rating	36" x 84"		1-5/8"	RX - Request to Exit
4500 Series, Grade 1		FR - Fire-Rated	36" x 96"		1-3/4"	RX2 - Dual Request to Exit
		O - Non-Fire Rated	48" x 84"		2"	RXAI - Request to Exit w/ Authorized Ingress ³
		CD - Cylinder Dogging	48" x 96"		2-1/2"	RXLM - Request to Exit w/ Latchbolt Monitor ³
		CDW - Cylinder Dogging and Windstorm Rated			3"	MLR - Motor Driven Electric Latch Retraction
		LD - Less Dogging				MLRX - Motor Driven Electric Latch Retraction w/ Request to Exit
		WR - Windstorm Rated				MLRLM - Motor Driven Electric Latch Retraction w/Latchbolt Monitoring ³
		FW - Windstorm and Fire-Rated				MLRXL - Motor Driven Electric Latch Retraction w/Request to Exit & Latchbolt Monitoring ³
						ELEU - Fail Secure/Fail Safe, 12/24 Volt ⁶

4500 SERIES TRIM

45	CE	ARC	US3	1-3/4"	TW
Product Group	Trim/Function	Lever Style	Finish	Door Thickness	Options
45 - 4500 Series, Grade 1		ARC - Archer	US3	1-5/8"	TW - Tactile Warning
BE -	Blank Escutcheon	AUG - August	US4	1-3/4"	A- Antimicrobial Coating
	Function 14, always operable	WLM - William	US10B	2"	(US26D and US32D only)
CE -	Cylinder Escutcheon	WTN - Withnell	US26	2-1/2"	
	Function 08, key locks/unlocks	CHA - Charles	US26D	3"	
DT -	Dummy Trim	JHN - Johnston ⁵	US32D (pull plate trim only)		
	Function 02, pull when dogged down	JOS - Joshua	BLK		
ET -	Electric Escutcheon Trim (E05/E06)	LOU - Louis			
NL -	Night Latch (1-3/4" to 2-1/2" doors)	WRN - Warren ⁵			
	Function 03, key retracts latchbolt				
PD -	Pull Plate Dummy Trim (Not available for CVR device)				
	Function 02, pull when dogged down				
PN -	Pull Plate Night Latch (Not available for CVR device)				
	Function 03, key retracts latchbolt				
PT -	Thumbpiece Entrance (Not available for CVR device)				
	Function 05, key locks or unlocks thumbpiece				
MB -	Mortise Blank Escutcheon ⁴				
	Function 14, always operable				
MC -	Mortise Cylinder Escutcheon ⁴				
	Function 08, key locks/unlocks				
MD -	Mortise Dummy Trim ⁴				
	Function 02, pull when dogged down				
MN -	Mortise Night Latch ⁴				
	Function 03, key retracts latchbolt				

¹Fire-rated LBR and CLB devices must be ordered in pairs of vertical rod devices or can be used in conjunction with an approved automatic or constant latching flush bolt. When ordering pairs, specify one device LBR and second device LBR with fire bolt, for example: 4501 LBR Fire 36" x 84" plus 4501 LBR Fire 36" x 84" EO with bolt OR 4501 LBR Fire 36" x 84" plus an approved automatic constant latching flush bolt.

²24" door size available with extended lead times. Add \$506.16 to 36" list price. For additional information contact Hager customer service.

³Not available on Mortise Exit Devices.

⁴Mortise trim does not match centerline of other 4500 Series trim. Cannot be used with 4500 Series Rim or Vertical Rod devices.

⁵Johnston and Warren lever designs are handed. Specify LHR/RH or RHR/LH when ordering.

⁶Only applicable to 4501 MRTN devices.

Notes:

- Mortise cylinder 3902 is required for use with cylinder escutcheon trim and pull plate with thumbpiece trim and is sold separately.
- Rim cylinder with long tailpiece 3901 is required for use with night latch trim and is sold separately.
- For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
- If using shim kit, specify total door thickness including shims.
- ET Trim and EU/EL work with both 12V or 24V and are field-selectable between Fail Safe (EL) or Fail Secure (EU).



4600 SERIES HOW TO ORDER

4601	RIM	FR	36"	US3	1-3/4"	MLR
Product Group 4600 Series, Grade 1	Type RIM - Rim Device CVR - Concealed Vertical Rod Device CLB - Concealed Vertical Rod Less Bottom Rod	Rating FR - Fire Rated ⁶ O - Non-Fire Rated CD - Cylinder Dogging LD - Less Dogging	Size 36" 48"	Finish US3 US4 US10B US26 US26D US32D BLK ¹	Door Thickness 1-5/8" ⁶ 1-3/4" 2" ⁶ 2-1/2" ⁶ 3" ⁶	Electric Modifications ALK - Alarm Kit* ALL - Alarm Kit w/ Tamper Switch and Latch Monitor* ALM - Alarm Kit w/ Latch Monitor* ALT - Alarm Kit w/ Tamper Switch* DE - Delayed Egress LM - Latchbolt Monitor* RX - Request to Exit RX2 - Dual Request to Exit RXLM - Request to Exit w/ Latchbolt Monitor* MLR - Motor Driven Electric Latch Retraction MLRX - Motor Driven Electric Latch Retraction w/ Request to Exit MLRLM - Motor Driven Latch Retraction with Latchbolt Monitoring MLRXLM - Motor Driven Electric Latch Retraction with Request to Exit and Latchbolt Monitoring*

4600 SERIES TRIM

46	CE	ARC	US3	1-3/4"	TW
Product Group 46 - 4600 Series, Grade 1	Trim/Function BE - Blank Escutcheon Function 14, always operable CE - Cylinder Escutcheon ² Function 08, key locks/unlocks lever DT - Dummy Trim Function 02, pull when dogged down NL - Night Latch ³ (1-3/4" thick doors only) Function 03, key retracts latchbolt	Lever Style ARC - Archer AUG - August WLM - William WTN - Withnell	Finish US3 US4 US10B US26 US26D BLK	Door Thickness 1-5/8" 1-3/4" 2" 2-1/2" 3"	Options TW - Tactile Warning A - Antimicrobial Coating (US26D only)

Notes:

1. Mortise cylinder 3902 with 3976 L cam is required for use with cylinder escutcheon trim is sold separately.
2. Rim cylinder 3901 with long tailpiece is required for use with night latch trim and is sold separately.
3. For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
4. If using shim kit, specify total door thickness including shims.
5. Not available on 4600 CVR or CLB*



4700 SERIES HOW TO ORDER

4701	RIM	FR	36"	US3	2"
Product Group	Type		Size	Finish	Door Thickness
	RIM - Rim Device				
4700 Series, Standard Duty	SVR - Surface Vertical Rod		36"	US3	1-5/8"
			48"	US32D	1-3/4"
		Rating	36" x 84"	ALM	2"
			36" x 96"	DBZ	2-1/4"
		FR - Fire Rated	48" x 84"		
		0 - Non-Fire Rated	48" x 96"		

4700 SERIES TRIM

47	CE	RH	ARC	US3	2"	TW
Product Group	Trim/Function		Lever Style	Finish	Door Thickness	Options
	CE - Cylinder Escutcheon					
47 - 4700 Series, Standard Duty	Function 08, key locks/unlocks		ARC - Archer	US3	1-5/8"	TW - Tactile Warning
	BE - Blank Escutcheon		AUG - August	US32D	1-3/4"	A - Antimicrobial Coating
	Function 14, always operable	RH - Right Handed / LHR	WTN - Withnell	ALM	2"	
	NL - Night Latch	LH - Left Handed / RHR	APL - Apollo knob	DBZ	2-1/4"	
	Function 03, key retracts latchbolt					
	DT - Dummy Trim					
	Function 02, pull when dogged down					
	KD- Key in Lever - Dummy Trim					
	Function 02, entrance by trim when actuating bar is locked down					
	KE- Key in Lever - Entrance					
	Function 08, entrance by trim (key locks or unlocks trim)					
	KN- Key in Lever - Night Latch					
	Function 03, entrance by trim when latch bolt is released by key; removable when locked					
	KP- Key in Lever - Passage					
	Function 14, entrance by trim when latch bolt is released by lever; always active; no cylinder					
	PD- Pull Plate Dummy Trim					
	Function 02, pull when dogged down					
	PN- Pull Plate Night Latch					
	Function 03, key retracts latchbolt					
	RD- Raised Lip Pull - Dummy Trim					
	Function 02, pull when dogged down					
	RN- Raised Lip Pull - Night Latch					
	Function 03, key retracts latches					
	BT- Thumbpiece Pull Plate, Passage					
	Function 15, entrance by trim when latch is released by thumbpiece. Thumbpiece is always active; no cylinder					
	PT- Thumbpiece Pull Plate, Entrance					
	Function 05, entrance by thumbpiece. Key locks or unlocks thumb piece					

Notes:

1. Handing is required for the 4700 Series trim.
2. Cylinders sold separately.
3. For more cylinder information, please refer to Cylinder, Core & Keying in the Locks section of the catalog.
4. Maximum door thickness compatibility for key-in-lever (Entrance, Night Latch, and Passage) trim is 1-3/4" (44 mm)



**4501 RIM**

Grade 1

Non-Handed

Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately.


Severe Windstorm Rated device, add \$69.02 to list price and specify WR.

Refer to page 4 & 5 for electric modification pricing.

Anti-microbial coating - add \$59.72 to list price.

Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price.

Description	Length	Finish	List	List Fire Rated	Case Qty.
4501 RIM Grade 1 Non-Handed Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Severe Windstorm Rated device, add \$69.02 to list price and specify WR. Refer to page 4 & 5 for electric modification pricing. Anti-microbial coating - add \$59.72 to list price. Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price.	36" Exit Only	US3	1,314.12	1,500.81	3
		US4	1,314.12	1,500.81	
		US10B	1,314.12	1,500.81	
		US26	1,314.12	1,500.81	
		US26D	1,268.74	1,500.81	
		US32D	1,314.12	1,500.81	
		BLK	1,314.12	1,500.81	
	48" Exit Only	US3	1,361.05	1,558.82	3
		US4	1,361.05	1,558.82	
		US10B	1,361.05	1,558.82	
		US26	1,361.05	1,558.82	
		US26D	1,328.05	1,509.84	
		US32D	1,361.05	1,558.82	
		BLK	1,361.05	1,558.82	
4501 SVR LBR Grade 1 Non-Handed Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Fire rated LBR devices must be ordered in pairs of less bottom rod vertical rod devices and with a spring loaded fire latch (Part # 2-649-0166 - add \$64.47 to list price) to ensure the device's fire rating. Refer to page 4 for electric modification. Refer to page 29 for extension rod kits for doors over 8 feet in height. Note that these are not fire rated for the LBR. Anti-microbial coating - add \$59.72 to list price.	36" x 84" Exit Only	US3	1,936.23	2,098.46	3
		US4	1,936.23	2,098.46	
		US10B	1,936.23	2,098.46	
		US26	1,936.23	2,098.46	
		US26D	1,719.31	1,962.17	
		US32D	1,936.23	2,098.46	
		BLK		2,098.46	
	36" x 96" Exit Only	US3	2,008.25	2,192.83	3
		US4	2,008.25	2,192.83	
		US10B	2,008.25	2,192.83	
		US26	2,008.25	2,192.83	
		US26D	1,903.39	2,075.41	
		US32D	2,008.25	2,192.83	
	48" x 84" Exit Only	US3	2,075.41	2,251.55	3
		US4	2,075.41	2,251.55	
		US10B	2,075.41	2,251.55	
		US26	2,075.41	2,251.55	
		US26D	1,962.16	2,251.55	
		US32D	2,075.41	2,251.55	
	48" x 96" Exit Only	US3	2,112.42	2,285.72	3
		US4	2,112.42	2,285.72	
		US10B	2,112.42	2,285.72	
		US26	2,112.42	2,285.72	
		US26D	2,112.42	2,285.72	
		US32D	2,112.42	2,285.72	



Exit Devices - 4500



Description	Length	Finish	List	List Fire Rated	Case Qty.
4501 SVR		US3	1,936.23	2,098.46	3
Grade 1					
Non-Handed	36" x 84"				
Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required.	Exit Only	US4	1,936.23	2,098.46	
Severe Windstorm Rated device, add \$69.02 to list price and specify WR.		US10B	1,936.23	2,098.46	
Refer to page 4 for electric modification.		US26	1,936.23	2,098.46	
Refer to page 29 for extension rod kits for doors over 8 feet in height.		US26D	1,862.96	1,962.17	
Anti-microbial coating - add \$59.75 to list price.		US32D	1,936.23	2,098.46	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price		BLK	1,936.23	2,098.46	
		US3	2,008.25	2,192.83	3
	36" x 96"				
	Exit Only	US4	2,008.25	2,192.83	
		US10B	2,008.25	2,192.83	
		US26	2,008.25	2,192.83	
		US26D	1,903.39	2,075.41	
		US32D	2,008.25	2,192.83	
		US3		2,301.16	3
	36" x 120"	US4		2,301.16	
	Exit Only	US26		2,301.16	
		US26D		2,143.16	
		US32D		2,301.16	
		US3	2,075.41	2,251.55	3
	48" x 84"	US4	2,075.41	2,251.55	
	Exit Only	US10B	2,075.41	2,251.55	
		US26	2,075.41	2,251.55	
		US26D	1,962.16	2,192.83	
		US32D	2,075.41	2,251.55	
		US3	2,112.42	2,285.72	3
	48" x 96"	US4	2,112.42	2,285.72	
	Exit Only	US10B	2,112.42	2,285.72	
		US26	2,112.42	2,285.72	
		US26D	2,075.41	2,232.83	
		US32D	2,112.42	2,285.72	
		US3		2,398.34	3
	48" x 120"	US4		2,398.34	
	Exit Only	US10B		2,398.34	
		US26		2,398.34	
		US26D		2,251.55	
		US32D		2,398.34	





Description	Length	Finish	List	List Fire Rated	Case Qty.
4501 CVR		US3	2,434.01	2,727.55	3
Grade 1 - for wood or metal doors		US4	2,434.01	2,727.55	
Non-Handed	36" x 84"	US10B	2,434.01	2,727.55	
Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately.	Exit Only	US26	2,434.01	2,727.55	
		US26D	2,434.01	2,727.55	
		US32D	2,434.01	2,727.55	
Refer to page 4 for electric modification pricing.		US3	2,485.67	2,779.28	3
		US4	2,485.67	2,779.28	
Refer to page 29 for extension rod kits for doors over 8 feet in height.	36" x 96"	US10B	2,485.67	2,779.28	
	Exit Only	US26	2,485.67	2,779.28	
Anti-microbial coating - add \$59.72 to list price.		US26D	2,485.67	2,779.28	
		US32D	2,485.67	2,779.28	
		US3	2,533.24	2,826.78	3
		US4	2,533.24	2,826.78	-
	48" x 84"	US10B	2,533.24	2,826.78	-
	Exit Only	US26	2,533.24	2,826.78	-
		US26D	2,533.24	2,826.78	
		US32D	2,533.24	2,826.78	
		US3	2,584.91	2,878.51	3
		US4	2,584.91	2,878.51	
	48" x 96"	US10B	2,584.91	2,878.51	
	Exit Only	US26	2,584.91	2,878.51	
		US26D	2,584.91	2,878.51	
		US32D	2,584.91	2,878.51	




Exit Devices - 4500



Description	Length	Finish	List	List Fire Rated	Case Qty.
4501CLB		US3	2,434.01	2,727.55	3
Grade 1 - for wood or metal doors		US4	2,434.01	2,727.55	
Non-Handed	36" x 84"	US10B	2,434.01	2,727.55	
Cylinder Dogging (specify CD), add \$55.18 to list price. 3902 mortise cylinder with standard cam must be ordered separately.	Exit Only	US26	2,434.01	2,727.55	
		US26D	2,434.01	2,727.55	
		US32D	2,434.01	2,727.55	
Fire rated LBR devices must be ordered in pairs of less bottom rod vertical rod devices and with a spring loaded fire bolt (Part # 2-649-0166, add \$70.68 to list price) to ensure the device's fire rating.	36" x 96"	US3	2,485.67	2,779.28	3
		US4	2,485.67	2,779.28	
	Exit Only	US10B	2,485.67	2,779.28	
		US26	2,485.67	2,779.28	
Refer to page 4 for electric modification pricing.		US26D	2,485.67	2,779.28	
		US32D	2,485.67	2,779.28	
Refer to page 29 for extension rod kits for doors over 8 feet in height	48" x 84"	US3	2,533.24	2826.78	3
		US4	2,533.24	2826.78	
Anti-microbial coating - add \$59.72 to list price.	Exit Only	US10B	2,533.24	2826.78	
		US26	2,533.24	2826.78	
		US26D	2,533.24	2826.78	
		US32D	2,533.24	2826.78	
	48" x 96"	US3	2,584.91	2,878.51	3
		US4	2,584.91	2,878.51	
	Exit Only	US10B	2,584.91	2,878.51	
		US26	2,584.91	2,878.51	
		US26D	2,584.91	2,878.51	
		US32D	2,584.91	2,878.51	



**Mortise Lock Exit Devices****4501 M**

(Pair with MB, MC, MD trim)

Grade 1

Non-Handed

Cylinder Dogging (specify CD), add \$55.13 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required.

Refer to page 4 for electric modification pricing. Anti-microbial coating - add \$59.72 to list price. Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price.

Description	Length	Finish	List	List Fire Rated	Case Qty.
4501 M (Pair with MB, MC, MD trim) Grade 1 Non-Handed Cylinder Dogging (specify CD), add \$55.13 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required. Refer to page 4 for electric modification pricing. Anti-microbial coating - add \$59.72 to list price. Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price.	36" Exit Only	US3	2,442.39	2,684.91	3
		US4	2,442.39	2,684.91	
		US10B	2,442.39	2,684.91	
		US26	2,442.39	2,684.91	
		US26D	2,357.75	2,594.06	
	48" Exit Only	US32D	2,442.39	2,684.91	3
		US3	2,474.46	2,717.11	
		US4	2,474.46	2,717.11	
		US10B	2,474.46	2,717.11	
		US26	2,474.46	2,717.11	
	36" Exit Only	US26D	2,389.95	2,623.38	3
		US32D	2,474.46	2,717.11	
		US3	2,442.39	2,684.91	
		US4	2,442.39	2,684.91	
		US10B	2,442.39	2,684.91	
	48" Exit Only	US26	2,357.75	2,623.38	3
		US26D	2,442.39	2,684.91	
		US32D	2,442.39	2,581.64	
		US3	2,474.46	2,717.11	
		US4	2,474.46	2,717.11	
4501 N (Pair with MN trim)	36" Exit Only	US10B	2,442.39	2,684.91	3
		US26	2,442.39	2,684.91	
		US26D	2,357.75	2,623.38	
		US32D	2,442.39	2,684.91	
	48" Exit Only	US3	2,474.46	2,684.91	3
		US4	2,474.46	2,684.91	
		US10B	2,474.46	2,684.91	
		US26	2,474.46	2,684.91	
		US26D	2,388.91	2,623.38	
4501D Dummy Push Pad Non-handed For use with 4500 and 4600 Series Exit Devices Anti-microbial coating - add \$59.72 to list price.	36"	US32D	2,474.46	2,684.91	3
		US3	828.32		
		US10B	828.32		
		US26D	726.97		
	48"	US32D	828.32		3
		US3	860.53		
		US10B	860.53		
		US26D	759.18		
		US32D	860.53		



Exit Devices - 4500



Description	Function	Finish	LHR List	RHR List	Case Qty.
45BE Blank Escutcheon Tactile Warning - add \$54.29 to list price. Anti-microbial coating - add \$59.72 to list price.					
Archer Lever	14 Always Operable	US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
		BLK	645.27		
August Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
		BLK	645.27		
Charles Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Johnston Lever Must specify handing		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Joshua Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Warren Lever Must specify handing		US3	645.27	645.27	6
		US4	645.27	645.27	
		US10B	645.27	645.27	
		US26	645.27	645.27	
		US26D	621.08	621.08	
William Lever		US3	645.27		6
		US4	645.27		
		US10	645.27		
		US26	645.27		
		US26D	621.08		



Description	Function	Finish	LHR List	RHR List	Case Qty.
Withnell Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
		BLK	645.27		
45MB					
Blank Escutcheon for use with 4501M Mortise Lock Exit Device					
Mortise trim does not match centerline of other 4500 Series trim					
Tactile Warning - add \$54.29 to list price.					
Anti-microbial coating - add \$59.73 to list price.					
Archer Lever	14 Always Operable	US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
August Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
William Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Withnell Lever		US3	645.27	-	6
		US4	645.27	163599	
		US10B	645.27	163558	
		US26	645.27	163702	
		US26D	621.08	163561	



Exit Devices - 4500



45CE

Cylinder Escutcheon

Requires a 3902 mortise cylinder (with standard cam) sold separately

Tactile Warning - add \$54.29 to list price.

Anti-microbial coating - add \$59.73 to list price.

Refer to page 4 for electric modification pricing.

Archer Lever

US3 645.27 6

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08

08
Key locks or unlocks lever BLK 645.27

August Lever

US3 645.27 6

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08

BLK 645.27

Charles Lever

US3 645.27

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08

Johnston Lever

US3 645.27 645.27 6

US4 645.27 645.27

US10B 645.27 645.27

US26 645.27 645.27

US26D 621.08 621.08

Joshua Lever

US3 645.27 6

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08

Warren Lever

US3 645.27 645.27 6

US4 645.27 645.27

US10B 645.27 645.27

US26 645.27 645.27

US26D 621.08 621.08

William Lever

US3 645.27 6

US4 645.27

US10B 645.27

US26 645.27

US26D 621.08



Description	Function	Finish	LHR List	RHR List	Case Qty.
Withnell Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
		BLK	645.27		
45MC					
Cylinder Escutcheon for use with 4501M Mortise Lock Exit Device					
Mortise trim does not match centerline of other 4500 Series trim					
Requires a 3902 mortise cylinder (1-5/8" with standard cam) sold separately.					
Tactile Warning - add \$54.29 to list price.					
Anti-microbial coating - add \$59.73 to list price.					
Archer Lever		US3	645.27		
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
August Lever		US3	645.27		
		US4	645.27		
		US10B	645.27		
		US26	645.27		
	08	US26D	621.08		
William Lever	Key locks or unlocks lever		US3	645.27	
			US4	645.27	
			US10B	645.27	
			US26	645.27	
			US26D	621.08	
Withnell Lever		US3	645.27		
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		



Exit Devices - 4500



Description	Function	Finish	LHR List	RHR List	Case Qty.
45DT Dummy Trim Tactile Warning - add \$54.29 to list price. Anti-microbial coating - add \$59.73 to list price.					
Archer Lever	02 Pull when device is dogged down	US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
August Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Charles Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Johnston Lever Must specify handing		US3	645.27	645.27	6
		US4	645.27	645.27	
		US10B	645.27	645.27	
		US26	645.27	645.27	
		US26D	621.08	621.08	
Joshua Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Warren Lever Must specify handing		US3	645.27	645.27	
		US4	645.27	645.27	
		US10B	645.27	645.27	
		US26	645.27	645.27	
		US26D	621.08	621.08	
William Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Withnell Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		



**45MD**

Dummy Trim for use with 4501M Mortise Lock Exit Device
 Mortise trim does not match centerline of other 4500 Series trim
 Tactile Warning - add \$54.29 to list price.
 Anti-microbial coating - add \$59.73 to list price.

Archer Lever

US3	645.27
US4	645.27
US10B	645.27
US26	645.27
US26D	621.08

August Lever

US3	645.27
US4	645.27
US10B	645.27
US26	645.27
US26D	621.08

William Lever

02
 Pull when device is
 dogged down

US3	645.27
US4	645.27
US10B	645.27
US26	645.27
US26D	621.08

Withnell Lever

US3	645.27
US4	645.27
US10B	645.27
US26	645.27
US26D	621.08



Exit Devices - 4500



Description	Function	Finish	LHR List	RHR List	Case Qty.
45NL Night Latch Requires a 3901 rim cylinder (with long tailpiece) sold separately. Tactile Warning - add \$54.29 to list price. Anti-microbial coating - add \$59.73 to list price. Maximum door thickness compatibility is 2-1/2" (38 mm)					
Archer Lever	03 Key retracts latchbolt	US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
		BLK	645.27		
August Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
		BLK	645.27		
Charles Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Johnston Lever Must specify handing		US3	645.27	645.27	6
		US4	645.27	645.27	
		US10B	645.27	645.27	
		US26	645.27	645.27	
		US26D	621.08	621.08	
Joshua Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
Warren Lever Must specify handing		US3	645.27	645.27	6
		US4	645.27	645.27	
		US10B	645.27	645.27	
		US26	645.27	645.27	
		US26D	621.08	621.08	
William Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		



Description	Function	Finish	LHR List	RHR List	Case Qty.
Withnell Lever		US3	645.27		6
		US4	645.27		
		US10B	645.27		
		US26	645.27		
		US26D	621.08		
		BLK	645.27		

Description	Function	Finish	List	Case Qty.
-------------	----------	--------	------	-----------

45MN

Night Latch for use with 4501N Mortise Lock Exit Device
Mortise trim does not match centerline of other 4500 Series trim
Requires a 3902 mortise cylinder (1-5/8" with standard cam) sold separately.
Tactile Warning - add \$54.29 to list price.
Anti-microbial coating - add \$59.73 to list price.
Maximum door thickness compatibility is 2-1/2" (38 mm)

Archer Lever

US3	645.27	6
US4	645.27	
US10B	645.27	
US26	645.27	
US26D	621.08	

August Lever

US3	645.27	6
US4	645.27	
US10B	645.27	
US26	645.27	
US26D	621.08	

03

William Lever

Key retracts latchbolt

US3	645.27	6
US4	645.27	
US10B	645.27	
US26	645.27	
US26D	621.08	

Withnell Lever

US3	645.27	6
US4	645.27	
US10B	645.27	
US26	645.27	
US26D	621.08	



Exit Devices - 4500



Description	Function	Finish	List	Case Qty.
45PD Pull Plate - Dummy Trim		US3	175.45	12
		US4	175.45	
For use with 4500 RIM, SVR, LBR, ad CLB devices. Not for CVR.	02	US10B	175.45	
Tactile Warning - add \$54.29 to list price.	Pull when device is dogged down	US26	175.45	
Anti-microbial coating - add \$59.73 to list price.		US26D	175.45	
		US32D	175.45	
45PN Pull Plate - Night Latch		US3	196.31	12
		US4	196.31	
For use with 4500 RIM, SVR, LBR, ad CLB devices. Not for CVR.		US10B	196.31	
Requires a 3901 rim cylinder (sold separately)	03	US26	196.31	
Includes retaining cup for 161 door prep.	Key retracts latchbolt	US26D	196.31	
Tactile Warning - add \$54.29 to list price.		US32D	196.31	
Anti-microbial coating - add \$59.73 to list price.				
45PT Pull Plate - Thumbpiece				
For use with 4501 Rim device.Requires a 3902 mortise cylinder (sold separately)	05			
Tactile Warning - add \$54.29 to list price.	Key locks or unlocks thumb piece	US32D	426.18	6
Anti-microbial coating - add \$59.73 to list price.				
313SE	Dummy	US32D	389.80	
Anti-Vandal Pull for 4500 Rim device Material: 11 GA stainless steel Max Projection: 1-7/8"				
Size: 6-11/32 x 11"	NL. cy. cutout LHR	US32D	389.80	
Door Thickness: 1-3/4" - 2" Fasteners: 1/4"				
FPHMS with finish washers				
Rim cylinder 3901 sold separately Retaining cup 2-649-0137 for 161 prep sold separately				
	NL. cy. cutout LHR	US32D	389.80	

Description	Function	Finish	List	Case Qty.
313LE Anti-Vandal Pull w/Latchguard for 4500 Rim Device Material: 11 GA stainless steel Max Projection: 1-7/8" Size: 6-11/32 x 1 1/2" Door Thickness: 1-3/4" - 2" Fasteners: 1/4" FPHMS with finish washers Rim cylinder 3901 sold separately Retaining cup 2-649-0137 for 161 prep sold separately	Dummy	US32D	389.80	
	NL. cy. cutout LHR	US32D	389.80	
	NL. cy. cutout LHR	US32D	389.80	
4915 Threshold strike for use with 4500 or 4700 Series. Optional - order separately. Not for fire-rated doors.		US32D	32.91	48
4920 Strike for use with 4500 Series or 4600 Series Rim exit device. Included with device. Not for fire-rated doors.		US32D	92.32	24
4920F Fire rated strike for use with 4500 Series or 4600 Series fire rated Rim exit device. Included with fire rated device.		US32D	127.98	24
4921 Double door strike for 4500 Surface Vertical Rod and Rim exit device. Optional - order separately Not for fire-rated doors.		US3	92.32	24
		US4	92.32	
		US10B	92.32	
		US26	92.32	
		US32D	92.32	
4923 Top strike for use with 4500 Series Surface Vertical Rod device. Included with device.		US32D	58.77	24
4923F Fire rated top strike for use with 4500 Series Surface Vertical Rod device. Included with fire rated device.		US32D	72.03	24
4924 Bottom strike for use with 4500 Series Vertical Rod devices. Included with panic rated device.		US32D	72.03	12
4924F Fire rated bottom strike for use with 4500 Series Vertical Rod device. Included with fire rated device.		US32D	83.13	12



Exit Devices - 4500



Description	Function	Finish	List	Case Qty.
4926 Cylinder Dogging Conversion Kit for panic rated 4500 device Requires a 3902 mortise cylinder (with standard cam) sold separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required.	36"	US3	60.18	48
		US4	60.18	
		US10B	60.18	
		US26	60.18	
		US26D	60.18	
		US32D	60.18	
	48"	61.93	43.16	36
		61.93	43.16	
		61.93	43.16	
		61.93	43.16	
		61.93	43.16	
		61.93	43.16	



Description	Finish	List	Case Qty.
4927 Bottom Latch Assembly for use with 4500 Series SVR Includes latch, cover and screws. Included with device.	US3	127.98	24
	US4	127.98	
	US10B	127.98	
	US26	127.98	
	US26D	127.98	
	US32D	127.98	




4928 Top Latch Assembly for use with 4500 Series SVR and LBR Devices Includes latch, cover and screws. Included with device.	US3	127.98	24
	US4	127.98	
	US10B	127.98	
	US26	127.98	
	US26D	127.98	
	US32D	127.98	



4929 SVR/LBR Rod Replacement Kit (top or bottom) Includes: One (1) each 45-1/4" 1149 mm) rod, rod connector, and appropriate fasteners.	US3	60.18	24
	US4	60.18	
	US10B	60.18	
	US26	60.18	
	US26D	60.18	
	US32D	60.18	




4929C CVR/CLB Rod Replacement Kit (top or bottom) Includes One (1) each 46-5/8" (1184 mm) rod, rod connector, and appropriate fasteners.	US26D	60.18	24
---	-------	-------	----



4930R Shim Kit for 4500 Rim Device Packaged 2 ea. 1/8" shims	US3	109.10	24
	US4	109.10	
	US10B	109.10	
	US26	109.10	
	US26D	109.10	
	US32D	127.98	





4930S
Shim Kit for 4500 Surface Vertical Rod Device
Packaged 2 ea. 1/8" shims

Finish	List	Case Qty.
US3	109.10	24
US4	109.10	
US10B	109.10	
US26	109.10	
US26D	109.10	
US32D	127.98	



4932C
Replacement Head Cover for 4500 CVR Device

Finish	List	Case Qty.
US3	109.10	20
US4	109.10	
US10B	109.10	
US26	109.10	
US26D	109.10	
US32D	127.98	



4932R
Replacement Head Cover for 4500 Rim Device

Finish	List	Case Qty.
US3	109.10	20
US4	109.10	
US10B	109.10	
US26	109.10	
US26D	109.10	
US32D	127.98	



4932S
Replacement Head Cover for 4500 SVR Device

Finish	List	Case Qty.
US3	109.10	20
US4	109.10	
US10B	109.10	
US26	109.10	
US26D	109.10	
US32D	127.98	



4936
24" Extension Rod Kit
Includes 24" extension rod, rod connector, rod guide, and wood and machine screws

Finish	List	Case Qty.
US3	38.48	24
US4	38.48	
US10B	38.48	
US26	38.48	
US26D	38.48	
US32D	38.48	



4937
36" Extension Rod Kit
Includes 36" extension rod, rod connector, rod guide, and wood and machine screws

Finish	List	Case Qty.
US3	43.41	24
US4	43.41	
US10B	43.41	
US26	43.41	
US26D	43.41	
US32D	43.41	



Exit Devices - 4500



Description	Function	Finish	List	Case Qty.
4940 Alarm Kit for 4500 Series	36"	US3	513.78	24
		US4	513.78	
Latchbolt monitor switch and tamper switch available. See page 29		US10B	513.78	
		US26	513.78	
		US26D	513.78	
		US32D	513.78	
	48"	US3	513.78	24
		US4	513.78	
		US10B	513.78	
		US26	513.78	
		US26D	513.78	
		US32D	513.78	
4945 Top Strike Standard for 4501 CVR		US32D	59.48	
4945F Fire Rated Top Strike for 4501 CVR		US32D	73.43	
2-649-0031 Rod Guide Replacement Pack		US3	11.97	
2-649-0032 Rod Guide Replacement Pack		US4	11.97	
2-649-0034 Rod Guide Replacement Pack		US10B	11.97	
2-649-0035 Rod Guide Replacement Pack		US26	11.97	
2-649-0036 Rod Guide Replacement Pack		US26D	11.97	
2-649-0037 Rod Guide Replacement Pack		US32D	11.97	
2-649-0038 End Cap Replacement Pack		US3	38.48	
		US4	38.48	
2-649-0041 End Cap Replacement Pack		US10B	38.48	
		US26	38.48	
2-649-0042 End Cap Replacement Pack		US26D	38.48	
2-649-0044 End Cap Replacement Pack		US32D	38.48	
2-649-0534 End Cap Replacement Pack		BLK	38.48	

Note: All end caps come with bracket and fasteners



Description	Function	Finish	List	Case Qty.
2-649-0218 Flush End Cap		US3	44.81	
2-649-0220 Flush End Cap		US4	44.81	
2-649-0215 Flush End Cap		US10B	44.81	
2-649-0216 Flush End Cap		US26	44.81	
2-649-0217 Flush End Cap		US26D	44.81	
100206801 Flush End Cap		BLK	44.81	
2-649-0219 Flush End Cap		US32D	44.81	
Note: All end caps come with bracket and fasteners				
2-649-0049 Spring Cage and Handing Pin for 4500 Series Escutcheon Trim		-	18.24	
2-649-0060 Top or Bottom Latch Cover Replacement Pack		US3	68.57	
2-649-0061 Top or Bottom Latch Cover Replacement Pack		US4	68.57	
2-649-0063 Top or Bottom Latch Cover Replacement Pack		US10B	68.57	
2-649-0064 Top or Bottom Latch Cover Replacement Pack		US26	68.57	
2-649-0065 Top or Bottom Latch Cover Replacement Pack		US26D	68.57	
2-649-0066 Top or Bottom Latch Cover Replacement Pack		US32D	68.57	
2-649-0074 SVR Screwpack - Latch, rod, rod connector, rod guide		US3	10.50	
2-649-0075 SVR Screwpack - Latch, rod, rod connector, rod guide		US4	10.50	
2-649-0077 SVR Screwpack - Latch, rod, rod connector, rod guide		US10B	10.50	
2-649-0078 SVR Screwpack - Latch, rod, rod connector, rod guide		US26	10.50	
2-649-0079 SVR Screwpack - Latch, rod, rod connector, rod guide		US26D	10.50	
2-649-0080 SVR Screwpack - Latch, rod, rod connector, rod guide		US32D	10.50	



Exit Devices - 4500

	Description	Function	Finish	List	Case Qty.
	2-649-0081 SVR Screwpack - Top and bottom strike		-	6.33	
	2-649-0082 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)		US3	18.95	
	2-649-0083 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)		US4	18.95	
	2-649-0085 Screwpack - Chassis, end cap, head cover, rim strike 4500 & 4600 Series)		US10B	18.95	
	2-649-0086 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)		US26	18.95	
	2-649-0087 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)		US26D	18.95	
	2-649-0088 Screwpack - Chassis, end cap, head cover, rim strike (4500 & 4600 Series)		US32D	18.95	
	2-649-0166 Firebolt Kit for Fire Rated 4500 Series LBR and CLB devices. Includes fire bolt, plastic plug, head cover plug, screws, and instructions		-	70.68	
	Must use firebolt with fire rated pairs of less bottom rod vertical rod devices to ensure the device's fire rating.				
	2-649-0167 LBR Replacement Head Cover Plug Shipped standard if device ordered as LBR		-	10.50	
	2-649-0168 Latchbolt Monitor Switch for 4940 and 4941 Alarm Kits		-	176.25	
	2-649-0177 Rod to Rod Connector		US3	10.50	
	2-649-0178 Rod to Rod Connector		US4	10.50	
	2-649-0180 Rod to Rod Connector		US10B	10.50	
	2-649-0181 Rod to Rod Connector		US26	10.50	
	2-649-0182 Rod to Rod Connector		US26D	10.50	
	2-649-0183 Rod to Rod Connector		US32D	10.50	
	2-649-0406 45PN/47PN Cylinder Cup Spacer			11.26	

**2-649-1074**Hex Key for Dogging 5/32"
10 pack

-

7.75

**2-649-1090**

Tamper Switch for 4940 and 4941 alarm kits

-

176.25

**2-649-1108**

4501 CVR Top Latch Assembly Replacement Kit

-

106.13

2-649-1109

4501 CVR Bottom Latch Assembly Replacement Kit

-

106.13

**2-649-0440**

4500 Series Mortise Exit Strike

US10B

32.20

2-649-0441

4500 Series Mortise Exit Strike

US26D

32.20

2-649-0442

4500 Series Mortise Exit Strike

US32D

32.20

**2-649-0443**

4500 Series Fire Rated Mortise Exit Strike

US10B

32.20

2-649-0444

4500 Series Fire Rated Mortise Exit Strike

US26D

32.20

2-649-0445

4500 Series Fire Rated Mortise Exit Strike

US32D

32.20

**2-649-0250**

4500/4600 Series 36" Photoluminescent Push Bar

320.11

2-649-0257


4500/4600 Series 48" Photoluminescent Push Bar

-

384.13



Exit Devices - 4600



Description	Function	Finish	List	List Fire Rated	Case Qty.
4601 RIM	36"	US3	1,828.61	2,044.62	3
Narrow Stile Rim	Exit Only	US4	1,828.61	2,044.62	
Grade 1		US10B	1,828.61	2,044.62	
Non-Handed		US26	1,828.61	2,044.62	
		US26D	1,674.83	1,875.47	
Cylinder Dogging (specify CD), add		US32D	1,828.61	2,044.62	
\$54.29 to list price. 3902 mortise cylinder with standard	48"	US3	1,883.16	2,103.26	3
cam must be ordered separately. Cylinder length	Exit Only	US4	1,883.16	2,103.26	
ordered separately. Cylinder length of 1-1/8" (29mm) -		US10B	1,883.16	2,103.26	
1-3/8" (35mm) is required.		US26	1,883.16	2,103.26	
Refer to page 4 for electric modification pricing.		US26D	1,723.80	1,933.47	
Anti-microbial coating, add \$59.73		US32D	1,883.16	2,103.26	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$71.34 list price.					





Description	Function	Finish	List	Case Qty.
4601 CVR (Non-Fire Rated)	36" x 84"	US3	2,586.50	3
Grade 1	Exit Only	US4	2,548.09	
Non-Handed		US10B	2,548.09	
		US26	2,586.50	
Cylinder Dogging (specify CD), add \$54.29 to list price. 3902 mortise cylinder with standard cam must be ordered separately. Cylinder length of 1-1/8" (29mm) - 1-3/8" (35mm) is required.		US26D	2,522.48	
		US32D	2,548.09	
		BLK	2,548.09	
	36" x 96"	US3	2,637.72	3
	Exit Only	US4	2,599.31	
Refer to page 4 for electric modification pricing.		US10B	2,599.31	
		US26	2,637.72	
		US26D	2,573.70	
Refer to page 25 for extension rod kits for doors over 8 feet in height. to list price.		US32D	2,599.31	
		BLK	2,599.31	
	48" x 84"	US3	2,663.34	3
	Exit Only	US4	2,637.72	
Anti-microbial add \$59.73 to list price		US10B	2,663.34	
		US26	2,663.34	
		US26D	2,599.31	
Less dogging (specify LD-NON FIRE RATED ONLY), add \$50.54 list price.		US32D	2,637.72	
		BLK	2,637.72	
	48" x 96"	US3	2,714.55	3
	Exit Only	US4	2,688.94	
		US10B	2,714.55	
		US26	2,714.55	
		US26D	2,650.52	
		US32D	2,688.94	
		BLK	2,688.94	



Exit Devices - 4600



Description	Function	Finish	List	Case Qty.
4601 CLB (Non-Fire Rated)	36" x 84"	US3	2,586.50	3
Grade 1	Exit Only	US4	2,548.09	
Non-Handed		US10B	2,548.09	
		US26	2,586.50	
Cylinder Dogging (specify CD), add		US26D	2,522.48	
\$54.29 to list price. 3902 mortise		US32D	2,548.09	
cylinder with standard cam must be		BLK	2,548.09	
ordered separately. Cylinder length				
of 1-1/8" (29mm) - 1-3/8" (35mm)	36" x 96"	US3	2,637.72	3
is required.	Exit Only	US4	2,599.31	
Refer to page 4 for electric		US10B	2,599.31	
modification pricing.		US26	2,637.72	
		US26D	2,573.70	
Refer to page 25 for extension rod		US32D	2,599.31	
kits for doors over 8 feet in height.		BLK	2,599.31	
to list price.	48" x 84"	US3	2,663.34	3
	Exit Only	US4	2,637.72	
Anti-microbial add \$59.73 to list price		US10B	2,663.34	
		US26	2,663.34	
		US26D	2,599.31	
Less dogging (specify LD-NON FIRE		US32D	2,637.72	
RATED ONLY), add \$50.54 list price.		BLK	2,637.72	
	48" x 96"	US3	2,714.55	3
	Exit Only	US4	2,688.94	
		US10B	2,714.55	
		US26	2,714.55	
		US26D	2,650.52	
		US32D	2,688.94	
		BLK	2,688.94	





Description	Function	Finish	List	Case Qty.
45BE Blank Escutcheon				
Tactile Warning - add \$54.29 to list price. Anti-microbial coating - add \$59.73 to list price.		US3	645.27	6
Archer Lever		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
August Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
William Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
Withnell Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	

14
Always operable



Exit Devices - 4600



Description	Function	Finish	List	Case Qty.
46CE				
Cylinder Escutcheon				
Requires a 3902 mortise cylinder (with 3976 L cam) sold separately.				
Tactile Warning - add \$54.29 to list price.				
Anti-microbial coating - add \$59.73 to list price.				
Archer Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
August Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
William Lever	08 Key locks or unlocks lever	US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
Withnell Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	



Description	Function	Finish	List	Case Qty.
46DT Dummy Trim Tactile Warning - add \$54.29 to list price. Anti-microbial coating - add \$59.73 to list price.				
Archer Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
August Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
William Lever	02 Pull when device is dogged down	US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
Withnell Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	



Exit Devices - 4600



Description	Function	Finish	List	Case Qty.
46NL Night Latch Requires a 3901 rim cylinder (with long tailpiece) sold separately. Maximum door thickness compatibility is 2-1/2" (38mm). Tactile Warning - add \$54.29 to list price. Anti-microbial coating - add \$59.73 to list price.				
Archer Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
August Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
William Lever	03 Key Retracts Latchbolt	US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
Withnell Lever		US3	645.27	6
		US4	645.27	
		US10B	645.27	
		US26	645.27	
		US26D	619.79	
4920 Strike for use with 4500 or 4600 Series Rim Exit Device. Optional - order separately				
		US32D	92.32	24
4920F Fire rated strike for use with 4500 or 4600 Series Fire Rated Rim Exit Device. Included standard with fire rated device.				
		US32D	127.98	24



	Description	Function	Finish	List	Case Qty.
	4925C		US10B	49.09	48
	Cylinder Dogging Conversion Kit for	36"	US26	49.09	
	Panic Rated 4600 Series CVR and CLB		US26D	49.09	
	Device.		US32D	49.09	
	Requires a 3902 mortise cylinder (with	48"	US10B	51.55	36
	standard cam) sold separately.		US26	51.55	
	Cylinder length of 1-1/8" (29mm) -		US26D	51.55	
	1-3/8" (35mm) is required.		US32D	51.55	
	4925R		US3	55.95	48
	Cylinder Dogging Conversion Kit for	36"	US4	55.95	
	Panic Rated 4600 Series Rim Device.		US10B	55.95	
			US26	55.95	
	Requires a 3902 mortise cylinder (with		US26D	55.95	
	standard cam) sold separately.		US32D	55.95	
	Cylinder length of 1-1/8" (29mm) -	48"	US3	58.77	36
	1-3/8" (35mm) is required.		US4	58.77	
			US10B	58.77	
			US26	58.77	
			US26D	58.77	
			US32D	58.77	
	4941 R	36"	US3	466.98	
	Alarm Kit for 4600 Series Rim Device		US4	466.98	
			US10B	466.98	
	Latchbolt monitor switch and tamper switch		US26	466.98	
	available.		US26D	466.98	
			US32D	466.98	
		48"	US3	466.98	
			US4	466.98	
			US10B	466.98	
			US26	466.98	
			US26D	466.98	
			US32D	466.98	



Exit Devices - 4600

	Description	Function	Finish	List	Case Qty.
	4950 Blade stop strike for use with 4600 Series Rim Exit Device. Included standard with panic rated device.		US32D	92.32	24
	4951 Single rabbet strike for use with 4600 Series Rim Exit Device Optional - order separately		US32D	92.32	24
					
	4952 Semi-flush mount strike for use with 4600 Series Rim Exit Device Optional - order separately		US32D	92.32	24
	4960R Shim Kit for 4600 Series Rim Exit Device		US3	99.36	24
			US4	99.36	
	Packaged 2 each 1/8" shims		US10B	99.36	
			US26	99.36	
			US26D	99.36	
			US32D	116.84	
	4965R Replacement Head Cover for 4600 Series Rim Exit Device		US3	99.36	20
		US4	99.36		
		US10B	99.36		
		US26	99.36		
		US26D	99.36		
		US32D	116.84		
	4965C Replacement Head Cover for 4600 CVR/CLB Device		US10B	99.36	20
			US26S	99.36	
			US32D	116.84	





Description	Function	Finish	List	Case Qty.
2-649-0038 End Cap Replacement Pack		US3	38.48	
2-649-0039 End Cap Replacement Pack		US4	38.48	
2-649-0041 End Cap Replacement Pack		US10B	38.48	
2-649-0042 End Cap Replacement Pack		US26	38.48	
2-649-0043 End Cap Replacement Pack		US26D	38.48	
2-649-0044 End Cap Replacement Pack		US32D	38.48	
2-649-0554 End Cap Replacement Pack		BLK	38.48	
2-649-0218 Flush End Cap		US3	44.81	
2-649-0220 Flush End Cap		US4	44.81	
2-649-0215 Flush End Cap		US10B	44.81	
2-649-0216 Flush End Cap		US26	44.81	
2-649-0217 Flush End Cap		US26D	44.81	
2-649-0218 Flush End Cap		US32D	44.81	
100206801 Flush End Cap		BLK	44.81	
Note: All end caps come with bracket and fasteners				
2-649-0168 Latchbolt Monitor Switch for 4940 and 4941 Alarm Kits		-	176.25	
2-649-1074 Hex Key for Dogging 5/32" 10 pack		-	7.04	
2-649-1090 Tamper Switch for 4940 and 4941 Alarm Kits		-	176.25	




Exit Devices - 4600



Description	Function	Finish	List	Case Qty.
4929C 4929 CVR/CLB Rod Replacement PK 46-5/8" US26D (4500/4600)			72.54	
2-649-0596 4600 CVR Bottom Strike Packaged Assembly			36.61	
2-649-0598 4600 CVR Top Strike Packed Assembly			36.61	
2-649-0581 4600 CVR Top Latch Assembly (no screws)			122.66	
2-649-0582 4600 CVR Bottom Latch Assembly (no screws)			126.50	
2-649-0580 4600 CVR Rod Connector Pack			19.78	
2-649-0597 4600 Exit Device Chassis Screw Pack			7.91	
2-649-0598 4600 CVR Latch Screw Pack, 26D		26D	6.59	
2-649-0589 4600 CVR Latch Screw Pack, 32D		32D	6.59	
2-649-0583 4600 CVR Latch Screw Pack, US3		US3	6.59	
2-649-0584 4600 CVR Latch Screw Pack, US4		US4	6.59	
2-649-0586 4600 CVR Latch Screw Pack, US10B		US10B	6.59	
2-649-0587 4600 CVR Latch Screw Pack, US26		US26	6.59	
2-649-0590 4600 CVR Latch Screw Pack, BLK		BLK	6.59	





4701 Rim
Standard Duty
Non-Handed

36"
Exit Only

Stock No.	List Fire Rated	Stock No.	Case Qty.
ALM	399.88	549.44	3
DBZ	399.88	549.44	
US3	673.90	827.68	
US32D	673.90	827.68	
BLK	399.88	549.44	

48"
Exit Only

Stock No.	List Fire Rated	Stock No.	Case Qty.
ALM	450.21	601.88	3
DBZ	450.21	601.88	
US3	724.22	875.89	
US32D	724.22	875.89	
BLK	450.21	601.88	



4701 SVR
Standard Duty
Non-Handed

36" x 84"
Exit Only

Stock No.	List Fire Rated	Stock No.	Case Qty.
ALM	650.08	898.30	3
DBZ	650.08	898.30	
US3	925.57	1,174.37	
US32D	925.57	1,174.37	
BLK	650.08	898.30	

SVR panic devices available on 10' openings. Order extension rod kits separately.

Less dogging (specify L-NON FIRE RATED ONLY) add \$50.54 list price

36" x 96"
Exit Only

Stock No.	List Fire Rated	Stock No.	Case Qty.
ALM	701.88	950.03	3
DBZ	701.88	950.03	
US3	973.72	1,224.73	
US32D	973.72	1,224.73	

48" x 84"
Exit Only


Stock No.	List Fire Rated	Stock No.	Case Qty.
ALM	724.22	973.72	3
DBZ	724.22	973.72	
US3	980.05	1,247.73	
US32D	980.05	1,247.73	

48" x 96"
Exit Only


Stock No.	List Fire Rated	Stock No.	Case Qty.
ALM	749.38	999.59	3
DBZ	749.38	999.59	
US3	1,025.51	1,275.71	
US32D	1,025.51	1,275.71	




Exit Devices - 4700




Description	Function	Finish	LHR List	RHR List	Case Qty.
47BE Blank Escutcheon Must specify handing Steel body, zinc lever (US32D has stainless steel cover). For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness. Tactile Warning - add \$54.29 to list price of item.					
Archer Lever		ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
August Lever	14 Always operable	ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
Withnell Lever		ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
		BLK		305.83	



47CE Cylinder Escutcheon Must specify handing Requires a 3902 mortise cylinder (with standard cam) sold separately. Steel body, zinc lever (US32D has stainless steel cover). For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness. Tactile Warning - add \$54.29 to list price of item.					
Archer Lever		ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
August Lever	08 Key locks or unlocks lever	ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
Withnell Lever		ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
		BLK		305.83	



Description	Function	Finish	LHR List	RHR List	Case Qty.
47DT					
Dummy Trim					
Must specify handing					
Steel body, zinc lever (US32D has stainless steel cover).					
For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.					
Tactile Warning - add \$54.29 to list price of item.					
Archer Lever		ALM	305.73	305.73	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
August Lever	02 Pull when device is dogged down	ALM	305.73	305.73	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
Withnell Lever		ALM	305.73	305.73	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	



47NL					
Night Latch					
Must specify handing					
Requires a 3902 mortise cylinder (sold separately) with standard cam.					
Steel body, zinc lever (US32D has stainless steel cover).					
For doors thicker than 1-3/4" or when used with a shim kit, specify total door thickness.					
Tactile Warning - add \$54.29 to list price of item.					
Archer Lever		ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
August Lever	03 Key retracts latchbolt	ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
Withnell Lever		ALM	305.83	305.83	6
		DBZ	305.83	305.83	
		US3	334.15	334.15	
		US32D	334.15	334.15	
		BLK		305.83	



Exit Devices - 4700



47KD
 Dummy Trim
 Steel body and zinc lever (US32D stainless steel rose).
 Tactile Warning - add \$54.24 to list price of item.

Archer Lever

ALM	277.02	-	12
DBZ	277.02	-	
US3	305.83	-	
US32D	305.83	-	

August Lever

02
 Entrance by trim
 when device is
 dogged down

ALM	277.02	-	12
DBZ	277.02	-	
US3	305.83	-	
US32D	305.83	-	

Withnell Lever

ALM	277.02	-	12
DBZ	277.02	-	
US3	305.83	-	
US32D	305.83	-	



47KE
 Entrance
 Fixed cylinder standard or SFIC housing option for levers (SFIC cores sold separately, refer to locks section).
 Steel body and zinc lever or knob (US32D stainless steel rose).
 Tactile Warning - add \$54.29 to list price of item.

Archer Lever

ALM	305.83	305.83	12
DBZ	305.83	305.83	
US3	334.15	334.15	
US32D	334.15	334.15	

August Lever

08
 Entrance by trim
 key locks or unlocks
 trim

ALM	305.83	305.83	12
DBZ	305.83	305.83	
US3	334.15	334.15	
US32D	334.15	334.15	

Withnell Lever

ALM	305.83	305.83	12
DBZ	305.83	305.83	
US3	334.15	334.15	
US32D	334.15	334.15	

Apollo Knob (not ADA compliant)

US32D	334.15	334.15	12
-------	--------	--------	----





Description	Function	Finish	Fixed Cylinder List	RHR List	Case Qty.
47KN Night Latch Fixed cylinder standard or SFIC housing option for levers (SFIC cores sold separately, refer to locks section). Steel body, zinc lever or knob (US32D stainless steel rose). Tactile Warning - add \$54.29 to list price of item.					
Archer Lever	ALM	305.83	127486	109767	12
	DBZ	305.83	127489	109768	
	US3	334.15	127480	109769	
	US32D	334.15	127483	109770	
August Lever	ALM	305.83	127487	109775	12
	DBZ	305.83	127490	109776	
	US3	334.15	127481	109777	
	US32D	334.15	127484	109778	
Withnell Lever	ALM	305.83	127488	109783	12
	DBZ	305.83	127491	109784	
	US3	334.15	127482	109785	
	US32D	334.15	127485	109786	
Apollo Knob (not ADA compliant)	US32D	334.15	149373	-	12

03
Key retracts
latchbolt



47KP Passage Steel body, zinc lever (US32D stainless steel rose). Tactile Warning - add \$54.29 to list price of item.					
Archer Lever	ALM	ALM	277.02	109788	12
	DBZ	DBZ	277.02	109789	
	US3	US3	305.83	109790	
	US32D	US32D	305.83	109791	
August Lever	ALM	ALM	277.02	109792	12
	DBZ	DBZ	277.02	109793	
	US3	US3	305.83	109794	
	US32D	US32D	305.83	109795	
Withnell Lever	ALM	ALM	277.02	109796	12
	DBZ	DBZ	277.02	109797	
	US3	US3	305.83	109798	
	US32D	US32D	305.83	109799	

14
Always
operable



Exit Devices - 4700



47BT

Pull Plate
Thumb Piece Passage
Tactile Warning - add \$54.29 to list price of item.

14
Always operable

US32D

337.47

337.47

6



47PT

Pull Plate
Thumb Piece Entrance
Tactile Warning - add \$54.29 to list price of item.

05
Key locks or unlocks
thumb piece

US32D

337.47

337.47

6



47PD

Pull Plate - Dummy Trim
Plated steel for ALM, DBZ, and US3. Stainless steel for US32D.
Tactile Warning - add \$54.29 to list price of item.

02
Pull when device is
dogged down

ALM

137.83

12

DBZ

137.83

US3

137.83

US32D

137.83



47PN

Pull Plate - Night Latch
Requires a 3901 rim cylinder (sold separately). Includes retaining cup for 161 door prep.
Plated steel for ALM, DBZ, and US3. Stainless steel for US32D.
Tactile Warning - add \$54.29 to list price of item

03
Key retracts
latchbolt

ALM

157.63

12

DBZ

158.70

US3

158.70

US32D

158.71



47RD

Raised Lip Pull - Dummy Trim
Plated steel for ALM, DBZ, and US3. Stainless steel for US32D.
Tactile Warning - add \$54.29 to list price of item.

02
Pull when device is
dogged down

ALM

76.70

12

DBZ

76.70

US3

76.70

US32D

76.70



47RN

Raised Lip Pull - Night Latch
Requires a 3901 rim cylinder (sold separately).
Tactile Warning - add \$54.29 to list price of item.

03
Key retracts
latchbolt

ALM

85.45

12

DBZ

85.45

US3





85.45

US32D

85.45

Plated steel for ALM, DBZ, and US3.
Stainless steel for US32D.



	Description	Finish	List	Case Qty.
	4910 Strike for use with 4700 Rim Exit Device Included standard with device.	US32D	88.87	24
	4911 Double door strike for 4700 Surface Vertical Rod and Rim Exit Device. Not for fire-rated door. Optional - order separately.	DBZ US3 US32D	79.77 79.77 79.77	24
	4913 Top strike for 4700 Surface Vertical Rod Exit Device Included standard with device.	US32D	56.66	24
	4914 Bottom strike for 4700 Surface Vertical Rod Exit Device Included standard with device.	US32D	56.66	24
	4915 Threshold strike for use with 4500 Series or Not for fire-rated doors. Optional order separately.	4700 Series. US32D	32.91	48
	4917 Bottom Latch Assembly Includes latch, cover and screws. Included standard with panic rated devices.	ALM DBZ US3 US32D	82.23 82.23 82.23 82.23	50
	4917F Bottom Latch Assembly Includes latch, cover and screws. Included standard with fire-rated devices.	ALM DBZ US3 US32D	82.23 82.23 82.23 82.23	50
	4918 Top Latch Assembly Includes latch, cover and screws. Included standard with device.	ALM DBZ US3 US32D	82.23 82.23 82.23 82.23	50
	4919 Rod Replacement Kit (top or bottom) Includes rod (47-1/4"), rod guide, rod connector assembly and all appropriate screws.	ALM DBZ US3 US32D	42.00 42.00 42.00 42.00	24
	4931R Shim Kit for 4700 Series Rim Device Packaged 2 ea. 1/8" shims. If using with 47BE, 47CE, 47NL trim, please specify thickness (door plus shim).	ALM DBZ US3 US32D	72.79 72.79 82.23 82.23	24
	4931S Shim Kit for 4700 Series Surface Vertical Rod Device Packaged 2 ea. 1/8" shims. If using with 47BE, 47CE, 47NL trim, please specify thickness (door plus shim).	ALM DBZ US3 US32D	72.79 72.79 82.23 82.23	24





Exit Devices - 4700



Description		Finish	List	Case Qty.
4933R Replacement Head Cover for 4700 Series Rim Device		ALM	52.44	20
		DBZ	52.44	
		US3	60.88	
		US32D	60.88	
4933S Replacement Head Cover for 4700 Series SVR Device		ALM	52.44	20
		DBZ	52.44	
		US3	60.88	
		US32D	60.88	
4934 Replacement Dogging Plate for 4700 Series Panic Rated Device	36"	ALM	42.00	20
		DBZ	42.00	
		US3	42.00	
		US32D	42.00	
	48"	ALM	47.57	20
		DBZ	47.57	
		US3	47.57	
		US32D	47.57	
4934F Replacement Dogging Plate for 4700 Series Fire Rated Device	36"	ALM	42.00	20
		DBZ	42.00	
		US3	42.00	
		US32D	42.00	
	48"	ALM	47.57	20
		DBZ	47.57	
		US3	47.57	
		US32D	47.57	
4936 24" Extension Rod Kit Includes 24" extension rod, rod connector, rod guide, and wood and machine screws. Fire rated up to 8' on Surface Vertical Rod device.		ALM	38.48	24
		DBZ	38.48	
		US3	38.48	
		US32D	38.48	
4937 36" Extension Rod Kit Includes 36" extension rod, rod connector, rod guide, and wood and machine screws. Fire rated up to 8' on Surface Vertical Rod device.		ALM	43.41	24
		DBZ	43.41	
		US32D	43.41	





Description	Finish	List	Case Qty.
2-649-0010 Rod Guide Replacement	US3	10.50	
2-649-0011 Rod Guide Replacement	US32D	10.50	
2-649-0012 Rod Guide Replacement	DBZ	10.50	
2-649-0013 Rod Guide Replacement	ALM	10.50	
2-649-0014 Trim Handing Pin - 5 pack	-	10.50	
2-649-0021 Top Latch Cover	ALM	45.56	
2-649-0022 Top Latch Cover	DBZ	45.56	
2-649-0023 Top Latch Cover	US3	45.56	
2-649-0024 Top Latch Cover	US32D	45.56	
2-649-0025 Bottom Latch Cover	ALM	45.56	
2-649-0026 Bottom Latch Cover	DBZ	45.56	
2-649-0027 Bottom Latch Cover	US3	45.56	
2-649-0028 Bottom Latch Cover	US32D	45.56	
2-649-0095 SVR Screwpack - Latch, rod, rod connector, rod guide	ALM	10.50	
2-649-0096 SVR Screwpack - Latch, rod, rod connector, rod guide	DBZ	10.50	
2-649-0097 SVR Screwpack - Latch, rod, rod connector, rod guide	US3	10.50	
2-649-0098 SVR Screwpack - Latch, rod, rod connector, rod guide	US32D	10.50	
2-649-0099 SVR Screwpack - Top and bottom strike	-	8.41	
2-649-0100 Screwpack - Chassis, end cap, head cover, rim strike	ALM	18.24	
2-649-0101 Screwpack - Chassis, end cap, head cover, rim strike	DBZ	18.24	
2-649-0102 Screwpack - Chassis, end cap, head cover, rim strike	US3	18.24	
2-649-0103 Screwpack - Chassis, end cap, head cover, rim strike	US32D	18.24	



Exit Devices - 4700



Description	Finish	List	Case Qty.
2-649-0141 Screwpack - 2" thick door, trim	-	3.53	
2-649-0142 Screwpack - 2-1/4" thick door, trim	-	3.53	
2-649-0144 End Cap Replacement Pack	ALM	22.47	
2-649-0145 End Cap Replacement Pack	DBZ	22.47	
2-649-0146 End Cap Replacement Pack	US3	22.47	
2-649-0147 End Cap Replacement Pack	US32D	22.47	
Note: All end caps come with bracket and fasteners			
2-649-0164 Pack of 8 Screws, trim (4700), 1/4 - 20 x 3/4" PHMS	-	10.50	
2-649-0177 Rod to Rod Connector	US3	10.50	
2-649-0183 Rod to Rod Connector	US32D	10.50	
2-649-0184 Rod to Rod Connector	ALM	10.50	
2-649-0185 Rod to Rod Connector	DBZ	10.50	
2-649-4703 Hex Key for Dogging 3/16" 10 pack	-	7.75	



Description	Length	Finish	List	List Fire Rated	Case Qty.
4900U Non-Keyed Removable Mullion Set	7'	USP	661.28	989.08	1
11 Gauge Steel Tube, top bracket/ bottom bracket set	8'	USP	661.28	989.08	1
Fire rated mullion requires a fire rated strike (sold separately).	10'	USP	793.14		1
4904 Top/Bottom Bracket Set Removable (Non-Keyed)		-	290.09	356.54	5
2-649-0600 NKR/KR Removable Mullion Bottom Bracket			72.83		



	Description	Length	Finish	List	List Fire Rated	Case Qty.
	4905 Mullion Tube (Non-Keyed) 11 Gauge Steel	7'	USP	424.40		1
		8'	USP	424.40		1
		10'	USP	525.75		1
	4912 Fire rated strike for use with 4500 Series and 4600 Series Fire Rated Exit Device and Mullion		US32D		207.20	24
	4916 Fire rated strike for use with 4700 Series Fire Rated Exit Device and Mullion		US32D		181.76	24
	4953 Mullion Stabilizer for use with 4900 Series Non-Keyed and Keyed Removable Mullion		US32D		71.39	12
	4900X Keyed Removable Mullion Set 11 gauge steel tube, top bracket/bottom bracket set.	7'	USP	1,363.80	1,614.07	1
		8'	USP	1,363.80	1,614.07	1
		10'	USP	1,572.14		1
	4903 Top/Bottom Bracket Set Key Removable		-	838.18	1,027.66	5
	Requires a 3901 rim cylinder (sold separately).					
	4912 Fire rated strike for use with 4500 Series and 4600 Series Fire Rated Exit Device and Mullion		US32D		207.20	24
	4916 Fire rated strike for use with 4700 Series Fire Rated Exit Device and Mullion		US32D		181.76	24
	4953 Mullion Stabilizer for use with 4900 Series Non-Keyed and Keyed Removable Mullion		US32D		71.39	12



Exit Devices - 4700

	Description	Length	Finish	List	Case Qty.
	3901 Rim Cylinder		US3	62.10	1
	Fixed cylinder and Small Format Interchangeable Core housing available (SFIC cores sold separately). SFIC not available in US26. Dummy rim cylinders also available.		US4	65.95	
			US10B	62.10	
			US26	62.10	
	Shipped standard with long break-off tailpiece.		US26D	62.10	
	Specify 6-pin or 7-pin for SFIC housing.				
	For additional cylinder information, please refer to the Locks - Cylinders/Keying sections.		BLK	62.10	
	3902 Mortise Cylinder		US3	62.10	1
	Fixed cylinder and Small Format Interchangeable Core housing available (SFIC cores sold separately). Dummy mortise cylinders also available.		US4	65.95	
			US10B	62.10	
			US26	62.10	
	Shipped with Schlage C keyway, standard cam attached, and Adams Rite cam loose in box.				
	Specify length 1-1/8" or 1-1/4" for fixed cylinder or 1-1/4" (6-pin) or 1-3/8" (7-pin) for SFIC housing.		US26D	62.10	
	For mortise exit device trim specify 1-5/8" with standard cam for fixed cylinder (Schlage C Keyway) or SFIC housing.				
	For mortise exit device x cylinder/optional pull, use 1-3/8" cylinder with 11/16" cylinder collar.				
	For additional cylinder information, please refer to the Locks - Cylinders/Keying sections.		BLK	62.10	





2-649-0137
Retaining Cup
For use with Rim cylinder and 161 prep

NF 12.62



2-649-0045
7/16" Cylinder Collar (4500 Pull Plate Trim)

US3 23.52

2-649-0046
7/16" Cylinder Collar (4500 Pull Plate Trim)

US4 23.52

2-649-0048
7/16" Cylinder Collar (4500 Pull Plate Trim)

US10B 23.52

2-649-0050
7/16" Cylinder Collar (4500 Pull Plate Trim)

US26 23.52

2-649-0051
7/16" Cylinder Collar (4500 Pull Plate Trim)

US26D 23.52

2-649-0052
7/16" Cylinder Collar (4500 Pull Plate Trim)

US32D 23.52

2-649-0105
7/16" Cylinder Collar (4500 Pull Plate Trim)

BLK 47.04

Note: For use with 1-1/8" mortise cylinders

Note: All cylinder collars come with wave washer and spacer



2-649-0053
11/16" Cylinder Collar (4500 Escutcheon Trim)

US3 23.52

2-649-0054
11/16" Cylinder Collar (4500 Escutcheon Trim)

US4 23.52

2-649-0056
11/16" Cylinder Collar (4500 Escutcheon Trim)

US10B 23.52

2-649-0057
11/16" Cylinder Collar (4500 Escutcheon Trim)

US26 23.52

2-649-0058
11/16" Cylinder Collar (4500 Escutcheon Trim)

US26D 23.52

2-649-0059
11/16" Cylinder Collar (4500 Escutcheon Trim)

US32D 23.52

2-649-0106
11/16" Cylinder Collar (4500 Escutcheon Trim)

BLK 47.04

Note: For use with 1-1/4" or 1-3/8" mortise cylinders

Note: All cylinder collars come with wave washer and spacer



Exit Devices - 4700



Description	Length	Finish	List	Case Qty.
2-647-0012 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)		US3	23.52	
2-647-0013 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)		ALM	23.52	
2-647-0014 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)		DBZ	23.52	
2-647-0015 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)		US32D	23.52	
2-647-0021 7/8" Cylinder Collar - 5, 6, 7 pin (4700 Escutcheon Trim)		BLK	47.04	

Note: For use with 1-1/8" mortise cylinders
Note: All cylinder collars come with wave washer and spacer