

TABLE OF CONTENTS

A	
Armor Fronts (Mortise)	45
B	
Backset Extension Links	
2500.....	9
3400.....	22
3500.....	26
Blocking Rings.....	57
C	
Cams (Fixed Cylinder).....	51-52
Cams (LFIC)	57
Cams (SFIC)	54-55
Cash Box Nut.....	57
Cores	
Small Format Interchangeable.....	52
Large Format Interchangeable	55
Cylinders	
Key-In-Lever	49
Mortise (Fixed Cylinder)	51
Mortise (LFIC).....	56
Mortise (SFIC).....	54
Mortise Dummy.....	51
Mortise ADA Turn Knob	51
Rim (Fixed Cylinder)	50
Rim (LFIC).....	56
Rim (SFIC).....	54
Rim Dummy.....	50
Cylinder Aligning Sleeves.....	10, 23, 28, 31
Cylinder Collars	44, 58
Cylindrical Locks	
2500, Grade 2.....	8-11
3400, Grade 1.....	20-23
3500, Grade 2.....	24-28
D	
Deadbolts	
3100, Grade 1.....	13
3200, Grade 2.....	16
3700, Interconnected.....	33
Deadlocks	
3100, Grade 1.....	12-14
3200, Grade 2.....	15-18
Dustbox (ASA)	11, 23, 28, 31, 45
Dustbox (Deadbolt)	13, 16
Decorative Locks	
2300.....	5-7

E	
Electromechanical Options	
Cylindrical Locks	21
Mortise Locks	40
F	
Faceplate Adapter	6, 9, 16, 26, 31, 33
I	
Interchangeable Cores (Small Format)	52
Interchangeable Cores (Large Format).....	55
Interconnected Locks	
3700, Grade 2	32-34
K	
Key Blanks (Fixed Cylinder).....	48-49
Key Blanks (SFIC).....	53
Key Blanks (LFIC).....	55-56
Keying Charges (Fixed Cylinder)	48
Keying Charges (SFIC).....	53
Keying Charges (LFIC).....	55
Keying, Tools and Accessories.....	59
Keys, Cut (Fixed Cylinder)	48-49
Keys, Cut (SFIC).....	53
Keys, Cut (LFIC).....	55-56
L	
Latchbolts	
2300, Tubular	6
2500, Grade 2 Cylindrical.....	9-10
3400, Grade 1 Cylindrical.....	21-22
3500, Grade 2 Cylindrical.....	25-26
3600, Grade 2 Tubular	30
3700, Grade 2 Interconnected.....	33
Lead Lining	20, 24, 36, 38



Locks

M

Mortise Cam Screws 57

Mortise Locks

3800 (Deadlocks) 41
3800 (Small Case Deadlocks)..... 42
3800 (Sectional) 36-37
3800 (Escutcheon) 38-39
3800 (Sliding Door) 43
Accessories..... 45-47

P

Pins..... 60-62

Power Supplies

Cylindrical Lock..... 21
Mortise Lock..... 40

S

Screw Packs

2300, Tubular 7
2500, Grade 1 Deadlock..... 10
3100, Grade 2 Cylindrical..... 14
3200, Grade 2 Deadlock 17
3400, Grade 1 Cylindrical..... 23
3500, Grade 2 Cylindrical..... 28
3600, Grade 2 Tubular 31
3700, Grade 2 Interconnected..... 34
3800, Grade 1 Mortise..... 46-47

Strikes

2300, Tubular 6
2500, Grade 1 Deadlock..... 10
3100, Grade 1 Deadlock..... 13
3200, Grade 2 Deadlock..... 16
3300, Grade 3 Tubular..... 19
3400, Grade 1 Cylindrical..... 23
3500, Grade 2 Cylindrical..... 27
3600, Grade 2 Tubular 31
3700, Grade 2 Interconnected..... 33
3800, Grade 1 Mortise..... 44

T

Tactile Warning 20, 24, 36, 38
Tailpieces (Fixed Cylinder) 49-50
Tailpieces (Rim-LFIC)..... 56
Tailpieces (LFIC Locksets)..... 56
Tailpieces (Rim-SFIC)..... 51
Tailpieces (SFIC Locksets)..... 54
Tailpieces (Rim Fixed) 51
Thumbturns (Mortise Lock)..... 45
Thru-bolt Jigs..... 11, 23, 28

Tubular Locks

2300 8-11
3300, Grade 3..... 19
3600, Grade 2..... 29-31

INTRODUCTION

Hager Companies offers a variety of locks to meet a wide range of applications and solutions. Heavy Duty Grade 1 deadlocks, cylindrical locks, and mortise locks are ideal for schools, hospitals, and other high-use environments. Grade 2 deadlocks and cylindrical locks are ideal for less abusive environments, while Grade 2 tubular locks are suitable for heavy duty residential or medium duty commercial environments.

All Hager locks have been rigorously tested and certified to the highest standards. Most lock series are BHMA certified per the ANSI A156.2 standards. They are also UL/cUL Listed for all functions up to and including 3 hours for “A” labeled doors. In addition to the certifications, all Hager Grade 1 and Grade 2 leversets are ADA compliant and most come with a lifetime warranty.


Most Hager locksets are either non-handed or field reversible in the case of the 3800 Series mortise lock. Conventional cylinder and small format interchangeable core are available on keyed functions. Most lock series offer three lever style options along with one knob style. Please check appropriate section for series specific options.

CANCELLATION NOTIFICATION

Cancellation for made-to-order items must be communicated within 48 hours of order placement.



3453 2 3/4" US26D US26 WTN SCC KD ASA —



Notes:

- If master-keyed, include master key instruction sheet with order (available online).
- For additional keying information, please refer to cylinder, core, and keying section of catalog.
- Quick Connect option available on 3400 series electrified models (EL, EU, RX). **Ordering example: 3480 2-3/4" US26D WTN SCC KD ASA ELEUQC.**
- Interchangeable construction core will be included with the lockset if "CIC" is specified in keying section. Customer must specify BLUE or RED color for SFIC. Black is the standard color for LFIC.

* Small format interchangeable core sold separately. Available in Best Keyways (A Standard) or Hager Keyways (optional).

** Large format interchangeable core sold separately. Available in Schlage C Keyway only.

Ordering example (Lock Less Core) : 3453 2-3/4" US 26D WTN NC ASA IC
: 3453 2-3/4" US 26D WTN LF ASA LFIC

Ordering example (Const Core Included) : 3453 2-3/4" US 26D WTN CIC ASA IC7 BLU
: 3453 2-3/4" US 26D WTN CIC ASA LFIC BLK

Please refer to our Catalog or website (www.hagerco.com) for more detailed and series specific ordering information along with additional information including functions available, additional options, and keying information. Ordering forms such as Master Keying Instruction Sheet and Cylinder Instructions and Ordering Guide are also available on our website (www.hagerco.com).

Description

2300 Series

Decorative Tubular Locks
 2-3/8" (60 mm) backset (optional)
 2-3/4" (70 mm) backset (standard)
 2-1/4" x 1" (57 mm x 25 mm) SC and RC Faceplate (standard)

Round and square corner full lip strikes (standard)

Optional strikes available. For ASA strike, add \$8.70 to list price of the lock.

Refer to catalog or website for more detailed information on functions.

Some finish/lever combinations will be subject to extended lead times. Consult customer service for availability.

Split finish available at extended lead time. Handing information required when ordering split finish.

When ordering handed locks, LH=LHR and RH=RHR

*US26 finish only available with Charles and Joshua levers



Charles



Johnston



Joshua



Warren




Function	Finish	List	Case Qty.
2310 Passage	US15	143.29	24
	US26*	149.10	
	US26D	143.29	
	BLK	150.46	
2317 Single Dummy (Specify handing on Johnston and Warren Levers)	US15	64.49	24
	US26*	67.02	
	US26D	64.49	
	BLK	67.72	


Function	Finish	List	Case Qty.
2327 Double Dummy	US15	128.83	24
	US26*	133.97	
	US26D	128.83	
	BLK	135.28	
2340 Privacy	US15	152.52	24
	US26*	158.69	
	US26D	152.52	
	BLK	160.16	



Locks - 2300 Series



Latchbolts Description	Finish	List	Box Qty.
2-639-7607 Passage Spring Latch 2-3/4" (70 mm) backset	n/a	24.96	
2-639-7609 Passage Spring Latch 2-3/8" (60 mm) backset	n/a	24.96	
2-639-7608 Privacy Latch 2-3/4" (70 mm) backset	n/a	24.96	
2-639-7610 Privacy Latch 2-3/8" (60 mm) backset	n/a	24.96	
Strikes Description	Finish	List	Box Qty.
3933 T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US15	10.06	
	US26	10.06	
	US26D	10.06	
	BLK	10.06	
2-639-7620 Full lip replacement strikes (2300) (Includes square and round corner)	US15	15.03	
2-639-7621 Full lip replacement strikes (2300) (Includes square and round corner)	US26	15.03	
2-639-7622 Full lip replacement strikes (2300) (Includes square and round corner)	US26D	15.03	
3935 ASA Strike 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner	US15	15.21	
	US26	15.21	
	US26D	15.21	
	BLK	15.21	
3959 Faceplate Adapter Converts 1" (25 mm) to 1/8" (29 mm) width	NF	2.65	



Components and Screwpacks			
Description	Finish	List	
2-639-7600 Privacy Accessory Kit	BLK	10.56	
2-639-7604 Privacy Accessory Kit	US15	10.56	
2-639-7605 Privacy Accessory Kit	US26	10.56	
2-639-7606 Privacy Accessory Kit	US26D	10.56	
2-300-0093 Replacement Screw Packs	US15/26/26D	13.04	10

Locks - 2500 Series



Archer 



Withnell 

Description

2500 Series

Grade 2 Cylindrical - Economy
Fixed Cylinder, Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate
ASA Strike

Small Format Interchangeable Core option Available (cores sold separately - refer to Keying/Core section).

If construction SFIC core is included with the lockset, \$63.59 will be added to the list price of the lock.

Refer to keying/cores section for construction core options.

Optional backsets, faceplates and strikes available.
Optional keying/keyways available.
Refer to catalog or website for more detailed information on functions.

Function	Finish	List	Case Qty.
2510 (F75) Passage	US10B	129.23	6
	US26D	129.23	
	BLK	147.95	
2517 Single Dummy	US10B	77.56	12
	US26D	77.56	
	BLK	89.20	
2525 (F111) Exit	US10B	116.38	6
	US26D	116.38	
	BLK	133.83	
2527 BTB Dummy	US3	152.16	6
	US26D	152.16	
	BLK	174.99	

Function	Finish	List	Case Qty.
2540 (F76A) Privacy	US3	132.01	6
	US26D	132.01	
	BLK	151.81	
2550 (F82A) Office	US3	147.25	6
	US26D	147.25	
2553 (F109) Entry	BLK	169.34	
2570 (F84) Classroom			
2580 (F86) Storeroom			



Latchbolts Description	Finish	List
3947 Spring Latch - Passage Only (2510) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US10B US26D BLK	39.99 39.99 39.99
3949 Spring Latch - Passage Only (2510) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US10B US26D BLK	39.99 39.99 39.99
3965 Spring Latch - Privacy Only (2540) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US10B US26D BLK	39.99 39.99 39.99
3967 Spring Latch - Privacy Only (2540) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US10B US26D BLK	39.99 39.99 39.99
3948 Dead Latch - 2525 and all keyed functions (2500 Series) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US10B US26D BLK	39.99 39.99 39.99
3950 Dead Latch - 2525 and all keyed functions (2500 Series) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US10B US26D BLK	39.99 39.99 39.99
3959 Faceplate Adapter Can be used with 2500 2-3/8" (60 mm) backset latchbolt. Converts 1" (25 mm) to 1-1/8" (29 mm) width.	NF	3.29
3917 3-3/4" (95 mm) Backset Extension Link Must be used with 2-3/8" (60 mm) backset latchbolt to achieve 3-3/4" total backset.	NF	26.45
3937 5" (127) Backset Extension Link Must be used with 2-3/4" (70 mm) backset latchbolt to achieve 5" total backset.	NF	28.57
Drive-In Latchbolts Description	Finish	List
3922 2-3/4" (70 mm) Drive-In Spring Latch - Passage only (2510)	NF	39.99
3923 2-3/4" (70 mm) Drive-In Spring Latch - Privacy only (2540)	NF	39.99
3925 2-3/8" (60 mm) Drive-In Spring Latch - Passage only (2510)	NF	39.99



Locks - 2500 Series



Drive-In Latchbolts

Description

Finish

List

3926

2-3/8" (60 mm) Drive-In Spring Latch - Privacy only (2540)

NF

39.99

3924

2-3/4" (70 mm) Drive-In Dead Latch - All keyed functions (2500 Series)

NF

39.99

3927

2-3/8" (60 mm) Drive-In Dead Latch - All keyed functions (2500 Series)

NF

39.99

Strikes

Description

Finish

List

3933

T-Strike with Plastic Dust Box

1-1/8" x 2-3/4" (29 mm x 70 mm), square corner

US10B

10.06

US26D

10.06

BLK

10.06

3934

Full Lip Strike

1-5/8" x 2-1/4" (41 mm x 57 mm), square corner

US10B

10.06

US26D

10.06

BLK

10.06

3935

ASA Strike Plate

Shipped standard with 2500 Series

1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip

Order dust box separately

US10B

15.21

US26D

15.21

BLK

15.21

3958

Round Corner Full Lip Strike

1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)

US10B

10.06

US26D

10.06

BLK

10.06

Components and Screwpacks

Description

Finish

List

2-639-3577

Cylinder Aligning Sleeve (10 pack)

NF

3.79

2-300-0050

Screwpack - 2500 Series Lever Locksets

US10B

15.09

2-300-0052

Screwpack - 2500 Series Lever Locksets

US26D

15.09

2-300-0058

Screwpack - 2517/2527 Lever Locksets only

NF

15.09

2-639-3523

2500 Series Thru Bolt Posts

NF


4.97





Components and Screwpacks		
Description	Finish	List
2-669-0389 ASA Metal Dust Box	NF	8.20
3911 2500 Series Leverset Thru-Post Drill Jig	NF	23.29

Locks - 3100 Series



Description

3100 Series

Grade 1
Fixed Cylinder Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" (57 mm x 29 mm) Square Corner Faceplate
Square Corner Strike

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction SFIC core is included with the lockset, \$63.59 will be added to list price of the lock.
Refer to keying/cores section for construction core options.
Optional backsets, faceplates, and strikes available (see below).
ASA Strike Available. Add \$8.70 to list price of deadlock.
Optional keying/keyways available.
Refer to catalog or website for more detailed information on functions.

Function	Finish	List	Case Qty.
3114 (E2141) Double Cylinder	US10B	247.61	12
	US26D	238.12	
	BLK	259.99	
3115 (E2151) Cylinder x Thumbturn	US10B	218.36	12
	US26D	209.97	
	BLK	229.28	

Function	Finish	List	Case Qty.
3118 (E2171) Classroom	US10B	225.92	12
	US26D	217.19	
	BLK	237.21	






Deadbolts Description	Finish	List
3940 2-3/4" (70 mm) Backset - Standard 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must Specify Square or Round Corner	US10B US26D BLK	39.99 39.99 39.99
3941 2-3/8" (60 mm) Backset 2-1/4"x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner	US10B US26D BLK	39.99 39.99 39.99
Strikes Description	Finish	List
3929 ASA Deadlock Strike 1-1/4" x 4-7/8" (32 mm x 124 mm), Square Corner 1 5/16" lip Order dust box separately.	US10B US26D BLK	24.47 24.47 24.47
3930 Strike with plastic dust box 1-1/8" x 2-3/4" (29 mm x 70 mm), Square corner	US10B US26D BLK	9.94 9.94 9.94
2-639-3109 Deadlock Dust Box	NF	4.78
Components and Screwpacks Description	Finish	List
2-639-3151 Collar Handling Keys - 3118 - (RH and LH w/ set screw)	NF	7.95
2-639-7149 Thumbturn Repair Kit - 3100 Series	US10B	14.41
2-639-3168 Thumbturn Repair Kit - 3100 Series	US26D	14.41



Locks - 3100 Series



Components and Screwpacks		
Description	Finish	List
2-300-0003 Screwpack 3115/3118	US10B	13.85
2-300-0005 Screwpack 3115/3118	US26D	13.85
2-300-0009 Screwpack 3114	US10B	13.85
2-300-0011 Screwpack 3114	US26D	13.85
2-639-3167 Tailpiece Kit for 2" - 2-1/4" Thick Door (3114/3118 Fixed Cylinder Only)		10.68
2-639-3238 Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US10B	10.68
2-639-3239 Tailpiece Kit for 2" - 2-1/4" Thick Door (3114 Fixed Cylinder Only)	US26D	10.68
2-639-7161 SFIC Deadlock Cylinder Assembly - 3115/3118	US10B	24.84
2-639-7163 SFIC Deadlock Cylinder Assembly - 3115/3118	US26D	24.84



Description

3200 Series

Grade 2
Fixed Cylinder, Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" SC Faceplate
(57 mm x 29 mm)
Square Corner Strike

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction SFIC core is included with the lockset, \$63.59 will be added to list price of the lock.

Refer to keying/cores section for construction core options.

Optional backsets, faceplates, and strikes available (see next page).

ASA Strike Available. Add \$8.70 to list price of deadlock.

Optional keying/keyways available.

Refer to Catalog or website for more detailed information on functions.

Function	Finish	List	Case Qty.
3214 (E2142)	US3	144.54	12
Double Cylinder	US4	144.54	
	US10B	144.54	
	US26D	137.70	
	US32D	126.27	
	BLK	151.77	
3215 (E2152)	US3	117.74	12
Cylinder x Thumbturn	US4	117.74	
	US10B	117.74	
	US26D	112.12	
	US32D	102.89	
	BLK	123.62	
3216	US3	93.65	12
Thumbturn x Occupancy Indicator	US4	93.65	
	US10B	93.65	
	US26D	89.19	
	US32D	81.76	




Function	Finish	List	Case Qty.
3220 (E21112)	US3	87.52	12
Thumbturn only w/ Blank Plate	US4	87.52	
	US10B	87.52	
	US26D	83.31	
	US32D	76.47	
3221 (E2192)	US3	71.95	12
Thumbturn only	US4	71.95	
	US10B	71.95	
	US26D	68.53	
	US32D	62.91	
	BLK	75.55	
3222	US3	46.82	12
Retrofit Kit for use w/ 3220 or 3221	US4	46.82	
	US10B	46.82	
	US26D	44.63	
	US32D	40.94	



Locks - 3200 Series



Deadbolts Description	Finish	List
3940	US3	39.99
2-3/4" (70 mm) Backset - Standard	US4	42.60
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate	US10B	39.99
Must Specify Square or Round Corner	US26D/US32D	39.99
US32D available in square corner only	BLK	39.99
3941	US3	39.99
2-3/8" (60 mm) Backset	US4	42.60
2-1/4" x 1" (57 mm x 25 mm) Faceplate	US10B	39.99
Must specify square or round corner	US26D/US32D	39.99
US32D available in square corner only	BLK	39.99
3942	US3	39.99
2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable	US4	42.60
2-1/4" x 1-1/8" (57 mm x 29 mm) Square Corner Faceplate	US10B	39.99
For use with 3220, 3221 deadlocks only	US26D/US32D	39.99
Round corner optional	BLK	39.99
1" Wide faceplate available in square corner or round corner		
US32D available in square corner only		
3959	NF	3.29
Faceplate Adapter		
Can be used with 3220 and 3221 deadlock		
Converts 1" (25 mm) to 1-1/8" (29 mm) width		
Strikes Description	Finish	List
3929	US3	24.27
ASA Deadlock Strike	US4	26.02
1-1/4" x 4-7/8" (32 mm x 124 mm), Square Corner	US10B	24.27
1-5/16" lip	US26D	24.27
Optional Strike can be used with 3100/3200 Series.		
Order dust box separately.		
For use with 3200 Series US32D, order US26D.		
3930	US3	9.94
Strike with plastic dust box	US4	10.49
1-1/8" x 2-3/4" (29 mm x 70 mm), Square corner	US10B	9.94
	US26D	9.94
	US32D	9.94
2-639-3109	NF	4.78
Deadlock Dust Box		
For use with standard strike, 3930.		

Components and Screwpacks		Finish	List
	2-300-0018 Screwpack for 3214	US3	13.85
	2-300-0019 Screwpack for 3214	US4	13.85
	2-300-0021 Screwpack for 3214	US10B	13.85
	2-300-0023 Screwpack for 3214	US26D/US32D	13.85
	2-300-0024 Screwpack for 3215	US3	13.85
	2-300-0025 Screwpack for 3215	US4	13.85
	2-300-0027 Screwpack for 3215	US10B	13.85
	2-300-0029 Screwpack for 3215	US26D/US32D	13.85
	2-300-0105 Screwpack 3216/3220/3222	US3	13.85
	2-300-0106 Screwpack 3216/3220/3222	US4	13.85
	2-300-0108 Screwpack 3216/3220/3222	US10B	13.85
	2-300-0110 Screwpack 3216/3220/3222	US26D/US32D	13.85
	2-300-0111 Screwpack 3221	US3/US10	13.85
	2-300-0112 Screwpack 3221	US4	13.85
	2-300-0114 Screwpack 3221	US10B	13.85
	2-300-0116 Screwpack 3221	US26D/US32D	13.85
	2-639-3218 Thumbturn Assembly - 3215	US3	14.16
	2-639-3219 Thumbturn Assembly - 3215	US4	14.16
	2-639-3221 Thumbturn Assembly - 3215	US10B	14.16
	2-639-7153 Thumbturn Assembly - 3215	US26D	14.16
	2-639-3223 Thumbturn Assembly - 3215	US32D	14.16
	2-639-3230 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US3	10.68
	2-639-3231 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US4	10.68
	2-639-3233 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US10B	10.68
	2-639-3235 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US26D	10.68
	2-639-7151 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US32D	10.68
	2-639-7151 Tailpiece Kit for 2" - 2-1/4" Door (3215 Fixed Cylinder Only)	US32D	10.68



Locks - 3200 Series



Components and Screwpacks		
Description	Finish	List
2-639-3236 Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US3/US4	10.68
2-639-3238 Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US10B	10.68
2-639-3239 Tailpiece Kit for 2" - 2-1/4" Door (3214 Fixed Cylinder Only)	US26D/US32D	10.68
2-639-7157 3215 SFIC Deadlock Spacer	US3	8.51
2-639-7158 3215 SFIC Deadlock Spacer	US4	8.51
2-639-7155 3215 SFIC Deadlock Spacer	US10B	8.51
2-639-7156 3215 SFIC Deadlock Spacer	US26D	8.51
2-639-7144 3215 SFIC Deadlock Spacer	US32D	8.51
2-639-7641 3216 Emergency Key (10Pk)	NF	10.81





Archer



August



Johnston



Withnell

Description

3300 Series

Grade 3 Tubular - Residential

Fixed Cylinder, Standard

5 Pin Keyed Different Cylinder only - no keying services available

Schlage C Keyway only

2-3/8" - 2-3/4" (60mm - 70mm) adjustable backset

2-1/4" - 1" (57mm x 25mm) RC Faceplate (Square corner faceplate loose in the box)

1-3/4" x 2-1/4" Full lip round corner strike, no box (standard)

Optional strikes must be purchased separately.

Refer to catalog or website for more detailed information on functions.

When ordering handed lever designs, LH=LHR and RH=RHR.

Function	Finish	List	Case Qty.
3310	US15	60.58	18
Passage	US26D	65.23	
	BLK	65.23	

3317	US15	29.64	27
Single Dummy	US26D	31.97	
(Specify Handing for Johnston lever)	BLK	31.97	

Function	Finish	List	Case Qty.
3340	US15	65.23	18
Privacy	US26D	68.53	
	BLK	68.53	

Strikes

Description

2-639-7793

Full Lip Strike

1-3/4" x 2-1/4" (45mm x 57mm), Sq Corner

2-639-7794

Full Lip Strike

2-639-7798

T-Strike

1-1/8" x 2-3/4" (29mm x 70mm), square corner

2-639-7799

T-Strike

US15/US26D 2.61

BLK 2.61

US15/US26D 2.61

BLK 2.61



Locks - 3400 Series



Archer



August



Withnell



Description

3400 Series

Grade 1 Cylindrical
Fixed Cylinder, Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" SC Faceplate (57 mm x 29 mm)
ASA Strike

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction core is included with the lockset, \$63.59 (SFIC) or \$80.42 (LFIC) will be added to the list price of the lock. Refer to keying/cores section for construction core options.

Extended Lip ASA strike available. Add \$14.90 to list price of the lock.

Lead Lined available. Add \$186.30 to the list price of the lock.

Tactile Warning available on levers only. Add \$62.10 to the list price of lock.

3/4" latchbolt available. Add \$103.00 to the list price of lock.

Anti-microbial available on 26D finish only. Add \$49.68 to the list price of the lock.

Split finish available. Priced at higher finish.

Optional backsets, faceplates, and strikes available (see next page).

Optional keying/keyways available.

Security Torx screws available. Add \$17.39 to list price of the lock.

*3495 Intruder Classroom includes locking indicator rose.

Refer to catalog or website for more detailed information on functions.

Function	Finish	List	Case Qty.
3410 (F75)	US3	384.28	6
Passage	US4	384.28	
	US10B	384.28	
	US26	384.28	
	US26D	369.48	
	BLK	406.42	
3417	US3	180.77	12
Single Dummy	US4	180.77	
	US10B	180.77	
	US26	180.77	
	US26D	173.79	
	BLK	191.17	
3440 (F76A)	US3	442.53	6
Privacy	US4	442.53	
	US10B	442.53	
	US26	442.53	
	US26D	425.47	
	BLK	468.02	

Function	Finish	Lever List	Case Qty.
3450 (F82A)	US3	515.32	6
Office	US4	515.32	
3453 (F109)	US10B	515.32	
Entry	US26	515.32	
3470 (F84)	US26D	495.55	
Classroom	BLK	545.11	
3473 (F90)			
Corridor*/Dormitory			
3480 (F86)			
Storeroom			
3482 (F87)	US3	669.67	6
Institution	US4	669.67	
	US10B	669.67	
	US26	669.67	
	US26D	569.57	
3495 (F110)	US3	627.95	6
Intruder Classroom*	US4	627.95	
	US10	627.95	
	US10B	627.95	
	US26	627.95	
	US26D	603.87	





3400 Series Electrified Cylindrical Lockset Description	Add electrified charges to the list price of the lock Function	List
Outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V. Latchbolt retracted by key outside or lever inside. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress.	ELEU 12V/24V Storeroom - Fail Safe/Fail Secure	273.86
Single switch (SPDT) mounted inside the spring cage monitors inside lever rotation to send a signal for a variety of applications: Shunt an alarm, sound an alarm, release an electromagnetic lock or signal a console.	RX Request to Exit	222.32

QUICK CONNECT OPTION: Locks will come with molex connector attached at no extra charge. Quick connect option allows rapid installation of locks when used with the Hager Quick Connect harness cable. See Commercial Hinges section for available harness sizes.

QUICK CONNECT ORDERING EXAMPLE: 3480 2-3/4" US26D WTN SCC KD ASA ELEUQC




Power Supplies Description	Function	List
Provides power for Fail Safe or Fail Secure locking devices and interface with building alarm controls, card readers, keypads, and other door controls.	2903 24 Volt Power Supply	Reference Electrified products section
Provides power and control for openings with an electrified locking device and automatic door operator.	2904 24 Volt Power Supply	Reference Electrified products section
Provides up to 1 amp of 12 or 24 Volt DC Power for all Hager Electrified Products.	2908 24 Volt Power Supply	Reference Electrified products section
Provides up to 2 amps of 12 or 24 Volt DC Power for all Hager Electrified Products.	2909 24 Volt Power Supply	Reference Electrified products section






Latchbolts Description	Finish	List
3943 Spring Latch - Passage Only (3410) - Standard 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D BLK	42.04 44.71 42.04 42.04 42.04 42.04
3945 Spring Latch - Passage Only (3410) 2-3/8" (60 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D BLK	42.04 44.71 42.04 42.04 42.04 42.04
3964 Spring Latch - Privacy Only (3440) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D BLK	42.04 44.71 42.04 42.04 42.04 42.04



Locks - 3400 Series



Latchbolts Description	Finish	List
3966 Spring Latch - Privacy Only (3440) 2-3/8" (60 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D BLK	42.04 44.71 42.04 42.04 42.04 42.04
3944 Dead Latch - All keyed functions except Corridor 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D BLK	42.04 44.71 42.04 42.04 42.04 42.04
3946 Dead Latch - All keyed functions except Corridor 2-3/8" (60 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D BLK	42.04 44.71 42.04 42.04 42.04 42.04
3992 Dead Latch - Corridor (3473) 2-3/8" (60 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D BLK	42.04 44.71 42.04 42.04 42.04 42.04
3993 Dead Latch - Corridor (3473) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate *Must specify square or round corner.	US3 US4 US10B US26 US26D BLK	42.04 44.71 42.04 42.04 42.04 42.04
3932 3/4" Dead Latch (3450, 3453, 3470, 3480, 3495) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) square corner faceplate	US3 US4 US10B US26 US26D US26D	146.99 146.99 146.99 146.99 146.99 146.99
3916 3-3/4" (95 mm) Backset Extension Link Must be used with 2-3/8" backset latchbolt to achieve 3-3/4" total backset.	NF	26.45
3936 5" (127 mm) Backset Extension Link Must be used with 2-3/4" backset latchbolt to achieve 5" total backset.	NF	28.57



Strikes Description	Finish	List
3933 T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 x 70 mm), square corner	US3 US4 US10B US26 US26D BLK	10.06 10.56 10.06 10.06 10.06 10.06
3934 Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US3 US4 US10B US26 US26D BLK	10.06 10.56 10.06 10.06 10.06 10.06
3935 ASA Strike Shipped standard with 3400 Series 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip Order dust box separately	US3 US4 US10B US26 US26D BLK	15.21 15.21 15.21 15.21 15.21 15.21
3958 Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US3 US4 US10B US26 US26D BLK	10.06 10.56 10.06 10.06 10.06 10.06
2-669-0389 ASA Metal Dust Box	NF	8.20
Components and Screwpacks Description	Finish	List
2-639-3490 Cylinder Aligning Sleeve (10 pack)	NF	4.04
2-300-0036 Screwpack - 3400 Series Lever Lockset	US3/US4	15.09
2-300-0039 Screwpack - 3400 Series Lever Lockset	US10B	15.09
2-300-0041 Screwpack - 3400 Series Lever Lockset	US26/US26D	15.09
2-300-0042 Screwpack - 3417 Dummy Lever Only	NF	6.40
3911 3400 Series Leverset Thru-Post Drill Jig	NF	23.29 ea



Locks - 3500 Series



Apollo



Archer



August



Withnell



Description

3500 Series

Grade 2 Cylindrical
Fixed Cylinder, Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate
ASA Strike

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction SFIC core is included with the lockset, \$63.59 will be added to list price of the lock. Refer to keying/cores section for construction core options.

Lead Lined available. Add \$186.30 to the list price of the lock.

Extended Lip ASA strike available. Add \$14.90 to list price of the lock.

Tactile Warning available. Add \$62.10 to the list price of the lock.

3/4" latchbolt available. Add \$146.99 to the list price of the lock.

Anti-microbial available on 26D finish only. Add \$49.68 to list price of lock.

Split finish available. Priced at higher finish.

Optional backsets, faceplates and strikes available (see next page).

Optional keying/keyways available.

Apollo knob with SFIC will be subject to extended lead times, consult factory for availability. SFIC not available on the Apollo knob in US3 finish.

*3525 Exit, 3527 BTB Dummy, 3573, and 3579 functions are not available on Apollo knob.

Refer to catalog or website for more detailed information on functions.

Function	Finish	Lever List	Case Qty.	Knob List
3510 (F75) Passage	US3	227.72	6	76.72
	US4	227.72		
	US10B	227.72		
	US26	227.72		
	US26D	211.90		
	US32D			76.72
	BLK	241.56		
3517 Single Dummy	US3	90.16	12	43.92
	US4	90.16		
	US10B	90.16		
	US26	90.16		
	US26D	83.83		
	US32D			43.92
	BLK	95.57		
3525 (F111) Exit*	US3	227.72	6	
	US4	227.72		
	US10B	227.72		
	US26	227.72		
	US26D	211.90		
	BLK	241.56		
3527 BTB Dummy*	US3	180.25	6	
	US4	180.25		
	US10B	180.25		
	US26	180.25		
	US26D	167.66		
	BLK	191.13		

Function	Finish	Lever List	Case Qty.	Knob List
3540 (F76A) Privacy	US3	258.66	6	80.92
	US4	258.66		
	US10B	258.66		
	US26	258.66		
	US26D	240.64		
	US32D			80.92
	BLK	274.32		
3550 (F82A) Office	US3	287.01	6	116.90
	US4	287.01		
3553 (F109) Entry	US10B	287.01		
	US26	287.01		
3570 (F84) Classroom	US26D	266.99		
	US32D			116.90
3573 (F90) Corridor*/ Dormitory	BLK	304.36		
3579 (F113) Keyed Communicating*				
3580 (F86) Storeroom				



Latchbolts Description

3947

Spring Latch - Passage only (3510) - Standard
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate
Must specify square or round corner.

Finish	List
US3	39.99
US4	42.60
US10B	39.99
US26	39.99
US26D	39.99
BLK	39.99

3949

Spring Latch - Passage only (3510)
2-3/8" (60 mm) Backset
2-1/4" x 1" (57 mm x 25 mm) Faceplate
Must specify square or round corner.

US3	39.99
US4	42.60
US10B	39.99
US26	39.99
US26D	39.99
BLK	39.99



3965

Spring Latch - Privacy only (3540) - Standard
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate
Must specify square or round corner.

US3	39.99
US4	42.60
US10B	39.99
US26	39.99
US26D	39.99
BLK	39.99

3967

Spring Latch - Privacy only (3540)
2-3/8" (60 mm) Backset
2-1/4" x 1" (57 mm x 25 mm) Faceplate
Must specify square or round corner.

US3	39.99
US4	42.60
US10B	39.99
US26	39.99
US26D	39.99
BLK	39.99



3948

Dead Latch - 3525 and all keyed functions except Corridor
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate
Must specify square or round corner.

US3	39.99
US4	42.60
US10B	39.99
US26	39.99
US26D	39.99
BLK	39.99



3950

Dead Latch - 3525 and all keyed functions except Corridor
2-3/8" (60 mm) Backset
2-1/4" x 1" (57 mm x 25 mm) Faceplate
Must specify square or round corner.

US3	39.99
US4	42.60
US10B	39.99
US26	39.99
US26D	39.99
BLK	39.99



3994

Dead Latch - Corridor (3573)
2-3/8" (60 mm) Backset
2-1/4" x 1" (57 mm x 25 mm) Faceplate
Must specify square or round corner.

US3	39.99
US4	42.60
US10B	39.99
US26	39.99
US26D	39.99
BLK	39.99

3995

Dead Latch - Corridor (3573)
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate
Must specify square or round corner.

US3	39.99
US4	42.60
US10B	39.99
US26	39.99
US26D	39.99
BLK	39.99



Locks - 3500 Series



Latchbolts Description	Finish	List
3932 3/4" Dead Latch (3550, 3553, 3570, 3580) 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) square corner faceplate	US3 US4 US10B US26 US26D BLK	146.99 146.99 146.99 146.99 146.99 146.99
3959 Faceplate Adapter Can be used with 3500 2-3/8" backset latchbolt. Converts to 1" (25 mm) to 1-1/8" (29 mm) width.	NF	3.29
3917 3-3/4" (95 mm) Backset extension link Must be used with 2-3/8" backset latchbolt to achieve 3-3/4" total backset.	NF	26.45
3937 5" (127 mm) Backset extension link Must be used with 2-3/4" backset latchbolt to achieve 5" total backset.	NF	28.57





Drive-in Latchbolts		
Description	Finish	List
3922 2-3/4" (70 mm) Drive-In Spring Latch - Passage only (3510)	NF	39.99
3923 2-3/4" (70 mm) Drive-In Spring Latch - Privacy only (3540)	NF	39.99
3925 2-3/8" (60 mm) Drive-In Spring Latch - Passage only (3510)	NF	39.99
3926 2-3/8" (60 mm) Drive-In Spring Latch - Privacy only (3540)	NF	39.99
3924 2-3/4" (70 mm) Drive-In Dead Latch - All keyed functions except corridor	NF	39.99
3927 2-3/8" (60 mm) Drive-In Dead Latch - All keyed functions except corridor	NF	39.99
3996 2-3/8" (60 mm) Drive-In Dead Latch - Corridor (3573)	NF	39.99
3997 2-3/4" (70 mm) Drive-In Dead Latch - Corridor (3573)	NF	39.99
Strikes		
Description	Finish	List
3933 T-Strike with Plastic Dust Box	US3	10.06
1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US4	10.56
For use with US32D knobs, order US26D.	US10B	10.06
	US26	10.06
	US26D	10.06
	BLK	10.06
3934 Full Lip Strike	US3	10.06
1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US4	10.56
For use with US32D knobs, order US26D.	US10B	10.06
	US26	10.06
	US26D	10.06
	BLK	10.06
3935 ASA Strike	US3	15.21
Shipped Standard with 3500 Series	US4	15.21
1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip	US10B	15.21
Order dust box separately.	US26	15.21
	US26D	15.21
	US32D	15.21
	BLK	15.21
3958 Round Corner Full Lip Strike	US3	10.06
1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US4	10.56
For use with US32D knobs, order US26D.	US10B	10.06
	US26	10.06
	US26D	10.06
	BLK	10.06



Locks - 3500 Series



Strikes

Description

Finish


List

2-669-0389

ASA Metal Dust Box

NF

8.20



Components and Screwpacks

Description

Finish

List

2-300-0048

Screwpack - 3500 Series Lever Locksets

US3/US4

15.09

2-300-0050

Screwpack - 3500 Series Lever Locksets

US10B

15.09

2-300-0052

Screwpack - 3500 Series Lever Locksets

US26/US26D

15.09

2-300-0059

Screwpack - 3500 Series Knob Locksets

US3

15.09

2-300-0060

Screwpack - 3500 Series Knob Locksets

US32D


15.09

2-300-0058

Screwpack - 3517/3527 Lever Locksets only

NF

15.09




2-300-0045

Screwpack - 3517 Knob Lockset only

NF

6.40



2-639-3523

3500 Series thru bolt posts

NF

4.97




2-639-3577

Cylinder Aligning Sleeve (10 pack)

NF

3.79



3912

3500 Series Leverset Thru-Post Drill Jig

NF

23.29



Description

3600 Series

Grade 2 Tubular Locks
Fixed Cylinder, Standard
6 Pin Cylinders, 5-Pin Keyed
Schlage C Keyway - KD Standard
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset
2-1/4" x 1" (57 mm x 25 mm) SC Faceplate
ASA Strike
Levers only

Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction core is included with the lockset, \$63.59 will be added to the list price of the lock. Refer to keying/cores section for construction core options.

Extended Lip ASA strike available. Add \$14.90 to list price of the lock.

Split finish available, priced at higher finish.

Optional backsets, faceplates and strikes available (see next page).

SFIC leversets only available in US26D finish.

US4 finish available at extended lead time. Consult factory for availability.

Refer to catalog or website for more detailed information on functions



Archer



August



Withnell



Function	Finish	List	Case Qty.
3610 (F75)	US4	156.49	12
Passage	US10B	156.49	
	US26D	145.57	
3617	US4	77.76	20
Single Dummy	US10B	77.76	
	US26D	72.27	


Function	Finish	List	Case Qty.
3640 (F76B)	US4	167.40	12
Privacy	US10B	167.40	
	US26D	155.71	
3653 (F82A)	US4	212.61	12
Entry/Office	US10B	212.61	
3670 (F84)	US26D	197.88	
Classroom			
3680 (F86)			
Storeroom			



Locks - 3600 Series




Latchbolts		Finish	List
Description			
3951		US4	35.71
Spring Latch - Non-keyed Functions (3600) - Standard		US10B	33.60
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset		US26D	33.60
2-1/4" x 1" (57 mm x 25 mm) square corner faceplate			
3952		US4	35.71
Dead Latch - All keyed functions (3600) - Standard		US10B	33.60
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset		US26D	33.60
2-1/4" x 1" (57 mm x 25 mm) square corner faceplate			
3953		US4	35.71
Spring Latch - Non-keyed Functions (3600)		US10B	33.60
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset		US26D	33.60
2-1/4" x 1" (57 mm x 25 mm) round corner faceplate			
3954		US4	35.71
Dead Latch - All keyed functions (3600)		US10B	33.60
2-3/8" - 2-3/4" (60 mm - 70 mm) adjustable backset		US26D	33.60
2-1/4" x 1" (57 mm x 25 mm) round corner faceplate			
3938		US4	37.57
Dead Latch - All keyed functions (3600)		US10B	35.71
5" (127 mm) Backset		US26D	35.71
2-1/4" x 1" (57 mm x 25 mm) Faceplate			
Must specify square or round corner.			
3939		US4	37.57
Spring Latch - Non-keyed functions (3600)		US10B	35.71
5" (127 mm) Backset		US26D	35.71
2-1/4" x 1" (57 mm x 25 mm) Faceplate			
Must specify square or round corner.			
Drive-in Latchbolts		Finish	List
Description			
3914		NF	33.60
2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable Drive-In Spring Latch - All non-keyed functions			
3915		NF	33.60
2-3/8" - 2-3/4" (60 mm - 70 mm) Adjustable Drive-In Dead Latch - All keyed functions			



Strikes		
Description	Finish	List
3933 T-Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US4 US10B US26D	10.56 10.06 10.06
3934 Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US4 US10B US26D	10.56 10.06 10.06
3935 ASA Strike Shipped standard w/ 3600 Series 1-1/4" x 4-7/8" (32 mm x 124 mm), square corner 1-5/16" lip Order dust box separately	US4 US10B US26D	15.21 15.21 15.21
3958 Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm) round corner (1/4" radius)	US4 US10B US26D	10.56 10.06 10.06
2-669-0389 ASA Metal Dust Box	NF	8.20
3959 Faceplate Adapter 3600 Series Standard Converts 1" (25 mm) to 1-1/8" (29 mm) width	NF	3.29
Components and Screwpacks		
Description	Finish	List
2-300-0064 Screwpack - 3600 Series Lever Locksets	US4	13.72
2-300-0066 Screwpack - 3600 Series Lever Locksets	US10B	13.72
2-300-0068 Screwpack - 3600 Series Lever Locksets	US26D	13.72
2-300-0074 Screwpack - 3617 Lever Locksets only	NF	13.72
2-639-7159 Cylinder Aligning Sleeve (10 pack)	NF	3.48



Locks - 3700 Series



Description

3700 Series
Grade 2 Interconnected
Fixed Cylinder, Standard
6 Pin Cylinders, 5-Pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
2-1/4" x 1-1/8" (57 mm x 29 mm) SC Faceplate
T-Strike
Levers only
Small Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction SFIC core is included with the lockset, \$63.59 will be added to list price of the lock. Refer to keying/cores section for construction core options.
Optional backsets, faceplates and strikes available (see next page).
US4 finish available at an extended lead time. Consult factory for availability.
Optional keying / keyways available.
Refer to catalog or website for more detailed information on functions.



Archer  

Function	Finish	List	Case Qty.
3710 (F95)	US4	423.68	6
Entry Single Locking	US10B	423.68	
	US26D	411.27	



August  



Withnell  


Function	Finish	List	Case Qty.
3796	US4	472.11	6
Privacy Single Locking	US10B	472.11	
w/ Indicator	US26D	458.35	



Latchbolts Description	Finish	List	Box Qty.
3920 2-3/4" (70 mm) Backset - Standard 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US4 US10B US26D	42.60 39.99 39.99	
3921 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US4 US10B US26D	42.60 39.99 39.99	
3947 Spring Latch - Entry Single Locking (3710) - Standard 2-3/4" (70 mm) Backset 2-1/4" x 1-1/8" (57 mm x 29 mm) Faceplate Must specify square or round corner.	US4 US10B US26D	42.60 39.99 39.99	
3949 Spring Latch - Entry Single Locking (3710) 2-3/8" (60 mm) Backset 2-1/4" x 1" (57 mm x 25 mm) Faceplate Must specify square or round corner.	US4 US10B US26D	42.60 39.99 39.99	
3959 Faceplate Adapter Can be used with 3700 2-3/8" backset latchbolt. Converts 1" (25 mm) to 1-1/8" (29 mm) width.	NF	3.29	
Strikes Description	Finish	List	Box Qty.
3930 3700 Series Deadlock, Standard Strike with Plastic Dust Box 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US4 US10B US26D	10.49 9.94 9.94	
3933 T-Strike with Plastic Dust Box 3700 Series Latchbolt, Standard 1-1/8" x 2-3/4" (29 mm x 70 mm), square corner	US4 US10B US26D	10.56 10.06 10.06	
3934 Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), square corner	US4 US10B US26D	10.56 10.06 10.06	
3958 Round Corner Full Lip Strike 1-5/8" x 2-1/4" (41 mm x 57 mm), round corner (1/4" radius)	US4 US10B US26D	10.56 10.06 10.06	
2-639-3109 Deadlock Dust Box, Plastic	NF	4.78	




Locks - 3700 Series



Components and Screwpacks		
Description	Finish	List
2-300-0138 Screwpack - 3700 Series Lever Lockset	US4/	14.41
2-300-0141 Screwpack - 3700 Series Lever Lockset	US26D	14.41
2-639-0641 3976 Emergency Key (10Pk)	NF	10.81



HOW TO ORDER EXAMPLE



¹ Small format interchangeable core sold separately. Available in Best Keyways (A Standard), Hager Keyways (optional).

² Large format interchangeable core sold separately. Available in Schlage C. Keyway only.

Ordering example (Less IC Core):

- 3850 ESC 26D WTN ICFULL6 NC
- 3850 ESC 26D WTN LFIC6 LF

Ordering example (const. core included):

- 3850 ESC 26D WTN ICFULL7 CIC BLU
- 3850 ESC 26D WTN LFIC6 CIC BLK

³ 32D look on a cast zinc lever; for a true 32D, specify stainless steel levers WLS, or WTS.

Notes:

- Finishes other than US10B, US26D and US32D are subject to extended lead times. Consult factory for availability.
- If master-keyed, include master key instruction sheet with order (available online).
- For additional keying information, refer to cylinder, core, and keying section of catalog.
- Quick Connect option available on 3800Series Electrified Sectional and Escutcheon models (EL, EU, RX, DPM, and LM).

Ordering example: 3880 SECT US26D WTN ELEUQC

- Door width greater than 2-1/2", or doors with offset prep are POA with extended lead time. Consult factory before ordering.

Please refer to our Catalog or website (www.hagerco.com) for more detailed and series specific ordering information along with additional information including functions available, additional options, and keying information.



Locks - 3800 Series



Description

3800 Series Sectional

Grade 1 Mortise
Fixed Cylinder, Supplied Standard
1-1/8" Mortise Cylinder w/ Schlage L Cam - Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
ASA Strike, 3985

Price includes mortise cylinder(s) where applicable. Optional keying/ keyways available.

If keyed functions ordered less cylinder, subtract 62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction core is included with the lockset, \$63.59 (SFIC) or \$80.42 (LFIC) will be added to list price of the lock. Refer to keying/ cores section for construction core options.

*3857, 3861, and 3882 requires two cylinders (must specify "FULL" for fixed cylinder, "ICFULL6" for SFIC 6-Pin, "ICFULL7" for SFIC 7-Pin, and "LFIC6" for LFIC 6-Pin housing).

- Lead Lined available. Add \$229.77 to the list price of lock.
- Tactile Warning available. Add \$62.10 to the list price of lock.
- For Severe Windstorm Rating, add \$49.68 to the list price of lock (3853 and 3881 only).
- Extended Lip ASA strike available, add \$18.63 to list price of the lock.
- Lock Hanging available, add \$14.90 to list price of the lock.
- ADA thumbturn available, add \$19.87 to list price of the lock.
- Security Torx screws available, add \$22.36 to the list price of the lock.
- For special 3880S (less outside trim), add \$185.00 to list price of standard 3880S lockset.

Finishes

Finishes other than 10B, 26D and 32D will be subject to an extended lead time. Consult factory for availability.

**32D look on cast zinc lever; for a true 32D, specify stainless steel levers (William = WLS, Withnell = WTS).

Special door thicknesses are POA and will be subject to long lead time.

Hanging required when ordering Johnston and Warren lever design.



Archer 



August 



William 



Withnell 



Charles 



Johnston 



Joshua 




Warren 

Options

Function	Finish	Zinc List	Case Qty.	S.S. List
3810S (F01) Passage	US3	521.46	6	
	US4	521.46		
	US10B	521.46		
	US26	521.46		
	US26D	501.36		
	US32D**	501.36		651.72
	BLK	576.56		
3817S Single Dummy	US3	177.35	6	
	US4	177.35		
	US10B	177.35		
	US26	177.35		
	US26D	170.50		
	US32D**	170.50		221.66
	BLK	196.08		
3827S Double Dummy	US3	353.46	6	
	US4	353.46		
	US10B	353.46		
	US26	353.46		
	US26D	339.84		
	US32D**	339.84		441.82
	BLK	390.82		





Description

3800 Series Sectional (Continued)

Continued

Function	Finish	Zinc List	Case Qty.	S.S. List
3840S (F02) Privacy	US3	598.96	6	
	US4	598.96		
	US10B	598.96		
	US26	598.96		
	US26D	575.96		
	US32D**	575.96		748.79
	BLK	662.35		
3844S (F22) Privacy w/ Cointurn	US3	652.24	6	
	US4	652.24		
	US10B	652.24		
	US26	652.24		
	US26D	627.24		
	US32D**	627.24		815.43
	BLK	721.33		
3850S (F04) Office	US3	668.77	6	
	US4	668.77		
3870S (F05) Classroom	US10B	668.77		
	US26	668.77		
3880S (F07) Storeroom	US26D	643.06		
	US32D**	643.06		835.97
	BLK	739.52		
3853S (F20) Entry	US3	692.86	6	
	US4	692.86		
3856S (F13) Corridor	US10B	692.86		
	US26	692.86		
	US26D	666.24		
	US32D**	666.24		866.07
	BLK	766.18		

Function	Finish	Zinc List	Case Qty.	S.S. List
3857S* (F33) Intruder Classroom w/ Deadbolt	US3	744.20	6	
	US4	744.20		
3861S* (F09) Apartment Entrance	US10B	744.20		
	US26	744.20		
3882S* (F30) Institution	US26D	715.59		
	US32D**	715.59		930.21
	BLK	822.93		
3881S Storeroom w/ Deadbolt	US3	727.67	6	
	US4	727.67		
	US10B	727.67		
	US26	727.67		
	US26D	699.64		
	US32D**	699.64		909.60
	BLK	804.59		
3896S Privacy w/ Indicator	US3	680.14	6	
	US4	680.14		
	US10B	680.14		
	US26	680.14		
	US26D	653.97		
	US32D**	653.97		850.18
	BLK	752.07		



Locks - 3800 Series



Description

3800 Series Escutcheon

Grade 1 Mortise
Fixed Cylinder, Supplied Standard
1-1/8" Mortise Cylinder w/ Schlage L Cam - Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
ASA Strike, 3985

Price includes mortise cylinder(s) where applicable.

Optional keying/keyways available.

If keyed functions ordered less cylinder, subtract \$62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction core is included with the lockset, \$63.59 (SFIC) or \$80.42 (LFIC) will be added to list price of the lock. Refer to keying/cores section for construction core options.

*3857, 3861, and 3882 requires two cylinders (must specify "FULL" for fixed cylinder, "ICFULL6" for SFIC 6-Pin, "ICFULL7" for SFIC 7-Pin, and "LFIC6" for LFIC 6-Pin housing).

Options

- Lead Lined available. Add \$229.77 to the list price of lock.
- Tactile Warning available. Add \$62.10 to the list price of lock.
- For Severe Windstorm Rating, add \$49.68 to the list price of lock (3853 and 3881 only).
- Extended Lip ASA strike available. Add \$18.63 to list price of the lock.
- Lock Handing Available. Add \$14.90 to list price of the lock.
- Security Torx screws available, add \$22.36 to the list price of the lock.

Finishes

Finishes other than 10B, 26D and 32D will be subject to an extended lead time. Consult factory for availability.

**32D look on cast zinc lever; for a true 32D, specify stainless steel levers (William - WLS, Withnell = WTS).

Special door thicknesses are POA and will be subject to long lead time.

Handing required when ordering Johnston and Warren lever design.



Archer 



August 



William 



Withnell 



Charles 



Johnston 



Joshua 



Warren 

Function	Finish	Zinc List	Case Qty.	S.S. List
3810E (F10) Passage	US3	565.76	6	
	US4	565.76		
	US10B	565.76		
	US26	565.76		
	US26D	543.99		
	US32D**	543.99		707.13
	BLK	625.59		
3817E Single Dummy	US3	192.40	6	
	US4	192.40		
	US10B	192.40		
	US26	192.40		
	US26D	185.04		
	US32D**	185.04		240.57
	BLK	212.80		
3827E Double Dummy	US3	383.44	6	
	US4	383.44		
	US10B	383.44		
	US26	383.44		
	US26D	368.71		
	US32D**	368.71		479.35
	BLK	424.02		



Description

3800 Series Escutcheon (Continued)

Continued

Function	Finish	Zinc List	Case Qty.	S.S. List
3840E (F02) Privacy	US3	649.91	6	
	US4	649.91		
	US10B	649.91		
	US26	649.91		
	US26D	624.92		
	US32D**	624.92		812.33
	BLK	718.66		
3844E (F22) Privacy w/ Cointurn	US3	707.77	6	
	US4	707.77		
	US10B	707.77		
	US26	707.77		
	US26D	680.52		
	US32D**	680.52		884.74
	BLK	782.60		
3850E (F04) Office	US3	725.60	6	
	US4	725.60		
3870E (F05) Classroom	US10B	725.60		
	US26	725.60		
3880E (F07) Storeroom	US26D	697.70		
	US32D**	697.70		907.02
	BLK	802.36		
3853E (F20) Entry	US3	751.75	6	
	US4	751.75		
3856E (F13) Corridor	US10B	751.75		
	US26	751.75		
	US26D	722.82		
	US32D**	722.82		939.63
	BLK	831.24		

Function	Finish	Zinc List	Case Qty.	S.S. List
3857E* (F33) Intruder Classroom w/ Deadbolt	US3	807.42	6	
	US4	807.42		
3861E* (F09) Apartment Entrance	US10B	807.42		
	US26	807.42		
3882E* (F30) Institution	US26D	776.36		
	US32D**	776.36		1,009.26
	BLK	892.81		
3881E Storeroom w/ Deadbolt	US3	789.54	6	
	US4	789.54		
	US10B	789.54		
	US26	789.54		
	US26D	759.12		
	US32D**	759.12		986.85
	BLK	872.99		
3896E Privacy w/ Indicator	US3	738.00	6	
	US4	738.00		
	US10B	738.00		
	US26	738.00		
	US26D	709.58		
	US32D**	709.58		922.45
	BLK	816.02		




Locks - 3800 Series



3800 Series Electrified Options - Sectional or Escutcheon Models Description	Add electrified charges to the list price of the lock Function	List
Outside lever continuously locked (EL) or unlocked (EU) by 12 or 24V. Latchbolt retracted by key outside or lever inside. Auxiliary latch deadlocks latchbolt when door is closed. Inside always free for immediate egress.	3880ELEU 12V/24V Storeroom - Fail Safe/Fail Secure	482.52
Both levers continuously locked (EL) or unlocked (EU) by 12 or 24V. Latchbolt retracted by key inside or outside. Auxiliary latch deadlocks latchbolt when door is closed.	3882ELEU 12V/24V Institution - Fail Safe/Fail Secure	482.52
Single switch (SPDT) mounted inside the lock body monitors inside lever rotation to send a signal for a variety of applications: Shunt an alarm, sound an alarm, release an electromagnetic lock or signal a console. Available on 3810, 3850, 3870, 3880, 3881 or in conjunction with 3880ELEU.	RX Request to Exit	245.92
Single switch (SPDT) mounted inside lockset monitors the full extension of the latchbolt. Available on 3880, 3882, or in conjunction with 3880ELEU or 3882ELEU.	LM Latchbolt Monitoring	245.92
Single switch (SPDT Reed Magnetic Switch) mounted inside the lock monitors whether the door is fully closed. Available on 3880, 3882, or in conjunction with 3880ELEU or 3882ELEU.	DPM Door Position Monitoring	270.76

Quick Connect Option: Locks will come with molex connector attached at no extra charge. Quick connect option allows rapid installation of locks when used with the Hager Quick Connect harness cable. See Commercial Hinge section for available harness sizes.

Quick Connect Ordering Example: 3880 SECT US26D WTN FULL SCC KD ELEUQC



Power Supplies Description	Function	List
Provides power for locking devices and interfaces with building alarm controls, card readers, keypads, and other door controls.	2903 24 Volt Power Supply	Reference Electrified products section
Provides power and control for openings with an electrified locking device and automatic door operator.	2904 24 Volt Power Supply	Reference Electrified products section
Provides up to 1 amp of 12 or 24 Volt DC Power for all Hager Electrified Products	2908 24 Volt Power Supply	Reference Electrified products section
Provides up to 2 amp of 12 or 24 Volt DC Power for all Hager Electrified Products	2909 24 Volt Power Supply	Reference Electrified products section



Description

3800 Series Deadlock

Grade 1 Mortise - Deadlock
Fixed Cylinder, Standard
1-1/8" Mortise Cylinder w/ Schlage 'L' Cam Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
No Lip Strike, 3991

Price includes keyed different mortise cylinder(s) where applicable.

If keyed functions ordered less cylinder, subtract \$62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction core is included with the lockset, \$63.59 (SFIC) or \$80.42 (LFIC) will be added to the list price of the lock. Refer to keying/cores section for construction core options.

*3862 requires two cylinders (must specify "FULL" for fixed cylinder, "ICFULL6" for SFIC 6-Pin, "ICFULL7" for SFIC 7-Pin, and "LFIC6" for LFIC 6-Pin housing).

Optional keying/keyways available.

ADA thumbturn available, add \$19.87 to list price of the lock.

Finishes other than 26D will be subject to an extended lead time. Consult factory for availability.

Refer to catalog or website for more detailed information on functions.

Function	Finish	List	Case Qty.
3860S (F17) Cylinder x Thumbturn	US3	363.86	6
	US4	363.86	
	US10B	363.86	
	US26	363.86	
	US26D	346.50	
	BLK	398.48	
3862S* (F16) Double Cylinder	US3	441.82	6
	US4	441.82	
	US10B	441.82	
	US26	441.82	
	US26D	420.76	
	BLK	483.87	

Function	Finish	List	Case Qty.
3863S (F29) Classroom (Specify Handing)	US3	441.82	6
	US4	441.82	
	US10B	441.82	
	US26	441.82	
	US26D	420.76	
	BLK	483.87	
3864S (F18) Cylinder	US3	304.39	6
	US4	304.39	
	US10B	304.39	
	US26	304.39	
	US26D	289.92	
	BLK	333.41	



Locks - 3800 Series



Description

3800 Series Small Case Deadlock

Grade 1 Mortise - Deadlock
Fixed Cylinder, Standard
1-1/8" Mortise Cylinder w/ Schlage 'L' Cam Standard
6 Pin Cylinders, 5-pin Keyed
Schlage C Keyway - KD Standard
2-3/4" (70 mm) Backset
No Lip Strike, 3999

Price includes keyed different mortise cylinder(s) where applicable.

If keyed functions ordered less cylinder, subtract \$62.10 for each cylinder from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

If construction core is included with the lockset, \$63.59 (SFIC) or \$80.42 (LFIC) will be added to the list price of the lock. Refer to keying/cores section for construction core options.

*3832 requires two cylinders (must specify "FULL" for fixed cylinder, "ICFULL6" for SFIC 6-Pin, "ICFULL7" for SFIC 7-Pin, and "LFIC6" for LFIC 6-Pin housing).

Optional keying/keyways available.

ADA thumbturn available, add \$19.87 to list price of the lock.

Finishes other than 26D will be subject to an extended lead time. Consult factory for availability.

Refer to catalog or website for more detailed information on functions.

Function	Finish	List	Case Qty.
3830S (E06071) Cylinder x Thumbturn	US3	317.89	6
	US4	317.89	
	US10B	317.89	
	US26	317.89	
	US26D	302.76	
	BLK	348.17	
3831S (E06181) Door Bolt Thumbturn only	US3	271.77	6
	US4	271.77	
	US10B	271.77	
	US26	271.77	
	US26D	258.78	
	BLK	297.60	
3832S* (E06061) Double Cylinder	US3	385.83	6
	US4	385.83	
	US10B	385.83	
	US26	385.83	
	US26D	367.42	
	BLK	422.53	

Function	Finish	List	Case Qty.
3833S (E06091) Classroom (Specify Handing)	US3	385.83	6
	US4	385.83	
	US10B	385.83	
	US26	385.83	
	US26D	367.42	
	BLK	422.53	
3834S (E06081) Cylinder	US3	265.82	6
	US4	265.82	
	US10B	265.82	
	US10B	265.82	
	US26D	253.23	
	BLK	291.21	





Description

3800 Series Sliding Door Deadlock

Fixed Cylinder, supplied Standard
 1-1/8" Mortise Cylinder w/ Schlage L Cam - Standard
 6 Pin Cylinders, 5-pin Keyed
 Schlage C Keyway - KD Standard
 2-3/4" (70 mm) Backset
 No Lip Strike

Price includes keyed different mortise cylinder(s), where applicable.

Optional keying/keyways available.

If keyed functions ordered less cylinder, subtract \$62.10, per

cylinder, from list price.

Small and Large Format Interchangeable Core option available (cores sold separately - refer to Keying/Core section).

*3837 requires two cylinders (must specify "FULL" for fixed cylinder, "ICFULL6" for SFIC 6-Pin and "ICFULL7" for SFIC 7-Pin, and "LFIC6" for LFIC 6-Pin housing.

Finishes other than 26D will be subject to an extended lead time. Consult factory for availability.

Refer to catalog or website for more detailed information on functions.

Function	Finish	List	Case Qty.
3835S	US26D	240.57	6
Cylinder x Thumbturn	BLK	276.66	
3836S	US26D	240.57	6
Single Cylinder	BLK	276.66	
3837S	US26D	283.26	6
Double Cylinder	BLK	325.75	

Function	Finish	List	Case Qty.
3838S	US26D	213.65	6
Thumbturn Only	BLK	245.70	
3839S	US26D	230.76	6
Thumbturn w/ Emergency Key (Privacy)	BLK	265.37	



Locks - 3800 Series



Components, Strikes, and Screwpacks Description

Finish

List

Zinc Mortise Lock Levers (each)

US26D/US32D

70.11

Consult factory for part numbers and other finishes. (May be subject to extended lead times)

Stainless Mortise Lock Levers (each)

US32D

106.00

Consult factory for part numbers and other finishes. (May be subject to extended lead times)

3918

Tapered Cylinder Collar

US26D

14.47

For use with sectional mortise lock, standard with 1-1/8" cylinder, 1-3/4" door.

US10B

16.95

Includes wave washer and shim.

US32D

14.47

BLK

20.34

3928

Flat Cylinder Collar

US26D

14.47

1-3/8" diameter, 11/32" thick

US10B

16.95

For use with double cylinder sectional mortise locks and other special cylinders and door thicknesses.

US32D

14.47

BLK

20.34

Consult factory. Includes wave washer and shim.

3985

Standard Lip Strike

US10B

26.08

Square corner

US32D*

24.41

1-1/4" x 4-7/8" x 1-3/16" (32 mm x 124 mm x 30 mm)

BLK

31.30

3986

Extended Lip Strike

US10B

26.08

Square corner

US32D*

24.41

1-1/4" x 4-7/8" x 1-1/2" (32 mm x 124 mm x 38 mm)

BLK

31.30

3989

Flat Lip Strike

US10B

26.08

Square corner

US32D*

24.41

1-1/4" x 4-7/8" x 7/8" (32 mm x 124 mm x 22 mm)

3990

Extended Flat Lip Strike

US10B

26.08

Square corner

US26D

24.41

1-1/4" x 4-7/8" x 1-3/16" (32 mm x 124 mm x 30 mm)

3991

Square corner

US10B

22.67

Full Case Deadlock Strike (3860, 3862, 3863, 3864)

US26D

21.18

1-1/4" x 4-7/8" (32 mm x 124 mm)

3999

For Small Case

US10B

22.67

No Lip Strike

US32D*

21.18

Square corner

1-1/8" x 3- 1/2" (29 mm x 89 mm)


* For use with 26D mortise locks, order 32D strikes.



Components, Strikes, and Screwpacks		
Description	Finish	List
2-669-0389 ASA Metal Dust Box	NF	8.20
2-669-0224 Armor Front 1-1/4" Square corner (Latch x Aux Latch x Deadbolt) - 3853, 3881	US10B	26.02
2-669-0226 Armor Front 1-1/4" Square corner (Latch x Aux Latch x Deadbolt) - 3853, 3881	US32D*	24.28
2-669-0230 Armor Front 1-1/4" Square corner (Latch x Aux Latch) - 3850, 3861, 3870, 3880, 3882	US10B	26.02
2-669-0232 Armor Front 1-1/4" Square corner (Latch x Aux Latch) - 3850, 3861, 3870, 3880, 3882	US32D*	24.28
2-669-0236 Armor Front 1-1/4" Square corner (Latch x Deadbolt) - 3856, 3857	US10B	26.02
2-669-0238 Armor Front 1-1/4" Square corner (Latch x Deadbolt) - 3856, 3857	US32D*	24.28
2-669-0242 Armor Front 1-1/4" Square corner (Latch) - 3810, 3840, 3844, 3896	US10B	26.02
2-669-0244 Armor Front 1-1/4" Square corner (Latch) - 3810, 3840, 3844, 3896	US32D*	24.28
2-669-0248 Armor Front 1-1/4" Square corner (Blank)	US10B	26.02
2-669-0250 Armor Front 1-1/4" Square corner (Blank)	US32D*	24.28
2-669-0254 Armor Front 1-1/4" Square corner (Deadbolt) - 3860, 3862, 3863, 3864	US10B	26.02
2-669-0256 Armor Front 1-1/4" Square corner (Deadbolt) - 3860, 3862, 3863, 3864	US32D*	24.28
2-669-0408 Thumbturn (3850, 3853, 3856, 3860, 3881)	US10B	42.41
2-669-0410 Thumbturn (3850, 3853, 3856, 3860, 3881)	US26D	39.62
2-669-0411 Thumbturn (3850, 3853, 3856, 3860, 3881)	US32D	39.62
*For use with US15 and US26D mortise locks, order US32D finish.		
2-669-0415 Thumbturn (3840, 3844, 3896)	US10B	42.41
2-669-0417 Thumbturn (3840, 3844, 3896)	US26D	39.62
2-669-0418 Thumbturn (3840, 3844, 3896)	US15/US32D	39.62
2-669-0422 Emergency Release (3840, 3896)	US10B	9.25



Locks - 3800 Series



Components, Strikes, and Screwpacks Description	Finish	List
2-669-0424 Emergency Release (3840, 3896)	US26D	8.63
2-669-0425 Emergency Release (3840, 3896)	US32D	8.63
2-669-0111 Screwpack (3850S, 3853S, 3856S, 3840S, 3844S, 3896S)	US10B	33.78
2-669-0112 Screwpack (3850S, 3853S, 3856S, 3840S, 3844S, 3896S)	US32D	31.55
2-669-0115 Screwpack (3870S, 3861S, 3857S, 3865S, 3810S)	US10B	33.78
2-669-0116 Screwpack (3870S, 3861S, 3857S, 3865S, 3810S)	US32D	31.55
2-669-0119 Screwpack (3850E, 3853E, 3870E, 3861E, 3857E, 3856E, 3840E, 3844E, 3810E, 3896E)	US10B	33.78
2-669-0120 Screwpack (3850E, 3853E, 3870E, 3861E, 3857E, 3856E, 3840E, 3844E, 3810E, 3896E)	US32D	31.55
2-669-0123 Screwpack (3881S)	US10B	33.78
2-669-0124 Screwpack (3881S)	US32D	31.55
2-669-0127 Screwpack (3880S)	US10B	33.78
2-669-0128 Screwpack (3880S)	US32D	31.55
2-669-0131 Screwpack (3880E, 3881E)	US10B	33.78
2-669-0132 Screwpack (3880E, 3881E)	US32D	31.55
2-669-0135 Screwpack (3862S, 3863S, 3864S)	US10B	16.89
2-669-0136 Screwpack (3862S, 3863S, 3864S)	US32D	15.77
2-669-0147 Screwpack (3860S)	US10B	16.89
2-669-0148 Screwpack (3860S)	US32D	15.77
2-669-0139 Screwpack (3882S)	US10B	21.98
2-669-0140 Screwpack (3882S)	US32D	20.56
2-669-0143 Screwpack (3882E)	US10B	21.98
2-669-0144 Screwpack (3882E)	US32D	20.56

Components, Strikes, and Screwpacks		Finish	List
Description			
2-669-0157 Screwpack (3827S)		NF	12.67
2-669-0158 Screwpack (3827E)		NF	12.67
2-669-0167 Screwpack (3817S)		NF	8.82
2-669-0168 Screwpack (3817E)		NF	8.82
2-669-0365 Thru-Bolt Bag (2 each) 1-3/8" to 2" door		NF	10.81
2-669-0366 Thru-Bolt Bag (2 each) Over 2" to 2-1/2" door		NF	11.99
2-669-0613 Square Spindles - 5-pk		NF	32.91
2-669-0597 Armor Front Screws - 10-pk		26D	13.79
2-669-0615 Lock Case (3853)		NF	226.04
2-669-0616 Lock Case (3881)		NF	226.04
2-669-0600 Lock Case (3856, 3857)		NF	268.27
2-669-0603 Lock Case (3850, 3870, 3861, 3876)		NF	222.01
2-669-0604 Lock Case (3880)		NF	222.01
2-669-0605 Lock Case (3810)		NF	158.79
2-669-0641 Lock Case (3840, 3844, 3896)		NF	222.01
2-669-0635 Lock Case (3853 Windstorm Rated)		NF	268.27
2-669-0636 Lock Case (3881 Windstorm Rated)		NF	268.27
2-669-0643 Lever Adapters (Keepers) for Stainless Levers		NF	7.95



Locks - Cylinders/Keying



Fixed Cylinders/Key-in-Lever - Keying Charges		
Description	Finish	List
Keyed Different (KD) 5-pin (Standard), 6-pin, 7-pin (Hager Keyway only) available		N/C
Keyed Alike (KA) 5-pin (Standard), 6-pin, 7-pin (Hager Keyway Only). 0-Bitted and 1-Bitted available*		N/C
Master Keyed (MK)		26.21
Construction Master Keyed (CMK) - Add to the standard master key charge and the list price of lock (Schlage C / Hager H1 only)**		17.57
Keyed to specific or existing number - Add to list price of lock (SK)		9.32
Extra Cut Keys		7.89
Key Markings - Standard key symbols (AA1) - Visual Key Control (VKC)		N/C
Key Markings - Non-standard code - (CM)		7.51
Custom Cylinder Markings / Concealed Key Control (CKC) - Limited to 6 characters		7.51
Key Markings (Std symbols (AA1)) plus Concealed Key Control (VCKC)		7.51
3998 - Bitting List (No charge if ordered with master keying) - Factory Keyed		217.35
Bitting List - Hager designed system - Keyed by others		217.35
Other keyways available (refer to Catalog or website)		19.44

Notes:

1. Lock prices do not include keying charges.
2. Locks furnished with 6-pin cylinder, 5-pin keyed, Schlage C keyway keyed different unless otherwise specified.
3. Please include Master Key form when ordering to prevent shipping delays.

Fixed Cylinder Key			Box Qty.
Description	Finish	List	
3955 Key Blank 5-Pin C Keyway Other keyways available*	NF	2.30	50
3956 Key Blank 6-Pin C Keyway Other keyways available*	NF	2.73	50
3961 Cut 5-Pin Key 5-Pin C Keyway Other keyways available*	NF	7.89	
3962 Cut 6-Pin Key 6-Pin C Keyway Other keyways available*	NF	7.89	





Fixed Cylinder Key Description	Finish	List	Box Qty.
3907 Key Blank 7-Pin H Keyways	NF	3.17	50

3908 Cut 7-Pin Key 7-Pin H Keyways	NF	7.89	
--	----	------	--

*Refer to catalog or website for more information on available keyways.



Fixed Cylinder/Tailpieces Description	Finish	List
3960 (Schlage C Keyway Std)	US4	65.64
3906 (Hager H Keyways)	US26D	65.64
Fixed Cylinder Kit - Includes two keys 3960 - 6-pin cylinder, 5-pin keyed - Standard 3906 - 7-pin cylinder - Standard Additional options and keyways available at additional cost (refer to catalog or website). Tailpiece optional when ordering (No Charge) Please include cylinder instructions and ordering guide sheet with order (available online).		



2-639-7000 Tailpiece 1 Pack of 10 tailpieces for use with 3453L, 3450L, 3480L, 3482L, 2580L	NF	16.83
--	----	-------



2-639-7001 Tailpiece 2 Pack of 10 tailpieces for use with 3470L.	NF	16.83
---	----	-------



2-639-7002 Tailpiece 3 Pack of 10 tailpieces for use with 3550L, 3553L, 3553K, 3579L, 3580L, 3580K, 2550L, 2553L	NF	16.83
--	----	-------



2-639-7003 Tailpiece 4 Pack of 10 tailpieces for use with 3570K	NF	16.83
--	----	-------



2-639-7005 Tailpiece 6 Pack of 10 tailpieces for use with 3114 (Exterior Cyl.), 3214 (Exterior Cyl)	NF	16.83
--	----	-------



2-639-7006 Tailpiece 7 Pack of 10 tailpieces for use with 3114 (Interior Cyl.), 3214 (Interior Cyl)	NF	16.83
--	----	-------



Locks - Cylinders/Keying




Fixed Cylinder/Tailpieces

Description	Finish	List
2-639-7007 Tailpiece 8 Pack of 10 tailpieces for use with 3115, 3118, 3215	NF	16.83



2-639-7008 Tailpiece 9 Pack of 10 tailpieces for use with 3653L, 3670L, 3680L	NF	16.83
--	----	-------



2-639-7018 Tailpiece W Pack of 10 tailpieces for use with 3473L	NF	16.83
--	----	-------




2-639-7192 Tailpiece K Pack of 10 tailpieces for use with 47KE, 47KN	NF	16.83
---	----	-------



2-639-7087 Tailpiece Z Pack of 10 tailpieces for use with 3570L and 3573L	NF	16.83
--	----	-------




2-639-7094 Tailpiece X Pack of 10 tailpieces for use with 3495L	NF	16.83
--	----	-------



2-639-7322 Tailpiece V Pack of 10 tailpieces for use with 2570L	NF	16.83
--	----	-------

Fixed Cylinder - Rim Cylinder

Description	Finish	List
3901 Fixed Rim Cylinder 6-Pin Cylinder, 5-Pin Keyed; 7-Pin Cylinder (Hager Keyway Only) Schlage C Keyway or Hager Keyway - Keyed Different Standard Shipped with breakoff tailpiece attached. Shipped with collar, mounting plate, and breakoff screws.	US3	62.10
	US4	65.95
	US10B	62.10
	US26	62.10
	US26D	62.10
	BLK	62.10
3903 Rim Dummy Cylinder Shipped with mounting plate, and breakoff screws.	US3	41.48
	US4	41.48
	US10B	41.48
	US26	41.48
	US26D	41.48
	BLK	41.48





Fixed Cylinder - Rim Cylinder Accessories

Description	Finish	List
2-639-7058 Long breakoff tailpiece - 2-3/8" (60 mm) 10 PK of 862A style and 10 PK of 862B style included	NF	70.00
2-300-0118 Extra long breakoff screws - 2-3/8" (60 mm) (2 each)	NF	2.11
2-649-0137 Retaining cup Can be used with 45PN, 47PN, and 47RN	NF	11.12

Fixed Cylinder - Mortise Cylinder

Description	Finish	List
3902 Mortise Cylinder 6-Pin Cylinder, 5-Pin Keyed, 7-Pin Cylinder (Hager Keyway Only) Schlage C Keyway or Hager Keyways - Keyed Different Standard Specify 1-1/8" (29 mm), 1-1/4" (32 mm) or 1-5/8" (41 mm) Shipped with standard cam attached and Adams Rite cam loose in box; specify if different. Specify Schlage L cam when ordering cylinders for use in Hager mortise locks.	US3 US4 US10B US26 US26D BLK	62.10 65.95 62.10 62.10 62.10 62.10
3904 Dummy Mortise Cylinder Specify 1-1/8" (29 mm) or 1-1/4" (32 mm)	US3 US4 US10B US26 US26D BLK	51.17 54.40 51.17 51.17 51.17 51.17
3905 Mortise ADA Turn Knob Specify 1-1/8" (29 mm) or 1-1/4" (32 mm) Shipped with Schlage L cam attached, specify if different.	US3 US10B US26D BLK	89.49 89.49 89.49 89.49

Fixed Cylinder - Mortise Cylinder Cams

Description	Finish	List
3971 Yale Cam .722" (18 mm)	US2C	5.34
3972 Adams Rite Cam .560" (14 mm) Shipped Loose in box w/ standard 3902	US2C	5.34
3973 Standard Cloverleaf .741" (19 mm)	US2C	5.34.
3974 Marks Cam R.755" (19 mm)	US2C	5.34



Locks - Cylinders/Keying



Fixed Cylinder - Mortise Cylinder Cams

Description

Finish

List

3975

Standard Cam
R.723" (18 mm)
Shipped standard w/ 3902

US2C

5.34

3976

Schlage L Cam
.637" (16 mm)
For use w/ all keyed function 3800 Series Mortise Locks.

US2C

5.34

3977

Sargent/Yale Cam
.733" (18.6 mm)

US2C

5.34.

3978

Corbin Russwin/Best Cloverleaf Cam
.725" (18.5 mm)

US2C

5.34

Small Format Interchangeable Core - Keying Charges/Cores

Description

Finish

List

3981-UNC (Best Keyways)

Uncombined Core 6-Pin (includes two key blanks), specify US4 or US26D

52.04

3982-UNC (Best Keyways)

3909-UNC (Hager Keyways)

Uncombined Core 7-Pin (includes two key blanks), specify US4 or US26D

52.04

3981-Combined (Best Keyways)

Combined Core 6-Pin (includes two operating keys), specify US4, US26D.
Specify KA, KD, or MK. Specify number of control keys needed.

63.59

3982-Combined (Best Keyways)

3969-Combined (Hager Keyways)

Combined Core 7-Pin (includes two operating keys), specify US4, US26D.
Specify KA, KD, or MK. Specify number of control keys needed.

63.59

3981-BLU (Best A Keyway)

3981-RED (Best A Keyway)

Construction Core 6-Pin (Includes two operating keys). Specify number of control keys.

63.59

3982-BLU (Best A Keyway)

3982-RED (Best A Keyway)

Construction Core 7-Pin (Includes two operating keys). Specify number of control keys.

63.59



Small Format Interchangeable Core - Keying Charges/Cores		
Description	Finish	List
Key Markings: Standard key symbols (AA1) - Visual Key Control (VKC)		N/C
Key Markings: Non-standard code - (CM)		7.51
Custom Cylinder Markings / Concealed Key Control (CKC) - Limited to 6 characters		7.51
Key Markings (Std symbols (AA1)) plus Concealed Key Control (VCKC)		7.51
Extra Cut Keys (3984)		7.89
Extra Cut Keys (3908 - Hager Keyways)		7.89
3998		217.35
Bitting list (no charge if ordered with master key) - Factory keyed		
Bitting list - Hager designed system - Keyed by others		217.35


Notes:

1. Cores are supplied with Best A keyway unless otherwise stated
2. Please include Master Key form with order, available online or in catalog. Failure to provide will delay the order.
3. Construction Cores - Receive full credit, less shipping, of original cost upon return of cores and keys.

Small Format Interchangeable Core - Keys			
Description	Finish	List	Box Qty.
3983	NF	3.17	50
Small Format Interchangeable Core Key Blanks			
Best Keyways			
Used with 6-pin and 7-pin cores			
3984	NF	7.89	50
Small Format Interchangeable Core Cut Key			
Best Keyways			
Used with 6-pin and 7-pin cores			
2-639-7168	NF	7.89	
SFIC 6-Pin "BLUE" Construction Control Key			
Best A Keyway			
2-639-7169	NF	7.89	
SFIC 7-Pin "BLUE" Construction Control Key			
Best A Keyway			
2-639-7113	NF	7.89	
SFIC 6-Pin "RED" Construction Control Key			
Best A Keyway			
2-639-7170	NF	7.89	
SFIC 7-Pin "RED" Construction Control Key			
Best A Keyway			
3907	NF	3.17	50
Small Format Interchangeable Core Key Blanks			
Hager Keyways (7-pin cores only)			
3908	NF	7.89	
Small Format Interchangeable Core Cut Key			
Hager Keyways (7-pin cores only)			



Locks - Cylinders/Keying



Small Format Interchangeable Core - Tailpieces

Description

Finish

List

2-639-7060

NF

19.38

Pack of 10 tailpieces and compression springs for use with 2500/3500 Series SFIC lever locksets.
6-pin/7-pin cores

2-639-7061

NF

19.38

Pack of 10 tailpieces and compression springs for use with 3500 Series SFIC knob locksets.
6-pin/7-pin cores

2-639-7091

NF

19.38

Pack of 10 tailpieces for use with 3114/3214 SFIC housing deadlock.
6-pin/7-pin cores

2-639-7095

NF

19.38

Pack of 10 tailpieces for use with 3115/3118/3215/3710DL SFIC housing deadlock.
6-pin/7-pin cores

Small Format Interchangeable Core - Rim Cylinder Housing

Description

Finish

List

3901

US3

62.10

Rim Cylinder - Small Format Interchangeable Core Housing

US4

65.95

Specify 6-pin or 7-pin

US10B

62.10

Supplied with long tailpiece standard, collar, mounting plate, and breakoff screws.

US26

62.10

Cores sold separately.

US26D

62.10

BLK

62.10

Small Format Interchangeable Core - Mortise Cylinder Housing

Description

Finish

List

3902

US3

62.10

Mortise Cylinder - Small Format Interchangeable Core Housing

US4

65.95

Specify length 1-1/4" (6-pin) or 1-3/8" (7-pin) or 1-5/8" for mortise exit devices.

US10B

62.10

Shipped with standard cam attached and Adams Rite cam loose in box (specify if different).

US26

62.10

Cores sold separately.

US26D

62.10

1/4" blocking ring included.

BLK

62.10

Specify Schlage "L" cam (SCAM) when ordering cylinders to be used with Hager Mortise locks

* 1-5/8" cylinder length not available in US3 finish

Small Format Interchangeable Core - Mortise Cylinder Cams

Description

Finish

List

2-639-7082

US2C

4.78

Yale Standard Cam

Shipped standard w/ 3902 Small Format Interchangeable Core (SFIC) Housing.

2-639-7083

US2C

4.78

Adams Rite Cam


Shipped loose in box w/ standard 3902 Small Format Interchangeable Core (SFIC) Housing.

2-639-7084

US2C

4.78

Corbin/Best Cloverleaf Cam



Small Format Interchangeable Core - Mortise Cylinder Cams

Description	Finish	List
2-639-7085 Schlage 'L' Cam For use w/ all keyed functions on 3800 Series Mortise Locks and 46CE.	US2C	4.78
2-639-7086 Sargent Yale Cam	US2C	4.78

Large Format Interchangeable Core - Keying Charges/Cores

Description	Finish	List
3919-OBC (Schlage C Keyway) Zero Bitted Core 6-Pin (includes two key blanks), specify US4 or US26D		65.83
3919-Combined (Schlage C Keyway) Combined Core 6-Pin (includes two change keys), specify US4 or US26D. Specify KA*, KD*, MK**. Specify number of control keys needed.		80.42
3919-BLA (Schlage C) Construction Core 6-Pin (includes two operating keys). Specify number of control keys.		80.42
Key Markings: Standard key symbols (AA1) - Visual Key Control (VCK)		N/C
Key Markings: Non-standard code - (CM)		7.51
Custom Core Markings/Concealed Key Control (CKC) - Limited to 6 characters		7.51
Key Markings (Std symbols (AA1) plus concealed key control (VCKC)		7.51
Extra Cut Keys		7.89
3998 Bitting list (no charge if ordered with master key) - Factory keyed		217.35
Bitting list - Hager designed system - Keyed by others		217.35

Notes:

1. Cores are available in Schlage C keyway only
2. Please include Master Key form with order, available online or in catalog. Failure to provide will delay the order.
3. Construction Cores - Receive full credit, less shipping, of original cost upon return of cores and keys.

Large Format Interchangeable Core - Keys

Description	Finish	List
3956 LFIC Key Blanks Schlage C Keyway 6-Pin		2.73
3962 LFIC Cut Keys Schlage C Keyway 6-Pin		7.89
2-639-7649 LFIC Control Key Blanks Schlage C Keyway 6-Pin 6-Pin		2.73



Locks - Cylinders/Keying

Large Format Interchangeable Core - Keys

Description	Finish	List
3963 LFIC Control Cut Keys Schlage C Keyway		7.89



2-639-7132 LFIC 6-Pin "Black" Construction Control Key Schlage C Keyway 6-Pin		7.89
---	--	------

Large Format Interchangeable Core - Tailpieces

Description	Finish	List
2-639-7645		3.04

For use with 3450, 3453, 3480 and 3482 LFIC lever locksets



2-639-7646 For use with 3470 LFIC lever locksets		3.04
--	--	------



2-639-7647 For use with 3473 and 3495 LFIC lever locksets		3.04
---	--	------




Large Format Interchangeable Core - Rim Cylinder Housing

Description	Finish	List
3901 Rim Cylinder - Large Format Interchangeable Core Housing Supplied with tailpiece, collar, mounting plate, and breakoff screws. 6-Pin Only Cores sold separately.	US3	62.10
	US4	65.95
	US10B	62.10
	US26	62.10
	US26D	62.10
	BLK	62.10



LFIC - Rim Cylinder Accessories

Description	Finish	List
2-639-7578 Breakoff Tailpiece Assembly	NF	3.73



2-300-0175 Breakoff Screws - 2-1/8" (54mm) Pack of 2	NF	2.11
---	----	------



Large Format Interchangeable Core - Mortise Cylinder Housing

Description	Finish	List
3902 Mortise Cylinder 1-1/2" Length Shipped with standard cam attached and Adams Rite cam loose in box (specify if different). Cores sold separately. Specify Schlage "L" cam (SCAM) when ordering cylinders for use in Hager mortise locks.	US3	62.10
	US4	65.95
	US10B	62.10
	US26	62.10
	US26D	62.10
	BLK	62.10





Large Format Interchangeable Core - Mortise Cylinder Cams		
Description	Finish	List
2-639-7570 Yale Standard Cam Shipped standard w/ 3902 Large Format Interchangeable Core (LFIC) Housing.	US2C	5.59
2-639-7571 Adams Rite Cam Shipped loose in box w/ standard 3902 Large Format Interchangeable Core (LFIC) Housing.	US2C	5.59
2-639-7572 Schlage 'L' Cam For use w/ all keyed functions on 3800 Series Mortise Locks and 46CE.	US2C	5.59
2-639-7573 Corbin/Best Cloverleaf Cam	US2C	5.59
2-639-7574 Sargent/Yale Cam	US2C	5.59
Miscellaneous		
Description	Finish	List
3968 Aluminum Blocking Rings Sizes available 1/8" (3.2 mm), 3/16" (4.8 mm), 1/4" (6.4 mm), 5/16" (7.9 mm), 3/8" (9.5 mm), 1/2" (12.5 mm)	BGA	7.27
	CLR	7.27
	DBA	7.27
3968 Aluminum Blocking Rings Sizes available 1/8" (3.2 mm), 1/4" (6.4 mm),	US3	7.27
	US4	7.27
	US10B	7.27
	US26	7.27
	US26D	7.27
	BLK	18.17
3979 Mortise Cam Screws - Fixed Cylinder Mortise Cylinder Only	NF	0.43
2-639-7680 Mortise Cam Screws - SFIC Mortise Cylinder Only	NF	0.43
3980 Cash Box Nut	NF	10.43



Locks - Cylinders/Keying



Cylinder Collars Description	Finish	List
2-647-0012 Cylinder Collar - 7/8" projection	US3	23.52
2-647-0013 Cylinder Collar - 7/8" projection	ALM	23.52
2-647-0014 Cylinder Collar - 7/8" projection	DBZ	23.52
2-647-0015 Cylinder Collar - 7/8" projection	US32D	23.52
2-647-0016 Cylinder Collar - 7/8" projection	US4	23.52
2-647-0018 Cylinder Collar - 7/8" projection	US10B	23.52
2-647-0019 Cylinder Collar - 7/8" projection	US26	23.52
2-647-0020 Cylinder Collar - 7/8" projection	US26D	23.52
2-647-0021 Cylinder Collar - 7/8" projection	BLK	47.04

Above cylinder collars can be used with 4700 Series exit device trim and 1-1/8" - 1-3/8" long mortise cylinders.



2-649-0045 Cylinder Collar - 7/16" projection	US3	23.52
2-649-0046 Cylinder Collar - 7/16" projection	US4	23.52
2-649-0048 Cylinder Collar - 7/16" projection	US10B	23.52
2-649-0050 Cylinder Collar - 7/16" projection	US26	23.52
2-649-0051 Cylinder Collar - 7/16" projection	US26D	23.52
2-649-0052 Cylinder Collar - 7/16" projection	US32D	23.52
2-649-0105 Cylinder Collar - 7/16" projection	BLK	47.04

Above cylinder collars can be used with 4500 Series exit device trim and 1-1/8" long mortise cylinders.



2-649-0053 Cylinder Collar - 11/16" projection	US3	23.52
2-649-0054 Cylinder Collar - 11/16" projection	US4	23.52
2-649-0056 Cylinder Collar - 11/16" projection	US10B	23.52
2-649-0057 Cylinder Collar - 11/16" projection	US26	23.52
2-649-0058 Cylinder Collar - 11/16" projection	US26D	23.52
2-649-0059 Cylinder Collar - 11/16" projection	US32D	23.52
2-649-0106 Cylinder Collar - 11/16" projection	BLK	47.04

Above cylinder collars can be used with 4500 Series exit device trim and 1-1/4" or 1-3/8" long mortise cylinders.



Fixed Cylinder and SFIC Core Parts Description	Finish	List
2-650-3998 SFIC Capping Strip (Bag of 50)		73.28
2-650-3999 Cylinder Springs (Bag of 500) Pin tumbler springs for use in all cylinders		37.95
2-639-7511 Pin Kit 100 ea. of all pins and springs, additional top pins. NOTE: Pin kit does NOT include SFIC caps.		428.49
2-639-7512 Cylinder Lubricant		62.10
2-639-7513 Shims (Bag of 100) Opening a locked conventional cylinder (at the workbench).		61.28
2-639-7517 Construction Ball (Bag of 1,000) Used for lost ball construction keying. The ball is #6 increment.		68.31
2-639-7519 Cap Pin Spring (Bag of 100) Key-in-Knob/Lever cylinders including Retrofit, and Full Size (Schlage Retrofit) Interchangeable Core.		17.25
2-639-7520 Individual SFIC Cap (Bag of 500) For use with the individual capping block tool #6.		55.89
2-639-7523 Hager Screw Cap - (.280") height (Bag of 10)		18.63
2-639-7526 Screw Cap Pin (KIK) (Bag of 100)		18.63
2-639-7527 Follower Holds top pins in place during plug removal		23.60
2-639-7528 Tweezers		47.20
2-639-7530 Capping Punch		70.79
2-639-7531 Decombinating Block (punch included)		217.35
2-639-7532 Manual Capping Block (punch included) (140 Spacing)		271.87
2-639-7535 Key Punch		4,396.68
2-639-7536 HPC 1200 Series Code Card (140 Spacing)		47.82



Locks - Top Pins

Top Pins (Hager H Keyways)	List
2-639-8188 #2 (0.025") (Bag of 100)	8.26
2-639-8189 #3 (0.037") (Bag of 100)	8.26
2-639-8190 #4 (0.050") (Bag of 100)	8.26
2-639-8191 #5 (0.062") (Bag of 100)	8.26
2-639-8192 #6 (0.075") (Bag of 100)	8.26
2-639-8193 #7 (0.087") (Bag of 100)	8.26
2-639-8194 #8 (0.100") (Bag of 100)	8.26
2-639-8195 #9 (0.112") (Bag of 100)	8.26
2-639-8196 #10 (0.125") (Bag of 100)	8.26
2-639-8197 #11 (0.137") (Bag of 100)	8.26
2-639-8198 #12 (0.150") (Bag of 100)	8.26
2-639-8199 #13 (0.162") (Bag of 100)	8.26
2-639-8200 #14 (0.175") (Bag of 100)	8.26
2-639-8201 #15 (0.187") (Bag of 100)	8.26
2-639-8202 #16 (0.200") (Bag of 100)	8.26
2-639-8203 #17 (0.212") (Bag of 100)	8.26
2-639-8204 #18 (0.225") (Bag of 100)	8.26
2-639-8205 #19 (0.237") (Bag of 100)	8.26



Full Bottom Pins (Hager H Keyways)	
Description	List
2-639-8210 #0 (0.185") (Bag of 100)	8.26
2-639-8211 #1 (0.1975") (Bag of 100)	8.26
2-639-8212 #2 (0.210") (Bag of 100)	8.26
2-639-8213 #3 (0.2225") (Bag of 100)	8.26
2-639-8214 #4 (0.2350") (Bag of 100)	8.26
2-639-8215 #5 (0.2475") (Bag of 100)	8.26
2-639-8216 #6 (0.2600") (Bag of 100)	8.26
2-639-8217 #7 (0.2725") (Bag of 100)	8.26
2-639-8218 #8 (0.2850") (Bag of 100)	8.26
2-639-8219 #9 (0.2975") (Bag of 100)	8.26



Locks - Bottom Pins

SFIC Bottom Pins (Hager H Keyways)	
Description	List
2-639-8220 #0 (0.110") (Bag of 100)	8.26
2-639-8221 #1 (0.122") (Bag of 100)	8.26
2-639-8222 #2 (0.135") (Bag of 100)	8.26
2-639-8223 #3 (0.147") (Bag of 100)	8.26
2-639-8224 #4 (0.160") (Bag of 100)	8.26
2-639-8225 #5 (0.172") (Bag of 100)	8.26
2-639-8226 #6 (0.185") (Bag of 100)	8.26
2-639-8227 #7 (0.197") (Bag of 100)	8.26
2-639-8228 #8 (0.210") (Bag of 100)	8.26
2-639-8229 #9 (0.222") (Bag of 100)	8.26