

TABLE OF CONTENTS

	A			F
Additions.....		4	Fasteners.....	4
Architectural Finish Symbols		3	Filler Plates	
Armor Plates.....		6-8	Filler Plate, Door Face.....	91
	C		Filler Plate, Flush Bolt Strike	91
Chain Door Check.....		85	Filler Plate, Door Edge	91
Coat Hooks		102, 113-115	Filler Plate, Template Hinge Shim	92
Corner Guard		69	Filler Plate, Frame Strike	92
Custom Pulls			Filler Plate, Latch Adapter	92
18 Degree Pull		128-129	Filler Plate, Flush Bolt	92
90 Degree Pull		111	Filler Plate, Frame Hinge.....	92
Acorn Tip Pull		116-117	Flush Bolts	
Colonial Pull		112	Automatic Flush Bolts.....	81-82
C-Shaped Pulls.....		105-110	Constant Latching Flush Bolt	82
Curved Shape Pulls.....		110, 117, 125-127	Dust Proof Strike	80
Foot Pull		69	Automatic Flush Bolt with Fire Bolt	83
Offset Mount, Vertical Pull		103-104	Manual Flush Bolts	81
Offset Pulls.....		112-113, 128	Residential Flush Bolts	133-134
Segment Shape Pulls.....		121-124	Slide Flush Bolt.....	80
Square Tip Pull		115		
S-Shaped Pulls		101-112		
Steeple Tip Pull		116	H	
Straight Mount, Vertical Pulls		104-105,124	Hand Rail Bracket.....	85, 137
Crating		3		
	D		K	
Door Coordinators			Kick Plates	6-8
Carry Bar.....		83		
Coordinator with Filler Bar.....		84	L	
Filler Bars		84	Latches	
Gravity Coordinator		84	Hospital Latch, 2-3/4" Backset.....	86
Mounting Brackets.....		84	Hospital Latch, 5" Backset.....	86
Door Edgings			Hospital Latch, Lead Lined.....	86
Mortise Type		62-64	Latch Conversion Kit.....	86
Overlap Type.....		64-66	Pocket Door Latch.....	86
Surface Type.....		67-69	Privacy Pocket Door Latch	90
Door Guard		78, 133	Latch Protectors	93
Door Knocker Viewer.....		87, 91		
Door Protection Plates.....		6-8		
Door Latch (Privacy)		79		
Door Silencers				
Metal Door		86		
Wood Door.....		86		
Door Viewers		136		



Trim & Auxiliary

M

Miscellaneous Hardware

Closet Knobs.....	131
Closet Rod, Sockets.....	137
Concealed Edge Pull.....	24
Finger Pulls.....	130
Magnetic Catch.....	135
Pocket Door Edge Pulls.....	131,132
Mounting Options.....	5

P

Pulls

Anti Vandal Trim.....	86
Back-to-Back Offset Pulls.....	23-24
Back-to-Back Straight Pulls.....	18-20
Cast Pulls.....	22, 35
Flush Cup Pulls.....	20-21, 25-26
Half Round.....	9
Offset Pulls.....	16-18, 25, 112
Oval.....	15
Rectangular.....	10
Round.....	11-13, 16-20
Straight Pulls.....	9-16
Wire Drawer Pulls.....	85

Pull Plates

Cylinder Pull.....	46
Pull Plate w/ Lip.....	46
Square Corner.....	29-38

Push Bars

Back-to-Back.....	50
Bent.....	47-49
Flat.....	47-48
Round.....	48-49

Push Plates

Beveled - Square Corner.....	41-43
Half Circle.....	46
Plastic Laminate.....	7, 41-42
Radius Corner.....	38-41, 43
Round Bevel Top and Bottom.....	44
Rounded Corner.....	40-41
Square Corner.....	28-29

Push/Pull Sets

Round Bar.....	47-57
Security Push/Pull Plate.....	46

R

Recommended Application.....	3
Recommended Maintenance.....	3
Residential Trim.....	85, 88, 130-134

Roller Latch/Catches

Adjustable Ball Catch.....	87
Drive-In Ball Catch.....	135
Roller Latch.....	87
Roller Latch with Stop.....	87
Roller Latch w/ ASA Strike.....	129
Roller Latch w/ Full Lip Strike.....	129
Roller Latch w/ Tee Strike.....	87
Three-Way Ball Catch.....	88

S

Signage

ADA Tactile, Plastic.....	98-101
International Symbols, Plastic.....	97
Men/Women, Plastic.....	96
Numbers, Plastic.....	95
Push/Pull, Plastic.....	94
Restroom/Restrooms, Plastic.....	95

Stops and Holders

Roller Bumper.....	78
Door Holder, Kickdown.....	77, 132
Floor Stops.....	71-77, 88-90, 132
Heavy Duty Floor Stop.....	76
Stops With Holder.....	73-75, 88-90
Wall Stops.....	69-70, 73-75, 88-89, 132
Hinge Pin Door Bumper.....	133, 137
Surface Bolts.....	79

CRATING CHARGES

When ordered separately, orders of less than 5 armor plates (plates over 22 inches high and wide) are subject to a \$27.00 net crating charge.

ARCHITECTURAL FINISH SYMBOLS

Unless specifically noted, finishes are priced as listed by each item on the following pages.

US & HAGER	DESCRIPTION	BASE MATERIAL	PRICING INSTRUCTIONS	BHMA SYMBOL
2C	Zinc Plated Steel	Steel	As Listed	603
3	Bright Brass	Brass	As Listed	605
4	Satin Brass	Brass	As Listed	606
5	Satin Brass, Oxidized	Brass Brass/Bronze	25% Above US10B	609
9	Bright Bronze	Brass Brass/Bronze	25% Above US10	611
10	Satin Bronze	Brass Brass/Bronze	As Listed	612
10B	Antique Bronze, Oiled	Brass Brass/Bronze	As Listed	613
10R	Matte Lacquer Antique Bronze	Brass Brass/Bronze	As Listed	-
15	Satin Nickel	Brass Brass/Bronze	Price Same as US26D	619
15A	Satin Nickel Oxidized	Brass Brass/Bronze	As Listed	620
19	Flat Black Coated	Any	As Listed ¹	-
26	Bright Chromium Plated	Brass Brass/Bronze	As Listed	625
26D	Satin Chromium Plated	Brass Brass/Bronze	As Listed	626
28	Satin Anodized Aluminum	Aluminum	As Listed	628
32	Stainless Steel Metal, Bright	300 Series	As Listed	629
32D	Stainless Steel Metal, Satin	300 Series	As Listed	630
DBZ	Dark Bronze Painted	Any	As Listed	695
PC	Clear Plastic	-	As Listed	-
PK	Plastic Laminate - Black	-	As Listed	-
CO	Plastic Laminate - Chocolate	-	As Listed	-
PG	Plastic Laminate - Grey	-	As Listed	-
S1	Sprayed Aluminum	Cast Iron	As Listed	-
S2	Sprayed Brass	Cast Iron	As Listed	-
S3	Sprayed Bronze	Cast Iron	As Listed	-

1. Same as DBZ unless otherwise listed.

NOTE: For any finish not listed in this Price Book, or explained above, price and availability on request.

RECOMMENDED SPECIAL INSTRUCTIONS:

Application: All accessory item installation should be made following the application of paint or other finishes. Under no circumstances should accessory items be installed prior to painting. Paint or other finish material must be dry before applying accessory items to door. Hager recommends that a 72 hour drying time be allowed prior to application of accessory items under normal atmospheric conditions.

Maintenance: For cleaning, use only a soft damp cloth. Do not use any chemicals, abrasive cleaners, waxes, or brass cleaners on items with a lacquer coating or on plastic plates.



Trim & Auxiliary

ADDITIONS WHERE NOT LISTED

Door Edgings

For quantities less than 20 of one type of door edging, add 30% to list price.

Pull, Push Plate, Pull Plate, or Kick Plate Options

Add to the list price of each unit:

Antimicrobial Powder Coat Protection (32D only)

To order use MV3 as suffix - \$18.78 list price each

Flush Back Mounting on Pull Plates

\$14.16 list each plate.

Cutouts - Standard Locations (Not available on Kick Plates)

Wrought (.050) thickness -

-Cut for 1-1/4" (CFC) Standard Cylinder, add \$19.33 each.

-Cut for 2-1/8" (CFC) Cylinder or Turn Piece, add \$19.33 each.

Other thickness plates -

-Cut for 1-1/4" (CFC) Standard Cylinder, add \$23.09 each.

-Cut for 2-1/8" (CFC) Cylinder or Turn Piece, add \$23.09 each.

Cutouts - Non-Standard Locations

Priced on application.

Engraving

For engraving standard "PUSH" or "PULL", "Men" or "Women" for stainless steel, add \$57.19 each, \$114.44 set.

For engraving standard "PUSH" or "PULL", "Men" or "Women" for all other materials, add \$38.84 each, \$77.75 set.

Tactile Warning

Available on limited items. Add \$53.06 to list.

Accessibility Option

For Hager Special Accessibility Clearance - (2-1/2"), prefix "H". Add \$8.19 List for single pull and \$16.37 List for double pull.

Minimum Order Quantities

Less popular finishes may result in minimum order quantities and extended lead times.

FASTENERS

Illustrated below are various types of fasteners that can be furnished by Hager Companies. Please specify type of fastening desired. All types of fastening cannot be used with all items of hardware. If specified method is not possible, we reserve the right to furnish whatever type we feel is best suited for the installation. When used with tempered glass doors, specify thickness of glass and hole diameter.



Sex bolt and machine screws
(various sizes)




Lead anchor
(used with floor stops in masonry applications)




Plastic anchor and full threaded screw
(used in drywall or masonry applications)



Lag screw and shield



Toggle bolt
(ideal for drywall applications)



Plastic toggle anchor
(used with wall stops in drywall applications)



Thru-bolt and finish washer
(flat or oval head; size as required)



Spanner head machine screws
(various sizes furnished at extra charge)



Security torx head machine screws
(various sizes furnished at extra charge)

Note: Torx and Spanner screws are available for select items. Please call Customer Service for availability and price.



MOUNTINGS


Illustrated below are various types of mountings that can be furnished by Hager Companies. Please specify type of mounting desired. All types of mountings cannot be used with all items of hardware. If specified method is not possible, we reserve the right to furnish whatever type we feel is best suited for the installation. When used with tempered glass doors specify thickness of glass and hole diameter.

Mounting Accessory Charges:

For Concealed Cone mountings, add \$14.16 list for each required fitting (Type 3).
 For Concealed Cone mountings, add \$14.16 list for each required fitting (Type 5).
 For Spanner Collar mountings, add \$24.32 list for each required fitting (Type 7).
 For Concealed Cone and Lug mountings, add \$35.89 list for each required fitting. (.125" plate only)

Temper Glass Door Installation:

Spanner Cap Mountings (Type 8) for tempered glass doors, add \$24.32 list for each spanner cap.
 Note: Mounting back-to-back or spanner cap installation requires at least two fittings.
 Stile Plates, add \$20.31 list each.



Cancellation Notification


Cancellation for made-to-order items must be communicated within 48 hours of order placement.

Trim & Auxiliary


DOOR PLATE HUNDRED SQUARE INCH SIZE CHART													
H/W	24"	26"	28"	30"	32"	34"	36"	38"	40"	42"	44"	46"	48" MAX
4"	0.96	1.04	1.12	1.20	1.28	1.36	1.44	1.52	1.60	1.68	1.76	1.84	1.92
6"	1.44	1.56	1.68	1.80	1.92	2.04	2.16	2.28	2.40	2.52	2.64	2.76	2.88
8"	1.92	2.08	2.24	2.40	2.56	2.72	2.88	3.04	3.20	3.36	3.52	3.68	3.84
10"	2.40	2.60	2.80	3.00	3.20	3.40	3.60	3.80	4.00	4.20	4.40	4.60	4.80
12"	2.88	3.12	3.36	3.60	3.84	4.08	4.32	4.56	4.80	5.04	5.28	5.52	5.76
14"	3.36	3.64	3.92	4.20	4.48	4.76	5.04	5.32	5.60	5.88	6.16	6.44	6.72
16"	3.84	4.16	4.48	4.80	5.12	5.44	5.76	6.08	6.40	6.72	7.04	7.36	7.68
18"	4.32	4.68	5.04	5.40	5.76	6.12	6.48	6.84	7.20	7.56	7.92	8.28	8.64
20"	4.80	5.20	5.60	6.00	6.40	6.80	7.20	7.60	8.00	8.40	8.80	9.20	9.60
22"	5.28	5.72	6.16	6.60	7.04	7.48	7.92	8.36	8.80	9.24	9.68	10.12	10.56
24"	5.76	6.24	6.72	7.20	7.68	8.16	8.64	9.12	9.60	10.08	10.56	11.04	11.52
26"	6.24	6.76	7.28	7.80	8.32	8.84	9.36	9.88	10.40	10.92	11.44	11.96	12.48
28"	6.72	7.28	7.84	8.40	8.96	9.52	10.08	10.64	11.20	11.76	12.32	12.88	13.44
30"	7.20	7.80	8.40	9.00	9.60	10.20	10.80	11.40	12.00	12.60	13.20	13.80	14.40
32"	7.68	8.32	8.96	9.60	10.24	10.88	11.52	12.16	12.80	13.44	14.08	14.72	15.36
34"	8.16	8.84	9.52	10.20	10.88	11.56	12.24	12.92	13.60	14.28	14.96	15.64	16.32
36"	8.64	9.36	10.08	10.80	11.52	12.24	12.96	13.68	14.40	15.12	15.84	16.56	17.28
38"	9.12	9.88	10.64	11.40	12.16	12.92	13.68	14.44	15.20	15.96	16.72	17.48	18.24
40"	9.60	10.40	11.20	12.00	12.80	13.60	14.40	15.20	16.00	16.80	17.60	18.40	19.20
42"	10.08	10.92	11.76	12.60	13.44	14.28	15.12	15.96	16.80	17.64	18.48	19.32	20.16
44"	10.56	11.44	12.32	13.20	14.08	14.96	15.84	16.72	17.60	18.48	19.36	20.24	21.12
46"	11.04	11.96	12.88	13.80	14.72	15.64	16.56	17.48	18.40	19.32	20.24	21.16	22.08
48" MAX	11.52	12.48	13.44	14.40	15.36	16.32	17.28	18.24	19.20	20.16	21.12	22.08	23.04

To figure the list price of a door protection plate, find the hundred square inch size on the chart above. For odd or fractional sizes use the next higher price (i.e. 8" x 31-1/2" - price as 8" x 32" = 2.56 sq. inches). Multiply the square inch size by the list price (for example, 2.56 sq. inches x US3 list \$54.16 = \$138.65 list).

- #6 x 5/8" Phillips Oval Head undercut, Stainless Steel Sheet Metal Screws for counter sunk plates and Truss Head Stainless Steel Screws for non-counter sunk plates, to match plated finish. TEK Screws available at \$0.24 List price each.
- When ordered separately, orders of less than 5 armor plates are subject to a \$27.00 net crating charge (plates over 22 inches high and wide).
- Four rounded corners (196R) are available for \$24.62 list.
- Kickplates specified with adhesive tape will be supplied without holes.
- Armor plates available with UL listing. See page 7.
- Cutouts for kick and armor plates priced on application.




Mop Plate
Up to 8"h x 48"w



Kick Plate
6"-12"h x 48"w



Stretcher Plate
6"-12"h x 48"w



Armor Plate
Up to 48"h x 48"w

NFPA 80 STANDARD 6.4.5.3

- Factory installed protection plates shall be installed in accordance with the listing of the door.
- Field installed protection plate shall be labeled and installed in accordance with their listing.

Exception: Labeling is not required where the top of the protection plate is not more than 16" (406 mm) above the bottom of the door.





Description	Height	US28	US3, US4, US10	DBZ US19	US9	US32	US32D
190S	Under 8" high	18.86	54.16	23.71	63.19	37.79	16.96
Four beveled edges	8" to 24" high	15.80	52.92	23.71	62.10	36.72	15.21
.050 Gauge	Over 24" to 36" high	15.96	67.72	33.62	76.98	37.13	15.55
Metal Door Protection Plate	Over 36" to 48" high	17.36	81.70	29.43	93.35	37.13	15.55
Note: UL Listed for US19, US32, US32D & DBZ only.	8" x 34" (List Pricing)	-	-	-	-	-	41.38
Max size 48" high x 46" wide	10" x 34" (List Pricing)	-	-	-	-	-	51.73
Note: US3 & US4 are unavailable above 24" tall.							



198S	Under 8" high	-	-	-	-	-	16.04
.038 Gauge	8" to 24" high	-	-	-	-	-	14.31
Metal Door Protection Plate	Over 24" to 36" high	-	-	-	-	-	14.72
	Over 36" to 48" high	-	-	-	-	-	14.72

Note: UL labeling not required when top of plate is less than 16" above the bottom of the door, per NFPA 80 - 2007.

Description	Height	BGA
199B	Under 8" high	18.85
Bright Gold Anodized	8" to 24" high	15.88
100 square inches	Over 24" to 36" high	15.96
.038 Gauge	Over 36" to 48" high	17.36
Metal Door Protection Plate		

Description	Height	Clear Plastic	Black	Brown	Grey
204S	Up to 48" high	15.46	-	-	-
Clear Plastic					
.125 Gauge					
214S	Up to 48" high	-	25.64	25.64	25.64
Plastic Laminate					
.125 Gauge					

Description	Height	US28	US3, US4, US10	DBZ/US19	US9	US32	US32D
220S	Under 8" high	23.90	55.73	41.91	76.41	-	38.95
Four beveled edges	8" to 24" high	23.90	55.73	41.91	76.41	-	38.95
.062 Gauge	Over 24" to 36" high	25.56	60.28	58.23	83.35	-	38.95
Metal Door Protection Plate	Over 36" to 48" high	27.95	64.91	51.09	109.97	-	38.95
Note: US3 & US4 are unavailable above 24" tall.							

Note: Diamond plate is available in US28. Use US3/US4/US10 pricing.



Trim & Auxiliary



Description	Height	Black (Calcutta)	Brown (Chocolate)	Tan (Beige)
225S	Under 8" high	21.33	21.33	21.33
.060 Gauge	8" to 24" high	18.10	18.10	18.10
Kydex Door Protection Plate	Over 24" to 36" high	19.26	19.26	19.26
	Over 36" to 48" high	19.26	19.26	19.26

Note: UL labeling not required when top of plate is less than 16" above the bottom of the door, per NFPA 80 - 2007.

Option	Description	Price
CSK	Countersunk Holes	0.86 per 100 square inch price
SA	Self Adhesive Tape	0.75 per square inch price
	Spanner Head Screws	0.86 each
	Torx Head Screws	0.86 each
	.125 Material	Price on Application
	Wrap Around Side & Bottom Return	Price on Application
	UL Label Stamp (No tape -voids UL Listing)	18.65





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
1E					
Pull- Half Round	US3	78.72	052830	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	84.72	063599		
Base: 1/2" x 1"	US10	84.72	052831		
Projection: 2"					
Clearance: 1-1/2"	DBZ / US19	70.11	- /149513		
CTC: 6"	US26	84.72	022786		
Door Thickness: 1-3/4" standard	US26D	84.72	052834		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	45.17	052835		
Not suitable for BTB Mounting.	US32	82.34	074723		
	US32D	80.10	052836		



1G					
Pull- Half Round	US3	93.42	081562	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	100.65	028588		
Base: 1/2" x 1"	US10	100.65	060015		
Projection: 2"					
Clearance: 1-1/2"	DBZ / US19	93.35	- / 39131		
CTC: 8"	US26	100.65	030588		
Door Thickness: 1-3/4" standard	US26D	100.65	066243		
Fasteners: 1/4"-20 x 2-1/4" FPHS with washers	US28	47.63	056587		
Not suitable for BTB Mounting.	US32	100.65	032021		
	US32D	100.34	058307		



1J					
Pull- Half Round	US3	109.50	073346	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	119.27	026724		
Base: 1/2" x 1"	US10	119.27	067206		
Projection: 2"					
Clearance: 1-1/2"	DBZ / US19	119.27	- / -		
CTC: 10"	US26	119.27	013936		
Door Thickness: 1-3/4" standard	US26D	119.27	062738		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	53.71	010948		
Not suitable for BTB Mounting.	US32	116.04	092494		
	US32D	111.12	072255		



1L					
Pull- Half Round	US3	125.58	022469	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	138.20	059759		
Base: 1/2" x 1"	US10	138.20	019781		
Projection: 2"					
Clearance: 1-1/2"	DBZ / US19	138.20	- / -		
CTC: 12"	US26	138.20	-		
Door Thickness: 1-3/4" standard	US26D	138.20	085377		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	66.41	067536		
Not suitable for BTB Mounting.	US32	135.36	060054		
	US32D	128.66	060014		



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
2E					
Pull - Rectangular	US3	72.72	052812	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	75.03	002326		
Base: 3/8" x 1-1/4"	US10	75.03	091536		
Projection: 2"					
Clearance: 1-5/8"	DBZ / US19	75.03	- / -		
CTC: 6"	US26	75.03	052815		
Door Thickness: 1-3/4" standard	US26D	75.03	052816		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	38.24	052817		
Not suitable for BTB Mounting.	US32	81.95	-		
	US32D	73.56	052818		



2G					
Pull - Rectangular	US3	87.26	052819	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	92.57	-		
Base: 3/8" x 1-1/4"	US10	92.57	052820		
Projection: 2"					
Clearance: 1-5/8"	DBZ / US19	92.57	- / -		
CTC: 8"	US26	92.57	120486		
Door Thickness: 1-3/4" standard	US26D	92.57	008573		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	41.17	052824		
Not suitable for BTB Mounting.	US32	95.11	175262		
	US32D	89.80	052825		



2J					
Pull - Rectangular	US3	103.11	099284	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	111.81	111300		
Base: 3/8" x 1-1/4"	US10	111.81	-		
Projection: 2"					
Clearance: 1-5/8"	DBZ / US19	114.19	- / -		
CTC: 10"	US26	114.19	-		
Door Thickness: 1-3/4" standard	US26D	114.19	067318		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	46.09	072355		
Not suitable for BTB Mounting.	US32	116.47	-		
	US32D	109.88	063689		



2L					
Pull - Rectangular	US3	108.27	137565	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	115.58	078244		
Base: 3/8" x 1-1/4"	US10	120.50	036307		
Projection: 2"					
Clearance: 1-5/8"	DBZ / US19	120.50	- / -		
CTC: 12"	US26	120.50	-		
Door Thickness: 1-3/4" standard	US26D	120.50	101506		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	59.94	016671		
Note suitable for BTB Mounting.	US32	121.81	036632		
	US32D	117.04	068545		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
3E					
Pull - Round	US3	82.41	052507	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	82.41	082808		
Base: 3/4" diameter	US10	87.18	052508		
Projection: 2-1/4"					
Clearance: 1-1/2"	DBZ / US19	72.30	24810/ 84082		
CTC: 6"	US26	87.18	052826		
Door Thickness: 1-3/4" standard	US26D	87.18	052705		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	34.86	052511		
	US32	85.57	003987		
	US32D	59.61	052512		



3G					
Pull - Round	US3	84.65	052706	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	84.65	054828		
Base: 3/4" diameter	US10	89.57	052707		
Projection: 2-1/4"					
Clearance: 1-1/2"	DBZ / US19	86.84	- / 122059		
CTC: 8"	US26	89.57	052827		
Door Thickness: 1-3/4" standard	US26D	89.57	052708		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	45.17	052709		
	US32	85.57	003987		
	US32D	66.23	052514		



3J					
Pull - Round	US3	86.80	058846	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	86.80	017703		
Base: 3/4" diameter	US10	101.34	059315		
Projection: 2-1/4"					
Clearance: 1-1/2"	DBZ / US19	70.29	24543 / 163936		
CTC: 10"	US26	101.34	067231		
Door Thickness: 1-3/4" standard	US26D	101.34	060904		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	58.64	064414		
	US32	88.34	009135		
	US32D	73.23	053788		



3L					
Pull - Round	US3	104.58	062658	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	114.66	044307		
Base: 3/4" diameter	US10	123.43	084100		
Projection: 2-1/4"					
Clearance: 1-1/2"	DBZ / US19	123.43	- / -		
CTC: 12"	US26	123.43	088253		
Door Thickness: 1-3/4" standard	US26D	123.43	070804		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	63.56	068010		
	US32	131.97	071641		
	US32D	93.88	056122		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
4E Security Pull - Round Material: Stainless steel Base: 1" diameter Projection: 2-1/4" Clearance: 1-1/4" CTC: 6" Fasteners: Two (2) 1/4-20 x 2-1/4" FPHMS with finish washers	US32D	93.50	127369	1	12



P4E Security Pull - Round Material: Stainless steel Base: 1" diameter Projection: 2-1/4" Clearance: 1-1/4" CTC: 6" Fasteners: 3/8" - 16 x 1-1/4" Nyloc hex head cap screws Concealed mounting in door, use on hollow metal doors only.	US32D	109.27	085014	1	12
--	-------	--------	--------	---	----



T4E Security Pull - Round Material: Stainless steel Base: 1" diameter Projection: 2-1/4" Clearance: 1-1/4" CTC: 6" Door Thickness: 1-3/4" standard Fasteners: 1/4" - 20 x 2-1/4" FTXMS with washers Security Torx, Thru Bolt Mounting	US32D	114.12	085015	1	12
---	-------	--------	--------	---	----



4G Pull - Round Material: Brass, bronze, aluminum, stainless steel Base: 1" diameter Projection: 2-3/4" Clearance: 1-3/4" CTC: 8" Door Thickness: 1-3/4" standard Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US3 US4 US10 DBZ / US19 US26 US26D US28 US32 US32D	119.12 128.66 144.90 102.37 132.66 132.66 59.87 114.96 84.26	052710 071068 052711 - / 44835 052828 052713 051945 056698 051946	1	12
---	--	--	---	---	----



4H Pull - Round Material: Brass, bronze, aluminum, stainless steel Base: 1" diameter Projection: 2-3/4" Clearance: 1-3/4" CTC: 9" Door Thickness: 1-3/4" standard Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US3 US4 US10 DBZ / US19 US26 US26D US28 US32 US32D	117.66 117.66 129.43 129.43 129.43 129.43 112.77 148.67 109.19	116804 - 154833 - / - 139764 016412 099188 075526 037214	1	12
---	--	--	--	---	----



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
4J					
Pull - Round	US3	142.90	052714	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	142.90	054807		
Base: 1" diameter	US10	144.90	052715		
Projection: 2-3/4"					
Clearance: 1-3/4"	DBZ / US19	109.42	- / 140359		
CTC: 10"	US26	145.97	052829		
Door Thickness: 1-3/4" standard	US26D	145.97	052515		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	53.87	052717		
	US32	118.66	060648		
	US32D	93.65	052516		



4L					
Pull - Round	US3	133.82	056307	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	133.82	062858		
Base: 1" diameter	US10	157.59	068316		
Projection: 2-3/4"					
Clearance: 1-3/4"	DBZ / US19	157.59	- / 003293		
CTC: 12"	US26	157.59	054951		
Door Thickness: 1-3/4" standard	US26D	157.59	072906		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	79.64	059808		
	US32	173.52	069478		
	US32D	133.66	054672		



5D					
Pull - Round	US3	53.02	048492	1	12
Material: Brass, bronze	US4	53.02	048493		
stainless steel	US10	57.33	048489		
Base: 5/8" diameter					
Projection: 2-1/8"	DBZ / US19	57.33	- / -		
Clearance: 1-1/2"	US26	57.33	007765		
CTC: 5-1/2"	US26D	57.33	048496		
Door Thickness: 1-3/4" standard	US32	67.02	167480		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	49.86	048497		
Not suitable for BTB Mounting.					



5N					
Cast Pull					
Material: Brass, bronze, aluminum, stainless steel	US3	79.64	052289	1	12
Base: 5/8" x 1-3/16"	US4	85.57	052290		
Projection: 1-15/16"	US10	91.49	052291		
Clearance: 1-7/16"					
O/A Length: 6-1/8"	DBZ / US19	91.49	- / -		
CTC: 5-1/2"	US26	91.49	052808		
Door Thickness: 1-3/4" standard	US26D	91.49	052701		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US28	55.94	138885		
Not suitable for BTB Mounting.	US32D	100.34	052294		



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
6N					
Cast Pull	US3	61.48	052295	1	12
Material: Brass, bronze, aluminum, stainless steel	US4	68.79	052296		
Base: 1" diameter	US10	85.11	052297		
Projection: 1-7/8"	DBZ / US19	85.11	- / -		
Clearance: 1-3/8"	US26	85.11	028570		
O/A Length: 6-1/2"	US26D	85.11	052811		
CTC: 5-1/2"	US28	44.40	052299		
Door Thickness: 1-3/4" standard	US32D	87.80	052300		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



7N					
Cast Pull					
Material: Brass, bronze, aluminum					
Base: 2" diameter					
Projection: 1-7/8"	US3	77.64	052301	1	12
Clearance: 1-3/8"	US4	77.64	053309		
O/A Length: 7-1/2"	US10	90.34	052302		
CTC: 5-1/2"	DBZ/US19	90.34	- / -		
Door Thickness: 1-3/4" standard	US26	90.34	052807		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US26D	90.34	052304		
Not suitable for BTB Mounting.	US28	39.63	052303		



8N					
Material: Brass, bronze, aluminum					
Base: 2" diameter	US3	77.64	052305	1	12
Projection: 1-7/8"	US4	77.64	053310		
CTC: 5-1/2"	US10	82.41	052306		
Clearance: 1-3/8"	DBZ/US19	54.37	- / 18255		
O/A Length: 7-1/2"	US26	71.33	052805		
Fasteners: #8 x 1 OPHWS	US26D	71.33	052308		
Not suitable for BTB Mounting.	US28	39.63	052307		



P8N					
Cast Pull	US26D	87.42	084188	1	12
Material: Brass					
Base: 1-1/2" x 1-5/8"					
Projection: 2-1/4"					
CTC: 7-3/4"					
Clearance: 1-9/16"					
O/A Length: 8-3/4"					
Fasteners: 3/8 - 16 x 3/4" FPHMS					
Not suitable for BTB Mounting.					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
9E					
Pull - Oval	US3	62.33	078724	1	12
Material: Brass, stainless steel	US4	62.33	031734		
Base: 1/2" x 3/4"	DBZ / US19	83.43	- / 35410		
Projection: 2"	US26	70.18	083270		
Clearance: 1-1/2"	US26D	70.18	082917		
CTC: 6"	US32	72.72	109645		
Door Thickness: 1-3/4" standard	US32D	71.87	066230		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



9G					
Pull - Oval	US3	69.72	073348	1	12
Material: Brass, stainless steel	US4	69.72	129264		
Base: 1/2" x 3/4"	DBZ / US19	77.33	- / -		
Projection: 2"	US26	77.33	62005		
Clearance: 1-1/2"	US26D	77.33	073350		
CTC: 8"	US32	52.10	089854		
Door Thickness: 1-3/4" standard	US32D	62.25	073862		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



9J					
Pull - Oval	US3	77.41	032128	1	12
Material: Brass, stainless steel	US4	77.41	021300		
Base: 1/2" x 3/4"	DBZ / US19	84.72	- / -		
Projection: 2"	US26	84.72	55471		
Clearance: 1-1/2"	US26D	84.72	068291		
CTC: 10"	US32	86.41	112592		
Door Thickness: 1-3/4" standard	US32D	75.56	089049		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					



9L					
Pull - Oval	US3	84.72	001447	1	12
Material: Brass, stainless steel	US4	84.72	090944		
Base: 1/2" x 3/4"	DBZ / US19	92.26	- / -		
Projection: 2"	US26	92.26	-		
Clearance: 1-1/2"	US26D	92.26	017368		
CTC: 12"	US32	96.19	064516		
Door Thickness: 1-3/4" standard	US32D	82.34	075733		
Fasteners: 1/4" x 2-1/4" FPHMS with washers					
Not suitable for BTB Mounting.					

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
10L					
Pull - Round	US3	421.69	079250	1	8
Material: Brass, bronze, stainless steel	US4	421.69	094670		
Base: 1-1/4" diameter	US10	468.09	002193		
Projection: 3"	DBZ / US19	231.85	26031 / 152762		
Clearance: 1-3/4"	US26	468.09	030731		
CTC: 12"	US26D	468.09	023472		
Door Thickness: 1-3/4" standard	US32	418.30	097312		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	355.12	067649		



10Q					
Pull - Round	US3	462.62	090612	2	8
Material: Brass, bronze, stainless steel	US4	462.62	010843		
Base: 1-1/4" diameter	US10	495.10	034458		
Projection: 3"	DBZ / US19	308.52	- / 29094		
Clearance: 1-3/4"	US26	495.10	-		
CTC: 18"	US26D	495.10	039520		
Door Thickness: 1-3/4" standard	US32	433.84	027254		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	402.45	072664		



11E					
90° Offset Pull - Round	US3	127.81	059597	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	127.81	018312		
Base: 3/4" diameter	US10	133.66	060336		
Projection: 2-1/2"	DBZ / US19	219.98	- / 176232		
Clearance: 1-3/4"	US26	133.66	040696		
CTC: 6"	US26D	133.66	075266		
Offset: 2-1/2"	US28	83.88	043401		
Door Thickness: 1-3/4" standard	US32	136.59	-		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	106.58	057380		
Available with 45° offset					



11G					
90° Offset Pull - Round	US3	134.66	063681	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	134.66	047133		
Base: 3/4" diameter	US10	142.67	097774		
Projection: 2-1/2"	DBZ / US19	171.80	34716 / -		
Clearance: 1-3/4"	US26	142.67	013867		
CTC: 8"	US26D	142.67	093586		
Offset: 2-1/2"	US28	94.96	067803		
Door Thickness: 1-3/4" standard	US32	144.90	109006		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	117.04	066983		
Available with 45° offset					






Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
11J					
90° Offset Pull - Round	US3	142.51	073589	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	142.51	087629		
Base: 3/4" diameter	US10	154.75	074842		
Projection: 2-1/2"	DBZ / US19	195.80	- / 153550		
Clearance: 1-3/4"	US26	154.75	064743		
CTC: 10"	US26D	154.75	091336		
Offset: 2-1/2"	US28	100.34	075928		
Door Thickness: 1-3/4" standard	US32	150.51	091535		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	122.50	066497		
Available with 45° offset					



11L					
90° Offset Pull - Round	US3	154.75	096446	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	154.75	-		
Base: 3/4" diameter	US10	173.45	023215		
Projection: 2-1/2"	DBZ / US19	173.45	- / -		
Clearance: 1-3/4"	US26	173.45	062866		
CTC: 12"	US26D	173.45	086064		
Offset: 2-1/2"	US28	107.65	073571		
Door Thickness: 1-3/4" standard	US32	161.60	078494		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	130.89	065800		
Available with 45° offset					



12G					
90° Offset Pull - Round	US3	171.68	060314	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	171.68	081233		
Base: 1" diameter	US10	197.07	043913		
Projection: 2-3/4"	DBZ / US19	197.07	- / -		
Clearance: 1-3/4"	US26	197.07	078220		
CTC: 8"	US26D	197.07	062954		
Offset: 3"	US28	87.34	070404		
Door Thickness: 1-3/4" standard	US32	170.21	099416		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	138.82	060905		
Available with 45° offset					



12J					
90° Offset Pull - Round	US3	179.29	060159	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	179.29	082215		
Base: 1" diameter	US10	201.15	069370		
Projection: 2-3/4"	DBZ / US19	208.90	41957 / 42168		
Clearance: 1-3/4"	US26	201.15	059778		
CTC: 10"	US26D	201.15	068450		
Offset: 3"	US28	96.73	070967		
Door Thickness: 1-3/4" standard	US32	189.14	059561		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	149.59	055174		
Available with 45° offset					

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
12L					
90° Offset Pull - Round	US3	191.37	056782	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	191.37	063686		
Base: 1" diameter	US10	213.77	059327		
Projection: 2-3/4"	DBZ / US19	216.83	41947 / 12667		
Clearance: 1-3/4"	US26	213.77	076229		
CTC: 12"	US26D	213.77	077083		
Offset: 3"	US28	105.73	062011		
Door Thickness: 1-3/4" standard	US32	208.15	067052		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers	US32D	155.59	059815		
Available with 45° offset					



13E					
Push/Pull Set - Round	US3	203.07	061785	1	12
Type 7 mounting	US4	203.07	095631		
Material: Brass, bronze, aluminum, stainless steel	US10	206.92	002512		
Base: 3/4" diameter	DBZ / US19	99.47	17193 / 63858		
Projection: 2-1/4"	US26	206.92	063688		
Clearance: 1-1/2"	US26D	206.92	060821		
Door Thickness: 1-3/4"	US28	141.05	076294		
CTC: 6"	US32	226.77	020838		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32D	185.76	055892		



13G					
Push/Pull Set - Round	US3	233.16	002452	1	12
Type 7 mounting	US4	233.16	018605		
Material: Brass, bronze, aluminum, stainless steel	US10	241.85	056543		
Base: 3/4" diameter	DBZ / US19	354.78	- / 52117		
Projection: 2-1/4"	US26	241.85	058650		
Clearance: 1-1/2"	US26D	241.85	096884		
Door Thickness: 1-3/4"	US28	154.21	057936		
CTC: 8"	US32	258.78	016398		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32D	201.30	059203		



13J					
Push/Pull Set - Round	US3	257.40	067010	1	12
Type 7 mounting	US4	257.40	058379		
Material: Brass, bronze, aluminum, stainless steel	US10	269.09	013815		
Base: 3/4" diameter	DBZ / US19	371.18	- / 32226		
Projection: 2-1/4"	US26	269.09	043759		
Clearance: 1-1/2"	US26D	269.09	068292		
Door Thickness: 1-3/4"	US28	172.83	014475		
CTC: 10"	US32	285.72	032231		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32D	220.31	063863		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
13L					
Push/Pull Set - Round	US3	277.25	095055	1	12
Type 7 mounting	US4	277.25	110600		
Material: Brass, bronze, aluminum, stainless steel	US10	314.73	060284		
Base: 3/4" diameter	DBZ / US19	379.87	- / 51614		
Projection: 2-1/4"	US26	314.73	070322		
Clearance: 1-1/2"	US26D	314.73	070163		
Door Thickness: 1-3/4"	US28	192.84	037236		
CTC: 12"	US32	306.11	034594		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32D	253.55	084896		



14G					
Push/Pull Set - Round	US3	291.41	056325	1	12
Type 7 mounting	US4	291.41	123899		
Material: Brass, bronze, aluminum, stainless steel	US10	313.42	027836		
Base: 1" diameter	DBZ / US19	374.75	- / 77833		
Projection: 2-3/4"	US26	313.42	029353		
Clearance: 1-3/4"	US26D	313.42	077790		
Door Thickness: 1-3/4"	US28	200.07	091532		
CTC: 8"	US32	338.73	088849		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32D	272.63	070068		



14H					
Push/Pull Set - Round	US3	320.88	125548	1	12
Type 7 mounting	US4	337.27	143956		
Material: Brass, bronze, aluminum, stainless steel	US10	340.43	-		
Base: 1" diameter	DBZ / US19	389.74	- / -		
Projection: 2-3/4"	US26	340.43	-		
Clearance: 1-3/4"	US26D	340.43	034117		
Door Thickness: 1-3/4"	US28	200.45	147101		
CTC: 9"	US32	376.98	-		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32D	292.49	024734		



14J					
Push/Pull Set - Round	US3	323.50	056432	1	8
Type 7 mounting	US4	323.50	028831		
Material: Brass, bronze, aluminum, stainless steel	US10	343.04	066033		
Base: 1" diameter	DBZ / US19	496.50	- / 94143		
Projection: 2-3/4"	US26	343.04	059309		
Clearance: 1-3/4"	US26D	343.04	061594		
Door Thickness: 1-3/4"	US28	202.76	014601		
CTC: 10"	US32	379.52	084135		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32D	294.87	067342		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
14L					
Push/Pull Set - Round	US3	336.04	086803	1	8
Type 7 mounting	US4	336.04	083099		
Material: Brass, bronze, aluminum, stainless steel	US10	383.44	071917		
Base: 1" diameter	DBZ / US19	478.87	- / 66580		
Projection: 2-3/4"	US26	383.44	010126		
Clearance: 1-3/4"	US26D	383.44	023138		
Door Thickness: 1-3/4"	US28	224.69	100725		
CTC: 12"	US32	411.53	063460		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)	US32D	333.73	057010		



15C					
Heavy Duty Flush Cup Pull					
Material: Stainless steel					
Face: 3-1/2" x 5"	US32D	102.50	026410	1	10
Opening: 1-3/4" x 3-1/16"					
Projection: 1/8"					
Cup Depth: 3/4" (Cup welded to face plate)					
Fasteners: #6 x5/8" OPHWS					



15N					
Flush Cup Pull					
Material: Brass, bronze, aluminum, stainless steel	US3	91.96	053114	2	20
Face: 3-1/2" x 5"	US4	107.19	053115		
Opening: 1-3/4" x 3-1/16"	US10	105.73	053116		
Projection: 1/8"	DBZ / US19	71.16	24589 / 28545		
Cup Depth: 3/4"	US26	105.73	053118		
Fasteners: #6 x5/8" OPHWS	US26D	99.11	053119		
	US28	39.86	053120		
	US32D	51.56	053121		



15P					
Heavy Duty Security Flush Cup Pull					
Material: Stainless steel					
Face: 3-1/2" x 5"	US32D	108.50	085266	2	20
Opening: 1-3/4" x 3-1/16"					
Projection: 3/16"					
Cup Depth: 3/4" (Cup welded to face plate)					
Welded studs for security (2) 6 -32 x 1-1/2" FPHMS (security torx)					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
15S					
Light Duty Flush Cup Pull	US3	82.49	014360	2	20
Material: Brass, bronze, aluminum, stainless steel	US4	93.42	039342		
Face: 3-1/2" x 5"	US10	105.73	025946		
Opening: 1-3/4" x 3-1/16"	DBZ / US19	105.73	- / -		
Projection: 1/8"	US26	105.73	089124		
Cup Depth: 3/4"	US26D	105.73	020841		
Fasteners: #6 x 5/8" PPHWS	US28	67.02	091301		
Fasteners inside recessed cup	US32D	69.56	017661		



16N					
Light Duty Flush Cup Pull	US3	30.96	073983	2	20
Material: Brass, bronze	US4	39.95	010007		
Face: 1-15/16" x 3"	US10	32.07	074227		
Opening: 27/32" x 2-3/8"	US26	39.95	068254		
Projection: 1/16"	US26D	32.07	067702		
Cup Depth: 5/8"					
Fasteners: #8 x 3/4" OPHWS					
Fasteners inside recessed cup					



16R					
Finger Pull Plate	US3	118.43	018081	2	20
Material: Brass, bronze, aluminum, stainless steel	US4	129.74	141082		
Size: 4" x 16"	US10	129.74	-		
Opening: 1-3/4" x 3-1/16"	DBZ / US19	129.74	- / -		
Cup Depth: 13/16"	US26	129.74	085308		
Fasteners: #6 x 5/8" OPHWS	US26D	129.74	009524		
	US28	90.80	092065		
	US32	146.21	-		
	US32D	101.04	057855		



17N					
Light Duty Flush Cup Pull	US3	27.21	068535	2	20
Material: Brass, bronze	US4	35.09	077871		
Face: 2-1/2" x 3-31/32"	US10	28.93	068096		
Opening: 1-11/32" x 3-13/32"	US26	35.09	068256		
Projection: 3/32"	US26D	27.89	067507		
Cup Depth: 5/8"					
Fasteners: #8 x 13/16" OPHWS					
Fasteners inside recessed cup					

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
19N					
Cast Pull	US3	107.50	-	1	20
Material: Brass, bronze	US10	111.81	072477		
Base Diameter: 1-1/2"	US26	115.35	-		
Projection: 3-1/8"	US26D	115.35	064247		
Clearance: 1-11/16"					
CTC: 6-3/16"					
Length O/A: 9"					
Fasteners: #8 x 1" OPHWS					
Suitable for BTB Mounting with sex nuts by special quotation					



20N					
Cast Pull					
Material: Bronze					
Base Diameter: 1-1/2"					
Projection: 3-1/4"	US3	107.50	058572	1	1
Clearance: 1-11/16"	US10	115.35	033608		
CTC: 5-7/32"	US26	115.35	017678		
Length O/A: 8-3/4"	US26D	115.35	058574		
Fasteners: 1/4" - 20 thru bolts with washers					
Door Thickness: 1-3/4" standard					
Not suitable for BTB Mounting					



20L					
Push/Pull Set - Round	US3	915.01	140460	1	4
Type 7 mounting	US4	967.11	090986		
Material: Brass, bronze, stainless steel	US10	967.11	-		
Base: 1-1/4" diameter	DBZ / US19	967.11	- / -		
Projection: 3"	US26	967.11	052420		
Clearance: 1-3/4"	US26D	967.11	022949		
CTC: 12"	US28	967.11	-		
Door Thickness: 1-3/4" standard	US32	855.38	030891		
BTB Mounting type 7 concealed spanner (Required 7/16" min. holes in door)	US32D	798.51	099136		



20Q					
Push/Pull Set - Round					
Type 7 mounting					
Material: Brass, bronze, stainless steel	US3	1,016.82	184392	1	4
Base: 1-1/4" diameter	US4	1,074.68	-		
Projection: 3"	US10	1,074.68	-		
Clearance: 1-3/4"	DBZ / US19	541.21	- / 29093		
CTC: 18"	US26	1,074.68	163164		
Door Thickness: 1-3/4" standard	US26D	1,074.68	046330		
BTB Mounting type 7 concealed spanner (Required 7/16" min. holes in door)	US28	1,074.68	-		
	US32	661.85	066386		
	US32D	887.31	067607		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
21E					
90° Offset Push/Pull Set - Round	US3	320.27	138354	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	320.27	-		
Base: 3/4" diameter	US10	335.50	-		
Projection: 2-1/2"	DBZ / US19	485.97	- / 176233		
Clearance: 1-3/4"	US26	335.50	071225		
CTC: 6"	US26D	335.50	028763		
Offset: 2-1/2"	US28	233.70	019295		
Door Thickness: 1-3/4" standard	US32	339.27	161045		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32D	279.48	089757		
Available with 45° offset					



21G					
90° Offset Push/Pull Set - Round	US3	337.66	058679	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	337.66	043225		
Base: 3/4" diameter	US10	353.35	-		
Projection: 2-1/2"	DBZ / US19	353.35	- / -		
Clearance: 1-3/4"	US26	353.35	018016		
CTC: 8"	US26D	353.35	066826		
Offset: 2-1/2"	US28	256.01	075590		
Door Thickness: 1-3/4" standard	US32	356.12	025013		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32D	300.34	058003		
Available with 45° offset					



21J					
90° Offset Push/Pull Set - Round	US3	349.05	078909	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	349.05	-		
Base: 3/4" diameter	US10	377.21	005255		
Projection: 2-1/2"	DBZ / US19	377.21	- / -		
Clearance: 1-3/4"	US26	377.21	005678		
CTC: 10"	US26D	377.21	067008		
Offset: 2-1/2"	US28	262.55	112219		
Door Thickness: 1-3/4" standard	US32	366.97	019770		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32D	311.49	080009		
Available with 45° offset					



21L					
90° Offset Push/Pull Set - Round	US3	371.98	097140	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	371.98	002578		
Base: 3/4" diameter	US10	414.84	-		
Projection: 2-1/2"	DBZ / US19	467.47	- / 31812		
Clearance: 1-3/4"	US26	414.84	007396		
CTC: 12"	US26D	414.84	032790		
Offset: 2-1/2"	US28	281.10	047803		
Door Thickness: 1-3/4" standard	US32	389.29	027578		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32D	328.19	069905		
Available with 45° offset					

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
22G					
90° Offset Push/Pull Set - Round	US3	404.45	079012	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	404.45	167031		
Base: 1" diameter	US10	453.39	075421		
Projection: 2-3/4"	DBZ / US19	453.39	- / -		
Clearance: 1-3/4"	US26	453.39	048693		
CTC: 8"	US26D	453.39	007328		
Offset: 3"	US28	246.39	024277		
Door Thickness: 1-3/4" standard	US32	407.14	098201		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32D	401.53	067908		
Available with 45° offset					



22J					
90° Offset Push/Pull Set - Round	US3	426.53	075192	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	426.53	175712		
Base: 1" diameter	US10	477.78	050773		
Projection: 2-3/4"	DBZ / US19	402.46	28099 / 123275		
Clearance: 1-3/4"	US26	477.78	005787		
CTC: 10"	US26D	477.78	085517		
Offset: 3"	US28	264.86	002376		
Door Thickness: 1-3/4" standard	US32	444.39	073277		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32D	432.61	076699		
Available with 45° offset					



22L					
90° Offset Push/Pull Set - Round	US3	448.62	073970	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	448.62	078417		
Base: 1" diameter	US10	507.33	000477		
Projection: 2-3/4"	DBZ / US19	507.33	- / -		
Clearance: 1-3/4"	US26	507.33	015975		
CTC: 12"	US26D	507.33	038687		
Offset: 3"	US28	283.02	000794		
Door Thickness: 1-3/4" standard	US32	481.09	059202		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32D	464.32	064503		
Available with 45° offset					



22N					
Concealed Edge Pull	US3	114.04	086819	1	10
Material: Solid brass	US26D	123.97	086820		
Size: 3 1/32" x 4 1/4" x 3/8"					
Finger piece extends: 2-3/4"					
Fasteners: #6 x 3/4" FPHWS					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
23Q					
90° Offset Pull - Round	US3	572.28	006390	-	2
Material: Brass, bronze, aluminum, stainless steel	US4	572.28	029999		
Base Diameter: 1-1/4"	US10	603.13	021472		
Projection: 3"	DBZ / US19	603.13	- / -		
Clearance: 1-3/4"	US26	603.13	019785		
CTC: 18"	US26D	603.13	023673		
Offset: 3-3/4" standard	US28	214.69	049363		
Fasteners: 5/16" - 18 thru bolt w/ washer Door	US32	526.34	002751		
Thickness: 1-3/4" standard with 45° offset	US32D	451.16	080011		



24Q					
90° Offset Push/Pull Set - Round	US3	1,217.96	003843	-	1
Material: Brass, bronze, aluminum, stainless steel	US4	1,217.96	134285		
Base Diameter: 1-1/4"	US10	1,279.52	043201		
Projection: 3"	DBZ / US19	1,279.52	- / -		
Clearance: 1-3/4"	US26	1,279.52	-		
CTC: 18"	US26D	1,279.52	-		
Offset: 3-3/4"	US28	458.78	095347		
Door Thickness: 1-3/4" standard	US32	1,127.01	-		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)	US32D	973.88	067055		
Available with 45° offset					



25B	US32D	208.77	025035	1	10
Security Flush Pull Set					
Material: Stainless steel					
Face: 3-1/2" x 5"					
Opening: 1-3/4" x 3-1/16"					
Projection: 3/16"					
Cup Depth: 3/4"					
Fasteners: (2) 6 - 32 x 1-1/2" FPHMS (security torx)					










25C	US32D	202.53	008405	1	10
Heavy Duty Flush Pull Set					
Material: Stainless steel					
Face: 3-1/2" x 5"					
Opening: 1-3/4" x 3-1/16"					
Projection: 1/8"					
Cup Depth: 3/4"					
Fasteners: (4) 6 -32 OPHMS with sex nuts and bolts					
Consists of 2 ea. 15C pulls BTB					

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	25N					
	Flush Pull Set	US3	202.61	057171	1	10
	Material: Brass, bronze, aluminum, stainless steel	US4	202.61	069686		
	Face: 3-1/2" x 5"	US10	208.46	064913		
	Opening: 1-3/4" x 3-1/16"	DBZ / US19	208.46	- / -		
	Projection: 1/8"	US26	208.46	087487		
	Cup Depth: 3/4"	US26D	208.46	055307		
	Fasteners: (4) 6 -32 OPHMS with sex nuts and bolts Consists of 2 ea. 15N pulls BTB	US28	155.29	074843		
	US32D	87.18	066502			
	25P					
	Security Finger Pull/Push Plate Set	US32D	424.61	089518	1	10
	Material: Stainless steel					
	Base: 4" x 16"					
	Opening: 1-3/4" x 3-1/16"					
Projection: 1/8"						
Fasteners: 8 - 32 x 3/4" FPHMS (security torx) sex nuts and bolts						
	26N					
	Security Finger Pull	US4	113.04	024671	2	20
	Material: Brass, stainless steel	US26	154.75	036321		
	Face: 4" x 5"	US32D	162.60	017790		
	Opening: 1-5/8" x 3"					
Projection: 1/8"						
Cup Depth: 13/16"						
Fasteners: 1/4" - 20 x 3/4" security torx FPHMS						
 	27N					
	Security Flush Cup Pull	US32D	169.11	006749	2	20
	Material: Stainless steel					
	Face: 5" x 5"					
	Opening: 3" x 3-1/2"					
	Projection: 3/8"					
Cup Depth: 7/8"						
Fasteners: 10 - 24 FPHMS (security torx) sex nuts and thru bolts Not available for BTB Mounting						
 	27P					
	Security Flush Cup Pull	US32D	169.11	013714	2	20
	Material: Stainless steel					
	Face: 5" x 5"					
	Opening: 3" x 3-1/2"					
	Projection: 3/8"					
Cup Depth: 7/8"						
Fasteners: 1/4 - 20 x 3/4" FPHMS (security torx) Not available for BTB Mounting						





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
30S					
Push-Plate - Square Corner					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"					
	US3	27.09	052473	5	50
	US4	27.09	053057		
	US10	32.32	052603		
	DBZ / US19	27.41	- / -		
	US26	32.32	052788		
	US26D	32.32	052605		
	US28	17.01	052606		
	US32	24.39	060400		
	US32D	19.85	052607		
<hr/>					
3-1/2" x 15					
	US3	36.55	051947	5	50
	US4	38.86	053058		
	US10	44.40	052474		
	DBZ / US19	28.26	042052 / 003748		
	US26	44.40	051948		
	US26D	42.78	052608		
	US28	16.16	051949		
	US32	22.16	067703		
	US32D	16.62	052476		
<hr/>					
4" x 16"					
	US3	42.78	052477	5	50
	US4	42.01	053059		
	US10	46.79	052478		
	DBZ / US19	29.86	042048 / 67957		
	US26	46.79	052789		
	US26D	45.17	052480		
	US28	18.08	052481		
	US32	24.55	056570		
	US32D	17.54	052482		
<hr/>					
6" x 16"					
	US3	61.02	052609		5
	US4	61.02	016001		
	US10	68.95	052610		
	DBZ / US19	34.57	004285 / 77834		
	US26	68.95	052612		
	US26D	67.41	052613		
	US28	24.93	052614		
	US32	37.09	059757		
	US32D	24.93	052615		
<hr/>					
8" x 16"					
	US3	75.03	052616		5
	US4	75.03	053054		
	US10	86.11	052617		
	DBZ / US19	50.61	042049 / 001665		
	US26	86.11	052619		
	US26D	84.49	052620		
	US28	27.86	052621		
	US32	46.40	056697		
	US32D	33.93	052483		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
A30S					
Push-Plate - Square Corner					
Material: Brass, bronze, aluminum, stainless steel	US3	44.55	088064	5	50
Gauge: 0.062	US4	44.55	040610		
Fasteners: #6 x 5/8" OPH tapping screws	US10	51.71	089728		
3" x 12"	DBZ / US19	85.61	- / 197562		
	US26	51.71	083774		
	US26D	51.71	002164		
	US28	21.78	161252		
	US32	41.40	154189		
	US32D	26.55	018593		
<hr/>					
3-1/2" x 15	US3	48.02	086010	5	50
	US4	48.02	125264		
	US10	58.10	060451		
	DBZ / US19	90.12	- / -		
	US26	58.10	041812		
	US26D	58.10	050973		
	US28	24.24	095372		
	US32	50.40	014761		
	US32D	33.70	095371		
<hr/>					
4" x 16"	US3	54.33	088141	5	50
	US4	54.33	096314		
	US10	63.95	018240		
	DBZ / US19	94.87	- / 137951		
	US26	63.95	068218		
	US26D	63.95	088369		
	US28	26.16	098928		
	US32	53.02	71242		
	US32D	36.86	084940		
<hr/>					
6" x 16"	US3	78.72	146109		5
	US4	78.72	147465		
	US10	88.42	008731		
	DBZ / US19	113.84	- / -		
	US26	88.42	098852		
	US26D	88.42	001249		
	US28	34.32	098000		
	US32	90.03	-		
	US32D	61.33	052271		
<hr/>					
8" x 16"	US3	85.11	046204		5
	US4	85.11	065722		
	US10	94.73	089364		
	DBZ / US19	159.38	- / -		
	US26	94.73	053802		
	US26D	94.73	092477		
	US28	45.63	155732		
	US32	110.96	104412		
	US32D	68.64	081011		

1. U/M is price per hundred square inches.



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
31E					
Pull Plate - Square Corner - Half Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 6"					
30S x 1E Pull					
Fasteners: #6 x 5/8" OPH tapping screws					
	US3	126.04	056433	1	10
	US4	126.04	060011		
	US10	133.97	055633		
	DBZ / US19	102.59	- / 198285		
	US26	133.97	078715		
	US26D	126.04	054517		
	US28	61.02	054428		
	US32	126.51	071221		
	US32D	90.34	054029		
4" x 16"	US3	127.58	052652	1	10
	US4	127.58	053049		
	US10	135.51	052653		
	DBZ / US19	105.77	41997 / 66037		
	US26	135.51	052800		
	US26D	127.97	054341		
	US28	62.64	052654		
	US32	142.67	062509		
	US32D	108.11	052494		



31G					
Pull Plate - Square Corner - Half Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
30S x 1G Pull					
Fasteners: #6 x 5/8" OPH tapping screws					
	US3	128.35	058350	1	10
	US4	128.35	085438		
	US10	140.90	057757		
	DBZ / US19	117.03	15249/ -		
	US26	140.90	064372		
	US26D	140.90	058351		
	US28	67.41	055483		
	US32	158.36	041049		
	US32D	103.04	055482		
4" x 16"	US3	136.36	056514	1	10
	US4	136.36	064373		
	US10	143.36	058057		
	DBZ / US19	120.54	- / 162072		
	US26	143.36	059035		
	US26D	143.36	056759		
	US28	71.33	056350		
	US32	167.67	095219		
	US32D	104.65	055297		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
31J					
Pull Plate - Square Corner - Half Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
30S x 1J Pull					
Fasteners: #6 x 5/8" OPH tapping screws					
3-1/2" x 15"	US3	145.97	011268	1	10
	US4	152.05	065208		
	US10	157.52	700006		
	DBZ / US19	157.52	- / -		
	US26	157.52	-		
	US26D	157.52	081194		
	US28	78.18	116104		
	US32	176.22	077157		
	US32D	136.59	056322		
<hr/>					
4" x 16"	US3	148.74	125465	1	10
	US4	153.90	049246		
	US10	163.29	063316		
	DBZ / US19	163.29	- / -		
	US26	163.29	-		
	US26D	163.29	021574		
	US28	81.72	050497		
	US32	166.06	068294		
	US32D	141.97	062377		



32E					
Pull Plate - Square Corner - Rectangular Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 6"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 2E Pull					
3-1/2" x 15"	US3	100.96	052642	1	10
	US4	96.65	053047		
	US10	126.04	052643		
	DBZ / US19	177.37	- / -		
	US26	126.04	052797		
	US26D	126.04	052645		
	US28	53.10	052646		
	US32	106.11	067882		
	US32D	74.49	052647		
<hr/>					
4" x 16"	US3	112.58	052648	1	10
	US4	112.58	053048		
	US10	129.20	052798		
	DBZ / US19	180.99	- / 120695		
	US26	129.20	052799		
	US26D	129.20	052649		
	US28	56.25	052650		
	US32	122.58	060399		
	US32D	77.64	052651		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
32G					
Pull Plate - Square Corner - Rectangular Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 2G Pull					
3-1/2" x 15"	US3	116.81	059981	1	10
	US4	116.81	085113		
	US10	136.43	163347		
	DBZ / US19	180.27	- / 82073		
	US26	136.43	-		
	US26D	133.97	060646		
	US28	70.56	063926		
	US32	136.59	-		
	US32D	95.11	055010		
<hr/>					
4" x 16"	US3	133.97	054727	1	10
	US4	133.97	003510		
	US10	141.90	056784		
	DBZ / US19	183.94	- / -		
	US26	141.05	065122		
	US26D	141.90	069514		
	US28	76.87	069513		
	US32	147.82	017637		
	US32D	101.42	055389		
<hr/>					
32J					
Pull Plate - Square Corner - Rectangular Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 2J Pull					
3-1/2" x 15"	US3	136.43	043039	1	10
	US4	140.36	-		
	US10	150.13	118724		
	DBZ / US19	184.11	- / -		
	US26	150.13	-		
	US26D	150.13	-		
	US28	64.41	-		
	US32	162.21	-		
	US32D	136.59	019279		
<hr/>					
4" x 16"	US3	141.74	032063	1	10
	US4	149.44	139843		
	US10	154.75	117572		
	DBZ / US19	187.87	- / 78327		
	US26	154.75	029867		
	US26D	154.75	044540		
	US28	69.87	-		
	US32	169.06	040153		
	US32D	144.90	069243		



1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
33E					
Pull Plate - Square Corner - 3/4" Round Pull					
Material: Brass, bronze, aluminum, stainless steel	US3	106.19	052655	1	10
Gauge: 0.050; CTC:6"	US4	106.19	053044		
Fasteners: #6 x 5/8" OPH tapping screws	US10	119.66	052656		
30S x 3E Pull	DBZ / US19	98.47	41990 / 64219		
3-1/2" x 15"	US26	119.66	052801		
	US26D	119.66	052658		
	US28	51.56	052659		
	US32	87.18	074228		
	US32D	74.66	052660		
<hr/>					
4" x 16"	US3	115.73	052661	1	10
	US4	115.73	016002		
	US10	125.66	053045		
	DBZ / US19	100.48	41986 / 67949		
	US26	125.66	052802		
	US26D	125.66	052663		
	US28	57.87	052664		
	US32	98.27	056516		
	US32D	76.55	052665		



33G					
Pull Plate - Square Corner - 3/4" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"	US3	118.89	052667	1	10
Fasteners: #6 x 5/8" OPH tapping screws	US4	118.89	053046		
30S x 3GPull	US10	130.82	052495		
3-1/2" x 15"	DBZ / US19	102.13	- / 45893		
	US26	130.82	052803		
	US26D	120.50	052669		
	US28	56.25	052670		
	US32	95.11	002398		
	US32D	78.18	052666		
<hr/>					
4" x 16"	US3	126.97	052671	1	10
	US4	126.97	053060		
	US10	138.74	052672		
	DBZ / US19	104.21	41981 / 06981		
	US26	138.74	052804		
	US26D	130.12	052674		
	US28	59.48	052675		
	US32	101.96	063728		
	US32D	80.99	052676		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
33J					
Pull Plate - Square Corner - 3/4" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 3J Pull					
3-1/2" x 15"					
	US3	121.97	076230	1	10
	US4	125.58	048521		
	US10	130.82	071881		
	US26	130.82	113458		
	DBZ / US19	91.56	- / -		
	US26D	130.82	112480		
	US28	71.87	054673		
	US32	144.67	067662		
	US32D	118.50	065235		
<hr/>					
4" x 16"	US3	131.28	087358	1	10
	US4	137.20	080814		
	US10	143.13	059652		
	DBZ / US19	93.42	34206 / 47087		
	US26	143.13	135368		
	US26D	143.13	092249		
	US28	75.95	060024		
	US32	150.51	068874		
	US32D	122.43	057608		



33L					
Pull Plate - Square Corner - 3/4" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 12"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 3J Pull					
3-1/2" x 15"					
	US3	128.71	-	1	10
	US4	128.71	-		
	US10	134.73	179827		
	US26	136.15	-		
	DBZ / US19	96.13	- / -		
	US26D	136.15	-		
	US28	75.47	17738		
	US32	151.88	-		
	US32D	124.40	56712		
<hr/>					
4" x 16"	US3	131.29	-	1	10
	US4	131.29	-		
	US10	137.43	67315		
	DBZ / US19	98.09	- / -		
	US26	138.85	180875		
	US26D	138.85	65614		
	US28	76.95	-		
	US32	154.91	-		
	US32D	126.90	71550		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
34G					
Pull Plate - Square Corner - 1" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 4G Pull	US3	143.36	052888	1	10
3-1/2" x 15"	US4	154.75	022822		
	US10	161.29	052890		
	DBZ / US19	180.35	- / -		
	US26	161.29	068374		
	US26D	161.29	052893		
	US28	80.10	143095		
	US32	164.21	-		
	US32D	139.51	051944		
<hr/>					
4" x 16"	US3	147.82	052894	1	10
	US4	157.52	052895		
	US10	165.98	052896		
	DBZ / US19	184.63	- / 64220		
	US26	165.98	052898		
	US26D	165.98	052899		
	US28	81.72	052900		
	US32	167.44	062950		
	US32D	144.67	052901		



34J					
Pull Plate - Square Corner - 1" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 10"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 4J Pull	US3	180.29	088937	1	10
3-1/2" x 15"	US4	180.29	023595		
	US10	195.68	065332		
	DBZ / US19	213.10	- / 26973		
	US26	188.60	040243		
	US26D	188.60	068488		
	US28	63.79	095443		
	US32	139.51	069479		
	US32D	108.58	059558		
<hr/>					
4" x 16"	US3	181.53	058218	1	10
	US4	181.53	076042		
	US10	197.38	054937		
	DBZ / US19	217.36	41979 / 15783		
	US26	194.22	067490		
	US26D	194.22	063209		
	US28	65.02	065718		
	US32	144.44	074891		
	US32D	110.35	056278		



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
34L					
Pull Plate - Square Corner - 1" Round Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 12"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 4L Pull					
3-1/2" x 15"	US3	198.32		1	10
	US4	198.32			
	US10	215.25	031829		
	DBZ / US19	234.41			
	US26	206.80			
	US26D	206.80			
	US28	70.17			
	US32	153.46			
	US32D	119.44	072462		
<hr/>					
4" x 16"	US3	199.68		1	10
	US4	199.68	043664		
	US10	218.12			
	DBZ / US19	239.10	- / 101541		
	US26	213.64			
	US26D	213.64			
	US28	71.52			
	US32	158.88			
	US32D	121.39	054429		



35D					
Pull Plate - Square Corner - 5/8" Round Pull					
Material: Brass, bronze, stainless steel					
Gauge: 0.050; CTC: 5-1/2"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 5D Pull					
3-1/2" x 15"	US3	92.72	048502		
	US4	92.72	029931		
	US10	98.50	048500		
	DBZ / US19	191.79	- / -		
	US26	98.50	057278		
	US26D	98.50	024259		
	US32	94.96	163371		
	US32D	49.02	048505		
<hr/>					
4" x 16"	US3	98.50	048508		
	US4	98.50	028846		
	US10	101.65	048506		
	DBZ / US19	195.62	- / -		
	US26	101.65	012741		
	US26D	101.65	048510		
	US32	83.11	071154		
	US32D	53.48	048511		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
35N					
Pull Plate - Square Corner - Cast Pull					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 5-1/2"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 5N Pull					
3-1/2" x 15"	US3	97.73	052487	1	10
	US4	99.34	053051		
	US10	105.04	052637		
	DBZ / US19	165.03	- / -		
	US26	105.04	052794		
	US26D	105.04	053052		
	US28	62.25	052489		
	US32	143.20	057091		
	US32D	89.88	052490		
<hr/>					
4" x 16"	US3	99.88	052639	1	10
	US4	102.50	007485		
	US10	110.58	052795		
	DBZ / US19	168.39	- / 114025		
	US26	110.58	028998		
	US26D	110.58	052641		
	US28	63.56	016004		
	US32	156.75	030733		
	US32D	93.03	052491		



36N					
Pull Plate - Square Corner					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.050; CTC: 5-1/2"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 6N Pull					
3-1/2" x 15"	US3	91.72	052484	1	10
	US4	91.72	053056		
	US10	95.49	052628		
	DBZ / US19	63.96	41973 / 68279		
	US26	95.49	052792		
	US26D	95.49	052630		
	US28	50.33	052485		
	US32	126.51	098946		
	US32D	72.95	052631		
<hr/>					
4" x 16"	US3	94.88	052632	1	10
	US4	94.88	053050		
	US10	98.65	052633		
	DBZ / US19	69.32	41960 / 34878		
	US26	98.65	052793		
	US26D	98.65	052635		
	US28	53.48	052636		
	US32	138.59	064685		
	US32D	74.10	052486		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
39E					
Pull Plate - Square Corner - 3/4" Oval Pull					
Material: Brass, aluminum, stainless steel					
Gauge: 0.050; CTC: 6"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 9E Pull					
3-1/2" x 15"	US3	91.19	066457	1	10
	US4	91.19	068631		
	DBZ / US19	137.07	- / -		
	US26	125.04	066453		
	US26D	104.50	064908		
	US32	110.96	092653		
	US32D	85.57	066454		
4" x 16"	US3	94.34	066242	1	10
	US4	94.34	094002		
	DBZ / US19	139.87	- / 128991		
	US26	131.28	163380		
	US26D	107.65	066286		
	US32	117.27	083352		
	US32D	87.18	066241		



39G					
Pull Plate - Square Corner - 3/4" Oval Pull					
Material: Brass, aluminum, stainless steel					
Gauge: 0.050; CTC: 8"					
Fasteners: #6 x 5/8" OPH tapping screws					
30S x 9G Pull					
3-1/2" x 15"	US3	94.73	066446	1	10
	US4	94.73	022286		
	DBZ / US19	140.69	- / -		
	US26	130.66	125056		
	US26D	109.19	021978		
	US32	118.66	113343		
	US32D	87.18	066442		
4" x 16"	US3	101.04	066448	1	10
	US4	101.04	074705		
	DBZ / US19	143.56	- / 52958		
	US26	137.05	066443		
	US26D	115.50	070325		
	US32	124.97	019174		
	US32D	90.34	066444		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
39J					
Pull Plate - Square Corner - 3/4" Oval Pull					
Material: Brass, aluminum, stainless steel	US3	121.04	086925	1	10
Gauge: 0.050; CTC: 10"	US4	146.67	-		
Fasteners: #6 x 5/8" OPH tapping screws	DBZ / US19	150.53	- / -		
30S x 9J Pull	US26	163.60	-		
3-1/2" x 15"	US26D	155.98	174973		
	US32	151.51	-		
	US32D	130.35	005157		
<hr/>					
4" x 16"	US3	119.27	086628	1	10
	US4	147.51	-		
	DBZ / US19	153.60	- / -		
	US26	168.44	106111		
	US26D	163.29	076007		
	US32	152.75	-		
	US32D	132.74	074073		
<hr/>					
40R					
Push Plate - Radius Corner - Beveled	US3	36.01	073770	10	50
Material: Brass, bronze, aluminum, stainless steel	US4	37.32	076051		
Gauge: 0.050	US10	43.25	066942		
Fasteners: #6 x 5/8" OPH tapping screws	DBZ / US19	36.23	- / -		
3" x 12"	US26	43.25	066131		
	US26D	43.25	074534		
	US28	22.55	043755		
	US32	33.70	152753		
	US32D	28.93	066229		
<hr/>					
3-1/2" x 15"	US3	41.55	058476	10	50
	US4	46.09	080655		
	US10	49.86	057093		
	DBZ / US19	37.12	- / 14566		
	US26	49.86	086949		
	US26D	49.86	059230		
	US28	24.24	-		
	US32	39.01	066906		
	US32D	33.70	059562		
<hr/>					
4" x 16"	US3	45.79	058347	10	50
	US4	50.56	081497		
	US10	54.48	016005		
	DBZ / US19	48.68	- / 52546		
	US26	54.48	059245		
	US26D	54.48	085378		
	US28	25.47	016006		
	US32	42.01	088231		
	US32D	36.17	052790		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
40R (Continued) 6" x 16"	US3	63.95	057640	-	5
	US4	68.79	047040		
	US10	74.72	006018		
	DBZ / US19	38.93	- / -		
	US26	74.72	-		
	US26D	74.72	114027		
	US28	33.09	010887		
	US32	78.87	088229		
	US32D	55.10	057637		
8" x 16"	US3	75.03	025145	-	5
	US4	83.49	022787		
	US10	90.03	015792		
	DBZ / US19	42.82	- / -		
	US26	90.03	126198		
	US26D	90.03	024628		
	US28	37.63	122600		
	US32	80.10	-		
	US32D	82.11	061211		



A40R					
Push Plate - Radius Corner - Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.062					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	53.02	032130	10	50
	US4	53.02	131011		
	US10	60.33	185395		
	DBZ / US19	63.40	- / -		
	US26	60.33	039363		
	US26D	60.33	114030		
	US28	36.17	084099		
	US32	52.71	194871		
	US32D	36.86	048868		
3-1/2" x 15"	US3	56.56	191065	10	50
	US4	56.56	049913		
	US10	66.56	181074		
	DBZ / US19	64.96	- / -		
	US26	66.56	044606		
	US26D	66.56	038686		
	US28	32.47	-		
	US32	62.25	180893		
	US32D	43.48	059304		
4" x 16"	US3	62.79	029232	10	50
	US4	62.79	014136		
	US10	72.72	140485		
	DBZ / US19	85.19	- / 199588		
	US26	72.72	150804		
	US26D	72.72	015454		
	US28	34.40	047411		
	US32	65.48	135831		
	US32D	47.40	099623		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
A40R (Continued) 6" x 16"	US3	83.26	45908	-	5
	US4	90.49	-		
	US10	90.49	-		
	DBZ / US19	68.12	-		
	US26	90.49	-		
	US26D	90.49	055405		
	US28	42.48	-		
	US32	102.50	-		
	US32D	74.41	070607		
8" x 16"	US3	92.57	076399	-	5
	US4	101.57	-		
	US10	74.93	-		
	DBZ / US19	103.11	-		
	US26	103.11	-		
	US26D	103.11	142995		
	US28	47.79	177968		
	US32	129.81	-		
	US32D	78.87	001398		



50T Push Plate - Round - Not Beveled Material: Brass, bronze, aluminum, stainless steel Gauge: 0.050 Fasteners: #6 x 5/8" OPH tapping screws 3" x 12"	US3	43.48	078618	5	50
	US4	43.48	007196		
	US10	47.40	006322		
	DBZ / US19	35.63	-		
	US26	47.40	-		
	US26D	47.40	102851		
	US28	32.09	102662		
	US32	37.78	-		
	US32D	36.17	059934		
3-1/2" x 15"	US3	45.79	057418	5	50
	US4	45.79	077529		
	US10	54.33	088168		
	DBZ / US19	36.73	- / -		
	US26	54.33	075140		
	US26D	54.33	062792		
	US28	35.47	041167		
	US32	43.25	015650		
	US32D	39.71	072371		
4" x 16"	US3	50.56	056970	5	50
	US4	50.56	068950		
	US10	58.10	058204		
	DBZ / US19	38.81	- / -		
	US26	58.10	059593		
	US26D	58.10	092668		
	US28	37.78	018465		
	US32	42.01	000492		
	US32D	46.79	016007		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
A50T Push Plate - Round - Beveled Material: Brass, bronze, aluminum, stainless steel Gauge: 0.062 Fasteners: #6 x 5/8" OPH tapping screws 3" x 12"	US3	68.79	094264	5	50
	US4	68.79	107968		
	US10	76.26	074256		
	DBZ / US19	62.35	- / -		
	US26	76.26	075708		
	US26D	76.26	079997		
	US28	43.25	097574		
	US32	59.94	189960		
	US32D	51.09	034543		
3-1/2" x 15"	US3	71.49	099962	5	50
	US4	71.49	094532		
	US10	83.88	-		
	DBZ / US19	64.27	- / -		
	US26	83.88	014282		
	US26D	83.88	069277		
	US28	50.25	-		
	US32	62.25	-		
	US32D	52.71	084951		
4" x 16"	US3	77.49	084171	5	50
	US4	77.49	075929		
	US10	89.80	130057		
	DBZ / US19	67.91	- / -		
	US26	89.80	134570		
	US26D	89.80	032134		
	US28	52.71	039648		
	US32	65.48	053431		
	US32D	57.64	031281		



60S Push Plate - Square Corner - Beveled Material: Plastic Laminate Gauge: 0.125 Fasteners: #6 x 5/8" OPH tapping screws 3" x 12"	PG - Gray	17.01	043566	5	50
	PK - Black	17.01	067121		
	CO - Brown	17.01	035206		
3-1/2" x 15"	PG - Gray	18.31	-	5	50
	PK - Black	18.31	055792		
	CO - Brown	18.31	085523		
4" x 16"	PG - Gray	19.31	072811	5	50
	PK - Black	19.31	056442		
	CO - Brown	19.31	076032		
6" x 16"	PG - Gray	24.24	094770	5	50
	PK - Black	24.24	056581		
	CO - Brown	24.24	076033		
8" x 16"	PG - Gray	28.93	029886	5	50
	PK - Black	28.93	-		
	CO - Brown	28.93	061399		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
70S					
Push Plate - Square Corner - Beveled					
Material: Clear Plastic Laminate					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	PC - Clear	17.01	057033	5	50
3-1/2" x 15"	PC - Clear	19.24	056757	5	50
4" x 16"	PC - Clear	20.39	055386	5	50
6" x 16"	PC - Clear	27.47	058687	5	50
8" x 16"	PC - Clear	31.70	062760	5	50
80S					
Push Plate - Square Corner - Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	77.33	018566	5	50
	US4	81.72	-		
	US10	90.49	110525		
	US26	90.49	113461		
	DBZ / US19	68.63	-/29315		
	US26D	90.49	064583		
	US28	38.24	147832		
	US32	82.49	142047		
	US32D	64.18	021042		
3-1/2" x 15"	US3	85.65	099583	5	50
	US4	93.88	000935		
	US10	99.65	080441		
	DBZ / US19	76.26	- / -		
	US26	99.65	023445		
	US26D	99.65	098464		
	US28	44.17	085960		
	US32	90.19	123564		
	US32D	46.79	066719		
4" x 16"	US3	107.04	069050	5	50
	US4	107.04	053351		
	US10	110.96	070736		
	DBZ / US19	78.62	038745 / 82660		
	US26	107.50	003451		
	US26D	107.50	099998		
	US28	46.63	000740		
	US32	93.73	081409		
	US32D	59.48	073791		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
80S					
Push Plate - Square Corner - Beveled	US3	126.20	125266	-	5
(Continued)	US4	129.74	138751		
6" x 16"	US10	133.82	134181		
	DBZ / US19	86.48	- / 198595		
	US26	133.82	-		
	US26D	133.82	024257		
	US28	68.79	111496		
	US32	119.73	033372		
	US32D	92.11	062560		
<hr/>					
8" x 16"	US3	160.21	024903	-	5
	US4	163.29	122088		
	US10	163.29	042324		
	DBZ / US19	95.13	- / -		
	US26	168.21	078222		
	US26D	168.21	-		
	US28	83.88	-		
	US32	148.44	021592		
	US32D	114.35	073791		



90R					
Push Plate - Radius Corner - Not Beveled	US3	103.04	154614	5	50
Material: Brass, bronze, aluminum, stainless steel	US4	109.04	013671		
Gauge: 0.125	US10	116.19	-066374		
Fasteners: #6 x 5/8" OPH tapping screws	DBZ / US19	89.21	- / -		
3" x 12"	US26	116.19	043374		
	US26D	116.19	097121		
	US28	62.25	026780		
	US32	107.96	-		
	US32D	84.26	099013		
<hr/>					
3-1/2" x 15"	US3	111.19	116990	5	50
	US4	115.35	-		
	US10	125.12	140484		
	DBZ / US19	99.13	- / -		
	US26	125.12	068575		
	US26D	125.12	032458		
	US28	69.10	078511		
	US32	116.58	-		
	US32D	90.34	068865		
<hr/>					
4" x 16"	US3	117.81	086539	5	50
	US4	126.20	002134		
	US10	133.20	077793		
	DBZ / US19	102.20	- / -		
	US26	133.20	013904		
	US26D	133.20	084672		
	US28	71.49	089584		
	US32	125.04	164545		
	US32D	92.11	075458		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
90R					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
6" x 16"	US3	152.05	092195	-	5
	US4	155.44	165660		
	US10	159.44	-		
	DBZ / US19	112.42	- / -		
	US26	159.44	-		
	US26D	159.44	018872		
	US28	94.03	-		
	US32	144.67	-		
	US32D	110.35	080425		
8" x 16"	US3	185.99	-	-	5
	US4	189.07	-		
	US10	193.53	-		
	DBZ / US19	123.66	- / -		
	US26	193.53	-		
	US26D	193.53	-		
	US28	108.73	181583		
	US32	173.45	-		
	US32D	130.82	018249		



100T					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
3" x 12"	US3	100.65	80351	-	5
	US4	103.96	093144		
	US10	113.19	-		
	DBZ / US19	87.42	- / -		
	US26	113.19	051749		
	US26D	113.19	025230		
	US28	60.17	181216		
	US32	105.11	094651		
	US32D	81.87	09486		
3-1/2" x 15"	US3	108.42	069291	-	5
	US4	112.58	040912		
	US10	122.27	068702		
	DBZ / US19	97.14	- / -		
	US26	122.27	174234		
	US26D	122.27	007779		
	US28	67.02	121532		
	US32	113.81	071048		
	US32D	88.26	078531		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
100T					
Push Plate - Radius Corner - Not Beveled					
Material: Brass, bronze, aluminum, stainless steel					
Gauge: 0.125					
Fasteners: #6 x 5/8" OPH tapping screws					
4" x 16"	US3	115.19	079375	5	50
	US4	130.35	120436		
	US10	130.35	036191		
	DBZ / US19	100.15	- / 25284		
	US26	130.35	131710		
	US26D	130.35	068881		
	US28	79.41	187514		
	US32	119.81	080612		
	US32D	93.73	071810		
6" x 16"	US3	130.35	79375	-	5
	US4	140.36	120436		
	US10	145.97	36191		
	DBZ / US19	110.17	- / -		
	US26	145.97	028999		
	US26D	145.97	146901		
	US28	90.95	138277		
	US32	119.73	159417		
	US32D	107.65	001305		
8" x 16"	US3	173.75	-	-	5
	US4	189.45	-		
	US10	196.68	-		
	DBZ / US19	121.18	- / -		
	US26	196.68	-		
	US26D	196.68	146766		
	US28	156.21	-		
	US32	153.44	134422		
	US32D	146.05	012977		

1. U/M is price per hundred square inches.



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
110S					
Half Circle Push Plate					
8" x 16"	US3	92.03	018809	1	10
Material: Brass, bronze, aluminum, stainless steel	US4	92.03	023148		
Gauge: 0.050	DBZ / US19	102.88	- / -		
Fasteners: #6 x 5/8" OPH tapping screws	US26	102.88	018083		
	US26D	102.88	004595		
	US28	58.71	043858		
	US32	88.42	032334		
	US32D	71.87	001030		



120L					
Pull Plate - w/ Lip (Not beveled)	US3	134.74	052718	2	20
3-1/2"x16"	US4	134.74	054479		
Material: Brass, bronze, aluminum, stainless steel	US10	121.27	052719		
Lip Projection: 1-1/8"	DBZ / US19	121.27	- / -		
Gauge: 0.125	US26	121.27	052837		
Fasteners: #6 x 5/8" OPH tapping screws	US26D	121.27	052721		
	US28	60.33	052517		
	US32	151.21	016965		
	US32D	65.87	052518		



121L					
Cylinder Pull	US3	78.49	082020	1	10
2" x 3-3/4"	US4	60.33	080813		
Material: Brass, bronze, aluminum, stainless steel	US10	83.26	074977		
Beveled Lip Projection: 1-1/8"	DBZ / US19	125.14	- / 15874		
Gauge: 0.125	US26	61.48	020459		
Cylinder Cutout: 1-1/4" diameter	US26D	83.26	069510		
Cylinder sold separately. Stud installed on reverse to prevent twisting.	US28	53.87	063605		
	US32	71.87	095790		
	US32D	68.18	068962		



122L					
Security Push/Pull Set	US32D	344.97	088047	1	10
Push Plate: 4" x 16"					
Pull Plate: 4" x 9-1/4"					
Fasteners: BTB by Type 6					
Lip Projection: 2-1/8"					
Gauge: 0.125					
Mounting with security torx screws and blank head sex nuts.					

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Case Qty.	CTC Over 36"
125S				
Bent Push Bar	US3	296.26	4	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	296.26		6.16
Bar Size: 3/8" x 1-1/4"	US10	306.49		6.16
Base Plate: 1" x 3"	DBZ / US19	306.49		6.16
Projection: 2-1/8"	US28	183.76		4.24
*Add per linear inch or fraction thereof	US32	331.81		10.31
Standard fasteners are 1/4"-20 FPHMS and #8 x 3/4" FPH Tapping Screws.	US32D	266.94		8.69



126S				
Push Bar				
Material: Brass, bronze, aluminum, stainless steel				
Bar Size: 3/8" x 1-1/4"	US3	306.49	4	6.16
Base Plate: 1" x 3"	US4	383.60		6.16
Projection: 2-1/8"	US10	454.77		6.16
*Add per linear inch or fraction thereof	DBZ / US19	454.77		6.16
Standard fasteners are #8 x 3/4" FPH Tapping Screws.	US28	222.62		4.24
Optional thru bolts available.	US32	391.14		10.31
	US32D	345.81		8.69



127S				
Push Bar				
Material: Brass, bronze, aluminum, stainless steel				
Bar Size: 3/8" x 1-1/4"	US3	224.54	1	12.31
Base: 1-1/4" Square	US4	249.32		12.31
Projection: 3/4"	US10	249.32		12.31
*Add per linear inch or fraction thereof	DBZ / US19	249.32		12.31
Standard fasteners are 1/4"-20 FPHMS. Optional wood screws available no charge.	US28	143.20		8.38
	US32	262.32		19.86
	US32D	202.76		20.52



128P				
Wide Push Bar				
Material: Brass, bronze, aluminum, stainless steel				
Bar Size: 3/8" x 3"	US3	534.65	1	12.31
Base Plate: 1-1/2" x 4-1/2"	US4	572.05		12.31
Projection: 2-1/8"	US10	589.28		12.31
*Add per linear inch or fraction thereof	DBZ / US19	589.28		12.31
Standard fasteners are #8 x 3/4" FPH Tapping Screws.	US28	496.87		8.38
Optional thru bolts available.	US32	622.76		19.86
	US32D	524.26		20.52

1. U/M is price per hundred square inches.



Description	Finish	2022 List	Case Qty.	CTC Over 36"
128S				
Wide Push Bar	US3	503.41	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	526.18		12.31
Bar Size: 3/8" x 3"	US10	551.50		12.31
Base: 3/8" x 3"	DBZ / US19	551.50		12.31
Projection: 2"	US28	275.40		8.38
Door Thickness: 1-3/4" Standard	US32	583.74		19.86
*Add per linear inch or fraction thereof	US32D	486.48		20.52
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers.				



129P				
Wide Push Bar			1	12.31
Bar Size: 3/8" x 3"	US3	426.23		12.31
Base: 1" x 3"	US4	451.77		12.31
Projection: 3/4"	US10	477.78		12.31
*Add per linear inch or fraction thereof	DBZ / US19	477.78		12.31
Standard fasteners are 1/4"-20 x 1-1/4"	US28	197.92		8.38
FPHMS. Optional thru bolts available. #14 FPH wood screws available.	US32	526.34		19.86
	US32D	416.92		20.52



130S				
Push Bar			4	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	291.79		6.16
Bar Stock: 1" Round	US4	314.73		6.16
Projection: 2-1/2"	US10	375.13		6.16
Door Thickness: 1-3/4"	DBZ / US19	375.13		6.16
*Add per linear inch or fraction thereof	US28	138.05		4.24
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.	US32	347.81		10.31
	US32D	275.40		8.69







131S				
Push Bar			4	6.16
Material: Brass, bronze, aluminum, stainless steel	US3	300.57		6.16
Bar Stock: 1" Round	US4	329.04		6.16
Base Plate: 2" Diameter	US10	360.43		6.16
Projection: 2-5/8"	DBZ / US19	360.43		6.16
Door Thickness: 1-3/4" Standard	US28	150.51		4.24
*Add per linear inch or fraction thereof	US32	363.97		10.31
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.	US32D	297.95		8.69

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	133S				
	Push Bar	US3	247.32	4	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	269.09		6.16
	Bar Stock: 3/4" Round	US10	291.79		6.16
	Projection: 2-1/4"	DBZ / US19	291.79		6.16
	Door Thickness: 1-3/4" Standard	US28	117.04		4.24
	*Add per linear inch or fraction thereof	US32	298.26		10.31
	Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers.	US32D	234.16		8.69
	134S				
	Push Bar	US3	257.24	4	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	289.02		6.16
	Bar Stock: 3/4" Round	US10	308.88		6.16
	Base Plate: 1-1/4" Diameter	DBZ / US19	308.88		6.16
	Projection: 2-3/8"	US28	133.66		4.24
	Door Thickness: 1-3/4" Standard	US32	327.50		10.31
	*Add per linear inch or fraction thereof	US32D	250.40		8.69
Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.					
	136S				
	Push Bar				
	Material: Brass, bronze, aluminum, stainless steel	US3	615.06	4	12.31
	Bar Stock: 1-1/4" Round	US4	629.07		12.31
	Projection: 3"	US10	643.23		12.31
	Fasteners: 5/16" - 18 x 2-1/4" with finish washers	DBZ / US19	643.23		12.31
	Door Thickness: 1-3/4" Standard	US28	444.85		8.38
	*Add per linear inch or fraction thereof	US32	583.74		19.86
May be ordered with Type 5 mounting at an extra charge.	US32D	528.18		20.52	
	137S				
	Push Bar				
	Material: Brass, bronze, aluminum, stainless steel	US3	629.60	4	12.31
	Bar Stock: 1-1/4" Round	US4	643.23		12.31
	Base Plate: 2" Diameter	US10	657.85		12.31
	Projection: 3-1/8"	DBZ / US19	657.85		12.31
	Door Thickness: 1-3/4" Standard	US28	458.78		8.38
	Fasteners: 5/16" - 18 x 2-1/4" with finish washers	US32	664.39		19.86
Additional bars by quotation	US32D	542.04		20.52	
*Add per linear inch or fraction thereof					
May be ordered with Type 5 mounting at an extra charge.					



Description	Finish	2022 List	Case Qty.	CTC Over 36"*
138P				
Push/Pull Set	US3	651.69	2	24.77
Material: Brass, bronze, aluminum, stainless steel	US4	709.02		24.77
Bar Stock: 1" Round	US10	754.49		24.77
Projection: 2-1/2"	DBZ / US19	754.49		24.77
Fasteners: 1/4" - 20 type 3 concealed cone	US28	342.04		16.47
*Add per linear inch or fraction thereof	US32	761.65		36.40
	US32D	617.06		41.24



139P				
Push/Pull Set	US3	562.58	2	24.77
Material: Brass, bronze, aluminum, stainless steel	US4	606.21		24.77
Bar Stock: 3/4" Round	US10	651.69		24.77
Projection: 2-1/4"	DBZ / US19	651.69		24.77
Fasteners: 1/4" - 20 type 3 concealed cone	US28	300.34		16.47
*Add per linear inch or fraction thereof	US32	661.31		36.40
	US32D	534.65		41.24



140P				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 1-1/4" Round	US3	1,300.76	2	24.77
Projection: 3"	US4	1,326.08		24.77
Fasteners: 5-16" - 18 Type 3 concealed cone	US10	1,354.63		24.77
*Add per linear inch or fraction thereof	DBZ / US19	1,354.63		24.77
	US28	983.57		16.47
	US32	1,289.37		36.40
	US32D	1,122.70		41.24



150B				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	449.00	2	6.16
Projection: 2-1/4"	US4	469.24		6.16
CTC: 8"	US10	483.25		6.16
Fasteners: Type 7 & (2) Type 8	DBZ / US19	483.25		6.16
Additional bars by quotation	US28	253.70		4.24
*Add per linear inch or fraction thereof	US32	553.12		10.31
For tempered glass only	US32D	442.00		8.69

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Case Qty.	CTC Over 36"*
150D				
Push/Pull Set	US3	378.29	2	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	397.68		6.16
Bar Stock: 3/4" Round	US10	411.76		6.16
Projection: 2-1/4"	DBZ / US19	430.76		6.16
CTC: 8"	US28	197.68		4.24
Fasteners: Type 7 & (2) Type 1	US32	483.78		10.31
Additional bars by quotation	US32D	372.59		8.69
*Add per linear inch or fraction thereof				
Standard fastening method				



150V				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round				
Projection: 2-1/4"	US3	424.07	2	6.16
CTC: 8"	US4	443.46		6.16
Fasteners: Type 7 & (2) Type 5	US10	457.47		6.16
Additional bars by quotation	DBZ / US19	457.47		6.16
*Add per linear inch or fraction thereof	US28	242.16		4.24
Fully concealed fastening method	US32	528.18		10.31
	US32D	416.92		8.69



151B				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	469.24	2	6.16
Projection: 2-1/4"	US4	488.94		6.16
CTC: 10"	US10	507.10		6.16
Fasteners: Type 7 & (2) Type 8	DBZ / US19	507.10		6.16
Additional bars by quotation	US28	281.48		4.24
*Add per linear inch or fraction thereof	US32	503.10		10.31
For tempered glass only	US32D	458.78		8.69



151D				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	397.68	2	6.16
Bar Stock: 3/4" Round	US4	417.84		6.16
Projection: 2-1/4"	US10	435.69		6.16
CTC: 10"	DBZ / US19	435.69		6.16
Fasteners: Type 7 & (2) Type 1	US28	214.54		4.24
Additional bars by quotation	US32	500.33		10.31
*Add per linear inch or fraction thereof	US32D	389.29		8.69
Standard fastening method				





Description	Finish	2022 List	Case Qty.	CTC Over 36"
151V				
Push/Pull Set	US3	443.46	2	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	463.16		6.16
Bar Stock: 3/4" Round	US10	481.40		6.16
Projection: 2-1/4"	DBZ / US19	481.40		6.16
CTC: 10"	US28	263.40		4.24
Fasteners: Type 7 & (2) Type 5	US32	544.81		10.31
Additional bars by quotation	US32D	433.61		8.69
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



152B				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	489.94	2	6.16
Projection: 2-1/4"	US4	523.26		6.16
CTC: 12"	US10	529.03		6.16
Fasteners: Type 7 & (2) Type 8	DBZ / US19	529.03		6.16
Additional bars by quotation	US28	297.80		4.24
*Add per linear inch or fraction thereof	US32	578.74		10.31
For tempered glass only	US32D	475.47		8.69



152D				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	418.22	2	6.16
Projection: 2-1/4"	US4	451.77		6.16
CTC: 12"	US10	457.47		6.16
Fasteners: Type 7 & (2) Type 1	DBZ / US19	457.47		6.16
Additional bars by quotation	US28	235.77		4.24
*Add per linear inch or fraction thereof Standard	US32	509.41		10.31
fastening method	US32D	406.22		8.69







152V				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	463.85	2	6.16
Projection: 2-1/4"	US4	497.48		6.16
CTC: 12"	US10	503.41		6.16
Fasteners: Type 7 & (2) Type 5	DBZ / US19	503.41		6.16
Additional bars by quotation	US28	284.64		4.24
*Add per linear inch or fraction thereof	US32	554.04		10.31
Fully concealed fastening method	US32D	450.39		8.69

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	153B				
	Push/Pull Set	US3	502.56	2	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	563.12		6.16
	Bar Stock: 1" Round	US10	563.12		6.16
	Projection: 2-1/2"	DBZ	563.12		6.16
	CTC: 10"	US28	286.25		4.24
	Fasteners: Type 7 & (2) Type 8	US32	584.90		10.31
	Additional bars by quotation				
	*Add per linear inch or fraction thereof	US32D	474.94		8.69
For tempered glass only					
	153D				
	Push/Pull Set			2	6.16
	Material: Brass, bronze, aluminum, stainless steel	US3	431.30		6.16
	Bar Stock: 1" Round	US4	491.71		6.16
	Projection: 2-1/2"	US10	512.56		6.16
	CTC: 10"	DBZ	516.64		6.16
	Fasteners: Type 7 & (2) Type 1	US28	216.92		4.24
	Additional bars by quotation	US32	515.49		10.31
	*Add per linear inch or fraction thereof	US32D	405.37		8.69
Standard fastening method					
	153V				
	Push/Pull Set			2	6.16
	Material: Brass, bronze, aluminum, stainless steel	US3	477.78		6.16
	Bar Stock: 1" Round	US4	537.50		6.16
	Projection: 2-1/2"	US10	537.50		6.16
	CTC: 10"	DBZ	537.50		6.16
	Fasteners: Type 7 & (2) Type 5	US28	264.48		4.24
	Additional bars by quotation	US32	559.97		10.31
	*Add per linear inch or fraction thereof	US32D	449.77		8.69
Fully concealed fastening method					
	154B				
	Push/Pull Set			2	6.16
	Material: Brass, bronze, aluminum, stainless steel	US3	519.64		6.16
	Bar Stock: 1" Round	US4	589.44		6.16
	Projection: 2-1/2"	US10	602.60		6.16
	CTC: 12"	DBZ	602.60		6.16
	Fasteners: Type 7 & (2) Type 8	US28	328.11		4.24
	Additional bars by quotation	US32	605.06		10.31
	*Add per linear inch or fraction thereof	US32D	489.48		8.69
For tempered glass only					

1. U/M is price per hundred square inches.



Description	Finish	2022 List	Case Qty.	CTC Over 36"
154D				
Push/Pull Set	US3	445.85	2	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	508.10		6.16
Bar Stock: 1" Round	US10	533.57		6.16
Projection: 2-1/2"	DBZ	533.57		6.16
CTC: 12"	US28	242.16		4.24
Fasteners: Type 7 & (2) Type 1	US32	535.65		10.31
Additional bars by quotation	US32D	419.92		8.69
*Add per linear inch or fraction thereof				
Standard fastening method				



154V				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 1" Round	US3	491.56	2	6.16
Projection: 2-1/2"	US4	553.81		6.16
CTC: 12"	US10	578.28		6.16
Fasteners: Type 7 & (2) Type 5	DBZ	578.28		6.16
Additional bars by quotation	US28	299.57		4.24
*Add per linear inch or fraction thereof	US32	580.28		10.31
Fully concealed fastening method	US32D	464.32		8.69



155B				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 1" Round	US3	578.74	2	6.16
Projection: 2-1/2"	US4	614.83		6.16
CTC: 18"	US10	650.84		6.16
Fasteners: Type 7 & (2) Type 8	DBZ	650.84		6.16
Additional bars by quotation	US28	374.44		4.24
*Add per linear inch or fraction thereof	US32	657.61		10.31
For tempered glass only	US32D	530.96		8.69







155D				
Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel	US3	507.33	2	6.16
Bar Stock: 1" Round	US4	572.74		6.16
Projection: 2-1/2"	US10	579.59		6.16
CTC: 18"	DBZ	579.59		6.16
Fasteners: Type 7 & (2) Type 1	US28	257.40		4.24
Additional bars by quotation	US32	588.13		10.31
*Add per linear inch or fraction thereof	US32D	461.55		8.69
Standard fastening method				

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	155V				
	Push/Pull Set	US3	552.96	2	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	589.28		6.16
	Bar Stock: 1" Round	US10	625.06		6.16
	Projection: 2-1/2"	DBZ	625.06		6.16
	CTC: 18"	US28	315.96		4.24
	Fasteners: Type 7 & (2) Type 5	US32	632.45		10.31
	Additional bars by quotation	US32D	506.18		8.69
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	156B				
	Offset Push/Pull Set			1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US3	517.57		6.16
	Bar Stock: 3/4" Round	US4	517.57		6.16
	Projection: 2-1/2"	US10	541.11		6.16
	Offset: 2-1/2"	DBZ	541.11		6.16
	CTC: 8"	US28	331.12		4.24
	Fasteners: Type 7 & (2) Type 8	US32	615.22		10.31
	Handing Required	US32D	489.63		8.69
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
For tempered glass only					
	156D				
	Offset Push/Pull Set			1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US3	429.00		6.16
	Bar Stock: 3/4" Round	US4	446.00		6.16
	Projection: 2-1/2"	US10	469.55		6.16
	Offset: 2-1/2"	DBZ	469.55		6.16
	CTC: 8"	US28	261.63		4.24
	Fasteners: Type 7 & (2) Type 1	US32	545.96		10.31
	Handing Required	US32D	420.15		8.69
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Standard fastening method					
	156V				
	Offset Push/Pull Set			1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US3	475.55		6.16
	Bar Stock: 3/4" Round	US4	491.71		6.16
	Projection: 2-1/2"	US10	515.33		6.16
	Offset: 2-1/2"	DBZ	515.33		6.16
	CTC: 8"	US28	306.11		4.24
	Fasteners: Type 7 & (2) Type 5	US32	590.13		10.31
	Handing Required	US32D	464.62		8.69
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Fully concealed fastening method					



Description	Finish	2022 List	Case Qty.	CTC Over 36"
157B				
Offset Push/Pull Set	US3	527.42	1	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	541.57		6.16
Bar Stock: 3/4" Round	US10	566.04		6.16
Projection: 2-1/2"	DBZ	566.04		6.16
Offset: 2-1/2"	US28	337.58		4.24
CTC: 10"	US32	631.53		10.31
Fasteners: Type 7 & (2) Type 8	US32D	501.10		8.69
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



157D				
Offset Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	441.15	1	6.16
Projection: 2-1/2"	US4	457.47		6.16
Offset: 2-1/2"	US10	481.94		6.16
CTC: 10"	DBZ	481.94		6.16
Fasteners: Type 7 & (2) Type 1	US28	268.32		4.24
Handing Required	US32	562.27		10.31
Additional bars by quotation	US32D	431.69		8.69
*Add per linear inch or fraction thereof				
Standard fastening method				



157V				
Offset Push/Pull Set				
Material: Brass, bronze, aluminum, stainless steel				
Bar Stock: 3/4" Round	US3	487.79	1	6.16
Projection: 2-1/2"	US4	503.41		6.16
Offset: 2-1/2"	US10	527.95		6.16
CTC: 10"	DBZ	527.95		6.16
Fasteners: Type 7 & (2) Type 5	US28	312.88		4.24
Handing Required	US32	606.90		10.31
Additional bars by quotation	US32D	475.94		8.69
*Add per linear inch or fraction thereof				
Fully concealed fastening method				







158B				
Offset Push/Pull Set	US3	534.19	1	6.16
Material: Brass, bronze, aluminum, stainless steel	US4	573.43		6.16
Bar Stock: 3/4" Round	US10	597.98		6.16
Projection: 2-1/2"	DBZ	597.98		6.16
Offset: 2-1/2"	US28	366.97		4.24
CTC: 12"	US32	661.62		10.31
Fasteners: Type 7 & (2) Type 8	US32D	522.72		8.69
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				





1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	158D				
	Offset Push/Pull Set	US3	489.25	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	488.94		6.16
	Bar Stock: 3/4" Round	US10	506.79		6.16
	Projection: 2-1/2"	DBZ	506.79		6.16
	Offset: 2-1/2"	US28	297.80		4.24
	CTC: 12"	US32	591.98		10.31
	Fasteners: Type 7 & (2) Type 1	US32D	453.24		8.69
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	158V				
	Offset Push/Pull Set	US3	508.72	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	534.65		6.16
	Bar Stock: 3/4" Round	US10	552.58		6.16
	Projection: 2-1/2"	DBZ	552.58		6.16
	Offset: 2-1/2"	US28	342.04		4.24
	CTC: 12"	US32	636.53		10.31
	Fasteners: Type 7 & (2) Type 5	US32D	497.64		8.69
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	159B				
	Offset Push/Pull Set				
	Material: Brass, bronze, aluminum, stainless steel				
	Bar Stock: 1" Round	US3	568.97	1	6.16
	Projection: 2-1/2"	US4	614.83		6.16
	Offset: 3"	US10	637.53		6.16
	CTC: 10"	DBZ	637.53		6.16
	Fasteners: Type 7 & (2) Type 8	US28	344.97		4.24
	Handing Required	US32	625.30		10.31
	Additional bars by quotation	US32D	533.03		8.69
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	159D				
	Offset Push/Pull Set				
	Material: Brass, bronze, aluminum, stainless steel	US3	497.48	1	6.16
	Bar Stock: 1" Round	US4	543.34		6.16
	Projection: 2-1/2"	US10	604.06		6.16
	Offset: 3"	DBZ	604.06		6.16
	CTC: 10"	US28	264.63		4.24
	Fasteners: Type 7 & (2) Type 1	US32	556.19		10.31
	Handing Required	US32D	463.47		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				







	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	159V				
	Offset Push/Pull Set	US3	543.34	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	589.28		6.16
	Bar Stock: 1" Round	US10	612.06		6.16
	Projection: 2-1/2"	DBZ	612.06		6.16
	Offset: 3"	US28	317.11		4.24
	CTC: 10"	US32	600.44		10.31
	Fasteners: Type 7 & (2) Type 5	US32D	507.95		8.69
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Fully concealed fastening method					
	160B				
	Offset Push/Pull Set	US3	582.74	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	626.22		6.16
	Bar Stock: 1" Round	US10	649.15		6.16
	Projection: 2-1/2"	DBZ	649.15		6.16
	Offset: 3"	US28	372.59		4.24
	CTC: 12"	US32	653.15		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	542.04		8.69
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
For tempered glass only					
	160D				
	Offset Push/Pull Set	US3	511.41	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	554.89		6.16
	Bar Stock: 1" Round	US10	609.06		6.16
	Projection: 2-1/2"	DBZ	614.45		6.16
	Offset: 3"	US28	275.40		4.24
	CTC: 12"	US32	583.74		10.31
	Fasteners: Type 7 & (2) Type 1	US32D	472.78		8.69
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Standard fastening method					
	160V				
	Offset Push/Pull Set	US3	556.89	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	600.44		6.16
	Bar Stock: 1" Round	US10	622.37		6.16
	Projection: 2-1/2"	DBZ	623.37		6.16
	Offset: 3"	US28	333.89		4.24
	CTC: 12"	US32	628.30		10.31
	Fasteners: Type 7 & (2) Type 5	US32D	517.10		8.69
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Fully concealed fastening method					

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	161B				
	Offset Push/Pull Set	US3	577.43	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	626.45		6.16
	Bar Stock: 1" Round	US10	667.00		6.16
	Projection: 2-1/2"	DBZ	667.00		6.16
	Offset: 3"	US28	370.82		4.24
	CTC: 18"	US32	675.08		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	542.73		8.69
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
For tempered glass only					
	161D				
	Offset Push/Pull Set	US3	540.34	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	586.21		6.16
	Bar Stock: 1" Round	US10	629.07		6.16
	Projection: 2-1/2"	DBZ	629.07		6.16
	Offset: 3"	US28	300.95		4.24
	CTC: 18"	US32	639.45		10.31
	Fasteners: Type 7 & (2) Type 1	US32D	512.26		8.69
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Standard fastening method					
	161V				
	Offset Push/Pull Set	US3	580.51	1	6.16
	Material: Brass, bronze, aluminum, stainless steel	US4	631.91		6.16
	Bar Stock: 1" Round	US10	674.85		6.16
	Projection: 2-1/2"	DBZ	674.85		6.16
	Offset: 3"	US28	483.78		4.24
	CTC: 18"	US32	683.78		10.31
	Fasteners: Type 7 & (2) Type 5	US32D	544.81		8.69
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Fully concealed fastening method					
	164B				
	Push/Pull Set	US3	1,026.51	1	12.31
	Material: Brass, bronze, aluminum, stainless steel	US4	1,068.14		12.31
	Bar Stock: 1-1/4" Round	US10	1,088.30		12.31
	Projection: 3"	DBZ	1,088.30		12.31
	CTC: 12"	US28	808.67		8.38
	Fasteners: Type 7 & (2) Type 8	US32	1081.99		19.86
	Additional bars by quotation	US32D	892.77		20.52
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
For tempered glass only					



Description	Finish	2022 List	Case Qty.	CTC Over 36"
164D				
Push/Pull Set	US3	933.71	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	995.43		12.31
Bar Stock: 1-1/4" Round	US10	995.43		12.31
Projection: 3"	DBZ	995.43		12.31
CTC: 12"	US28	718.41		8.38
Fasteners: Type 7 & (2) Type 1	US32	892.77		19.86
Additional bars by quotation	US32D	802.51		20.52
*Add per linear inch or fraction thereof				
Standard fastening method				



164V				
Push/Pull Set	US3	1,057.14	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	1,057.14		12.31
Bar Stock: 1-1/4" Round	US10	1,078.92		12.31
Projection: 3"	DBZ	1,078.92		12.31
CTC: 12"	US28	778.50		8.38
Fasteners: Type 7 & (2) Type 5	US32	973.88		19.86
Additional bars by quotation	US32D	871.77		20.52
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



165B				
Push/Pull Set	US3	1,088.30	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	1,149.86		12.31
Bar Stock: 1-1/4" Round	US10	1,149.86		12.31
Projection: 3"	DBZ	1,149.86		12.31
CTC: 18"	US28	841.68		8.38
Fasteners: Type 7 & (2) Type 8	US32	1027.90		19.86
Additional bars by quotation	US32D	946.79		20.52
*Add per linear inch or fraction thereof				
For tempered glass only				








165D				
Push/Pull Set	US3	995.43	1	12.31
Material: Brass, bronze, aluminum, stainless steel	US4	1,057.14		12.31
Bar Stock: 1-1/4" Round	US10	1,057.14		12.31
Projection: 3"	DBZ	1,057.14		12.31
CTC: 18"	US28	751.49		8.38
Fasteners: Type 7 & (2) Type 1	US32	937.79		19.86
Additional bars by quotation	US32D	847.53		20.52
*Add per linear inch or fraction thereof				
Standard fastening method				

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Case Qty.	CTC Over 36"
	165V				
	Push/Pull Set	US3	1,106.31	1	12.31
	Material: Brass, bronze, aluminum, stainless steel	US4	1,119.08		12.31
	Bar Stock: 1-1/4" Round	US10	1,119.08		12.31
	Projection: 3"	DBZ	1,119.08		12.31
	CTC: 18"	US28	811.51		8.38
	Fasteners: Type 7 & (2) Type 5	US32	1,018.82		19.86
	Additional bars by quotation	US32D	931.79		20.52
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	167B				
	Offset Push/Pull Set	US3	1,205.50	1	12.31
	Material: Brass, bronze, aluminum, stainless steel	US4	1,233.28		12.31
	Bar Stock: 1-1/4" Round	US10	1,267.44		12.31
	Projection: 3"	DBZ	1,267.44		12.31
	Offset: 3-3/4"	US28	901.85		8.38
	CTC: 18"	US32	1,139.17		19.86
	Fasteners: Type 7 & (2) Type 8	US32D	1,006.66		20.52
	Handing Required				
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
For tempered glass only					
	167D				
	Offset Push/Pull Set				
	Material: Brass, bronze, aluminum, stainless steel	US3	1,151.17	1	12.31
	Bar Stock: 1-1/4" Round	US4	1,151.17		12.31
	Projection: 3"	US10	1,211.89		12.31
	Offset: 3-3/4"	DBZ	1,211.89		12.31
	CTC: 18"	US28	811.51		8.38
	Fasteners: Type 7 & (2) Type 1	US32	1,048.91		19.86
	Handing Required	US32D	907.78		20.52
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Standard fastening method					
	167V				
	Offset Push/Pull Set				
	Material: Brass, bronze, aluminum, stainless steel	US3	1,156.33	1	12.31
	Bar Stock: 1-1/4" Round	US4	1,178.41		12.31
	Projection: 3"	US10	1,178.41		12.31
	Offset: 3-3/4"	DBZ	1,178.41		12.31
	CTC: 18"	US28	847.37		8.38
	Fasteners: Type 7 & (2) Type 5	US32	1,079.69		19.86
	Handing Required	US32D	967.57		20.52
	Additional bars by quotation				
*Add per linear inch or fraction thereof					
Fully concealed fastening method					



Description

180H

Door Edgings - Mortise Type
 Material: Aluminum, stainless steel
 Thickness: .045 - .050"
 Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.
 Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)


Finish	2022 List	Case Qty.
US28	50.85	10
US32D	72.03	
US28	101.70	10
US32D	144.05	

US28	34.72
US32D	34.72

US28	34.72
US32D	34.72

US28	34.72
US32D	34.72

US32D	20.99
-------	-------



180K

Door Edgings - Mortise Type
 Material: Aluminum, stainless steel
 Thickness: .045 - .050"
 Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.
 Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

Finish	2022 List	Case Qty.
US28	52.26	10
US32D	81.51	
US28	104.47	10
US32D	162.95	

US28	34.72
US32D	34.72

US28	34.72
US32D	34.72


US28	34.72
US32D	34.72

US32D	20.99
-------	-------

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description

180M

Door Edgings - Mortise Type
 Material: Aluminum, stainless steel
 Thickness: .045 - .050"
 Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.
 Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

≤42"

>42" - 96"

Finish

2022 List

Case Qty.


US28	81.51
US32D	107.30
US28	162.95
US32D	214.60

US28	34.72
US32D	34.72

US28	34.72
US32D	34.72

US28	34.72
US32D	34.72

US32D	20.99
-------	-------



180P

Door Edgings - Mortise Type
 Material: Aluminum, stainless steel
 Thickness: .045 - .050"
 Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.
 Cutouts will hand product, specify handling. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

≤42"

>42" - 96"

US28	86.98
US32D	113.46
US28	173.97
US32D	226.85

US28	34.72
------	-------

US32D	34.72
-------	-------

US28	34.72
------	-------


US32D	34.72
-------	-------

US28	34.72
------	-------


US32D	34.72
-------	-------

US32D	20.99
-------	-------





Description	Finish	2022 List	Case Qty.
180Q			
Door Edgings - Mortise Type			5
Material: Aluminum, stainless steel	≤42"	US28 110.25	
Thickness: .045 - .050"		US32D 139.56	
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.	>42" - 96"	US28 219.28	
		US32D 279.11	
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout			
	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout			
	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout			
	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)			
	US32D	20.99	




181H			
Door Edgings - Overlap Type			5
Material: Aluminum, stainless steel	≤42"	US28 81.51	
Thickness: .045 - .050"		US32D 113.76	
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.	>42" - 96"	US28 162.95	
		US32D 227.53	
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout			
	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout			
	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout			
	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)			
	US32D	20.99	


1. U/M is price per hundred square inches.



Trim & Auxiliary




Description	Finish	2022 List	Case Qty.
181K			
Door Edgings - Overlap Type			5
Material: Aluminum, stainless steel	≤42"	US28 76.15	
Thickness: .045 - .050"	US32D	106.50	
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.	>42" - 96"	US28 152.30	5
	US32D	213.06	
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	



181M			
Door Edgings - Overlap Type			5
Material: Aluminum, stainless steel	≤42"	US28 102.99	
Thickness: .045 - .050"	US32D	130.45	
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.	>42" - 96"	US28 205.92	5
	US32D	260.83	
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	





Description	Finish	2022 List	Case Qty.
181P			
Door Edgings - Overlap Type	≤42"	US28 108.16	10
U/M - each		US32D 135.19	
Material: Aluminum, stainless steel	>42" - 96"	US28 216.32	10
Thickness: .045 - .050"		US32D 270.37	
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	




181Q			
Door Edgings - Overlap Type	≤42"	US28 115.36	5
Material: Aluminum, stainless steel		US32D 130.26	
Thickness: .045 - .050"	>42" - 96"	US28 230.67	5
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.		US32D 260.46	
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	


1. U/M is price per hundred square inches.



Trim & Auxiliary




Description	Finish	2022 List	Case Qty.
182H			
Door Edgings - Surface			
Non-Mortise Type	≤42"	US28 48.94	10
Material: Aluminum, stainless steel	US32D 76.15		
Thickness: .045 - .050"	>42" - 96"	US28 97.88	10
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.	US32D 152.30		
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	




182K			
Door Edgings - Surface			
Non-Mortise Type	≤42"	US28 52.26	10
Material: Aluminum, stainless steel	US32D 62.18		
Thickness: .045 - .050"	>42" - 96"	US28 104.47	10
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.	US32D 124.41		
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	

1. U/M is price per hundred square inches.



Description	Finish	2022 List	Case Qty.
182M			
Door Edgings - Surface			
Non-Mortise Type			10
Material: Aluminum, stainless steel			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	




182P			
Door Edgings - Surface			
Non-Mortise Type			10
Material: Aluminum, stainless steel			
Thickness: .045 - .050"			
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.			
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Case Qty.
182Q			
Door Edgings - Surface	US28	110.62	10
Non-Mortise Type	US32D	139.56	
Material: Aluminum, stainless steel			
Thickness: .045 - .050"	US28	221.31	10
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.	US32D	279.11	
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness.			
Cutouts will hand product, specify handling. Other lengths by quotation.			
Hinge Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Bolt Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
Latch Cutout (Add to list price) Per Cutout	US28	34.72	
	US32D	34.72	
UL Rated (Add to list price)	US32D	20.99	



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
185G					
Corner Guard	US28	113.27	-	-	-
Material: Aluminum, stainless steel	w/tape				
Size: 3" x 3" x 40"	US32D w/tape	138.29	062999		
Thickness: .050"	US28	74.98	044109		
Fasteners: #6 x 5/8" FPHSMS self drilling	US32D	101.20	087970		
#6 x 1" screws available upon request.					
Other lengths by quotation.					
190L	US10B	39.96	36254	-	100
Foot Pull	US32D	37.80	36255	-	100
Material: Stainless Steel, Steel	BLK	39.96	25126	-	100
Projection: 3"					
Door Thickness: 1-3/4" standard					
Fasteners: Three (3) #12 screws x 1.5" FPHWS					
Three (3) #12-24 sex nuts with 1-9/16" barrel for 1-3/4" door					
Three (3) #12-24 x 1.0" FPHMS					
230W					
Convex Wall Stop	US3	11.39	053679	10	100
Concealed Mounting	US4	14.65	053680		
Material: Cast brass or bronze	US10	14.71	053681		
Stop: Rubber	US10B	14.71	053683		
Diameter: 2-15/32"	US15	20.50	094602		
Projection: 1-3/32"	US15A	20.50	054038		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US19	14.71	073621		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US26	18.34	053682		
	US26D	9.60	053684		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
232W					
Convex Wall Stop	US3	4.92	051972	10	100
Concealed Mounting	US4	4.92	053231		
Material: Wrought brass, bronze or stainless steel	US5	12.62	072846		
Stop: Rubber	US9	12.50	017030		
Diameter: 2-7/16"	US10	4.92	051973		
Projection: 1"	US10B	4.92	051974		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US15	12.68	046072		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US15A	12.68	062556		
	US19	4.92	071703		
	US26	5.11	051975		
	US26D	4.80	051976		
	US32	12.68	053691		
	US32D	3.51	053678		



234W					
Concave Wall Stop					
Material: Cast brass or bronze	US3	11.39	053227	10	100
Stop: Rubber	US4	14.65	053228		
Diameter: 2-15/32"	US10	14.71	053229		
Projection: 1-3/32"	US10B	14.71	053230		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US15	20.50	094603		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US15A	20.50	054039		
	US19	14.71	067951		
	US26	18.34	053235		
	US26D	9.60	053236		







236W					
Concave Wall Stop					
Material: Wrought brass, bronze or stainless steel	US3	4.92	051977	10	100
Stop: Rubber	US4	4.92	053237		
Diameter: 2-7/16"	US5	12.62	072849		
Projection: 1"	US9	12.50	018702		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US10	4.92	051978		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US10B	4.92	051979		
	US15	12.62	014846		
	US15A	12.62	054522		
	US19	4.92	018437		
	US26	5.11	051980		
	US26D	4.80	051981		
	US32	12.50	053238		
	US32D	3.51	053239		

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	241F	US3	8.56	051982	10	100
	Dome Stop - Low	US4	8.43	053259		
	Material: Die cast brass	US5	13.79	072845		
	Base Diameter: 1-11/16"	US9	13.79	056749		
	Base: 1/8" Thick	US10	9.66	051983		
	Height: 1"	US10B	8.50	051984		
	Fastener: #14 x 1-1/2" with plastic anchor	US15	10.53	034785		
	and 1/4-20 x 3/4" FPHMS with lead anchor	US15A	13.79	054041		
		US19	8.50	073625		
		US26	8.43	051985		
		US26D	7.94	052148		
	242F	US3	13.24	075489	10	100
	Dome Stop - Universal	US4	13.24	099613		
	Material: Forged brass	US10B	13.97	075488		
	Base Diameter: 1-11/16"	US15	15.45	094363		
	Base: 7/32" Thick	US19	13.97	095172		
	Height: 1-5/8"	US26	13.60	081314		
	Fastener: #14 x 1-1/2" FPHWS with plastic anchor and 1/4 - 20 x 3/4" FPHMS with lead anchor	US26D	11.70	075487		
Note: Does not work with 246B riser plate.						
	243F	US3	9.66	051986	10	100
	Dome Stop - High	US4	9.66	053268		
	Material: Die cast brass	US5	15.70	077629		
	Base Diameter: 1-11/16"	US9	15.70	056750		
	Base: 7/16" Thick	US10	10.90	052149		
	Height: 1-9/32"	US10B	9.85	052328		
	Fastener: #14 x 1-1/2" FPHWS with plastic anchor and 1/4 - 20 x 1-1/4" FPHMS with lead anchor	US15	11.57	035110		
	Note: To be used independently or with 246B riser plate.	US15A	15.70	054043		
		US19	9.85	068921		
		US26	9.85	052329		
	US26D	8.19	052150			
	244F	US3	28.13	097343	5	50
	Cast Floor Stop	US4	28.13	058458		
	Material: Cast brass	US10	27.58	097344		
	Base: 1-3/4" x 4"	US10B	27.58	097345		
	Base Thickness: 5/32"	US26	28.44	097346		
	O/A Height: 1"	US26D	17.61	097347		
	Fasteners: #14 x 1-1/2" FPHWS with plastic anchor; 1/4 - 20 x 3/4" FPHMS with lead anchor					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
245F					
	US10B	39.40	097350	5	50
	US26	39.40	097351		
	US26D	26.29	097352		



246B					
Dome Stop Riser Plate	Mil	7.70	052934	10	100
Material: Brass	US3	4.37	054344		
Diameter: 1-3/4"	US4	4.37	066234		
Base: 3/8" thick	US10	4.68	059349		
For use with 241F or 243F	US10B	4.68	054443		
	US15	10.16	061758		
	US15A	10.16	054044		
	US19	4.68	054523		
	US26	4.37	066412		
	US26D	3.76	055308		



248G					
Modern Style Universal Stop	US26D	25.24	159656	10	100
Material: Brass w/ gray rubber bumper					
Diameter: 1-7/16"					
Height: 1-1/2"					
Fasteners: 1/4 - 20 x 1" FPHMS with lead anchor;					
#12 x 1-1/4" FPHWS with plastic anchor					



248F					
Modern Style Universal Stop	US26D	25.24	023442	10	100
Material: Brass w/ black rubber bumper					
Diameter: 1-7/16"					
Height: 1-1/2"					
Fasteners: 1/4 - 20 x 1" FPHMS with lead anchor;					
#12 x 1-1/4" FPHWS with plastic anchor					



249F					
L-Shaped Floor Stop	US2C	10.83	011616	5	50
Material: Steel with rubber bumper					
Height: 2-5/8"					
Base: 1" x 2-1/2" x 7/32" thick					
Fastener: #14 x 1-1/2" FPHWS with plastic anchor					

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	250W					
	Convex Wall Stop	US3	11.57	052784	20	200
	Material: Cast brass with rubber bumper	US4	11.57	056083		
	Diameter: 1"	US10	12.37	052785		
	Projection: 9/16"	US10B	12.37	052786		
	Fastener: #6 x 3/4" screw w/ anchor and .052" diameter nail	US15	15.88	061694		
		US15A	15.88	054045		
		US19	12.37	054526		
		US26	12.37	052787		
	US26D	12.37	053275			
	251W					
	Concave Wall Bumper	Grey	2.89	052935	20	200
	Material: Adhesive backed rubber					
	Diameter: 1-7/8"					
	Projection: 25/32"					
	252F					
	Floor Stop	US3	30.84	058522	5	50
	Material: Cast brass with rubber bumper	US10	33.30	058523		
	Diameter: 1-9/16" x 2-1/2"	US10B	30.72	058517		
	Height: 2-11/16"	US15	53.62	061610		
	Fastener: 1 ea. 1/4 - 20 x 3/4" FPHMS with lead anchor;	US15A	53.62	054046		
	5/16 - 18 x 2-1/2" stud with lead anchor;	US19	30.72	054531		
	#14 x 1-1/2 FPHWS with plastic anchor	US26	38.48	058518		
	2" max door to floor clearance	US26D	27.58	058519		
	254S					
	Wall Stop and Holder	US3	60.45	097810	5	50
	Material: Cast brass with rubber bumper	US10B	70.61	097813		
	Base Diameter: 2-11/32"	US26D	70.61	097814		
	Base Projection: 3-1/2"					
	Engaged Projection: 5-19/32"					
	Keeper: 1" x 2"					
	Fastener: #10 x 1" FPHWS with plastic anchor					
	254W					
	Wall Stop and Holder	US10	70.61	097806	5	50
	Material: Cast brass with rubber bumper	US10B	70.61	097807		
	Base Diameter: 2-11/32"	US26D	70.61	097809		
	Base Projection: 3-1/2"					
	Engaged Projection: 5-19/32"					
	Keeper: 1" x 2"					
	Fastener: #10 x 1" FPHWS with plastic anchor;					
	5/16 - 18 x 2-1/2" stud with lead anchor					





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
255S					
Wall Stop	US3	36.75	017532	5	50
Material: Cast brass with rubber bumper	US4	36.75	017533		
Base Diameter: 2-11/32"	US10	37.24	094583		
Projection: 3-11/16"	US10B	37.24	017534		
Fastener: #10 x 1" OPHWS with plastic anchor	US15	46.11	061568		
	US26	41.12	017531		
	US26D	26.90	000917		



255W					
Wall Stop	US3	36.75	058532	5	50
Material: Cast brass with rubber bumper	US4	36.75	075493		
Base Diameter: 2-11/32"	US10	37.24	058533		
Projection: 3-11/16"	US10B	37.24	058534		
Fastener: #10 x 1" OPHWS with plastic anchor;	US15	46.11	061567		
5/16" - 18 x 2-1/2" threaded stud, 5/16" lead anchor	US26	41.12	058675		
	US26D	26.90	058535		



256S					
Wall Stop & Holder	US3	66.18	068146	5	50
Material: Cast brass with rubber bumper	US10	52.76	070578		
Base Diameter: 2-1/4"	US10B	55.28	099449		
Engaged Projection: 5-11/16"	US26D	36.14	067225		
Projection: 3-25/32"					
Keeper: 25/32" x 1-1/2"					
Fastener: #10 x 1" OPHWS with plastic anchor					



256W					
Wall Stop & Holder	US3	66.18	058585	5	50
Material: Cast brass with rubber bumper	US10	52.76	058586		
Base Diameter: 2-1/4"	US10B	55.28	058587		
Engaged Projection: 5-11/16"	US15	64.95	060860		
Projection: 3-25/32"	US26	66.18	058520		
Keeper: 25/32" x 1-1/2"	US26D	36.14	058521		
Fastener: #10 x 1" OPHWS with plastic anchor;					
5/16" - 18 x 2-1/2" stud with lead anchor					



257F					
Floor Stop	US3	28.01	058546	5	50
Material: Cast brass with rubber bumper	US10	32.50	058547		
Base: 1-9/16" x 2-15/32"	US10B	28.81	058548		
Height: 2"	US15	53.62	060857		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor;	US15A	53.62	054048		
1/4 - 20 x 3/4" FPHMS with lead anchor;	US19	28.81	054532		
5/16" - 18 x 2-1/2" stud with lead anchor	US26	36.44	058549		
	US26D	25.49	058550		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
258F					
Floor Stop & Holder	US3	50.85	058551	5	50
Material: Cast brass with rubber bumper	US10	46.29	058552		
Base: 1-9/16" x 2-15/32"	US10B	46.29	058553		
Height: 3"	US15	80.27	060855		
Keeper: 1" x 2"	US26	52.45	058554		
Fasteners: #10 x 1" FPHWS with plastic anchor;	US26D	37.06	058555		
1/4 - 20 x 3/4" FPHMS with lead anchor;					
5/16 - 18 x 2-1/2" stud with lead anchor					



259F					
Tri Base Floor Stop	US10B	32.32	086567	5	50
Material: Cast brass with rubber bumper	US26D	27.21	084984		
Base: 2-1/2" wide x 1-9/16" deep					
Height: 1-11/16"					
Fasteners: #10 x 1-1/4" FPHWS with plastic anchor;					
10 - 32 x 3/4" FPHMS with lead anchor					



259H					
Tri Base Floor Stop - Tall	US26D	30.53	005661	5	50
Material: Cast brass with rubber bumper					
Base: 2-1/2" wide x 1-9/16" deep					
Height: 2-1/4"					
Fasteners: #10 x 1-1/4" FPHWS with plastic anchor;					
10 - 32 x 3/4" FPHMS with lead anchor					



260W					
Angled Wall Stop	US26D	53.74	059730	5	50
Material: Cast brass with rubber bumper					
Base: 2-3/16" wide x 2-15/16" tall					
Projection: 3-21/32"					
Fasteners: #14 x 1-1/2" FPHWS with plastic anchor and					
1/4 - 20 x 3/4" FPHMS with lead anchor					



267F					
Floor Stop	US3	35.52	058536	5	50
Material: Cast brass with rubber bumper	US10	36.75	058537		
Base: 2-1/4"	US10B	36.75	058538		
Height: 3-1/8"	US15	46.11	060853		
Fasteners: #10 x 1" OPHWS with plastic anchor;	US15A	46.11	031421		
5/16" - 18 x 2-1/2" stud with lead anchor	US19	36.75	033541		
	US26	41.12	058539		
	US26D	27.58	058540		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
267S Cast Floor Stop	US3	29.30	097803	5	50
Material: Cast brass with rubber bumper	US10	35.52	097804		
Base: 2-1/4"	US10B	37.06	097800		
Height: 3-1/8"	US15	46.11	060851		
Fasteners: #10 x 1" OPHWS with plastic anchor	US26	41.12	097801		
	US26D	27.58	097802		



268F Floor Stop & Holder					
Material: Cast brass with rubber bumper					
Base: 2-1/4"					
Height: 3-19/32"	US3	67.16	058541	5	50
Keeper: 25/32" x 1-1/2"	US10	60.45	058542		
Fasteners: #10 x 1" OPHWS with plastic anchor;	US10B	63.16	058543		
5/16" - 18 x 2-1/2" stud with lead anchor	US15	60.45	075320		
	US19	63.16	054533		
	US26	67.16	058544		
	US26D	37.67	058545		



268S Cast Floor Stop & Holder					
Material: Cast brass with rubber bumper	US3	67.16	070926	5	50
Base: 2-1/4"	US10	60.45	088879		
Height: 3-19/32"	US10B	63.16	072110		
Keeper: 25/32" x 1-1/2"	US15	60.45	060840		
Fasteners: #10 x 1" OPHW with plastic anchors	US26	67.16	095114		
	US26D	37.67	068934		



269F Heavy Duty Floor Stop					
Material: 5/8" Steel pin with rubber bumper	-	28.63	085062	5	50
Bumper: 1-1/2" high					
Diameter: 2"					
Steel Bolt: 5/8" - 11 x 2-1/2" thread					
Special Grout by others					

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
269T Heavy Duty Floor Stop - Tall Material: 5/8" Steel pin with rubber bumper Bumper: 3-1/2" high Diameter: 2" Steel Bolt: 5/8" - 11 x 2-1/2" thread Special Grout by others	-	36.69	083131	3	30



270C Kick Down Door Holder Material: Cast iron with rubber tip Base: 1-7/16" x 2-1/8" Arm: 3-13/16" Fasteners: #6 x 3/4" OPHTS S1 - Sprayed Alum., S2 - Sprayed Brass, S3 - Sprayed Bronze 270CR replacement rubber tips available, 6 per bag	S1	17.18	058588	5	50
	S2	17.18	058589		
	S3	17.18	058590		



270D Kick Down Door Holder Material: Cast brass with rubber tip Base: 1-19/32" x 1-25/32" Arm: 3-1/2" Fasteners: #6 x 3/4" OPHWS	US3	34.41	058525	5	50
	US10	38.35	058526		
	US10B	33.86	058527		
	US15	53.62	060822		
	US19	33.86	054542		
	US26	50.11	058568		
	US26D	30.90	058569		



270R Replacement Rubber Tips Material: Black rubber For use with 270D or 271D door holders Sold in packs of 10	Rubber	35.15	073663	10	100
---	--------	-------	--------	----	-----



271D Kick Down Door Holder Material: Cast brass with rubber bumper Base: 1-19/32" x 1-25/32" Arm: 4-7/16" Fasteners: #6 x 3/4" OPHWS	US3	60.45	058570	5	50
	US10	60.45	058571		
	US10B	60.45	058564		
	US26	60.45	058565		
	US26D	60.45	058566		






Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
271W	US10	39.34	123929	10	50
Roller Bumper	US10B	40.08	123930		
Material: Cast brass or bronze with rubber roller	US26	38.41	123931		
Base: 2"	US26D	29.80	123927		
Projection: 4-1/2"					
Fasteners: #10 x 1" FPHWS with plastic anchor					



272W	US10B	41.86	052781	10	100
Material: Cast brass or bronze with rubber roller	US26	49.74	052782		
Base: 2"	US26D	37.31	052783		
Projection: 6-1/4"					
Fasteners: #10 x 1" FPHWS with plastic anchor					




273W	US10	36.01	043323	5	50
Curved Roller Bumper	US10B	39.34	043327		
Material: Cast brass or bronze with rubber roller	US26	43.09	043324		
Projection: 2-21/32"	US26D	32.93	043328		
Fasteners: #10 x 1" FPHWS with plastic anchor					



274B	US3	7.26	048087	-	10
Door Guard Protective Plate	US4	7.26	046942		
Material: Brass	US10	7.26	048363		
Fasteners: Double sided pressure sensitive tape	US10B	7.26	048365		
To be used with the 274D	US15	7.26	060811		
	US26	7.26	048364		
	US26D	7.26	048366		



274C	Black	2.59	158025	-	50
Shim for Door Guard					
Material: Resilient black rubber, 3/32" thick					
To be used with the 274D					



274D	US3	34.41	158021	5	50
Material: Cast brass	US4	32.50	158022		
Arm Length: 4-1/2"	US10	35.77	158016		
Fasteners; #6 x 3/4" OPHWS; #6 x 1-1/2" OPHWS;	US10B	34.72	158017		
6 - 32 x 1/2" OPHMS	US15	35.77	158018		
	US26	33.06	158019		
	US26D	29.30	158020		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
275D Surface Bolt - 8" Material: Steel Bolt Size: 1/4" x 3/4" Bolt Throw: 1" Fasteners: #10 x 1-1/4" FPHWS; 10 - 24 x 1" FPHMS Universal and angle strikes included	US3	35.77	058752	1	12
	US10B	36.69	056786		
	US26D	29.30	052287		



276D Surface Bolt - 12" Material: Steel Bolt Size: 1/4" x 3/4" Bolt Throw: 1" Fasteners: #10 x 1-1/4" FPHWS; 10 - 24 x 1" FPHMS Universal and angle strikes included	US3	26.66	083603	1	12
	US10	35.52	025645		
	US10B	39.58	073888		
	US26D	34.04	053325		



277D Privacy Door Latch Material: Cast Zinc Base: 2-5/8" x 1-9/16" Projection: 2-3/16" Fasteners: #12 x 1-3/4" FPHSMS	US3	45.11	161173	1	60
	US4	45.11	161174		
	US10B	49.62	161149		
	US15	39.66	190653		
	US26	42.02	161171		
	US26D	39.66	161172		
	US19	49.62	043187		



277F Privacy Door Guard Bracket Material: Cold Rolled Steel Finish: Primer Gray Fasteners: 12-24 FPH Self-tapping		14.28	63736		
--	--	-------	-------	--	--

277R Release Tool	N/A	32.78	094396	1	
-----------------------------	-----	-------	--------	---	--





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
278D	US3	25.55	086661	10	100
Surface Bolt - 6"	US10B	27.76	020392		
Material: Brass	US26D	26.47	086662		
Bolt Size: 7/16"					
Bolt Throw: 31/32"					
Projection: 3/4"					
Fasteners: #5 x 5/8" FPHWS					
Mortise and universal strikes included					



279D	US10B	58.05	023685	10	100
Dutch Door Bolt	US26D	58.05	097354		
Material: Brass					
O/A Size: 1-11/16" x 4"					
Bolt Size: 5/8" half round					
Bolt Throw: 3/8"					
Projection: 1-1/4"					
Knob Diameter: 29/32"					
Fasteners: #6 x 3/4" FPHWS					
Universal and angle strikes included					



280X	US3	24.93	052522	10	100
Dust Proof Strike	US4	23.52	053326		
w/ Removable Plate	US9	33.06	021465		
Material: Brass	US10	26.35	052559		
Face Plate: 1-7/16" x 2-29/32"	US10B	25.61	052523		
Barrel Diameter: 1"	US15	31.09	040347		
Depth: 2-3/16"	US15A	33.06	054052		
Plunger Diameter: 3/4"	US19	25.61	067955		
Fasteners: #8 x 1" FPHWS with plastic anchors;	US26	25.49	052839		
spanner wrench	US26D	21.92	052524		



281D	US3	17.05	056621	10	100
Slide Flush Bolt	US4	17.79	056789		
Material: Brass or bronze w/ steel components	US5	24.19	035600		
Face Plate: 3/4" x 6"	US10	17.79	052723		
Bolt Diameter: 1/2"	US10B	17.79	056790		
Bolt Throw: 1"	US15	24.19	036438		
Strike: 7/8" x 1-3/4"	US15A	24.19	054055		
Rod Backset: 7/16"	US19	17.79	054545		
Fasteners: #6 x 3/4" FPHWS	US26	20.62	052525		
	US26D	17.05	056791		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
282D					
Manual Flush Bolt	US3	25.79	052281	2	80
Metal Doors	US4	25.79	052282		
Material: Brass w/ steel components	US5	42.54	062354		
Face Plate: 1" x 6-3/4"	US9	42.54	083207		
Bolt Throw: 3/4"	US10	26.29	052283		
Bolt Backset: 3/4"	US10B	26.29	052284		
Rod Length: 12"	US15	32.93	040346		
Strike: 15/16" x 2-1/4"	US15A	46.97	054056		
Fasteners: #8 x 3/4" combination screws	US19	26.29	067956		
For use with A115 Frame Preparation	US26	28.44	052285		
282S Strike plate bag and 282P bolt head available	US26D	24.01	052286		
282R Optional rod length available: 18", 24" and 30" (bolt head not included) - \$3.00 net.					
3-hour fire rating on metal doors up to 4 feet wide x 10 feet tall. Priced as each and sold in increments of two.					



283D	US3	39.28	052929	2	40
Manual Flush Bolt	US4	39.28	053328		
Wood Composite Door	US5	78.86	018995		
Material: Brass w/ steel components	US10	39.28	052930		
Face Plate: 1" x 6-25/32"	US10B	38.04	052931		
Bolt Head: 1/2" Square	US15	78.86	060810		
Bolt Throw: 3/4"	US19	38.04	054567		
Bolt Backset: 3/4"	US26	41.00	052932		
Strike: 15/16" x 2-1/4"	US26D	38.04	052933		
Fasteners: #8 x 3/4" combination screws;					
1-1/2 hour fire rating on wood doors up to 4 feet wide x 10 feet tall					



291D	US10B	228.76	006145	1 pr	12 pr
Automatic Flush Bolts	US32D	221.99	006141		
Wood Door					
Material: Stainless steel w/ steel components Face Plate: 1" x 8-1/2"					
Bolt Heads: 1/2" square					
Bolt Throw: 3/4"					
Bolt Backset: 3/4"					
Mortise Strike: 15/16" x 2-1/4"					
280X Dust Proof Strike recommended					
1-1/2 hour fire rating on wood doors up to 4 feet wide x 8 feet tall					



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
292D Automatic Flush Bolts (contains two 292D) Metal Doors	US10B US32D	212.26 205.92	006355 006358	1 pr	12 pairs
Material: Stainless steel/brass w/ steel components Face Plate: 1" x 6-3/4" Bolt Head: 1/2" square Bolt Throw: 3/4" Bolt Backset: 3/4" Fasteners: #8 x 1" combination screws Mortise Strike: 15/16" x 2-1/4" 280X Dust Proof Strike recommended 3 hour fire rating for metal doors up to 4 feet wide x 8 feet tall					



293D Self-Latching & Automatic Flush Bolts (contains 1 ea 292S & 293S) Metal Doors	US10B US32D	212.26 205.92	005979 005980	1 pr	12 prs
Material: Stainless steel/brass w/ steel components Face Plate: 1" x 6-3/4" Bolt Head: 1/2" square Bolt Throw: 3/4" Bolt Backset: 3/4" T-Strike: 1-1/8" x 2-3/4" 280X Dust Proof Strike recommended 3-hour fire rating for metal doors up to 4 feet wide x 8 feet tall					



294D Self-Latching and Automatic Flush Bolts Wood Door	US10B US32D	228.76 221.99	005630 005624	1 pr	12 prs
Material: Stainless steel w/ steel components Face Plate: 1" x 8-1/2" Bolt Head: 1/2" square Bolt Throw: 3/4" Bolt Backset: 3/4" T-Strike: 1-1/8" x 2-3/4" 280X Dust Proof Strike recommended 1-1/2 hour fire rating on wood doors up to 4 feet wide x 8 feet tall					

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
295M Automatic Flush Bolt w/Fire Bolt Metal Doors	US10B US32D	173.91 173.91	006154 006155	1 Set	12 Sets
Material: Stainless steel with steel components Face Plate: 1" x 6-3/4" Bolt Head: 1/2" square Bolt Throw: 3/4" Bolt Backset: 3/4" Mortise Strike: 15/16" x 2-1/4" 3-hour fire rating for metal doors up to 4 feet wide x 8 feet tall					



295W Automatic Flush Bolt w/Fire Bolt Wood Doors	US10B US32D	187.33 187.33	005625 005626	1 Set	12 Sets
Material: Stainless steel with steel components Face Plate: 1" x 8-1/2" Bolt Head: 1/2" square Bolt Throw: 3/4" Backset: 3/4" Mortise Strike: 15/16" x 2-1/4" 20-minute fire rating for wood doors up to 4 feet wide x 8 feet tall					



296D Universal Automatic Flush Bolt Set for Metal & Wood Doors	US10B US32D	418.85 418.85	005971 005966	1 pr	24 pairs
Backset: 1-1/2" Strike: 1-3/32" x 2-1/4" (28 mm x 57 mm) 3-hour fire rating on metal doors up to 4' wide x 8' tall 1-1/2 hour fire rating for for wood doors up to 4' wide x 8' tall					



297C Carry-Open Bar	US10B US32D	75.72 75.72	004950 004948	1	30
Material: Steel and Stainless Steel Base: 1-3/4" x 2-7/32" Projection: 13/16" Fasteners: Two 1/4"-20 x 3/4" PPHMS with Sex Bolts. For use on pairs of doors with astragal and 297D-298D coordinator.					







Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
297D Coordinator with Filler Bar Material: Steel Base: 1-5/8" x 5/8" If total opening width is different than widths shown, consult Hager Customer Service. If active and inactive doors are unequal in length, consult Hager Customer Service for proper sizing. 60"	Black	150.82	08827	1	6
Coordinator with Filler Bar Material: Steel If total opening width is different than widths shown, consult Hager Customer Service. If active and inactive doors are unequal in length, consult Hager Customer Service for proper sizing. 72"	Black	158.89	08684	1	6
96"	Black	176.86	08681	1	6



297F Filler Bars Material: Steel Thickness: 5/8" standard	Black	31.46	005251	1	40
18-5/8"	Black	43.77	005222	1	20
42-5/8"					



297M Mounting Bracket Material: Aluminum Stop Height: 5/8" Soffit Width: 7/8" to 2-1/4" Note: Priced as each and only sold in multiples of two	Black	36.50	004944	1 pr	24 prs
--	-------	-------	--------	------	--------



297N Mounting Bracket Material: Aluminum Stop Height: 5/8" Soffit Width: 2-1/4" or greater Note: Priced as each and only sold in multiples of two	Black	36.50	004933	1 pr	24 prs
---	-------	-------	--------	------	--------



298D Gravity Coordinator Material: Cast brass w/rubber roller Base: 1-1/8" x 5-1/2" Projection: 7" Fasteners: #12 x 1" OPHWS; #6 x 3/4" FPHWS; #8 x 3/4" FPHWS; #8 x 3/4" TPHWS	US3	101.02	055123	1	10
	US10	100.77	060271		
	US10B	97.76	055124		
	US26D	83.29	055125		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
300D Chain Door Check Material: Steel chain Base Plate: Cast zinc base, galvanized steel chain, EPDM rubber cover 1-1/2" x 1-1/2" Cover: EDPM Rubber Fasteners: #8 x 1" FPHSMS Optional grommet nut set available (part #1-320-9801)					
25"-1/2'+/- 1/2"	US26D	73.69	063667	1	10
30" +/- 1/2"	US26D	73.69	063668	1	10



301D Residential Hinge Pin Stop Material: Wrought steel with rubber bumpers Features: Works with both 1/4" and 5/16" hinge pins Must purchase a non-NRP hinge for use with this pin stop	US3	5.85	023366	5	50
	US26D	5.85	023363		



303W Handrail Bracket Material: Cast brass Base Diameter: 3-5/32" Base to Center of Rail: 2-3/4" Fasteners: #10 x 1-1/4" FPHWS with plastic anchor; 10 - 24 x 13/16" FPHMS with lead anchors	US26D	104.84	052152	5	50
---	-------	--------	--------	---	----



305D Wire Pull Material: 5/16" brass rod Projection: 1-9/32" Fasteners: 8 - 32 x 1" TPHMS CTC: 3"	US3	12.99	086821	10	100
	US4	13.42	-		
	US10	13.42	020779		
	US26	13.42	086823		
CTC: 3-1/2"	US26D	13.42	086822		
	US3	12.99	086824	10	100
	US4	13.42	007767		
	US10	13.42	089114		
	US26	13.42	086826		
CTC: 4"	US26D	13.42	086825		
	US3	12.99	086827	10	100
	US4	13.42	019788		
	US10	13.42	090240		
	US26	13.42	086829		
	US26D	13.42	086828		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
307D Metal Frame Silencer Material: Rubber Diameter: 1/2" Projection: 1/8" U/M Bag of 100	Grey	14.04	052527	-	100
308D Wood Frame Silencer Base: 3/8" x 3/4" Projection: 9/64" U/M Bag of 100	Grey	21.05	052526	-	100
310C Conversion Kit Strike: 1-11/16" x 2-1/4" Filler Plate: 1-1/8" x 3-3/8" Fasteners: #10 x 1-1/2" FPHWS; #10 x 1" FPHWS; 8 - 32 x 1/4" FPHMS; 10 - 24 x 1/2" FPHMS Converts Roller Latch to Push Pull Latch	US26D	67.72	711114	5	50
311H Push/Pull Latch Material: Zinc, stainless steel; Door Thickness: 1-3/4"; Bolt Throw: 1/2" Standard Backset: 2-3/4" Standard; 5" Optional; Projection: 2-5/8"; Strike: ASA 1-1/4" x 4-7/8" Standard T-Strike 1-1/8" x 2-3/4" Standard; Horizontal Mounting w/ 5" Backset Options: Engraving Handed: A (Standard) - "PUSH" down; "PULL" down. B - "PUSH" up; "PULL" down. C - "PUSH" up; "PULL" up. D - "PUSH" down; "PULL" up. 2-3/4"					
	US26	305.09	161063	1	10
	US26D	247.84	161064		
	US32	375.89	161067		
	US32D	294.63	161068		
	US26	305.09	161069	1	10
	US26D	247.84	161070		
	US32	375.89	161071		
	US32D	294.63	161072		
5"	US26	363.14	161069	1	10
	US26D	294.93	161066		
	US32	426.06	-		
	US32D	405.74	161073		
Lead Lined 2-3/4"	US26	363.14	-	1	10
	US26D	294.93	161076		
	US32	426.06	-		
	US32D	405.74	161080		






313S Anti-Vandal Trim Material: 11 GA stainless steel Max Projection: 1-7/8" Size: 6-11/32" x 11" Door Thickness: 1-3/4" Fasteners: 1/4 - 20" FPHMS with finish washers Available with latchguard (313L). Cylinder cutout available. Can be used with exit devices and mortise locks.	US32D (Plastisol no longer available)				
--	--	--	--	--	--

Please see the Exit Sections for pricing with Hager Model 4500 Rim Devices. All other combinations, including those with alternate Exit and Lock manufacturers, are priced on application.





1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	318D	US3	41.00	055119	1	50
	Roller Latch	US4	57.93	055120		
	Material: Brass	US10	57.93	055121		
	Latch Faceplate: 1" x 3-3/8"	US10B	42.05	055122		
	Strike: 1-1/4" x 2-3/4"	US15	78.18	078198		
	Strike Thickness: .171"	US19	42.05	054569		
	Max Roller Projection: 3/8"	US26	42.97	055127		
	Fasteners: #8 x 1" FPHWS; 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS	US26D	34.72	055126		
	318S	US3	85.69	087304	1	50
	Roller Latch with Stop	US4	85.81	087305		
	Material: Brass	US10	85.81	075533		
	Latch Face: 1-7/16" x 4-7/16"	US10B	83.29	055304		
	Angle Stop: 9/16" x 4-7/16"	US26	93.14	087306		
	Strike: 1-1/4" x 2-1/4"	US26D	61.50	055305		
	Strike Thickness: .171"					
Max Roller Projection: 3/8"						
Fasteners: 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS						
	320R	US3	53.19	049988	1	50
	Roller Latch	US10	53.19	049987		
	Material: Brass with nylon roller	US10B	56.76	049994		
	Latch Face: 2-1/4" x 1-1/8"	US15	58.48	060809		
	Strike: 1-1/8" x 2-3/4"	US19	56.76	90455		
	Strike Thickness: .058 wrought	US26	53.19	049993		
	Max Roller Projection: 7/16"	US26D	35.09	049995		
Fasteners: #8 x 1" FPHWS						
	321R	US3	22.65	055947	1	50
	Adjustable Ball Catch	US4	22.65	055953		
	Material: Brass with steel ball roller	US10	26.96	055944		
	Latch Face: 1" x 2-1/8"	US10B	26.96	055960		
	Strike: 1-1/2" x 2-1/8"	US15	26.96	075224		
	Strike Thickness: .050"	US15A	26.96	055961		
	Fasteners: #6 FPHWS	US19	26.96	055945		
		US26D	22.65	055963		
	322V	US26D	37.37	056478	1	50
	Door Knocker w/ 115° Viewer					
	Material: Wrought brass				Lettering Available- up to four characters, Arial, 1/2" tall, black - \$6.00 total added to net price.	
	Knocker Size: 2-7/32" x 3-1/4"					
	Projection: 19/32"					
	Fasteners: #6 x 3/4" TPHSMS					



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
 <p>323S Three-Way Ball Catch Material: Brass with Stainless Steel Balls Body: 1/2" x 2-3/16" x 1/2" Strike: 3/8" x 1-3/8" x 5/8"</p>	US26D	23.21	158659	30	300
 <p>324W Light Duty Wall Bumper Material: Brass or bronze Base: 1-1/4" diameter Projection: 3-1/4" Tip Diameter: 5/8" Fasteners: #10 x 7/8" wood thread Replacement rubber tip available (Part # 1-269-3073)</p>	US3	11.39	013810	1	50
	US4	12.19	013811		
	US5	13.60	013814		
	US10	13.60	013809		
	US10B	13.60	013812		
	US15	13.60	040348		
	US15A	13.60	013813		
	US19	13.60	030873		
	US26	11.82	013808		
	US26D	11.82	013807		
 <p>326F Automatic Floor Stop and Holder Material: Cast brass Holder Base: 3-1/16" x 3-1/2" Projection: 1-15/16" Floor Strike: 2" x 4-3/32" Strike Height: 1-1/4" Max Door to Floor Clearance: 1/2" or less Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2" FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor</p>	US3	92.40	058510	5	30
	US10	97.45	058511		
	US10B	97.45	058512		
	US26	97.45	058507		
	US26D	97.45	058508		
 <p>326W Automatic Wall Stop and Holder Material: Cast brass Holder Base: 2-13/32" x 2-25/32" Holder Projection: 2-5/16" Engaged Projection: 3-5/8" Strike Base: 1" x 2-1/16" Strike Projection: 2" Fasteners: #10 x 1" OPHWS and anchors; 10 - 24 x 1-1/4" FPHMS</p>	US10	107.73	058514	5	30
	US10B	107.73	058515		
	US26	107.73	058516		
	US26D	107.73	058509		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
327F					
Automatic Floor Stop and Holder	US3	92.40	034684	5	30
Material: Cast brass	US10B	97.45	076374		
Holder Base: 3-1/16" x 3-1/2"	US26D	97.45	029249		
Projection: 1-15/16"					
Floor Strike: 2" x 4-3/32"					
Strike Height: 1-3/4"					
Max Door to Floor Clearance: 9/16" to 1-1/16"					
Fasteners: 4 ea. x 12-24 x 1" TPHMS and #12 x 1" TPHWS;					
3 ea. #14 x 1-1/2" FPHWS and anchors;					
1/4 - 20 x 3/4" FPHMS with lead anchor					







327W					
Automatic Wall Stop and Holder					
Material: Cast brass					
Holder Base: 3-1/16" x 3-1/2"					
Holder Projection: 1-15/16"	US4	155.01	098619	5	20
Engaged Projection: 3-1/2"	US10	155.01	098617		
Strike Diameter: 2-3/8"	US10B	155.01	098615		
Strike Projection: 3-1/16"	US26D	146.14	098612		
Fasteners: #12 x 1" TPHWS; 12-24 x 1" TPHMS;					
1/4" - 20 x 3/4" FPHMS with lead anchor;					
#14 x 1-1/2" FPHWS					
Strike is adjustable 45° left or right					



328F					
Automatic Floor Stop and Holder					
Material: Cast brass					
Holder Base: 3-1/16" x 3-1/2"					
Projection: 1-15/16"	US3	92.40	043083	5	30
Floor Strike: 2" x 4-3/32"	US10B	97.45	045516		
Strike Height: 2-1/4"	US26D	97.45	032493		
Max Door to Floor Clearance: 1-1/8" to 1-9/16"					
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS;					
3 ea. #14 x 1-1/2" FPHWS and anchors;					
1/4 - 20 x 3/4" FPHMS with lead anchor					



	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	329F					
	Automatic Floor Stop and Holder	US3	92.40	078700	5	30
	Material: Cast brass	US10	97.45	040616		
	Holder Base: 3-1/16" x 3-1/2"	US10B	97.45	044158		
	Projection: 1-15/16"	US26	97.45	116003		
	Strike Height: 2-3/4"	US26D	97.45	029252		
	Floor Strike: 2" x 4-3/32"					
Max Door to Floor Clearance: 1-5/8" to 2-1/16"						
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS;						
3 ea. #14 x 1-1/2" FPHWS and anchors;						
1/4 - 20 x 3/4" FPHMS with lead anchor						
	330D					
	Pocket Door Latch	US3		086840	1	20
	Material: Brass	US5		086841		
	Fits: 1-3/8" - 1-3/4" door	US10B	See Sliding Door Hardware Section for Pricing	056768		
	Size: 2-3/4" x 2-1/2"	US15		078972		
	Finger Pull Extends: 1-3/8"	US15A		054061		
	Fasteners: #6 x 5/8" OPHWS	US19		054570		
	US26		086837			
	US26D		086838			
	330L					
	Privacy Pocket Door Latch	US3		143162	1	20
	Material: Brass	US5		143164		
	Size: 2-3/4" x 2-1/2"	US10	See Sliding Door Hardware Section for Pricing	143165		
	Finger Pull Extends: 1-3/8"	US10B		143158		
	Strike: 1" x 2-1/4"	US15		143159		
	1-3/8" doors	US15A		143160		
Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS	US19		143166			
	US26		143167			
	US26D		143161			
	330M					
	Privacy Pocket Door Latch	US3		143172	1	20
	Material: Brass	US5		143178		
	Size: 2-3/4" x 2-1/2"	US10	See Sliding Door Hardware Section for Pricing	143168		
	Finger Pull Extends: 1-3/8"	US10B		143169		
	Strike: 1" x 2-1/4"	US15		143173		
	1-3/4" doors	US15A		143174		
Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS	US19		143175			
	US26		143170			
	US26D		143171			

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
334V Door Knocker w/ 115° Viewer Material: Solid cast brass Knocker Size: 3-9/16" x 6-3/4" Fasteners: Two (2) 8-32 x 2 FHMS for standard 1-3/4" doors Two (2) #8 finish washers Two (2) 8-32 x 1-5/8" FHMS for 1-3/8" doors	US3 US4 US10 US10B US26 US26D	49.49 48.32 52.57 52.57 49.49 48.32	185001 185005 185003 185004 185002 185000	1	50
Lettering Available- up to four characters, Arial, 1/2" tall, black - \$6.00 total added to net price. Not available on US10B finish.					
336A 161 Prep - Door Edge Filler Plate Gauge: .134" Size: 1-1/8" x 2-1/4"	Primed steel	3.20	023352	25	100
336B 86 Prep - Door Edge Filler Plate Gauge: .180 Size: 1-1/4" x 8"	Primed steel	5.05	023329	25	100
336C Door Face Filler Plate Gauge: .055" Size: 1-3/4" Diameter	Primed steel	4.25	023346	25	100
336D Door Face Filler Plate Gauge: .055 Size: 2-5/8" Diameter	Primed steel	4.80	023343	25	100
336E Square - Door Edge Filler Plate Gauge: .134 Size: 1-3/4" x 4-1/2"	Primed steel	4.06	023334	25	100
336F Bevel - Door Edge Filler Plate Gauge: .134 Size: 1-1/2" x 4-1/2"	Primed steel	3.88	023332	25	100
336G Square - Door Edge Filler Plate Gauge: .134 Size: 1-3/4" x 5"	Primed steel	4.25	023340	25	100
336H Bevel - Door Edge Shim Filler Plate Gauge: .134 Size: 1-1/2" x 5"	Primed steel	3.76	023336	25	100
336J Frame - Flush Bolt Strike Filler Plate Gauge: .083 Size: 15/16" x 2-1/4"	Primed steel	2.65	023342	25	100

1. U/M is price per hundred square inches.



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
336K Door - Flush Bolt Filler Plate Gauge: .134 Size: 1" x 6-3/4"	Primed steel	4.49	023341	25	100
336L Frame - Hinge Filler Plate Gauge: .134 Size: 1-5/8" x 4-1/2"	Primed steel	3.76	023330	25	100
336M Frame - Hinge Filler Plate Gauge: .134 Size: 1-5/8" x 5"	Primed steel	4.25	023331	25	100
336N 86 to 161 Edge Prep Latch Adapter Filler Plate Gauge: .238 Size: 1-1/4" x 8"	Primed steel	8.99	023351	25	100
336P Frame - Deadlock Strike Filler Plate Gauge: .083 Size: 1-1/8" x 2-3/4"	Primed steel	2.95	082122	25	100
336Q Frame - ASA Strike Filler Plate Gauge: .093 Size: 1-1/4" x 4-7/8"	Primed steel	3.39	023356	25	100
336R Frame - Cylindrical Lock Strike Filler Plate Gauge: .083 Size: 1-1/8" x 2-3/4"	Primed steel	2.83	023354	25	100
337A Template Hinge Shim Gauge: .028 Size: 1-7/16" x 4-1/2"	Primed steel	1.60	023347	100	400
337B Template Hinge Shim Gauge: .065 Size: 1-7/16" x 4-1/2"	Primed steel	2.03	023348	100	400
337C Template Hinge Shim Gauge: .028 Size: 1-7/16" x 5"	Primed steel	2.03	023349	100	400
337D Template Hinge Shim Gauge: .065 Size: 1-7/16" x 5"	Primed steel	2.15	023350	100	400

1. U/M is price per hundred square inches.

Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
340C Latch Protector Plate without Safety Studs Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts For use w/ most mortise locks For use w/ cylindrical locksets with 3-3/4" backset or greater.	US32D	35.09	150738	1	10



340D Latch Protector Plate with Frame Pin Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts For use w/ most mortise locks For use w/ cylindrical locksets with 3-3/4" backset or greater.	US2C	17.73	041188	1	10
	US32D	35.09	002179		



341C Latch Protector Plate w/ Lock Cut Out Without Safety Studs Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts For use with cylindrical locksets with a 2-3/4" backset.	US32D	35.09	150739	1	10
--	-------	-------	--------	---	----



341D Latch Protector Plate w/ Lock Cut Out with Frame Pin Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts For use with cylindrical locksets with a 2-3/4" backset.	US2C	17.73	041191	1	10
	US32D	35.09	002180		



342D Latch Protector Plate w/ Escutcheon Cut Out Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts For use with cylindrical and mortise locksets	US32D	44.26	150740	1	10
---	-------	-------	--------	---	----



345D Latch Protector Plate Material: 12 GA steel, stainless steel Size: 1-5/8" x 10" For 1-3/4" door thickness Fasteners: 5/16-20 x 1-1/2" carriage bolts with sex nuts For use with cylindrical and mortise locksets with standard (not extended lip) strikes	US2C	13.67	041194	1	10
	US32D	26.04	002181		



	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
MEN	350M					
	Lettered Plastic Sign - MEN	Brown (W1) w/ white lettering	20.13	089107	-	5
	Material: .125" thick plastic					
	Lettering: 3/4" Helvetica	Black (W2) w/ white lettering	20.13	092413		
	Size: 2" x 5"	Blue (W3) w/ white lettering	20.13	090948		
	Signs are individually packed in a polybag	Silver (B1) w/ black lettering	20.13	089108		
	Gold (B2) w/ black lettering	20.13	-			
WOMEN	350W					
	Lettered Plastic Sign - WOMEN	Brown (W1) w/ white lettering	22.59	089103	-	5
	Material: .125" thick plastic					
	Lettering: 3/4" Helvetica	Black (W2) w/ white lettering	22.59	092414		
	Size: 2" x 5"	Blue (W3) w/ white lettering	22.59	091068		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Silver (B1) w/ black lettering	22.59	089104		
Signs are individually packed in a polybag	Gold (B2) w/ black lettering	22.59	-			
PUSH	350H					
	Lettered Plastic Sign - PUSH	Brown (W1) w/ white lettering	22.59	089109	-	5
	Material: .125" thick plastic					
	Lettering: 3/4" Helvetica	Black (W2) w/ white lettering	22.59	097215		
	Size: 2" x 4"	Blue (W3) w/ white lettering	22.59	032116		
Fasteners: Double sided pressure sensitive tape, or screws (specify)	Silver (B1) w/ black lettering	22.59	089110			
Signs are individually packed in a polybag						
PULL	350L					
	Lettered Plastic Sign - PULL	Brown (W1) w/ white lettering	22.59	089111	-	5
	Material: .125" thick plastic					
	Lettering: 3/4" Helvetica	Black (W2) w/ white lettering	22.59	097216		
	Size: 2" x 4"	Blue (W3) w/ white lettering	22.59	032117		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Silver (B1) w/ black lettering	22.59	089106		
Signs are individually packed in a polybag	Gold (B2) w/ black lettering	22.59	024447			

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
635	350R					
	Lettered Plastic Sign - Number	Brown (W1) w/ white lettering	20.13	000848	-	5
	Material: .125" thick plastic					
	Lettering: 3/4" Helvetica	Black (W2) w/ white lettering	20.13	010640		
	Size: 2" x 4"					
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Blue (W3) w/ white lettering	20.13	119668		
	Signs are individually packed in a polybag					
	Up to 3 characters (4 additional characters \$6.30)	Silver (B1) w/ black lettering	20.13	067081		
PUSH	351H					
	Lettered Plastic Sign - PUSH	Brown (W1) w/ white lettering	20.13	011628	-	5
	Material: .125" thick plastic					
	Lettering: 3/4" Helvetica	Black (W2) w/ white lettering	20.13	016508		
	Size: 1" x 4-1/2"					
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Blue (W3) w/ white lettering	20.13	017432		
	Signs are individually packed in a polybag	Silver (B1) w/ black lettering	20.13	097655		
		Gold (B2) w/ black lettering	20.13	009462		
PULL	351L					
	Lettered Plastic Sign - PULL	Brown (W1) w/ white lettering	20.13	011623	-	5
	Material: .125" thick plastic					
	Lettering: 3/4" Helvetica	Black (W2) w/ white lettering	20.13	016509		
	Size: 1" x 4-1/2"					
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Blue (W3) w/ white lettering	20.13	017433		
	Signs are individually packed in a polybag	Silver (B1) w/ black lettering	20.13	097656		
		Gold (B2) w/ black lettering	20.13	-		



 MEN

Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
352M					
Lettered Plastic Sign - MEN Material: .125" thick plastic Lettering: 3/4" Helvetica Size: 2-1/2" x 6" Fasteners: Double sided pressure sensitive tape, or screws (specify) Signs are individually packed in a polybag	Brown (W1) w/ white lettering	26.22	092362	-	5
	Black (W2) w/ white lettering	26.22	089552		
	Blue (W3) w/ white lettering	26.22	089105		
	Silver (B1) w/ black lettering	26.22	092753		
	Gold (B2) w/ black lettering	26.22	098437		

 WOMEN

352W					
Lettered Plastic Sign - WOMEN Material: .125" thick plastic Lettering: 3/4" Helvetica Size: 2-1/2" x 7" Fasteners: Double sided pressure sensitive tape, or screws (specify) Signs are individually packed in a polybag	Brown (W1) w/ white lettering	27.52	092363	-	5
	Black (W2) w/ white lettering	27.52	089553		
	Blue (W3) w/ white lettering	27.52	089100		
	Silver (B1) w/ black lettering	27.52	092754		
	Gold (B2) w/ black lettering	27.52	-		

Restroom

354A					
Lettered Plastic Sign - Restroom Material: .125" thick plastic Lettering: 3/4" Helvetica Size: 2" x 6" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Black (W2) w/ white lettering	33.80	024414		5
	Blue (W3) w/ white lettering	33.80	035530		

Restrooms

354B					
Lettered Plastic Sign - Restrooms Material: .125" thick plastic Lettering: 3/4" Helvetica Size: 2" x 6" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Black (W2) w/ white lettering	33.80	049899		5
	Blue (W3) w/ white lettering	33.80	025589		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Color	2022 List	Stock No.	Box Qty.	Case Qty.
364N Lasered International Symbol No Smoking Material: .125" thick plastic Size: 6" x 6" Fasteners: Pressure sensitive tape standard, or screws (specify) Signs are individually packed in a polybag	Red (W4) w/ raised white symbol	40.51	089099	-	5



364S International Handicap Symbol Material: .0625" thick plastic Raised HANDICAP symbol Size: 3" x 3" Fasteners: Pressure sensitive tape standard, or screws (specify) Signs are individually packed in a polybag	Blue (W3) w/ raised white symbol	24.19	099952	-	5
--	--	-------	--------	---	---



364M International Handicap Symbol Material: .0625" thick plastic Raised HANDICAP symbol Size: 4" x 4" Fasteners: Double sided pressure sensitive tape standard, or screws (specify) Signs are individually packed in a polybag	Blue (W3) w/ raised white symbol	30.23	092522	-	5
---	--	-------	--------	---	---



364L International Handicap Symbol Material: .125" thick plastic 1/32" raised HANDICAP symbol Size: 6" x 6" Fasteners: Double sided pressure sensitive tape standard, or screws (specify) Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	41.68	017405	-	5
	Black (W2) w/ raised white symbol	41.68	098102		
	Blue (W3) w/ raised white symbol	41.68	089101		





Description	Color	2022 List	Stock No.	Box Qty.	Case Qty.
365M ADA Tactile Signage - MEN Material: .125" thick plastic Grade 2 Braille Translation Size: 6" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	68.02	089102	-	5
	Black (W2) w/ raised white symbol	68.02	089097		
	Blue (W3) w/ raised white symbol	68.02	089098		



365W ADA Tactile Signage - WOMEN Material: .125" thick plastic Grade 2 Braille Translation Size: 6" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	71.53	089116	-	5
	Black (W2) w/ raised white symbol	71.53	089117		
	Blue (W3) w/ raised white symbol	71.53	089118		



366R ADA Tactile Signage Room Number Material: .125" thick plastic Grade 2 Braille Translation Size: 2-1/2" x 5" Fasteners: Double sided pressure sensitive tape Up to 3 characters included Add \$6.30 for a fourth character Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	34.10	113411	-	5
	Black (W2) w/ raised white symbol	34.10	008919		
	Blue (W3) w/ raised white symbol	34.10	008910		



366S ADA Tactile Signage - STAIRS Material: .125" thick plastic Grade 2 Braille Translation Size: 6" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	60.64	089112	-	5
	Black (W2) w/ raised white symbol	60.64	089113		
	Blue (W3) w/ raised white symbol	60.64	089115		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Color	2022 List	Stock No.	Box Qty.	Case Qty.
368E ADA Tactile Signage - EXIT Material: .125" thick plastic Grade 2 Braille Translation Size: 6" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	60.64	089119	-	5
	Black (W2) w/ raised white symbol	60.64	090296		
	Blue (W3) w/ raised white symbol	60.64	089088		



368M ADA Tactile Signage - MEN Material: .125" thick plastic Grade 2 Braille Translation Size: 6" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	71.84	089089	-	5
	Black (W2) w/ raised white symbol	71.84	089456		
	Blue (W3) w/ raised white symbol	71.84	089090		



368W ADA Tactile Signage - WOMEN Material: .125" thick plastic Grade 2 Braille Translation Size: 6" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	75.41	089092	-	5
	Black (W2) w/ raised white symbol	75.41	090033		
	Blue (W3) w/ raised white symbol	75.41	089093		





Description	Color	2022 List	Stock No.	Box Qty.	Case Qty.
368U ADA Tactile Signage - UNISEX Material: .125" thick plastic Grade 2 Braille Translation Size: 8" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	83.11	089719	-	5
	Black (W2) w/ raised white symbol	83.11	090224		
	Blue (W3) w/ raised white symbol	83.11	089091		
369L ADA Tactile Signage - ACCESS LEFT Material: .125" thick plastic Grade 2 Braille translation Size: 6" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	68.02	089094	-	5
	Black (W2) w/ raised white symbol	68.02	094727		
	Blue (W3) w/ raised white symbol	68.02	089095		
369R ADA Tactile Signage - ACCESS RIGHT Material: .125" thick plastic Grade 2 Braille translation Size: 6" x 8" Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Brown (W1) w/ raised white symbol	68.02	089096	-	5
	Black (W2) w/ raised white symbol	68.02	094726		
	Blue (W3) w/ raised white symbol	68.02	089120		
370M ADA Tactile Signage - RESTROOM MEN Material: 9/16" thick plastic Grade 2 Braille Translation Size: 10-1/2" side Fasteners: Double sided pressure sensitive tape Signs are individually packed in a polybag	Blue (W3) w/ raised white symbol and lettering	41.68	089558	-	5



1. U/M is price per hundred square inches.



Trim & Auxiliary



Description

370U

ADA Tactile Signage - RESTROOM UNISEX
 Material: 9/16" thick plastic
 Grade 2 Braille Translation
 Size: 12" diameter
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Color

Blue (W3) w/
 raised white
 symbol and
 lettering

2022 List

41.68

Stock No.

091565

Box Qty.

-

Case Qty.

5



370W

ADA Tactile Signage - RESTROOM WOMEN
 Material: 9/16" thick plastic
 Grade 2 Braille Translation
 Size: 12" diameter
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Blue (W3) w/
 raised white
 symbol and
 lettering

41.68

089557

-

5



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
901P Coat Hook - Short single Material: Brass Diameter: 1" Projection: 1-1/4" Fasteners: #14 x 1-1/4" wood thread	US3 US26D	23.21 23.21	004095 006028	1	-
902P Coat Hook - Long Single Material: Brass Diameter: 1" Projection: 2-1/2" Fasteners: #14 x 1-1/4" wood thread	US3 US26D	32.57 32.57	004098 011657	1	12
903P Coat Hook - Long Double Material: Brass Diameter: 1" Projection: 2-1/2" Fasteners: #14 x 1-1/4" wood thread	US3 US26D	44.75 44.75	022247 006364	1	12

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
910P					
Offset Mounting Vertical Pull					
Pull Diameter: 1-1/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Clearance: 1-1/2"					
Projection: 2-3/4"					
Length: 36"	US3	418.36	033176	1	12
CTC: 20"	US4	418.36	117797		
	US10	432.52	045611		
	US10B	432.52	075958		
	US15A	432.52	-		
	US26	432.52	013794		
	US26D	432.52	034212		
	US28	395.40	097652		
	US32D	316.42	034762		
Length: 72"	US3	503.19	199095	1	12
CTC: 56"	US4	503.19	-		
	US10	533.85	126115		
	US10B	533.85	001763		
	US15A	533.85	-		
	US26	533.85	013765		
	US26D	533.85	001766		
	US28	439.48	-		
	US32D	445.45	001767		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
910B					
Offset Mounting Vertical Pull					
BTB Mounting					
Pull Diameter: 1-1/4"					
Clearance: 1-1/2"					
Projection: 2-3/4"					
Offset: 1-5/8"					
Length: 36"	US3	861.78	141396	1	12
CTC: 20"	US4	861.78	133716		
	US10	890.03	048451		
	US10B	890.03	043270		
	US15A	890.03	-		
	US26	890.03	-		
	US26D	890.03	048202		
	US28	815.92	167363		
	US32D	657.83	022333		
Length: 72"	US3	1,031.44	-	1	12
CTC: 56"	US4	1,031.44	193465		
	US10	1,092.63	099392		
	US10B	1,092.63	045049		
	US15A	1,092.63	-		
	US26	1,092.63	145909		
	US26D	1,092.63	095610		
	US28	904.07	043452		
	US32D	915.89	034310		



915P					
Straight Mounting Vertical Pull					
Pull Diameter: 1-1/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Length: 36"	US3	395.40	188905	1	12
CTC: 20"	US4	395.40	030973		
Clearance: 1-1/2"	US10	417.13	176190		
Projection: 2-3/4"	US10B	417.13	024013		
	US15A	417.13	142862		
	US26	417.13	114370		
	US26D	417.13	095117		
	US28	302.88	046879		
	US32D	345.35	022924		
Length: 72"	US3	460.78	-	1	12
CTC: 56"	US4	460.78	093132		
Clearance: 1-1/2"	US10	489.71	-		
Projection: 2-3/4"	US10B	489.71	047686		
	US15A	489.71	198625		
	US26	489.71	107976		
	US26D	489.71	076713		
	US28	395.40	147145		
	US32D	417.13	033534		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
915B					
915B					
Straight Mounting Vertical Pull					
BTB Mounting					
Pull Diameter: 1-1/4"					
Length: 36"	US3	815.92	083233	1	12
CTC: 20"	US4	815.92	045884		
Clearance: 1-1/2"	US10	859.38	127056		
Projection: 2-3/4"	US10B	859.38	045158		
	US15A	859.38	160970		
	US26	859.38	042157		
	US26D	859.38	099445		
	US28	630.93	086258		
	US32D	715.82	036192		
Length: 72"	US3	946.61	079229	1	12
CTC: 56"	US4	946.61	030970		
Clearance: 1-1/2"	US10	1,004.35	169505		
Projection: 2-3/4"	US10B	1,004.35	039857		
	US15A	1,004.35	-		
	US26	1,004.35	107975		
	US26D	1,004.35	075209		
	US28	815.92	091752		
	US32D	859.38	038310		
920P					
C-Shaped Pull					
Projection: 2-1/4"	US3	503.19	175665	1	12
Base Diameter: 1"	US4	503.19	023694		
Clearance: 1-3/4"	US10	575.03	068045		
CTC: 8-1/2"	US10B	575.03	067513		
Fasteners: 3/8 - 16 FPHMS with finish washers	US15A	575.03	007029		
	US26	575.03	150521		
	US26D	575.03	127861		
	US28	322.88	192274		
	US32D	489.71	006521		
920B					
C-Shaped Pull					
BTB Mounting	US3	1,031.44	073762	1	12
Projection: 2-1/4"	US4	1,031.44	023825		
Base Diameter: 1"	US10	1,175.12	180413		
Clearance: 1-3/4"	US10B	1,175.12	190801		
CTC: 8-1/2"	US15A	1,175.12	-		
	US26	1,175.12	160784		
	US26D	1,175.12	060870		
	US28	670.88	-092159		
	US32D	1,004.35	028143		





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
921P					
C-Shaped Pull	US3	1,006.20	-	1	12
Projection: 2-1/8"	US4	1,006.20	-		
Clearance: 1-1/2"	US10B	1,006.20	025579		
Offset: 8-1/2"	US15A	1,006.20	-		
CTC: 17-1/2"	US26	1,006.20	-		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26D	1,006.20	059648		
	US32D	948.45	039887		
921B					
C-Shaped Pull	US3	2,037.45	-	1	12
BTB Mounting	US4	2,037.45	-		
Projection: 2-1/8"	US10B	2,037.45	179234		
Clearance: 1-1/2"	US15A	2,037.45	-		
Offset: 8-1/2"	US26	2,037.45	-		
CTC: 17-1/2"	US26D	2,037.45	092126		
	US32D	1,921.90	021628		
922P					
C-Shaped Pull Continuous					
Pull Diameter: 1"					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Clearance: 1-1/2"					
CTC: 10"	US3	314.08	052183	1	12
	US4	314.08	050741		
	US10	381.86	-		
	US10B	381.86	076741		
	US15A	381.86	-		
	US26	381.86	-		
	US26D	381.86	033046		
	US28	202.22	-		
	US32D	302.88	040459		
CTC: 12"	US3	360.68	-	1	12
	US4	360.68	-		
	US10	403.03	029399		
	US10B	403.03	029237		
	US15A	403.03	-		
	US26	403.03	031122		
	US26D	403.03	033048		
	US28	230.42	097273		
	US32D	331.25	017908		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
922B					
C-Shaped Pull Continuous					
BTB Mounting					
Pull Diameter: 1"					
Projection: 2-1/2"					
Clearance: 1-1/2"					
CTC: 10"					
	US3	653.21	043544	1	12
	US4	653.21	054798		
	US10	788.65	-		
	US10B	788.65	076740		
	US15A	788.65	-		
	US26	788.65	038676		
	US26D	788.65	028387		
	US28	429.44	047322		
	US32D	630.93	031463		
<hr/>					
CTC: 12"	US3	746.35	025373	1	12
	US4	746.35	049391		
	US10	831.12	-		
	US10B	831.12	031604		
	US15A	831.12	-		
	US26	831.12	-		
	US26D	831.12	054764		
	US28	486.02	-		
	US32D	687.50	032177		



923P					
C-Shaped Pull Flanged					
Pull Diameter: 1"					
Projection: 2-3/4"					
Clearance: 1-3/4"					
Base Diameter: 3/4"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 10"					
	US3	359.45	-	1	12
	US4	359.45	-		
	US10	380.63	-		
	US10B	380.63	042387		
	US15A	380.63	-		
	US26	380.63	-		
	US26D	380.63	-		
	US28	201.55	042579		
	US32D	301.77	107215		
<hr/>					
CTC: 12"	US3	387.70	028028	1	12
	US4	387.70	041357		
	US10	403.03	-		
	US10B	403.03	086167		
	US15A	403.03	-		
	US26	403.03	007281		
	US26D	403.03	059492		
	US28	232.20	-		
	US32D	331.25	043111		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
923B					
C-Shaped Pull Flanged					
BTB Mounting					
Pull Diameter: 1"					
Projection: 2-3/4"					
Clearance: 1-3/4"					
Base Diameter: 3/4"					
CTC: 10"	US3	743.95	-	1	12
	US4	743.95	-		
	US10	786.24	-		
	US10B	786.24	-		
	US15A	786.24	-		
	US26	786.24	-		
	US26D	786.24	027475		
	US28	428.21	087162		
	US32D	628.53	097112		
CTC: 12"	US3	800.53	033306	1	12
	US4	800.53	-		
	US10	831.12	-		
	US10B	831.12	-		
	US15A	831.12	-		
	US26	831.12	-		
	US26D	831.12	100390		
	US28	489.46	-		
	US32D	687.50	032950		
924P					
C-Shaped Pull	US3	445.45	-	1	12
O/A Height: 15"	US4	445.45	-		
Projection: 2-1/2"	US10B	489.71	039224		
Clearance: 1-1/2"	US15A	489.71	-		
Offset: 6-1/2"	US26	489.71	170355		
Fasteners: 3/8 -16 FPHMS with finish washers	US26D	489.71	033435		
	US32D	648.04	091516		
924B					
C-Shaped Pull	US3	915.89	-	1	12
BTB Mounting	US4	915.89	094302		
O/A Height: 15"	US10B	1,004.35	027198		
Projection: 2-1/2"	US15A	1,004.35	113505		
Clearance: 1-1/2"	US26	1,004.35	-		
Offset: 6-1/2"	US26D	1,004.35	034830		
	US32D	1,321.08	073072		



1. U/M is price per hundred square inches.





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
926P					
Curved Shaped Pull					
Base Diameter: 1-1/4"	US3	460.78	-	1	12
Projection: 3"	US4	460.78	-		
Clearance: 1-13/16"	US10B	517.35	000085		
Offset: 5-9/32"					
CTC: 12"					
Pull Diameter: 1-3/16"					
Fasteners: 3/8 - 16 FPHMS with finish washers					



926B					
Curved Shaped Pull					
BTB Mounting	US3	946.61	-	1	12
Base Diameter: 1-1/4"	US4	946.61	-		
Projection: 3"	US10B	1,059.69	-		
Clearance: 1-13/16"					
Offset: 5-9/32"					
CTC: 12"					
Pull Diameter: 1-3/16"					



932P					
S-Shaped Pull	US3	603.84	-	1	12
Projection: 3"	US4	603.84	-		
Clearance: 2"	US10B	661.65	-		
Pull Diameter: 1"	US15A	661.65	-		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26	661.65	-		
	US26D	661.65	-		
	US28	489.71	-		
	US32D	590.36	048039		

1. U/M is price per hundred square inches.





Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
932B					
S-Shaped Pull	US26D	2,045.52	-	1	12
BTB Mounting	US32D	1,608.01	-		
Projection: 3"					
Clearance: 2"					
Pull Diameter: 1"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Note: must specify handing					
<hr/>					
933P					
Colonial Style Door Pull	US3	115.61	021632	1	12
Projection: 2-3/16"	US4	101.51	025560		
Pull Diameter: 1"	US10B	136.79	041459		
Base Diameter: 15/16"	US26	136.79	140775		
Fasteners: 3/8 - 16 FPHMS with finish washers					
Clearance: 1-3/16"					
CTC: 6"					
<hr/>					
933B					
Colonial Style Door Pull	US3	256.27	-	1	12
BTB Mounting	US4	228.14	-		
Projection: 2-3/16"	US10B	298.63	020879		
Pull Diameter: 1"	US26	298.63	-		
Base Diameter: 15/16"					
Clearance: 1-3/16"					
CTC: 6"					
<hr/>					
934P					
Offset Pull					
Projection: 3-1/8"					
Pull Diameter: 1-1/4"					
Base Diameter: 1"					
Clearance: 1-7/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	417.13	015408	1	12
	US4	417.13	055245		
	US10B	417.13	018229		
	US15A	417.13	022244		
	US26	417.13	024963		
	US26D	417.13	009614		
	US28	412.39	-		
	US32D	503.19	087258		
CTC: 16"	US3	431.84	-	1	12
	US4	431.84	-		
	US10B	431.84	018887		
	US15A	431.84	-		
	US26	431.84	-		
	US26D	431.84	081586		
	US28	424.27	-		
	US32D	520.74	055788		
CTC: 18"	US3	473.09	-	1	12
	US4	473.09	-		
	US10B	473.09	018219		
	US15A	473.09	-		
	US26	473.09	-		
	US26D	473.09	-		
	US28	465.39	-		
	US32D	570.29	089638		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
934B					
Offset Pull					
BTB Mounting					
Base Diameter: 1"					
Projection: 3-1/8"					
Clearance: 1-7/8"					
Pull Diameter: 1-1/4"					
CTC: 12"	US3	859.38	-	1	12
	US4	859.38	038443		
	US10B	859.38	042701		
	US15A	859.38	-		
	US26	859.38	194305		
	US26D	859.38	-		
	US28	849.90	-		
	US32D	1,031.44	120341		
CTC: 16"	US3	888.86	-	1	12
	US4	888.86	-		
	US10B	888.86	-		
	US15A	888.86	-		
	US26	888.86	-		
	US26D	888.86	-		
	US28	873.54	-		
	US32D	1,066.65	-		
CTC: 18"	US3	971.29	-	1	12
	US4	971.29	-		
	US10B	971.29	-		
	US15A	971.29	-		
	US26	971.29	-		
	US26D	971.29	-		
	US28	955.84	-		
	US32D	1,165.52	-		



936P					
Coat Hook Single/Angled					
Material: Brass					
Base Diameter: 1-15/16"	US3	61.38	021976	1	12
Hook Diameter: 11/16"	US26D	61.38	009820		
Projection: 3-5/16"					



937P					
Coat Hook	US3	62.91	028259	1	12
Material: Brass	US26D	62.91	009821		
Projection: 3-3/4" top hook; 2-1/2" bottom hook					



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
940P Double Coat Hook Material: Brass Top Projection: 3-15/16" Bottom Projection: 2-1/8" Thickness: 1/4" Fasteners: #10 x 1" FPHWS	US3 US26D	22.96 22.96	028110 022327	1	12



941P Single Coat Hook Material: Brass Projection: 2-1/8" Thickness: 1/4" Fasteners: #10 x 1" FPHWS	US3 US26D	21.36 21.36	043274 017192	1	12
--	--------------	----------------	------------------	---	----



945P Double Coat Hook - Surface mounting Material: Brass O/A Height: 5-1/2" Projection: 3-5/16" Fasteners: #10 x 1" FPHWS w/ anchors	US3 US26D	58.30 58.30	041591 -	1	12
--	--------------	----------------	-------------	---	----



946P Double Coat Hook w/ Concealed Mounting Material: Brass O/A Height: 5-1/2" Projection: 3-11/16" Fasteners: #10 x 1" FPHWS w/ anchors	US3 US26D	111.12 111.12	035563 016502	1	12
--	--------------	------------------	------------------	---	----







951P Double Coat Hook/Straight Material: Brass O/A Height: 5-3/4" Projection: 2-3/4"	US3 US26D	111.12 111.12	009815 007030	1	12
---	--------------	------------------	------------------	---	----

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
	952P					
	Single Coat Hook/Straight Material: Brass O/A Height: 1-15/16" Projection: 2-1/4"	US3 US26D	89.14 89.14	009818 009816	1	12
	956P					
	Double Coat Hook/Angled Material: Brass O/A Height: 5-11/16" Projection: 3-23/32"	US3 US4 US26D	108.16 108.16 108.16	022248 190569 009823	1	12
	957P					
	Coat Hook Materials: Brass Projection: 1-3/4" Base Diameter: 3/4" Fasteners: #10 x 1" wood thread	US3 US26D	27.33 27.33	038315 010738	1	12
	960P					
	Square Tip Pull O/A Height: 16" Base Diameter: 1-1/4" Pull Diameter: 1" Projection: 3-1/4" Clearance: 1-3/4" Fasteners: 3/8 - 16 FPHMS with finish washers CTC: 12"	US3 US4 US10B US15A US26 US26D	546.10 546.10 546.10 546.10 546.10 546.10	009259 038157 011621 013611 020471 015493	1	12
	960B					
	Square Tip Pull BTB Mounting O/A Height: 16" Base Diameter: 1-1/4" Pull Diameter: 1" Projection: 3-1/4" Clearance: 1-3/4" CTC: 12"	US3 US4 US10B US15A US26 US26D	1,117.38 1,117.38 1,117.38 1,117.38 1,117.38 1,117.38	- 044725 075667 - - 069324	1	12



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
962P					
Acorn Tip Pull	US3	517.35	011390	1	12
O/A Height: 16-5/16"	US4	517.35	-		
Base Diameter: 2"	US10B	517.35	030177		
Pull Diameter: 1"	US15A	517.35	018220		
Projection: 3"	US26	517.35	-		
Clearance: 1-7/8"	US26D	517.35	023995		
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"					
963P					
Acorn Tip Pull - Offset					
Pull Diameter: 1"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	560.87	090673	1	12
	US4	539.70	185396		
	US10B	560.87	093281		
	US15A	560.87	064105		
	US26	560.87	-		
	US26D	560.87	182665		
CTC: 16"	US3	690.58	-	1	12
	US4	654.01	-		
	US10B	690.58	125026		
	US15A	690.58	-		
	US26	690.58	-		
	US26D	690.58	-		
CTC: 18"	US3	696.37	-	1	12
	US4	559.70	080532		
	US10B	701.78	099640		
	US15A	701.78	-		
	US26	701.78	-		
	US26D	701.78	058839		
CTC: 24"	US3	729.30	-	1	12
	US4	692.06	-		
	US10B	729.30	049909		
	US15A	729.30	-		
	US26	729.30	-		
	US26D	729.30	-		
CTC: 30"	US3	758.23	-	1	12
	US4	724.07	-		
	US10B	758.23	049907		
	US15A	758.23	-		
	US26	758.23	-		
	US26D	758.23	-		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
967P					
Curved Pull	US3	1,365.46	024430	1	12
O/A Height: 20-1/2"	US4	1,365.46	009305		
Clearance: 3-9/16"	US10B	1,580.00	016556		
Projection: 5-9/16"	US15A	1,580.00	-		
Specify handing	US26	1,580.00	-		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26D	1,580.00	008614		



Description	Finish	2022 List	Case Qty.	Over 36''*
970P				
970P	US3	625.51	12	8.00
Push/Pull Set	US4	625.51		8.00
Base Diameter: 1"	US10	625.51		8.00
Pull Projection: 3"	US10B	625.51		8.00
Pull Clearance: 2"	US15A	625.51		8.00
CTC Length: 16-3/4"	US26	625.51		8.00
Push clearance: 1-3/4"	US26D	625.51		8.00
Push projection: 2-3/4"	US32D	603.66		13.40
Fasteners: Type 3 Mounting				
Handing Required				
Additional Bars by Quotation				
*Add per linear inch or fraction thereof				



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
974P					
Door Pull					
Pull Diameter: 1" (25 mm)					
Base Diameter: 2" (51 mm)					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	621.02	096812	1	12
	US4	621.02	-		
	US10B	621.02	077525		
	US26	621.02	178427		
	US26D	621.02	067183		
	US32D	621.02	090347		
CTC: 18"	US3	646.32	187112	1	12
	US4	646.32	-		
	US10B	646.32	124873		
	US26	646.32	-		
	US26D	646.32	077942		
	US32D	646.32	008568		
CTC: 24"	US3	675.13	-	1	12
	US4	675.13	057982		
	US10B	675.13	-		
	US26	675.13	-		
	US26D	675.13	118329		
	US32D	675.13	065323		
CTC: 30"	US3	704.00	-	1	12
	US4	704.00	067792		
	US10B	704.00	178035		
	US26	704.00	-		
	US26D	704.00	-		
	US32D	704.00	181045		
CTC: 36"	US3	704.00	-	1	12
	US4	704.00	057981		
	US10B	704.00	199053		
	US26	704.00	-		
	US26D	704.00	117957		
	US32D	704.00	138337		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
974B					
Door Pull					
BTB Mounting					
Pull Diameter: 1" (25 mm)					
Base Diameter: 2" (51 mm)					
Projection: 2-1/2"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	1,267.03	160776	1	12
	US4	1,267.03	181357		
	US10B	1,267.03	094407		
	US26	1,267.03	-		
	US26D	1,267.03	012146		
	US32D	1,267.03	094083		
CTC: 18"	US3	1,317.63	-	1	12
	US4	1,317.63	-		
	US10B	1,317.63	-		
	US26	1,317.63	190940		
	US26D	1,317.63	091914		
	US32D	1,317.63	080540		
CTC: 24"	US3	1,375.44	-	1	12
	US4	1,375.44	-		
	US10B	1,375.44	031371		
	US26	1,375.44	-		
	US26D	1,375.44	-		
	US32D	1,375.44	080541		
CTC: 30"	US3	1,433.06	-	1	12
	US4	1,433.06	067788		
	US10B	1,433.06	-		
	US26	1,433.06	-		
	US26D	1,433.06	107473		
	US32D	1,433.06	124943		
CTC: 36"	US3	1,433.06	162089	1	12
	US4	1,433.06	-		
	US10B	1,433.06	-		
	US26	1,433.06	-		
	US26D	1,433.06	-		
	US32D	1,433.06	091943		

1. U/M is price per hundred square inches.



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
975P					
Vertical Pull					
Pull Diameter: 1"					
Projection: 2.50"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Length: 36"	US3	340.61	-	1	12
CTC: 20"	US4	340.61	-		
	US10	340.61	-		
	US10B	340.61	042466		
	US15A	340.61	012591		
	US26	340.61	050339		
	US26D	340.61	012278		
	US32D	340.61	010891		
Length: 72"	US3	489.71	119290	1	12
CTC: 56"	US4	489.71	074642		
	US10	489.71	070431		
	US10B	489.71	022804		
	US15A	489.71	012601		
	US26	489.71	030738		
	US26D	489.71	029768		
	US32D	489.71	028382		



975B					
Vertical Pull					
BTB Mounting					
Pull Diameter: 1"					
Projection: 2.50"					
Length: 36"	US3	706.34	101090	1	12
CTC: 20"	US4	706.34	198942		
	US10	706.34	099259		
	US10B	706.34	025610		
	US15A	706.34	-		
	US26	706.34	030737		
	US26D	706.34	021401		
	US32D	706.34	028442		
Length: 72"	US3	1,004.35	-	1	12
CTC: 56"	US4	1,004.35	-		
	US10	1,004.35	-		
	US10B	1,004.35	021488		
	US15A	1,004.35	-		
	US26	1,004.35	030738		
	US26D	1,004.35	021402		
	US32D	1,004.35	021547		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
976P Door Pull Offset Overall: 29-1/2"; CTC: 19-13/16" Base Diameter: 1-1/4" Pull Diameter: 1-1/4" Projection: 5-3/8" Clearance: 4-1/8" Offset: 1-3/4" Fasteners: 3/8 - 16 FPHMS with finish washers	US32D	752.94	088820	1	12



976B Door Pull Offset Overall: 29-1/2"; CTC: 19-13/16" BTB Mounting Base Diameter: 1-1/4" Pull Diameter: 1-1/4" Projection: 5-3/8" Clearance: 4-1/8" Offset: 1-3/4"	US32D	1,530.94	062051	1	12
--	-------	----------	--------	---	----



980P Segment Shape - Straight Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 9"	US3	227.53	-	1	12
Projection: 2-1/2"	US4	227.53	-		
	US10B	227.53	012840		
	US15A	227.53	076601		
	US26	227.53	-		
	US26D	227.53	-		
	US32D	227.53	027302		
CTC: 12"	US3	227.53	-	1	12
	US4	227.53	095352		
	US10B	227.53	083262		
	US15A	227.53	-		
	US26	227.53	014517		
	US26D	227.53	049530		
	US32D	227.53	031717		
CTC: 18"	US3	252.15	-	1	12
	US4	252.15	084595		
	US10B	252.15	012799		
	US15A	252.15	-		
	US26	252.15	-		
	US26D	252.15	057861		
	US32D	252.15	016625		
CTC: 24"	US3	252.15	-	1	12
	US4	252.15	-		
	US10B	252.15	065896		
	US15A	252.15	121326		
	US26	252.15	-		
	US26D	252.15	036275		
	US32D	252.15	024698		

Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
980B					
Segment Shape - Straight					
BTB Mounting					
CTC: 9"	US3	480.04	-	1	12
Projection: 2-1/2"	US4	480.04	-		
	US10B	480.04	116185		
	US15A	480.04	114829		
	US26	480.04	-		
	US26D	480.04	-		
	US32D	480.04	083497		
CTC: 12"	US3	480.04	-	1	12
	US4	480.04	-		
	US10B	480.04	101513		
	US15A	480.04	-		
	US26	480.04	-		
	US26D	480.04	039876		
	US32D	480.04	032307		
CTC: 18"	US3	529.35	-	1	12
	US4	529.35	-		
	US10B	529.35	-		
	US15A	529.35	-		
	US26	529.35	-		
	US26D	529.35	044015		
	US32D	529.35	022336		
CTC: 24"	US3	529.35	-	1	12
	US4	529.35	-		
	US10B	529.35	017774		
	US15A	529.35	-		
	US26	529.35	-		
	US26D	529.35	-		
	US32D	529.35	-		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
981P					
Segment Shape - Offset Pull					
Projection: 2-5/16"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"					
	US3	268.71	-	1	12
	US4	268.71	-		
	US10B	268.71	-		
	US15A	268.71	-		
	US26	268.71	-		
	US26D	268.71	-		
	US32D	268.71	-		
<hr/>					
CTC: 18"	US3	302.88	-	1	12
	US4	302.88	-		
	US10B	302.88	-		
	US15A	302.88	-		
	US26	302.88	-		
	US26D	302.88	010525		
	US32D	302.88	015619		
<hr/>					
CTC: 24"	US3	374.22	-	1	12
	US4	374.22	-		
	US10B	374.22	-		
	US15A	374.22	-		
	US26	374.22	-		
	US26D	374.22	010526		
	US32D	374.22	033975		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
981B					
Segment Shape - Offset Pull					
BTB Mounting					
Projection: 2-5/16"					
CTC: 12"	US3	562.41	027231	1	12
	US4	562.41	-		
	US10B	562.41	-		
	US15A	562.41	-		
	US26	562.41	-		
	US26D	562.41	-		
	US32D	562.41	-		
	CTC: 18"	US3	630.93	-	1
US4		630.93	050164		
US10B		630.93	001599		
US15A		630.93	188633		
US26		630.93	022355		
US26D		630.93	097705		
US32D		630.93	028505		
CTC: 24"		US3	773.44	-	1
	US4	773.44	-		
	US10B	773.44	085243		
	US15A	773.44	-		
	US26	773.44	049864		
	US26D	773.44	027598		
	US32D	773.44	031349		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
983P					
Curved Pull					
Base Diameter: 14-1/4"					
Projection: 3-9/16"					
Clearance: 1-7/8"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
Specify handing					
Left Hand	US3	560.87	-	1	12
	US4	560.87	-		
	US10B	603.84	099179		
	US15A	603.84	-		
	US26	603.84	-		
	US26D	603.84	186027		
	US32D	690.58	083105		
Right Hand	US3	560.87	-	1	12
	US4	560.87	-		
	US10B	603.84	140022		
	US15A	603.84	-		
	US26	603.84	-		
	US26D	603.84	105909		
	US32D	690.58	083106		



983B					
Curved Pull					
BTB Mounting					
Base Diameter: 14-1/4"					
Projection: 3-9/16"					
Clearance: 1-7/8"					
Specify handing					
Left Hand	US3	1,146.86	-	1	12
	US4	1,146.86	-		
	US10B	1,232.80	044345		
	US15A	1,232.80	-		
	US26	1,232.80	-		
	US26D	1,232.80	065560		
	US32D	1,406.15	-		
Right Hand	US3	1,146.86	-	1	12
	US4	1,146.86	-		
	US10B	1,232.80	044347		
	US15A	1,232.80	-		
	US26	1,232.80	-		
	US26D	1,232.80	-		
	US32D	1,406.15	085557		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
984P					
Curved Pull					
Projection: 3"					
Fasteners: 3/8 - 16 FPHMS with finish washers					
CTC: 12"	US3	374.22	-	1	12
	US4	374.22	-		
	US10B	374.22	-		
	US15A	374.22	-		
	US26	374.22	060382		
	US26D	374.22	-		
	US32D	466.69	078894		
CTC: 20"	US3	558.53	-	1	12
	US4	558.53	-		
	US10B	558.53	-		
	US15A	558.53	-		
	US26	558.53	-		
	US26D	558.53	014652		
	US32D	721.67	082549		



984B					
Curved Pull					
BTB Mounting					
Projection: 3"					
CTC: 12"	US3	773.44	-	1	12
	US4	773.44	-		
	US10B	773.44	033349		
	US15A	773.44	-		
	US26	773.44	-		
	US26D	773.44	-		
	US32D	958.37	047511		
CTC: 20"	US3	1,142.18	-	1	12
	US4	1,142.18	-		
	US10B	1,142.18	-		
	US15A	1,142.18	-		
	US26	1,142.18	-		
	US26D	1,142.18	-		
	US32D	1,468.51	-		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
1442					
Roller Latch with Full Lip Strike					
Material: Forged brass					
Latch Face: 1" x 3-3/8"	US3	41.00	070478	1	12
Strike: 1-11/16" x 2-1/4" x 5/32" thick	US4	57.93	011444		
Max Roller Projection: 3/8"	US10	57.93	011442		
Fasteners: #8 x 1" FPHWS; 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS	US10B	43.71	070462		
Non-Ferrous Version available on US3, US10B, US15, and US26D with extended lead time - 13.85 adder	US15	48.63	060770		
(NF) comp	US15A	78.18	054026		
	US19	43.71	054513		
	US26	43.03	064292		
	US26D	34.78	011443		



1443					
Roller Latch w/ ASA Strike					
Material: Forged brass	US3	45.00	061158	1	12
Latch Face: 1" x 3-3/8"	US4	60.58	051299		
Strike: 1-1/4" x 4-7/8" w/ 5/8" Lip	US10B	51.28	061159		
Strike Thickness: .093"	US15	67.96	060765		
Max Roller Projection: 3/8"	US15A	78.18	054032		
Fasteners: 12 - 24 x 1/2" FPHMS; #12 x 3/4" FPHWS; #10 x 1-1/2" FPHWS	US19	51.28	054515		
	US26	57.93	088079		
	US26D	38.29	011446		



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
2610					
Finger Pull	US3		013049	-	500
Material: Brass	US4	See Sliding Door Hardware Section for Pricing	071953		
Overall Diameter: 31/32"	US5		-		
Finger Pull Diameter: 3/4"	US10A		068711		
Pull Clearance: 5/16"	US15		040589		
Projection: 1/32"	US15A		-		
	US26		013047		
	US26D		071169		



2620					
Round Flush Pull	US3	See Sliding Door Hardware Section for Pricing	013081	-	50
Material: Brass	US4		072997		
Overall Diameter: 2-1/16"	US5		072148		
Finger Pull Diameter: 1-11/16"	US10A		072534		
Pull Clearance: 11/32"	US15		072624		
Projection: 5/64"	US15A		072158		
	US26		072554		
	US26D		075322		



2630					
Round Flush Pull	US3	See Sliding Door Hardware Section for Pricing	051919	-	50
Material: Brass	US4		073783		
Overall Diameter: 2-7/16"	US5		053163		
Finger Pull Diameter: 2-1/16"	US10A		073053		
Pull Clearance: 11/32"	US15		073056		
Projection: 3/32"	US15A		005307		
	US26		023430		
	US26D		023431		



2640					
Oblong Flush Pull	US3	See Sliding Door Hardware Section for Pricing	096760	-	50
Material: Brass	US4		075056		
Size: 1-5/16" x 2-3/4"	US5		074270		
Cup Clearance: 5/16"	US10A		074533		
Fasteners: #6 x 5/8" OPHWS	US15		074711		
	US15A		074350		
	US26		026751		
	US26D		074664		

1. U/M is price per hundred square inches.



Trim & Auxiliary



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
9558 Wood Knob Knob Diameter: 1-1/2" Base Diameter: 15/16" Fasteners: #8 x 1-3/4" PPHWS	Wood	See Sliding Door Hardware Section for Pricing	096567	-	100



9566 Knob Material: Zinc Knob Diameter: 1-1/4" Projection: 1" Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS	US3 US4 US5 US10A US10B US15 US15A US26 US26D	See Sliding Door Hardware Section for Pricing	099824 098635 - 098634 098633 098632 - 098628 098627	-	100
--	---	---	--	---	-----



9567 Rose - For use with 9566 knob Material: Zinc Base Diameter: 1-3/4" Projection: 15/32" Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS	US3 US4 US5 US10A US10B US15 US15A US26 US26D	See Sliding Door Hardware Section for Pricing	099825 - - - 098624 098623 - 098621 098620	-	100
---	---	---	--	---	-----



9865 Plastic Pull Overall Diameter: 1-31/32" Finger Pull Diameter: 1-19/32" Pull Clearance: 11/32" Projection: 5/64"	Plastic	1.29	098993	-	100
--	---------	------	--------	---	-----



9882 Pocket Door Edge Pull Material: Brass Finger Pull Extends: 3/4" Faceplate: 3/4" x 3-7/8" Fasteners: #6 x 5/8" FPHWS Note: See Sliding Door section for pricing and multiplier.	US3 US10B US26 US26D	18.53 22.41 22.41 22.41	049582 049580 049579 049581	-	100
--	-------------------------------	----------------------------------	--------------------------------------	---	-----



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.
9884 Pocket Door Edge Pull Material: Zinc Finger Pull Extends: 1-1/16" Faceplate: 21/32" x 3-1/2" Fasteners: #6 x 5/8" FPHWS Note: See Sliding Door section for pricing and multiplier.	US3	See Sliding Door Hardware Section for Pricing	099056	-	20



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
208 Kick Down Door Holder Material: Aluminum alloy Base: 1-5/8" x 1-7/8" Arm: 3-7/8" Fasteners: #6 x 3/4" FPHWS	US15A/AN	8.62	039115	5	50	485
	US26	8.62	001104			
	US26D	8.62	075679			



209 Floor Door Stop Material: Zinc Height: 1-1/4" Base Diameter: 1-3/32" Tip Diameter: 19/32" Fasteners: #8 x 2" FPHWS U/M - 1 each	US26	1.48	76165	5	50	485
---	------	------	-------	---	----	-----







210 Door Stop - Rigid Material: Zinc Projection: 3" Base Diameter: 1" Tip Diameter: 11/16" Fasteners: #8 x 5/8" wood thread U/M - 1 each	US3	2.40	076443	5	50	485
	US4	2.09	078852			
	US5/ABA	2.22	078854			
	US10A	2.22	075736			
	US10R	2.22	097367			
	US15A/AN	2.22	039117			
	US15	2.22	039118			
	US19	2.05	021943			
	US26	2.15	076171			
	US26D	2.40	076170			

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
	211						
	Door Stop - Flexible	US3	1.91	076206	10	100	485
	Material: Zinc	US4	1.60	001109			
	Projection: 3-1/8"	US5/ABA	2.09	053162			
	Base Diameter: 1"	US10A	2.09	076199			
	Tip Diameter: 9/16"	US10R	2.09	097368			
	Fasteners: #8 x 3/4" PPHWS	US15A/AN	2.09	039126			
	U/M - 1 each	US15	2.09	039121			
	US26	1.72	076205				
	US26D	1.91	076203				
	212						
	Hinge Pin Door Bumper						
	Material: Zinc	US3	2.52	056477	10	100	485
	U/M - 1 each	US4	2.40	023084			
	Adjustable from 180° to 120°	US5/ABA	2.52	023083			
	For use with residential hinges	US10A	2.09	076219			
	Works with 1/4" hinge pins	US10R	2.09	097369			
		US15A/AN	2.52	034530			
		US15	2.46	034492			
		US19	2.40	021931			
	US26	1.91	076221				
	US26D	1.91	076220				
	1412						
	Door Guard						
	Arm Length: 4"	US3	10.83	056475	5	50	485
	Material: Zinc	ABA	8.37	011433			
	Fasteners: #6 x 3/4" FPHWS	US10A	8.37	076222			
	U/M - 1 each with screws	US15A/AN	8.37	035285			
		US15	8.37	035279			
	US26	8.37	011431				
	US26D	10.83	076223				
	1413						
	Flush Bolt - Square Corners						
	Material: Brass w/ steel components	US3	10.96	051915	10	100	485
	Bolt Diameter: 1/2"	US4	10.96	055562			
	Bolt Throw: 15/16"	US5/ABA	13.42	051916			
	Faceplate: 3/4" x 6"	US10A	13.42	-			
	Backset: 7/16"	US10R	13.42	072931			
	Strike: 7/8" x 1-3/4"	US15A/AN	13.42	035457			
Fasteners: #6 x 3/4" FPHWS	US15	10.96	035457				
U/M - 1 each with screws	US26	10.96	-				
	US26D	10.96	055561				



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
1414						
Flush Bolt	US3	10.96	051917	10	100	485
Material: Brass w/ steel components	US10R	13.42	097374			
Bolt Diameter: 1/2"	US15	10.96	040830			
Bolt Throw: 15/16"	US26D	10.96	055589			
Faceplate: 3/4" x 6"						
Backset: 7/16"						
Strike: 7/8" x 1-3/4"						
Fasteners: #6 x 3/4" FPHWS						
Strikeplate and screws, U/M - 1 each						



1415						
Strike Plate	US3	2.52	081300	100	500	485
Material: Brass	US10A	2.52	081308			
Size: 7/8" x 1-3/4"	US15A/AN	2.52	081311			
Fasteners: #6 x 3/4" FPHWS	US15	2.52	081305			
U/M - 1 each with screws	US26D	2.52	081307			



1416						
Flush Bolt - Single Route	US3	12.99	078952	10	100	485
Material: Brass w/ steel components	US4	12.99	076239			
Bolt Diameter: 5/16"	US5/ABA	15.39	076225			
Backset: 3/8"	US10A	15.39	076236			
Faceplate: 3/4" x 7-1/8"	US10R	15.39	097375			
Strike: 21/32" x 1-1/2"	US15A/AN	15.39	035990			
Bolt Throw: 7/8"	US15	15.39	036004			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS	US26	12.99	076238			
U/M - 1 each with strikeplate and screws	US26D	12.99	076237			



1418						
Flush Bolt with Extension Rod	US3	15.27	068407	10	100	485
Material: Brass w/ steel components	US4	15.27	068337			
Bolt Diameter: 5/16"	US5/ABA	15.27	068263			
Backset: 3/8"	US10A	17.54	068467			
Faceplate: 23/32" x 7-3/8"	US10R	16.81	072930			
Strike: 5/8" x 1-1/2"	US15A/AN	17.54	068249			
Bolt Throw: 3/4"	US15	15.27	068448			
Extended Rod Length: 16"	US26	15.27	068447			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS	US26D	15.27	068436			
U/M - 1 each						








1419						
Flip/Foot Bolt Flush Bolt	US3	12.19	019228	10	100	485
Material: Brass with steel components	US4	12.19	019227			
Faceplate: 3/4" x 7-1/8"	US5/ABA	15.27	019224			
Strike: 5/8" x 1-1/2"	US10R	15.27	019212			
Bolt Diameter: 5/16"	US15	12.19	019231			
Bolt Throw: 3/4"	US26	12.19	019230			
Backset: 5/16"	US26D	12.19	019229			
Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS						
U/M - 1 each						

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
	1439 Magnetic Catch Material: Plastic Catch: 1-1/16" x 2" Strike: 7/8" x 1" Fasteners: #6 x 1/2" TPHWS; #4 x 1/2" FPHWS U/M - 1 each with screws	-	2.52	011439	25	100	485
	1446 Ball Catch Material: Zinc Faceplate: 1" x 2-1/4" Strike: 1-3/8" x 2-1/4" Fasteners: #6 FPHWS U/M - 1 each with two strikeplates and screws	US3	4.86	051902	10	50	485
		US4	4.86	055624			
		US5/ABA	5.54	051903			
		US10A	5.54	055634			
		US10R	5.54	097376			
		US15A/AN	5.54	036870			
		US15	5.54	036878			
		US26	4.86	055635			
		US26D	4.86	055608			
	1447 Drive in Ball Catch Material: Zinc Faceplate: 1" diameter Strike: 1-3/8" x 2-1/4" Fasteners: #6 FPHWS U/M - 1 each with 2 strikeplates and screws	US3	4.43	043896	10	50	485
		US4	4.86	055638			
		US5/ABA	5.54	055636			
		US10A	5.54	055639			
		US10R	5.54	097377			
		US15A/AN	5.54	037445			
		US15	5.54	036882			
		US26	4.43	055640			
		US26D	4.86	055637			
	1448 Strike Plate for 1446 or 1447 Size: 1-3/8" x 2-1/4" Fasteners: #6 FPHWS U/M - 1 each with screws	US3	2.52	079333	100	500	485
		US4	2.52	079334			
		US5/ABA	2.52	079351			
		US10A	2.52	079339			
		US10R	2.52	097378			
		US15A/AN	2.52	079340			
		US15	2.52	079335			
		US26	2.52	079337			
		US26D	2.52	079338			
	1449 Drive In Ball Catch for 1448 Material: Zinc Faceplate: 1" diameter U/M - 1 each	US4	2.22	101876	100	300	485



Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
1755						
115° One Way Door Viewer	US3	7.76	056866	10	100	485
UL Listed	US4	7.76	011919			485
U/M - 1 each	US5/ABA	7.63	076270			485
90 min. fire rated	US10A	7.63	076272			485
Door Thickness: 1-3/8" - 2-1/8"	US10R	7.63	097475			485
	US15A/AN	7.63	076271			485
	US15	7.63	076276			485
	US26	7.45	076274			485
	US26D	7.51	055225			485



1756						
185° One Way Door Viewer	US3	11.70	011920		50	485
UL Listed	US4	11.70	066884			485
U/M - 1 each	US5/ABA	17.42	072679			485
90 Minute Fire-Rated	US10A	17.42	076442			485
Door Thickness: 1-3/8" - 2-1/8"	US10R	17.42	097476			485
	US15A/AN	17.42	076441			485
	US15	17.42	067422			485
	US19	17.42	021917			485
	US26	17.24	044337			485
	US26D	12.13	086149			485



1758						
115° One Way Door Viewer with Privacy Flap	US3	12.31	146215	10	100	485
Door Thickness: 1-3/8" - 2-1/8"	US10A	12.00	146216			485
UL Listed	US26	12.00	146217			485
U/M - 1 each	US26D	11.94	146218			485
90 Minute Fire-Rated						



1759						
185° One Way Door Viewer with Privacy Flap	US3	16.01	146219		50	485
Door Thickness: 1-3/8" - 2-1/8"	US10A	22.78	146220			485
UL Listed	US26	22.78	146221			485
U/M - 1 each	US26D	15.51	146222			485
90 Minute Fire-Rated						



1765						
Privacy Flap for 115° One Way Viewer 1755	US3	5.97	146207	1	200	485
	US26	5.36	146209			485
	US26D	5.97	146210			485









1766						
Privacy Flap for 185° One Way Viewer 1756	US3	6.83	146211	1	200	485
	US10A	6.34	146212			485
	US26	6.34	146213			485
	US26D	6.65	146214			485

1. U/M is price per hundred square inches.



Trim & Auxiliary

	Description	Finish	2022 List	Stock No.	Box Qty.	Case Qty.	Disc Code
	6211						
	Door Stop Flexible	US3	1.17	056256	-	150	485
	Projection: 3"	US4	0.98	058289			
	Tip Diameter: 7/16"	US5/ABA	1.11	058295			
	Base Diameter: 3/4"	US10A	1.11	056269			
	Fastener: #8 x 11/32" thread	US10R	1.11	097482			
	U/M - 1 each	US15	1.11	040032			
		US26D	1.11	040031			
	6212						
	Hinge Pin Door Bumper	US3	1.42	056320	-	100	485
	U/M - 1 each	US4	1.35	058298			
	Adjustable from 180° to 120°	US5/ABA	1.35	058296			
	For use with residential hinges	US10A	1.35	056321			
	Works with 1/4" hinge pins	US10R	1.35	097483			
		US15A/AN	1.35	056315			
		US15	1.35	040033			
	US26	1.42	056323				
		US26D	1.35	040035			
	6601						
	Handrail Bracket	US3	2.71	011385	-	300	485
	Material: Cast Aluminum	US4	2.71	011380			
	Base to Center of Rail: 2-3/4"	US5/ABA	3.51	011328			
	Projection: 3-1/4"	US10A	3.69	011374			
	Fasteners: #8 x 1-1/2" OPHWS; #8 x 3/4" OPHWS	US10R	3.69	011371			
	U/M - 1 each with screws	US15A/AN	3.51	011327			
		US15	3.51	011335			
	US26	2.71	011332				
		US26D	3.51	011331			
	6610						
	Coat & Hat Hook	US3	1.35	056300	-	100	485
	Max. Projection: 2-13/16"	US4	1.29	058317			
	Min. Projection: 1-5/16"	US5/ABA	1.35	058329			
	Fastener: #6 x 3/4" FPHWS	US10A	1.35	056299			
	U/M - 1 each with screws	US15	1.35	040045			
		US26	1.35	056298			
	US26D	1.35	040046				
	BL6793						
	Pole Sockets	2D	1.91	013512	-	100	485
	Material: Steel						
	U/M - 2 each with screws						
	BL6794						
	Pole Sockets		1.17	013514	-	100	485
	Material: Plastic						
	U/M - 2 each with screws						

