

## TABLE OF CONTENTS

<b>A</b>		<b>M</b>	
ANSI Standards.....	2	Mortar Box.....	5
<b>C</b>		<b>N</b>	
Cancellation Notification .....	2	No Hole (Blank) Hinges .....	2
Concealed Electric Through-Wire.....	4-5	<b>P</b>	
Custom Hole Pattern .....	2	Powder Coat .....	3
Custom Length Hinges .....	2	<b>Q</b>	
<b>D</b>		Quick Connect.....	5
Dutch Door Hinges .....	3	Quick Ship.....	2
<b>E</b>		<b>R</b>	
Electrical Modifications Standard Locations.....	4	Raised Barrel.....	3
Electric Power Transfer Preparations (EPT) .....	5	Replacement Moldings .....	3
Exposed Electric Switches .....	5	<b>S</b>	
<b>F</b>		Security Fasteners.....	3
Fasteners.....	4	Security Studs.....	3
Fire Rating .....	2	Sheared Leaf .....	3
<b>H</b>		Standard Lengths.....	2
<b>Hinges</b>		<b>T</b>	
Concealed Leaf .....	6-7	Tamper Resistant Hospital Tips.....	3
Full Surface .....	7	<b>W</b>	
Half Surface .....	6	Wide Throw .....	3
Half Mortise.....	6		
How To Order.....	1		
<b>L</b>			
Lead Times .....	2		
Lead Lined.....	2		

## HOW TO ORDER:

**Example:** 790-900 83-1/8" US32D 1 PK

**Stock Number:** 23243

**Item Number:** PS90083B32D000001

**790**

STAINLESS  
STEEL  
CONTINUOUS  
HINGE

**900**

ITEM#

**83-1/8"**

LENGTH

**US32D 1 PK**

FINISH

STANDARD  
SINGLE  
PACK



# Stainless Steel Continuous Hinges

---

## ANSI Standards

Hager Companies 790 Series stainless steel continuous hinges are approved for ANSI A156.26 Grade 1 for 150-pound doors and Grade 2 for 300-pound doors for the following series: 790-900, 790-905, 790-915, 790-904, 790-906, 790-903.

## Fire Rating

Hager 790 Series hinges are approved by Underwriters Laboratories, Inc. Fire Rated label for up to 3 hours for metal doors and 90 minutes for wood composite doors.



## Cancellation Notification

Cancellation for made-to-order items must be communicated within 48 hours of order placement.

## Standard Lengths

Stainless steel hinges are listed and priced as actual lengths 83-1/8" (7'0" opening), 85" (7'2" opening), 95" (8'0" opening), and 119" (10'0" opening) for convenience in application to nominal sized doors. Other lengths may be ordered as non-standard items.

---

## MODIFICATIONS & ADDITIONS

## ADDITION TO LIST PRICE

### Custom Length Hinges

Actual door height may be specified at an additional charge outlined:

- For hinges 40" to 83-1/8" in length **\$105.46** to 7' list price.
- For hinges 83-1/8" to 95" in length **\$105.46** to 8' list price.
- For hinges 95" to 119" in length **\$105.46** to 10' list price.
- For hinges 119" to 192" in length **\$241.27** to the list price

---

### Custom Hole Pattern

- Any hole pattern or shape other than Hager's standard hole pattern. **Price on Application**

---

### No Hole (Blank) Hinges

- Holes omitted for special applications (i.e. welded installation). **Price on Application**



## MODIFICATIONS & ADDITIONS PRIC

## ADDITION TO LIST

### Tamper Resistant Hospital Tips (HT)

**\$175.87**

- Custom lengths
- Available on concealed leaf models 790-900, 790-905, 790-907, 790-915, for standard lengths.

**Price on Application**

### Dutch Door Prep (DUTCH)

**\$175.87**

- Furnished as a continuous frame leaf while door leaf is cut to fit dutch door specified height.

### Wide Throw

**Price on Application**

- Specify distance from pin centerline to heel edge of hinge.

### Raised Barrel (SWAGED)

**Price on Application**

- Available on concealed and half surface models.

### Sheared Leaf

**Price on Application**

- Available on all models except 790-904 and 790-906.
- Specify distance from pin centerline to extreme edge of hinge when ordering.

### Security Studs

**\$123.72**

- Stainless steel security studs mounted through frame leaf into door frame.
- Door and frame must be specifically prepped to accommodate security studs.
- Door leaf is drilled to accommodate studs.

### Replacement Moldings (M)

Hinge lengths:

79", 83-1/8", 85"

**\$259.97**

95"

**\$281.03**

119"

**\$307.68**



- Shipped in stock lengths for trimming in the field.
- Brush aluminum & furnished with 5 each molding clips, 5 each 1/4"-14 x 1" panhead 2C screws.
- Available on models 790-903, 790-904, 790-906 and 790-909.

### Security Fasteners

**\$126.52**

- Torx and Spanner Head available in place of standard fasteners.



# Stainless Steel Continuous Hinges


## MODIFICATIONS & ADDITIONS

### Additional Fasteners

#10-24 x 5/8" Torx Head Machine Screw	<b>\$4.42 /ea</b>
#10-16 x 1-1/4" Thread Forming Flat Head Screw	<b>\$1.91 /ea</b>
1/4"-14 x 1" Thread Forming Pan Head Screw	<b>\$2.80 /ea</b>
#10-24 x 5/8" Self-Drilling Flat Head Screw	<b>\$2.80 /ea</b>
1/4"-20 x 3/4" Self-Drilling Pan Head Screw	<b>\$2.43 /ea</b>
Adjustment Stud With Flat Head Screw	<b>\$13.40 /ea</b>
Sexbolt and Nut	<b>\$8.32/ea</b>

## STANDARD LOCATIONS FOR ELECTRICAL MODIFICATIONS

	79"	83-1/8"	85"	95"	119"
Opening	80"	84"	86"	96"	120"
Door Height	79-1/8"	83-1/8"	85-1/8"	95-1/8"	119-1/8"
Hinge Length	79-3/16"	83-1/8"	85-1/8"	95"	118-3/4"
ETW	41-1/2"	43-1/2"	45-1/2"	55-3/8"	79-1/8"
EPT	24-1/2"	28-7/16"	30-7/16"	40-1/2"	64-7/16"
E1S	41-1/2"	43-1/2"	45-1/2"	55-3/8"	79-1/8"



## MODIFICATIONS & ADDITIONS

## ADDITION TO LIST PRICE

### Quick Connect

Available for ETW.

**\$70.55**

### Electric Power Transfer Preparations (EPT)

**\$201.49**

- Hinge leaf cutout to accommodate power transfer device.
- Specify handing and dimension from top of hinge to centerline of power transfer cutout location. Please note the clearance from top of hinge to underside of header, typically 1/16" to 1/8" (1.6 mm to 3.2 mm).
- Available on models 790-900, 790-903, 790-904, and 790-915.

### Exposed Electric Switches (E1S)

**\$310.20**

- Each monitoring hinge only needs one E1S switch.
- Specify handing and dimension from top of hinge to centerline of electric switch.
- Miniature push button switch is incorporated in the hinge frame leaf to monitor position of the door.

### Concealed Electric Through-Wire (ETW)

Electric Through Wire	ETW - 4	<b>\$869.41</b>
Electric Through Wire	ETW - 8	<b>\$1,340.70</b>
Electric Through Wire	ETW - 10	<b>\$1,807.99</b>

- 24-gauge 12" wire leads available on 790-900 and 790-915.
- Transfers power discretely from building to door hardware.
- Specify handing and dimension from top of hinge to centerline of electric through-wire location. Please note the clearance from top of hinge to underside of header, typically 1/16" to 1/8" (1.6 mm to 3.2 mm).


### Mortar Box - 430

**Price on Application**


- Serves as mortar shield.
- Top and bottom knockouts for standard conduit fittings.
- Overall dimensions are 9" (229 mm) length with tabs 7" (178 mm). Inside is 1-3/4" x 1-3/4" (45 mm x 45 mm).
- Galvanized steel .040" (1 mm).




# Stainless Steel Continuous Hinges




Description	Size	Finish	List	Case Qty.
<b>790-900</b> Concealed Leaf, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	673.12	1
	83-1/8" (2108 mm)	US32D	673.12	1
	85" (2159 mm)	US32D	765.91	1
	95" (2413 mm)	US32D	773.28	1
	119" (3023 mm)	US32D	1,122.35	1




<b>790-903</b> Half Surface, 1/8" Inset Door of Any Material Optional sex bolts available (specify when ordering).	79" (2007 mm)	US32D	773.28	1
	83-1/8" (2108 mm)	US32D	773.28	1
	85" (2159 mm)	US32D	897.00	1
	95" (2413 mm)	US32D	897.00	1
	119" (3023 mm)	US32D	1,144.45	1




<b>790-904</b> Half Mortise, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	782.12	1
	83-1/8" (2108 mm)	US32D	782.12	1
	85" (2159 mm)	US32D	936.76	1
	95" (2413 mm)	US32D	936.76	1
	119" (3023 mm)	US32D	1,215.15	1



<b>790-905</b> Concealed Leaf, 1/8" Inset Door of Any Material	79" (2007 mm)	US32D	866.07	1
	83-1/8" (2108 mm)	US32D	866.07	1
	85" (2159 mm)	US32D	989.79	1
	95" (2413 mm)	US32D	989.79	1
	119" (3023 mm)	US32D	1,477.32	1






<b>790-906</b> Half Mortise, Edge Guard Door of Any Material	79" (2007 mm)	US32D	782.12	1
	83-1/8" (2108 mm)	US32D	782.12	1
	85" (2159 mm)	US32D	936.76	1
	95" (2413 mm)	US32D	936.76	1
	119" (3023 mm)	US32D	1,215.15	1



<b>790-909</b> Full Surface, 1/8" Inset Swing Clear Door of Any Material Optional sex bolts available (specify when ordering).	79" (2007 mm)	US32D	936.77	1
	83-1/8" (2108 mm)	US32D	936.76	1
	85" (2159 mm)	US32D	1,075.22	1
	95" (2413 mm)	US32D	1,075.22	1
	119" (3023 mm)	US32D	1,377.17	1

# Stainless Steel Continuous Hinges



Description	Size	Finish	List	Case Qty.
<b>790-911</b> Concealed Leaf Swing Clear Door of Any Material	79" (2007 mm)	US32D	975.06	1
	83-1/8" (2108 mm)	US32D	975.06	1
	85" (2159 mm)	US32D	998.63	1
	95" (2413 mm)	US32D	998.63	1
	119" (3023 mm)	US32D	1,524.46	1
<b>790-915</b> Concealed Leaf, 1/16" Inset Door of Any Material	79" (2007 mm)	US32D	813.04	1
	83-1/8" (2108 mm)	US32D	813.04	1
	85" (2159 mm)	US32D	920.57	1
	95" (2413 mm)	US32D	920.57	1
	119" (3023 mm)	US32D	1,369.80	1
<b>790-926</b> Concealed Leaf Swing Clear Door of Any Material	79" (2007 mm)	US32D	1,207.78	1
	83-1/8" (2108 mm)	US32D	1,207.78	1
	85" (2159 mm)	US32D	1,360.96	1
	95" (2413 mm)	US32D	1,360.96	1
	119" (3023 mm)	US32D	1,649.65	1



## Stainless Steel Continuous Hinges - Item Numbers

Series	Product name	Item number
	7-469-7520 790 EDGE GUARD, Wide 83.118" US32D CPM6414050SS	100212493
	790-900 101-7/8" EPT 62-7/8" US32D 1PK	100308361
	790-900 102" US32D 1PK	034610
	790-900 104" US32D 1PK	100307666
	790-900 106-13/16" EPT 59-3/8" US32D 1PK	100307549
	790-900 107" US32D 1PK	041494
	790-900 119" EPT 47-3/8" US32D 1PK	100305098
	790-900 119" ETW8 81-1/4" US32D QC	100305684
	790-900 119" US32D 1PK	023251
	790-900 34-3/16" US32D 1PK	100306063
	790-900 35-9/16" US32D 1PK	100308382
	790-900 48" US32D 1PK	100306330
	790-900 59-1/8" US32D 1PK	100302455
	790-900 71" US32D 1PK	029269
	790-900 75-1/8" US32D 1PK	100303177
	790-900 79" US32D 1PK	027336
	790-900 80-1/4" EPT 28-7/16" US32D 1PK	100301524
	790-900 80-1/4" US32D 1PK	054508
	790-900 81" US32D 1PK	028449
	790-900 83" EPT 19-7/8" US32D 1PK	100304854
	790-900 83" EPT 21-13/16" US32D 1PK	100304211
	790-900 83" EPT 25" US32D 1PK	100308735
	790-900 83" EPT 28-7/16" US32D 1PK	100304666
	790-900 83" EPT 31-7/16" US32D 1PK	100307304
	790-900 83" EPT 36-3/8" US32D 1PK	100303356
	790-900 83" EPT 56-5/8" US32D 1PK	100307212
	790-900 83" ETW4 43-1/4" US32D 1PK	100306640
	790-900 83" ETW8 44" US32D	100302441
	790-900 83" US32D 1PK	100303544
	790-900 83-1/2" EPT 32-1/4" US32D 1PK	100307709
	790-900 83-1/8" EPT 17-1/8" US32D 1PK	100304930
	790-900 83-1/8" EPT 17-7/8" US32D 1PK	100304929
	790-900 83-1/8" EPT 22-7/16" US32D 1PK	023089
	790-900 83-1/8" EPT 23-7/8" US32D 1PK	028291
	790-900 83-1/8" EPT 28-1/2" US32D 1PK	000511
	790-900 83-1/8" EPT 28-7/16" TO C/L US32D 1PK	158097
	790-900 83-1/8" EPT 28-7/16" US32D MSTX 1PK	100303449
	790-900 83-1/8" EPT 29-7/8" US32D 1PK	010936
	790-900 83-1/8" EPT 32-3/8" US32D 1PK	100307708

Series	Product name	Item number
	790-900 83-1/8" EPT 36-1/2" US32D 1PK	100304831
	790-900 83-1/8" EPT 36-1/4" US32D 1PK	100304830
	790-900 83-1/8" EPT 45-1/2" US32D 1PK	100304791
	790-900 83-1/8" EPT 54-1/2" US32D 1PK	000576
	790-900 83-1/8" ETW4 43-1/2" US32D	199348
	790-900 83-1/8" ETW4 43-13/16" US32D 1PK	100306018
	790-900 83-1/8" ETW8 43-1/2" US32D	077895
	790-900 83-1/8" ETW8 43-1/2" US32D 1PK	100303564
	790-900 83-1/8" ETW8 43-1/2" US32D QC	100305526
	<b>790-900 83-1/8" US32D 1PK</b>	<b>023243</b>
	790-900 83-1/8" US32D MSTX MSTX 1PK	098215
	790-900 85" EPT 36-1/2" US32D 1PK	100306014
	790-900 85" EPT 36-1/4" US32D 1PK	100306013
	790-900 85" EPT 43" US32D 1PK	100304501
	790-900 85" US32D 1PK	027921
	790-900 85" US32D WS WS 1PK	033090
	790-900 85-1/8" US32D 1PK	100307586
	790-900 87-5/8" US32D 1PK	100303599
	790-900 88" US32D 1PK	100302141
	790-900 90-11/16" US32D 1PK	100303949
	790-900 93" EPT 46-15/16" US32D 1PK	100305603
	790-900 93" EPT 51-7/8" US32D 1PK	100307516
	790-900 93" ETW8 51-5/8" US32D 1PK	100304240
	790-900 93" US32D 1PK	029151
	790-900 93-5/8" US32D 1PK	100303600
	790-900 94-5/8" US32D 1PK	100303601
	790-900 94-7/8" US32D 1PK	100303602
	790-900 95" EPT 42" US32D 1PK	100306664
	790-900 95" EPT 47-1/2" US32D 1PK	100307367
	790-900 95" EPT 47-7/8" US32D 1PK	100308567
	790-900 95" EPT 53-7/8" US32D 1PK	037265
	790-900 95" EPT 54-1/16" US32D 1PK	100304934
	790-900 95" EPT 54-1/8" US32D 1PK	100307665
	790-900 95" EPT 56" US32D 1PK	100307633
	790-900 95" ETW10 55-3/8" US32D 1PK	100306895
	790-900 95" ETW4 55-11/16" US32D	015870
	790-900 95" ETW4 55-3/8" US32D 1PK	100303729
	790-900 95" ETW8 55-11/16" US32D 1PK	100304527
	790-900 95" ETW8 55-3/8" US32D	100302725
	<b>790-900 95" US32D 1PK</b>	<b>023250</b>

## Stainless Steel Continuous Hinges - Item Numbers

Series	Product name	Item number
	790-900 LH 83-1/8" EPT 24-7/8" US32D 1PK	106539
	790-900 LH 93" US32D 1PK	149548
	790-900 LH 95" ETW4 55-3/8" TO C/L US32D	089812
	790-900 LH HT 79" US32D 1PK	100307499
	790-900 LH HT 83" US32D 1PK	100307059
	790-900 LH HT 83" US32D MSTX MSTX 1PK	047012
	790-900 LH HT 83-1/8" ETW4 43-1/2" US32D 1PK	100304486
	790-900 LH HT 83-1/8" US32D 1PK	076328
	790-900 LH HT 83-1/8" US32D MSTX MSTX 1PK	084489
	790-900 LH HT 95" EPT 47-1/2" US32D 1PK	100301739
	790-900 LH HT 95" US32D 1PK	083995
	790-900 RH 107" EPT 52" US32D DQ DQ 1PK	100301113
	790-900 RH 95" ETW4 55-3/8" TO C/L US32D	075435
	790-900 RH HT 79" US32D 1PK	104505
	790-900 RH HT 83" US32D 1PK	104527
	790-900 RH HT 83" US32D MSTX MSTX 1PK	047013
	790-900 RH HT 83-1/8" ETW4 43-1/2" US32D	011175
	790-900 RH HT 83-1/8" US32D 1PK	076315
	790-903 119" US32D 1PK	023260
	790-903 83" US32D SX DQ 1PK	100301317
	790-903 83-1/8" US32D 1PK	023254
	790-903 95" US32D 1PK	023256
	790-903 LH 60" US32D 1PK	100307736
	790-903 LH 79" US32D 1PK	106444
	790-903 LH 83" EPT 19-7/8" US32D 1PK	100305866
	790-903 LH 89" US32D 1PK	192050
	790-903 RH 79" US32D 1PK	102171
	790-903 RH 88" US32D 1PK	100305873
	790-903 RH 89" US32D 1PK	192065
	790-904 83-1/8" US32D 1PK	052990
	790-905 83" US32D 1PK	100300239
	<b>790-905 83-1/8" US32D 1PK</b>	<b>023266</b>
	790-905 83-1/8" US32D WS DQ 1PK	031129
	790-905 95" US32D 1PK	023265
	790-905 LH 106-13/16" US32D 1PK	100307544
	790-905 LH 78" US32D 1PK	100306343
	790-905 LH HT 79" US32D MSTX MSTX 1PK	100302493
	790-905 RH 106-13/16" US32D 1PK	100307545

Series	Product name	Item number
	790-906 83" US32D 1PK	100305039
	790-906 83-1/8" US32D 1PK	092103
	790-906 95" US32D 1PK	092107
	790-909 119" US32D 1PK	023279
	790-909 79" US32D 1PK	038978
	<b>790-909 83-1/8" US32D 1PK</b>	<b>023270</b>
	790-909 83-1/8" US32D PD MSTX 1PK	100307942
	790-909 95" US32D 1PK	023271
	790-909 LH 89" US32D 1PK	100307504
	790-909 RH 100-7/8" US32D 1PK	100304694
	790-909 RH 85" US32D PD MSTX 1PK	100307946
	790-909 RH 89" US32D 1PK	100307503
	790-911 79" US32D 1PK	009412
	790-911 83-1/8" US32D 1PK	023284
	790-911 95" US32D 1PK	023285
	790-911 LH 85" US32D 1PK	100306974
	790-911 LH 85" US32D WS DQ 1PK	100305449
	790-911 LH HT 83-1/8" US32D WSTX MSTX 1PK	100307865
	790-911 RH 85" US32D 1PK	100306973
	790-911 RH 85" US32D WS DQ 1PK	100305463
	790-911 RH HT 83-1/8" US32D WSTX MSTX 1PK	100307864
	790-915 79" US32D 1PK	033963
	790-915 83" US32D 1PK	100304319
	790-915 83" US32D WS DQ 1PK	100308610
	<b>790-915 83-1/8" US32D 1PK</b>	<b>023287</b>
	790-915 85" US32D 1PK	040111
	790-915 95" US32D 1PK	023288
	790-915 LH 104-7/8" EPT 60" US32D 1PK	100306760
	790-915 LH 118-3/4" US32D 1PK	100306998
	790-915 LH 76-13/16" US32D 1PK	100307977
	790-915 LH 81-1/8" US32D 1PK	100307978
	790-915 LH 82-5/8" US32D 1PK	100307962
	790-915 LH 82-7/8" EPT 35-7/8" US32D 1PK	100301385
	790-915 LH 83" EPT 15-1/2" US32D 1PK	100306206
	790-915 LH 83" EPT 19-7/8" US32D 1PK	100305610
	790-915 LH 83" EPT 22-7/8" US32D 1PK	100303889
	790-915 LH 83" EPT 28-7/16" US32D 1PK	053354
	790-915 LH 83" EPT 35-7/8" US32D 1PK	043016
	790-915 LH 83" EPT 35-7/8" US32D WS DQ 1PK	100307069



## Stainless Steel Continuous Hinges - Item Numbers

Series	Product name	Item number
	790-915 LH 83" EPT 43-7/8" US32D 1PK	100304320
	790-915 LH 83" EPT 44" US32D 1PK	100306110
	790-915 LH 83-1/8" EPT 21-7/8" US32D 1PK	100306313
	790-915 LH 83-1/8" EPT 22-7/16" US32D 1PK	100308146
	790-915 LH 83-1/8" EPT 26-5/8" US32D 1PK	100307867
	790-915 LH 83-1/8" EPT 28-7/16" TO C/L US32D 1PK	050693
	790-915 LH 83-1/8" EPT 44" TO C/L US32D 1PK	157678
	790-915 LH 83-1/8" ETW4 37-7/8" US32D	100207211
	790-915 LH 92" EPT 20-3/8" US32D 1PK	100303967
	790-915 LH 93" US32D 1PK	100305887
	790-915 LH HT 83" US32D MSTX MSTX 1PK	100307474
	790-915 LH HT 83-1/8" EPT 35-7/8" US32D WS MSTX 1PK	100308589
	790-915 LH HT 83-1/8" US32D MSTX MSTX 1PK	043670
	790-915 RH 101" US32D 1PK	100301983
	790-915 RH 104-7/8" US32D 1PK	100306758
	790-915 RH 118-3/4" US32D 1PK	100306999
	790-915 RH 82-5/8" US32D 1PK	100307963
	790-915 RH 82-7/8" EPT 35-7/8" US32D 1PK	100301386
	790-915 RH 83" EPT 22-7/8" US32D 1PK	100303890
	790-915 RH 83" EPT 22-9/16" US32D 1PK	100304664
	790-915 RH 83" EPT 23-7/8" US32D WS DQ 1PK	100306537
	790-915 RH 83" EPT 35-7/8" US32D 1PK	100304634
	790-915 RH 83" EPT 35-7/8" US32D WS DQ 1PK	100307070
	790-915 RH 83" EPT 43-7/8" US32D 1PK	100304321
	790-915 RH 83" EPT 57-7/8" US32D 1PK	100301967
	790-915 RH 83-1/4" US32D 1PK	100307766
	790-915 RH 83-1/8" EPT 17-7/8" US32D 1PK	100306430
	790-915 RH 83-1/8" EPT 21-7/8" US32D 1PK	100306314
	790-915 RH 83-1/8" EPT 22-7/16" US32D 1PK	100308147
	790-915 RH 83-1/8" EPT 26-5/8" US32D 1PK	100307868
	790-915 RH 83-1/8" EPT 28-7/16" TO C/L US32D 1PK	050694

Series	Product name	Item number
	790-915 RH 83-1/8" ETW4 37-7/8" US32D	100207212
	790-915 RH 92" EPT 20-3/8" US32D 1PK	100303968
	790-915 RH HT 83" US32D MSTX MSTX 1PK	100307473
	790-915 RH HT 83-1/8" EPT 35-7/8" US32D WS MSTX 1PK	100308590
	790-915 RH HT 83-1/8" EPT 43-7/8" US32D 1PK	052791
	790-915 RH HT 83-1/8" US32D MSTX DQ 1PK	100303952
	790-926 83" US32D 1PK	100304751
	790-926 83-1/8" US32D 1PK	026760
	790-926 LH 85" US32D WS WS 1PK	100305279
	790-926 RH 85" US32D WS WS 1PK	100305230