

TABLE OF CONTENTS

A	F
Additions..... 4	Fasteners..... 4
Architectural Finish Symbols..... 3	
Armor Plates..... 6-8	
C	Filler Plates
Chain Door Check..... 78	Filler Plate, Door Face..... 83
Coat Hooks..... 92, 102-103, 125	Filler Plate, Flush Bolt Strike..... 84
Corner Guard..... 65	Filler Plate, Door Edge..... 83-84
Custom Pulls	Filler Plate, Template Hinge Shim..... 84-85
18 Degree Pull..... 116-117	Filler Plate, Frame Strike..... 84
90 Degree Pull..... 100	Filler Plate, Latch Adapter..... 84
Acorn Tip Pull..... 104-105	Filler Plate, Flush Bolt..... 84
Colonial Pull..... 101	Filler Plate, Frame Hinge..... 84
C-Shaped Pulls..... 94-99	
Curved Shape Pulls..... 99, 105, 113-115	Flush Bolts
Offset Mount, Vertical Pull..... 92-93, 105, 108, 109	Automatic Flush Bolts..... 74-76
Offset Pulls..... 101-102, 115-116	Constant Latching Flush Bolt..... 75
Segment Shape Pulls..... 109-112	Dust Proof Strike..... 73
Square Tip Pull..... 103-104	Automatic Flush Bolt with Fire Bolt..... 76
S-Shaped Pulls..... 100	Manual Flush Bolts..... 74
Steeple Tip Pull..... 104	Residential Flush Bolts..... 120-121
Straight Mount, Vertical Pulls..... 93-94, 101, 103-110, 112	Slide Flush Bolt..... 73
Crating..... 3	
D	H
Door Coordinators	Hand Rail Bracket..... 78, 125
Carry Bar..... 76	
Coordinator with Filler Bar..... 77	K
Filler Bars..... 77	Kick Plates..... 6-8, 119
Gravity Coordinator..... 77	
Mounting Brackets..... 77	L
Door Edgings	Latches
Mortise Type..... 57-59	Hospital Latch, 2-3/4" Backset..... 79
Overlap Type..... 59-61	Hospital Latch, 5" Backset..... 79
Surface Type..... 62-64	Hospital Latch, Lead Lined..... 79
Door Guard..... 72, 120	Latch Conversion Kit..... 79
Door Knocker Viewer..... 80, 83	Pocket Door Latch..... 82
Door Protection Plates..... 6-8, 119	Privacy Pocket Door Latch..... 82-83
Door Latch (Privacy)..... 72-73, 120	Latch Protectors..... 85
Door Silencers	
Metal Door..... 78	
Wood Door..... 79	
Door Viewers..... 122-123	



Trim & Auxiliary

M

Miscellaneous Hardware

Closet Knobs	118
Closet Rod, Sockets	123, 125
Closet Pull Sockets	117-119
Concealed Edge Pull	21
Finger Pulls	117-119
Magnetic Catch	122
Pocket Door Edge Pulls	119
Shelf Brackets	124
Mounting Options	5

P

Pulls

Anti Vandal Trim	79
Back-to-Back Offset Pulls	20-22
Back-to-Back Straight Pulls	16-17
Cast Pulls	12-13, 19
Flush Cup Pulls	18-19, 22-23
Half Round	9
Offset Pulls	15-16, 22
Oval	13-14
Rectangular	9-10
Round	10-12, 14-16
Straight Pulls	9-14
Wire Drawer Pulls	78

Pull Plates

Cylinder Pull	43
Pull Plate w/ Lip	43
Square Corner	26-34

Push Bars

Back-to-Back	46
Bent	44-46
Flat	44
Round	45-46

Push Plates

Beveled - Square Corner	38-40
Half Circle	43
Plastic Laminate	38-39
Radius Corner	35-36, 41
Round Bevel Top and Bottom	42
Rounded Corner	37-38
Square Corner	24-25

Push/Pull Sets

Flat Bar	56
Round Bar	16-17, 19-21, 22, 46-56
Security Push/Pull Plate	43

R

Recommended Application	3
Recommended Maintenance	3
Residential Trim	78, 81, 117-121

Roller Latch/Catches

Adjustable Ball Catch	80
Drive-In Ball Catch	122
Roller Latch	80
Roller Latch with Stop	80
Roller Latch w/ ASA Strike	117
Roller Latch w/ Full Lip Strike	117
Roller Latch w/ Tee Strike	80
Three-Way Ball Catch	80

S

Signage

ADA Tactile, Plastic	89-91
International Symbols, Plastic	89
Men/Women, Metal	88
Men/Women, Plastic	86-87
Numbers, Plastic	86
Push/Pull, Metal	88
Push/Pull, Plastic	86-87
Restroom/Restrooms, Plastic	87-88

Stops and Holders

Roller Bumper	71-72
Door Holder, Kickdown	71, 119
Floor Stops	66-72, 81-82, 119, 124
Heavy Duty Floor Stop	71
Stops With Holder	68-70, 81-82
Wall Stops	65-66, 68-70, 81-82, 120, 124
Hinge Pin Door Bumper	78, 120, 124
Surface Bolts	72-73



CRATING CHARGES

When ordered separately, orders of less than 5 armor plates (plates over 22 inches high and wide) are subject to a \$15.60 net crating charge.

ARCHITECTURAL FINISH SYMBOLS

Unless specifically noted, finishes are priced as listed by each item on the following pages.

US & HAGER	DESCRIPTION	BASE MATERIAL	PRICING INSTRUCTIONS	BHMA SYMBOL
2C	Zinc Plated Steel	Steel	As Listed	603
3	Bright Brass	Brass	As Listed	605
4	Satin Brass	Brass	As Listed	606
5	Satin Brass, Oxidized	Brass Brass/Bronze	25% Above US10B	609
9	Bright Bronze	Brass Brass/Bronze	25% Above US10	611
10	Satin Bronze	Brass Brass/Bronze	As Listed	612
10B	Antique Bronze, Oiled	Brass Brass/Bronze	As Listed	613
10R	Matte Lacquer Antique Bronze	Brass Brass/Bronze	As Listed	-
15	Satin Nickel	Brass Brass/Bronze	Price Same as US26D	619
15A	Satin Nickel Oxidized	Brass Brass/Bronze	As Listed	620
19	Flat Black Coated	Any	As Listed ¹	-
26	Bright Chromium Plated	Brass Brass/Bronze	As Listed	625
26D	Satin Chromium Plated	Brass Brass/Bronze	As Listed	626
28	Satin Anodized Aluminum	Aluminum	As Listed	628
32	Stainless Steel Metal, Bright	300 Series	As Listed	629
32D	Stainless Steel Metal, Satin	300 Series	As Listed	630
DBZ	Dark Bronze Painted	Any	As Listed	695
PC	Clear Plastic	-	As Listed	-
PK	Plastic Laminate - Black	-	As Listed	-
CO	Plastic Laminate - Chocolate	-	As Listed	-
PG	Plastic Laminate - Grey	-	As Listed	-
S1	Sprayed Aluminum	Cast Iron	As Listed	-
S2	Sprayed Brass	Cast Iron	As Listed	-
S3	Sprayed Bronze	Cast Iron	As Listed	-

1. Same as DBZ unless otherwise listed.

NOTE: For any finish not listed in this Price Book, or explained above, price and availability on request.

RECOMMENDED SPECIAL INSTRUCTIONS:

Application: All accessory item installation should be made following the application of paint or other finishes. Under no circumstances should accessory items be installed prior to painting. Paint or other finish material must be dry before applying accessory items to door. Hager recommends that a 72 hour drying time be allowed prior to application of accessory items under normal atmospheric conditions.

Maintenance: For cleaning, use only a soft damp cloth. Do not use any chemicals, abrasive cleaners, waxes, or brass cleaners on items with a lacquer coating or on plastic plates.



ADDITIONS WHERE NOT LISTED

Pull, Push Plate, Pull Plate, or Kick Plate Options

Add to the list price of each unit:

Antimicrobial Powder Coat Protection (32D only)

To order use MV3 as suffix - \$20.28 list price each

Flush Back Mounting on Pull Plates

\$15.29 list each plate.

Cutouts - Standard Locations (Not available on Kick Plates)

Wrought (.050) thickness -

-Cut for 1-1/4" (CFC) Standard Cylinder, add \$20.88 each.

-Cut for 2-1/8" (CFC) Cylinder or Turn Piece, add \$20.88 each.

Other thickness plates -

-Cut for 1-1/4" (CFC) Standard Cylinder, add \$24.94 each.

-Cut for 2-1/8" (CFC) Cylinder or Turn Piece, add \$24.94 each.

Cutouts - Non-Standard Locations

Priced on application.

Lasering

For lasering standard "PUSH" or "PULL", "Men" or "Women" for stainless steel, add \$61.77 each, \$123.60 set. Not available on other push/pull materials.

Tactile Warning

Available on limited items. Add \$53.70 to list.

Accessibility Option

For Hager Special Accessibility Clearance - (2-1/2"), prefix "H". Add \$8.85 List for single pull and \$17.68 List for double pull.

Minimum Order Quantities

Less popular finishes may result in minimum order quantities and extended lead times.

FASTENERS

Illustrated below are various types of fasteners that can be furnished by Hager Companies. Please specify type of fastening desired. All types of fastening cannot be used with all items of hardware. If specified method is not possible, we reserve the right to furnish whatever type we feel is best suited for the installation. When used with tempered glass doors, specify thickness of glass and hole diameter.



Hex bolt and machine screws
(various sizes)




Lead anchor
(used with floor stops in masonry applications)




Plastic anchor and full threaded screw
(used in drywall or masonry applications)




Lag screw and shield



Toggle bolt
(ideal for drywall applications)



Plastic toggle anchor
(used with wall stops in drywall applications)



Thru-bolt and finish washer
(flat or oval head; size as required)



Spanner head machine screws
(various sizes furnished at extra charge)



Security torx head machine screws
(various sizes furnished at extra charge)

Note: Torx and Spanner screws are available for select items. Please call Customer Service for availability and price.

MOUNTINGS

Illustrated below are various types of mountings that can be furnished by Hager Companies. Please specify type of mounting desired. All types of mountings cannot be used with all items of hardware. If specified method is not possible, we reserve the right to furnish whatever type we feel is best suited for the installation. When used with tempered glass doors specify thickness of glass and hole diameter.

Mounting Accessory Charges:

For Concealed Cone mountings, add \$15.29 list for each required fitting (Type 3).

For Concealed Cone mountings, add \$15.29 list for each required fitting (Type 5).

For Spanner Collar mountings, add \$26.27 list for each required fitting (Type 7).


For Concealed Cone and Lug mountings, add \$38.76 list for each required fitting. (.125" plate only)

Temper Glass Door Installation:

Spanner Cap Mountings (Type 8) for tempered glass doors, add \$26.27 list for each spanner cap.

Note: Mounting back-to-back or spanner cap installation requires at least two fittings.

Stile Plates, add \$21.93 list each.




Cancellation Notification

Cancellation for made-to-order items must be communicated within 48 hours of order placement.


DOOR PLATE HUNDRED SQUARE INCH SIZE CHART													
H/W	24"	26"	28"	30"	32"	34"	36"	38"	40"	42"	44"	46"	48" MAX
4"	0.96	1.04	1.12	1.20	1.28	1.36	1.44	1.52	1.60	1.68	1.76	1.84	1.92
6"	1.44	1.56	1.68	1.80	1.92	2.04	2.16	2.28	2.40	2.52	2.64	2.76	2.88
8"	1.92	2.08	2.24	2.40	2.56	2.72	2.88	3.04	3.20	3.36	3.52	3.68	3.84
10"	2.40	2.60	2.80	3.00	3.20	3.40	3.60	3.80	4.00	4.20	4.40	4.60	4.80
12"	2.88	3.12	3.36	3.60	3.84	4.08	4.32	4.56	4.80	5.04	5.28	5.52	5.76
14"	3.36	3.64	3.92	4.20	4.48	4.76	5.04	5.32	5.60	5.88	6.16	6.44	6.72
16"	3.84	4.16	4.48	4.80	5.12	5.44	5.76	6.08	6.40	6.72	7.04	7.36	7.68
18"	4.32	4.68	5.04	5.40	5.76	6.12	6.48	6.84	7.20	7.56	7.92	8.28	8.64
20"	4.80	5.20	5.60	6.00	6.40	6.80	7.20	7.60	8.00	8.40	8.80	9.20	9.60
22"	5.28	5.72	6.16	6.60	7.04	7.48	7.92	8.36	8.80	9.24	9.68	10.12	10.56
24"	5.76	6.24	6.72	7.20	7.68	8.16	8.64	9.12	9.60	10.08	10.56	11.04	11.52
26"	6.24	6.76	7.28	7.80	8.32	8.84	9.36	9.88	10.40	10.92	11.44	11.96	12.48
28"	6.72	7.28	7.84	8.40	8.96	9.52	10.08	10.64	11.20	11.76	12.32	12.88	13.44
30"	7.20	7.80	8.40	9.00	9.60	10.20	10.80	11.40	12.00	12.60	13.20	13.80	14.40
32"	7.68	8.32	8.96	9.60	10.24	10.88	11.52	12.16	12.80	13.44	14.08	14.72	15.36
34"	8.16	8.84	9.52	10.20	10.88	11.56	12.24	12.92	13.60	14.28	14.96	15.64	16.32
36"	8.64	9.36	10.08	10.80	11.52	12.24	12.96	13.68	14.40	15.12	15.84	16.56	17.28
38"	9.12	9.88	10.64	11.40	12.16	12.92	13.68	14.44	15.20	15.96	16.72	17.48	18.24
40"	9.60	10.40	11.20	12.00	12.80	13.60	14.40	15.20	16.00	16.80	17.60	18.40	19.20
42"	10.08	10.92	11.76	12.60	13.44	14.28	15.12	15.96	16.80	17.64	18.48	19.32	20.16
44"	10.56	11.44	12.32	13.20	14.08	14.96	15.84	16.72	17.60	18.48	19.36	20.24	21.12
46"	11.04	11.96	12.88	13.80	14.72	15.64	16.56	17.48	18.40	19.32	20.24	21.16	22.08
48" MAX	11.52	12.48	13.44	14.40	15.36	16.32	17.28	18.24	19.20	20.16	21.12	22.08	23.04

To figure the list price of a door protection plate, find the hundred square inch size on the chart above. For odd or fractional sizes use the next higher price (i.e. 8" x 31-1/2" - price as 8" x 32" = 2.56 sq. inches). Multiply the square inch size by the list price (for example, 2.56 sq. inches x US3 list \$54.16 = \$138.65 list).

- #6 x 5/8" Phillips Oval Head undercut, Stainless Steel Sheet Metal Screws for counter sunk plates and Truss Head Stainless Steel Screws for non-counter sunk plates, to match plated finish. TEK Screws available at \$0.26 List price each.
- When ordered separately, orders of less than 5 armor plates are subject to a \$27.00 net crating charge (plates over 22 inches high and wide).
- Four rounded corners (196R) are available for \$26.59 list.
- Kickplates specified with adhesive tape will be supplied without holes.
- Armor plates available with UL listing. See page 7.
- Cutouts for kick and armor plates priced on application.




Mop Plate
Up to 8"h x 48"w



Kick Plate
6"-12"h x 48"w



Stretcher Plate
6"-12"h x 48"w



Armor Plate
Up to 48"h x 48"w

NFPA 80 STANDARD 6.4.5.3

- Factory installed protection plates shall be installed in accordance with the listing of the door.
- Field installed protection plate shall be labeled and installed in accordance with their listing.

Exception: Labeling is not required where the top of the protection plate is not more than 16" (406 mm) above the bottom of the door.



Description	Height	US28	US3, US4	DBZ US19	US9	US32	US32D
190S	Under 8" high	20.37	58.49	25.61	68.25	40.81	18.32
Four beveled edges	8" to 24" high	17.06	57.15	25.61	67.07	39.66	16.43
.050 Gauge	Over 24" to 36" high	17.24	73.14	36.31	83.14	40.10	16.79
Metal Door Protection Plate Note: UL Listed for US19, US32, US32D & DBZ only.	Over 36" to 48" high	18.75	88.24	31.78	100.82	40.10	16.79
Max size 48" high x 46" wide Note: US3 & US4 are unavailable above 24" tall.	8" x 34" (List Pricing)						44.69
	10" x 34" (List Pricing)						55.87



198S	Under 8" high	-	-	-	-	-	17.32
.038 Gauge	8" to 24" high	-	-	-	-	-	15.45
Metal Door Protection Plate	Over 24" to 36" high	-	-	-	-	-	15.90
	Over 36" to 48" high	-	-	-	-	-	15.90

Note: UL labeling not required when top of plate is less than 16" above the bottom of the door, per NFPA 80 - 2007.

Description	Height	BGA
199B	Under 8" high	20.36
Bright Gold Anodized	8" to 24" high	17.15
100 square inches	Over 24" to 36" high	17.24
.038 Gauge	Over 36" to 48" high	18.75
Metal Door Protection Plate		

Description	Height	Clear Plastic	Black	Brown	Grey
204S	Up to 48" high	16.70			
Clear Plastic					
.125 Gauge					

214S	Up to 48" high	27.69	27.69	27.69
Plastic Laminate				
.125 Gauge				



Trim & Auxiliary

Description	Height	US28	US3, US4	DBZ US19	US9	US32	US32D
220S	Under 8" high	25.81	60.19	45.26	82.523		42.07
Four beveled edges	8" to 24" high	25.81	60.19	45.26	82.523		42.07
.062 Gauge	Over 24" to 36" high	27.60	65.10	62.89	90.018		42.07
Metal Door Protection Plate Note: US3 & US4 are unavailable above 24" tall.	Over 36" to 48" high	30.19	70.10	55.18	118.768		42.07

Description	Height	Black (Calcutta)	Brown (Chocolate)	Tan (Beige)
225S	Under 8" high	23.04	23.04	23.04
.060 Gauge	8" to 24" high	19.55	19.55	19.55
Kydex Door Protection Plate	Over 24" to 36" high	20.80	20.80	20.80
	Over 36" to 48" high	20.80	20.80	20.80

Note: UL labeling not required when top of plate is less than 16" above the bottom of the door, per NFPA 80 - 2007.

Option	Description	Price
CSK	Countersunk Holes	0.93 per 100 square inch price
SA	Self Adhesive Tape	0.08 per square inch price
	Spanner Head Screws	0.93 each
	Torx Head Screws	0.93 each
	.125 Material	Price on Application
	Wrap Around Side & Bottom Return	Price on Application
	UL Label Stamp (No tape -voids UL Listing)	20.14



Description	Finish	List	Box Qty.	Case Qty.
1E	US3	85.02	1	12
Pull- Half Round	US4	91.50		
Material: Brass, bronze, aluminum, stainless steel	US10	91.50		
Base: 1/2" x 1"	DBZ / US19	75.72		
Projection: 2"	US26	91.50		
Clearance: 1-1/2"	US26D	91.50		
CTC: 6"	US28	48.78		
Door Thickness: 1-3/4" standard	US32	88.93		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	86.51		
Not suitable for BTB Mounting.				
1G	US3	100.89	1	12
Pull- Half Round	US4	108.70		
Material: Brass, bronze, aluminum, stainless steel	US10	108.70		
Base: 1/2" x 1"	DBZ / US19	100.82		
Projection: 2"	US26	108.70		
Clearance: 1-1/2"	US26D	108.70		
CTC: 8"	US28	51.44		
Door Thickness: 1-3/4" standard	US32	108.70		
Fasteners: 1/4"-20 x 2-1/4" FPHS with washers	US32D	108.37		
Not suitable for BTB Mounting.				
1J	US3	128.81	1	12
Pull- Half Round	US4	128.81		
Material: Brass, bronze, aluminum, stainless steel	US10	128.81		
Base: 1/2" x 1"	DBZ / US19	128.81		
Projection: 2"	US26	128.81		
Clearance: 1-1/2"	US26D	128.81		
CTC: 10"	US28	58.01		
Door Thickness: 1-3/4" standard	US32	125.32		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	120.01		
Not suitable for BTB Mounting.				
1L	US3	135.63	1	12
Pull- Half Round	US4	149.26		
Material: Brass, bronze, aluminum, stainless steel	US10	149.26		
Base: 1/2" x 1"	DBZ / US19	149.26		
Projection: 2"	US26	149.26		
Clearance: 1-1/2"	US26D	149.26		
CTC: 12"	US28	71.72		
Door Thickness: 1-3/4" standard	US32	146.19		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	138.95		
Not suitable for BTB Mounting.				



Trim & Auxiliary



Description	Finish	List	Box Qty.	Case Qty.
2E	US3	78.54	1	12
Pull - Rectangular	US4	81.03		
Material: Brass, bronze, aluminum, stainless steel	US10	81.03		
Base: 3/8" x 1-1/4"	DBZ / US19	81.03		
Projection: 2"	US26	81.03		
Clearance: 1-5/8"	US26D	81.03		
CTC: 6"	US28	41.30		
Door Thickness: 1-3/4" standard	US32	88.51		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	79.44		
Not suitable for BTB Mounting.				
2G	US3	94.24	1	12
Pull - Rectangular	US4	99.98		
Material: Brass, bronze, aluminum, stainless steel	US10	99.98		
Base: 3/8" x 1-1/4"	DBZ / US19	99.98		
Projection: 2"	US26	99.98		
Clearance: 1-5/8"	US26D	99.98		
CTC: 8"	US28	44.46		
Door Thickness: 1-3/4" standard	US32	102.72		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	96.98		
Not suitable for BTB Mounting.				
2J	US3	111.36	1	12
Pull - Rectangular	US4	120.75		
Material: Brass, bronze, aluminum, stainless steel	US10	120.75		
Base: 3/8" x 1-1/4"	DBZ / US19	123.33		
Projection: 2"	US26	123.33		
Clearance: 1-5/8"	US26D	123.33		
CTC: 10"	US28	49.78		
Door Thickness: 1-3/4" standard	US32	125.79		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	118.67		
Not suitable for BTB Mounting.				
2L	US3	116.93	1	12
Pull - Rectangular	US4	124.83		
Material: Brass, bronze, aluminum, stainless steel	US10	130.14		
Base: 3/8" x 1-1/4"	DBZ / US19	130.14		
Projection: 2"	US26	130.14		
Clearance: 1-5/8"	US26D	130.14		
CTC: 12"	US28	64.74		
Door Thickness: 1-3/4" standard	US32	131.55		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	126.40		
Note suitable for BTB Mounting.				





Description	Finish	List	Box Qty.	Case Qty.
3E	US3	89.00	1	12
Pull - Round	US4	89.00		
Material: Brass, bronze, aluminum, stainless steel	US10	94.15		
Base: 3/4" diameter	DBZ / US19	78.08		
Projection: 2-1/4"	US26	94.15		
Clearance: 1-1/2"	US26D	94.15		
CTC: 6"	US28	37.65		
Door Thickness: 1-3/4" standard	US32	92.42		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	64.38		
3G	US3	91.42	1	12
Pull - Round	US4	91.42		
Material: Brass, bronze, aluminum, stainless steel	US10	96.74		
Base: 3/4" diameter	DBZ / US19	93.79		
Projection: 2-1/4"	US26	96.74		
Clearance: 1-1/2"	US26D	96.74		
CTC: 8"	US28	48.78		
Door Thickness: 1-3/4" standard	US32	92.42		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	71.53		
3J	US3	93.74	1	12
Pull - Round	US4	93.74		
Material: Brass, bronze, aluminum, stainless steel	US10	109.45		
Base: 3/4" diameter	DBZ / US19	75.91		
Projection: 2-1/4"	US26	109.45		
Clearance: 1-1/2"	US26D	109.45		
CTC: 10"	US28	63.33		
Door Thickness: 1-3/4" standard	US32	95.41		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	79.09		
3L	US3	112.95	1	12
Pull - Round	US4	123.83		
Material: Brass, bronze, aluminum, stainless steel	US10	133.30		
Base: 3/4" diameter	DBZ / US19	133.30		
Projection: 2-1/4"	US26	133.30		
Clearance: 1-1/2"	US26D	133.30		
CTC: 12"	US28	68.64		
Door Thickness: 1-3/4" standard	US32	142.53		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	101.39		



Trim & Auxiliary



Description	Finish	List	Box Qty.	Case Qty.
4E Security Pull - Round Material: Stainless steel Base: 1" diameter Projection: 2-1/4" Clearance: 1-1/4" CTC: 6" Fasteners: Two (2) 1/4-20 x 2-1/4" FPHMS with finish washers	US32D	100.98	1	12
P4E Security Pull - Round Material: Stainless steel Base: 1" diameter Projection: 2-1/4" Clearance: 1-1/4" CTC: 6" Fasteners: 3/8" - 16 x 1-1/4" Nyloc hex head cap screws Concealed mounting in door, use on hollow metal doors only.	US32D	118.01	1	12
T4E Security Pull - Round Material: Stainless steel Base: 1" diameter Projection: 2-1/4" Clearance: 1-1/4" CTC: 6" Door Thickness: 1-3/4" standard Fasteners: 1/4" - 20 x 2-1/4" FTXMS with washers Thru Bolt Mounting	US32D	123.25	1	12
4G Pull - Round Material: Brass, bronze, aluminum, stainless steel Base: 1" diameter Projection: 2-3/4" Clearance: 1-3/4" CTC: 8" Door Thickness: 1-3/4" standard Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US3	128.65	1	12
	US4	138.95		
	US10	156.49		
	DBZ / US19	110.56		
	US26	143.27		
	US26D	143.27		
	US28	64.66		
	US32	124.16		
4H Pull - Round Material: Brass, bronze, aluminum, stainless steel Base: 1" diameter Projection: 2-3/4" Clearance: 1-3/4" CTC: 9" Door Thickness: 1-3/4" standard Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	91.00		
	US3	127.07	1	12
	US4	127.07		
	US10	139.78		
	DBZ / US19	139.78		
	US26	139.78		
	US26D	139.78		
	US28	121.79		
	US32	160.56		
	US32D	117.93		





Description	Finish	List	Box Qty.	Case Qty.
4J	US3	154.33	1	12
Pull - Round	US4	154.33		
Material: Brass, bronze, aluminum, stainless steel	US10	156.49		
Base: 1" diameter	DBZ / US19	118.17		
Projection: 2-3/4"	US26	157.65		
Clearance: 1-3/4"	US26D	157.65		
CTC: 10"	US28	58.18		
Door Thickness: 1-3/4" standard	US32	128.15		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	101.14		



4L	US3	144.53	1	12
Pull - Round	US4	144.53		
Material: Brass, bronze, aluminum, stainless steel	US10	170.20		
Base: 1" diameter	DBZ / US19	170.20		
Projection: 2-3/4"	US26	170.20		
Clearance: 1-3/4"	US26D	170.20		
CTC: 12"	US28	86.01		
Door Thickness: 1-3/4" standard	US32	187.40		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers	US32D	144.35		



5D	US3	57.26	1	12
Pull - Round	US4	57.26		
Material: Brass, bronze, aluminum, stainless steel	US10	61.92		
Base: 5/8" diameter	DBZ / US19	61.92		
Projection: 2-1/8"	US26	61.92		
Clearance: 1-1/2"	US26D	61.92		
CTC: 5-1/2"	US32	72.38		
Door Thickness: 1-3/4" standard	US32D	53.85		
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers				
Not suitable for BTB Mounting.				



5N	US3	86.01	1	12
Cast Pull	US4	92.42		
Material: Brass, bronze, aluminum, stainless steel	US10	98.81		
Base: 5/8" x 1-3/16"	DBZ / US19	98.81		
Projection: 2"	US26	98.81		
Clearance: 1-1/2"	US26D	98.81		
Length: 6-1/8"	US28	60.42		
CTC: 5-1/2"	US32D	108.37		
Door Thickness: 1-3/4" standard				



Trim & Auxiliary



Description	Finish	List	Box Qty.	Case Qty.
6N	US3	66.40	1	12
Cast Pull	US4	74.29		
Material: Brass, bronze, aluminum, stainless steel	US10	91.92		
Base: 1" diameter	DBZ / US19	91.92		
Projection: 1-7/8"	US26	91.92		
Clearance: 1-3/8"	US26D	91.92		
O/A Length: 6-1/2"	US28	47.95		
CTC: 5-1/2"	US32D	94.82		
Door Thickness: 1-3/4" standard				



7N	US3	83.85	1	12
Cast Pull	US4	83.85		
Material: Brass, bronze, aluminum	US10	97.57		
Base: 2" diameter	DBZ / US19	97.57		
Projection: 1-7/8"	US26	97.63		
Clearance: 1-3/8"	US26D	97.57		
CTC: 5-1/2"	US28	42.80		
Door Thickness: 1-3/4" standard				
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers				
Not suitable for BTB Mounting.				



8N	US3	83.85	1	12
Material: Brass, bronze, aluminum	US4	83.85		
Base: 2" diameter	US10	89.00		
Projection: 1-7/8"	DBZ / US19	58.72		
CTC: 5-1/2"	US26	77.04		
Clearance: 1-3/8"	US26D	77.04		
Fasteners: #8 x 1 OPHWS	US28	42.80		
Not suitable for BTB Mounting.				



P8N				
Cast Pull				
Material: Brass				
Base: 1-1/2" x 1-5/8"				
Projection: 2-1/4"				
CTC: 7-3/4"				
Clearance: 1-9/16"				
O/A Length: 8-3/4"				
Fasteners: 3/8 - 16 x 3/4" FPHMS				
Not suitable for BTB Mounting.				
	US26D	94.41	1	12





Description	Finish	List	Box Qty.	Case Qty.
9E	US3	67.32	1	12
Pull - Oval	US4	67.32		
Material: Brass, bronze, stainless steel	DBZ / US19	90.10		
Base: 1/2" x 3/4"	US26	75.79		
Projection: 2"	US26D	75.79		
Clearance: 1-1/2"	US32	78.54		
CTC: 6"	US32D	77.62		
Door Thickness: 1-3/4" standard				
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers				
Not suitable for BTB Mounting				



9G	US3	75.30	1	12
Pull - Oval	US4	75.30		
Material: Brass, bronze, stainless steel	DBZ / US19	83.52		
Base: 1/2" x 3/4"	US26	83.52		
Projection: 2"	US26D	83.52		
Clearance: 1-1/2"	US32	56.27		
CTC: 8"	US32D	67.23		
Door Thickness: 1-3/4" standard				
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers				
Not suitable for BTB Mounting.				



9J	US3	83.60	1	12
Pull - Oval	US4	83.60		
Material: Brass, bronze, stainless steel	DBZ / US19	91.50		
Base: 1/2" x 3/4"	US26	91.50		
Projection: 2"	US26D	91.50		
Clearance: 1-1/2"	US32	93.32		
CTC: 10"	US32D	81.60		
Door Thickness: 1-3/4" standard				
Fasteners: 1/4"-20 x 2-1/4" FPHMS with washers				
Not suitable for BTB Mounting.				



9L	US3	91.50	1	12
Pull - Oval	US4	91.50		
Material: Brass, bronze, stainless steel	DBZ / US19	99.64		
Base: 1/2" x 3/4"	US26	99.64		
Projection: 2"	US26D	99.64		
Clearance: 1-1/2"	US32	103.89		
CTC: 12"	US32D	88.93		
Door Thickness: 1-3/4" standard				
Fasteners: 1/4" x 2-1/4" FPHMS with washers				
Not suitable for BTB Mounting.				



Trim & Auxiliary

	Description	Finish	List	Box Qty.	Case Qty.
	10L	US3	455.43	1	8
	Pull - Round	US4	455.43		
	Material: Brass, bronze, stainless steel	US10	505.54		
	Base: 1-1/4" diameter	DBZ / US19	250.40		
	Projection: 3"	US26	505.54		
	Clearance: 1-3/4"	US26D	506.41		
	CTC: 12"	US32	451.76		
	Door Thickness: 1-3/4" standard	US32D	383.53		
	Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
	10Q	US3	499.63	2	8
	Pull - Round	US4	499.63		
	Material: Brass, bronze, stainless steel	US10	534.71		
	Base: 1-1/4" diameter	DBZ / US19	333.20		
	Projection: 3"	US26	534.71		
	Clearance: 1-3/4"	US26D	534.71		
	CTC: 18"	US32	468.55		
	Door Thickness: 1-3/4" standard	US32D	434.65		
	Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
	11E	US3	138.03	-	2
	90° Offset Pull - Round	US4	138.03		
	Material: Brass, bronze, aluminum, stainless steel	US10	144.35		
	Base: 3/4" diameter	DBZ / US19	237.58		
	Projection: 2-1/2"	US26	144.35		
	Clearance: 1-3/4"	US26D	144.35		
	CTC: 6"	US28	90.59		
	Offset: 2-1/2"	US32	147.52		
	Door Thickness: 1-3/4" standard	US32D	115.11		
	Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
	Available with 45° offset				
	11G	US3	145.43	-	2
	90° Offset Pull - Round	US4	145.43		
	Material: Brass, bronze, aluminum, stainless steel	US10	154.08		
	Base: 3/4" diameter	DBZ / US19	185.54		
	Projection: 2-1/2"	US26	154.08		
	Clearance: 1-3/4"	US26D	154.08		
	CTC: 8"	US28	102.56		
	Offset: 2-1/2"	US32	156.49		
	Door Thickness: 1-3/4" standard	US32D	126.40		
	Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
	Available with 45° offset				






Description	Finish	List	Box Qty.	Case Qty.
11J	US3	153.91	-	2
90° Offset Pull - Round	US4	153.91		
Material: Brass, bronze, aluminum, stainless steel	US10	167.13		
Base: 3/4" diameter	DBZ / US19	211.46		
Projection: 2-1/2"	US26	167.13		
Clearance: 1-3/4"	US26D	167.13		
CTC: 10"	US28	108.37		
Offset: 2-1/2"	US32	162.55		
Door Thickness: 1-3/4" standard	US32D	132.30		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
Available with 45° offset				



11L	US3	167.13	-	2
90° Offset Pull - Round	US4	170.37		
Material: Brass, bronze, aluminum, stainless steel	US10	187.33		
Base: 3/4" diameter	DBZ / US19	187.33		
Projection: 2-1/2"	US26	185.41		
Clearance: 1-3/4"	US26D	187.33		
CTC: 12"	US28	116.26		
Offset: 2-1/2"	US32	174.53		
Door Thickness: 1-3/4" standard	US32D	141.36		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
Available with 45° offset				



12G	US3	185.41	-	2
90° Offset Pull - Round	US4	185.41		
Material: Brass, bronze, aluminum, stainless steel	US10	212.84		
Base: 1" diameter	DBZ / US19	212.84		
Projection: 2-3/4"	US26	212.84		
Clearance: 1-3/4"	US26D	212.84		
CTC: 8"	US28	94.33		
Offset: 3"	US32	183.83		
Door Thickness: 1-3/4" standard	US32D	149.93		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
Available with 45° offset				




Trim & Auxiliary



Description	Finish	List	Box Qty.	Case Qty.
12J	US3	193.63	-	2
90° Offset Pull - Round	US4	193.63		
Material: Brass, bronze, aluminum, stainless steel	US10	217.24		
Base: 1" diameter	DBZ / US19	225.61		
Projection: 2-3/4"	US26	217.24		
Clearance: 1-3/4"	US26D	217.24		
CTC: 10"	US28	104.47		
Offset: 3"	US32	204.27		
Door Thickness: 1-3/4" standard	US32D	161.56		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
Available with 45° offset				




12L	US3	206.68	-	2
90° Offset Pull - Round	US4	206.68		
Material: Brass, bronze, aluminum, stainless steel	US10	230.87		
Base: 1" diameter	DBZ / US19	234.18		
Projection: 2-3/4"	US26	230.87		
Clearance: 1-3/4"	US26D	230.87		
CTC: 12"	US28	114.19		
Offset: 3"	US32	224.80		
Door Thickness: 1-3/4" standard	US32D	168.04		
Fasteners: 5/16" - 18 x 2-1/4" FPHMS with washers				
Available with 45° offset				




13E	US3	219.32	1	12
Push/Pull Set - Round	US4	219.32		
Type 7 mounting	US10	223.47		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	107.43		
Base: 3/4" diameter	US26	223.47		
Projection: 2-1/4"	US26D	223.47		
Clearance: 1-1/2"	US28	152.33		
Door Thickness: 1-3/4" - 2-1/8"	US32	244.91		
CTC: 6"	US32D	200.62		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)				







Description	Finish	List	Box Qty.	Case Qty.
13G	US3	251.81	1	12
Push/Pull Set - Round	US4	251.81		
Type 7 mounting	US10	261.20		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	383.16		
Base: 3/4" diameter	US26	261.20		
Projection: 2-1/4"	US26D	261.20		
Clearance: 1-1/2"	US28	166.55		
Door Thickness: 1-3/4" - 2-1/8"	US32	279.48		
CTC: 8"	US32D	217.40		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)				



13J	US3	277.99	1	12
Push/Pull Set - Round	US4	277.99		
Type 7 mounting	US10	290.62		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	400.87		
Base: 3/4" diameter	US26	290.62		
Projection: 2-1/4"	US26D	290.62		
Clearance: 1-1/2"	US28	186.66		
Door Thickness: 1-3/4" - 2-1/8"	US32	308.58		
CTC: 10"	US32D	237.93		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)				




13L	US3	299.43	1	12
Push/Pull Set - Round	US4	299.43		
Type 7 mounting	US10	339.91		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	410.26		
Base: 3/4" diameter	US26	339.91		
Projection: 2-1/4"	US26D	339.91		
Clearance: 1-1/2"	US28	208.27		
Door Thickness: 1-3/4" - 2-1/8"	US32	330.60		
CTC: 12"	US32D	273.83		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)				



14G	US3	314.72	1	12
Push/Pull Set - Round	US4	314.72		
Type 7 mounting	US10	338.49		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	404.73		
Base: 1" diameter	US26	338.49		
Projection: 2-3/4"	US26D	338.49		
Clearance: 1-3/4"	US28	216.08		
Door Thickness: 1-3/4" - 2-1/8"	US32	365.83		
CTC: 8"	US32D	294.44		
BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)				




Trim & Auxiliary




Description	Finish	List	Box Qty.	Case Qty.
14H	US3	346.55	1	12
Push/Pull Set - Round	US4	364.25		
Type 7 mounting	US10	367.66		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	420.92		
Base: 1" diameter	US26	367.66		
Projection: 2-3/4"	US26D	367.66		
Clearance: 1-3/4"	US28	216.49		
Door Thickness: 1-3/4" - 2-1/8"	US32	407.14		
CTC: 9"	US32D	315.89		

BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)



14J	US3	349.38	1	8
Push/Pull Set - Round	US4	349.38		
Type 7 mounting	US10	370.48		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	536.22		
Base: 1" diameter	US26	370.48		
Projection: 2-3/4"	US26D	370.48		
Clearance: 1-3/4"	US28	218.98		
Door Thickness: 1-3/4" - 2-1/8"	US32	409.88		
CTC: 10"	US32D	318.46		

BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)



14L	US3	362.92	1	8
Push/Pull Set - Round	US4	362.92		
Type 7 mounting	US10	414.12		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	517.18		
Base: 1" diameter	US26	414.12		
Projection: 2-3/4"	US26D	414.12		
Clearance: 1-3/4"	US28	242.67		
Door Thickness: 1-3/4" - 2-1/8"	US32	444.45		
CTC: 12"	US32D	360.43		

BTB Mounting type 7 concealed spanner (Required 3/8" min. holes in door)



15C				
Heavy Duty Flush Cup Pull				
Material: Stainless steel				
Face: 3-1/2" x 5"				
Opening: 1-3/4" x 3-1/16"	US32D	110.70	1	10
Projection: 1/8"				
Cup Depth: 3/4" (Cup welded to face plate)				
Fasteners: #6 x5/8" OPHWS				



Description	Finish	List	Box Qty.	Case Qty.
15N	US3	99.32	2	20
Flush Cup Pull	US4	115.77		
Material: Brass, bronze, aluminum, stainless steel	US10	114.19		
Face: 3-1/2" x 5"	DBZ / US19	76.85		
Opening: 1-3/4" x 3-1/16"	US26	114.19		
Projection: 1/8"	US26D	107.04		
Cup Depth: 3/4"	US28	43.05		
Fasteners: #6 x 5/8" OPHWS	US32D	55.68		



15P	US32D	117.18	2	20
Heavy Duty Security Flush Cup Pull				
Material: Stainless steel				
Face: 3-1/2" x 5"				
Opening: 1-3/4" x 3-1/16"				
Projection: 3/16"				
Cup Depth: 3/4" (Cup welded to face plate)				
Welded studs for security (2) 6 -32 x 1-1/2" FPHMS (security torx)				



15S	US3	89.09	2	20
Light Duty Flush Cup Pull	US4	100.89		
Material: Brass, bronze, aluminum, stainless steel	US10	114.19		
Face: 3-1/2" x 5"	DBZ / US19	114.19		
Opening: 1-3/4" x 3-1/16"	US26	114.19		
Projection: 1/8"	US26D	114.19		
Cup Depth: 3/4"	US28	72.38		
Fasteners: #6 x 5/8" PPHWS	US32D	75.12		
Fasteners inside recessed cup				



16N	US3	33.44	2	20
Light Duty Flush Cup Pull	US4	43.15		
Material: Brass, bronze	US10	34.64		
Face: 1-15/16" x 3"	US26	43.15		
Opening: 27/32" x 2-3/8"	US26D	34.64		
Projection: 1/16"				
Cup Depth: 5/8"				
Fasteners: #8 x 3/4" OPHWS				
Fasteners inside recessed cup				



16R	US3	127.90	2	20
Finger Pull Plate	US4	140.12		
Material: Brass, bronze, aluminum, stainless steel	US10	140.12		
Size: 4" x 16"	DBZ / US19	140.12		
Opening: 1-3/4" x 3-1/16"	US26	140.12		
Cup Depth: 13/16"	US26D	140.12		
Fasteners: #6 x 5/8" OPHWS	US28	98.06		
	US32	157.91		
	US32D	109.12		



Trim & Auxiliary




Description	Finish	List	Box Qty.	Case Qty.
17N	US3	29.39	2	20
Light Duty Flush Cup Pull	US4	37.90		
Material: Brass, bronze	US10	31.24		
Face: 2-1/2" x 3-31/32"	US26	37.90		
Opening: 1-11/32" x 3-13/32"	US26D	30.12		
Projection: 3/32"				
Cup Depth: 5/8"				
Fasteners: #8 x 13/16" OPHWS				
Fasteners inside recessed cup				



19N	US3	116.10	1	20
Cast Pull	US10	120.75		
Material: Brass, bronze	US26	124.58		
Base Diameter: 1-1/2"	US26D	124.58		
Projection: 3-1/8"				
Clearance: 1-11/16"				
CTC: 6-3/16"				
Length O/A: 9"				
Fasteners: #8 x 1" OPHWS				
Suitable for BTB Mounting with sex nuts by special quotation				





20N	US3	116.10	1	1
Cast Pull	US10	124.58		
Material: Brass, bronze	US26	124.58		
Base Diameter: 1-1/2"	US26D	124.58		
Projection: 3-1/8"				
Clearance: 1-11/16"				
CTC: 5-7/32"				
Length O/A: 9"				
Fasteners: 1/4" - 20 thru bolts with washers				
Door Thickness: 1-3/4" standard				
Not suitable for BTB Mounting				




20L	US3	988.21	1	4
Push/Pull Set - Round	US4	1,044.48		
Type 7 mounting	US10	1,044.48		
Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	1,044.48		
Base: 1-1/4" diameter	US26	1,044.48		
Projection: 3"	US26D	1,044.48		
Clearance: 1-3/4"	US28	1,044.48		
CTC: 12"	US32	923.81		
Door Thickness: 1-3/4" - 2-1/8" standard	US32D	862.39		
BTB Mounting type 7 concealed spanner (Required 7/16" min. holes in door)				




	Description	Finish	List	Box Qty.	Case Qty.
	20Q	US3	1,098.17	1	4
	Push/Pull Set - Round	US4	1,160.65		
	Type 7 mounting	US10	1,160.65		
	Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	584.51		
	Base: 1-1/4" diameter	US26	1,160.65		
	Projection: 3"	US26D	1,160.65		
	Clearance: 1-3/4"	US28	1,160.65		
	CTC: 18"	US32	714.80		
	Door Thickness: 1-3/4" - 2-1/8" standard	US32D	958.29		
	BTB Mounting type 7 concealed spanner (Required 7/16" min. holes in door)				
	21E	US3	345.89	-	1
	90° Offset Push/Pull Set - Round	US4	345.89		
	Material: Brass, bronze, aluminum, stainless steel	US10	362.34		
	Base: 3/4" diameter	DBZ / US19	524.85		
	Projection: 2-1/2"	US26	362.34		
	Clearance: 1-3/4"	US26D	362.34		
	CTC: 6"	US28	252.40		
	Offset: 2-1/2"	US32	366.41		
	Door Thickness: 1-3/4" - 2-1/8" standard	US32D	301.84		
	BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door) Available with 45° offset				
	21G	US3	364.67	-	1
	90° Offset Push/Pull Set - Round	US4	364.67		
	Material: Brass, bronze, aluminum, stainless steel	US10	381.62		
	Base: 3/4" diameter	DBZ / US19	381.62		
	Projection: 2-1/2"	US26	381.62		
	Clearance: 1-3/4"	US26D	381.62		
	CTC: 8"	US28	276.49		
	Offset: 2-1/2"	US32	384.61		
	Door Thickness: 1-3/4" - 2-1/8" standard	US32D	324.37		
	BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door) Available with 45° offset				



Trim & Auxiliary



Description	Finish	List	Box Qty.	Case Qty.
21J	US3	376.97	-	1
90° Offset Push/Pull Set - Round	US4	376.97		
Material: Brass, bronze, aluminum, stainless steel	US10	407.39		
Base: 3/4" diameter	DBZ / US19	407.39		
Projection: 2-1/2"	US26	407.39		
Clearance: 1-3/4"	US26D	407.39		
CTC: 10"	US28	283.55		
Offset: 2-1/2"	US32	396.33		
	US32D	336.41		
Door Thickness: 1-3/4" - 2-1/8" standard				
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)				
Available with 45° offset				



21L	US3	401.74	-	1
90° Offset Push/Pull Set - Round	US4	401.74		
Material: Brass, bronze, aluminum, stainless steel	US10	448.03		
Base: 3/4" diameter	DBZ / US19	396.87		
Projection: 2-1/2"	US26	448.03		
Clearance: 1-3/4"	US26D	448.03		
CTC: 12"	US28	303.59		
Offset: 2-1/2"	US32	420.43		
	US32D	354.45		
Door Thickness: 1-3/4" - 2-1/8" standard				
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)				
Available with 45° offset				



22G	US3	436.81	-	1
90° Offset Push/Pull Set - Round	US4	436.81		
Material: Brass, bronze, aluminum, stainless steel	US10	489.66		
Base: 1" diameter	DBZ / US19	489.66		
Projection: 2-3/4"	US26	489.66		
Clearance: 1-3/4"	US26D	489.66		
CTC: 8"	US28	266.10		
Offset: 3"	US32	439.71		
	US32D	433.65		
Door Thickness: 1-3/4" - 2-1/8" standard				
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)				
Available with 45° offset				





Description	Finish	List	Box Qty.	Case Qty.
22J	US3	460.65	-	1
90° Offset Push/Pull Set - Round	US4	460.65		
Material: Brass, bronze, aluminum, stainless steel	US10	516.00		
Base: 1" diameter	DBZ / US19	434.66		
Projection: 2-3/4"	US26	516.00		
Clearance: 1-3/4"	US26D	516.00		
CTC: 10"	US28	286.05		
Offset: 3"	US32	479.94		
	US32D	467.22		
Door Thickness: 1-3/4" - 2-1/8" standard				
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)				
Available with 45° offset				



22L	US3	484.51	-	1
90° Offset Push/Pull Set - Round	US4	484.51		
Material: Brass, bronze, aluminum, stainless steel	US10	547.92		
Base: 1" diameter	DBZ / US19	547.92		
Projection: 2-3/4"	US26	547.92		
Clearance: 1-3/4"	US26D	547.92		
CTC: 12"	US28	305.66		
Offset: 3"	US32	519.58		
	US32D	501.47		
Door Thickness: 1-3/4" - 2-1/8" standard				
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)				
Available with 45° offset				



22N				
Concealed Edge Pull				
Material: Solid brass	US3	123.16		
Size: 31/32" x 4-1/4" x 3/8"	US26D	133.89	1	10
Finger piece extends: 2-3/4"				
Fasteners: #6 x 3/4" FPHWS				



23Q	US3	618.06	-	2
90° Offset Pull - Round	US4	618.06		
Material: Brass, bronze, aluminum, stainless steel	US10	651.38		
Base Diameter: 1-1/4"	DBZ / US19	651.38		
Projection: 3"	US26	651.38		
Clearance: 1-3/4"	US26D	651.38		
CTC: 18"	US28	231.87		
Offset: 3-3/4" standard	US32	568.45		
	US32D	487.25		
Fasteners: 5/16" - 18 thru bolt w/ washer				
Door Thickness: 1-3/4" - 2-1/8" standard				
Available with 45° offset				



Trim & Auxiliary



Description	Finish	List	Box Qty.	Case Qty.
24Q	US3	1,315.40	-	1
90° Offset Push/Pull Set - Round	US4	1,315.40		
Material: Brass, bronze, aluminum, stainless steel	US10	1,381.88		
Base Diameter: 1-1/4"	DBZ / US19	1,381.88		
Projection: 3"	US26	1,381.88		
Clearance: 1-3/4"	US26D	1,381.88		
CTC: 18"	US28	495.48		
Offset: 3-3/4"	US32	1,217.17		
Door Thickness: 1-3/4" - 2-1/8" standard	US32D	1,051.79		
BTB Mounting Type 7 concealed spanner (Required 3/8" minimum holes in door)				
Available with 45° offset				



25B				
Security Flush Pull Set				
Material: Stainless steel				
Face: 3-1/2" x 5"				
Opening: 1-3/4" x 3-1/16"	US32D	225.47	1	10
Projection: 3/16"				
Cup Depth: 3/4"				
Fasteners: (2) 6 - 32 x 1-1/2" FPHMS (security torx)				



25C				
Heavy Duty Flush Pull Set				
Material: Stainless steel				
Face: 3-1/2" x 5"				
Opening: 1-3/4" x 3-1/16"	US32D	218.73	1	10
Projection: 1/8"				
Cup Depth: 3/4"				
Fasteners: (4) 6 - 32 OPHMS with sex nuts and bolts				
Consists of 2 ea. 15C pulls BTB				



25N	US3	218.82	1	10
Flush Pull Set	US4	218.82		
Material: Brass, bronze, aluminum, stainless steel	US10	225.14		
Face: 3-1/2" x 5"	DBZ / US19	225.14		
Opening: 1-3/4" x 3-1/16"	US26	225.14		
Projection: 1/8"	US26D	225.14		
Cup Depth: 3/4"	US28	167.71		
Fasteners: (4) 6 - 32 OPHMS with sex nuts and bolts	US32D	94.15		
Consists of 2 ea. 15N pulls BTB				



25P				
Security Finger Pull/Push Plate Set				
Material: Stainless steel				
Base: 4" x 16"				
Opening: 1-3/4" x 3-1/16"	US32D	458.58	1	10
Projection: 1/8"				
Fasteners: 8 - 32 x 3/4" FPHMS (security torx) sex nuts and bolts				



Description	Finish	List	Box Qty.	Case Qty.
26N Security Finger Pull Material: Brass, stainless steel Face: 4" x 5" Opening: 1-5/8" x 3" Projection: 1/8" Cup Depth: 13/16" Fasteners: 1/4" - 20 x 3/4" security torx FPHMS	US4 US26 US32D	122.08 167.13 175.61	2	20
27N Security Flush Cup Pull Material: Stainless steel Face: 5" x 5" Opening: 3" x 3-1/2" Projection: 3/8" Cup Depth: 7/8" Fasteners: 10 - 24 FPHMS (security torx) sex nuts and thru bolts Not available for BTB Mounting	US32D	182.64	2	20
27P Security Flush Cup Pull Material: Stainless steel Face: 5" x 5" Opening: 3" x 3-1/2" Cup Depth: 7/8" Fasteners: 1/4 - 20 x 3/4" FPHMS (security torx) Not available for BTB Mounting	Projection: 3/8"	US32D	182.64	2
20				



Trim & Auxiliary



30S

Push Plate - Square Corner

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.050

Fasteners: #6 x 5/8" OPH tapping screws

3" x 12"

Description	Finish	List	Box Qty.	Case Qty.
3" x 12"	US3	29.26	5	50
	US4	29.26		
	US10	34.91		
	DBZ / US19	29.60		
	US26	34.91		
	US26D	34.91		
	US28	18.47		
	US32	26.34		
	US32D	21.44		
3-1/2" x 15"	US3	39.47	5	50
	US4	41.97		
	US10	47.95		
	DBZ / US19	30.52		
	US26	47.95		
	US26D	46.20		
	US28	17.45		
	US32	23.93		
	US32D	17.95		
4" x 16"	US3	46.20	5	50
	US4	45.37		
	US10	50.53		
	DBZ / US19	32.25		
	US26	50.53		
	US26D	48.78		
	US28	19.53		
	US32	26.51		
	US32D	18.94		
6" x 16"	US3	66.10	-	5
	US4	65.90		
	US10	74.47		
	DBZ / US19	37.34		
	US26	74.47		
	US26D	72.80		
	US28	26.92		
	US32	40.06		
	US32D	26.92		
8" x 16"	US3	81.03	-	5
	US4	81.03		
	US10	93.00		
	DBZ / US19	54.66		
	US26	93.00		
	US26D	91.25		
	US28	30.09		
	US32	50.11		
	US32D	36.64		





A30S

Push Plate - Square Corner

Material: Brass, bronze, aluminum, stainless steel

Gauge: 0.062

Fasteners: #6 x 5/8" OPH tapping screws

3" x 12"

US3	48.11	5	50
US4	48.11		
US10	55.85		
DBZ / US19	92.46		
US26	55.85		
US26D	55.85		
US28	23.52		
US32	44.71		
US32D	28.67		

3-1/2" x 15"

US3	51.86	5	50
US4	51.86		
US10	62.75		
DBZ / US19	97.33		
US26	62.75		
US26D	62.75		
US28	26.18		
US32	54.43		
US32D	36.40		

4" x 16"

US3	58.68	5	50
US4	58.68		
US10	69.07		
DBZ / US19	102.46		
US26	69.07		
US26D	69.07		
US28	28.25		
US32	57.26		
US32D	39.81		

6" x 16"

US3	85.02	-	5
US4	85.02		
US10	95.49		
DBZ / US19	122.95		
US26	95.49		
US26D	95.49		
US28	37.07		
US32	97.23		
US32D	66.24		

8" x 16"

US3	91.92	-	5
US4	91.92		
US10	102.31		
DBZ / US19	172.13		
US26	102.31		
US26D	102.31		
US28	49.28		
US32	119.84		
US32D	74.13		





31E

Pull Plate - Square Corner - Half Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 6"
30S x 1E Pull
Fasteners: #6 x 5/8" OPH tapping screws
3-1/2" x 15"

Description	Finish	List	Box Qty.	Case Qty.
4" x 16"	US3	136.12	1	10
	US4	136.12		
	DBZ / US19	110.80		
	US26	144.69		
	US26D	136.12		
	US28	65.90		
	US32	136.63		
	US32D	97.57		
	US3	137.79	1	10
	US4	137.79		
4" x 16"	DBZ / US19	114.23		
	US26	146.35		
	US26D	138.21		
	US28	67.65		
	US32	445.68		
	US32D	116.76		



31G

Pull Plate - Square Corner - Half Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 8"
30S x 1G Pull
Fasteners: #6 x 5/8" OPH tapping screws
3-1/2" x 15"

4" x 16"	US3	138.62	1	10
	US4	138.62		
	DBZ / US19	126.39		
	US26	152.17		
	US26D	152.17		
	US28	72.80		
	US32	171.03		
	US32D	111.28		
4" x 16"	US3	147.27	1	10
	US4	147.27		
	DBZ / US19	130.18		
	US26	154.83		
	US26D	154.83		
	US28	77.04		
	US32	181.08		
	US32D	113.02		





31J

Pull Plate - Square Corner - Half Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 10"
30S x 1J Pull
Fasteners: #6 x 5/8" OPH tapping screws
3-1/2" x 15"

Description	Finish	List	Box Qty.	Case Qty.
	US3	157.62	1	10
	US4	164.21		
	DBZ / US19	170.12		
	US26	170.12		
	US26D	170.12		
	US28	84.43		
	US32	190.32		
	US32D	147.52		

4" x 16"

	US3	160.64	1	10
	US4	166.21		
	DBZ / US19	176.35		
	US26	176.35		
	US26D	176.35		
	US28	88.26		
	US32	179.34		
	US32D	153.33		



32E

Pull Plate - Square Corner - Rectangular Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 6"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 2E Pull
3-1/2" x 15"

	US3	109.04	1	10
	US4	104.38		
	DBZ / US19	191.56		
	US26	136.12		
	US26D	136.12		
	US28	57.35		
	US32	114.60		
	US32D	80.45		

4" x 16"

	US3	121.59	1	10
	US4	121.59		
	DBZ / US19	195.47		
	US26	139.54		
	US26D	139.54		
	US28	60.75		
	US32	132.39		
	US32D	83.85		



Trim & Auxiliary



32G

Pull Plate - Square Corner - Rectangular Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 8"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 2G Pull
3-1/2" x 15"

Description	Finish	List	Box Qty.	Case Qty.
3-1/2" x 15"	US3	126.15	1	10
	US4	126.15		
	DBZ / US19	194.69		
	US26	147.34		
	US26D	144.69		
	US28	76.20		
	US32	147.52		
	US32D	102.72		
	US3	144.69	1	10
	US4	144.69		
4" x 16"	DBZ / US19	198.66		
	US26	152.33		
	US26D	153.25		
	US28	83.02		
	US32	159.65		
	US32D	109.53		



32J

Pull Plate - Square Corner - Rectangular Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 10"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 2J Pull
3-1/2" x 15"

3-1/2" x 15"	US3	147.34	1	10
	US4	151.59		
	DBZ / US19	198.84		
	US26	162.14		
	US26D	162.14		
	US28	69.56		
	US32	175.19		
	US32D	147.52		
4" x 16"	US3	153.08	1	10
	US4	161.40		
	DBZ / US19	202.90		
	US26	167.13		
	US26D	167.13		
	US28	75.46		
	US32	182.58		
	US32D	156.49		





33E

Pull Plate - Square Corner
3/4" Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 6"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 3E Pull
3-1/2" x 15"

Description	Finish	List	Box Qty.	Case Qty.
3-1/2" x 15"	US3	114.69	1	10
	US4	114.69		
	DBZ / US19	94.47		
	US26	129.23		
	US26D	129.23		
	US28	55.68		
	US32	94.15		
	US32D	80.63		
4" x 16"	US3	124.99	1	10
	US4	124.99		
	DBZ / US19	108.52		
	US26	135.71		
	US26D	135.71		
	US28	62.50		
	US32	106.13		
	US32D	82.67		



33G

Pull Plate - Square Corner - 3/4" Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 8"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 3G Pull
3-1/2" x 15"

3-1/2" x 15"	US3	128.40	1	10
	US4	128.40		
	DBZ / US19	110.30		
	US26	141.29		
	US26D	130.14		
	US28	60.75		
	US32	102.72		
	US32D	84.43		
4" x 16"	US3	137.13	1	10
	US4	137.13		
	DBZ / US19	112.55		
	US26	149.84		
	US26D	140.53		
	US28	64.24		
	US32	110.12		
	US32D	87.47		



Trim & Auxiliary



33J

Pull Plate - Square Corner - 3/4" Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 10"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 3J Pull
3-1/2" x 15"

Description	Finish	List	Box Qty.	Case Qty.
	US3	131.73	1	10
	US4	135.63		
	DBZ / US19	141.29		
	US26	98.88		
	US26D	141.29		
	US28	77.62		
	US32	156.24		
	US32D	127.98		
4" x 16"	US3	141.78	1	10
	US4	148.18		
	DBZ / US19	100.89		
	US26	154.58		
	US26D	154.58		
	US28	81.54		
	US32	162.55		
	US32D	132.22		



33L

Pull Plate - Square Corner - 3/4" Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 12"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 3J Pull
3-1/2" x 15"

	US3	139.01	1	10
	US4	139.01		
	DBZ / US19	103.82		
	US26	147.04		
	US26D	147.04		
	US28	81.51		
	US32	164.03		
	US32D	134.35		
4" x 16"	US3	141.79	1	10
	US4	141.79		
	DBZ / US19	105.94		
	US26	149.96		
	US26D	149.96		
	US28	83.11		
	US32	167.30		
	US32D	137.05		





34G

Pull Plate - Square Corner - 1" Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 8"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 4G Pull
3-1/2" x 15"

3-1/2" x 15"	US3	154.83	1	10
	US4	167.13		
	DBZ / US19	194.78		
	US26	174.19		
	US26D	174.16		
	US28	86.51		
	US32	177.35		
	US32D	150.67		
4" x 16"	US3	159.65	1	10
	US4	170.12		
	DBZ / US19	199.40		
	US26	179.26		
	US26D	179.26		
	US28	88.26		
	US32	180.84		
	US32D	156.24		



34J

Pull Plate - Square Corner - 1" Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 10"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 4J Pull
3-1/2" x 15"

3-1/2" x 15"	US3	194.71	1	10
	US4	194.71		
	DBZ / US19	230.15		
	US26	203.69		
	US26D	203.69		
	US28	68.89		
	US32	150.67		
	US32D	117.27		
4" x 16"	US3	196.05	1	10
	US4	196.05		
	DBZ / US19	234.75		
	US26	209.76		
	US26D	209.76		
	US28	70.22		
	US32	156.00		
	US32D	119.18		



Trim & Auxiliary



34L

Pull Plate - Square Corner - 1" Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 12"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 4J Pull
3-1/2" x 15"

Description	Finish	List	Box Qty.	Case Qty.
	US3	214.19	1	10
	US4	214.19		
	DBZ / US19	253.16		
	US26	223.34		
	US26D	223.34		
	US28	75.78		
	US32	165.74		
	US32D	129.00		
4" x 16"	US3	215.65	1	10
	US4	215.65		
	DBZ / US19	258.23		
	US26	230.73		
	US26D	230.73		
	US28	77.24		
	US32	171.59		
	US32D	131.10		



35D

Pull Plate - Square Corner - 5/8" Round Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 5-1/2"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 5D Pull
3-1/2" x 15"

	US3	100.14	1	10
	US4	100.14		
	DBZ / US19	207.13		
	US26	106.38		
	US26D	106.38		
	US32	102.56		
	US32D	52.94		
4" x 16"	US3	103.14	1	10
	US4	106.38		
	DBZ / US19	211.27		
	US26	109.78		
	US26D	109.78		
	US32	89.76		
	US32D	57.76		





35N

Pull Plate - Square Corner - Cast Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 5-1/2"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 5N Pull
3-1/2" x 15"

Description	Finish	List	Box Qty.	Case Qty.
3-1/2" x 15"	US3	105.55	1	10
	US4	107.29		
	DBZ / US19	178.23		
	US26	113.44		
	US26D	113.44		
	US28	67.23		
	US32	154.66		
	US32D	97.07		
4" x 16"	US3	107.87	1	10
	US4	110.70		
	DBZ / US19	181.86		
	US26	119.43		
	US26D	119.43		
	US28	68.64		
	US32	169.29		
	US32D	100.47		



36N

Pull Plate - Square Corner
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 5-1/2"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 6N Pull
3-1/2" x 15"

Description	Finish	List	Box Qty.	Case Qty.
3-1/2" x 15"	US3	99.06	1	10
	US4	99.06		
	DBZ / US19	69.08		
	US26	103.13		
	US26D	103.13		
	US28	54.36		
	US32	136.63		
	US32D	78.79		
4" x 16"	US3	102.47	1	10
	US4	102.47		
	DBZ / US19	74.87		
	US26	106.54		
	US26D	106.54		
	US28	57.76		
	US32	149.68		
	US32D	80.03		





39E

Pull Plate - Square Corner - 3/4" Oval Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 6"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 9E Pull
3-1/2" x 15"

Finish	List	Box Qty.	Case Qty.
US3	98.49	1	10
US4	98.49		
DBZ / US19	148.04		
US26	135.04		
US26D	112.86		
US32	119.84		
US32D	92.42		
US3	101.89	1	10
US4	101.89		
DBZ / US19	151.06		
US26	141.78		
US26D	116.26		
US32	126.65		
US32D	94.15		

4" x 16"



39G

Pull Plate - Square Corner - 3/4" Oval Pull
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050; CTC: 8"
Fasteners: #6 x 5/8" OPH tapping screws
30S x 9G Pull
3-1/2" x 15"

Finish	List	Box Qty.	Case Qty.
US3	102.31	1	10
US4	101.84		
DBZ / US19	151.95		
US26	141.11		
US26D	117.93		
US32	128.15		
US32D	94.15		
US3	109.12	1	10
US4	109.12		
DBZ / US19	155.04		
US26	148.01		
US26D	124.74		
US32	134.97		
US32D	97.57		

4" x 16"





39J

Pull Plate - Square Corner - 3/4" Oval Pull
 Material: Brass, bronze, aluminum, stainless steel
 Gauge: 0.050; CTC: 10"
 Fasteners: #6 x 5/8" OPH tapping screws
 30S x 9J Pull

3-1/2" x 15"

US3	130.72	1	10
US4	158.40		
DBZ / US19	162.57		
US26	176.69		
US26D	168.46		
US32	163.63		
US32D	140.78		

4" x 16"

US3	128.81	1	10
US4	159.31		
DBZ / US19	165.89		
US26	181.92		
US26D	176.35		
US32	164.97		
US32D	143.36		



Trim & Auxiliary



40R

Push Plate - Radius Corner - Not Beveled
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.050
Fasteners: #6 x 5/8" OPH tapping screws

Description	Finish	List	Box Qty.	Case Qty.
3" x 12"	US3	38.89	10	50
	US4	40.31		
	DBZ / US19	39.13		
	US26	46.71		
	US26D	46.71		
	US28	24.35		
	US32	36.40		
	US32D	31.24		
3-1/2" x 15"	US3	44.87	10	50
	US4	49.78		
	DBZ / US19	40.09		
	US26	53.85		
	US26D	53.85		
	US28	26.18		
	US32	42.13		
	US32D	36.40		
4" x 16"	US3	49.45	10	50
	US4	54.60		
	DBZ / US19	52.57		
	US26	58.84		
	US26D	58.84		
	US28	27.51		
	US32	45.37		
	US32D	39.06		
6" x 16"	US3	69.07	-	5
	US4	74.29		
	DBZ / US19	42.04		
	US26	80.70		
	US26D	80.70		
	US28	35.74		
	US32	85.18		
	US32D	59.51		
8" x 16"	US3	81.03	-	5
	US4	90.17		
	DBZ / US19	46.25		
	US26	97.23		
	US26D	97.23		
	US28	40.64		
	US32	86.51		
	US32D	88.68		





A40R

Push Plate - Radius Corner - Not Beveled
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.062
Fasteners: #6 x 5/8" OPH tapping screws

Description	Finish	List	Box Qty.	Case Qty.
3" x 12"	US3	57.26	10	50
	US4	57.26		
	US10	65.16		
	DBZ / US19	68.47		
	US26	65.16		
	US26D	65.16		
	US28	39.06		
	US32	56.93		
	US32D	39.81		
3-1/2" x 15"	US3	61.08	10	50
	US4	61.08		
	US10	71.88		
	DBZ / US19	70.16		
	US26	71.88		
	US26D	71.88		
	US28	35.07		
	US32	67.23		
	US32D	46.96		
4" x 16"	US3	67.81	10	50
	US4	67.81		
	US10	78.54		
	DBZ / US19	92.01		
	US26	78.54		
	US26D	78.54		
	US28	37.15		
	US32	70.72		
	US32D	51.19		
6" x 16"	US3	89.92	-	5
	US4	97.73		
	US10	97.73		
	DBZ / US19	73.57		
	US26	97.73		
	US26D	97.73		
	US28	45.88		
	US32	110.70		
	US32D	80.36		
8" x 16"	US3	99.98	-	5
	US4	109.70		
	US10	80.92		
	DBZ / US19	111.36		
	US26	111.36		
	US26D	111.36		
	US28	51.61		
	US32	140.19		
	US32D	85.18		





Description	Finish	List	Box Qty.	Case Qty.
50T				
Push Plate - Round - Not Beveled				
Material: Brass, bronze, aluminum, stainless steel				
Gauge: 0.050				
Fasteners: #6 x 5/8" OPH tapping screws				
3" x 12"	US3	46.96	5	50
	US4	46.96		
	DBZ / US19	38.48		
	US26	51.19		
	US26D	51.19		
	US28	34.66		
	US32	40.80		
	US32D	68.22		
3-1/2" x 15"	US3	49.45	5	50
	US4	49.57		
	DBZ / US19	39.67		
	US26	58.68		
	US26D	58.68		
	US28	38.31		
	US32	46.71		
	US32D	42.89		
4" x 16"	US3	54.60	5	50
	US4	54.60		
	DBZ / US19	41.91		
	US26	62.75		
	US26D	62.75		
	US28	40.80		
	US32	45.37		
	US32D	50.53		



A50T

Push Plate - Round - Not Beveled
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.062
Fasteners: #6 x 5/8" OPH tapping screws

Description	Finish	List	Box Qty.	Case Qty.
3" x 12"	US3	74.29	5	50
	US4	74.29		
	US10	82.36		
	DBZ / US19	68.42		
	US26	82.36		
	US26D	82.36		
	US28	46.71		
	US32	64.74		
	US32D	55.18		
3-1/2" x 15"	US3	77.21	5	50
	US4	77.21		
	US10	90.59		
	DBZ / US19	69.41		
	US26	90.59		
	US26D	90.59		
	US28	54.27		
	US32	67.23		
	US32D	56.93		
4" x 16"	US3	83.69	5	50
	US4	83.69		
	US10	96.98		
	DBZ / US19	73.34		
	US26	96.98		
	US26D	96.98		
	US28	56.93		
	US32	70.72		
	US32D	62.25		



60S

Push Plate - Square Corner - Beveled
Material: Plastic Laminate
Gauge: 0.125
Fasteners: #6 x 5/8" OPH tapping screws

3" x 12"	PG - Gray	18.37	5	50
	PK - Black	18.37		
	CO - Brown	18.37		
3-1/2" x 15"	PG - Gray	19.77	5	50
	PK - Black	19.77		
	CO - Brown	19.77		
4" x 16"	PG - Gray	20.85	5	50
	PK - Black	20.85		
	CO - Brown	20.85		
6" x 16"	PG - Gray	26.18	5	50
	PK - Black	26.18		
	CO - Brown	26.18		
8" x 16"	PG - Gray	31.24	5	50
	PK - Black	31.24		
	CO - Brown	31.24		





Description	Finish	List	Box Qty.	Case Qty.
70S				
Push Plate - Square Corner - Beveled				
Material: Clear Plastic Laminate				
Gauge: 0.125				
Fasteners: #6 x 5/8" OPH tapping screws				
3" x 12"	PC - Clear	18.37	5	50
3-1/2" x 15"	PC - Clear	20.78	5	50
4" x 16"	PC - Clear	22.02	5	50
6" x 16"	PC - Clear	29.67	5	50
8" x 16"	PC - Clear	34.24	5	50





80S

Push Plate - Square Corner - Beveled
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.125
Fasteners: #6 x 5/8" OPH tapping screws

Description	Finish	List	Box Qty.	Case Qty.
3" x 12"	US3	83.52	5	50
	US4	88.26		
	US10	97.73		
	DBZ / US19	74.12		
	US26	97.73		
	US26D	97.73		
	US28	41.30		
	US32	89.09		
	US32D	69.31		
3-1/2" x 15"	US3	92.50	5	50
	US4	101.39		
	US10	107.62		
	DBZ / US19	82.36		
	US26	107.62		
	US26D	107.62		
	US28	47.70		
	US32	97.41		
	US32D	50.53		
4" x 16"	US3	115.60	5	50
	US4	115.60		
	US10	119.84		
	DBZ / US19	84.91		
	US26	116.10		
	US26D	116.10		
	US28	50.36		
	US32	101.23		
	US32D	64.24		
6" x 16"	US3	136.30	-	5
	US4	140.12		
	US10	144.53		
	DBZ / US19	93.40		
	US26	144.53		
	US26D	144.53		
	US28	74.29		
	US32	129.31		
	US32D	99.48		
8" x 16"	US3	173.03	-	5
	US4	176.35		
	US10	176.35		
	DBZ / US19	102.74		
	US26	181.67		
	US26D	181.67		
	US28	90.59		
	US32	160.32		
	US32D	123.50		



Trim & Auxiliary



90R

Push Plate - Radius Corner - Not Beveled
Material: Brass, bronze, aluminum, stainless steel
Gauge: 0.125
Fasteners: #6 x 5/8" OPH tapping screws

Description	Finish	List	Box Qty.	Case Qty.
3" x 12"	US3	111.28	5	50
	US4	117.76		
	US10	125.49		
	DBZ / US19	96.35		
	US26	125.49		
	US26D	125.49		
	US28	67.23		
	US32	116.60		
	US32D	91.00		
3-1/2" x 15"	US3	120.09	5	50
	US4	124.58		
	US10	135.13		
	DBZ / US19	107.06		
	US26	135.13		
	US26D	135.13		
	US28	103.79		
	US32	125.91		
	US32D	97.57		
4" x 16"	US3	127.23	5	50
	US4	136.30		
	US10	143.86		
	DBZ / US19	110.38		
	US26	143.86		
	US26D	143.86		
	US28	77.21		
	US32	135.04		
	US32D	99.48		
6" x 16"	US3	164.21	-	5
	US4	167.88		
	US10	172.20		
	DBZ / US19	121.41		
	US26	172.20		
	US26D	172.20		
	US28	101.55		
	US32	156.24		
	US32D	119.18		
8" x 16"	US3	200.87	-	5
	US4	204.20		
	US10	209.01		
	DBZ / US19	133.55		
	US26	209.01		
	US26D	209.01		
	US28	117.43		
	US32	187.33		
	US32D	141.29		





Description	Finish	List	Box Qty.	Case Qty.
100T				
Push Plate - Square Corner - Rounded Bevel - Top and Bottom				
Material: Brass, bronze, aluminum, stainless steel				
Gauge: 0.125				
Fasteners: #6 x 5/8" OPH tapping screws				
3" x 12"	US3	108.70	5	50
	US4	112.28		
	US10	122.25		
	DBZ / US19	94.41		
	US26	122.25		
	US26D	122.25		
	US28	64.98		
	US32	113.52		
	US32D	88.42		
3-1/2" x 15"	US3	117.09	5	50
	US4	121.59		
	US10	132.05		
	DBZ / US19	104.91		
	US26	132.05		
	US26D	132.05		
	US28	72.38		
	US32	122.91		
	US32D	95.32		
4" x 16"	US3	124.41	5	50
	US4	140.78		
	US10	140.78		
	DBZ / US19	108.16		
	US26	140.78		
	US26D	140.78		
	US28	85.76		
	US32	129.39		
	US32D	101.23		
6" x 16"	US3	140.78	-	5
	US4	151.59		
	US10	157.65		
	DBZ / US19	118.98		
	US26	157.65		
	US26D	157.65		
	US28	98.23		
	US32	129.31		
	US32D	116.26		
8" x 16"	US3	187.65	-	5
	US4	204.61		
	US10	212.41		
	DBZ / US19	130.87		
	US26	212.41		
	US26D	212.41		
	US28	168.71		
	US32	165.72		
	US32D	157.73		



Trim & Auxiliary

	Description	Finish	List	Box Qty.	Case Qty.
	110S	US3	99.39	1	10
	Half Circle Push Plate	US4	99.39		
	8" x 16"	DBZ / US19	111.11		
	Material: Brass, bronze, aluminum, stainless steel	US26	111.11		
	Gauge: 0.050	US26D	111.11		
	Fasteners: #6 x 5/8" OPH tapping screws	US28	62.33		
		US32	95.49		
		US32D	77.62		
	120L	US3	145.52	2	20
	Pull Plate - w/ Lip (Not beveled)	US4	145.52		
	3-1/2"x16"	US10	130.97		
	Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	130.97		
	Lip Projection: 1-1/8"	US26	130.97		
	Gauge: 0.125	US26D	130.97		
	Fasteners: #6 x 5/8" OPH tapping screws	US28	65.16		
		US32	163.31		
		US32D	71.14		
	121L	US3	84.77	1	10
	Cylinder Pull	US4	65.16		
	2" x 3-3/4"	US10	89.92		
	Material: Brass, bronze, aluminum, stainless steel	DBZ / US19	135.15		
	Beveled Lip Projection: 1-1/8"	US26	66.40		
	Gauge: 0.125	US26D	89.92		
	Cylinder Cutout: 1-1/4" diameter	US28	58.18		
	Cylinder sold separately. Stud installed on reverse to prevent twisting.	US32	77.62		
		US32D	73.63		
	122L	US32D	372.57	1	10
	Security Push/Pull Set				
	Push Plate: 4" x 16"				
	Pull Plate: 4" x 9-1/4"				
	Fasteners: BTB by Type 6				
	Lip Projection: 2-1/8"				
	Gauge: 0.125				
	Mounting with security torx screws and blank head sex nuts.				
	125S	US3	319.96	4	6.16
	Bent Push Bar	US4	319.96		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	331.01		6.16
	Bar Size: 3/8" x 1-1/4"	DBZ / US19	331.01		6.16
	Base Plate: 1" x 3"	US28	198.46		4.24
	Projection: 2-1/8"	US32	358.35		10.31
	*Add per linear inch or fraction thereof	US32D	288.30		8.69
	Standard fasteners are 1/4"-20 FPHMS and #8 x 3/4" FPH Tapping Screws.				



	Description	Finish	List	Box Qty.	Case Qty.
	126S	US3	331.01	4	6.16
	Push Bar	US4	414.29		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	491.15		6.16
	Bar Size: 3/8" x 1-1/4"	DBZ / US19	491.15		6.16
	Base Plate: 1" x 3"	US28	240.43		4.24
	Projection: 2-1/8"	US32	422.43		10.31
	*Add per linear inch or fraction thereof	US32D	383.19		8.69
	Standard fasteners are #8 x 3/4" FPH Tapping Screws. Optional thru bolts available.				
	127S	US3	242.50	1	12.31
	Push Bar	US4	269.27		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	269.27		12.31
	Bar Size: 3/8" x 1-1/4"	DBZ / US19	269.27		12.31
	Base: 1-1/4" Square	US28	154.66		8.38
	Projection: 3/4"	US32	283.31		19.86
	*Add per linear inch or fraction thereof	US32D	218.98		20.52
	Standard fasteners are 1/4"-20 FPHMS. Optional wood screws available no charge.				
	128P	US3	577.42	1	12.31
	Wide Push Bar	US4	617.81		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	636.42		12.31
	Bar Size: 3/8" x 3"	DBZ / US19	636.42		12.31
	Base Plate: 1-1/2" x 4-1/2"	US28	536.62		8.38
	Projection: 2-1/8"	US32	672.58		19.86
	*Add per linear inch or fraction thereof	US32D	566.20		20.52
	Standard fasteners are #8 x 3/4" FPH Tapping Screws. Optional thru bolts available.				
	128S	US3	543.68	1	12.31
	Wide Push Bar	US4	568.27		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	595.62		12.31
	Bar Size: 3/8" x 3"	DBZ / US19	595.62		12.31
	Base: 3/8" x 3"	US28	297.43		8.38
	Projection: 2"	US32	630.44		19.86
	Door Thickness: 1-3/4" Standard	US32D	525.40		20.52
	*Add per linear inch or fraction thereof				
	Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers.				
	129P	US3	460.33	1	12.31
	Wide Push Bar	US4	487.91		12.31
	Bar Size: 3/8" x 3"	US10	516.00		12.31
	Base: 1" x 3"	DBZ / US19	516.00		12.31
	Projection: 3/4"	US28	213.75		8.38
	*Add per linear inch or fraction thereof	US32	568.45		19.86
	Standard fasteners are 1/4"-20 x 1-1/4" FPHMS. Optional thru bolts available. #14 FPH wood screws available.	US32D	450.27		20.52



Trim & Auxiliary

	Description	Finish	List	Box Qty.	Case Qty.
	130S	US3	315.13	4	6.16
	Push Bar	US4	339.91		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	405.14		6.16
	Bar Stock: 1" Round	DBZ / US19	405.14		6.62
	Projection: 2-1/2"	US28	149.09		4.24
	Door Thickness: 1-3/4"	US32	375.63		10.31
	*Add per linear inch or fraction thereof	US32D	297.43		8.69
	Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.				
	131S	US3	324.62	4	6.16
	Push Bar	US4	355.36		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	389.26		6.16
	Bar Stock: 1" Round	DBZ / US19	389.26		6.62
	Base Plate: 2" Diameter	US28	162.55		4.24
	Projection: 2-5/8"	US32	393.09		10.31
	Door Thickness: 1-3/4" Standard	US32D	321.79		8.69
	*Add per linear inch or fraction thereof Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.				
	133S	US3	267.11	4	6.16
	Push Bar	US4	290.62		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	315.13		6.16
	Bar Stock: 3/4" Round	DBZ / US19	315.13		6.16
	Projection: 2-1/4"	US28	126.40		4.24
	Door Thickness: 1-3/4" Standard	US32	322.12		10.31
	*Add per linear inch or fraction thereof	US32D	252.89		8.69
	Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers				
	134S	US3	277.82	4	6.16
	Push Bar	US4	312.14		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	333.59		6.16
	Bar Stock: 3/4" Round	DBZ / US19	333.59		6.16
	Base Plate: 1-1/4" Diameter	US28	144.35		4.24
	Projection: 2-3/8"	US32	353.70		10.31
	Door Thickness: 1-3/4" Standard	US32D	270.43		8.69
	*Add per linear inch or fraction thereof Standard fasteners are 1/4"-20 x 2-1/4" FPHMS with finish washers. May be ordered with Type 5 mounting at an extra charge.				
	136S	US3	664.26	4	12.31
	Push Bar	US4	679.40		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	694.69		12.31
	Bar Stock: 1-1/4" Round	DBZ / US19	694.69		12.31
	Projection: 3"	US28	480.44		8.38
	Fasteners: 5/16" - 18 x 2-1/4" with finish washers	US32	630.44		19.86
	Door Thickness: 1-3/4" Standard	US32D	570.43		20.52
	*Add per linear inch or fraction thereof May be ordered with Type 5 mounting at an extra charge				





Description	Finish	List	Box Qty.	Case Qty.
137S	US3	679.97	4	12.31
Push Bar	US4	694.69		12.31
Material: Brass, bronze, aluminum, stainless steel	US10	710.48		12.31
Bar Stock: 1-1/4" Round	DBZ / US19	710.48		12.31
Base Plate: 2" Diameter	US28	495.48		8.38
Projection: 3-1/8"	US32	695.94		19.86
Door Thickness: 1-3/4" Standard	US32D	585.40		20.52
Fasteners: 5/16" - 18 x 2-1/4" with finish washers				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
May be ordered with Type 5 mounting at an extra charge				



138P	US3	703.83	2	24.77
Push/Pull Set	US4	765.74		24.77
Material: Brass, bronze, aluminum, stainless steel	US10	814.85		24.77
Bar Stock: 1" Round	DBZ / US19	814.85		24.77
Projection: 2-1/2"	US28	369.40		16.47
Fasteners: 1/4" - 20 type 3 concealed cone	US32	822.58		36.40
*Add per linear inch or fraction thereof	US32D	666.42		41.24



139P	US3	568.71	2	24.77
Push/Pull Set	US4	654.71		24.77
Material: Brass, bronze, aluminum, stainless steel	US10	703.83		24.77
Bar Stock: 3/4" Round	DBZ / US19	703.83		24.77
Projection: 2-1/4"	US28	324.37		16.47
Fasteners: 1/4" - 20 type 3 concealed cone	US32	714.21		36.40
*Add per linear inch or fraction thereof	US32D	577.42		41.24



140P	US3	1,404.82	2	24.77
Push/Pull Set	US4	1,432.17		24.77
Material: Brass, bronze, aluminum, stainless steel	US10	1,463.00		24.77
Bar Stock: 1-1/4" Round	DBZ / US19	1,463.00		24.77
Projection: 3"	US28	1,062.26		16.47
Fasteners: 5-16" - 18 Type 3 concealed cone	US32	1,392.52		36.40
*Add per linear inch or fraction thereof	US3D	1,212.52		41.24



150B	US3	484.92	2	6.16
Push/Pull Set	US4	506.78		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	521.91		6.16
Bar Stock: 3/4" Round	DBZ / US19	521.91		6.16
Projection: 2-1/4"	US28	274.00		4.24
CTC: 8"	US32	597.37		10.31
Fasteners: Type 7 & (2) Type 8	US32D	477.36		8.69
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



Trim & Auxiliary

	Description	Finish	List	Box Qty.	Case Qty.
	150D	US3	408.55	2	6.16
	Push/Pull Set	US4	429.49		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	444.70		6.16
	Bar Stock: 3/4" Round	DBZ / US19	465.22		6.16
	Projection: 2-1/4"	US28	213.49		4.24
	CTC: 8"	US32	522.48		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	402.40		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	150V	US3	458.00	2	6.16
	Push/Pull Set	US4	478.94		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	494.07		6.16
	Bar Stock: 3/4" Round	DBZ / US19	494.07		6.16
	Projection: 2-1/4"	US28	261.53		4.24
	CTC: 10"	US32	570.43		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	450.27		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	151B	US3	506.78	2	6.16
	Push/Pull Set	US4	528.06		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	547.67		6.16
	Bar Stock: 3/4" Round	DBZ / US19	547.67		6.16
	Projection: 2-1/4"	US28	304.00		4.24
	CTC: 10"	US32	543.35		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	495.48		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	151D	US3	429.49	2	6.16
	Push/Pull Set	US4	451.27		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	470.55		6.16
	Bar Stock: 3/4" Round	DBZ / US19	470.55		6.16
	Projection: 2-1/4"	US28	231.70		4.24
	CTC: 10"	US32	540.36		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	420.43		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	151V	US3	478.94	2	6.16
	Push/Pull Set	US4	500.21		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	519.91		6.16
	Bar Stock: 3/4" Round	DBZ / US19	519.91		6.16
	Projection: 2-1/4"	US28	284.47		4.24
	CTC: 12"	US32	588.39		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	468.30		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				



	Description	Finish	List	Box Qty.	Case Qty.
	152B	US3	529.14	2	6.16
	Push/Pull Set	US4	565.12		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	571.35		6.16
	Bar Stock: 3/4" Round	DBZ / US19	571.35		6.16
	Projection: 2-1/4"	US28	321.62		4.24
	CTC: 12"	US32	625.04		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	621.51		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	152D	US3	451.68	2	6.16
	Push/Pull Set	US4	487.91		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	494.07		6.16
	Bar Stock: 3/4" Round	DBZ / US19	494.07		6.16
	Projection: 2-1/4"	US28	254.63		4.24
	CTC: 12"	US32	550.16		10.31
	Fasteners: Type 7 & (2) Type 1	US32D	438.72		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	152V	US3	500.96	2	6.16
	Push/Pull Set	US4	537.28		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	543.68		6.16
	Bar Stock: 3/4" Round	DBZ / US19	543.68		6.16
	Projection: 2-1/4"	US28	307.41		4.24
	CTC: 12"	US32	598.36		10.31
	Fasteners: Type 7 & (2) Type 1	US32D	486.42		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	153B	US3	542.76	2	6.16
	Push/Pull Set	US4	608.17		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	608.17		6.16
	Bar Stock: 1" Round	DBZ	608.17		6.16
	Projection: 2-1/2"	US28	309.15		4.24
	CTC: 10"	US32	631.69		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	512.94		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	153D	US3	465.80	2	6.16
	Push/Pull Set	US4	531.05		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	553.56		6.16
	Bar Stock: 1" Round	DBZ	557.97		6.16
	Projection: 2-1/2"	US28	234.27		4.24
	CTC: 10"	US32	556.73		10.31
	Fasteners: Type 7 & (2) Type 1	US32D	437.80		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				



Trim & Auxiliary

	Description	Finish	List	Box Qty.	Case Qty.
	153V	US3	516.00	2	6.16
	Push/Pull Set	US4	580.50		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	580.50		6.16
	Bar Stock: 1" Round	DBZ	580.50		6.16
	Projection: 2-1/2"	US28	285.64		4.24
	CTC: 10"	US32	604.77		10.31
	Fasteners: Type 7 & (2) Type 5	US32D	485.75		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	154B	US3	561.21	2	6.16
	Push/Pull Set	US4	636.60		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	650.81		6.16
	Bar Stock: 1" Round	DBZ	650.81		6.16
	Projection: 2-1/2"	US28	257.16		4.24
	CTC: 12"	US32	546.54		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	528.64		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	154D	US3	481.52	2	6.16
	Push/Pull Set	US4	548.75		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	576.26		6.16
	Bar Stock: 1" Round	DBZ	576.26		6.16
	Projection: 2-1/2"	US28	261.53		4.24
	CTC: 12"	US32	578.50		10.31
	Fasteners: Type 7 & (2) Type 1	US32D	453.51		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	154V	US3	530.88	2	6.16
	Push/Pull Set	US4	598.11		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	624.54		6.16
	Bar Stock: 1" Round	DBZ	624.54		6.16
	Projection: 2-1/2"	US28	323.54		4.24
	CTC: 12"	US32	626.70		10.31
	Fasteners: Type 7 & (2) Type 5	US32D	501.47		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	155B	US3	625.04	2	6.16
	Push/Pull Set	US4	664.02		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	702.91		6.16
	Bar Stock: 1" Round	DBZ	702.91		6.16
	Projection: 2-1/2"	US28	404.40		4.24
	CTC: 18"	US32	710.22		10.31
	Fasteners: Type 7 & (2) Type 8	US32D	573.44		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				



	Description	Finish	List	Box Qty.	Case Qty.
	155D	US3	547.92	2	6.16
	Push/Pull Set	US4	618.56		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	625.96		6.16
	Bar Stock: 1" Round	DBZ	625.96		6.16
	Projection: 2-1/2"	US28	277.99		4.24
	CTC: 18"	US32	635.18		10.31
	Fasteners: Type 7 & (2) Type 1	US32D	498.47		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	155V	US3	597.20	2	6.16
	Push/Pull Set	US4	636.42		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	675.06		6.16
	Bar Stock: 1" Round	DBZ	675.06		6.16
	Projection: 2-1/2"	US28	341.24		4.24
	CTC: 18"	US32	683.05		10.31
	Fasteners: Type 7 & (2) Type 5	US32D	546.67		8.69
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	156B	US3	558.90	1	6.16
	Offset Push/Pull Set	US4	558.98		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	584.40		6.16
	Bar Stock: 3/4" Round	DBZ	584.40		6.16
	Projection: 2-1/2"	US28	357.61		4.24
	Offset: 2-1/2"	US32	664.44		10.31
	CTC: 8"	US32D	528.80		8.69
	Fasteners: Type 7 & (2) Type 8				
	Handing Required				
	Additional bars by quotation				
	156D	US3	463.32	1	6.16
	Offset Push/Pull Set	US4	481.68		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	502.79		6.16
	Bar Stock: 3/4" Round	DBZ	507.11		6.16
	Projection: 2-1/2"	US28	282.56		4.24
	Offset: 2-1/2"	US32	589.64		10.31
	CTC: 8"	US32D	453.76		8.69
	Fasteners: Type 7 & (2) Type 1				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				



Trim & Auxiliary

	Description	Finish	List	Box Qty.	Case Qty.
	156V	US3	513.59	1	6.16
	Offset Push/Pull Set	US4	531.05		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	556.56		6.16
	Bar Stock: 3/4" Round	DBZ	556.56		6.16
	Projection: 2-1/2"	US28	330.60		4.24
	Offset: 2-1/2"	US32	637.34		10.31
	CTC: 8"	US32D	501.79		8.69
	Fasteners: Type 7 & (2) Type 5				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	157B	US3	569.61	1	6.16
	Offset Push/Pull Set	US4	584.90		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	611.32		6.16
	Bar Stock: 3/4" Round	DBZ	611.32		6.16
	Projection: 2-1/2"	US28	364.59		4.24
	Offset: 2-1/2"	US32	682.05		10.31
	CTC: 10"	US32D	541.19		8.69
	Fasteners: Type 7 & (2) Type 8				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	157D	US3	476.44	1	6.16
	Offset Push/Pull Set	US4	494.07		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	520.50		6.16
	Bar Stock: 3/4" Round	DBZ	520.50		6.16
	Projection: 2-1/2"	US28	289.79		4.24
	Offset: 2-1/2"	US32	607.25		10.31
	CTC: 10"	US32D	466.23		8.69
	Fasteners: Type 7 & (2) Type 1				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	157V	US3	526.81	1	6.16
	Offset Push/Pull Set	US4	543.68		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	570.19		6.16
	Bar Stock: 3/4" Round	DBZ	570.19		6.16
	Projection: 2-1/2"	US28	337.91		4.24
	Offset: 2-1/2"	US32	655.45		10.31
	CTC: 10"	US32D	514.02		8.69
	Fasteners: Type 7 & (2) Type 5				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				





Description	Finish	List	Box Qty.	Case Qty.
158B	US3	576.93	1	6.16
Offset Push/Pull Set	US4	619.30		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	645.82		6.16
Bar Stock: 3/4" Round	DBZ	645.82		6.16
Projection: 2-1/2"	US28	396.33		4.24
Offset: 2-1/2"	US32	714.55		10.31
CTC: 12"	US32D	564.54		8.69
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



158D	US3	528.39	1	6.16
Offset Push/Pull Set	US4	528.06		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	547.33		6.16
Bar Stock: 3/4" Round	DBZ	547.33		6.16
Projection: 2-1/2"	US28	321.62		4.24
Offset: 2-1/2"	US32	639.34		10.31
CTC: 12"	US32D	489.50		8.69
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				



158V	US3	549.45	1	6.16
Offset Push/Pull Set	US4	577.42		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	596.79		6.16
Bar Stock: 3/4" Round	DBZ	596.79		6.16
Projection: 2-1/2"	US28	369.40		4.24
Offset: 2-1/2"	US32	687.45		10.31
CTC: 12"	US32D	537.45		8.69
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



159B	US3	614.49	1	6.16
Offset Push/Pull Set	US4	664.02		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	688.53		6.16
Bar Stock: 1" Round	DBZ	688.53		6.16
Projection: 2-1/2"	US28	372.57		4.24
Offset: 3"	US32	675.32		10.31
CTC: 10"	US32D	575.67		8.69
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



Trim & Auxiliary

	Description	Finish	List	Box Qty.	Case Qty.
	159D	US3	537.28	1	6.16
	Offset Push/Pull Set	US4	586.81		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	652.38		6.16
	Bar Stock: 1" Round	DBZ	652.38		6.16
	Projection: 2-1/2"	US28	285.80		4.24
	Offset: 3"	US32	600.69		10.31
	CTC: 10"	US32D	500.55		8.69
	Fasteners: Type 7 & (2) Type 1				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	159V	US3	586.81	1	6.16
	Offset Push/Pull Set	US4	636.42		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	661.02		6.16
	Bar Stock: 1" Round	DBZ	661.02		6.16
	Projection: 2-1/2"	US28	342.48		4.24
	Offset: 3"	US32	648.48		10.31
	CTC: 10"	US32D	548.59		8.69
	Fasteners: Type 7 & (2) Type 5				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	160B	US3	629.36	1	6.16
	Offset Push/Pull Set	US4	676.32		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	701.08		6.16
	Bar Stock: 1" Round	DBZ	701.08		6.16
	Projection: 2-1/2"	US28	402.40		4.24
	Offset: 3"	US32	705.40		10.31
	CTC: 12"	US32D	585.40		8.69
	Fasteners: Type 7 & (2) Type 8				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	160D	US3	552.32	1	6.16
	Offset Push/Pull Set	US4	599.28		6.16
	Material: Brass, bronze, aluminum, stainless steel	US10	657.78		6.16
	Bar Stock: 1" Round	DBZ	663.61		6.16
	Projection: 2-1/2"	US28	297.43		4.24
	Offset: 3"	US32	630.44		10.31
	CTC: 12"	US32D	510.60		8.69
	Fasteners: Type 7 & (2) Type 1				
	Handing Required				
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				



Description	Finish	List	Box Qty.	Case Qty.
160V	US3	601.44	1	6.16
Offset Push/Pull Set	US4	648.48		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	672.16		6.16
Bar Stock: 1" Round	DBZ	673.24		6.16
Projection: 2-1/2"	US28	360.60		4.24
Offset: 3"	US32	678.56		10.31
CTC: 12"	US32D	558.47		8.69
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



161B	US3	623.62	1	6.16
Offset Push/Pull Set	US4	676.57		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	720.36		6.16
Bar Stock: 1" Round	DBZ	720.36		6.16
Projection: 2-1/2"	US28	400.49		4.24
Offset: 3"	US32	729.09		10.31
CTC: 18"	US32D	586.15		8.69
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				



161D	US3	583.57	1	6.16
Offset Push/Pull Set	US4	633.11		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	679.40		6.16
Bar Stock: 1" Round	DBZ	679.40		6.16
Projection: 2-1/2"	US28	325.03		4.24
Offset: 3"	US32	690.61		10.31
CTC: 18"	US32D	553.24		8.69
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				



161V	US3	626.95	1	6.16
Offset Push/Pull Set	US4	682.46		6.16
Material: Brass, bronze, aluminum, stainless steel	US10	728.84		6.16
Bar Stock: 1" Round	DBZ	728.84		6.16
Projection: 2-1/2"	US28	522.48		4.24
Offset: 3"	US32	738.48		10.31
CTC: 18"	US32D	588.39		8.69
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



Trim & Auxiliary

	Description	Finish	List	Box Qty.	Case Qty.
	164B	US3	1,108.63	1	12.31
	Push/Pull Set	US4	1,153.59		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	1,175.36		12.31
	Bar Stock: 1-1/4" Round	DBZ	1,175.36		12.31
	Projection: 3"	US28	873.36		8.38
	CTC: 12"	US32	1,168.55		19.86
	Fasteners: Type 7 & (2) Type 8	US32D	964.19		20.52
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	164D	US3	1,008.41	1	12.31
	Push/Pull Set	US4	1,075.06		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	1,075.06		12.31
	Bar Stock: 1-1/4" Round	DBZ	1,075.06		12.31
	Projection: 3"	US28	775.88		8.38
	CTC: 12"	US32	964.19		19.86
	Fasteners: Type 7 & (2) Type 1	US32D	866.71		20.52
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				
	164V	US3	1,141.71	1	12.31
	Push/Pull Set	US4	1,141.71		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	1,165.23		12.31
	Bar Stock: 1-1/4" Round	DBZ	1,165.23		12.31
	Projection: 3"	US28	840.78		8.38
	CTC: 12"	US32	1,051.79		19.86
	Fasteners: Type 7 & (2) Type 5	US32D	941.51		20.52
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Fully concealed fastening method				
	165B	US3	1,175.36	1	12.31
	Push/Pull Set	US4	1,241.85		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	1,241.85		12.31
	Bar Stock: 1-1/4" Round	DBZ	1,241.85		12.31
	Projection: 3"	US28	909.01		8.38
	CTC: 18"	US32	1,110.13		19.86
	Fasteners: Type 7 & (2) Type 8	US32D	1,022.53		20.52
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	For tempered glass only				
	165D	US3	1,075.06	1	12.31
	Push/Pull Set	US4	1,141.71		12.31
	Material: Brass, bronze, aluminum, stainless steel	US10	1,141.71		12.31
	Bar Stock: 1-1/4" Round	DBZ	1,141.71		12.31
	Projection: 3"	US28	811.61		8.38
	CTC: 18"	US32	1,012.81		19.86
	Fasteners: Type 7 & (2) Type 1	US32D	915.33		20.52
	Additional bars by quotation				
	*Add per linear inch or fraction thereof				
	Standard fastening method				



Description	Finish	List	Box Qty.	Case Qty.
165V	US3	1,194.81	1	12.31
Push/Pull Set	US4	1,208.61		12.31
Material: Brass, bronze, aluminum, stainless steel	US10	1,208.61		12.31
Bar Stock: 1-1/4" Round	DBZ	1,208.61		12.31
Projection: 3"	US28	876.43		8.38
CTC: 18"	US32	1,100.33		19.86
Fasteners: Type 7 & (2) Type 5	US32D	1,006.33		20.52
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



167B	US3	1,301.94	1	12.31
Offset Push/Pull Set	US4	1,331.94		12.31
Material: Brass, bronze, aluminum, stainless steel	US10	1,368.84		12.31
Bar Stock: 1-1/4" Round	DBZ	1,368.84		12.31
Projection: 3"	US28	974.00		8.38
Offset: 3-3/4"	US32	1,230.30		19.86
CTC: 18"	US32D	1,087.19		20.52
Fasteners: Type 7 & (2) Type 8				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
For tempered glass only				




167D	US3	1,243.26	1	12.31
Offset Push/Pull Set	US4	1,243.26		12.31
Material: Brass, bronze, aluminum, stainless steel	US10	1,308.84		12.31
Bar Stock: 1-1/4" Round	DBZ	1,308.84		12.31
Projection: 3"	US28	876.43		8.38
Offset: 3-3/4"	US32	1,132.82		19.86
CTC: 18"	US32D	980.40		20.52
Fasteners: Type 7 & (2) Type 1				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Standard fastening method				



167V	US3	1,248.84	1	12.31
Offset Push/Pull Set	US4	1,272.68		12.31
Material: Brass, bronze, aluminum, stainless steel	US10	1,272.68		12.31
Bar Stock: 1-1/4" Round	DBZ	1,272.68		12.31
Projection: 3"	US28	915.16		8.38
Offset: 3-3/4"	US32	1,166.07		19.86
CTC: 18"	US32D	1,044.98		20.52
Fasteners: Type 7 & (2) Type 5				
Handing Required				
Additional bars by quotation				
*Add per linear inch or fraction thereof				
Fully concealed fastening method				



Trim & Auxiliary



180H

Door Edgings - Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

Finish

List

Box Qty.

Case Qty.

US28

52.88

10

US32D

74.91

US28

105.77

10

US32D

149.81

US32D

36.11

US28

36.11

US32D

36.11

US28

36.11

US32D


36.11

US28

36.11

US32D

21.83



180K

Door Edgings - Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

US28

54.35

10

US32D

84.77

US28

108.65

10

US32D

169.44

US32D

36.11

US28

36.11

US32D

36.11

US28

36.11

US32D


36.11

US28

36.11

US32D

21.83



180M

Door Edgings - Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

US28

84.77

10

US32D

111.59

US28

169.47

10

US32D

223.18

US32D

36.11

US28

36.11

US32D

36.11

US28

36.11

US32D

36.11


US28

36.11

US32D

21.83





180P

Door Edgings - Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.


Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

Description	Finish	List	Box Qty.	Case Qty.
	US28	90.46		10
	US32D	118.00		
	US28	180.93		10
	US32D	235.92		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	21.83		



180Q

Door Edgings - Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.


Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

	US28	114.66		5
	US32D	145.14		
	US28	228.05		5
	US32D	290.27		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	21.83		



181H

Door Edgings - Overlap Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout


Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

	US28	84.77		5
	US32D	118.31		
	US28	169.47		5
	US32D	236.63		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	21.83		



Trim & Auxiliary



181K

Door Edgings - Overlap Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

Finish

List

Box
Qty.

Case
Qty.

US28

79.20

US32D

110.76

US28

158.39

US32D

221.58

5

5

US32D

36.11

US28

36.11

US32D

36.11

US28

36.11

US32D


36.11

US28

36.11

US32D

21.83



181M

Door Edgings - Overlap Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

US28

107.11

US32D

135.67

US28

214.16

US32D

271.26

5

5

US32D

36.11

US28

36.11

US32D

36.11

US28

36.11

US32D


36.11

US28

36.11

US32D

21.83



181P

Door Edgings - Overlap Type

U/M - each

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

US28

112.49

US32D

140.60

US28

224.97

US32D

281.19

10

10

US32D

36.11

US28

36.11

US32D

36.11

US28

36.11

US32D

36.11


US28

36.11

US32D

21.83





181Q

Door Edgings - Overlap Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.


Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

Description	Finish	List	Box Qty.	Case Qty.
	US28	119.97		5
	US32D	135.47		
	US28	239.90		5
	US32D	270.88		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	21.83		



182H

Door Edgings - Surface

Non-Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.


Hinge Cutout (Add to list price) Per Cutout

Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout

UL Rated (Add to list price)

	US28	50.90		10
	US32D	79.20		
	US28	101.80		10
	US32D	158.39		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	21.83		



182K

Door Edgings - Surface

Non-Mortise Type

Material: Aluminum, stainless steel

Thickness: .045 - .050"

Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.

Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.

Hinge Cutout (Add to list price) Per Cutout


Bolt Cutout (Add to list price) Per Cutout

Latch Cutout (Add to list price) Per Cutout


UL Rated (Add to list price)

	US28	54.35		10
	US32D	64.67		
	US28	108.65		10
	US32D	129.39		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	36.11		
	US28	36.11		
	US32D	21.83		

Trim & Auxiliary




Description	Finish	List	Box Qty.	Case Qty.
182M				10
Door Edgings - Surface	US28	85.28		
Non-Mortise Type	US32D	111.59		
Material: Aluminum, stainless steel	US28	170.56		10
Thickness: .045 - .050"	US32D	223.18		
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.				
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.				
Hinge Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
Bolt Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
Latch Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
UL Rated (Add to list price)	US32D	21.83		



182P				10
Door Edgings - Surface	US28	90.46		
Non-Mortise Type	US32D	118.00		
Material: Aluminum, stainless steel	US28	180.93		10
Thickness: .045 - .050"	US32D	235.92		
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.				
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.				
Hinge Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
Bolt Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
Latch Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
UL Rated (Add to list price)	US32D	21.83		





Description	Finish	List	Box Qty.	Case Qty.
182Q				10
Door Edgings - Surface	US28	115.04		
Non-Mortise Type	US32D	145.14		
Material: Aluminum, stainless steel	US28	230.16		10
Thickness: .045 - .050"	US32D	290.27		
Fasteners: #6 x 5/8" FPHSMS (Self drilling) #6 x 1" screws available on request.				
Standard edge guards made for 1-3/4" +0/-1/32" door thickness. Please provide actual door thickness. Cutouts will hand product, specify handing. Other lengths by quotation.				
Hinge Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
Bolt Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
Latch Cutout (Add to list price) Per Cutout	US32D	36.11		
	US28	36.11		
UL Rated (Add to list price)	US32D	21.83		



Description	Finish	List	Box Qty.	Case Qty.
185G			-	-
Corner Guard				
Material: Aluminum, stainless steel	US28 w/Tape	117.80		
Size: 3" x 3" x 40"	US32D w/Tape	143.82		
Thickness: .050"	US28	77.98		
Fasteners: #6 x 5/8" FPHSMS self drilling	US32D	105.25		
#6 x 1" screws available upon request.				
Other lengths by quotation.				
190L				
Foot Pull				
Material: Stainless Steel, Steel	US10B	41.56	1	100
Projection: 3"	US32D	39.31		
Door Thickness: 1-3/4" standard	BLK	41.56		
Fasteners:				
Three (3) #12 screws x 1.5" FPHWS				
Three (3) #12-24 sex nuts with 1-9/16" barrel for 1-3/4" door				
Three (3) #12-24 x 1.0" FPHMS				
230W	US3	11.85	10	100
Convex Wall Stop	US4	15.24		
Concealed Mounting	US10B	15.30		
Material: Cast brass or bronze	US15	21.32		
Stop: Rubber	US19	15.30		
Diameter: 2-15/32"	US26	19.07		
Projection: 1-3/32"	US26D	9.67		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor				
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.				
232W	US3	5.12	10	100
Convex Wall Stop	US4	5.12		
Concealed Mounting	US5	13.12		
Material: Wrought brass, bronze or stainless steel	US10	5.12		
Stop: Rubber	US10B	5.12		
Diameter: 2-7/16"	US15	13.19		
Projection: 1"	US15A	13.19		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US19	5.12		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US26	5.31		
	US26D	4.99		
	US32	13.19		
	US32D	3.65		
234W	US3	11.85	10	100
Concave Wall Stop	US4	15.24		
Material: Cast brass or bronze	US10	15.30		
Stop: Rubber	US10B	15.30		
Diameter: 2-15/32"	US15	21.32		
Projection: 1-3/32"	US15A	21.32		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US19	15.30		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US26	19.07		
	US26D	9.98		



Description	Finish	List	Box Qty.	Case Qty.
236W	US3	5.12	10	100
Concave Wall Stop	US4	5.12		
Material: Wrought brass, bronze or stainless steel	US5	13.12		
Stop: Rubber	US10	5.12		
Diameter: 2-7/16"	US10B	5.12		
Projection: 1"	US15	13.19		
Fastener: #10 x 1-1/2" PPHWS with plastic and toggle anchor	US15A	13.19		
Add optional 230T machine screw with metal toggle nut screwpack - 0.70 each list.	US19	5.12		
	US26	5.31		
	US26D	4.99		
	US32	13.19		
	US32D	3.65		



241F	US3	8.90	10	100
Dome Stop - Low	US4	8.77		
Material: Die cast brass	US5	14.34		
Base Diameter: 1-11/16"	US9	14.34		
Base: 1/8" Thick	US10B	8.84		
Height: 1"	US15	10.95		
Fastener: #14 x 1-1/2" with plastic anchor and 1/4-20 x 3/4" FPHMS with lead anchor	US19	8.84		
	US26	8.77		
	US26D	8.26		



242F	US3	13.77	10	100
Dome Stop - Universal	US4	13.77		
Material: Forged brass	US10B	14.53		
Base Diameter: 1-11/16"	US15	16.07		
Base: 7/32" Thick	US19	14.53		
Height: 1-5/8"	US26	14.14		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor and 1/4 - 20 x 3/4" FPHMS with lead anchor	US26D	12.17		



243F	US3	10.05	10	100
Dome Stop - High	US4	10.05		
Material: Die cast brass	US5	16.33		
Base Diameter: 1-11/16"	US9	16.33		
Base: 7/16" Thick	US10	11.34		
Height: 1-9/32"	US10B	10.24		
Fastener: #14 x 1-1/2" FPHWS with plastic anchor and 1/4 - 20 x 1-1/4" FPHMS with lead anchor	US15	12.03		
	US15A	16.33		
	US19	10.24		
	US26	10.24		
	US26D	8.52		





Description	Finish	List	Box Qty.	Case Qty.
244F	US3	29.26	5	50
Cast Floor Stop	US4	29.26		
Material: Cast brass	US10	28.68		
Base: 1-3/4" x 4"	US10B	28.68		
Base Thickness: 5/32"	US26	29.58		
O/A Height: 1"	US26D	18.31		
Fasteners: #14 x 1-1/2" FPHWS with plastic anchor; 1/4 - 20 x 3/4" FPHMS with lead anchor				



245F	US10B	40.98	5	50
Cast Floor Stop	US26	40.98		
Material: Cast brass	US26D	27.34		
Base: 1-3/4" x 2"				
Base Thickness: 1/2"				
O/A Height: 1-5/16"				
Fasteners: #14 x 1-1/2" FPHWS with plastic anchor; 1/4 - 20 x 1-1/4" FPHMS with lead anchor				



246B	Mil	8.01	10	100
Dome Stop Riser Plate	US3	4.54		
Material: Brass	US4	4.54		
Diameter: 1-3/4"	US10	4.87		
Base: 3/8" thick	US10B	4.87		
For use with 241F	US15	10.57		
	US19	4.87		
	US26	4.54		
	US26D	3.91		



248G			10	100
Modern Style Universal Stop	US26D	26.25		
Material: Brass w/ gray rubber bumper				
Diameter: 1-7/16"				
Height: 1-1/2"				
Fasteners: 1/4 - 20 x 1" FPHMS with lead anchor; #12 x 1-1/4" FPHWS with plastic anchor				



248F			10	100
Modern Style Universal Stop	US26D	26.25		
Material: Brass w/ black rubber bumper				
Diameter: 1-7/16"				
Height: 1-1/2"				
Fasteners: 1/4 - 20 x 1" FPHMS with lead anchor; #12 x 1-1/4" FPHWS with plastic anchor				



249F			5	50
L-Shaped Floor Stop	US2C	11.26		
Material: Steel with rubber bumper				
Height: 2-5/8"				
Base: 1" x 2-1/2" x 7/32" thick				
Fastener: #14 x 1-1/2" FPHWS with plastic anchor				



250W
Convex Wall Stop
Material: Cast brass with rubber bumper
Diameter: 1"
Projection: 9/16"
Fastener: #6 x 3/4" screw w/ anchor and .052" diameter nail

US3	12.03
US4	12.03
US10B	12.86
US15	16.52
US15A	16.52
US19	12.86
US26	12.86
US26D	12.86

Box Qty.	Case Qty.
20	200



251W
Concave Wall Bumper
Material: Adhesive backed rubber
Diameter: 1-7/8"
Projection: 25/32"

Grey	3.01
------	------


20	200
----	-----



252F
Floor Stop
Material: Cast brass with rubber bumper
Diameter: 1-9/16" x 2-1/2"
Height: 2-11/16"
Fastener: 1 ea. 1/4 - 20 x 3/4" FPHMS with lead anchor; 5/16 - 18 x 2-1/2" stud with lead anchor; #14 x 1-1/2 FPHWS with plastic anchor
2" max door to floor clearance

US3	32.07
US10	34.63
US10B	31.95
US15	55.76
US19	31.95
US26	40.02
US26D	28.68


5	50
---	----



254S
Wall Stop and Holder
Material: Cast brass with rubber bumper
Base Diameter: 2-11/32"
Base Projection: 3-1/2"
Engaged Projection: 5-19/32"
Keeper: 1" x 2"
Fastener: #10 x 1" FPHWS with plastic anchor

US10	73.43
US26D	73.43


5	50
---	----



254W
Wall Stop and Holder
Material: Cast brass with rubber bumper
Base Diameter: 2-11/32"
Base Projection: 3-1/2"
Engaged Projection: 5-19/32"
Keeper: 1" x 2"
Fastener: #10 x 1" FPHWS with plastic anchor; 5/16 - 18 x 2-1/2" stud with lead anchor

US10	73.43
US10B	73.43
US26D	73.43

5	50
---	----




255S
Wall Stop
Material: Cast brass with rubber bumper
Base Diameter: 2-11/32"
Projection: 3-11/16"
Fastener: #10 x 1" OPHWS with plastic anchor

US3	38.22
US4	38.22
US10B	38.73
US15	47.95
US26	42.76
US26D	27.98

5	50
---	----






255W
 Wall Stop
 Material: Cast brass with rubber bumper
 Base Diameter: 2-11/32"
 Projection: 3-11/16"
 Fastener: #10 x 1" OPHWS with plastic anchor; 5/16" - 18 x 2-1/2" threaded stud, 5/16" lead anchor

Finish	List	Box Qty.	Case Qty.
US3	38.22	5	50
US4	38.22		
US10	38.73		
US10B	38.73		
US15	47.95		
US26	42.76		
US26D	27.98		



256S
 Wall Stop & Holder
 Material: Cast brass with rubber bumper
 Base Diameter: 2-1/4"
 Engaged Projection: 5-11/16"
 Projection: 3-25/32"
 Keeper: 25/32" x 1-1/2"
 Fastener: #10 x 1" OPHWS with plastic anchor

Finish	List	Box Qty.	Case Qty.
US3	68.83	5	50
US10	54.87		
US10B	57.49		
US26D	37.59		



256W
 Wall Stop & Holder
 Material: Cast brass with rubber bumper
 Base Diameter: 2-1/4"
 Engaged Projection: 5-11/16"
 Projection: 3-25/32"
 Keeper: 25/32" x 1-1/2"
 Fastener: #10 x 1" OPHWS with plastic anchor; 5/16" - 18 x 2-1/2" stud with lead anchor

Finish	List	Box Qty.	Case Qty.
US3	68.83	5	50
US10B	57.49		
US15	67.55		
US26	68.83		
US26D	37.59		



257F
 Floor Stop
 Material: Cast brass with rubber bumper
 Base: 1-9/16" x 2-15/32"
 Height: 2"
 Fastener: #14 x 1-1/2" FPHWS with plastic anchor; 1/4 - 20 x 3/4" FPHMS with lead anchor; 5/16" - 18 x 2-1/2" stud with lead anchor

Finish	List	Box Qty.	Case Qty.
US3	29.13	5	50
US10	33.80		
US10B	29.96		
US15	55.76		
US15A	55.76		
US19	29.96		
US26	37.90		
US26D	26.51		



258F
 Floor Stop & Holder
 Material: Cast brass with rubber bumper
 Base: 1-9/16" x 2-15/32"
 Height: 3"
 Keeper: 1" x 2"
 Fasteners: #10 x 1" FPHWS with plastic anchor; 1/4 - 20 x 3/4" FPHMS with lead anchor; 5/16 - 18 x 2-1/2" stud with lead anchor

Finish	List	Box Qty.	Case Qty.
US10	48.14	5	50
US10B	48.14		
US15	83.48		
US26	54.55		
US26D	38.54		



259F
 Tri Base Floor Stop
 Material: Cast brass with rubber bumper
 Base: 2-1/2" wide x 1-9/16" deep
 Height: 1-11/16"
 Fasteners: #10 x 1-1/4" FPHWS with plastic anchor; 10 - 32 x 3/4" FPHMS with lead anchor

Finish	List	Box Qty.	Case Qty.
US10B	33.61	5	50
US26D	28.30		



259H

Tri Base Floor Stop - Tall

Material: Cast brass with rubber bumper

Base: 2-1/2" wide x 1-9/16" deep

Height: 2-1/4"

Fasteners: #10 x 1-1/4" FPHWS with plastic anchor; 10 - 32 x 3/4" FPHMS with lead anchor

US26D

31.75

Box Qty. 5

Case Qty. 50



260W

Angled Wall Stop

Material: Cast brass with rubber bumper

Base: 2-3/16" wide x 2-15/16" tall

Projection: 3-21/32"

Fasteners: #14 x 1-1/2" FPHWS with plastic anchor and 1/4 - 20 x 3/4" FPHMS with lead anchor

US26D

55.89

Box Qty. 5

Case Qty. 50



267F

Floor Stop

Material: Cast brass with rubber bumper

Base: 2-1/4"

Height: 3-1/8"

Fasteners: #10 x 1" OPHWS with plastic anchor; 5/16" - 18 x 2-1/2" stud with lead anchor

US3

36.94

Box Qty. 5

Case Qty. 50

US10

38.22

US10B

38.22

US15

47.95

US15A

47.95

US19

38.22

US26

42.76

US26D

28.68



267S

Cast Floor Stop

Material: Cast brass with rubber bumper

Base: 2-1/4"

Height: 3-1/8"

Fasteners: #10 x 1" OPHWS with plastic anchor

US3

30.47

US10B

38.54

US15

47.95

US26

42.76

US26D

28.68



268F

Floor Stop & Holder

Material: Cast brass with rubber bumper

Base: 2-1/4"

Height: 3-19/32"

Keeper: 25/32" x 1-1/2"

Fasteners: #10 x 1" OPHWS with plastic anchor; 5/16" - 18 x 2-1/2" stud with lead anchor

US3

69.85

US10B

65.69

US15

62.87

US19

65.69

US26

69.85

US26D

39.18



268S

Cast Floor Stop & Holder

Material: Cast brass with rubber bumper

Base: 2-1/4"

Height: 3-19/32"

Keeper: 25/32" x 1-1/2"

Fasteners: #10 x 1" OPHW with plastic anchors

US3

69.85

US10

62.87

US10B

65.69

US15

62.87

US26

69.85

US26D

39.18



269F

Heavy Duty Floor Stop

Material: 5/8" Steel pin with rubber bumper

Bumper: 1-1/2" high

Diameter: 2"

Steel Bolt: 5/8" - 11 x 2-1/2" thread

Special Grout by others

-

29.78

Box Qty. 5

Case Qty. 50



**269T**

Heavy Duty Floor Stop - Tall
Material: 5/8" Steel pin with rubber bumper
Bumper: 3-1/2" high
Diameter: 2"
Steel Bolt: 5/8" - 11 x 2-1/2" thread
Special Grout by others

-

38.16

3

30

**270C**

Kick Down Door Holder
Material: Cast iron with rubber tip
Base: 1-7/16" x 2-1/8"
Arm: 3-13/16"
Fasteners: #6 x 3/4" OPHTS
S1 - Sprayed Alum., S2 - Sprayed Brass, S3 - Sprayed Bronze
270CR replacement rubber tips available, 6 per bag

S1

17.87

5

50

S2

17.87

S3

17.68

**270D**

Kick Down Door Holder
Material: Cast brass with rubber tip
Base: 1-19/32" x 1-25/32"
Arm: 3-1/2"
Fasteners: #6 x 3/4" OPHWS

US3

35.79

5

50

US10B

35.21

US15

55.76

US19

35.21

US26

52.11

US26D

32.14

**270R**

Replacement Rubber Tips
Material: Black rubber
For use with 270D or 271D door holders
Sold in packs of 10

Rubber

36.56

10

100

**271D**

Kick Down Door Holder
Material: Cast brass with rubber bumper
Base: 1-19/32" x 1-25/32"
Arm: 4-7/16"
Fasteners: #6 x 3/4" OPHWS

US3

62.87

5

50

US10

62.87

US10B

62.87

US26

62.87

US26D

62.87

**271W**

Roller Bumper
Material: Cast brass or bronze with rubber roller
Base: 2"
Projection: 4-1/2"
Fasteners: #10 x 1" FPHWS with plastic anchor

US10

40.91

10

50

US10B

41.68

US26

39.95

US26D

30.99

**272W**

Roller Bumper
Material: Cast brass or bronze with rubber roller
Base: 2"
Projection: 6-1/4"
Fasteners: #10 x 1" FPHWS with plastic anchor

US10B

43.53

10

100

US26

51.73

US26D

38.80

**273W**

Curved Roller Bumper
Material: Cast brass or bronze with rubber roller
Projection: 2-21/32"
Fasteners: #10 x 1" FPHWS with plastic anchor

US10

37.45

5

50

US10B


40.91

US26

44.81

US26D

34.25



Description	Finish	List	Box Qty.	Case Qty.
274B Door Guard Protective Plate Material: Brass Fasteners: Double sided pressure sensitive tape To be used with the 274D	US3	7.55	-	10
	US4	7.55		
	US10	7.55		
	US10B	7.55		
	US15	7.55		
	US26	7.55		
	US26D	7.55		



274C Shim for Door Guard Material: Resilient black rubber, 3/32" thick To be used with the 274D	Black	2.69	-	50
---	-------	------	---	----



274D Material: Cast brass Arm Length: 4-1/2" Fasteners: #6 x 3/4" OPHWS; #6 x 1-1/2" OPHWS; 6 - 32 x 1/2" OPHMS	US3	35.79	5	50
	US4	33.80		
	US10	37.20		
	US10B	36.11		
	US15	37.20		
	US26	34.38		
	US26D	30.47		



275D Surface Bolt - 8" Material: Steel Bolt Size: 1/4" x 3/4" Bolt Throw: 1" Fasteners: #10 x 1-1/4" FPHWS; 10 - 24 x 1" FPHMS Universal and angle strikes included			1	12
	US3	37.20		
	US10B	38.16		
	US26D	30.47		



276D Surface Bolt - 12" Material: Steel Bolt Size: 1/4" x 3/4" Bolt Throw: 1" Fasteners: #10 x 1-1/4" FPHWS; 10 - 24 x 1" FPHMS Universal and angle strikes included	US3	27.73	1	12
	US10	36.94		
	US10B	41.16		
	US26D	35.40		



277D Privacy Door Latch Material: Cast Zinc Base: 2-5/8" x 1-9/16" Projection: 2-3/16" Fasteners: #12 x 1-3/4" FPHSMS	US3	46.91	1	10
	US4	46.91		
	US10B	51.60		
	US15	41.25		
	US19	51.60		
	US26	43.70		
	US26D	41.25		



277F Privacy Door Guard Bracket Material: Cold Rolled Steel Finish: Primer Gray Fasteners: 12-24 FPH Self-tapping		14.85		
--	--	-------	--	--

277R Release Tool	N/A	34.09	1	
-----------------------------	-----	-------	---	--





278D
 Surface Bolt - 6"
 Material: Brass
 Bolt Size: 7/16"
 Bolt Throw: 31/32"
 Projection: 3/4"
 Fasteners: #5 x 5/8" FPHWS
 Mortise and universal strikes included

Finish	List	Box Qty.	Case Qty.
US3	26.57	10	100
US10B	28.87		
US26D	27.53		



279D
 Dutch Door Bolt
 Material: Brass
 O/A Size: 1-11/16" x 4"
 Bolt Size: 5/8" half round
 Bolt Throw: 3/8"
 Projection: 1-1/4"
 Knob Diameter: 29/32"
 Fasteners: #6 x 3/4" FPHWS
 Universal and angle strikes included

US10B	60.37	10	100
-------	-------	----	-----



280X
 Dust Proof Strike
 w/ Removable Plate
 Material: Brass
 Face Plate: 1-7/16" x 2-29/32"
 Barrel Diameter: 1"
 Depth: 2-3/16"
 Plunger Diameter: 3/4"
 Fasteners: #8 x 1" FPHWS with plastic anchors; spanner wrench

US3	25.93	10	100
US4	24.46		
US9	34.38		
US10	27.40		
US10B	26.63		
US15	32.33		
US15A	34.38		
US19	26.63		
US26	26.51		
US26D	22.80		



281D
 Slide Flush Bolt
 Material: Brass or bronze w/ steel components
 Face Plate: 3/4" x 6"
 Bolt Diameter: 1/2"
 Bolt Throw: 1"
 Strike: 7/8" x 1-3/4"
 Rod Backset: 7/16"
 Fasteners: #6 x 3/4" FPHWS

US3	17.73	10	100
US4	18.50		
US5	25.16		
US10	18.50		
US10B	18.50		
US15	25.16		
US15A	25.16		
US19	18.50		
US26	21.44		
US26D	17.73		




Description	Finish	List	Box Qty.	Case Qty.
282D	US3	26.82	2	80
Manual Flush Bolt	US4	26.82		
Metal Doors	US5	44.24		
Material: Brass w/ steel components	US9	44.24		
Face Plate: 1" x 6-3/4"	US10	27.34		
Bolt Throw: 3/4"	US10B	27.34		
Bolt Backset: 3/4"	US15	34.25		
Rod Length: 12"	US15A	48.85		
Strike: 15/16" x 2-1/4"	US19	27.33		
Fasteners: #8 x 3/4" combination screws	US26	29.58		
#8 x 1-1/2" combination screws	US26D	24.97		
For use with A115 Frame Preparation				
282S Strike plate bag and 282P bolt head available				
282R Optional rod length available: 18", 25" and 30" (bolt head not included) - \$3.00 net				
3-hour fire rating on metal doors up to 4 feet wide x 10 feet tall				
Sold in increments of 2				
283D	US3	40.85	2	40
Manual Flush Bolt	US4	40.85		
Wood Composite Door	US5	82.01		
Material: Brass w/ steel components	US10	40.85		
Face Plate: 1" x 6-25/32"	US10B	39.56		
Bolt Head: 1/2" Square	US15	82.01		
Bolt Throw: 3/4"	US19	39.56		
Bolt Backset: 3/4"	US26	42.64		
Strike: 15/16" x 2-1/4"	US26D	39.56		
Fasteners: #8 x 3/4" combination screws;				
1-1/2 hour fire rating on wood doors up to 4 feet wide x 10 feet tall				
291D			1	12
Automatic Flush Bolts	US10B	237.91	Pair	Pairs
Wood Door	US32D	230.87		
Material: Stainless steel/brass w/ steel components				
Face Plate: 1" x 8-1/2"				
Bolt Heads: 1/2" square				
Bolt Throw: 3/4"				
Bolt Backset: 3/4"				
Fasteners: #10 x 1" SMS; #8 x 1" combination screws				
Mortise Strike: 15/16" x 2-1/4"				
280X Dust Proof Strike recommended				
1-1/2 hour fire rating on wood doors up to 4 feet wide x 9 feet tall				
292D			1	12
Automatic Flush Bolts	US10B	220.75	Pair	Pairs
Metal Doors	US32D	214.16		
Material: Stainless steel/brass w/ steel components				
Face Plate: 1" x 6-3/4"				
Bolt Head: 1/2" square				
Bolt Throw: 3/4"				
Bolt Backset: 3/4"				
Fasteners: #8 x 1" combination screws				
Mortise Strike: 15/16" x 2-1/4"				
280X Dust Proof Strike recommended				
3-hour fire rating on metal doors up to 4 feet wide x 9 feet tall				






Description	Finish	List	Box Qty.	Case Qty.
293D			1	12
Constant Latching Flush Bolts	US10B	220.75	Pair	Pairs
Metal Doors	US32D	214.16		
Material: Stainless steel/brass w/ steel components				
Face Plate: 1" x 6-3/4"				
Bolt Head: 1/2" square				
Bolt Throw: 3/4"				
Bolt Backset: 3/4"				
Fasteners: #8 x 1" combination screws				
T-Strike: 1-1/8" x 2-3/4"				
280X Dust Proof Strike recommended				
3-hour fire rating on metal doors up to 4 feet wide x 9 feet tall				
294D			1	12
Constant Latching Flush Bolts	US10B	237.91	Pair	Pairs
Wood Door	US32D	230.87		
Material: Stainless steel/brass w/ steel components				
Face Plate: 1" x 8-1/2"				
Bolt Head: 1/2" square				
Bolt Throw: 3/4"				
Bolt Backset: 3/4"				
Fasteners: #10 x 1" SMS; #8 x 1" combination screws				
T-Strike: 1-1/8" x 2-3/4"				
280X dustproof strike recommended				
1-1/2 hour fire rating for wood doors up to 4 feet wide x 9 feet tall				
295M			1	12
Automatic Flush Bolt w/Fire Bolt	US10	180.87	Set	Sets
Metal Doors	US32D	180.87		
Material: Stainless steel/brass with steel components				
Face Plate: 1" x 6-3/4"				
Bolt Head: 1/2" square				
Bolt Throw: 3/4"				
Bolt Backset: 3/4"				
Fasteners: #8 x 1" combination screws				
T-strike: 15/16" x 2-1/4"				
3-hour fire rating for metal doors up to 4 feet wide x 9 feet tall				
295W			1	12
Automatic Flush Bolt w/Fire Bolt	US10	194.82	Set	Sets
Wood Doors	US32D	194.82		
Material: Stainless steel/brass with steel components				
Face Plate: 1" x 8-1/2"				
Bolt Head: Flattened 1/2" square				
Bolt Throw: 3/4"				
Backset: 3/4"				
Fasteners: #10 x 1" SMS; #8 x 1" combination screws				
Mortise Strike: 15/16" x 2-1/4"				
20 minute fire rating for wood doors up to 4 feet wide x 9 feet tall				
296D			1	24
Automatic Flush Bolt Set for Wood Doors	US10	435.60	Pair	Pairs
Backset: 1-1/2"	US32D	435.60		
Fasteners: Sixteen (16) #8 x 1" APS; four (4) plastic anchors				
Strike: 1-1/8" x 2-1/4"				
1-1/2 hour fire rating for wood doors up to 4 feet wide x 9 feet tall				






Description	Finish	List	Box Qty.	Case Qty.
297C			1	30
Carry Bar	US10	78.75		
Material: Stainless steel/brass	US32D	78.75		
Base: 1-3/4" x 2-1/4"				
Projection: 25/32"				
Fasteners: 12 - 24 x 3/4" PPHMS with sex nuts				
For use on pairs of doors with astragal and 297D-298D coordinator.				




297D				
Coordinator with Filler Bar				
Material: Steel				
Base: 1-5/8" x 5/8"				
Fasteners: 12-24 x 1-1/4" TPHMS; #8 x 1" combo screws				
If overall frame width is different than widths shown, consult Hager Customer Service.				
If active and inactive doors are unequal in length, consult Hager Customer Service for proper sizing.				
60"	Black	156.85	1	6
Coordinator with Filler Bar				
Material: Steel				
Fasteners: 12-24 x 1-1/4" TPHMS; #8 x 1" combo screws				
If overall frame width is different than widths shown, consult Hager Customer Service. If active and inactive doors are unequal in length, consult Hager Customer Service for proper sizing.				
72"	Black	165.25	1	6
96"	Black	183.93	1	6



297F				
Filler Bars				
Material: Steel				
Thickness: 5/8" standard				
18-5/8"	Black	32.71	1	40
42-5/8"	Black	45.52	1	20



297M				
Mounting Bracket	Material: Aluminum			
Stop Height: 5/8"				
Soffit Width: 1-3/8" to 2-3/8"	Fasteners: 12-24 x 2"			
FPHMS; 1/4 - 20 x 1/2" FPHMS				
	Black	37.96	1	24



297N				
Mounting Bracket	Material: Aluminum			
Soffit Width: 3" or greater	Fasteners: 12-24 x 2" FPHMS;			
1/4 - 20 x 1/2" FPHMS				
	Black	37.96	1	24



298D			1	10
Gravity Coordinator				
Material: Cast brass w/rubber roller				
Base: 1-1/8" x 5-1/2"				
Projection: 7"				
Fasteners: #12 x 1" OPHWS;				
#6 x 3/4" FPHWS; #8 x 3/4" FPHWS; #8 x 3/4" TPHWS				
	US10B	101.67		
	US19	101.67		
	US26D	86.62		





300D

Chain Door Check

Material: Steel chain

Base Plate: Cast zinc base, galvanized steel chain, EPDM rubber cover
1-1/2" x 1-1/2"

Cover:

EDPM Rubber

Fasteners: #8 x 1" FPHSMS

Optional grommet nut set available (part #1-320-9801)

25-1/2"

US26D

76.64

1

10

30-1/2"

US26D

76.64

1

10



301D

Heavy Duty Hinge Pin Stop

Material: Wrought steel with rubber bumpers

US3

6.08

5

50

US26D

6.08

Features: Works with both 1/4" and 5/16" hinge pins

Must purchase an NRP hinge for use with this pin stop



305D

Wire Pull

Material: 5/16" brass rod

Projection: 1-9/32"

Fasteners: 8 - 3/2 x 1" TPHMS

CTC: 3"

US3

13.51

10

100

US4

13.96

US10

13.96

US26

13.96

US26D

13.96

CTC: 3-1/2"

US3

13.51

10

100

US4

13.96

US10

13.96

US26

13.96

US26D

13.96

CTC: 4"

US3

13.51

10

100

US4

13.96

US10

13.96

US26

13.96

US26D

13.96

307D

Metal Door Silencer

Material: Rubber

Diameter: 1/2"

Projection: 1/8"

U/M Bag of 100

Grey

14.60

-

100



308D

Wood Door Silencer

Base: 3/8" x 3/4"

Projection: 9/64"

U/M Bag of 100

Grey

21.89

-

100





310C
Conversion Kit
Strike: 1-11/16" x 2-1/4"
Filler Plate: 1-1/8" x 3-3/8"
Fasteners: #10 x 1-1/2" FPHWS; #10 x 1" FPHWS; 8 - 32 x 1/4" FPHMS; 10 - 24 x 1/2" FPHMS
Converts Roller Latch to Push Pull Latch



311H
Push/Pull Latch
Material: Zinc, stainless steel; Door Thickness: 1-3/4"; Bolt Throw: 1/2" Standard
Backset: 2-3/4" Standard; 5" Optional; Projection: 2-5/8"; Strike: ASA 1-1/4" x 4-7/8" Standard
T-Strike 1-1/8" x 2-3/4" Standard; Horizontal Mounting w/ 5" Backset



Options: Engraving Handed:
A - "PUSH" down; "Pull" up
B - "PUSH" up; "PULL" down
C - "PUSH" up; "PULL" up
D - "PUSH" down; "PULL" down
2-3/4"

US26 317.29 1 10

US26D 257.75

US32 390.93

US32D 306.42

5"

US26 317.29 1 10

US26D 257.75

US32 390.93

US32D 306.42

Lead Lined 2-3/4"

US26 377.67 1 10

US26D 306.73

US32 443.10

US32D 421.97

Lead Lined 5"

US26 377.67 1 10

US26D 306.73

US32 443.10

US32D 421.97



313S
Anti-Vandal Trim
Material: 11 GA stainless steel
Max Projection: 1-7/8"
Size: 6-11/32" x 11"
Door Thickness: 1-3/4" - 2"
Fasteners: 1/4 - 20" FPHMS with finish washers
Available with latchguard (313L). Cylinder cutout available. Can be used with exit devices and mortise locks.

US32D

(Plastisol no longer available)

Please see the Exit Sections for pricing with Hager Model 4500 Rim Devices. All other combinations, including those with alternate Exit and Lock manufacturers, are priced on application.





Description	Finish	List	Box Qty.	Case Qty.
318D	US3	42.64	1	50
Roller Latch	US4	60.25		
Material: Brass	US10	60.25		
Latch Faceplate: 1" x 3-3/8"	US10B	43.73		
Strike: 1-1/4" x 2-3/4"	US15	81.31		
Strike Thickness: .171"	US19	43.73		
Max Roller Projection: 3/8"	US26	44.69		
Fasteners: #8 x 1" FPHWS; 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS	US26D	36.11		



318S	US3	89.12	1	50
Roller Latch with Stop	US4	89.24		
Material: Brass	US10	89.24		
Latch Face: 1-7/16" x 4-7/16"	US10B	86.62		
Angle Stop: 9/16" x 4-7/16"	US26	96.87		
Strike: 1-1/4" x 2-1/4"	US26D	63.96		
Strike Thickness: .171"				
Max Roller Projection: 3/8"				
Fasteners: 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS				



320R	US3	55.32	1	50
Roller Latch	US4	55.32		
Material: Brass with nylon roller	US10	59.03		
Latch Face: 2-1/4" x 1-1/8"	US10B	60.82		
Strike: 1-1/8" x 2-3/4"	US15	59.03		
Strike Thickness: .058 wrought	US26	55.29		
Max Roller Projection: 7/16"	US26D	36.46		
Fasteners: #8 x 1" FPHWS				



321R	US3	23.56	1	50
Adjustable Ball Catch	US4	23.56		
Material: Brass with steel ball roller	US10	28.04		
Latch Face: 1" x 2-1/8"	US10B	28.04		
Strike: 1-1/2" x 2-1/8"	US15	28.04		
Strike Thickness: .050"	US15A	28.04		
Fasteners: #6 FPHWS	US19	28.04		
	US26D	23.56		



322V			1	50
Door Knocker w/ 115° Viewer	US26D	38.86		
Material: Wrought brass				
Knocker Size: 2-7/32" x 3-1/4"				
Projection: 19/32"				
Fasteners: #6 x 3/4" TPHSMS				

Lettering Available- up to four characters, Arial, 1/2" tall, black - \$30.00 total added to net price.



323S	US26D	24.14	30	300
Three-Way Ball Catch				
Material: Brass with Stainless Steel Balls				
Body: 1/2" x 2-3/16" x 1/2"				
Strike: 3/8" x 1-3/8" x 5/8"				





Description	Finish	List	Box Qty.	Case Qty.
324W	US3	11.85	1	50
Light Duty Wall Bumper	US4	12.68		
Material: Brass or bronze	US5	14.14		
Base: 1-1/4" diameter	US10	14.14		
Projection: 3-1/4"	US10B	14.14		
Tip Diameter: 5/8"	US15	14.14		
Fasteners: #10 x 7/8" wood thread	US15A	14.14		
Replacement rubber tip available	US19	14.14		
(Part # 1-269-3073)	US26	12.29		
	US26D	12.29		



326F			5	30
Automatic Floor Stop and Holder	US3	96.41		
Material: Cast brass	US10B	101.35		
Holder Base: 3-1/16" x 3-1/2"	US26	101.35		
Projection: 1-15/16"	US26D	101.35		
Floor Strike: 2" x 4-3/32"				
Strike Height: 1-1/4"				
Max Door to Floor Clearance: 1/2" or less				
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2" FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor				



326W			5	30
Automatic Wall Stop and Holder	US10	112.04		
Material: Cast brass	US10B	112.04		
Holder Base: 2-13/32" x 2-25/32"	US26	112.04		
Holder Projection: 2-5/16"	US26D	112.04		
Engaged Projection: 3-5/8"				
Strike Base: 1" x 2-1/16"				
Strike Projection: 2"				
Fasteners: #10 x 1" OPHWS and anchors; 10 - 24 x 1-1/4" FPHMS				



327F			5	30
Automatic Floor Stop and Holder	US3	96.10		
Material: Cast brass	US10B	101.35		
Holder Base: 3-1/16" x 3-1/2"	US26D	101.35		
Projection: 1-15/16"				
Floor Strike: 2" x 4-3/32"				
Strike Height: 1-3/4"				
Max Door to Floor Clearance: 9/16" to 1-1/16"				
Fasteners: 4 ea. x 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2" FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor				



327W			5	20
Automatic Wall Stop and Holder	US4	161.21		
Material: Cast brass	US10B	161.21		
Holder Base: 3-1/16" x 3-1/2"	US26D	151.99		
Holder Projection: 1-15/16"				
Engaged Projection: 3-1/2"				
Strike Diameter: 2-3/8"				
Strike Projection: 3-1/16"				
Fasteners: #12 x 1 TPHWS; 12-24 x 1" TPHMS; 1/4" - 20 x 3/4" FPHMS with lead anchor; #14 x 1-1/2" FPHWS				
Strike is adjustable 45° left or right				



Description	Finish	List	Box Qty.	Case Qty.
328F			5	30
Automatic Floor Stop and Holder	US3	96.10		
Material: Cast brass	US10B	101.35		
Holder Base: 3-1/16" x 3-1/2"	US26D	101.35		
Projection: 1-15/16"				
Floor Strike: 2" x 4-3/32"				
Strike Height: 2-1/4"				
Max Door to Floor Clearance: 1-1/8" to 1-9/16"				
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2"				
FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor				
329F			5	30
Automatic Floor Stop and Holder	US3	96.10		
Material: Cast brass	US10B	101.35		
Holder Base: 3-1/16" x 3-1/2"	US26	101.35		
Projection: 1-15/16"	US26D	101.35		
Strike Height: 2-3/4"				
Floor Strike: 2" x 4-3/32"				
Max Door to Floor Clearance: 1-5/8" to 2-1/16"				
Fasteners: 4 ea. 12-24 x 1" TPHMS and #12 x 1" TPHWS; 3 ea. #14 x 1-1/2"				
FPHWS and anchors; 1/4 - 20 x 3/4" FPHMS with lead anchor				
330D	US3		1	20
Pocket Door Latch	US5			
Material: Brass	US10B			
Fits: 1-3/8" - 1-3/4" door	US15			
Size: 2-3/4" x 2-1/2"	US15A			
Finger Pull Extends: 1-3/8"	US19			
Fasteners: #6 x 5/8" OPHWS	US26			
	US26D			
330L	US3		1	20
Privacy Pocket Door Latch	US5			
Material: Brass	US10			
Size: 2-3/4" x 2-1/2"	US10B			
Finger Pull Extends: 1-3/8"	US15			
Strike: 1" x 2-1/4"	US15A			
1-3/8" doors	US19			
Fasteners: #6 x 5/8" OPHWS;	US26			
#6 x 3/4" FPHWS	US26D			
330M	US3		1	20
Privacy Pocket Door Latch	US5			
Material: Brass	US10			
Size: 2-3/4" x 2-1/2"	US10B			
Finger Pull Extends: 1-3/8"	US15			
Strike: 1" x 2-1/4"	US15A			
1-3/4" doors	US19			
Fasteners: #6 x 5/8" OPHWS; #6 x 3/4" FPHWS	US26			
	US26D			





334V
 Door Knocker w/ 115° Viewer
 Material: Solid cast brass
 Knocker Size: 3-9/16" x 6-3/4"
 Fasteners:
 Two (2) 8-32 x 2 FHMS for standard 1-3/4" doors
 Two (2) #8 finish washers
 Two (2) 8-32 x 1-5/8" FHMS for 1-3/8" doors

Finish	List
US3	51.47
US4	50.25
US10	54.67
US10B	54.67
US26	51.47
US26D	50.25


Box Qty.	Case Qty.
1	50

Lettering Available- up to four characters, Arial, 1/2" tall, black - \$30.00 total added to net price. Not available on US10B finish.



336A
 161 Prep - Door Edge Filler Plate
 Gauge: .134"
 Size: 1-1/8" x 2-1/4"

Finish	List	Box Qty.	Case Qty.
Primed steel	3.33	25	100



336B
 86 Prep - Door Edge Filler Plate
 Gauge: .180
 Size: 1-1/4" x 8"

Finish	List	Box Qty.	Case Qty.
Primed steel	5.25	25	100




336C
 Door Face Filler Plate
 Gauge: .055"
 Size: 1-3/4" Diameter

Finish	List	Box Qty.	Case Qty.
Primed steel	4.42	25	100




336D
 Door Face Filler Plate
 Gauge: .055
 Size: 2-5/8" Diameter

Finish	List	Box Qty.	Case Qty.
Primed steel	4.99	25	100




336E
 Square - Door Edge Filler Plate
 Gauge: .134
 Size: 1-3/4" x 4-1/2"

Finish	List	Box Qty.	Case Qty.
Primed steel	4.22	25	100



336F
 Bevel - Door Edge Filler Plate
 Gauge: .134
 Size: 1-1/2" x 4-1/2"

Finish	List	Box Qty.	Case Qty.
Primed steel	4.04	25	100



336G
 Square - Door Edge Filler Plate
 Gauge: .134
 Size: 1-3/4" x 5"

Finish	List	Box Qty.	Case Qty.
Primed steel	4.42	25	100



336H
 Bevel - Door Edge Shim Filler Plate
 Gauge: .134
 Size: 1-1/2" x 5"


Finish	List	Box Qty.	Case Qty.
Primed steel	3.91	25	250




336J
 Frame - Flush Bolt Strike Filler Plate
 Gauge: .083
 Size: 15/16" x 2-1/4"

Finish	List	Box Qty.	Case Qty.
Primed steel	2.76	25	250





Description	Finish	List	Box Qty.	Case Qty.
336K Door - Flush Bolt Filler Plate Gauge: .134 Size: 1" x 6-3/4"	Primed steel	4.67	25	250
336L Frame - Hinge Filler Plate Gauge: .134 Size: 1-5/8" x 4-1/2"	Primed steel	3.91	25	250
336M Frame - Hinge Filler Plate Gauge: .134 Size: 1-5/8" x 5"	Primed steel	4.42	25	250
336N 86 to 161 Edge Prep Latch Adapter Filler Plate Gauge: .238 Size: 1-1/4" x 8"	Primed steel	9.35	25	100
336P Frame - Deadlock Strike Filler Plate Gauge: .083 Size: 1-1/8" x 2-3/4"	Primed steel	3.07	25	100
336Q Frame - ASA Strike Filler Plate Gauge: .093 Size: 1-1/4" x 4-7/8"	Primed steel	3.53	25	100
336R Frame - Cylindrical Lock Strike Filler Plate Gauge: .083 Size: 1-1/8" x 2-3/4"	Primed steel	2.94	25	100
337A Template Hinge Shim Gauge: .028 Size: 1-7/16" x 4-1/2"	Primed steel	1.66	100	400
337B Template Hinge Shim Gauge: .065 Size: 1-7/16" x 4-1/2"	Primed steel	2.11	100	400
337C Template Hinge Shim Gauge: .028 Size: 1-7/16" x 5"	Primed steel	2.11	100	400





Description	Finish	List	Box Qty.	Case Qty.
337D Template Hinge Shim Gauge: .065 Size: 1-7/16" x 5"	Primed steel	2.24	100	400
340C Latch Protector Plate without Safety Studs Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts For use w/ most mortise locks For use w/ cylindrical locksets with 3-3/4" backset or greater.	US32D	36.49	1	10
340D Protector Plate stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 18 x 1-1/2" carriage bolts with sex nuts For use w/ most mortise locks For use w/ cylindrical locksets with 3-3/4" backset or greater.	Latch US2C	18.44	1	10
	Material: 12 GA steel, US32D	36.49		
341C Latch Protector Plate w/ Lock Cut Out Without Safety Studs Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts For use with cylindrical locksets with a 2-3/4" backset.	US32D	36.49	1	10
341D Latch Protector Plate w/ Lock Cut Out Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 18 x 1-1/2" carriage bolts with sex nuts For use with cylindrical locksets with a 2-3/4" backset.	US2C	18.44	1	10
	US32D	36.49		
342D Latch Protector Plate w/ Escutcheon Cut Out Material: 12 GA steel, stainless steel Size: 3" x 11" For 1-3/4" door thickness Fasteners: 5/16 - 20 x 1-1/2" carriage bolts with sex nuts For use with cylindrical and mortise locksets	US32D	46.03	1	10





Description		Finish	List	Box Qty.	Case Qty.
345D	Latch Protector Plate	US2C	14.22	1	10
	Material: 12 GA steel, stainless steel	US32D	27.08		
Size: 1-5/8" x 10"					
For 1-3/4" door thickness					
Fasteners: 5/16-18 x 1-1/2" carriage bolts with sex nuts					
For use with cylindrical locksets					
350M				-	5
MEN	Engraved Plastic Sign - MEN	Brown (W1) w/ white lettering	20.94		
	Material: .125" thick plastic	Black (W2) w/ white lettering	20.94		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	20.94		
	Size: 2" x 5"	Silver (B1) w/ black lettering	20.94		
	Signs are individually packed in a polybag	Gold (B2) w/ black lettering	20.94		
350W				-	5
WOMEN	Engraved Plastic Sign - WOMEN	Brown (W1) w/ white lettering	23.49		
	Material: .125" thick plastic	Black (W2) w/ white lettering	23.49		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	23.49		
	Size: 2" x 5"	Silver (B1) w/ black lettering	23.49		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	23.49		
	Signs are individually packed in a polybag				
350H				-	5
PUSH	Engraved Plastic Sign - PUSH	Brown (W1) w/ white lettering	23.49		
	Material: .125" thick plastic	Black (W2) w/ white lettering	23.49		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	23.49		
	Size: 2" x 4"	Silver (B1) w/ black lettering	23.49		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)				
	Signs are individually packed in a polybag				
350L					
PULL	Engraved Plastic Sign - PULL	Black (W2) w/ white lettering	23.49		
	Material: .125" thick plastic	Blue (W3) w/ white lettering	23.49		
	Lettering: 3/4" Helvetica	Silver (B1) w/ black lettering	23.49		
	Size: 2" x 4"	Gold (B2) w/ black lettering	23.49		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)				
	Signs are individually packed in a polybag				

	Description	Finish	List	Box Qty.	Case Qty.
635	350R			-	5
	Engraved Plastic Sign - Number	Brown (W1) w/ white lettering	20.94		
	Material: .125" thick plastic	Black (W2) w/ white lettering	20.94		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	20.94		
	Size: 2" x 4"	Silver (B1) w/ black lettering	20.94		
PUSH	Fasteners: Double sided pressure sensitive tape, or screws (specify)				
	Signs are individually packed in a polybag				
	Up to 3 characters (4 additional characters \$6.30)				
	351H			-	5
	Engraved Plastic Sign - PUSH	Brown (W1) w/ white lettering	20.94		
PULL	Material: .125" thick plastic	Black (W2) w/ white lettering	20.94		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	20.94		
	Size: 1" x 4-1/2"	Silver (B1) w/ black lettering	20.94		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	20.94		
	Signs are individually packed in a polybag				
PULL	351L			-	5
	Engraved Plastic Sign - PULL	Brown (W1) w/ white lettering	20.94		
	Material: .125" thick plastic	Black (W2) w/ white lettering	20.94		
	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	20.94		
	Size: 1" x 4-1/2"	Silver (B1) w/ black lettering	20.94		
MEN	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	20.94		
	Signs are individually packed in a polybag				
	352M			-	5
	Engraved Plastic Sign - MEN	Brown (W1) w/ white lettering	27.27		
	Material: .125" thick plastic	Black (W2) w/ white lettering	27.27		
MEN	Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	27.27		
	Size: 2-1/2" x 6"	Silver (B1) w/ black lettering	27.27		
	Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	27.27		
	Signs are individually packed in a polybag				





Description	Finish	List	Box Qty.	Case Qty.
352W Engraved Plastic Sign - WOMEN	Brown (W1) w/ white lettering	28.62	-	5
Material: .125" thick plastic	Black (W2) w/ white lettering	28.62		
Lettering: 3/4" Helvetica	Blue (W3) w/ white lettering	28.62		
Size: 2-1/2" x 7"	Silver (B1) w/ black lettering	28.62		
Fasteners: Double sided pressure sensitive tape, or screws (specify)	Gold (B2) w/ black lettering	28.62		
Signs are individually packed in a polybag				



354A Engraved Plastic Sign - Restroom	Black (W2) w/ white lettering	35.15	-	5
Material: .125" thick plastic				
Lettering: 3/4" Helvetica				
Size: 2" x 6"	Blue (W3) w/ white lettering	35.15		
Fasteners: Double sided pressure sensitive tape				
Signs are individually packed in a polybag				



354B Engraved Plastic Sign - Restrooms	Black (W2) w/ white lettering	35.15	-	5
Material: .125" thick plastic				
Lettering: 3/4" Helvetica				
Size: 2" x 6"	Blue (W3) w/ white lettering	35.15		
Fasteners: Double sided pressure sensitive tape				
Signs are individually packed in a polybag				



364N Engraved International Symbol No Smoking	Red (W4) w/ raised white symbol	42.13	-	5
Material: .125" thick plastic				
Size: 6" x 6"				
Fasteners: Pressure sensitive tape standard, or screws (specify)				
Signs are individually packed in a polybag				



364S International Handicap Symbol	Blue (W3) w/ raised white symbol	25.16	-	5
Material: .0625" thick plastic				
Raised HANDICAP symbol				
Size: 3" x 3"				
Fasteners: Pressure sensitive tape standard, or screws (specify)				
Signs are individually packed in a polybag				



364M International Handicap Symbol	Blue (W3) w/ raised white symbol	31.44	-	5
Material: .0625" thick plastic				
Raised HANDICAP symbol				
Size: 4" x 4"				
Fasteners: Double sided pressure sensitive tape standard, or screws (specify)				
Signs are individually packed in a polybag				





364L
 International Handicap Symbol
 Material: .125" thick plastic
 1/32" raised HANDICAP symbol
 Size: 6" x 6"
 Fasteners: Double sided pressure sensitive tape standard, or screws (specify)
 Signs are individually packed in a polybag

Finish	List
Brown (W1) w/ raised white symbol	43.35
Black (W2) w/ raised white symbol	43.35
Blue (W3) w/ raised white symbol	43.35

Box Qty.	Case Qty.
-	5



365M
 ADA Tactile Signage - MEN
 Material: .125" thick plastic
 Grade 2 Braille Translation
 Size: 6" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Finish	List
Brown (W1) w/ raised white symbol	70.74
Black (W2) w/ raised white symbol	70.74
Blue (W3) w/ raised white symbol	70.74

Box Qty.	Case Qty.
-	5



365W
 ADA Tactile Signage - WOMEN
 Material: .125" thick plastic
 Grade 2 Braille Translation
 Size: 6" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Finish	List
Brown (W1) w/ raised white symbol	74.39
Black (W2) w/ raised white symbol	74.39
Blue (W3) w/ raised white symbol	74.39

Box Qty.	Case Qty.
-	5



366R
 ADA Tactile Signage
 Room Number
 Material: .125" thick plastic
 Grade 2 Braille Translation
 Size: 2-1/2" x 5"
 Fasteners: Double sided pressure sensitive tape
 Up to 3 characters (Max. 4) additional characters
 Signs are individually packed in a polybag
 Up to 3 characters (4 additional characters \$6.30)

Finish	List
Brown (W1) w/ raised white symbol	35.46
Black (W2) w/ raised white symbol	35.46
Blue (W3) w/ raised white symbol	35.46

Box Qty.	Case Qty.
-	5





366S
 ADA Tactile Signage - STAIRS
 Material: .125" thick plastic
 Grade 2 Braille Translation
 Size: 6" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Finish	List	Box Qty.	Case Qty.
Brown (W1) w/ raised white symbol	63.07	-	5
Black (W2) w/ raised white symbol	63.07		
Blue (W3) w/ raised white symbol	63.07		



368E
 ADA Tactile Signage - EXIT
 Material: .125" thick plastic
 Grade 2 Braille Translation
 Size: 6" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Brown (W1) w/ raised white symbol	63.07	-	5
Black (W2) w/ raised white symbol	63.07		
Blue (W3) w/ raised white symbol	63.07		



368M
 ADA Tactile Signage - MEN
 Material: .125" thick plastic
 Grade 2 Braille Translation
 Size: 6" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Brown (W1) w/ raised white symbol	74.71	-	5
Black (W2) w/ raised white symbol	74.71		
Blue (W3) w/ raised white symbol	74.71		



368W
 ADA Tactile Signage - WOMEN
 Material: .125" thick plastic
 Grade 2 Braille Translation
 Size: 6" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Brown (W1) w/ raised white symbol	78.43	-	5
Black (W2) w/ raised white symbol	78.43		
Blue (W3) w/ raised white symbol	78.43		



368U
 ADA Tactile Signage - UNISEX
 Material: .125" thick plastic
 Grade 2 Braille Translation
 Size: 8" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Brown (W1) w/ raised white symbol	86.43	-	5
Black (W2) w/ raised white symbol	86.43		
Blue (W3) w/ raised white symbol	86.43		



369L
 ADA Tactile Signage - ACCESS LEFT
 Material: .125" thick plastic
 Grade 2 Braille translation
 Size: 6" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Brown (W1) w/ raised white symbol	70.74	-	5
Black (W2) w/ raised white symbol	70.74		
Blue (W3) w/ raised white symbol	70.74		





369R
 ADA Tactile Signage - ACCESS RIGHT
 Material: .125" thick plastic
 Grade 2 Braille translation
 Size: 6" x 8"
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Brown (W1) w/
 raised white
 symbol
 Black (W2) w/
 raised white
 symbol
 Blue (W3) w/
 raised white
 symbol

70.74 - 5

70.74

70.74



370M
 ADA Tactile Signage - RESTROOM MEN
 Material: 9/16" thick plastic
 Grade 2 Braille Translation
 Size: 10-1/2" side
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Blue (W3) w/
 raised white
 symbol and
 lettering

43.35 - 5



370U
 ADA Tactile Signage - RESTROOM UNISEX
 Material: 9/16" thick plastic
 Grade 2 Braille Translation
 Size: 12" diameter
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Blue (W3) w/
 raised white
 symbol and
 lettering

43.35 - 5



370W
 ADA Tactile Signage - RESTROOM WOMEN
 Material: 9/16" thick plastic
 Grade 2 Braille Translation
 Size: 12" diameter
 Fasteners: Double sided pressure sensitive tape
 Signs are individually packed in a polybag

Blue (W3) w/
 raised white
 symbol and
 lettering

43.35 - 5



901P
 Coat Hook - Short single
 Material: Brass
 Diameter: 1"
 Projection: 1-1/4"
 Fasteners: #14 x 1-1/4" wood thread

US3 24.14
 US26D 24.14

1 -



902P
 Coat Hook - Long Single
 Material: Brass
 Diameter: 1"
 Projection: 2-1/2"
 Fasteners: #14 x 1-1/4" wood thread

US3 33.87
 US26D 33.87

1 12



903P
 Coat Hook - Long Double
 Material: Brass
 Diameter: 1"
 Projection: 2-1/2"
 Fasteners: #14 x 1-1/4" wood thread

US3 46.54
 US26D 46.54

1 12





910P

Offset Mounting Vertical Pull
 Pull Diameter: 1-1/4"
 Fasteners: 3/8 - 16 FPHMS with finish washers
 Clearance: 1-1/2"
 Projection: 2-3/4"
 Offset: 1-5/8"
 Length: 36"
 CTC: 20"

Finish	List	Box Qty.	Case Qty.
US3	435.09	1	12
US4	435.09		
US10	449.82		
US10B	449.82		
US15A	449.82		
US26	449.82		
US26D	449.82		
US28	411.22		
US32D	329.08		
US3	523.32	1	12
US4	523.32		
US10	555.20		
US10B	555.20		
US15A	555.20		
US26	555.20		
US26D	555.20		
US28	457.06		
US32D	463.27		



910B

Offset Mounting Vertical Pull
 BTB Mounting
 Pull Diameter: 1-1/4"
 Clearance: 1-1/2"
 Projection: 2-3/4"
 Offset: 1-5/8"
 Length: 36"
 CTC: 20"

US3	896.25	1	12
US4	896.25		
US10	925.63		
US10B	925.63		
US15A	925.63		
US26	925.63		
US26D	925.63		
US28	848.56		
US32D	684.14		
US3	1,072.70	1	12
US4	1,072.70		
US10	1,136.34		
US10B	1,136.34		
US15A	1,136.34		
US26	1,136.34		
US26D	1,136.34		
US28	940.23		
US32D	952.53		





Description	Finish	List	Box Qty.	Case Qty.
915P				
Straight Mounting Vertical Pull				
Pull Diameter: 1-1/4"				
Fasteners: 3/8 - 16 FPHMS with finish washers				
Length: 36"	US3	411.22	1	12
CTC: 20"	US4	411.22		
Clearance: 1-1/2"	US10	433.82		
Projection: 2-3/4"	US10B	433.82		
	US15A	433.82		
	US26	433.82		
	US26D	433.82		
	US28	315.00		
	US32D	359.17		
Length: 72"	US3	479.21	1	12
CTC: 56"	US4	479.21		
Clearance: 1-1/2"	US10	509.30		
Projection: 2-3/4"	US10B	509.30		
	US15A	509.30		
	US26	509.30		
	US26D	509.30		
	US28	411.22		
	US32D	433.82		



915B				
Straight Mounting Vertical Pull				
BTB Mounting				
Pull Diameter: 1-1/4"				
Length: 36"	US3	848.56	1	12
CTC: 20"	US4	848.56		
Clearance: 1-1/2"	US10	893.76		
Projection: 2-3/4"	US10B	893.76		
	US15A	893.76		
	US26	893.76		
	US26D	893.76		
	US28	656.17		
	US32D	744.45		
Length: 72"	US3	984.47	1	12
CTC: 56"	US4	984.47		
Clearance: 1-1/2"	US10	1,044.52		
Projection: 2-3/4"	US10B	1,044.52		
	US15A	1,044.52		
	US26	1,044.52		
	US26D	1,044.52		
	US28	848.56		
	US32D	893.76		



920P	US3	523.32	1	12
C-Shaped Pull	US4	523.32		
Projection: 2-1/4"	US10	598.03		
Base Diameter: 1"	US10B	598.03		
Clearance: 1-3/4"	US15A	598.03		
CTC: 8-1/2"	US26	598.03		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26D	598.03		
	US28	335.80		
	US32D	509.30		



**920B**

C-Shaped Pull
BTB Mounting
Projection: 2-1/4"
Base Diameter: 1"
Clearance: 1-3/4"
CTC: 8-1/2"

Finish	List	Box Qty.	Case Qty.
US3	1,072.70	1	12
US4	1,072.70		
US10	1,222.12		
US10B	1,222.12		
US15A	1,222.12		
US26	1,222.12		
US26D	1,222.12		
US28	697.72		
US32D	1,044.52		

**921P**

C-Shaped Pull
Projection: 2-1/8"
Clearance: 1-1/2"
Offset: 8-1/2"
CTC: 17-1/2"
Fasteners: 3/8 - 16 FPHMS with finish washers

US3	1,046.45	1	12
US4	1,046.45		
US10B	1,046.45		
US15A	1,046.45		
US26	1,046.45		
US26D	1,046.45		
US32D	986.39		

**921B**

C-Shaped Pull
BTB Mounting
Projection: 2-1/8"
Clearance: 1-1/2"
Offset: 8-1/2"
CTC: 17-1/2"

US3	2,118.95	1	12
US4	2,118.95		
US10B	2,118.95		
US15A	2,118.95		
US26	2,118.95		
US26D	2,118.95		
US32D	1,998.78		

**922P**

C-Shaped Pull Continuous
Pull Diameter: 1"
Projection: 2-1/2"
Fasteners: 3/8 - 16 FPHMS with finish washers
Clearance: 1-1/2"
CTC: 10"

US3	326.64	1	12
US4	326.64		
US10	397.13		
US10B	397.13		
US15A	397.13		
US26	397.13		
US26D	397.13		
US28	210.31		
US32D	315.00		

CTC: 12"

US3	375.11	1	12
US4	375.11		
US10	419.15		
US10B	419.15		
US15A	419.15		
US26	419.15		
US26D	419.15		
US28	239.64		
US32D	344.50		





922B

C-Shaped Pull Continuous
BTB Mounting
Pull Diameter: 1"
Projection: 2-1/2"
Clearance: 1-1/2"
CTC: 10"

Description	Finish	List	Box Qty.	Case Qty.
CTC: 10"	US3	679.34	1	12
	US4	679.34		
	US10	820.20		
	US10B	820.20		
	US15A	820.20		
	US26	820.20		
	US26D	820.20		
	US28	446.62		
	US32D	656.17		
CTC: 12"	US3	776.20	1	12
	US4	776.20		
	US10	864.36		
	US10B	864.36		
	US15A	864.36		
	US26	864.36		
	US26D	864.36		
	US28	505.46		
	US32D	715.00		



923P

C-Shaped Pull Flanged
Pull Diameter: 1"
Projection: 2-3/4"
Clearance: 1-3/4"
Base Diameter: 3/4"
Fasteners: 3/8 - 16 FPHMS with finish washers
CTC: 10"

CTC: 10"	US3	373.83	1	12
	US4	373.83		
	US10	395.86		
	US10B	395.86		
	US15A	395.86		
	US26	395.86		
	US26D	395.86		
	US28	209.61		
	US32D	313.84		
CTC: 12"	US3	403.21	1	12
	US4	403.21		
	US10	419.15		
	US10B	419.15		
	US15A	419.15		
	US26	419.15		
	US26D	419.15		
	US28	241.49		
	US32D	344.50		





923B

C-Shaped Pull Flanged
BTB Mounting
Pull Diameter: 1"
Projection: 2-3/4"
Clearance: 1-3/4"
Base Diameter: 3/4"
CTC: 10"

Finish	List	Box Qty.	Case Qty.
--------	------	----------	-----------

US3	773.71	1	12
US4	773.71		
US10	817.69		
US10B	817.69		
US15A	817.69		
US26	817.69		
US26D	817.69		
US28	445.34		
US32D	653.67		

CTC: 12"

US3	832.55	1	12
US4	832.55		
US10	864.36		
US10B	864.36		
US15A	864.36		
US26	864.36		
US26D	864.36		
US28	509.04		
US32D	715.00		



924P

C-Shaped Pull
O/A Height: 15"
Projection: 2-1/2"
Clearance: 1-1/2"
Offset: 6-1/2"
Fasteners: 3/8 -16 FPHMS with finish washers

US3	463.27	1	12
US4	463.27		
US10B	509.30		
US15A	509.30		
US26	509.30		
US26D	509.30		
US32D	673.96		



924B

C-Shaped Pull
BTB Mounting
O/A Height: 15"
Projection: 2-1/2"
Clearance: 1-1/2"
Offset: 6-1/2"

US3	952.53	1	12
US4	952.53		
US10B	1,044.52		
US15A	1,044.52		
US26	1,044.52		
US26D	1,044.52		
US32D	1,373.92		



926P

Curved Shaped Pull
Base Diameter: 1-1/4"
Projection: 3"
Clearance: 1-13/16"
Offset: 5-9/32"
CTC: 12"
Pull Diameter: 1-3/16"
Fasteners: 3/8 - 16 FPHMS with finish washers

US3	479.21	1	12
US4	479.21		
US10B	538.04		



Description	Finish	List	Box Qty.	Case Qty.
926B			1	12
Curved Shaped Pull	US3	984.47		
BTB Mounting	US4	984.47		
Base Diameter: 1-1/4"	US10B	1,102.08		
Projection: 3"				
Clearance: 1-13/16"				
Offset: 5-9/32"				
CTC: 12"				
Pull Diameter: 1-3/16"				



932P	US3	627.99	1	12
S-Shaped Pull	US4	627.99		
Projection: 3"	US10B	688.12		
Clearance: 2"	US15A	688.12		
Pull Diameter: 1"	US26	688.12		
Fasteners: 3/8 - 16 FPHMS with finish washers	US26D	688.12		
	US28	509.30		
	US32D	613.97		



932B			1	12
S-Shaped Pull	US26D	2,127.34		
BTB Mounting	US32D	1,672.33		
Projection: 3"				
Clearance: 2"				
Pull Diameter: 1"				
Fasteners: 3/8 - 16 FPHMS with finish washers				
Note: must specify handing				



933P	US3	120.23	1	12
Colonial Style Door Pull	US4	105.57		
Projection: 2-3/16"	US10B	142.26		
Pull Diameter: 1"	US26	142.26		
Base Diameter: 15/16"				
Fasteners: 3/8 - 16 FPHMS with finish washers				
Clearance: 1-3/16"				
CTC: 6"				



933B	US3	266.52	1	12
Colonial Style Door Pull	US4	237.27		
BTB Mounting	US10B	310.58		
Projection: 2-3/16"	US26	310.58		
Pull Diameter: 1"				
Base Diameter: 15/16"				
Clearance: 1-3/16"				
CTC: 6"				





934P
 Offset Pull
 Projection: 3-1/8"
 Pull Diameter: 1-1/4"
 Base Diameter: 1"
 Clearance: 1-7/8"
 Fasteners: 3/8 - 16 FPHMS with finish washers
 CTC: 12"

CTC: 16"

CTC: 18"

Description	Finish	List	Box Qty.	Case Qty.
	US3	433.82	1	12
	US4	433.82		
	US10B	433.82		
	US15A	433.82		
	US26	433.82		
	US26D	433.82		
	US28	428.89		
	US32D	523.32		
	US3	449.11	1	12
	US4	449.11		
	US10B	449.11		
	US15A	449.11		
	US26	449.11		
	US26D	449.11		
	US28	441.24		
	US32D	541.57		
	US3	492.01	1	12
	US4	492.01		
	US10B	492.01		
	US15A	492.01		
	US26	492.01		
	US26D	492.01		
	US28	484.01		
	US32D	593.10		



934B
 Offset Pull
 BTB Mounting
 Base Diameter: 1"
 Projection: 3-1/8"
 Clearance: 1-7/8"
 Pull Diameter: 1-1/4"
 CTC: 12"


US3	612.96	1	12
US4	612.96		
US10B	612.96		
US15A	612.96		
US26	612.96		
US26D	612.96		
US28	883.90		
US32D	1,072.70		

CTC: 16"

US3	924.41	1	12
US4	924.41		
US10B	924.41		
US15A	924.41		
US26	924.41		
US26D	924.41		
US28	908.48		
US32D	1,109.32		

CTC: 18"

US3	1,010.14	1	12
US4	1,010.14		
US10B	1,010.14		
US15A	1,010.14		
US26	1,010.14		
US26D	1,010.14		
US28	994.07		
US32D	1,212.14		



936P
 Coat Hook Single/Angled
 Material: Brass
 Base Diameter: 1-15/16"
 Hook Diameter: 11/16"
 Projection: 3-5/16"

US3	63.84	1	12
US26D	63.84		



937P
 Coat Hook
 Material: Brass
 Projection: 3-3/4" top hook; 2-1/2" bottom hook

US3	65.43	1	12
US26D	65.43		



940P
 Double Coat Hook
 Material: Brass
 Top Projection: 3-15/16"
 Bottom Projection: 2-1/8"
 Thickness: 1/4"
 Fasteners: #10 x 1" FPHWS

US3	23.88	1	12
US26D	23.88		





941P
Single Coat Hook
Material: Brass
Projection: 2-1/8"
Thickness: 1/4"
Fasteners: #10 x 1" FPHWS

Finish	List	Box Qty.	Case Qty.
US3	22.21	1	12
US26D	22.21		



945P
Double Coat Hook - Surface mounting
Material: Brass
O/A Height: 5-1/2"
Projection: 3-5/16"
Fasteners: #10 x 1" FPHWS w/ anchors

Finish	List	Box Qty.	Case Qty.
US3	60.63	1	12
US26D	60.63		



946P
Double Coat Hook w/ Concealed Mounting
Material: Brass
O/A Height: 5-1/2"
Projection: 3-11/16"
Fasteners: #10 x 1" FPHWS w/ anchors

Finish	List	Box Qty.	Case Qty.
US3	115.56	1	12
US26D	115.56		



951P
Double Coat Hook/Straight
Material: Brass
O/A Height: 5-3/4"
Projection: 2-3/4"

Finish	List	Box Qty.	Case Qty.
US3	115.56	1	12
US26D	115.56		



952P
Single Coat Hook/Straight
Material: Brass
O/A Height: 2-13/16"
Projection: 2-7/32"

Finish	List	Box Qty.	Case Qty.
US3	92.71	1	12
US26D	92.71		



956P
Double Coat Hook/Angled
Material: Brass
O/A Height: 5-11/16"
Projection: 3-23/32"

Finish	List	Box Qty.	Case Qty.
US3	112.49	1	12
US4	112.49		
US26D	112.49		



957P
Coat Hook
Materials: Brass
Projection: 1-3/4"
Base Diameter: 3/4"
Fasteners: #10 x 1" wood thread

Finish	List	Box Qty.	Case Qty.
US3	28.42	1	12
US26D	28.42		



960P
Square Tip Pull
O/A Height: 16"
Base Diameter: 1-1/4"
Pull Diameter: 1"
Projection: 3-1/4"
Clearance: 1-3/4"
Fasteners: 3/8 - 16 FPHMS with finish washers
CTC: 12"

Finish	List	Box Qty.	Case Qty.
US3	567.94	1	12
US4	567.94		
US10B	567.94		
US15A	567.94		
US26	567.94		
US26D	567.94		

**960B**

Square Tip Pull

BTB Mounting

O/A Height: 16"

Base Diameter: 1-1/4"

Pull Diameter: 1"

Projection: 3-1/4"

Clearance: 1-3/4"

CTC: 12"

Finish**List****Box
Qty.****Case
Qty.**

US3

1,162.08

1

12

US4

1,162.08

US10B

1,162.08

US15A

1,162.08

US26

1,162.08

US26D

1,162.08

**962P**

Acorn Tip Pull

O/A Height: 16-5/16"

Base Diameter: 2"

Pull Diameter: 1"

Projection: 3"

Clearance: 1-7/8"

Fasteners: 3/8 - 16 FPHMS with finish washers

CTC: 12"

US3

538.04

1

12

US4

538.04

US10B

538.04

US15A

538.04

US26

538.04

US26D

538.04

**963P**

Acorn Tip Pull - Offset

Pull Diameter: 1"

Fasteners: 3/8 - 16 FPHMS with finish washers

CTC: 12"

US3

583.30

1

12

US4

561.29

US10B

583.30

US15A

583.30

US26

583.30

US26D

583.30

CTC: 16"

US3

718.20

1

12

US4

680.17

US10B

718.20

US15A

718.20

US26

718.20

US26D

718.20

CTC: 18"

US3

729.85

1

12

US4

582.09

US10B

729.85

US15A

729.85

US26

729.85

US26D

729.85

CTC: 24"

US3

758.47

1

12

US4

719.74

US10B

758.47

US15A

758.47

US26

758.47

US26D

758.47

CTC: 30"

US3

788.56

1

12

US4

753.20

US10B

788.56

US15A

788.56

US26

788.56

US26D

788.56





Description	Finish	List	Box Qty.	Case Qty.
967P	US3	1,420.08	1	12
Curved Pull	US4	1,420.08		
O/A Height: 20-1/2"	US10B	1,643.20		
Clearance: 3-9/16"	US15A	1,643.20		
Projection: 5-9/16"	US26	1,643.20		
Specify handing	US26D	1,643.20		
Fasteners: 3/8 - 16 FPHMS with finish washers				



970P				12
Push/Pull Set	US3	650.53		
Base Diameter: 1"	US4	650.53		
Pull Projection: 3"	US10	650.53		
Pull Clearance: 2"	US10B	650.53		
CTC Length: 16-3/4"	US15A	650.53		
Push clearance: 1-3/4"	US26	650.53		
Push projection: 2-3/4"	US26D	650.53		
Fasteners: Type 3 Mounting	US32D	627.81		
Handing Required				
Additional Bars by Quotation				
*Add per linear inch or fraction thereof				



Description	Finish	List	Box Qty.	Case Qty.
974P				
Door Pull				
Pull Diameter: 1" (25 mm)				
Base Diameter: 2" (51 mm)				
Projection: 2-1/2"				
Fasteners: 3/8 - 16 FPHMS with finish washers				
CTC: 12"	US3	645.86	1	12
	US4	645.86		
	US10B	645.86		
	US26	645.86		
	US26D	645.86		
	US32D	645.86		
CTC: 18"	US3	672.17	1	12
	US4	672.17		
	US10B	672.17		
	US26	672.17		
	US26D	672.17		
	US32D	672.17		
CTC: 24"	US3	702.14	1	12
	US4	702.14		
	US10B	702.14		
	US26	702.14		
	US26D	702.14		
	US32D	702.14		
CTC: 30"	US3	732.16	1	12
	US4	732.16		
	US10B	732.16		
	US26	732.16		
	US26D	732.16		
	US32D	732.16		
CTC: 36"	US3	732.16	1	12
	US4	732.16		
	US10B	732.16		
	US26	732.16		
	US26D	732.16		
	US32D	732.16		





Description	Finish	List	Box Qty.	Case Qty.
974B				
Door Pull				
BTB Mounting				
Pull Diameter: 1" (25 mm)				
Base Diameter: 2" (51 mm)				
Projection: 2-1/2"				
Fasteners: 3/8 - 16 FPHMS with finish washers				
CTC: 12"				
	US3	1,317.71	1	12
	US4	1,317.71		
	US10B	1,317.71		
	US26	1,317.71		
	US26D	1,317.71		
	US32D	1,317.71		
CTC: 18"				
	US3	1,370.34	1	12
	US4	1,370.34		
	US10B	1,370.34		
	US26	1,370.34		
	US26D	1,370.34		
	US32D	1,370.34		
CTC: 24"				
	US3	1,430.46	1	12
	US4	1,430.46		
	US10B	1,430.46		
	US26	1,430.46		
	US26D	1,430.46		
	US32D	1,430.46		
CTC: 30"				
	US3	1,490.38	1	12
	US4	1,490.38		
	US10B	1,490.38		
	US26	1,490.38		
	US26D	1,490.38		
	US32D	1,490.38		
CTC: 36"				
	US3	1,490.38	1	12
	US4	1,490.38		
	US10B	1,490.38		
	US26	1,490.38		
	US26D	1,490.38		
	US32D	1,490.38		



Description	Finish	List	Box Qty.	Case Qty.
975P				
Vertical Pull				
Pull Diameter: 1"				
Projection: 2-3/4"				
Fasteners: 3/8 - 16 FPHMS with finish washers				
Length: 36"	US3	354.23	1	12
CTC: 20"	US4	354.23		
	US10	354.23		
	US10B	354.23		
	US15A	354.23		
	US26	354.23		
	US26D	354.23		
	US32D	354.23		
Length: 72"	US3	509.30	1	12
CTC: 56"	US4	509.30		
	US10	509.30		
	US10B	509.30		
	US15A	509.30		
	US26	509.30		
	US26D	509.30		
	US32D	509.30		



975B				
Vertical Pull				
BTB Mounting				
Pull Diameter: 1"				
Projection: 2-3/4"				
Length: 36"	US3	734.59	1	12
CTC: 20"	US4	734.59		
	US10	734.59		
	US10B	734.59		
	US15A	734.59		
	US26	734.59		
	US26D	734.59		
	US32D	734.59		
Length: 72"	US3	1,044.52	1	12
CTC: 56"	US4	1,044.52		
	US10	1,044.52		
	US10B	1,044.52		
	US15A	1,044.52		
	US26	1,044.52		
	US26D	1,044.52		
	US32D	1,044.52		



976P	US32D	783.06	1	12
Door Pull Offset				
Overall: 29-1/2"; CTC: 19-13/16"				
Base Diameter: 1-1/4"				
Pull Diameter: 1-1/4"				
Projection: 5-3/8"				
Clearance: 4-1/8"				
Offset: 1-3/4"				
Fasteners: 3/8 - 16 FPHMS with finish washers				





Description	Finish	List	Box Qty.	Case Qty.
976B Door Pull Offset Overall: 29-1/2"; CTC: 19-13/16" BTB Mounting Base Diameter: 1-1/4" Pull Diameter: 1-1/4" Projection: 5-3/8" Clearance: 4-1/8" Offset: 1-3/4"	US32D	1,592.18	1	12
980P Segment Shape - Straight Fasteners: 3/8 - 16 FPHMS with finish washers Projection: 2-1/2" CTC: 9"	US3	236.63	1	12
	US4	236.63		
	US10B	236.63		
	US15A	236.63		
	US26	236.63		
	US26D	236.63		
	US32D	236.63		
CTC: 12"	US3	236.63	1	12
	US4	236.63		
	US10B	236.63		
	US15A	236.63		
	US26	236.63		
	US26D	236.63		
	US32D	236.63		
CTC: 18"	US3	262.24	1	12
	US4	262.24		
	US10B	262.24		
	US15A	262.24		
	US26	262.24		
	US26D	262.24		
	US32D	262.24		
CTC: 24"	US3	262.24	1	12
	US4	262.24		
	US10B	262.24		
	US15A	262.24		
	US26	262.24		
	US26D	262.24		
	US32D	262.24		



Description	Finish	List	Box Qty.	Case Qty.
980B				
Segment Shape - Straight				
BTB Mounting				
Projection: 2-1/2"				
CTC: 9"	US3	499.24	1	12
	US4	499.24		
	US10B	499.24		
	US15A	499.24		
	US26	499.24		
	US26D	499.24		
	US32D	499.24		
CTC: 12"	US3	499.24	1	12
	US4	499.24		
	US10B	499.24		
	US15A	499.24		
	US26	499.24		
	US26D	499.24		
	US32D	499.24		
CTC: 18"	US3	550.52	1	12
	US4	550.52		
	US10B	550.52		
	US15A	550.52		
	US26	550.52		
	US26D	550.52		
	US32D	550.52		
CTC: 24"	US3	550.52	1	12
	US4	550.52		
	US10B	550.52		
	US15A	550.52		
	US26	550.52		
	US26D	550.52		
	US32D	550.52		





Description	Finish	List	Box Qty.	Case Qty.
981P				
Segment Shape - Offset Pull				
Projection: 2-5/16"				
Fasteners: 3/8 - 16 FPHMS with finish washers				
CTC: 12"	US3	279.46	1	12
	US4	279.46		
	US10B	279.46		
	US15A	279.46		
	US26	279.46		
	US26D	279.46		
	US32D	279.46		
CTC: 18"	US3	315.00	1	12
	US4	315.00		
	US10B	315.00		
	US15A	315.00		
	US26	315.00		
	US26D	315.00		
	US32D	315.00		
CTC: 24"	US3	389.19	1	12
	US4	389.19		
	US10B	389.19		
	US15A	389.19		
	US26	389.19		
	US26D	389.19		
	US32D	389.19		
981B				
Segment Shape - Offset Pull				
BTB Mounting				
Projection: 2-5/16"				
CTC: 12"	US3	584.91	1	12
	US4	584.91		
	US10B	584.91		
	US15A	584.91		
	US26	584.91		
	US26D	584.91		
	US32D	584.91		
CTC: 18"	US3	656.17	1	12
	US4	656.17		
	US10B	656.17		
	US15A	656.17		
	US26	656.17		
	US26D	656.17		
	US32D	656.17		
CTC: 24"	US3	804.38	1	12
	US4	804.38		
	US10B	804.38		
	US15A	804.38		
	US26	804.38		
	US26D	804.38		
	US32D	804.38		





Description	Finish	List	Box Qty.	Case Qty.
983P			1	12
Curved Pull				
Base Diameter: 14-1/4"				
Projection: 3-1/8"				
Clearance: 1-7/8"				
Fasteners: 3/8 - 16 FPHMS with finish washers				
Specify handing				
Left Hand	US3	583.30		
	US4	583.30		
	US10B	627.99		
	US15A	627.99		
	US26	627.99		
	US26D	627.99		
	US32D	718.20		
Right Hand	US3	583.30		
	US4	583.30		
	US10B	627.99		
	US15A	627.99		
	US26	627.99		
	US26D	627.99		
	US32D	718.20		



983B			1	12
Curved Pull				
BTB Mounting				
Base Diameter: 14-1/4"				
Projection: 3-1/8"				
Clearance: 1-7/8"				
Specify handing				
Left Hand	US3	1,192.73		
	US4	1,192.73		
	US10B	1,282.11		
	US15A	1,282.11		
	US26	1,282.11		
	US26D	1,282.11		
	US32D	1,462.40		
Right Hand	US3	1,192.73		
	US4	1,192.73		
	US10B	1,282.11		
	US15A	1,282.11		
	US26	1,282.11		
	US26D	1,282.11		
	US32D	1,462.40		





984P

Curved Pull
Projection: 3"
Fasteners: 3/8 - 16 FPHMS with finish washers
CTC: 12"

Description	Finish	List	Box Qty.	Case Qty.
	US3	389.19	1	12
	US4	389.19		
	US10B	389.19		
	US15A	389.19		
	US26	389.19		
	US26D	389.19		
	US32D	485.36		
CTC: 20"	US3	580.87	1	12
	US4	580.87		
	US10B	580.87		
	US15A	580.87		
	US26	580.87		
	US26D	580.87		
	US32D	750.54		



984B

Curved Pull
BTB Mounting
Projection: 3"
CTC: 12"

	US3	804.38	1	12
	US4	804.38		
	US10B	804.38		
	US15A	804.38		
	US26	804.38		
	US26D	804.38		
	US32D	996.70		
CTC: 20"	US3	1,187.87	1	12
	US4	1,187.87		
	US10B	1,187.87		
	US15A	1,187.87		
	US26	1,187.87		
	US26D	1,187.87		
	US32D	1,527.25		



1442

Roller Latch with Full Lip Strike
Material: Forged brass
Latch Face: 1" x 3-3/8"
Strike: 1-11/16" x 2-1/4" x 5/32" thick
Max Roller Projection: 3/8"
Fasteners: #8 x 1" FPHWS; 8 - 32 x 3/4" FPHMS; #10 x 1-1/2" FPHWS
Non-Ferrous Version available on US3, US10B, US15, and US26D with extended lead time - 14.40 adder (NF) comp

	US3	42.64	1	12
	US4	60.25		
	US10	60.25		
	US10B	45.46		
	US15	50.58		
	US15A	81.31		
	US19	45.46		
	US26	44.75		
	US26D	36.17		



Description	Finish	List	Box Qty.	Case Qty.
1443	US3	46.80	1	12
Roller Latch w/ ASA Strike	US4	63.00		
Material: Forged brass	US10B	53.33		
Latch Face: 1" x 3-3/8"	US15	70.68		
Strike: 1-1/4" x 4-7/8" w/ 5/8" Lip	US15A	81.31		
Strike Thickness: .093"	US19	53.33		
Max Roller Projection: 3/8"	US26	60.25		
Fasteners: 12 - 24 x 1/2" FPHMS; #12 x 3/4" FPHWS; #10 x 1-1/2" FPHWS	US26D	39.82		



2610	US3		-	500
Finger Pull	US4			
Material: Brass	US5			
Overall Diameter: 31/32"	US10A	See Sliding Door Hardware Section for Pricing		
Finger Pull Diameter: 3/4"	US15			
Pull Clearance: 5/16"	US15A			
Projection: 1/32"	US26			
	US26D			



2620			-	50
Round Flush Pull				
Material: Brass				
Overall Diameter: 2-1/16"	US10A	See Sliding Door Hardware Section for Pricing		
Finger Pull Diameter: 1-11/16"	US15			
Pull Clearance: 11/32"	US26			
Projection: 5/64"				



2630	US3		-	50
Round Flush Pull	US4			
Material: Brass	US5			
Overall Diameter: 2-7/16"	US10A	See Sliding Door Hardware Section for Pricing		
Finger Pull Diameter: 2-1/16"	US15			
Pull Clearance: 11/32"	US15A			
Projection: 3/32"	US26			
	US26D			



2640	US3		-	50
Oblong Flush Pull	US4			
Material: Brass	US5			
Size: 1-5/16" x 2-3/4"	US10A	See Sliding Door Hardware Section for Pricing		
Cup Clearance: 5/16"	US15			
Fasteners: #6 x 5/8" OPHWS	US15A			
	US26			
	US26D			



9558	Wood	See Sliding Door Hardware Section for Pricing	-	100
Wood Knob				
Knob Diameter: 1-1/2"				
Base Diameter: 15/16"				
Fasteners: #8 x 1-3/4" PPHWS				





9566
 Knob
 Material: Zinc
 Knob Diameter: 1-1/4"
 Projection: 1"
 Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS

US3
 US4
 US5
 US10A
 US10B
 US15
 US15A
 US26
 US26D

See Sliding Door
 Hardware Section
 for Pricing

**Box
 Qty.**
 -
**Case
 Qty.**
 100



9567
 Rose - For use with 9566 knob
 Material: Zinc
 Base Diameter: 1-3/4"
 Projection: 15/32"
 Fasteners: #8 - 32 x 2" PPHMS; #8 - 32 x 1-3/4" PPHMS

US3
 US4
 US5
 US10A
 US10B
 US15
 US15A
 US26
 US26D

See Sliding Door
 Hardware Section
 for Pricing

- 100



9865
 Plastic Pull
 Overall Diameter: 1-31/32"
 Finger Pull Diameter: 1-19/32"
 Pull Clearance: 11/32"
 Projection: 5/64"

Plastic

1.34

- 100



9882
 Pocket Door Edge Pull
 Material: Brass
 Finger Pull Extends: 3/4"
 Faceplate: 3/4" x 3-7/8"
 Fasteners: #6 x 5/8" FPHWS
 Note: See Sliding Door section for pricing and multiplier.

US3
 US10B
 US26
 US26D

19.27
 23.31
 23.31
 23.31

- 100



9884
 Pocket Door Edge Pull
 Material: Zinc
 Finger Pull Extends: 1-1/16"
 Faceplate: 21/32" x 3-1/2"
 Fasteners: #6 x 5/8" FPHWS
 Note: See Sliding Door section for pricing and multiplier.

US3

- 20

See Sliding Door
 Hardware Section
 for Pricing



208
 Kick Down Door Holder
 Material: Aluminum alloy
 Base: 1-5/8" x 1-7/8"
 Arm: 3-7/8"
 Fasteners: #6 x 3/4" FPHWS

US26D

8.96

5 50



209
 Floor Door Stop
 Material: Zinc
 Height: 1-1/4"
 Base Diameter: 1-3/32"
 Tip Diameter: 19/32"
 Fasteners: #8 x 2" FPHWS
 U/M - 1 each

US26

1.54

5 50



210
 Door Stop - Rigid
 Material: Zinc
 Projection: 3"
 Base Diameter: 1"
 Tip Diameter: 1 1/16"
 Fasteners: #8 x 5/8" wood thread
 U/M - 1 each

US3	2.50
US4	2.17
US5/ABA	2.31
US10A	2.31
US10R	2.31
US15A/AN	2.31
US15	2.31
US19	2.13
US26	2.24
US26D	2.50

Box Qty.	5
Case Qty.	50



211
 Door Stop - Flexible
 Material: Zinc
 Projection: 3-1/8"
 Base Diameter: 1"
 Tip Diameter: 9/16"
 Fasteners: #8 x 3/4" PPHWS
 U/M - 1 each

US3	1.99
US4	1.66
US5/ABA	2.17
US10A	2.17
US10R	2.17
US15A/AN	2.17
US15	2.17
US26	1.79
US26D	1.99

Box Qty.	10
Case Qty.	100



212
 Hinge Pin Door Bumper
 Material: Zinc
 U/M - 1 each
 Adjustable from 180° to 120°
 For use with residential hinges
 Works with 1/4" hinge pins

US3	2.62
US4	2.50
US5/ABA	2.62
US10A	2.17
US10R	2.13
US15A/AN	2.62
US15	2.56
US19	2.50
US26	1.98
US26D	1.98

Box Qty.	10
Case Qty.	100



1412
 Door Guard
 Arm Length: 4"
 Material: Zinc
 Fasteners: #6 x 3/4" FPHWS
 U/M - 1 each with screws

US3	11.26
ABA	8.70
US10A	8.70
US15A/AN	8.70
US15	8.70
US26	8.70
US26D	11.26

Box Qty.	5
Case Qty.	50



1413
 Flush Bolt - Square Corners
 Material: Brass w/ steel components
 Bolt Diameter: 1/2"
 Bolt Throw: 15/16"
 Faceplate: 3/4" x 6"
 Backset: 7/16"
 Strike: 7/8" x 1-3/4"
 Fasteners: #6 x 3/4" FPHWS
 U/M - 1 each with screws

US3	11.40
US4	11.40
US5/ABA	13.96
US10A	13.96
US10R	13.96
US15A/AN	13.96
US15	11.40
US26	11.40
US26D	11.40

Box Qty.	10
Case Qty.	100



**1414**

Flush Bolt - Round Corners
 Material: Brass w/ steel components
 Bolt Diameter: 1/2"
 Bolt Throw: 15/16"
 Faceplate: 3/4" x 6"
 Backset: 7/16"
 Strike: 7/8" x 1-3/4"
 Fasteners: #6 x 3/4" FPHWS
 Strikeplate and screws
 U/M - 1 each

Finish**List****Box
Qty.****Case
Qty.**

US3 11.40
 US10R 13.96
 US15 11.40
 US26D 11.40

10 100

**1415**

Strike Plate
 Material: Brass
 Size: 7/8" x 1-3/4"
 Fasteners: #6 x 3/4" FPHWS
 U/M - 1 each with screws

US3 2.62
 US10A 2.62
 US15A/AN 2.62
 US15 2.62
 US26D 2.62

100 500

**1416**

Flush Bolt - Single Route
 Material: Brass w/ steel components
 Bolt Diameter: 5/16"
 Backset: 3/8"
 Faceplate: 3/4" x 7-1/8"
 Strike: 21/32" x 1-1/2"
 Bolt Throw: 7/8"
 Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS
 U/M - 1 each with strikeplate and screws

US3 13.51
 US4 13.51
 US5/ABA 13.51
 US10A 13.51
 US10R 13.51
 US15A/AN 13.51
 US15 13.51
 US26 13.51
 US26D 13.51

10 100

**1418**

Flush Bolt with Extension Rod
 Material: Brass w/ steel components
 Bolt Diameter: 5/16"
 Backset: 3/8"
 Faceplate: 23/32" x 7-3/8"
 Strike: 5/8" x 1-1/2"
 Bolt Throw: 3/4"
 Extended Rod Length: 16"
 Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS
 U/M - 1 each with strikeplate and screws

US3 15.88
 US5/ABA 15.88
 US10A 18.24
 US10R 17.48
 US15A/AN 18.24
 US15 15.88
 US26 15.88
 US26D 15.88

10 100

**1419**

Flip/Foot Bolt Flush Bolt
 Material: Brass with steel components
 Faceplate: 3/4" x 7-1/8"
 Strike: 5/8" x 1-1/2"
 Bolt Diameter: 5/16"
 Bolt Throw: 3/4"
 Backset: 5/16"
 Fasteners: #8 x 1-1/2" FPHWS; #6 x 3/4" FPHWS
 U/M - 1 each

US3 12.68
 US4 12.68
 US5/ABA 15.88
 US10R 15.88
 US15 12.68
 US26 12.68
 US26D 12.68

10 100





1439
Magnetic Catch
Material: Plastic
Catch: 1-1/16" x 2"
Strike: 7/8" x 1"
Fasteners: #6 x 1/2" TPHWS; #4 x 1/2" FPHWS
U/M - 1 each with screws

Description	Finish	List	Box Qty.	Case Qty.
1439	-	2.62	25	100



1446
Ball Catch
Material: Zinc
Faceplate: 1" x 2-1/4"
Strike: 1-3/8" x 2-1/4"
Fasteners: #6 FPHWS
U/M - 1 each with two strikeplates and screws

US3	5.05	10	50
US4	5.05		
US5/ABA	5.76		
US10A	5.76		
US10R	5.76		
US15A/AN	5.76		
US15	5.76		
US26	5.05		
US26D	4.66		



1447
Drive in Ball Catch
Material: Zinc
Faceplate: 1" diameter
Strike: 1-3/8" x 2-1/4"
Fasteners: #6 FPHWS
U/M - 1 each with 2 strikeplates and screws

US3	4.61	10	50
US4	5.05		
US5/ABA	5.76		
US10A	5.76		
US10R	5.76		
US15A/AN	5.76		
US15	5.76		
US26	4.61		
US26D	5.05		



1448
Strike Plate for 1446 or 1447
Size: 1-3/8" x 2-1/4"
Fasteners: #6 FPHWS
U/M - 1 each with screws

US3	2.62	100	500
US4	2.62		
US5/ABA	2.62		
US10A	2.62		
US10R	2.62		
US15A/AN	2.62		
US15	2.62		
US26	2.62		
US26D	2.62		



1449
Drive In Ball Catch for 1448
Material: Zinc
Faceplate: 1" diameter
U/M - 1 each

US4	2.31	100	300
-----	------	-----	-----



1755
115° One Way Door Viewer
UL Listed
U/M - 1 each
90 min. fire rated
Door Thickness: 1-3/8" - 2-1/8"

US3	8.07	10	100
US4	8.07		
US5/ABA	7.94		
US10A	7.94		
US10R	7.94		
US15A/AN	7.94		
US15	7.94		
US26	7.75		
US26D	7.81		





1756
 185° One Way Door Viewer
 UL Listed
 U/M - 1 each
 90 Minute Fire-Rated
 Door Thickness: 1-3/8" - 2-1/8"

US3	12.17
US4	12.17
US5/ABA	18.12
US10A	18.12
US10R	18.12
US15A/AN	18.12
US15	18.12
US26	18.12
US26D	12.62

Box Qty.	Case Qty.
-	50



1758
 115° One Way Door Viewer with Privacy Flap
 Door Thickness: 1-3/8" - 2-1/8"
 UL Listed
 U/M - 1 each
 90 Minute Fire-Rated

US3	12.80
US10A	12.48
US26	12.48
US26D	12.42

10	100
----	-----



1759
 185° One Way Door Viewer with Privacy Flap
 Door Thickness: 1-3/8" - 2-1/8"
 UL Listed
 U/M - 1 each
 90 Minute Fire-Rated

US3	16.65
US10A	23.69
US26	23.69
US26D	16.13

-	50
---	----



1765
 Privacy Flap for 115° One Way Viewer 1755

US3	6.21
US26	5.57
US26D	6.21

1	200
---	-----



1766
 Privacy Flap for 185° One Way Viewer 1756

US3	7.10
US10A	6.59
US26	6.59
US26D	6.92

1	200
---	-----



6211
 Door Stop Flexible
 Projection: 3"
 Tip Diameter: 7/16"
 Base Diameter: 3/4"
 Fastener: #8 x 11/32" thread
 U/M - 1 each

US3	1.22
US4	1.02
US5/ABA	1.15
US10A	1.15
US10R	1.15
US15	1.15
US26D	1.15

-	150
---	-----



Description	Finish	List	Box Qty.	Case Qty.
6212	US3	1.48	-	100
Hinge Pin Door Bumper	US4	1.40		
U/M - 1 each	US5/ABA	1.40		
Adjustable from 180° to 120°	US10A	1.40		
For use with residential hinges	US10R	1.40		
Works with 1/4" hinge pins	US15A/AN	1.40		
	US15	1.40		
	US26	1.48		
	US26D	1.39		



6601	US3	2.82	-	300
Handrail Bracket	US4	2.82		
Material: Cast Aluminum	US10A	3.84		
Base to Center of Rail: 2-3/4"	US10R	3.84		
Projection: 3-1/4"	US15	3.65		
Fasteners: #8 x 1-1/2" OPHWS; #8 x 3/4" OPHWS	US26	2.82		
U/M - 1 each with screws	US26D	3.65		



6610	US3	1.40	-	100
Coat & Hat Hook	US4	1.34		
Max. Projection: 2-13/16"	US10A	1.40		
Min. Projection: 1-5/16"	US15	1.40		
Fastener: #6 x 3/4" FPHWS	US26	1.40		
U/M - 1 each with screws	US26D	1.40		



BL6793	2D	1.99	-	100
Pole Sockets				
Material: Steel				
U/M - 2 each with screws				



BL6794		1.22	-	100
Pole Sockets				
Material: Plastic				
U/M - 2 each with screws				

