

**TARIFF PRICE
ADJUSTMENTS
EFFECTIVE:**

(In addition to prices herein)

USA 2025 Tariff Price
Adjustments

Canada 2025 Tariff Price
Adjustments

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

ROCKWOOD
PRICE BOOK – ARCHITECTURAL

USA & CANADA PRICES EFFECTIVE MARCH 3, 2025

Table of Contents

General Information	2-6	RightAngles (w/ or w/o GripZone)	9
Numeric Index	3	SkewTek (angled end, D-tube, & wing pulls)	46-48
Ordering Information	4-5	Strikes	77
Post Mounted Pulls/General Information	6	SoftMet (*Santoprene™ grip)	23
Architectural Pulls	7-57	SoftTek (Santoprene™ grip)	24
AccenTek™ (solid pulls with accents)	47	Traditional (decorative pulls & plates)	53
AccenTek™ (solid groove pulls)	50-51	Tubular (1 ¼" and 1 ½" diameter pulls)	8
ArborMet (wood grip pulls)	39-41	Leather Architectural Pulls	50-60
ArborTek (wood grip pulls)	42-46	English Bridle Leather (straight & offset pulls)	54-55
BandWidth (collar mount pulls)	18-20	Flush Leather Pulls	60-63
CenTrex (shaped pulls)	49	Leather Oval (ergonomic pulls)	59
Classic (finial pulls)	53	LeatherWood Pulls (straight & offset pulls)	43
Edge Pulls (for closet doors)	10	Upholstery Leather GeoMetek	64
Flush Pulls	10	Upholstery Leather (straight & offset pulls)	56-58
GeoMetek (hex, diamond & narrow profile pulls)	67-70	Small Architectural Pulls	9-61
Groove (straight & offset pulls)	25	ArborMet	15
Knurled (straight & offset pulls)	67	GripZone	14
LineaMax (grooved pulls)	31-34	Groove	14
Locking Door Pull System	71-75	Knurled	16
MariTek (tapered pulls)	53	Leather	65
MegaCurve (long curved pulls)	16	MegaTek	13
MegaTek (straight & offset pulls)	26-28	NeoMitre	15
MezzoTek (necked post pulls)	17	NoirMet	15
NeoCylinder (w/ or w/o GripZone)	66	Wire	9
NeoMax (pulls w/GripZone)	29-31	Architectural Accessories	10-11
NeoMetrix (w/GripZone)	24	Coat Hooks	11
NeoMitre (w/ or w/o GripZone)	66	Door Stops	11-12
NoirMet (black anodized grip)	35-36	Push Plates, Pull Plates and Signage	12
NoirTek (black anodized grip)	37-38	Architectural Finishes	78
OvalTek (true oval grip)	21	Mounting Types	79
OvalTek (flat oval grip)	22	Mounting Details	80-81
Panic Device	76	Fasteners - Spare Parts	82-84
PlanTek (flat front pulls)	51-52	Mounting Kits	85

*Santoprene™ is a registered trademark of the Exxon Mobil Corporation.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Numeric Index

No.	Description	Page
570	Dust Proof Strike	74
DGBKIT	Bushing Kit for Glass Doors.....	75
DP3301	MegaTek Dummy Pull (round).....	74
DP3401	NeoTek Dummy Pull.....	74
DP7901	GeoMetek Dummy Pull (square)....	74
ESK-SGL	Panic Strike Kits	77
ESK-MS-SGL	Panic Strike Kits	77
ES-310-1-3/4	Electric Strike Kits	77
ESK-1600-SGL	Panic Strike Kits	77
FL3301	Flat Latch Locking Pull	75
INSFL3301	Flat Latch Inswing Locking Pull	75
LP3301	Locking Pull PostMount	71
LP3305	Locking Pull PostMount	71
LP3401	Locking Pull NeoTek	72
LP6061	Locking Pull English Bridle 72-73 Leather Wrapped	
LP6161	Locking Pull Upholstery	73 Leather Wrapped
LP6440	Locking Pull Upholstery	74 Leather Wrapped
LP7901	Locking Pull GeoMetek.....	74
LPS01 - LPS12	Locking Pull Strikes.....	74
PDU8500 - PDU8500-6	Panic Device	76
RM201 - RM372	Tubular.....	8
RM405 - RM423	RightAngles	9
RM710 - RM735	Small Pulls (Wire).....	9
RM751 - RM760	Edge Pulls - for Closet Doors.....	10
RM780 - RM791	Flush Pulls	10
RM801 - RM843	Coat Hooks	11
RM850 - RM877	Door Stops.....	11-12
RM1010 - RM1160	Push Plates, Pull Plates, 12 and Signage	
RM1200 - RM1270	Small Pulls (MegaTek, Groove)..	13-14
RM1300 - RM1370	Small Pulls (GripZone)	14
RM1410 - RM1470	Small Pulls (NoirMet)	15
RM1510 - RM1570	Small Pulls (ArborMet)	15
RM1665 - RM1675	Small Pulls (NeoMitre)	15
RM1701 - RM1731	Small Pulls (Knurled)	16

No.	Description	Page
RM2000 - RM2034	MegaCurve.....	16
RM2110 - RM2150	MezzoTek	17
RM2200 - RM2290	BandWidth	18-20
RM2300 - RM2330	OvalTek (true oval).....	21
RM2400 - RM2420	OvalTek (flat oval).....	22
RM2510 - RM2570	SoftMet	24
RM2610 - RM2640	SoftTek	25
RM3010 - RM3060	NeoMetrix.....	24
RM3101 - RM3181	Groove	25
RM3300 - RM3342	MegaTek.....	26-28
RM3400 - RM3442	NeoMax.....	29-31
RM3512 - RM3782	LineaMax.....	31-34
RM3800 - RM3854	NoirMet.....	35-37
RM3900 - RM3954	NoirTek	37-38
RM4000 - RM4054	ArborMet	39-41
RM4100 - RM4190MP	ArborTek	42-46
RM4200 - RM4282	SkewTek	46-48
RM4400 - RM4516RH	CenTrex	49
RM4700 - RM4850	AccenTek™	50-51
RM5200 - RM5280	PlanTek.....	51-52
RM5500 - RM5598	Traditional.....	53
RM5650 - RM5670	Classic.....	53
RM5700 - RM5702	MariTek.....	53
RM6060 - RM6092	English Bridle Leather	54-55
RM6121 - RM6192	Upholstery Leather	56-58
RM6200 - RM6240	Leather Oval	59
RM6300 - RM6354	Flush Leather Pulls	60-63
RM6400 - RM6440	Upholstery Leather GeoMetek.....	64
RM6500 - RM6730	Small Pulls (Leather)	65
RM7101 - RM7240	NeoCylinder	66
RM7300 - RM7450	NeoMitre	66
RM7500 - RM7531	Knurled	67
RM7700	GeoMetek (Hexagonal)	67
RM7800 - RM7865	GeoMetek (Diamond)	68
RM7900 - RM7960	GeoMetek (Narrow Profile).....	69-70
SP1001 - SP1082	Fasteners - Spare Parts	82-84
KIT1 - KITRM380G	Mounting Kits.....	85

Ordering Information

This price list cancels and supersedes all prior listings. Surcharges may be necessary due to a change in laws, including but not limited to, tariffs, duties, and surtaxes. Any price change, if applicable, are in addition to any regularly announced price adjustments and are subject to implementation without advance notice.

Orders are accepted with the understanding that they will be billed at prices in effect at time of shipment.

Prices are subject to change without notice.

We reserve the right to decline the whole or part of orders in which the price or quantity of goods is not acceptable to us.

NOTE: If matching pulls to a previous job, please provide original PO or Order #.

Easy Order Placement

USA:

By Phone: 1-800-458-2424 Monday through Thursday 8:00 am ET to 7:30 pm ET, Friday 8:00 am ET to 5:00 pm ET

By Fax: Orders may be faxed to 1-800-922-9212

By Email: orders.rockwood@assaabloy.com

By Internet: <http://extranet.assaabloydss.com/> and select Order Entry under the Customer Service Menu

Canada:

By Phone: 1-800-461-3007 Monday through Friday 8:00 am ET to 5:00 pm ET

By Fax: Orders may be faxed to 1-800-461-8989

By Email: cavau-orders@assaabloy.com

By Internet: <http://extranet.assaabloydss.ca/> and select Order Entry under the Customer Service Menu

Terms and Conditions of Sale

Terms: 1% 15 days, net 30 days

Remit Payment To: PNC Bank/Rockwood, PO Box 644489, Pittsburgh, PA 15264-4489

For Terms & Conditions and Warranty information pertaining to product sales in Canada, please visit www.assaabloy.ca/terms

Freight Policy

Freight Terms Continental US: All orders are F.O.B. factory via the most economical routing. Purchaser assumes the risk of loss or damage in transit.

- **Standard Freight:** For NET orders of \$2,000 or more, freight will be prepaid.
- **Long Length Freight:** All shipments that exceed 96" in packaged length must be shipped LTL. A surcharge fee of \$150 will be applied to all Net orders below \$3,000. Add 4" to the length of the product for finish package length.
- **Extreme Length Freight:** All shipments between 144" – 216" in packaged length must be shipped LTL. A surcharge fee of \$400 will be applied to all orders.

Freight Terms Alaska & Hawaii: All orders are F.O.B. factory via the most economical routing. Purchaser assumes the risk of loss or damage in transit.

- **Standard Freight:** For NET orders of \$2,750 or more, freight will be prepaid.
- **Long Length Freight:** All shipments that exceed 96" in packaged length must be shipped LTL. A surcharge fee of \$250 will be applied to all Net orders below \$3,750. Add 4" to the length of the product for finish package length.
- **Extreme Length & Bulky Freight:** Actual Freight will be charged. Please contact for a freight estimate.

Special Order Material

Special items made to your specifications are not returnable. These items are not subject to cancellation without consideration of expense involved at the cancellation date.

Samples

Salable samples will be charged at regular prices.

Returned Goods

Return no merchandise without written permission from the factory. Authorization will ensure your receiving proper credit. Errors in shipping may occasionally occur. If this is the case immediately notify the factory, and we will gladly make the proper adjustments. If the error is at the customer's end, a minimum charge of 25% plus freight will be incurred for handling. Unauthorized claims for labor or charges will not be allowed. No credit will be allowed beyond six months after invoice date.

Shortages

Claims for shortages must be made within 30 days of invoice date.

Templates

Upon request we will furnish templates for any of our standard items of manufacture. Commonly used templates are available on our website at www.rockwoodmfg.com.

Product Weight Information

NOTE: Weights indicated throughout the price list are approximate for brass, bronze or stainless steel base material. Aluminum base materials weigh approximately 1/3 the listed weights.

Engraving

Engraving may be added on many pulls and plates. Call factory for pricing.

Safer2Open™ Solutions

Safer2Open™ Solutions available on select Architectural Pulls with a straight post. Configure extended posts and/or closer posts, to easily allow for your arm to be placed above, below, or through the pull, limiting touch points.

For Terms and Conditions as well as Warranty information pertaining to product sales in Canada, please visit www.assaabloy.ca/terms.

ROCKWOOD
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Export Control and Sanctions

- 1.1 The Customer represents and warrants to ASSA ABLOY Rockwood that it will always act in compliance with Economic Sanctions and Export Control Laws, and that:
 - a) neither the Customer, its affiliates, or any of their respective directors, officers, employees nor, so far as the Customer is aware, any agents or other persons acting on behalf of any of the foregoing;
 - I. is, or has been, a Listed Person;
 - II. has engaged in any business dealings or activities that would reasonably be expected to result in it becoming a Listed Person;
 - III. directly or indirectly, has conducted or is conducting any business dealings or activities with or for the benefit of, or is otherwise involved in any business with a Listed Person, or otherwise acting in violation of Economic Sanctions and Export Control Laws;
 - IV. has engaged or is engaging in any transaction that circumvents, evades or avoids, or has the purpose or effect of circumventing, evading or avoiding, or attempts to violate, any Economic Sanctions and Export Control Laws; or
 - V. is, or has been, in violation of, or subject to, any investigation or enquiry by, or on behalf of, any governmental or other regulatory body relating to Economic Sanctions and Export Control Laws.
 - b) the Customer shall act in compliance with Economic Sanctions and Export Control Laws, and shall not sell nor re-export the Product without all requisite licenses and approvals under Economic Sanctions and Export Control Laws;
 - c) the Customer shall not sell, export or re-export, the Product, directly or indirectly, to the Russian Federation or Belarus or for use in the Russian Federation or Belarus (whether or not permitted under Economic Sanctions and Export Control Laws applicable to the Customer);
 - d) the Customer shall undertake its best efforts to ensure that the purpose of this Clause is not frustrated by any third parties further down the commercial chain, including by possible resellers;
 - e) the Customer agrees to (i) cascade the contractual obligations set forth in this Section 1.1. in contracts with third parties, including possible resellers, further down the commercial chain.; and (ii) set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of this Section 1.1;
 - f) the representations and warranties set forth in this Section 1.1 above shall always remain true and correct;
 - g) the Customer will provide written notice to ASSA ABLOY Rockwood as promptly as possible and in any event within five business days, if (i) any representation or warranty should cease to be true at any time., or (ii) the Customer should encounter any problems in applying paragraphs b)- e) in this Section 1.1 above, including any relevant activities by third parties that could frustrate the purpose of said paragraphs b)- e); and
 - h) the Customer will not engage in any transaction for Military End-Use unless explicitly approved in writing by ASSA ABLOY Rockwood.
 - i) The Customer will provide all information relating to requests for Products that the Customer suspects could violate or circumvent Economic Sanctions and Export Control Laws, including requests from or on behalf of a Listed Person, and other attempts to acquire ASSA ABLOY Rockwood products in violation of Economic Sanctions and Export Control Laws. The Customer will, to the best of its abilities, cooperate with ASSA ABLOY Rockwood to facilitate compliance with Economic Sanctions and Export Control Laws and will upon ASSA ABLOY Rockwood's request provide ASSA ABLOY Rockwood with true, complete and correct copies of all documentation relating to any business dealings involving the Product, including but not limited to, end-user certifications, information concerning compliance with the obligations under above paragraphs b)- e) in this Section 1.1, and other information as may be required by ASSA ABLOY Rockwood within two weeks of the simple request of such information.
- 1.2 ASSA ABLOY Rockwood shall not be obliged to make any payment or take any other action if ASSA ABLOY Rockwood believes in good faith that such action may constitute a violation, contribute to a violation, or constitute a circumvention of any Economic Sanctions and Export Control Laws.
- 1.3 This agreement may be terminated immediately by ASSA ABLOY Rockwood by written notice to the Customer if:
 - (a) the Customer fails to provide any notice required under this Section 1.1 above, or should ASSA ABLOY Rockwood determine, in its sole discretion, that any representation or warranty set forth in Section 1.1 above has failed to be true and correct at any time;
 - (b) the Customer has misrepresented or failed to properly disclose any material fact, or to provide any documentation, certifications or information requested by Rockwood; or,
 - (c) either party's ability to fulfil an obligation under this agreement is materially affected by the imposition of restrictions in Economic Sanctions and Export Control Laws.
- 1.4 Upon any such termination, this agreement and all rights and obligations hereunder shall immediately terminate, provided that the Customer shall remain liable to ASSA ABLOY Rockwood for any breach of its obligations hereunder.
- 1.5 The Customer shall indemnify ASSA ABLOY Rockwood and its affiliates, directors, officers, employees, advisors, agents and holders of its equity interests (collectively, "Indemnitees") against, and shall hold each Indemnitee harmless from, any and all third party claims, damages and liabilities, including the reasonable fees, charges and disbursements of counsel, incurred by or asserted against any Indemnitee arising out of, in connection with, or as a result of (a) any representation or warranty set forth in Section 1.1 above not being true and correct when made, (b) any breach by the Supplier of any obligation under Section 1.1 or 1.2 above, or (c) any claim, litigation, investigation or proceeding relating to any of the foregoing, whether based on contract, tort or any other theory. This indemnity shall survive the termination of this agreement indefinitely.

For the purposes of this part of the agreement under the heading "Export Control and Sanctions",

"Economic Sanctions and Export Control Laws" means all economic sanctions and export control laws, regulations, rules or restrictive measures, including but not limited to import and export restrictions on materials, intellectual property, other intangible personal property, services, items and transactions, adopted and enforced by governmental authorities of Canada, the EU, UK, UN, USA or any other relevant governmental or regulatory authority, applicable to the ASSA ABLOY Rockwood or the Customer.

"Listed Person" means individuals and entities listed, or parties that are determined to be owned or controlled by one or more individuals or entities listed, in Economic Sanctions and Export Control Laws.

Compliance with Anti-Trust, Anti-Corruption and Data Privacy Laws


The Customer, its directors, officers, and employees shall perform their obligations under these Terms and Conditions in full compliance with the ASSA ABLOY Code of Conduct which is accessible online at: [Our Code of Conduct for business partners | ASSA ABLOY](#).

[Click this Link to Export Control and Sanctions for Canada.](#)

Post Mounted Pulls

It is our goal that you get the best possible functional and aesthetic door pull from our wide selection. On long door pulls there will naturally be a small amount of flexing between mounting points that are far apart. We offer the following guidelines to help you determine when a mid-post is required or when you should consider altering the location of the mounting posts (by moving them closer together) in order to minimize the flexing of the grip. Making the grip rigid by adding a mid-post is the ideal condition for long pulls on all doors but is particularly important on all glass doors that have an inherent flexing in the door itself. The combined flexing of the door and the pull can loosen mechanical joints and stress the fasteners.

Our recommendations for adding a mid-post to long door pulls is based on a theoretical pull load of 30 lbs. (foot pounds) maximum to open the door, which is a greater than the typical force required to open an average door. The maximum amount of deflection of the grip you will see at that force is $\frac{3}{8}$ ". The conditions on your job site can vary due to door weight, wind loading, closer settings, locked doors being aggressively pulled and other circumstances. It is our recommendation that you add a mid-post if there is any question about heavy or hard to open doors; having an extra mounting point always makes for a more stable and durable installation.



On long pulls, post can be positioned closer to each other and farther away from ends as a strategy to avoid mid-post if door condition permits.

NOTE: When ordering Post Mounted Pulls, please list both CTC and OA lengths.




NOTE: Back-to-Back pulls are entered as a set.

NOTE: When adding a mid-post additional mounting charges will apply.

ROCKWOOD

ASSA ABLOY

Experience a safer
and more open world

POST MOUNTED PULLS SHAPES AND SIZES			
SHAPE	MATERIAL	MATERIAL Size	MAXIMUM CTC
Round			
	Stainless Steel	1"	70"
		1 1/4"	90"
		1 1/2"	110"
	Brass/Bronze	1"	57"
		1 1/4"	73"
		1 1/2"	87"
	Aluminum	1"	66"*
		1 1/4"	90"*
1 1/2"		115"*	
Oval			
	Stainless Steel	1" x 1 1/2"	100"
		1" x 1 7/8"	119"
Flat Oval			
	Stainless Steel	3/4" x 1 1/2"	93"
Square			
	Stainless Steel	3/4" x 3/4"	62"
		1" x 1"	85"
Rectangular			
	Stainless Steel	1/2" x 1 1/4"	86"
		3/4" x 1 1/2"	110"
	Brass/Bronze	3/4" x 1 1/2"	89"
	Rectangular		
	Stainless Steel	1/2" x 1 1/4"	52"
		3/4" x 1 1/2"	75"
	Brass/Bronze	3/4" x 1 1/2"	60"

*The maximum length of anodized aluminum pulls is 140" due to our tank size.

*The maximum length to powder coat a pull is 118".








*Exception: RM4850/RM6317 - Maximum CTC is 60" Brass/Bronze and 84" Stainless Steel.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Tubular – 1 ¼" & 1 ½" Diameter Pulls




Straight Pulls												
Part	CTC	Dia.	28/628	313/710 315/711	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
 RM301	12"	1 ¼"	178	198	471	509	255	169	191	270	303	319
RM302	18"	1 ¼"	200	220	500	539	283	196	219	312	347	354
RM303	24"	1 ¼"	220	243	528	569	309	221	247	353	394	386
RM304	36"	1 ¼"	264	291	583	632	408	273	305	431	481	510
 RM321	12"	1 ½"	200	219	571	616	300	213	238	337	377	375
RM322	18"	1 ½"	220	243	600	648	327	238	266	378	421	409
RM323	24"	1 ½"	242	267	628	678	353	263	293	417	467	441
RM324	36"	1 ½"	284	315	685	739	452	313	350	498	558	565
90° Offset Pulls												
 RM201	12"	1 ¼"	203	233	359	378	295	208	253	314	366	369
RM202	18"	1 ¼"	221	254	400	419	321	232	279	346	398	401
RM203	24"	1 ¼"	239	273	439	459	345	253	299	387	440	431
RM204	36"	1 ¼"	280	313	528	548	420	284	334	427	481	525
RM221	12"	1 ½"	262	288	428	459	327	238	299	377	420	409
RM222	18"	1 ½"	280	301	477	500	406	270	334	427	478	508
RM223	24"	1 ½"	301	320	538	557	436	297	366	476	528	545
RM224	36"	1 ½"	342	360	635	656	476	337	404	535	595	595
Push Bars – Add \$6.80/in. per bar for extra length bars over 36".												
 RM350	Up to 36"	1 ¼"	262	293	400	428	327	238	266	378	387	409
RM370	Up to 36"	1 ½"	301	331	477	516	428	290	326	461	516	535
Straight Push Pull Sets – Specify Push Bar CTC. Add \$6.80/in. per bar for extra length bars over 36".												
 RM351	12"	1 ¼"	415	466	701	755	580	431	485	685	705	725
RM352	18"	1 ¼"	425	475	741	800	595	448	500	710	724	744
RM371	12"	1 ½"	514	564	840	908	660	508	569	806	901	825
RM372	18"	1 ½"	543	594	868	937	726	537	602	857	955	908
Offset Push Pull Sets – Specify Push Bar CTC. Add \$6.80/in. per bar for extra length bars over 36".												
 RM251	12"	1 ¼"	489	543	781	840	615	466	522	738	779	769
RM252	18"	1 ¼"	504	564	820	883	637	485	542	769	806	796
RM271	12"	1 ½"	583	633	928	1,004	734	546	612	866	967	918
RM272	18"	1 ½"	609	654	978	1,056	765	578	645	916	1,020	956
Heavy Duty 30° Offset Pulls												
Part	CTC	Dia.	28/628	313/710 315/711	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
 RM257	10"	1 ¼"	213	233	481	520	438	299	336	476	522	548
RM258	12"	1 ¼"	233	254	516	558	466	327	367	519	555	583
RM259	18"	1 ¼"	239	262	570	615	502	360	403	571	600	628

NOTE: Engraving "Push" or "Pull" add \$108.00 (½" letter height).

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

- Order form available on website under RM201 – RM224, RM257 – RM259, RM301 – RM324, RM350 and RM370.

RightAngles - with or without GripZone





Without GripZone (RM410-RM413 specify handing and height x width when ordering.)

Part	28/628	313/710 315/711	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
RM405-15	321	364	554	599	456	269	302	422	479	570
RM410 (leg up)	664	763	1,185	1,279	846	554	636	875	1,007	1,058
RM411 (leg down)	664	763	1,185	1,279	846	554	636	875	1,007	1,058
RM412 (leg up)	1,129	1,290	1,338	1,446	1,319	937	1,073	1,485	1,699	1,649
RM413 (leg down)	1,129	1,290	1,338	1,446	1,319	937	1,073	1,485	1,699	1,649

With GripZone (RM420-RM423 specify handing and height x width when ordering.)

Part	3/605	9/611	32/629	32316						
RM415-15	761	879	525	1,067						
RM420 (leg up)	1,496	1,714	1,025	2,081						
RM421 (leg down)	1,496	1,714	1,025	2,081						
RM422 (leg up)	1,934	2,223	1,307	2,700						
RM423 (leg down)	1,934	2,223	1,307	2,700						

Small Pulls - for Cabinets, Casework and Closets



Wire Pulls - without base plates


Part	CTC	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	26/625 26D/626	32D/630	32/629	OptiCoat™
RM710-4	4"	3/8"	47	51	48	47	28	31	60
RM710-5	5"	3/8"	49	52	49	49	30	32	61
RM710-6	6"	3/8"	51	57	52	52	31	36	65
RM720-4	4"	1/2"	59	64	55	59	31	36	69
RM720-5	5"	1/2"	60	65	57	60	32	38	71
RM720-6	6"	1/2"	62	66	60	62	36	40	75
RM730-5	5"	5/8"	68	72	63	68	38	41	79
RM730-6	6"	5/8"	70	74	64	70	39	43	80
RM730-7	7"	5/8"	71	78	65	71	40	44	81

Wire Pulls - with base plates


RM715-4	4"	3/8"	74	79	75	74	52	56	94
RM715-5	5"	3/8"	78	84	79	78	54	58	99
RM715-6	6"	3/8"	79	85	80	83	55	65	100
RM725-4	4"	1/2"	89	95	83	89	56	66	104
RM725-5	5"	1/2"	90	96	84	90	57	67	105
RM725-6	6"	1/2"	92	100	87	92	58	68	109
RM735-5	5"	5/8"	96	106	87	96	58	68	109
RM735-6	6"	5/8"	100	108	90	100	64	71	113
RM735-7	7"	5/8"	101	110	91	101	65	72	114

ROCKWOOD®**ASSA ABLOY**Experience a safer
and more open worldUSA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.




RM782




RM785

Flush Pulls

Flush Pulls						
Part	Size	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	26/625 26D/626	OptiCoat™
RM780	2 3/16" x 3 1/4"	50	56	56	56	70
RM782	2 1/16" x 4 3/16"	56	59	69	59	86
RM785	3 1/2" Dia.	69	61	72	72	90



RM790




RM791

Flush Cup Pull					
Part	OA	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM790	14"	209	134	150	261
	26"	246	158	177	308
	38"	267	188	211	334
RM791	8"	258	218	244	323
	12"	281	241	270	351
	24"	349	310	347	436
	36"	417	378	413	521


NOTE: If ordering pull to mate with RM790, the CTC of the pull needs to be 2" less than the overall of the flush pull.

- Order form available when ordering.

Edge Pulls - for Closet Doors



RM752



RM760


Square Edge Door							
Part	Max OA	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM751	Up to 12"	128	136	118	88	98	148
RM752	Up to 12"	131	139	122	91	101	153
Bevel Edge Door							
RM753	Up to 12"	134	145	125	93	106	156
RM754	Up to 12"	136	147	128	98	110	160
Double Edge Pull - Square Edge							
RM755	Up to 12"	250	269	214	175	197	268
Concealed Edge Pull							
Part	Size	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	26/625 26D/626	OptiCoat™	
RM760	1" x 4 1/4"	68	72	68	72	85	

- Specifying Information: 1. Select style pull number; 2. Select standard length [2", 2 1/2", 3", 4", 5", 6", 12" (max)]; 3. Specify door thickness [Example: RM752-4" 32D 1 3/4" door].


*RM760 cannot be modified.

- Order form available when ordering.


Coat Hooks




RM801




RM813



RM817




RM820



RM830




RM839




RM842

Part	Size	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	26/625 26D/626	32D/630	OptiCoat™
RM801	1 ¼" x 1 ¾"	88	94	88	92	64	110
RM802	1 ¼" x 2 ¾"	89	95	89	94	67	111
RM803	1" x 2"	88	94	88		81	110
RM804	1" x 3"	89	95	89		82	111
RM805	1" x 1 ¾"	109	119	111	119		139
RM806	1" x 3"	119	131	120	131		150
RM807	1 ¼" x 2 ¾"	134	145	134	145		168
RM808	1 ¼" x 3 ½"	145	155	145	153		181
RM811	¾" x 1 ½"	60	64	59	60		74
RM812	1 ¼" x 2 ¼"	62	68	63	62		79
RM813 (w/bumper)	¾" x 3"	101	109	104		82	130
Part	Size			Stock PC/10BE/BSP		15/619	OptiCoat™
RM817	Square 1 ¾", 2 ⅞" Projection			66		66	83
Part	Size	3/605 4/606 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™	
RM820	½" x 1 ⅝"		66	48		83	
RM821	⅝" x 2 ⅛"		68	49		85	
RM822	½" x 1 ½"		48	34		60	
RM823	⅝" x 2"		51	35		64	
RM828	¾"W x 2 ⅞"	104	80	64	86	100	
RM829	¾"W x 1 ⅞"	94	78	80	82	98	
LineaMet Coat Hooks							
RM830 (w/base plate)	1 ¼" x 2 ¼"		102	74	80	128	
RM831	⅝" x 2 ⅛"		102	74	80	128	
ArborMet Coat Hooks							
RM835 (w/base plate)	1 ¼" x 2 ¼"		102	74	80	128	
RM836	⅝" x 2 ⅛"		102	74	80	128	
SoftMet Coat Hooks							
RM838 (w/base plate)	1 ¼" x 2 ¼"		102	74	80	128	
RM839	⅝" x 2 ⅛"		102	74	80	128	
Groove Coat Hooks							
RM840 (w/base plate)	½" x 1 ⅝"		84	57		105	
RM841 (w/base plate)	⅝" x 2 ⅛"		89	63		111	
RM842	½" x 1 ½"		73	48		91	
RM843	⅝" x 2"		78	50		98	

Door Stops



RM850



RM857

Floor Mounted									
Part	Height	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	15/619	26/625 26D/626	32D/630	Translucent PC/ 4E	OptiCoat™
RM850	1 1/2"	34	36	51	38	34	40	56	64
RM851	2 1/2"	74	81	75	85	74	61	82	94
RM855	1 3/4"	65	70	64	74	60	53	70	80
RM856	2 3/4"	79	85	80	92	79	65	88	100
Part	Size	Stock PC/ 10BE/BSP		15/619	OptiCoat™				
RM857	Square 1" Base, 2 3/4" Projection	82		82	103				

Black bumpers available. Suffix BB after part number. (ex: RM850BB.32D) Add-on charge will apply.

ROCKWOOD®

ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Door Stops (con't)



RM867

Wall Mounted							
Part	Projection	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	26/625 26D/626	32D/630	OptiCoat™
RM860	1 3/32"	38	40	38	37	28	48
RM861	1 3/32"	38	40	38	37	28	48
Part	Size				Stock PC/ 10BE/BSP	15/619	OptiCoat™
RM867	Square 1 3/4" Base, 3/4" Projection				65	65	81
Base Board Mounted							
Part	Projection	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	26/625 26D/626	32D/630	OptiCoat™
RM870	1 1/2"	51	57	52	47	32	65
RM871	3 1/4"	51	57	52	47	32	65
RM872	3 3/4"	51	57	52	47	32	65
RM875	1 1/2"	72	78	71	72	49	89
RM876	3 1/4"	72	78	71	72	49	89
RM877	3 3/4"	72	78	71	72	49	89



RM876

Push Plates, Pull Plates and Signage



RM1010

Square Corner - Adhesive Mount							
Part	Size	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM1010	4" x 22"	137	149	106	72	78	133
RM1010H	4" x 22"	185	198	148	106	119	185
RM1010L	4" x 22"	185	198	148	106	119	185
Square Corner - Screw Mount							
RM1020	4" x 22"	116	128	86	50	57	108
RM1020H	4" x 22"	164	177	128	88	99	160
RM1020L	4" x 22"	164	177	128	88	99	160
Radius End Corner - Adhesive Mount							
RM1030	4" x 22"	103	104	107	88	99	134
RM1030H	4" x 22"	145	145	149	124	138	186
RM1030L	4" x 22"	145	145	149	124	138	186
Radius End Corner - Screw Mount							
RM1040	4" x 22"	142	154	107	72	78	134
RM1040H	4" x 22"	186	203	146	106	119	183
RM1040L	4" x 22"	186	203	146	106	119	183
Leather Push Plates							
Leather Inlay - Square Corner - Screw Mount							
RM1060	4" x 22"	346	373	277	247	262	346
Full Wrapped Leather							
RM1065	4" x 22"	282					
Indicator Plates - Adhesive Mount							
Part	Size	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM1110H	1" Dia.	96	109	103	74	83	129
RM1110L	1" Dia.	96	109	103	74	83	129
RM1120H	2½" Dia.	96	109	103	74	83	129
RM1120L	2½" Dia.	96	109	103	74	83	129
RM1150M	2" x 4"	104	119	110	83	93	138
RM1150W	2" x 5 ¾"	107	123	113	86	95	141
Indicator Plates - Screw Mount							
RM1160M	2" x 4"	104	119	110	83	93	138
RM1160W	2" x 5 ¾"	107	123	113	86	95	141



RM1030



RM1060



RM1065



RM1120H




RM1120L


• Order form available on website under RM1060 and RM1065.

MegaTek - Small Pulls for Cabinets, Casework & Closet Doors

Straight - Flat Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM1200-4	5 7/8"	1/2"	78	84	63	38	51	79
RM1200-5	6 7/8"	1/2"	79	88	64	39	52	80
RM1200-6	7 7/8"	1/2"	81	89	80	45	53	100
RM1200-8	9 7/8"	1/2"	85	92	84	52	56	105
RM1200-10	11 7/8"	1/2"	90	96	90	55	61	113
RM1200-12	13 7/8"	1/2"	101	111	93	58	68	116
RM1200-18	19 7/8"	1/2"	136	147	99	65	73	124
RM1200-24	25 7/8"	1/2"	155	169	114	77	88	143
RM1200-30	31 7/8"	1/2"	185	197	127	91	100	159
RM1210-5	6 7/8"	5/8"	104	110	79	44	50	99
RM1210-6	7 7/8"	5/8"	106	111	83	49	55	104
RM1210-7	8 7/8"	5/8"	106	113	91	56	65	114
RM1210-8	9 7/8"	5/8"	108	115	93	58	68	116
RM1210-10	11 7/8"	5/8"	122	134	96	61	71	120
RM1210-12	13 7/8"	5/8"	131	139	99	65	73	124
RM1210-18	19 7/8"	5/8"	179	193	118	84	94	148
RM1210-24	25 7/8"	5/8"	205	222	132	95	109	165
RM1210-30	31 7/8"	5/8"	245	266	143	105	116	179
Offset - Flat Ends								
RM1230-5	6 7/8"	5/8"			131	94	106	164
RM1230-6	7 7/8"	5/8"			132	95	107	165
RM1230-7	8 7/8"	5/8"			136	99	110	170
RM1230-8	9 7/8"	5/8"			141	103	116	176
RM1230-10	11 7/8"	5/8"			143	105	118	179
RM1230-12	13 7/8"	5/8"			145	107	120	181
RM1230-18	19 7/8"	5/8"			174	121	134	218
RM1230-24	25 7/8"	5/8"			193	136	153	241
RM1230-30	31 7/8"	5/8"			198	142	160	248



RM1210




RM1230

ROCKWOOD®**ASSA ABLOY**Experience a safer
and more open worldUSA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

MegaTek - Small Pulls for Cabinets, Casework & Closet Doors (con't)

Straight - Round Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM1240-4	5 7/8"	1/2"	92	100	88	54	61	110
RM1240-5	6 7/8"	1/2"	94	101	90	55	64	113
RM1240-6	7 7/8"	1/2"	95	104	91	56	65	114
RM1240-8	9 7/8"	1/2"	99	108	96	61	68	120
RM1240-10	11 7/8"	1/2"	101	111	101	67	75	126
RM1240-12	13 7/8"	1/2"	110	116	108	73	81	135
RM1240-18	19 7/8"	1/2"	142	155	128	77	86	160
RM1240-24	25 7/8"	1/2"	168	179	137	86	96	171
RM1240-30	31 7/8"	1/2"	187	204	152	100	112	190
RM1250-5	6 7/8"	5/8"	110	116	101	67	75	126
RM1250-6	7 7/8"	5/8"	113	122	102	68	76	128
RM1250-7	8 7/8"	5/8"	115	128	105	71	77	131
RM1250-8	9 7/8"	5/8"	119	130	107	72	80	134
RM1250-10	11 7/8"	5/8"	134	142	109	74	82	136
RM1250-12	13 7/8"	5/8"	138	152	112	76	85	140
RM1250-18	19 7/8"	5/8"	185	202	127	91	102	159
RM1250-24	25 7/8"	5/8"	213	228	143	105	119	179
RM1250-30	31 7/8"	5/8"	250	267	149	112	123	186
Offset - Round Ends								
RM1270-5	6 7/8"	5/8"			145	109	120	181
RM1270-6	7 7/8"	5/8"			146	109	121	183
RM1270-7	8 7/8"	5/8"			147	110	122	184
RM1270-8	9 7/8"	5/8"			151	113	124	189
RM1270-10	11 7/8"	5/8"			152	115	127	190
RM1270-12	13 7/8"	5/8"			155	118	130	194
RM1270-18	19 7/8"	5/8"			174	133	151	218
RM1270-24	25 7/8"	5/8"			187	148	162	234
RM1270-30	31 7/8"	5/8"			193	152	168	241




RM1250



RM1270


Groove - Small Pulls



Straight - Flat Ends

Part	Max OA	Dia.	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM1211-5	6 7/8"	5/8"	114	123	101	67	75	126
RM1211-6	7 7/8"	5/8"	115	124	102	68	76	128
RM1211-7	8 7/8"	5/8"	116	128	105	71	77	131
RM1211-8	9 7/8"	5/8"	119	130	107	72	80	134
RM1211-10	11 7/8"	5/8"	131	139	108	73	81	135
RM1211-12	13 7/8"	5/8"	137	150	112	76	85	140

GripZone - Small Pulls for Cabinets, Casework & Closet Doors



Straight - Flat Ends


Part	Max OA	Dia.	32/629
RM1300-4	5 7/8"	1/2"	77
RM1300-5	6 7/8"	1/2"	80
RM1300-6	7 7/8"	1/2"	81
RM1300-8	9 7/8"	1/2"	82
RM1300-10	11 7/8"	1/2"	85
RM1300-12	13 7/8"	1/2"	92
RM1300-18	19 7/8"	1/2"	96
RM1300-24	25 7/8"	1/2"	112
RM1300-30	31 7/8"	1/2"	122

Straight - Flat Ends

RM1310-5	6 7/8"	5/8"	88
RM1310-6	7 7/8"	5/8"	90
RM1310-7	8 7/8"	5/8"	91
RM1310-8	9 7/8"	5/8"	92
RM1310-10	11 7/8"	5/8"	94
RM1310-12	13 7/8"	5/8"	96
RM1310-18	19 7/8"	5/8"	118
RM1310-24	25 7/8"	5/8"	129
RM1310-30	31 7/8"	5/8"	147

Offset - Flat Ends

RM1330-5	6 7/8"	5/8"	129
RM1330-6	7 7/8"	5/8"	130
RM1330-7	8 7/8"	5/8"	131
RM1330-8	9 7/8"	5/8"	136
RM1330-10	11 7/8"	5/8"	138
RM1330-12	13 7/8"	5/8"	147
RM1330-18	19 7/8"	5/8"	160
RM1330-24	25 7/8"	5/8"	175
RM1330-30	31 7/8"	5/8"	186



Straight - Round Ends



Part	Max OA	Dia.	32/629
RM1340-4	5 7/8"	1/2"	90
RM1340-5	6 7/8"	1/2"	91
RM1340-6	7 7/8"	1/2"	92
RM1340-8	9 7/8"	1/2"	94
RM1340-10	11 7/8"	1/2"	96
RM1340-12	13 7/8"	1/2"	107
RM1340-18	19 7/8"	1/2"	115
RM1340-24	25 7/8"	1/2"	122
RM1340-30	31 7/8"	1/2"	136

Straight - Round Ends

RM1350-5	6 7/8"	5/8"	103
RM1350-6	7 7/8"	5/8"	105
RM1350-7	8 7/8"	5/8"	106
RM1350-8	9 7/8"	5/8"	107
RM1350-10	11 7/8"	5/8"	112
RM1350-12	13 7/8"	5/8"	115
RM1350-18	19 7/8"	5/8"	129
RM1350-24	25 7/8"	5/8"	147
RM1350-30	31 7/8"	5/8"	156

Offset - Round Ends

RM1370-5	6 7/8"	5/8"	147
RM1370-6	7 7/8"	5/8"	148
RM1370-7	8 7/8"	5/8"	149
RM1370-8	9 7/8"	5/8"	151
RM1370-10	11 7/8"	5/8"	153
RM1370-12	13 7/8"	5/8"	156
RM1370-18	19 7/8"	5/8"	175
RM1370-24	25 7/8"	5/8"	186
RM1370-30	31 7/8"	5/8"	202




ROCKWOOD®
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.




NoirMet - Small Pulls

Straight - Flat Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM1410-5	6 7/8"	5/8"	179	195	195	127	91	100	159
RM1410-6	7 7/8"	5/8"	185	202	202	129	93	105	161
Offset - Flat Ends									
RM1430-5	6 7/8"	5/8"				182	142	161	228
RM1430-6	7 7/8"	5/8"				187	148	163	234
Straight - Round Ends									
RM1450-5	6 7/8"	5/8"	214	231	231	151	113	124	189
RM1450-6	7 7/8"	5/8"	218	233	233	155	118	129	194
Offset - Round Ends									
RM1470-5	6 7/8"	5/8"				210	166	186	263
RM1470-6	7 7/8"	5/8"				216	171	195	270



ArborMet - Small Pulls


Straight - Flat Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM1510-5	6 7/8"	5/8"	189	205	205	132	95	110	165
RM1510-6	7 7/8"	5/8"	193	209	209	137	100	115	171
Offset - Flat Ends									
RM1530-5	6 7/8"	5/8"				193	152	170	241
RM1530-6	7 7/8"	5/8"				197	156	178	246
Straight - Round Ends									
RM1550-5	6 7/8"	5/8"	223	242	242	161	122	137	201
RM1550-6	7 7/8"	5/8"	228	245	245	166	125	147	208
Offset - Round Ends									
RM1570-5	6 7/8"	5/8"				218	176	200	273
RM1570-6	7 7/8"	5/8"				223	178	207	279




NeoMitre - Small Pulls - for Cabinets, Casework and Closets

Straight Pulls						
Part	CTC	Dia.	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM1665	6"	1/2"	129	94	116	161
	8"	1/2"	132	96	119	165
	10"	1/2"	134	99	122	168
	12"	1/2"	137	101	125	171
	18"	1/2"	145	108	132	181
	24"	1/2"	152	116	142	190
	30"	1/2"	160	123	150	200
RM1675	6"	3/4"	142	108	120	178
	8"	3/4"	145	110	123	181
	10"	3/4"	147	113	126	184
	12"	3/4"	150	115	129	188
	18"	3/4"	158	122	136	198
	24"	3/4"	166	130	147	208
	30"	3/4"	174	137	155	218

- Order form available on website under RM1665 and RM1675.



RM1701



RM1731

Knurled - Small Pulls - for Cabinets, Casework and Closets

Straight Pulls - Flat Ends						
Part	Max OA	Dia.	4/606	Stock PC/10BE/BSP	32D/630	OptiCoat™
RM1701	9 7/8"	5/8"	231	179	143	224
Offset Pulls- Flat Ends						
RM1711	9 7/8"	5/8"	291	234	198	293
Straight Pulls - Round Ends						
RM1721	9 7/8"	5/8"	266	203	165	254
Offset Pulls- Round Ends						
RM1731	9 7/8"	5/8"	311	262	222	328

- Order form available on website under RM1701, RM1711, RM1721, RM1731.

MegaCurve - Long Curved Pulls

Mid Bow									
Part	Max OA	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
RM2000	72"	2,514	2,718	1,742	1,447	1,622	2,294	2,558	2,178
	84"	2,600	2,808	1,816	1,518	1,699	2,406	2,684	2,270
	96"	2,682	2,897	1,892	1,588	1,781	2,518	2,809	2,365
RM2004	72"	2,673	2,886	1,869	1,568	1,756	2,485	2,772	2,336
	84"	2,756	2,976	1,946	1,638	1,834	2,596	2,895	2,433
	96"	2,838	3,067	2,021	1,707	1,915	2,708	3,020	2,526
Long Bow Pulls									
RM2010	72"	3,297	3,559	2,388	2,048	2,240	3,166	3,533	2,985
	84"	3,379	3,649	2,464	2,069	2,318	3,277	3,657	3,080
	96"	3,461	3,738	2,540	2,139	2,395	3,391	3,781	3,175
RM2014	72"	3,455	3,733	2,518	2,169	2,429	3,436	3,833	3,148
	84"	3,541	3,823	2,595	2,241	2,508	3,549	3,959	3,244
	96"	3,622	3,912	2,670	2,310	2,586	3,661	4,082	3,338
45° Pulls									
RM2020	72"	2,673	2,886	1,869	1,568	1,756	2,485	2,772	2,336
	84"	2,756	2,976	1,946	1,638	1,834	2,596	2,895	2,433
	96"	2,838	3,067	2,021	1,707	1,915	2,708	3,020	2,526
RM2024	72"	2,830	3,057	1,999	1,687	1,889	2,674	2,981	2,499
	84"	2,913	3,146	2,076	1,758	1,970	2,786	3,108	2,595
	96"	2,996	3,236	2,152	1,828	2,047	2,898	3,232	2,690
Triangle Pulls									
RM2030	72"	2,673	2,886	1,869	1,568	1,756	2,485	2,772	2,336
	84"	2,756	2,976	1,946	1,638	1,834	2,596	2,895	2,433
	96"	2,838	3,067	2,021	1,707	1,915	2,708	3,020	2,526
RM2034	72"	2,830	3,057	1,999	1,687	1,889	2,674	2,981	2,499
	84"	2,913	3,146	2,076	1,758	1,970	2,786	3,108	2,595
	96"	2,996	3,236	2,152	1,828	2,047	2,898	3,232	2,690

- Add \$6.80/in. over 96".

- Order form available on website under RM2000, RM2004, RM2010, RM2014, RM2020, RM2024, RM2030, RM2034.

ROCKWOOD®

ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.


MezzoTek - Necked Post Pulls




RM2110




RM2112



RM2130



RM2132



RM2150

Straight Pulls without GripZone

Part	Max OA	Dia.	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
RM2110	12"	1 1/4"	723	783	407	270	302	427	478	509
	24"	1 1/4"	783	844	479	337	376	535	596	599
	36"	1 1/4"	841	908	550	404	452	641	716	688
	48"	1 1/4"	899	971	623	471	528	748	835	779
	60"	1 1/4"	937	1,011	672	515	578	820	911	840
	72"	1 1/4"	976	1,054	746	560	628	889	990	933
	84"	1 1/4"	1,015	1,095	795	603	678	962	1,069	994
RM2120	96"	1 1/4"	1,053	1,136	844	649	728	1,031	1,150	1,055
	12"	1 1/2"	786	848	421	284	318	451	502	526
	24"	1 1/2"	844	912	495	352	394	558	623	619
	36"	1 1/2"	902	976	567	418	469	664	742	709
	48"	1 1/2"	962	1,038	639	486	544	769	860	799
	60"	1 1/2"	1,000	1,079	686	529	593	840	938	858
	72"	1 1/2"	1,038	1,123	763	574	641	910	1,016	954
	84"	1 1/2"	1,077	1,164	810	619	692	982	1,093	1,013
	96"	1 1/2"	1,116	1,205	858	662	743	1,053	1,171	1,073

Push Bars without GripZone

RM2112	Up to 36" CTC	1 1/4"	841	908	550	404	452	641	716	688
RM2122	Up to 36" CTC	1 1/2"	902	976	567	418	469	664	742	709

Straight Pulls with GripZone

Part	Max OA	Dia.	3/605	9/611	32/629	32316				
RM2130	12"	1 1/4"	878	991	437	703				
	24"	1 1/4"	936	1,056	512	822				
	36"	1 1/4"	993	1,124	589	942				
	48"	1 1/4"	1,053	1,189	662	1,057				
	60"	1 1/4"	1,092	1,233	713	1,131				
	72"	1 1/4"	1,128	1,277	761	1,211				
	84"	1 1/4"	1,167	1,320	812	1,286				
RM2140	96"	1 1/4"	1,206	1,363	862	1,366				
	12"	1 1/2"	940	1,062	452	772				
	24"	1 1/2"	999	1,128	528	906				
	36"	1 1/2"	1,056	1,193	602	1,039				
	48"	1 1/2"	1,116	1,260	679	1,171				
	60"	1 1/2"	1,152	1,304	728	1,260				
	72"	1 1/2"	1,191	1,347	777	1,349				
	84"	1 1/2"	1,231	1,388	827	1,435				
	96"	1 1/2"	1,269	1,434	878	1,526				

Push Bars with GripZone

RM2132	Up to 36" CTC	1 1/4"	993	1,124	589	942				
RM2142	Up to 36" CTC	1 1/2"	1,056	1,193	602	1,039				

Double Stepped Post Pulls

Part	Max OA	Dia.	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
RM2150	12"	1"	559	606	435	294	332	469	524	544
	24"	1"	649	703	507	364	407	577	643	634
	36"	1"	739	799	580	430	482	683	764	725
	48"	1"	828	894	653	499	559	790	882	816
	60"	1"	916	990	731	542	608	862	962	914
	72"	1"	1,006	1,086	777	589	657	931	1,039	971
	84"	1"	1,095	1,184	826	632	709	1,005	1,119	1,033
	96"	1"	1,185	1,279	874	677	757	1,076	1,197	1,093

- Add \$6.80/in. over 36" for push bars.
- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See pg. 6 for guidelines.)
- Pulls with GripZone offer an additional aesthetic look, not a tactile feel. The grip zones are satin, the post and end sections are polished. US10B finish is not available on GripZone pulls.
- Order form available on website under RM2110 - RM2120, RM2130 - RM2140, RM2150.

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

BandWidth - Collar Mount Pulls

Straight Pulls - Flat Ends


Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM2200	12"	1"	732	792	627	446	498	784
	24"	1"	850	917	684	496	557	855
	36"	1"	972	1,049	771	545	612	964
	48"	1"	1,092	1,179	828	596	665	1,035
	60"	1"	1,210	1,306	866	628	704	1,083
	72"	1"	1,329	1,436	904	662	741	1,130
	84"	1"	1,449	1,564	941	696	778	1,176
	96"	1"	1,570	1,693	979	728	816	1,224
RM2210	12"	1 ¼"	784	846	645	459	515	806
	24"	1 ¼"	900	972	701	509	571	876
	36"	1 ¼"	1,016	1,097	787	561	627	984
	48"	1 ¼"	1,130	1,222	844	609	683	1,055
	60"	1 ¼"	1,245	1,347	882	643	718	1,103
	72"	1 ¼"	1,363	1,470	918	677	755	1,148
	84"	1 ¼"	1,478	1,596	956	710	794	1,195
	96"	1 ¼"	1,594	1,723	993	741	831	1,241

Offset Pulls - Flat Ends


RM2230	12"	1"	799	862	678	490	547	848
	24"	1"	916	991	765	541	605	956
	36"	1"	1,037	1,120	824	592	662	1,030
	48"	1"	1,159	1,250	881	641	717	1,101
	60"	1"	1,274	1,378	917	676	754	1,146
	72"	1"	1,397	1,508	955	708	793	1,194
	84"	1"	1,514	1,635	992	740	830	1,240
	96"	1"	1,634	1,766	1,032	773	867	1,290
RM2240	12"	1 ¼"	849	916	693	505	567	866
	24"	1 ¼"	965	1,040	782	557	621	978
	36"	1 ¼"	1,081	1,169	839	605	679	1,049
	48"	1 ¼"	1,194	1,291	894	653	733	1,118
	60"	1 ¼"	1,312	1,418	933	687	768	1,166
	72"	1 ¼"	1,426	1,542	972	720	806	1,215
	84"	1 ¼"	1,543	1,666	1,007	753	842	1,259
	96"	1 ¼"	1,660	1,790	1,045	788	881	1,306

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See pg. 6 for guidelines.)
- Specify finish of grip and collar.
- Order form available on website under RM2200 - RM2210, RM2230 - RM2240.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.



RM2210



RM2240

ROCKWOOD
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

BandWidth - Collar Mount Pulls (con't)


Straight Pulls - Round Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM2204	12"	1"	870	941	687	498	559	859
	24"	1"	991	1,072	774	547	615	968
	36"	1"	1,112	1,200	830	598	672	1,038
	48"	1"	1,231	1,329	889	649	726	1,111
	60"	1"	1,348	1,458	927	683	764	1,159
	72"	1"	1,469	1,588	963	715	802	1,204
	84"	1"	1,590	1,714	1,002	749	838	1,253
	96"	1"	1,708	1,845	1,038	781	874	1,298
RM2214	12"	1 ¼"	925	998	704	512	574	880
	24"	1 ¼"	1,038	1,123	791	564	631	989
	36"	1 ¼"	1,153	1,245	848	614	687	1,060
	48"	1 ¼"	1,271	1,373	904	662	741	1,130
	60"	1 ¼"	1,386	1,497	941	696	778	1,176
	72"	1 ¼"	1,502	1,622	979	728	816	1,224
	84"	1 ¼"	1,619	1,747	1,016	762	853	1,270
	96"	1 ¼"	1,733	1,872	1,055	796	889	1,319
Offset Pulls - Round Ends								
RM2234	12"	1"	937	1,013	767	543	608	959
	24"	1"	1,056	1,142	826	594	664	1,033
	36"	1"	1,175	1,271	883	644	720	1,104
	48"	1"	1,297	1,400	939	695	776	1,174
	60"	1"	1,416	1,528	978	726	815	1,223
	72"	1"	1,534	1,656	1,015	761	852	1,269
	84"	1"	1,654	1,787	1,054	794	888	1,318
	96"	1"	1,776	1,916	1,090	827	925	1,363
RM2244	12"	1 ¼"	989	1,070	785	559	625	981
	24"	1 ¼"	1,104	1,192	842	608	681	1,053
	36"	1 ¼"	1,222	1,319	899	657	738	1,124
	48"	1 ¼"	1,336	1,443	955	708	793	1,194
	60"	1 ¼"	1,451	1,570	992	740	830	1,240
	72"	1 ¼"	1,567	1,692	1,032	773	867	1,290
	84"	1 ¼"	1,685	1,818	1,067	806	905	1,334
	96"	1 ¼"	1,799	1,943	1,105	839	941	1,381

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify finish of grip and collar. Two-tone finish options available.
- Order form available on website under RM2234 - RM2244, RM2260 - RM2290.
- Finish listed above is for grip section.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.




RM2214




RM2244

BandWidth - Collar Mount Pulls (con't)



RM2260



RM2290



RM2212



RM2216

Straight Pull - Rectangular Posts

Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM2260	12"	1 ¼"	522	568	327	228	261	409
	24"	1 ¼"	571	616	373	275	308	466
	36"	1 ¼"	619	665	419	322	355	524
	48"	1 ¼"	668	713	465	368	402	581
	60"	1 ¼"	716	762	511	415	449	639
	72"	1 ¼"	765	810	557	462	496	696
	84"	1 ¼"	813	859	603	509	542	754
	96"	1 ¼"	862	907	649	556	589	811

Offset Pull - Rectangular Posts

RM2290	12"	1 ¼"	586	637	376	271	312	470
	24"	1 ¼"	634	686	422	317	359	528
	36"	1 ¼"	683	734	468	364	406	585
	48"	1 ¼"	731	783	514	411	453	643
	60"	1 ¼"	780	831	560	458	500	700
	72"	1 ¼"	828	880	606	505	546	758
	84"	1 ¼"	877	928	652	551	593	815
	96"	1 ¼"	925	977	698	598	640	873

Push Bars - Flat Ends

RM2202	Up to 36" CTC	1"	972	1,049	771	545	612	964
RM2212	Up to 36" CTC	1 ¼"	1,016	1,097	787	561	627	984

Push Bars - Round Ends

RM2206	Up to 36" CTC	1"	1,112	1,200	830	598	672	1,038
RM2216	Up to 36" CTC	1 ¼"	1,153	1,245	848	614	687	1,060

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify finish of grip and collar. Two-tone finish options available.
- Order form available on website under RM2234 - RM2244, RM2260 - RM2290.
- Finish listed above is for grip section.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

ROCKWOOD®
ASSA ABLOY



Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

OvalTek - True Oval Grip



Straight Pulls

Part	Max OA	Size	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM2300	12"	1" x 1 ½"	594	441	495	743
	24"	1" x 1 ½"	670	512	573	838
	36"	1" x 1 ½"	776	583	653	970
	48"	1" x 1 ½"	852	653	732	1,065
	60"	1" x 1 ½"	928	723	809	1,160
	72"	1" x 1 ½"	1,005	795	889	1,256
	84"	1" x 1 ½"	1,081	865	969	1,351
	96"	1" x 1 ½"	1,155	935	1,047	1,444

Offset Pulls

RM2320	12"	1" x 1 ½"	647	489	547	809
	24"	1" x 1 ½"	753	560	628	941
	36"	1" x 1 ½"	828	631	706	1,035
	48"	1" x 1 ½"	906	701	787	1,133
	60"	1" x 1 ½"	980	772	865	1,225
	72"	1" x 1 ½"	1,058	844	942	1,323
	84"	1" x 1 ½"	1,132	913	1,024	1,415
	96"	1" x 1 ½"	1,208	984	1,101	1,510

Straight Pulls

RM2310	12"	1 ⅝" x 1 ⅞"	617	462	516	771
	24"	1 ⅝" x 1 ⅞"	703	541	607	879
	36"	1 ⅝" x 1 ⅞"	819	622	696	1,024
	48"	1 ⅝" x 1 ⅞"	907	703	788	1,134
	60"	1 ⅝" x 1 ⅞"	992	782	878	1,240
	72"	1 ⅝" x 1 ⅞"	1,078	863	968	1,348
	84"	1 ⅝" x 1 ⅞"	1,167	944	1,057	1,459
	96"	1 ⅝" x 1 ⅞"	1,252	1,025	1,149	1,565

Offset Pulls

RM2330	12"	1 ⅝" x 1 ⅞"	668	510	572	835
	24"	1 ⅝" x 1 ⅞"	785	591	660	981
	36"	1 ⅝" x 1 ⅞"	873	670	752	1,091
	48"	1 ⅝" x 1 ⅞"	957	752	842	1,196
	60"	1 ⅝" x 1 ⅞"	1,044	832	931	1,305
	72"	1 ⅝" x 1 ⅞"	1,131	912	1,023	1,414
	84"	1 ⅝" x 1 ⅞"	1,218	994	1,113	1,523
	96"	1 ⅝" x 1 ⅞"	1,304	1,072	1,201	1,630


Push Bars

RM2302	Up to 36" CTC	1" x 1 ½"	776	583	653	970
RM2312	Up to 36" CTC	1 ⅝" x 1 ⅞"	819	622	696	1,024

- RM2310 pulls add \$8.00/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM2300, RM2310, RM2320, RM2330.

NOTE: Post location on push bars can be located ⅝" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.


OvalTek - Flat Oval Grip



Straight Pulls - Small Round Posts


Part	Max OA	Size	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM2400	12"	3/4" x 1 1/2"	657	500	560	821
	24"	3/4" x 1 1/2"	791	596	667	989
	36"	3/4" x 1 1/2"	893	692	775	1,116
	48"	3/4" x 1 1/2"	997	788	882	1,246
	60"	3/4" x 1 1/2"	1,100	882	989	1,375
	72"	3/4" x 1 1/2"	1,203	978	1,096	1,504
	84"	3/4" x 1 1/2"	1,305	1,073	1,203	1,631
	96"	3/4" x 1 1/2"	1,439	1,169	1,311	1,799

Straight Pulls - Large Round Posts



RM2410	12"	3/4" x 1 1/2"	711	547	616	889
	24"	3/4" x 1 1/2"	844	645	722	1,055
	36"	3/4" x 1 1/2"	947	741	829	1,184
	48"	3/4" x 1 1/2"	1,049	836	935	1,311
	60"	3/4" x 1 1/2"	1,152	931	1,043	1,440
	72"	3/4" x 1 1/2"	1,254	1,029	1,152	1,568
	84"	3/4" x 1 1/2"	1,388	1,123	1,257	1,735
	96"	3/4" x 1 1/2"	1,492	1,219	1,364	1,865

Straight Pulls - Oblong Posts



RM2420	12"	3/4" x 1 1/2"	890	687	770	1,113
	24"	3/4" x 1 1/2"	992	782	878	1,240
	36"	3/4" x 1 1/2"	1,095	879	984	1,369
	48"	3/4" x 1 1/2"	1,199	975	1,092	1,499
	60"	3/4" x 1 1/2"	1,302	1,070	1,199	1,628
	72"	3/4" x 1 1/2"	1,432	1,165	1,304	1,790
	84"	3/4" x 1 1/2"	1,538	1,261	1,413	1,923
	96"	3/4" x 1 1/2"	1,640	1,358	1,519	2,050









Push Bar - Large Round Posts

RM2402	Up to 36" CTC	3/4" x 1 1/2"	947	741	829	1,184
---------------	---------------	---------------	-----	-----	-----	-------

- RM2410 pulls add \$8.00/in. over 96".
- MP (Mid-Post) - Add \$113 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM2400, RM2410, RM2420.

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

SoftMet - Santoprene™ Grip



Straight Pulls - Flat Ends

Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM2510	12"	1 1/4"	602	649	567	413	465	709
	24"	1 1/4"	780	841	708	542	609	885
	36"	1 1/4"	955	1,033	878	674	754	1,098
	48"	1 1/4"	1,131	1,223	1,002	804	900	1,253
	60"	1 1/4"	1,309	1,414	1,143	932	1,044	1,429
	72"	1 1/4"	1,486	1,604	1,307	1,061	1,190	1,634
	84"	1 1/4"	1,663	1,796	1,448	1,193	1,336	1,810

Offset Pulls - Flat Ends

RM2540	12"	1 1/4"	661	713	621	465	519	776
	24"	1 1/4"	839	903	790	593	663	988
	36"	1 1/4"	1,013	1,095	930	723	809	1,163
	48"	1 1/4"	1,190	1,283	1,056	853	956	1,320
	60"	1 1/4"	1,367	1,475	1,195	983	1,100	1,494
	72"	1 1/4"	1,543	1,668	1,361	1,113	1,246	1,701
	84"	1 1/4"	1,720	1,858	1,501	1,242	1,390	1,876

Straight Pulls - Round Ends

RM2514	12"	1 1/4"	735	794	628	470	527	785
	24"	1 1/4"	912	985	799	600	673	999
	36"	1 1/4"	1,088	1,174	937	731	817	1,171
	48"	1 1/4"	1,265	1,367	1,062	860	964	1,328
	60"	1 1/4"	1,443	1,557	1,202	989	1,107	1,503
	72"	1 1/4"	1,619	1,748	1,368	1,119	1,254	1,710
	84"	1 1/4"	1,796	1,940	1,506	1,248	1,398	1,883

Offset Pulls - Round Ends

RM2544	12"	1 1/4"	794	858	681	519	582	851
	24"	1 1/4"	971	1,049	852	650	728	1,065
	36"	1 1/4"	1,147	1,239	990	779	874	1,238
	48"	1 1/4"	1,324	1,428	1,115	910	1,016	1,394
	60"	1 1/4"	1,502	1,622	1,281	1,039	1,163	1,601
	72"	1 1/4"	1,679	1,811	1,422	1,167	1,306	1,778
	84"	1 1/4"	1,855	2,002	1,562	1,296	1,453	1,953

Push Bars

RM2512	Up to 36" CTC	1 1/4"	955	1,033	878	674	754	1,098
RM2516	Up to 36" CTC	1 1/4"	1,088	1,174	937	731	817	1,171

- Add \$6.80/in. over 84".

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

Offset Pulls

Part	CTC	Dia.	3/605 4/606	10B/613	15/619	Stock PC/ PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM2570	12"	1 1/4"	481	519	535	507	386	438	634
	24"	1 1/4"	525	568	579	549	428	480	686
	36"	1 1/4"	570	615	624	591	471	523	739

- NOTE: Engraving "RKW" add \$108.00 (5/16" letter height).
- Order form available on website under RM2570.

*Santoprene™ is a registered trademark of the Exxon Mobil Corporation.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®


ASSA ABLOY

Experience a safer
and more open world

SoftTek - Santoprene™ Grip



RM2610



RM2640



RM2612

Straight Pulls

Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM2610	12"	1 ¼"	541	586	550	400	447	688
	24"	1 ¼"	710	764	685	524	587	856
	36"	1 ¼"	877	945	849	647	724	1,061
	48"	1 ¼"	1,043	1,126	966	770	863	1,208
	60"	1 ¼"	1,210	1,306	1,100	893	1,003	1,375
	72"	1 ¼"	1,377	1,488	1,261	1,019	1,141	1,576
	84"	1 ¼"	1,543	1,666	1,395	1,143	1,283	1,744

Offset Pulls

RM2640	12"	1 ¼"	600	648	604	449	501	755
	24"	1 ¼"	765	828	767	573	640	959
	36"	1 ¼"	935	1,009	903	695	779	1,129
	48"	1 ¼"	1,100	1,189	1,019	819	919	1,274
	60"	1 ¼"	1,268	1,369	1,153	944	1,057	1,441
	72"	1 ¼"	1,435	1,551	1,315	1,069	1,198	1,644
	84"	1 ¼"	1,601	1,731	1,449	1,194	1,338	1,811


Push Bar

RM2612	Up to 36" CTC	1 ¼"	877	945	849	647	724	1,061
---------------	---------------	------	-----	-----	-----	-----	-----	-------

- Add \$6.80/in. over 84".
- Order form available on website under RM2510, RM2514, RM2540, RM2544, RM2610, RM2640.

*Santoprene™ is a registered trademark of the Exxon Mobil Corporation.

NeoMetrix - with GripZone




RM3020

Straight Pulls

Part	CTC	Dia.	3/605	9/611	32/629	32316
RM3010	12"	1"	500	564	278	491
	24"	1"	617	695	337	595
	36"	1"	733	828	395	701
RM3020	12"	1 ¼"	546	617	292	520
	24"	1 ¼"	660	746	353	625
	36"	1 ¼"	773	876	411	727
RM3030	12"	1 ½"	641	723	327	578
	24"	1 ½"	749	843	390	690
	36"	1 ½"	852	964	454	804

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.




RM3050

Offset Pulls

Part	CTC	Dia.	3/605	9/611	32/629	32316
RM3040	12"	1"	557	628	322	567
	24"	1"	674	762	381	675
	36"	1"	792	894	440	779
RM3050	12"	1 ¼"	606	684	338	599
	24"	1 ¼"	716	810	398	702
	36"	1 ¼"	832	941	457	806
RM3060	12"	1 ½"	699	791	371	658
	24"	1 ½"	804	909	433	767
	36"	1 ½"	910	1030	499	882

Push Bars - 7" Grip

RM3012	Up to 36"	1"	733	828	395	701
RM3022	Up to 36"	1 ¼"	773	876	411	727
RM3032	Up to 36"	1 ½"	852	964	454	804



RM3022

ROCKWOOD®

ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Groove - Straight & Offset Pulls



Straight Pulls - Flat Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM3101	12"	1"	578	624	624	325	233	259	406
	24"	1"	641	691	691	426	285	321	533
	36"	1"	701	756	756	484	338	377	605
	48"	1"	762	823	823	540	391	439	675
	60"	1"	802	867	867	579	425	476	724
	72"	1"	843	909	909	615	460	515	769
	84"	1"	883	954	954	653	496	555	816
	96"	1"	925	998	998	689	529	593	861
RM3161	12"	1 ¼"	591		638	403	255	286	504
	24"	1 ¼"	629		679	441	293	328	551
	36"	1 ¼"	667		720	479	331	371	599
	48"	1 ¼"	705		761	517	369	413	646
	60"	1 ¼"	743		802	555	407	456	694
	72"	1 ¼"	781		843	593	445	498	741
	84"	1 ¼"	819		885	631	483	541	789
	96"	1 ¼"	857		926	669	521	584	836
Offset Pulls - Flat Ends									
RM3131	12"	1"	635		686	377	282	315	471
	24"	1"	695		752	479	335	374	599
	36"	1"	756		819	537	387	432	671
	48"	1"	820		885	592	440	493	740
	60"	1"	860		929	630	474	531	788
	72"	1"	900		972	667	509	570	834
	84"	1"	940		1,015	704	542	608	880
	96"	1"	980		1,057	771	578	648	964
RM3181	12"	1 ¼"	642		693	456	304	341	570
	24"	1 ¼"	680		734	494	342	383	618
	36"	1 ¼"	718		775	532	380	426	665
	48"	1 ¼"	756		816	570	418	468	713
	60"	1 ¼"	794		858	608	456	511	760
	72"	1 ¼"	832		899	646	494	553	808
	84"	1 ¼"	870		940	684	532	596	855
	96"	1 ¼"	908		981	722	570	638	903



- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3101, RM3131, RM3161, RM3181.

MegaTek - Straight & Offset PostMount Pulls

Straight Pulls - Flat Ends (87" max overall in aluminum, specify CTC and overall length.)														
Part	Max OA	Dia.	28/628	313/710 315/711	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/ 630	32/629	32D316	32316	Translucent PC/4E	OptiCoat™
RM3300	12"	1"	171	189	473	511	511	250	159	179	250	281	275	313
	24"	1"	224	240	529	571	571	304	209	233	326	365	335	380
	36"	1"	276	296	587	635	635	401	255	285	399	446	441	501
	48"	1"	299	355	644	695	695	454	303	340	476	533	500	568
	60"	1"	335	390	682	735	735	489	336	374	523	588	538	611
	72"	1"	369	425	716	774	774	527	366	409	573	642	580	659
	84"	1"	406	463	753	816	816	560	396	445	622	698	616	700
	96"	1"	443	500	791	856	856	595	428	479	671	753	655	744
RM3301	12"	1 1/4"	196	215	494	533	533	268	173	196	273	307	294	335
	24"	1 1/4"	250	269	551	595	595	319	222	248	348	389	351	399
	36"	1 1/4"	301	322	608	656	656	417	270	302	423	473	459	521
	48"	1 1/4"	355	412	663	716	716	468	317	352	495	554	515	585
	60"	1 1/4"	390	447	702	759	759	505	347	389	544	610	556	631
	72"	1 1/4"	425	483	739	797	797	538	379	424	594	663	592	673
	84"	1 1/4"	463	516	774	838	838	575	409	459	642	720	633	719
	96"	1 1/4"	501	554	811	878	878	611	442	493	692	773	672	764
RM3302	12"	1 1/2"	230	312	521	565	565	289	192	216	304	341	318	361
	24"	1 1/2"	282	365	579	627	627	344	240	269	382	427	378	430
	36"	1 1/2"	338	419	636	690	690	441	287	324	458	511	485	551
	48"	1 1/2"	430	473	693	751	751	493	334	374	531	596	542	616
	60"	1 1/2"	465	510	732	792	792	529	365	409	580	650	582	661
	72"	1 1/2"	500	543	770	832	832	565	397	447	632	708	622	706
	84"	1 1/2"	536	581	807	872	872	600	429	480	681	764	660	750
	96"	1 1/2"	574	619	844	915	915	635	460	516	730	820	699	794
Offset Pulls - Flat Ends (Specify CTC and overall length.)														
RM3310	12"	1"	214	234	534		576	296	199	222	303	334	326	370
	24"	1"	268	285	590		638	350	245	276	380	421	385	438
	36"	1"	321	342	648		699	448	294	330	457	504	493	560
	48"	1"	343	397	705		761	500	341	380	531	587	550	625
	60"	1"	379	435	742		802	537	372	415	580	645	591	671
	72"	1"	414	471	782		842	570	404	452	632	702	627	713
	84"	1"	450	505	819		883	607	434	486	681	759	668	759
	96"	1"	488	543	857		925	645	467	523	730	815	709	806
RM3311	12"	1 1/4"	235	256	546		588	307	213	236	317	350	338	384
	24"	1 1/4"	291	309	600		648	404	257	289	392	431	445	505
	36"	1 1/4"	343	364	657		709	457	305	342	466	517	503	571
	48"	1 1/4"	392	449	714		771	507	349	391	536	595	558	634
	60"	1 1/4"	428	485	751		810	540	382	426	586	649	594	675
	72"	1 1/4"	465	520	789		850	578	411	462	634	704	636	723
	84"	1 1/4"	498	555	827		889	613	444	496	683	759	674	766
	96"	1 1/4"	536	593	864		932	647	474	529	733	815	712	809
RM3312	12"	1 1/2"	270	352	575		619	329	226	253	349	385	362	411
	24"	1 1/2"	323	407	631		683	426	276	307	425	473	469	533
	36"	1 1/2"	379	460	688		742	482	325	362	502	557	531	603
	48"	1 1/2"	469	512	746		805	530	366	410	572	637	583	663
	60"	1 1/2"	502	546	783		846	566	398	448	621	691	623	708
	72"	1 1/2"	539	583	822		886	602	430	482	671	748	662	753
	84"	1 1/2"	575	619	860		927	637	461	517	723	806	701	796
	96"	1 1/2"	613	657	898		968	674	495	553	776	862	741	843

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- HF (Hands-Free) Post - Add \$28 each. (Available on straight post only.) Order form available on website under RM3300 - RM3302.
- Order form available on website under RM3300, RM3301, RM3302, RM3310, RM3311, RM3312.

ROCKWOOD
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

MegaTek - Straight & Offset PostMount Pulls (con't)

Straight Pulls - Round Ends (90" max overall in aluminum, specify CTC and overall length.)														
Part	Max OA	Dia.	28/628	313/710 315/711	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/ 630	32/ 629	32D316	32316	Translucent PC/4E	OptiCoat [®]
RM3320	12"	1"	218	237	595	645	645	304	206	230	327	363	334	380
	24"	1"	273	291	653	705	705	403	253	284	403	454	443	504
	36"	1"	326	345	711	765	765	457	302	340	479	537	503	571
	48"	1"	351	410	765	829	829	507	346	388	550	616	558	634
	60"	1"	386	445	804	869	869	542	377	425	601	671	596	678
	72"	1"	422	480	842	909	909	579	409	459	650	729	637	724
	84"	1"	457	514	880	951	951	615	443	496	702	786	676	769
	96"	1"	495	552	917	991	991	651	473	529	752	841	716	814
RM3321	12"	1 ¼"	246	265	616	665	665	322	221	246	351	395	354	403
	24"	1 ¼"	303	319	673	727	727	419	269	300	427	477	462	524
	36"	1 ¼"	356	375	730	791	791	474	319	355	504	565	522	593
	48"	1 ¼"	410	466	788	850	850	522	360	404	572	641	573	653
	60"	1 ¼"	445	501	827	893	893	559	392	441	623	698	615	699
	72"	1 ¼"	480	538	863	933	933	594	425	474	671	754	653	743
	84"	1 ¼"	514	574	901	975	975	630	456	509	725	812	693	788
	96"	1 ¼"	552	612	940	1,015	1,015	665	486	546	776	866	732	831
RM3322	12"	1 ½"	274	295	636	690	690	353	249	280	397	443	388	441
	24"	1 ½"	328	348	693	751	751	452	297	334	475	531	498	565
	36"	1 ½"	383	403	751	813	813	507	346	388	550	616	558	634
	48"	1 ½"	430	473	808	876	876	551	387	433	615	689	605	689
	60"	1 ½"	465	510	847	916	916	590	417	469	665	746	649	738
	72"	1 ½"	500	543	883	956	956	624	451	505	716	801	686	780
	84"	1 ½"	536	581	921	998	998	659	482	541	765	859	726	824
	96"	1 ½"	574	619	959	1,038	1,038	727	513	577	817	916	799	909
Offset Pulls - Round Ends (Specify CTC and overall length.)														
RM3330	12"	1"	258	277	646		695	346	242	272	370	406	380	433
	24"	1"	313	331	703		759	443	290	326	445	497	487	554
	36"	1"	366	385	760		820	498	340	379	523	582	548	623
	48"	1"	388	446	818		882	545	380	427	589	659	600	681
	60"	1"	423	481	855		922	582	411	461	641	712	640	728
	72"	1"	459	518	893		964	619	445	498	690	772	681	774
	84"	1"	495	553	931		1,005	654	475	531	742	826	719	818
	96"	1"	533	591	968		1,044	717	507	569	792	882	789	896
RM3331	12"	1 ¼"	288	305	665		717	406	256	286	395	437	446	508
	24"	1 ¼"	343	359	723		782	460	304	342	471	522	505	575
	36"	1 ¼"	395	414	782		842	514	352	394	548	608	566	643
	48"	1 ¼"	446	502	839		903	561	393	442	612	681	617	701
	60"	1 ¼"	481	539	877		945	595	426	475	664	740	655	744
	72"	1 ¼"	518	575	913		986	631	457	510	712	793	694	789
	84"	1 ¼"	553	611	951		1,028	668	488	547	764	853	735	835
	96"	1 ¼"	591	649	989		1,067	734	519	582	815	907	807	918
RM3332	12"	1 ½"	315	334	687		741	439	286	323	439	488	482	549
	24"	1 ½"	369	388	744		804	494	335	375	517	574	543	618
	36"	1 ½"	422	442	802		866	548	383	429	595	661	602	685
	48"	1 ½"	466	511	860		927	591	419	471	655	729	650	739
	60"	1 ½"	501	545	898		968	627	452	506	706	786	690	784
	72"	1 ½"	538	582	935		1,010	660	483	542	757	841	727	825
	84"	1 ½"	574	618	972		1,052	729	515	578	806	898	801	911
	96"	1 ½"	612	656	1,010		1,092	763	547	613	858	956	839	954

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- HF (Hands-Free) Post - Add \$28 each. (Available on straight post only.)
- Order form available on website under RM3320, RM3321, RM3322, RM3330, RM3331, RM3332.

MegaTek - Straight & Offset PostMount Pulls (con't)

Straight Pulls - Bent Ends (86" max CTC in aluminum, specify CTC.)													
Part	CTC	Dia.	28/628	313/710 315/711	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/ 630	32/629	32D316	32316	Translucent PC/4E	OptiCoat™
RM3340	12"	1"	165	180	399	431	240	150	167	237	263	264	300
	24"	1"	207	230	458	495	295	197	221	313	351	325	369
	36"	1"	250	276	516	556	349	244	275	388	436	384	436
	48"	1"	293	321	571	617	447	292	329	464	523	492	559
	60"	1"	336	371	624	673	470	313	351	499	558	516	588
	72"	1"	379	417	673	727	493	334	374	531	596	542	616
	84"	1"	420	462	795	860	539	374	417	595	665	593	674
	96"	1"	458	500	917	991	584	412	462	659	737	642	730
RM3341	12"	1 ¼"	178	198	479	518	255	161	181	258	288	280	319
	24"	1 ¼"	220	243	537	579	309	211	236	335	375	341	386
	36"	1 ¼"	264	291	595	645	408	258	289	410	459	448	510
	48"	1 ¼"	306	339	653	705	462	306	344	488	547	508	578
	60"	1 ¼"	350	385	704	760	485	328	365	519	580	534	606
	72"	1 ¼"	391	432	755	816	507	346	388	550	616	558	634
	84"	1 ¼"	435	480	888	958	551	387	432	614	686	605	689
	96"	1 ¼"	473	518	1,020	1,101	597	427	476	679	759	657	746
RM3342	12"	1 ½"	200	219	582	628	300	202	225	322	358	330	375
	24"	1 ½"	242	267	641	692	353	249	280	397	443	388	441
	36"	1 ½"	284	315	696	753	452	297	334	475	531	498	565
	48"	1 ½"	328	360	755	816	507	346	388	550	616	558	634
	60"	1 ½"	372	410	807	870	522	360	404	572	641	573	653
	72"	1 ½"	414	455	860	929	538	373	416	594	664	592	673
	84"	1 ½"	456	501	981	1,057	584	412	462	655	737	642	730
	96"	1 ½"	494	539	1,101	1,190	628	454	507	719	806	691	785
Push Bars - Flat Ends													
RM3102	Up to 36" CTC	1"	276	296	587	635	401	255	285	399	446	441	501
RM3112	Up to 36" CTC	1 ¼"	301	322	608	656	417	270	302	423	473	459	521
RM3122	Up to 36" CTC	1 ½"	338	419	636	690	441	287	324	458	511	485	551
Push Bars - Round Ends													
RM3106	Up to 36" CTC	1"	326	345	711	765	457	302	340	479	537	503	571
RM3116	Up to 36" CTC	1 ¼"	356	375	730	791	474	319	355	504	565	522	593
RM3126	Up to 36" CTC	1 ½"	383	403	751	813	507	346	388	550	616	558	634

- Add \$6.80/in. over 96".
- Add \$6.80/in. over 36" on Push Bars.
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3340, RM3341, RM3342.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

Quick Ship MegaTek - Straight PostMount Pulls

Straight Pulls - Flat Ends - Back-to-Back Mounting					
Part	CTC	OA	Dia.	32D/630	BSP
RM3301BTB1224.32D	12"	24"	1 ¼"	373	
RM3301BTB1224.BSP	12"	24"	1 ¼"		415
RM3301BTB1824.32D	18"	24"	1 ¼"	373	
RM3301BTB1824.BSP	18"	24"	1 ¼"		415
RM3301BTB2436.32D	24"	36"	1 ¼"	448	
RM3301BTB3036.32D	30"	36"	1 ¼"	448	
RM3301BTB3036.BSP	30"	36"	1 ¼"		477
RM3301BTB3648.32D	36"	48"	1 ¼"	524	
RM3301BTB3648.BSP	36"	48"	1 ¼"		550
RM3301BTB4248.BSP	42"	48"	1 ¼"		550
RM3301BTB4860.32D	48"	60"	1 ¼"	571	
RM3301BTB6072.32D	60"	72"	1 ¼"	622	
RM3301BTB7284.32D	72"	84"	1 ¼"	672	
RM3301BTB8496.32D	84"	96"	1 ¼"	724	

- Mounting included for both 1 ¾" wood or metal doors and ½" glass doors.

ROCKWOOD**ASSA ABLOY**

Experience a safer
and more open world


USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

NeoMax - Post Mounted GripZone



RM3400

Straight Pulls - Flat Ends						
Part	Max OA	Dia.	3/605	9/611	32/629	32316
RM3400	12"	1"	452	510	237	368
	24"	1"	569	644	294	459
	36"	1"	686	774	355	551
	48"	1"	802	907	413	643
	60"	1"	920	1,038	472	736
	72"	1"	1,037	1,170	532	829
	84"	1"	1,152	1,304	591	920
	96"	1"	1,271	1,436	650	1,012
RM3401	12"	1 1/4"	500	565	252	447
	24"	1 1/4"	612	692	311	551
	36"	1 1/4"	726	820	371	643
	48"	1 1/4"	840	947	430	760
	60"	1 1/4"	954	1,077	489	864
	72"	1 1/4"	1,066	1,205	547	970
	84"	1 1/4"	1,182	1,332	607	1,076
	96"	1 1/4"	1,292	1,462	665	1,177
RM3402	12"	1 1/2"	593	668	285	444
	24"	1 1/2"	699	791	349	542
	36"	1 1/2"	804	909	413	657
	48"	1 1/2"	910	1,033	476	743
	60"	1 1/2"	1,019	1,150	540	842
	72"	1 1/2"	1,125	1,271	603	940
	84"	1 1/2"	1,231	1,389	668	1,040
	96"	1 1/2"	1,337	1,512	732	1,138
Offset Pulls - Flat Ends						
RM3410	12"	1"	510		281	436
	24"	1"	626		339	526
	36"	1"	742		400	619
	48"	1"	862		458	711
	60"	1"	979		516	804
	72"	1"	1,096		575	897
	84"	1"	1,212		635	988
	96"	1"	1,330		693	1,079
RM3411	12"	1 1/4"	557		296	461
	24"	1 1/4"	671		356	554
	36"	1 1/4"	785		414	644
	48"	1 1/4"	898		474	738
	60"	1 1/4"	1,011		533	830
	72"	1 1/4"	1,125		592	922
	84"	1 1/4"	1,239		651	1,013
	96"	1 1/4"	1,351		711	1,104
RM3412	12"	1 1/2"	651		331	513
	24"	1 1/2"	759		392	611
	36"	1 1/2"	864		458	711
	48"	1 1/2"	971		522	810
	60"	1 1/2"	1,077		587	910
	72"	1 1/2"	1,184		648	1,010
	84"	1 1/2"	1,290		713	1,108
	96"	1 1/2"	1,398		776	1,208



RM3411

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3400, RM3401, RM3402, RM3410, RM3411, RM3412.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

NeoMax - Post Mounted GripZone (con't)

Straight Pulls - Round Ends						
Part	Max OA	Dia.	3/605	9/611	32/629	32316
RM3420	12"	1"	578	653	283	442
	24"	1"	695	786	341	534
	36"	1"	811	917	402	625
	48"	1"	931	1,050	460	718
	60"	1"	1,047	1,184	519	807
	72"	1"	1,165	1,316	578	899
	84"	1"	1,280	1,447	637	991
	96"	1"	1,399	1,578	695	1,084
RM3421	12"	1 ¼"	625	708	299	464
	24"	1 ¼"	739	838	358	558
	36"	1 ¼"	852	964	416	649
	48"	1 ¼"	966	1,092	476	743
	60"	1 ¼"	1,079	1,220	535	833
	72"	1 ¼"	1,192	1,348	594	927
	84"	1 ¼"	1,308	1,477	654	1,016
	96"	1 ¼"	1,420	1,604	713	1,108
RM3422	12"	1 ½"	720	813	334	519
	24"	1 ½"	827	935	395	615
	36"	1 ½"	933	1,053	460	718
	48"	1 ½"	1,038	1,173	524	815
	60"	1 ½"	1,145	1,294	589	913
	72"	1 ½"	1,253	1,414	651	1,013
	84"	1 ½"	1,359	1,535	715	1,113
	96"	1 ½"	1,464	1,655	778	1,211
Offset Pulls - Round Ends						
RM3430	12"	1"	638		327	510
	24"	1"	754		386	601
	36"	1"	869		445	690
	48"	1"	987		505	785
	60"	1"	1,104		562	876
	72"	1"	1,223		622	969
	84"	1"	1,338		681	1,060
	96"	1"	1,458		741	1,152
RM3431	12"	1 ¼"	687		344	535
	24"	1 ¼"	800		403	626
	36"	1 ¼"	913		461	719
	48"	1 ¼"	1,027		522	810
	60"	1 ¼"	1,142		579	901
	72"	1 ¼"	1,254		638	993
	84"	1 ¼"	1,368		696	1,086
	96"	1 ¼"	1,480		757	1,177
RM3432	12"	1 ½"	780		375	586
	24"	1 ½"	885		440	683
	36"	1 ½"	991		505	785
	48"	1 ½"	1,097		567	882
	60"	1 ½"	1,205		631	985
	72"	1 ½"	1,310		694	1,082
	84"	1 ½"	1,417		759	1,181
	96"	1 ½"	1,524		822	1,280

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3420, RM3421, RM3422, RM3430, RM3431, RM3432.

ROCKWOOD®**ASSA ABLOY**Experience a safer
and more open worldUSA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

NeoMax - Post Mounted GripZone (con't)

Straight Pulls - Bent Ends (Specify CTC.)						
Part	CTC	Dia.	3/605	9/611	32/629	32316
RM3440	12"	1"	500	565	278	431
	24"	1"	617	695	337	524
	36"	1"	733	828	395	615
	48"	1"	849	959	454	706
	60"	1"	968	1,093	513	799
	72"	1"	1,085	1,226	573	891
	84"	1"	1,201	1,359	631	985
	96"	1"	1,319	1,490	691	1,077
	108"	1"	1,437	1,621	750	1,169
RM3441	12"	1 ¼"	546	618	292	520
	24"	1 ¼"	660	747	353	625
	36"	1 ¼"	773	872	411	727
	48"	1 ¼"	886	1,001	471	832
	60"	1 ¼"	1,000	1,130	529	939
	72"	1 ¼"	1,115	1,259	590	1,041
	84"	1 ¼"	1,229	1,386	648	1,145
	96"	1 ¼"	1,341	1,515	709	1,250
	108"	1 ¼"	1,453	1,644	769	1,354
RM3442	12"	1 ½"	641	723	327	510
	24"	1 ½"	749	843	390	607
	36"	1 ½"	852	964	454	706
	48"	1 ½"	958	1,085	517	806
	60"	1 ½"	1,066	1,205	583	906
	72"	1 ½"	1,172	1,324	645	1,006
	84"	1 ½"	1,279	1,446	711	1,104
	96"	1 ½"	1,384	1,564	773	1,203
	108"	1 ½"	1,488	1,681	835	1,301
Push Bars - Flat Ends						
Part	CTC	Dia.	3/605	9/611	32/629	32316
RM3202	Up to 36"	1"	686	774	355	551
RM3212	Up to 36"	1 ¼"	726	820	371	643
RM3222	Up to 36"	1 ½"	804	909	413	657
Push Bars - Round Ends						
RM3206	Up to 36"	1"	811	917	402	625
RM3216	Up to 36"	1 ¼"	852	964	416	649
RM3226	Up to 36"	1 ½"	933	1,053	460	718

LineaMax - Grooved Pulls

Straight Pulls - Solid Flat Ends								
Part	Max OA	Dia.	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM3701	12"	1 ¼"	970	1,047	639	484	541	799
	24"	1 ¼"	1,164	1,255	785	591	660	981
	36"	1 ¼"	1,357	1,464	899	696	780	1,124
	48"	1 ¼"	1,552	1,672	1,014	804	900	1,268
	60"	1 ¼"	1,744	1,883	1,128	911	1,019	1,410
	72"	1 ¼"	1,937	2,092	1,245	1,015	1,139	1,556
	84"	1 ¼"	2,131	2,304	1,389	1,124	1,259	1,736
	96"	1 ¼"	2,325	2,511	1,504	1,232	1,379	1,880
	108"	1 ¼"	2,519	2,705	1,619	1,339	1,486	2,024
RM3702	12"	1 ½"	1,167	1,261	694	534	599	868
	24"	1 ½"	1,377	1,488	851	651	731	1,064
	36"	1 ½"	1,588	1,713	977	767	860	1,221
	48"	1 ½"	1,797	1,942	1,101	884	992	1,376
	60"	1 ½"	2,008	2,168	1,226	1,001	1,122	1,533
	72"	1 ½"	2,218	2,395	1,383	1,118	1,252	1,729
	84"	1 ½"	2,425	2,622	1,506	1,235	1,381	1,883
	96"	1 ½"	2,638	2,847	1,631	1,350	1,512	2,039
	108"	1 ½"	2,851	3,069	1,756	1,467	1,629	2,193

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3440, RM3441, RM3442, RM3701, RM3702.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®


ASSA ABLOY

Experience a safer
and more open world


LineaMax - Grooved Pulls (con't)



RM3711



RM3721



RM3731

Offset Pulls - Solid Flat Ends

Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM3711	12"	1 1/4"	1,027		1,107	692	532	597	865
	24"	1 1/4"	1,220		1,318	837	638	716	1,046
	36"	1 1/4"	1,414		1,526	953	747	836	1,191
	48"	1 1/4"	1,606		1,734	1,067	852	955	1,334
	60"	1 1/4"	1,800		1,944	1,181	961	1,073	1,476
	72"	1 1/4"	1,993		2,153	1,297	1,066	1,194	1,621
	84"	1 1/4"	2,187		2,362	1,442	1,172	1,315	1,803
	96"	1 1/4"	2,380		2,572	1,557	1,280	1,434	1,946
RM3712	12"	1 1/2"	1,224		1,321	777	585	654	971
	24"	1 1/2"	1,434		1,549	904	700	784	1,130
	36"	1 1/2"	1,644		1,777	1,028	816	914	1,285
	48"	1 1/2"	1,854		2,001	1,153	932	1,044	1,441
	60"	1 1/2"	2,065		2,228	1,279	1,048	1,174	1,599
	72"	1 1/2"	2,272		2,455	1,432	1,165	1,304	1,790
	84"	1 1/2"	2,483		2,682	1,560	1,283	1,436	1,950
	96"	1 1/2"	2,694		2,910	1,686	1,400	1,567	2,108

Straight Pulls - Fully Grooved Flat Ends

RM3721	12"	1 1/4"	695	752	752	501	356	398	626
	24"	1 1/4"	879	948	948	611	457	510	764
	36"	1 1/4"	1,061	1,146	1,146	749	557	626	936
	48"	1 1/4"	1,243	1,342	1,342	858	658	738	1,073
	60"	1 1/4"	1,425	1,538	1,538	966	759	851	1,208
	72"	1 1/4"	1,607	1,738	1,738	1,076	861	965	1,345
	84"	1 1/4"	1,790	1,934	1,934	1,185	964	1,078	1,481
	96"	1 1/4"	1,973	2,131	2,131	1,295	1,061	1,191	1,619
RM3722	12"	1 1/2"	759	820	820	556	405	453	695
	24"	1 1/2"	948	1,027	1,027	672	513	574	840
	36"	1 1/2"	1,142	1,231	1,231	818	621	695	1,023
	48"	1 1/2"	1,330	1,438	1,438	934	729	816	1,168
	60"	1 1/2"	1,519	1,643	1,643	1,051	837	937	1,314
	72"	1 1/2"	1,711	1,848	1,848	1,169	945	1,058	1,461
	84"	1 1/2"	1,900	2,055	2,055	1,283	1,053	1,179	1,604
	96"	1 1/2"	2,092	2,260	2,260	1,429	1,162	1,300	1,786

Offset Pulls - Fully Grooved Flat Ends

RM3731	12"	1 1/4"	753		811	555	404	452	694
	24"	1 1/4"	936		1,010	663	505	565	829
	36"	1 1/4"	1,118		1,208	801	606	678	1,001
	48"	1 1/4"	1,301		1,404	910	709	792	1,138
	60"	1 1/4"	1,483		1,600	1,019	808	905	1,274
	72"	1 1/4"	1,665		1,799	1,127	910	1,016	1,409
	84"	1 1/4"	1,848		1,994	1,236	1,010	1,131	1,545
	96"	1 1/4"	2,031		2,190	1,376	1,113	1,246	1,720
RM3732	12"	1 1/2"	816		880	607	453	508	759
	24"	1 1/2"	1,006		1,086	755	561	629	944
	36"	1 1/2"	1,195		1,291	870	668	751	1,088
	48"	1 1/2"	1,386		1,497	986	777	872	1,233
	60"	1 1/2"	1,577		1,703	1,103	885	993	1,379
	72"	1 1/2"	1,769		1,910	1,220	995	1,114	1,525
	84"	1 1/2"	1,959		2,114	1,335	1,101	1,235	1,669
	96"	1 1/2"	2,150		2,320	1,481	1,211	1,357	1,851

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3711, RM3712, RM3721, RM3722, RM3731, RM3732.






ROCKWOOD®**ASSA ABLOY**Experience a safer
and more open worldUSA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

LineaMax - Grooved Pulls (con't)


Straight Pulls - Solid Round Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
 RM3751	12"	1 1/4"	1,097	1,186	1,186	714	554	620	893
	24"	1 1/4"	1,291	1,397	1,397	860	659	740	1,075
	36"	1 1/4"	1,486	1,604	1,604	975	766	858	1,219
	48"	1 1/4"	1,680	1,812	1,812	1,089	874	977	1,361
	60"	1 1/4"	1,875	2,023	2,023	1,205	979	1,098	1,506
	72"	1 1/4"	2,067	2,232	2,232	1,320	1,088	1,218	1,650
	84"	1 1/4"	2,261	2,442	2,442	1,466	1,194	1,338	1,833
	96"	1 1/4"	2,455	2,650	2,650	1,579	1,298	1,455	1,974
	12"	1 1/2"	1,297	1,401	1,401	800	603	677	1,000
	24"	1 1/2"	1,508	1,627	1,627	926	721	807	1,158
 RM3752	36"	1 1/2"	1,714	1,854	1,854	1,051	837	937	1,314
	48"	1 1/2"	1,925	2,079	2,079	1,176	954	1,067	1,470
	60"	1 1/2"	2,135	2,308	2,308	1,302	1,070	1,199	1,628
	72"	1 1/2"	2,346	2,534	2,534	1,456	1,185	1,329	1,820
	84"	1 1/2"	2,556	2,761	2,761	1,581	1,301	1,457	1,976
	96"	1 1/2"	2,766	2,985	2,985	1,708	1,418	1,589	2,135
Offset Pulls - Solid Round Ends									
 RM3761	12"	1 1/4"	1,153		1,245	797	601	674	996
	24"	1 1/4"	1,348		1,456	911	710	794	1,139
	36"	1 1/4"	1,542		1,665	1,027	815	913	1,284
	48"	1 1/4"	1,737		1,876	1,143	921	1,033	1,429
	60"	1 1/4"	1,929		2,084	1,256	1,030	1,153	1,570
	72"	1 1/4"	2,124		2,294	1,401	1,135	1,270	1,751
	84"	1 1/4"	2,317		2,502	1,515	1,242	1,391	1,894
	96"	1 1/4"	2,511		2,715	1,630	1,348	1,511	2,038
	12"	1 1/2"	1,353		1,462	852	653	732	1,065
	24"	1 1/2"	1,562		1,689	978	768	862	1,223
 RM3762	36"	1 1/2"	1,772		1,916	1,103	885	993	1,379
	48"	1 1/2"	1,983		2,142	1,230	1,002	1,123	1,538
	60"	1 1/2"	2,194		2,367	1,384	1,119	1,254	1,730
	72"	1 1/2"	2,402		2,594	1,509	1,236	1,383	1,886
	84"	1 1/2"	2,612		2,822	1,635	1,352	1,513	2,044
	96"	1 1/2"	2,823		3,048	1,760	1,467	1,643	2,200
Straight Pulls - Fully Grooved Round Ends									
 RM3771	12"	1 1/4"	824	891	891	575	423	475	719
	24"	1 1/4"	1,008	1,088	1,088	685	526	589	856
	36"	1 1/4"	1,190	1,283	1,283	825	627	702	1,031
	48"	1 1/4"	1,373	1,483	1,483	933	728	815	1,166
	60"	1 1/4"	1,555	1,680	1,680	1,041	829	928	1,301
	72"	1 1/4"	1,738	1,877	1,877	1,151	930	1,042	1,439
	84"	1 1/4"	1,920	2,073	2,073	1,259	1,032	1,156	1,574
	96"	1 1/4"	2,103	2,270	2,270	1,397	1,132	1,267	1,746
	12"	1 1/2"	889	958	958	630	474	531	788
	24"	1 1/2"	1,078	1,165	1,165	776	583	653	970
 RM3772	36"	1 1/2"	1,269	1,370	1,370	892	691	773	1,115
	48"	1 1/2"	1,460	1,576	1,576	1,009	798	892	1,261
	60"	1 1/2"	1,650	1,783	1,783	1,125	908	1,014	1,406
	72"	1 1/2"	1,840	1,988	1,988	1,241	1,013	1,136	1,551
	84"	1 1/2"	2,032	2,197	2,197	1,388	1,123	1,257	1,735
	96"	1 1/2"	2,221	2,399	2,399	1,504	1,232	1,379	1,880

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3751, RM3752, RM3761, RM3762, RM3771, RM3772.


LineaMax - Grooved Pulls (con't)




RM3781




RM3741




RM3512



RM3516



RM3612



RM3616

Offset Pulls - Fully Grooved Round Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM3781	12"	1 ¼"	882		952	629	472	529	786
	24"	1 ¼"	1,064		1,148	766	574	641	958
	36"	1 ¼"	1,245		1,347	876	675	757	1,095
	48"	1 ¼"	1,427		1,543	984	776	871	1,230
	60"	1 ¼"	1,611		1,741	1,094	878	983	1,368
	72"	1 ¼"	1,794		1,937	1,203	978	1,096	1,504
	84"	1 ¼"	1,977		2,134	1,311	1,081	1,211	1,639
	96"	1 ¼"	2,160		2,330	1,450	1,180	1,323	1,813
RM3782	12"	1 ½"	945		1,020	682	524	587	853
	24"	1 ½"	1,135		1,226	828	631	706	1,035
	36"	1 ½"	1,326		1,432	946	740	828	1,183
	48"	1 ½"	1,516		1,638	1,061	847	948	1,326
	60"	1 ½"	1,707		1,844	1,177	955	1,070	1,471
	72"	1 ½"	1,897		2,048	1,295	1,061	1,191	1,619
	84"	1 ½"	2,089		2,256	1,441	1,171	1,312	1,801
	96"	1 ½"	2,277		2,460	1,557	1,280	1,434	1,946
Straight Pulls - Fully Grooved Bent Ends									
Part	Max CTC	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM3741	12"	1 ¼"				468	397	445	585
	24"	1 ¼"				587	498	557	734
	36"	1 ¼"				707	599	670	884
	48"	1 ¼"				826	700	784	1,033
	60"	1 ¼"				943	800	898	1,179
	72"	1 ¼"				1,064	903	1,010	1,330
	84"	1 ¼"				1,183	1,003	1,124	1,479
	96"	1 ¼"				1,302	1,104	1,238	1,628
RM3742	12"	1 ½"				528	448	500	660
	24"	1 ½"				654	555	621	818
	36"	1 ½"				781	662	743	976
	48"	1 ½"				908	770	863	1,135
	60"	1 ½"				1,037	879	984	1,296
	72"	1 ½"				1,163	986	1,106	1,454
	84"	1 ½"				1,292	1,096	1,226	1,615
	96"	1 ½"				1,418	1,203	1,347	1,773
Push Bars Solid Grooves Flat Ends									
RM3512	Up to 36" CTC	1 ¼"	1,357	1,464	1,464	899	696	780	1,124
RM3522	Up to 36" CTC	1 ½"	1,588	1,713	1,713	977	767	860	1,221
Push Bars Solid Grooves Round Ends									
RM3516	Up to 36" CTC	1 ¼"	1,486	1,604	1,604	975	766	858	1,219
RM3526	Up to 36" CTC	1 ½"	1,714	1,854	1,854	1,051	837	937	1,314
Push Bars Fully Grooved - Flat Ends									
RM3612	Up to 36" CTC	1 ¼"	1,061	1,146	1,146	749	557	626	936
RM3622	Up to 36" CTC	1 ½"	1,142	1,231	1,231	818	621	695	1,023
Push Bars Fully Grooved - Round Ends									
RM3616	Up to 36" CTC	1 ¼"	1,190	1,283	1,283	825	627	702	1,031
RM3626	Up to 36" CTC	1 ½"	1,269	1,370	1,370	892	691	773	1,115

- Add \$8.50/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3741, RM3742, RM3781, RM3782.

ROCKWOOD®
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

NoirMet - Black Anodized Grip with Contrasting Ends and Posts

Straight Pulls - Flat Ends											
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
RM3800	12"	1"	484	559	559	462	328	362	521	571	578
	24"	1"	529	602	602	495	360	397	570	626	619
	36"	1"	546	619	619	514	379	416	600	659	643
	48"	1"	813	889	889	635	496	546	785	864	794
	60"	1"	885	945	945	664	525	576	830	913	830
	72"	1"	952	1,001	1,001	691	551	606	872	962	864
	84"	1"	1,088	1,150	1,150	761	587	645	930	1,021	951
	96"	1"	1,224	1,299	1,299	797	622	684	986	1,084	996
RM3810	12"	1 ¼"	511	582	582	471	338	369	536	588	589
	24"	1 ¼"	582	628	628	514	379	416	600	659	643
	36"	1 ¼"	606	654	654	534	398	437	627	691	668
	48"	1 ¼"	816	889	889	657	517	569	818	900	821
	60"	1 ¼"	861	922	922	678	536	591	851	938	848
	72"	1 ¼"	906	955	955	701	559	614	883	970	876
	84"	1 ¼"	1,077	1,125	1,125	800	626	689	989	1,089	1,000
	96"	1 ¼"	1,250	1,292	1,292	867	692	760	1,096	1,201	1,084
RM3820	12"	1 ½"	632	678	678	534	398	437	627	691	668
	24"	1 ½"	704	751	751	567	430	472	682	749	709
	36"	1 ½"	763	811	811	613	475	523	751	826	766
	48"	1 ½"	868	891	891	702	560	616	884	972	878
	60"	1 ½"	947	975	975	774	600	660	949	1,045	968
	72"	1 ½"	1,028	1,054	1,054	816	640	704	1,013	1,113	1,020
	84"	1 ½"	1,175	1,204	1,204	884	707	778	1,121	1,232	1,105
	96"	1 ½"	1,326	1,350	1,350	955	775	852	1,226	1,349	1,194
Offset Pulls - Flat Ends											
RM3830	12"	1"	546		678	514	379	416	600	659	643
	24"	1"	648		770	573	437	482	691	760	716
	36"	1"	764		869	635	496	546	785	864	794
	48"	1"	880		972	694	555	612	879	967	868
	60"	1"	951		1,029	727	582	641	922	1,014	909
	72"	1"	1,019		1,085	783	611	670	965	1,062	979
	84"	1"	1,157		1,233	837	660	728	1,045	1,150	1,046
	96"	1"	1,290		1,380	889	710	781	1,125	1,235	1,111
RM3840	12"	1 ¼"	570		704	523	388	427	612	675	654
	24"	1 ¼"	686		788	584	447	490	706	775	730
	36"	1 ¼"	784		880	645	505	554	798	876	806
	48"	1 ¼"	882		972	703	561	617	887	973	879
	60"	1 ¼"	928		1,006	726	581	640	921	1,013	908
	72"	1 ¼"	972		1,038	775	601	662	952	1,046	969
	84"	1 ¼"	1,144		1,209	845	668	738	1,061	1,168	1,056
	96"	1 ¼"	1,316		1,377	914	735	808	1,164	1,280	1,143
RM3850	12"	1 ½"	691		801	586	449	495	710	784	733
	24"	1 ½"	763		869	613	475	523	751	826	766
	36"	1 ½"	849		925	681	538	596	855	944	851
	48"	1 ½"	936		976	776	602	663	955	1,051	970
	60"	1 ½"	1,016		1,056	820	644	709	1,020	1,122	1,025
	72"	1 ½"	1,094		1,137	862	684	753	1,084	1,193	1,078
	84"	1 ½"	1,243		1,283	930	752	827	1,191	1,308	1,163
	96"	1 ½"	1,394		1,434	1,001	819	900	1,295	1,426	1,251

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3800, RM3810, RM3820, RM3830, RM3840, RM3850.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NoirMet - Black Anodized Grip with Contrasting Ends and Posts (con't)

Straight Pulls - Round Ends											
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
RM3804	12"	1"	546	619	619	514	379	416	600	659	643
	24"	1"	588	663	663	550	413	454	657	722	688
	36"	1"	606	678	678	567	430	472	682	749	709
	48"	1"	877	947	947	694	555	612	879	967	868
	60"	1"	944	1,006	1,006	727	582	641	922	1,014	909
	72"	1"	1,010	1,058	1,058	785	612	672	967	1,063	981
	84"	1"	1,146	1,208	1,208	838	662	729	1,046	1,151	1,048
	96"	1"	1,279	1,353	1,353	890	712	784	1,127	1,241	1,113
RM3814	12"	1 ¼"	570	645	645	523	388	427	612	675	654
	24"	1 ¼"	646	692	692	566	429	471	678	747	708
	36"	1 ¼"	668	714	714	586	449	495	710	784	733
	48"	1 ¼"	878	951	951	707	564	619	891	983	884
	60"	1 ¼"	922	981	981	729	583	643	923	1,018	911
	72"	1 ¼"	965	1,013	1,013	780	603	665	961	1,052	975
	84"	1 ¼"	1,135	1,185	1,185	849	672	741	1,063	1,170	1,061
	96"	1 ¼"	1,306	1,355	1,355	917	740	810	1,169	1,284	1,146
RM3824	12"	1 ½"	691	740	740	586	449	495	710	784	733
	24"	1 ½"	763	811	811	613	475	523	751	826	766
	36"	1 ½"	822	869	869	667	527	579	835	920	834
	48"	1 ½"	928	954	954	780	603	665	961	1,052	975
	60"	1 ½"	1,008	1,035	1,035	821	645	710	1,021	1,125	1,026
	72"	1 ½"	1,086	1,114	1,114	863	685	754	1,085	1,194	1,079
	84"	1 ½"	1,233	1,260	1,260	929	750	825	1,187	1,307	1,161
	96"	1 ½"	1,380	1,405	1,405	997	815	897	1,291	1,419	1,246
Offset Pulls - Round Ends											
RM3834	12"	1"	606		654	567	430	472	682	749	709
	24"	1"	711		765	627	487	535	772	850	784
	36"	1"	827		894	685	542	598	859	946	856
	48"	1"	942		1,017	772	599	658	947	1,044	965
	60"	1"	1,010		1,092	801	627	691	993	1,093	1,001
	72"	1"	1,077		1,164	829	655	720	1,037	1,142	1,036
	84"	1"	1,212		1,309	883	706	776	1,119	1,230	1,104
	96"	1"	1,346		1,453	935	756	847	1,197	1,340	1,169
RM3844	12"	1 ¼"	632		683	573	437	490	691	775	716
	24"	1 ¼"	747		804	633	495	554	784	876	791
	36"	1 ¼"	844		913	692	553	618	875	978	865
	48"	1 ¼"	944		1,019	782	609	681	963	1,078	978
	60"	1 ¼"	989		1,067	802	628	703	995	1,112	1,003
	72"	1 ¼"	1,033		1,116	825	649	728	1,028	1,150	1,031
	84"	1 ¼"	1,204		1,300	893	716	803	1,133	1,271	1,116
	96"	1 ¼"	1,373		1,483	962	782	876	1,240	1,387	1,203
RM3854	12"	1 ½"	751		810	637	497	559	788	883	796
	24"	1 ½"	822		888	667	527	590	835	933	834
	36"	1 ½"	908		981	762	589	658	931	1,044	953
	48"	1 ½"	993		1,075	825	649	728	1,028	1,150	1,031
	60"	1 ½"	1,075		1,162	866	691	772	1,093	1,222	1,083
	72"	1 ½"	1,152		1,244	908	731	818	1,153	1,294	1,135
	84"	1 ½"	1,301		1,404	977	796	890	1,260	1,410	1,221
	96"	1 ½"	1,447		1,561	1,044	862	965	1,362	1,526	1,305
Push Bars - Flat Ends											
RM3802	Up to 36" CTC	1"	546	619	619	514	379	416	600	659	643
RM3812	Up to 36" CTC	1 ¼"	606	654	654	534	398	437	627	691	668
RM3822	Up to 36" CTC	1 ½"	763	811	811	613	475	523	751	826	766
Push Bars - Round Ends											
RM3806	Up to 36" CTC	1"	606	678	678	567	430	472	682	749	709
RM3816	Up to 36" CTC	1 ¼"	668	714	714	586	449	495	710	784	733
RM3826	Up to 36" CTC	1 ½"	822	869	869	667	527	579	835	920	834

- Add \$6.80/in. over 36" for push bars.
- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3804, RM3814, RM3824, RM3834, RM3844, RM3854.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

ROCKWOOD

ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

NoirTek - Black Anodized Grip with Contrasting Posts

Straight Pulls - Flat Ends											
Part	Max OA	Dia.	28/628	313/710 315/711	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM3900	12"	1"	230	254	320	343	343	302	218	246	378
	24"	1"	325	356	363	390	390	334	250	280	418
	36"	1"	421	462	382	410	410	353	270	300	441
	48"	1"	518	569	647	699	699	522	387	432	653
	60"	1"	613	675	716	773	773	550	413	465	688
	72"	1"	710	778	785	847	847	579	442	493	724
	84"	1"	804	883	922	997	997	617	477	534	771
	96"	1"	898	988	1,059	1,147	1,147	655	512	575	819
RM3910	12"	1 ¼"	253	277	343	370	370	312	227	254	390
	24"	1 ¼"	353	389	418	450	450	353	270	300	441
	36"	1 ¼"	456	501	438	475	475	375	289	322	469
	48"	1 ¼"	559	602	648	701	701	542	406	454	678
	60"	1 ¼"	659	694	693	750	750	565	428	478	706
	72"	1 ¼"	761	788	739	799	799	585	448	500	731
	84"	1 ¼"	864	878	909	984	984	655	515	576	819
	96"	1 ¼"	967	968	1,079	1,169	1,169	725	582	652	906
RM3920	12"	1 ½"	299	328	466	502	502	375	289	322	469
	24"	1 ½"	382	420	536	579	579	452	321	359	565
	36"	1 ½"	465	511	598	646	646	500	365	409	625
	48"	1 ½"	549	614	703	759	759	586	449	503	733
	60"	1 ½"	632	725	783	844	844	630	490	549	788
	72"	1 ½"	715	837	861	931	931	672	531	594	840
	84"	1 ½"	797	950	1,010	1,092	1,092	771	598	668	964
	96"	1 ½"	979	1,063	1,159	1,253	1,253	870	665	742	1,088
Offset Pulls - Flat Ends											
RM3930	12"	1"			375		408	354	272	302	443
	24"	1"			420		456	434	300	337	543
	36"	1"			438		475	452	321	359	565
	48"	1"			705		761	573	437	489	716
	60"	1"			774		839	604	467	522	755
	72"	1"			843		910	631	491	551	789
	84"	1"			980		1,057	668	528	592	835
	96"	1"			1,117		1,204	705	565	633	881
RM3940	12"	1 ¼"			403		434	365	279	313	456
	24"	1 ¼"			476		514	452	321	359	565
	36"	1 ¼"			498		536	473	339	381	591
	48"	1 ¼"			708		763	595	457	514	744
	60"	1 ¼"			752		811	619	478	535	774
	72"	1 ¼"			798		861	638	498	560	798
	84"	1 ¼"			970		1,046	709	567	635	886
	96"	1 ¼"			1,142		1,231	780	636	710	975
RM3950	12"	1 ½"			523		567	473	339	381	591
	24"	1 ½"			596		644	506	369	414	633
	36"	1 ½"			655		708	555	416	468	694
	48"	1 ½"			760		821	639	499	561	799
	60"	1 ½"			841		907	682	540	607	853
	72"	1 ½"			917		991	726	581	650	908
	84"	1 ½"			1,070		1,153	825	649	728	1,031
	96"	1 ½"			1,223		1,315	924	717	806	1,155

- HF (Hands-Free) Post - Add \$28 each. (Available on straight post only.) Order form available on website under RM3900 - RM3920.
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3930 - RM3950.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NoirTek - Black Anodized Grip with Contrasting Posts (con't)

Straight Pulls - Round Ends											
Part	Max OA	Dia.	28/628	313/710 315/711	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM3904	12"	1"	284	314	452	487	487	363	278	310	454
	24"	1"	377	414	497	535	535	441	308	346	551
	36"	1"	466	513	514	555	555	461	327	366	576
	48"	1"	559	614	781	843	843	583	445	498	729
	60"	1"	649	714	849	917	917	611	472	529	764
	72"	1"	739	812	917	991	991	638	498	560	798
	84"	1"	831	914	1055	1,142	1,142	677	535	600	846
	96"	1"	923	1,016	1,193	1,293	1,293	716	572	640	895
RM3914	12"	1 ¼"	306	338	477	516	516	373	287	321	466
	24"	1 ¼"	395	435	551	595	595	461	327	366	576
	36"	1 ¼"	485	534	571	617	617	482	347	388	603
	48"	1 ¼"	575	633	783	844	844	604	467	522	755
	60"	1 ¼"	664	731	827	893	893	624	486	542	780
	72"	1 ¼"	755	830	870	942	942	647	508	569	809
	84"	1 ¼"	844	928	1044	1,127	1,127	716	574	643	895
	96"	1 ¼"	992	1,026	1,218	1,312	1,312	785	640	717	981
RM3924	12"	1 ½"	353	389	599	647	647	482	347	388	603
	24"	1 ½"	452	496	671	725	725	514	379	424	643
	36"	1 ½"	549	602	730	788	788	561	424	475	701
	48"	1 ½"	647	712	835	902	902	648	509	570	810
	60"	1 ½"	741	818	915	989	989	690	549	616	863
	72"	1 ½"	840	924	993	1,074	1,074	762	589	659	953
	84"	1 ½"	938	1,032	1,144	1,234	1,234	830	656	735	1,038
	96"	1 ½"	1,036	1,140	1,295	1,394	1,394	898	723	811	1,123
Offset Pulls - Round Ends											
RM3934	12"	1"			511		551	462	328	367	578
	24"	1"			554		598	495	360	403	619
	36"	1"			571		617	514	379	424	643
	48"	1"			840		906	635	496	556	794
	60"	1"			908		981	664	525	587	830
	72"	1"			977		1,055	691	551	617	864
	84"	1"			1,115		1,204	761	587	657	951
	96"	1"			1,253		1,353	831	623	697	1,039
RM3944	12"	1 ¼"			535		577	471	338	379	589
	24"	1 ¼"			609		656	514	379	424	643
	36"	1 ¼"			628		682	534	398	447	668
	48"	1 ¼"			841		907	657	517	579	821
	60"	1 ¼"			886		956	678	536	601	848
	72"	1 ¼"			932		1,005	701	559	623	876
	84"	1 ¼"			1,101		1,190	800	626	701	1,000
	96"	1 ¼"			1,270		1,375	899	693	779	1,124
RM3954	12"	1 ½"			656		710	534	398	447	668
	24"	1 ½"			729		786	567	430	482	709
	36"	1 ½"			788		850	613	475	533	766
	48"	1 ½"			894		965	702	560	627	878
	60"	1 ½"			975		1,052	774	600	674	968
	72"	1 ½"			1,053		1,136	816	640	716	1,020
	84"	1 ½"			1,204		1,300	884	707	794	1,105
	96"	1 ½"			1,355		1,464	952	774	872	1,190
Push Bars - Flat Ends											
RM3902	Up to 36" CTC	1"	421	462	382	410	410	353	270	300	441
RM3912	Up to 36" CTC	1 ¼"	456	501	438	475	475	375	289	322	469
RM3922	Up to 36" CTC	1 ½"	465	511	598	646	646	500	365	409	625
Push Bars - Round Ends											
RM3906	Up to 36" CTC	1"	466	513	514	555	555	461	327	366	576
RM3916	Up to 36" CTC	1 ¼"	485	534	571	617	617	482	347	388	603
RM3926	Up to 36" CTC	1 ½"	549	602	730	788	788	561	424	475	701

- Add \$6.80/in. over 36" for push bars.
- HF (Hands-Free) Post - Add \$28 each. (Available on straight post only.) Order form available on website under RM3904 - RM3924.
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website under RM3934 - RM3954.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

ROCKWOOD

ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ArborMet - Wood Grip Pulls

Straight Pulls - Flat Ends

Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4000	12"	1"	626	676	676	590	437	489	738
	24"	1"	708	763	763	664	507	566	830
	36"	1"	788	849	849	767	575	643	959
	48"	1"	868	938	938	844	645	722	1,055
RM4010	12"	1 ¼"	654	707	707	607	453	508	759
	24"	1 ¼"	734	794	794	682	524	587	853
	36"	1 ¼"	816	880	880	786	592	662	983
	48"	1 ¼"	896	968	968	862	660	741	1,078
RM4020	12"	1 ½"	762	823	823	680	519	583	850
	24"	1 ½"	843	909	909	783	590	659	979
	36"	1 ½"	925	998	998	858	658	738	1,073
	48"	1 ½"	1,005	1,085	1,085	933	728	815	1,166

Offset Pulls - Flat Ends

RM4030	12"	1"	684		736	641	485	542	801
	24"	1"	763		824	745	555	621	931
	36"	1"	844		912	820	623	698	1,025
	48"	1"	926		999	894	693	776	1,118
RM4040	12"	1 ¼"	711		765	659	501	562	824
	24"	1 ¼"	792		855	764	572	639	955
	36"	1 ¼"	870		942	839	639	718	1,049
	48"	1 ¼"	952		1,029	912	711	795	1,140
RM4050	12"	1 ½"	820		885	762	569	636	953
	24"	1 ½"	900		972	836	637	714	1,045
	36"	1 ½"	980		1,057	910	709	792	1,138
	48"	1 ½"	1,061		1,146	984	776	871	1,230


Straight Pulls - Round Ends

RM4004	12"	1"	755	818	818	649	493	551	811
	24"	1"	838	902	902	755	561	629	944
	36"	1"	916	990	990	828	631	706	1,035
	48"	1"	998	1,078	1,078	904	700	784	1,130
RM4014	12"	1 ¼"	784	846	846	667	509	570	834
	24"	1 ¼"	864	933	933	771	578	648	964
	36"	1 ¼"	945	1,020	1,020	846	648	724	1,058
	48"	1 ¼"	1,027	1,107	1,107	921	716	803	1,151
RM4024	12"	1 ½"	891	962	962	767	575	643	959
	24"	1 ½"	972	1,050	1,050	844	645	722	1,055
	36"	1 ½"	1,053	1,137	1,137	917	714	799	1,146
	48"	1 ½"	1,134	1,224	1,224	992	782	878	1,240


- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 46.
- Order form available on website under RM4000 - RM4020, RM4030 - RM4050, RM4004 - RM4024.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.


ArborMet - Wood Grip Pulls (con't)



RM4044



RM4012



RM4016

Offset Pulls - Round Ends

Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4034	12"	1"	811		878	702	540	606	878
	24"	1"	893		965	807	609	683	1,009
	36"	1"	975		1,052	881	679	760	1,101
	48"	1"	1,054		1,139	955	750	838	1,194
RM4044	12"	1 ¼"	840		907	749	557	626	936
	24"	1 ¼"	921		994	825	627	702	1,031
	36"	1 ¼"	1,001		1,081	898	695	779	1,123
	48"	1 ¼"	1,082		1,169	974	765	857	1,218
RM4054	12"	1 ½"	947		1,024	820	623	698	1,025
	24"	1 ½"	1,029		1,112	894	693	776	1,118
	36"	1 ½"	1,109		1,196	972	761	854	1,215
	48"	1 ½"	1,190		1,283	1,044	832	931	1,305

Push Bars - Flat Ends

RM4002	Up to 36" CTC	1"	788	849	849	767	575	643	959
RM4012	Up to 36" CTC	1 ¼"	816	880	880	786	592	662	983
RM4022	Up to 36" CTC	1 ½"	925	998	998	858	658	738	1,073


Push Bars - Round Ends

RM4006	Up to 36" CTC	1"	916	990	990	828	631	706	1,035
RM4016	Up to 36" CTC	1 ¼"	945	1,020	1,020	846	648	724	1,058
RM4026	Up to 36" CTC	1 ½"	1,053	1,137	1,137	917	714	799	1,146


- Add \$6.80/in. over 36" for push bars.
- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 46.
- Order form available on website under RM4034 - RM4054, RM4002 - RM4022, RM4006 - RM4026.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.


ArborMet - Wood Grip Pulls (con't)




RM4010MP



RM4040MP



RM4014MP



RM4044MP

Straight Pulls - Flat Ends

Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4000MP	60"	1"	1,090	1,172	1,172	1,060	852	945	1,325
	72"	1"	1,172	1,259	1,259	1,136	922	1,022	1,420
	84"	1"	1,251	1,345	1,345	1,210	992	1,100	1,513
	96"	1"	1,333	1,433	1,433	1,286	1,062	1,179	1,608
RM4010MP	60"	1 ¼"	1,117	1,201	1,201	1,079	869	962	1,349
	72"	1 ¼"	1,198	1,289	1,289	1,152	938	1,043	1,440
	84"	1 ¼"	1,276	1,374	1,374	1,229	1,008	1,119	1,536
	96"	1 ¼"	1,359	1,461	1,461	1,303	1,078	1,198	1,629
RM4020MP	60"	1 ½"	1,226	1,318	1,318	1,149	934	1,037	1,436
	72"	1 ½"	1,308	1,404	1,404	1,225	1,003	1,116	1,531
	84"	1 ½"	1,388	1,492	1,492	1,300	1,075	1,194	1,625
	96"	1 ½"	1,467	1,577	1,577	1,375	1,142	1,273	1,719

Offset Pulls - Flat Ends

RM4030MP	60"	1"	1,147		1,231	1,113	899	998	1,391
	72"	1"	1,227		1,319	1,187	969	1,077	1,484
	84"	1"	1,309		1,406	1,261	1,041	1,155	1,576
	96"	1"	1,389		1,494	1,338	1,111	1,234	1,673
RM4040MP	60"	1 ¼"	1,174		1,263	1,129	917	1,016	1,411
	72"	1 ¼"	1,253		1,349	1,205	988	1,094	1,506
	84"	1 ¼"	1,335		1,436	1,280	1,056	1,174	1,600
	96"	1 ¼"	1,416		1,524	1,356	1,125	1,251	1,695
RM4050MP	60"	1 ½"	1,284		1,380	1,203	983	1,091	1,504
	72"	1 ½"	1,362		1,464	1,277	1,053	1,170	1,596
	84"	1 ½"	1,445		1,553	1,354	1,122	1,247	1,693
	96"	1 ½"	1,525		1,638	1,428	1,193	1,327	1,785

Straight Pulls - Round Ends

RM4004MP	60"	1"	1,219	1,311	1,311	1,120	907	1,006	1,400
	72"	1"	1,300	1,398	1,398	1,195	977	1,084	1,494
	84"	1"	1,381	1,485	1,485	1,271	1,047	1,163	1,589
	96"	1"	1,460	1,572	1,572	1,346	1,116	1,241	1,683
RM4014MP	60"	1 ¼"	1,247	1,341	1,341	1,139	924	1,024	1,424
	72"	1 ¼"	1,327	1,427	1,427	1,212	993	1,104	1,515
	84"	1 ¼"	1,409	1,515	1,515	1,288	1,063	1,180	1,610
	96"	1 ¼"	1,489	1,599	1,599	1,363	1,131	1,259	1,704
RM4024MP	60"	1 ½"	1,354	1,457	1,457	1,208	991	1,099	1,510
	72"	1 ½"	1,436	1,544	1,544	1,285	1,059	1,177	1,606
	84"	1 ½"	1,516	1,632	1,632	1,359	1,129	1,254	1,699
	96"	1 ½"	1,596	1,719	1,719	1,435	1,200	1,335	1,794

Offset Pulls - Round Ends

RM4034MP	60"	1"	1,171		1,371	1,171	956	1,059	1,464
	72"	1"	1,249		1,458	1,249	1,025	1,138	1,561
	84"	1"	1,322		1,545	1,322	1,152	1,281	1,653
	96"	1"	1,399		1,634	1,399	1,280	1,423	1,749
RM4044MP	60"	1 ¼"	1,304		1,401	1,190	971	1,078	1,488
	72"	1 ¼"	1,384		1,488	1,265	1,044	1,158	1,581
	84"	1 ¼"	1,464		1,575	1,340	1,113	1,236	1,675
	96"	1 ¼"	1,545		1,663	1,415	1,181	1,315	1,769
RM4054MP	60"	1 ½"	1,411		1,518	1,260	1,040	1,153	1,575
	72"	1 ½"	1,492		1,606	1,336	1,110	1,233	1,670
	84"	1 ½"	1,573		1,693	1,411	1,178	1,311	1,764
	96"	1 ½"	1,653		1,780	1,486	1,247	1,386	1,858

• Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 46.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

ArborTek - Wood Grip Pulls

Straight Pulls - Flat Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4100	12"	1"	466	502	502	440	297	335	550
	24"	1"	546	590	590	515	367	411	644
	36"	1"	626	676	676	590	437	489	738
	48"	1"	708	763	763	664	507	566	830
RM4110	12"	1 ¼"	492	532	532	471	328	367	589
	24"	1 ¼"	574	619	619	546	397	445	683
	36"	1 ¼"	654	707	707	621	467	523	776
	48"	1 ¼"	734	794	794	694	534	599	868
RM4120	12"	1 ½"	602	649	649	530	381	427	663
	24"	1 ½"	683	735	735	604	451	505	755
	36"	1 ½"	762	823	823	680	519	583	850
	48"	1 ½"	843	909	909	783	590	659	979
Offset Pulls - Flat Ends									
RM4130	12"	1"	521		564	493	347	388	616
	24"	1"	603		651	567	415	467	709
	36"	1"	684		736	641	485	542	801
	48"	1"	763		824	745	555	621	931
RM4140	12"	1 ¼"	549		593	523	375	419	654
	24"	1 ¼"	628		682	599	445	499	749
	36"	1 ¼"	711		765	673	514	576	841
	48"	1 ¼"	792		855	777	585	654	971
RM4150	12"	1 ½"	656		711	583	429	481	729
	24"	1 ½"	739		798	656	499	559	820
	36"	1 ½"	820		885	762	569	636	953
	48"	1 ½"	900		972	836	637	714	1,045
Straight Pulls - Round Ends									
RM4104	12"	1"	595	644	644	500	353	397	625
	24"	1"	674	729	729	573	421	474	716
	36"	1"	755	818	818	649	493	551	811
	48"	1"	838	902	902	755	561	629	944
RM4114	12"	1 ¼"	621	672	672	531	382	428	664
	24"	1 ¼"	703	759	759	605	452	507	756
	36"	1 ¼"	784	846	846	681	523	585	851
	48"	1 ¼"	864	933	933	785	591	660	981
RM4124	12"	1 ½"	730	788	788	590	437	489	738
	24"	1 ½"	810	877	877	664	507	566	830
	36"	1 ½"	891	962	962	767	575	643	959
	48"	1 ½"	972	1,050	1,050	844	645	722	1,055

- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 46.
- Order form available on website under RM4100 - RM4120, RM4130 - RM4150, RM4104 - RM4124.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.


ROCKWOOD®
ASSA ABLOY

Experience a safer
and more open world


USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ArborTek - Wood Grip Pulls (con't)



Offset Pulls - Round Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4134	12"	1"	651		704	551	403	451	689
	24"	1"	732		791	628	471	528	785
	36"	1"	811		878	702	540	606	878
	48"	1"	893		965	807	609	683	1,009
RM4144	12"	1 ¼"	677		733	584	431	482	730
	24"	1 ¼"	759		820	657	500	560	821
	36"	1 ¼"	840		907	763	570	638	954
	48"	1 ¼"	921		994	837	638	716	1,046
RM4154	12"	1 ½"	786		848	641	485	542	801
	24"	1 ½"	867		937	745	555	621	931
	36"	1 ½"	947		1,024	820	623	698	1,025
	48"	1 ½"	1,029		1,112	894	693	776	1,118
Straight Pulls - Flat Ends									
RM4100MP	60"	1"	928	996	996	881	714	790	1,101
	72"	1"	1,011	1,083	1,083	956	783	868	1,195
	84"	1"	1,090	1,172	1,172	1,032	853	947	1,290
	94"	1"	1,172	1,259	1,259	1,107	924	1,022	1,384
RM4110MP	60"	1 ¼"	957	1,026	1,026	911	740	822	1,139
	72"	1 ¼"	1,036	1,114	1,114	988	812	899	1,235
	84"	1 ¼"	1,117	1,201	1,201	1,062	880	978	1,328
	94"	1 ¼"	1,198	1,288	1,288	1,139	952	1,056	1,424
RM4120MP	60"	1 ½"	1,065	1,142	1,142	999	796	883	1,249
	72"	1 ½"	1,146	1,230	1,230	1,076	867	960	1,345
	84"	1 ½"	1,226	1,318	1,318	1,150	936	1,040	1,438
	94"	1 ½"	1,308	1,404	1,404	1,226	1,005	1,116	1,533




- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 46.
- Order form available on website under RM4134 - RM4154.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.


NOTE: MP part # includes the price of the mid-post.

Push Bars - Flat Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4112	Up to 36" CTC	1 ¼"	654	707	707	621	467	523	776
RM4122	Up to 36" CTC	1 ½"	762	823	823	680	519	583	850
Push Bars - Round Ends									
RM4116	Up to 36" CTC	1 ¼"	784	846	846	681	523	585	851
RM4126	Up to 36" CTC	1 ½"	891	962	962	767	575	643	959

- Order form available on website under RM4112 - RM4122, RM4116 - RM4126.



ArborTek - Wood Grip Pulls (con't)



Offset Pulls - Flat Ends

Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4130MP	60"	1"	986		1,058	963	762	842	1,204
	72"	1"	1,066		1,146	1,037	832	922	1,296
	84"	1"	1,147		1,231	1,114	900	999	1,393
	94"	1"	1,227		1,319	1,188	970	1,078	1,485
RM4140MP	60"	1 ¼"	1,013		1,013	994	792	876	1,243
	72"	1 ¼"	1,093		1,093	1,069	860	954	1,336
	84"	1 ¼"	1,174		1,174	1,144	931	1,033	1,430
	94"	1 ¼"	1,253		1,253	1,221	1,000	1,112	1,526
RM4150MP	60"	1 ½"	1,120		1,205	1,053	843	936	1,316
	72"	1 ½"	1,203		1,291	1,126	915	1,014	1,408
	84"	1 ½"	1,284		1,380	1,203	984	1,092	1,504
	94"	1 ½"	1,362		1,464	1,277	1,054	1,171	1,596

Straight Pulls - Round Ends

RM4104MP	60"	1"	1,058	1,135	1,135	970	767	850	1,213
	72"	1"	1,137	1,224	1,224	1,044	838	930	1,305
	84"	1"	1,219	1,311	1,311	1,120	908	1,006	1,400
	94"	1"	1,300	1,398	1,398	1,195	978	1,085	1,494
RM4114MP	60"	1 ¼"	1,086	1,165	1,165	1,001	798	884	1,251
	72"	1 ¼"	1,166	1,252	1,252	1,077	868	962	1,346
	84"	1 ¼"	1,247	1,341	1,341	1,151	937	1,041	1,439
	94"	1 ¼"	1,327	1,427	1,427	1,228	1,006	1,119	1,535
RM4124MP	60"	1 ½"	1,195	1,284	1,284	1,060	852	945	1,325
	72"	1 ½"	1,273	1,370	1,370	1,136	922	1,021	1,420
	84"	1 ½"	1,354	1,457	1,457	1,210	992	1,100	1,513
	94"	1 ½"	1,436	1,544	1,544	1,286	1,062	1,178	1,608

Offset Pulls - Round Ends

RM4134MP	60"	1"	1,115		1,198	1,024	816	905	1,280
	72"	1"	1,196		1,285	1,097	886	984	1,371
	84"	1"	1,274		1,371	1,174	956	1,062	1,468
	94"	1"	1,357		1,458	1,250	1,025	1,139	1,563
RM4144MP	60"	1 ¼"	1,142		1,227	1,054	845	938	1,318
	72"	1 ¼"	1,224		1,313	1,127	916	1,015	1,409
	84"	1 ¼"	1,304		1,401	1,204	985	1,093	1,505
	94"	1 ¼"	1,384		1,488	1,279	1,055	1,174	1,599
RM4154MP	60"	1 ½"	1,250		1,344	1,113	899	998	1,391
	72"	1 ½"	1,332		1,431	1,187	969	1,077	1,484
	84"	1 ½"	1,411		1,518	1,261	1,041	1,155	1,576
	94"	1 ½"	1,492		1,606	1,338	1,111	1,234	1,673

- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 46.

NOTE: Post location on push bars can be located ½" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.

ROCKWOOD®
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ArborTek - Wood Grip Pulls (con't)



Wood Pulls with Collar Mount Posts									
Straight Pulls - Flat Ends									
Part	Max OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4160	12"	1"	684		739	677	516	579	846
	24"	1"	791		852	775	608	682	969
	36"	1"	894		965	873	698	781	1,091
	48"	1"	1,005		1,085	974	794	888	1,218
RM4170	12"	1 ¼"	694		751	686	527	591	858
	24"	1 ¼"	822		889	803	636	713	1,004
	36"	1 ¼"	947		1,024	921	744	834	1,151
	48"	1 ¼"	1,038		1,121	1,005	820	920	1,256
Offset Pulls - Flat Ends									
RM4180	12"	1"	756		820	744	580	650	930
	24"	1"	872		942	852	681	761	1,065
	36"	1"	990		1,072	959	780	875	1,199
	48"	1"	1,072		1,153	1,034	848	949	1,293
RM4190	12"	1 ¼"	764		827	753	589	658	941
	24"	1 ¼"	902		976	880	706	790	1,100
	36"	1 ¼"	1,039		1,124	1,006	823	921	1,258
	48"	1 ¼"	1,094		1,182	1,056	871	973	1,320
Straight Pulls - Flat Ends									
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™	
RM4160MP	60"	1"	1,424	1,532	1,061	925	1,026	1,326	
	72"	1"	1,482	1,594	1,116	980	1,088	1,395	
	84"	1"	1,540	1,657	1,171	1,036	1,151	1,464	
	94"	1"	1,598	1,719	1,226	1,092	1,213	1,533	
RM4170MP	60"	1 ¼"	1,443	1,552	1,149	1,078	1,198	1,436	
	72"	1 ¼"	1,501	1,615	1,204	1,134	1,260	1,505	
	84"	1 ¼"	1,559	1,677	1,259	1,190	1,323	1,574	
	94"	1 ¼"	1,617	1,741	1,314	1,246	1,386	1,643	
Offset Pulls - Flat Ends									
RM4180MP	60"	1"	1,414	1,520	1,138	1,066	1,184	1,423	
	72"	1"	1,472	1,583	1,193	1,122	1,247	1,491	
	84"	1"	1,530	1,646	1,248	1,178	1,309	1,560	
	94"	1"	1,588	1,708	1,303	1,234	1,372	1,629	
RM4190MP	60"	1 ¼"	1,396	1,501	1,260	1,190	1,323	1,575	
	72"	1 ¼"	1,454	1,563	1,315	1,246	1,386	1,644	
	84"	1 ¼"	1,512	1,627	1,370	1,302	1,449	1,713	
	94"	1 ¼"	1,570	1,689	1,425	1,358	1,512	1,781	

- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See page 46.
- Order form available on website under RM4160 - RM4170, RM4180 - RM4190, RM4160MP - RM4170MP, RM4180MP - RM4190MP.

NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

NOTE: MP part # includes the price of the mid-post.

ArborTek - Wood Grip Pulls (con't)



LeatherWood - Wood Pulls with Leather Grip

Straight Pulls - Flat Ends

Part	OA	Dia.	3/605 4/606	10/612	10B/613	Stock PC/ PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM4118	12"	1 1/4"	938	975	975	892	760	801	1,115
	24"	1 1/4"	1,016	1,060	1,060	963	829	876	1,204
	36"	1 1/4"	1,094	1,146	1,146	1,034	898	951	1,293
	48"	1 1/4"	1,172	1,231	1,231	1,105	968	1,027	1,381

Offset Pulls - Flat Ends

RM4148	12"	1 1/4"	991		1,035	943	807	854	1,179
	24"	1 1/4"	1,069		1,120	1,014	876	929	1,268
	36"	1 1/4"	1,147		1,206	1,085	945	1,004	1,356
	48"	1 1/4"	1,225		1,291	1,156	1,014	1,080	1,445

- Add-on will apply for Premium and Super Premium wood species, as well as any additional wood finishing. See below.
- RM4118 & RM4148 - standard wood finish is Clear Coat.
- Specify leather type and color, wood species and wood finish.
- Order form available on website under RM4118, RM4148.

Wood Species




Domestic (Standard)	Hickory, White Oak, Red Oak, Maple
Premium	Beech, Cherry, Birch
Super Premium	Mahogany, Jatoba (Brazilian Cherry), Canary, Walnut

Wood Add-On

Wood Species	Wood Dia	Add-On	Wood Species	Wood Dia	Add-On	Finish	Add-On
Premium	1"	29	Super Premium	1"	65	Clear	205*
	1 1/4"	45		1 1/4"	85	Dyed	205*
	1 1/2"	65		1 1/2"	105	Tung Oil	70*

- Wood is a natural material, colors and grain will vary between pulls.
- Other wood species are available by request.
- Hickory, sanded unfinished is the stock species; other wood types will require longer lead times and may be subject to availability.

NOTE: *Add-on charges are per wood dowel.



SkewTek - Angled End Pulls

Straight Pull - Forward Segment

Part	Max OA	Dia.	28/628	313/710 315/711	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4200-11	16"	1 1/2"	637	701	879	947	947	709	569	637	886

Offset Pulls - Forward Segment

RM4210LH-11	16"	1 1/2"	682	751	935		1,008	782	612	685	978
RM4210RH-11	16"	1 1/2"	682	751	935		1,008	782	612	685	978

Straight Pulls - Rectangular Posts

RM4270-12	18"	2"	910	972	1,463	1,581	1,581	1,076	893	1,002	1,345
RM4270-24	30"	2"	995	1,062	1,599	1,727	1,727	1,181	998	1,117	1,476

Offset Pulls - Rectangular Posts

RM4272-12	18"	2"	1,123	1,188	1,690		1,826	1,253	1,066	1,194	1,566
RM4272-24	30"	2"	1,211	1,275	1,822		1,968	1,392	1,171	1,307	1,740

Straight Pulls - Round Posts

RM4274-12	18"	2"	910	972	1,463	1,581	1,581	1,076	893	1,002	1,345
RM4274-24	30"	2"	995	1,062	1,599	1,727	1,727	1,181	998	1,117	1,476

- Add \$6.80/in. over 30".
- MP (Mid-Post) - Add \$80 each (Recommended for maximum rigidity on long door pulls).
- Order form available on website under RM4200, RM4210, RM4270, RM4272, RM4274.

ROCKWOOD

ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.


SkewTek - D-Tube Pulls




Straight Pull - Round Posts					
Part	Max OA	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4250	12"	297	201	227	371
	24"	345	249	275	431
	36"	393	297	323	491
	48"	441	345	371	551
	60"	489	393	419	611
	72"	537	441	467	671
	84"	585	489	515	731
	96"	633	537	563	791



Offset Pull - Round Posts					
RM4252	12"	390	244	272	488
	24"	436	290	318	545
	36"	482	336	364	603
	48"	528	382	410	660
	60"	574	428	456	718
	72"	620	474	502	775
	84"	665	520	548	831
	96"	712	566	594	890



Straight Pull - Rectangular Posts					
RM4260	12"	312	216	248	390
	24"	360	264	296	450
	36"	408	312	344	510
	48"	456	360	392	570
	60"	504	408	440	630
	72"	552	456	488	690
	84"	600	504	536	750
	96"	648	552	584	810




Offset Pull - Rectangular Posts					
RM4262	12"	403	273	312	504
	24"	451	321	360	564
	36"	499	369	408	624
	48"	547	417	456	684
	60"	595	465	504	744
	72"	643	513	552	804
	84"	691	561	600	864
	96"	739	609	648	924

- Add \$8.00/in. over 96".
- MP (Mid-Post) - Add \$80 each (Recommended for maximum rigidity on long door pulls).
- Order form available on website under RM4250, RM4252, RM4260, RM4262.


SkewTek - D-Tube Pulls (con't)



Straight Pull - Round Mitered Posts					
Part	Max CTC	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM4255	12"	348	242	278	435
	24"	396	290	326	495
	36"	444	338	374	555
	48"	492	386	422	615
	60"	540	434	470	675
	72"	588	482	518	735
	84"	636	530	566	795
	96"	684	578	614	855




Straight Pull - Rectangular Mitered Posts					
Part	Max CTC	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM4265	12"	348	242	278	435
	24"	396	290	326	495
	36"	444	338	374	555
	48"	492	386	422	615
	60"	540	434	470	675
	72"	588	482	518	735
	84"	636	530	566	795
	96"	684	578	614	855



Offset Pull - Rectangular Mitered Posts					
Part	Max CTC	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM4267	12"	590	460	521	738
	24"	638	508	569	798
	36"	686	556	617	858
	48"	734	604	665	918
	60"	782	652	713	978
	72"	830	700	761	1,038
	84"	878	748	809	1,098
	90"	902	772	833	1,128

- Add \$8.00/in. over 96" (except RM4267).
- MP (Mid-Post) - Add \$80 each (Recommended for maximum rigidity on long door pulls).
- Order form available on website under RM4255, RM4265, RM4267.

SkewTek - Wing Pulls



Straight Pull - Square Posts						
Part	Max OA	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM4280	24"	1" x 1"	1,128	940	1,053	1,410
	36"	1" x 1"	1,158	970	1,083	1,448
	48"	1" x 1"	1,188	1,000	1,113	1,485
	60"	1" x 1"	1,218	1,030	1,143	1,523
Offset Pull - Square Posts						
RM4282	24"	1" x 1"	1,168	973	1,090	1,460
	36"	1" x 1"	1,198	1,003	1,120	1,498
	48"	1" x 1"	1,228	1,033	1,150	1,535
	60"	1" x 1"	1,258	1,063	1,180	1,573

- Order form available on website under RM4280 and RM4282.








ROCKWOOD®
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.


CenTrex - Shaped Pulls




Curved Pulls										
Part	CTC	28/628	313/710 315/711	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	26/625 26D/626	32D/630	32/629	OptiCoat™
RM4400-12	12"	477	502	764	828	604	764	452	506	755
RM4400-20	20"	497	524	848	916	623	848	470	527	779
Double Curved Pulls										
RM4402LH	12"	571	596	848	916	668	848	510	573	835
RM4402RH	12"	571	596	848	916	668	848	510	573	835
Straight Radius Pulls										
RM4410-12	12"	422	447	764	828	538	764	388	434	673
RM4410-18	18"	447	473	848	916	561	848	410	460	701
RM4410-24	24"	473	497	928	1,000	604	928	452	506	755
Offset Radius Pulls										
RM4412-12	12"	524	546	877	945	623	877	470	527	779
RM4412-18	18"	546	571	951	1,028	648	951	491	553	810
RM4412-24	24"	571	596	1,033	1,115	690	1,033	532	596	863
Semi-Circular Pulls										
RM4420	9"	325	350		688	451	638	308	345	564
RM4422	12"	350	376		714	474	663	332	369	593
Radius Push Bars										
RM4440LH	Up to 36"	620	647	1,165	1,259	919	1,165	718	803	1,149
RM4440RH	Up to 36"	620	647	1,165	1,259	919	1,165	718	803	1,149
Compound Radius Push Bars										
RM4450LH	Up to 36"	1,236	1,312	855	1,800	1,386	1,666	1,124	1,259	1,733
RM4450RH	Up to 36"	1,236	1,312	855	1,800	1,386	1,666	1,124	1,259	1,733
Semi-Circular Pulls										
RM4500	11"	497	524	1,058	1,144	740		551	617	925
RM4502	11"	497	524	1,058	1,144	740		551	617	925
RM4506	12"			690	747	582		430	481	728
Side Radius Pull										
RM4510	12"	546	596	794	858	668		510	573	835
Projecting Radius Pull										
RM4512	12"			1,165	1,259	852		654	732	1,065
Radius Push Bars										
RM4516LH	Up to 36"	670	718	1,033	1,115	785		592	662	981
RM4516RH	Up to 36"	670	718	1,033	1,115	785		592	662	981

• Add \$6.80/in. over 36" for push bars.


NOTE: Post location on push bars can be located 1/8" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.




RM4700B




RM4740



RM4750



RM4800



RM4820

AccenTek™ - Solid Pulls with Accents

Cast Pulls										
Part	Grip	CTC	Stock PC/ 10BE/BSP	3/605 4/606	10/612 10A/722	10B/613 10BL/614	15/619 15A/620	20A/624	26/625 26D/626	OptiCoat™
RM4720	1 1/2" x 1/2" x 12 1/2"	8"	603	603	653	653	653	653	653	754
RM4700W	1 1/4" x 5/8" x 14"	10"	701	703	756	756	756	756	756	876
RM4700B	1 1/4" x 5/8" x 14"	10"	701	703	756	756	756	756	756	876
OptiCoat™ Inlay Straight Pull										
Part	OA	Stock PC/10BE/BSP	32D/630	32/629	32DMS					
RM4730	12"	551	512	556	527					
	24"	575	534	580	550					
	36"	599	556	604	573					
	48"	623	579	628	596					
	60"	647	601	653	619					
OptiCoat™ Inlay Offset Pull										
RM4740	12"	586	547	591	562					
	24"	610	569	615	585					
	36"	634	591	639	608					
	48"	658	614	663	631					
	60"	682	636	688	654					
Solid Groove Pulls										
Part	Grip	CTC	32D/630	32/629						
RM4750	1/2" x 1 1/4"	12"	389	439						
	1/2" x 1 1/4"	24"	452	505						
	1/2" x 1 1/4"	36"	512	575						
	1/2" x 1 1/4"	48"	574	642						
RM4755	3/4" x 1 1/4"	12"	444	496						
	3/4" x 1 1/4"	24"	503	565						
	3/4" x 1 1/4"	36"	567	633						
	3/4" x 1 1/4"	48"	626	701						
Formed Pulls with Distinguished Fastener Heads										
Part	Grip	CTC	Wrought Black	Stock PC/ 10BE/BSP	32D/630	OptiCoat™				
RM4800	3/4" Dia	12"	532	507	413	634				
		16"	532	507	413	634				
		24"	588	560	474	700				
		36"	804	766	626	958				
RM4810	1 1/2" x 1/4"	12"	438	417	335	521				
		16"	438	417	335	521				
		24"	485	462	384	578				
		36"	664	632	506	790				
RM4820	1 1/2" x 3/16"	12"	532	507	413	634				
		16"	532	507	413	634				
		24"	588	560	474	700				
		36"	804	766	626	958				
RM4800 x RM4810		12"	972	926	748	1,158				
		16"	972	926	748	1,158				
		24"	1,075	1,024	859	1,280				
		36"	1,470	1,400	1,130	1,750				
RM4820 x RM4810		12"	972	926	748	1,158				
		16"	972	926	748	1,158				
		24"	1,075	1,024	859	1,280				
		36"	1,470	1,400	1,130	1,750				

- RM4700 pulls contain white or black polycarbonate insert.
- RM4750 & RM4755 pulls add \$10.20/in. over 48". CTC up to 60".
- RM4800 Series, US32D and 10BE come with Socket Head Screws. Other finishes come with Hex Head Screws.
- RM4800 Series longer lengths may be offered, call factory for pricing.
- Specify CTC when ordering.
- Order form available on website under RM4700, RM4720, RM4730, RM4740, RM4750, RM4755, RM4800, RM4810, RM4820, RM4850.
- RM4850 - NOTE: Engraving "RKW" add \$108.00.
- RM4850MP (Mid-Post) - Add \$113.00 each (Recommended for maximum rigidity on long door pulls).


ROCKWOOD
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

AccenTek™ - Solid Pulls with Accents (cont')



AccenTek Scooped Pulls									
Part	CTC	Dia.	3/605 4/606	10B/613	15/619	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM4850	12"	1 ¼"	414	450	460	436	229	256	545
	24"	1 ¼"	462	499	509	482	276	309	603
	36"	1 ¼"	511	548	557	528	323	361	660
	48"	1 ¼"	559	596	606	574	369	414	718
	60"	1 ¼"	608	645	654	620	416	466	775
	72"	1 ¼"	656	693	703	665	463	519	831
	84"	1 ¼"	705	742	751	712	510	571	890
	96"	1 ¼"	753	790	800	758	557	624	948


PlanTek - Flat Front Pulls



Straight Cast Pulls										
Part	CTC	Grip Size	3/605 4/606	10/612	10B/613	Stock PC/ 10BE/BSP	26/625 26D/626	32D/630	32/629	OptiCoat™
RM5200-7	7"	1"	379	407	407	362	379			453
RM5200-12	12"	1"	436	471	471	417	436			521
RM5202	12"	1 ¼"	549	593	593	527	549			659
Offset Cast Pulls										
RM5204-8	8"	1"	379		407	362	379			453
RM5204-12	12"	1"	436		471	417	436			521
Radius End Pulls										
RM5210-10	10"	½" x 1 ¼"	773	837	837	564		411	462	705
RM5210-12	12"	½" x 1 ¼"	804	869	869	585		432	484	731
RM5220-12	12"	¾" x 1 ½"	1,034	1,116	1,116	628		471	528	785
RM5220-18	18"	¾" x 1 ½"	1,151	1,243	1,243	693		533	598	866
Square End Pulls										
RM5230-10	10"	½" x 1 ¼"	716	773	773	455		310	348	569
RM5230-12	12"	½" x 1 ¼"	751	810	810	474		331	368	593
RM5240-12	12"	¾" x 1 ½"	948	1,027	1,027	497		350	392	621
RM5240-18	18"	¾" x 1 ½"	1,061	1,148	1,148	519		371	415	649
Bent End Pulls										
RM5250-10	10"	½" x 1 ¼"	579	625	625	433		289	325	541
RM5250-12	12"	½" x 1 ¼"	606	652	652	455		310	348	569
RM5260-12	12"	¾" x 1 ½"	773	837	837	519		371	415	649
RM5260-18	18"	¾" x 1 ½"	917	991	991	564		411	462	705
Radius End Pulls										
RM5270-10	10"	½" x ¾"				541		392	440	676
RM5270-12	12"	½" x ¾"				558		407	458	698
RM5270-16	16"	½" x ¾"				599		445	499	749
Straight Cast Pull										
RM5280	9"	½" x ½"	176	189	189	169	176			211
Push Bars – Radius Ends										
RM5212	Up to 36"	½" x 1 ¼"	1,061	1,148	1,148	670		512	574	838
RM5222	Up to 36"	¾" x 1 ½"	1,605	1,733	1,733	924		719	804	1155
Push Bars – Flat Ends										
RM5232	Up to 36"	½" x 1 ¼"	1,061	1,148	1,148	585		432	484	731
RM5242	Up to 36"	¾" x 1 ½"	1,578	1,707	1,707	693		533	598	866


- Add \$10.20/in. over 36".
- RM5200, RM5202, RM5204 CTC can not be modified.

PlanTek - Flat Front Pulls (con't)



Straight Pull - Radius Ends

Part	Max OA	Grip Size	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM5275	12"	½" x ¾"	494	533	268	173	196	335
	18"	½" x ¾"	522	564	294	197	223	368
	24"	½" x ¾"	551	595	319	222	248	399
	36"	½" x ¾"	608	656	417	270	302	521
	48"	½" x ¾"	663	716	468	317	352	585
	60"	½" x ¾"	702	759	505	347	389	631



Offset Pull - Radius Ends


RM5277	12"	½" x ¾"	546	588	307	213	236	384
	18"	½" x ¾"	575	619	332	235	260	415
	24"	½" x ¾"	600	648	404	257	289	505
	36"	½" x ¾"	657	709	457	305	342	571
	48"	½" x ¾"	714	771	507	349	391	634
	60"	½" x ¾"	751	810	540	382	426	675

- Order form available on website under RM5275, RM5277.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.


Traditional - Decorative Pulls & Plates

Add pull price to plate price to make pull plate combination.



Cast Pulls								
Part	CTC	Base Plate	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	15/619 15A/620	26/625 26D/626	OptiCoat™
RM5500	6"	no	147	156	138	166	147	173
RM5502	6 7/8"	yes	241	256	225	274	263	281
RM5510	12"	no	241	256	225	306	285	281
RM5512	12 7/8"	yes	332	362	318	423	382	398
Cast Pulls								
RM5520	8"	no	214	232	202	237	214	253
RM5522	8"	yes	263	283	246	283	263	308
Cast Pulls								
Part	Size		3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	15/619 15A/620	26/625 26D/626	OptiCoat™
RM5530	5 1/2"		75	81	71	90	75	89
RM5532	7 1/2"		109	117	105	124	116	131
RM5534	12"		323	349	305	342	323	381
Heavy Decorative Plates - .090" Thick								
RM5590A	3" x 12"		126	138	122	153	139	153
RM5590B	3 1/2" x 15"		139	152	132	164	154	165
RM5590C	4" x 16"		154	168	146	176	165	183
Heavy Decorative Plates - .090" Thick								
RM5592A	3" x 12"		126	138	122	153		153
RM5592B	3 1/2" x 15"		139	152	132	164		165
RM5592C	4" x 16"		154	168	146	176		183
Heavy Decorative Plates - .090" Thick								
RM5594B	3 1/2" x 15"		253	274	241	275	263	301
Rope Border Cast Plates								
RM5596A	3" x 12"		154	168	146	164	154	183
RM5596B	3 1/2" x 15"		177	193	169	187	177	211
Plain Cast Plate - 5/16" Thick								
RM5598B	3 1/2" x 15"		204	216	191	211	204	239


Classic - Finial Door Pulls



RM5652-4

1" Door Pulls									
Part	CTC	Grip	Base Plate	3/605 4/606	10/612 10B/613	Stock PC/ 10BE/BSP	15/619 15A/620	26/625 26D/626	OptiCoat™
RM5650	10"	Plain	no	505	546	504	595	557	630
RM5652	10"	Rope	no	505	546	504	595	557	630
RM5654	10"	Fluted	no	505	546	504	595	557	630
RM5660	10"	Plain	yes	565	609	564	655	617	705
RM5662	10"	Rope	yes	565	609	564	655	617	705
RM5664	10"	Fluted	yes	565	609	564	655	617	705
1" Offset Door Pull									
RM5670	10"	Plain	no	570	617	569	632	621	711


- To order suffix finial style number.
- Add \$6.80/in. for longer pulls up to 36".
- Please contact factory to order RM Finial only.



Finial Style Number
(example: RM5650-4)

Suffix	Finial Style:
1	Plain
2	Urn
3	Berry
4	Pinecone

MariTek - Tapered Pulls



RM5700

Straight Door Pulls							
Part	CTC	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	14/618 15/619	26/625 26D/626	OptiCoat™
RM5700	6"	372	399	372	383	395	465
RM5702	12"	395	427	393	406	416	491

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

English Bridle Leather Pulls

Straight Pulls – Flat Ends

Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6060	12"	1"	948	1,025	839	654	734	1,049
	24"	1"	1,407	1,519	1,226	986	1,107	1,533
	36"	1"	1,866	2,013	1,589	1,320	1,476	1,986
	48"	1"	2,321	2,506	1,950	1,654	1,853	2,438
	60"	1"	2,797	3,019	2,313	1,989	2,227	2,891
	72"	1"	3,269	3,533	2,678	2,324	2,602	3,348
	84"	1"	3,536	3,817	2,815	2,451	2,745	3,519
	96"	1"	3,798	4,104	2,954	2,581	2,889	3,693
RM6061	12"	1 ¼"	1,058	1,143	953	757	849	1,191
	24"	1 ¼"	1,723	1,859	1,492	1,231	1,379	1,865
	36"	1 ¼"	2,386	2,575	2,006	1,704	1,909	2,508
	48"	1 ¼"	2,933	3,168	2,453	2,116	2,371	3,066
	60"	1 ¼"	3,480	3,758	2,899	2,531	2,833	3,624
	72"	1 ¼"	3,658	3,950	3,068	2,683	3,006	3,835
	84"	1 ¼"	3,832	4,139	3,235	2,838	3,180	4,044
	96"	1 ¼"	4,009	4,330	3,375	2,968	3,326	4,219
RM6062	12"	1 ½"	1,204	1,301	1,071	866	971	1,339
	24"	1 ½"	1,922	2,075	1,654	1,380	1,544	2,068
	36"	1 ½"	2,638	2,850	2,210	1,893	2,119	2,763
	48"	1 ½"	3,219	3,475	2,471	2,134	2,389	3,089
	60"	1 ½"	3,798	4,104	2,731	2,375	2,660	3,414
	72"	1 ½"	4,010	4,332	2,993	2,616	2,927	3,741
	84"	1 ½"	4,223	4,560	3,253	2,855	3,198	4,066
	96"	1 ½"	4,433	4,790	3,514	3,096	3,468	4,393

Offset Pulls – Flat Ends

RM6070	12"	1"	997	1,076	881	690	773	1,101
	24"	1"	1,454	1,568	1,268	1,024	1,145	1,585
	36"	1"	1,913	2,064	1,627	1,356	1,519	2,034
	48"	1"	2,367	2,558	1,989	1,691	1,893	2,486
	60"	1"	2,845	3,071	2,355	2,027	2,268	2,944
	72"	1"	3,318	3,583	2,717	2,361	2,643	3,396
	84"	1"	3,581	3,871	2,853	2,489	2,787	3,566
	96"	1"	3,845	4,154	2,994	2,617	2,929	3,743
RM6071	12"	1 ¼"	1,106	1,193	992	794	888	1,240
	24"	1 ¼"	1,769	1,911	1,531	1,266	1,418	1,914
	36"	1 ¼"	2,433	2,628	2,044	1,741	1,949	2,555
	48"	1 ¼"	2,980	3,218	2,491	2,153	2,412	3,114
	60"	1 ¼"	3,528	3,811	2,939	2,564	2,874	3,674
	72"	1 ¼"	3,703	3,998	3,107	2,720	3,045	3,884
	84"	1 ¼"	3,879	4,189	3,275	2,875	3,219	4,094
	96"	1 ¼"	4,055	4,379	3,416	3,005	3,365	4,270
RM6072	12"	1 ½"	1,252	1,351	1,110	904	1,010	1,388
	24"	1 ½"	1,969	2,126	1,693	1,416	1,586	2,116
	36"	1 ½"	2,685	2,900	2,249	1,930	2,160	2,811
	48"	1 ½"	3,265	3,527	2,510	2,170	2,431	3,138
	60"	1 ½"	3,845	4,154	2,771	2,411	2,701	3,464
	72"	1 ½"	4,056	4,380	3,032	2,653	2,969	3,790
	84"	1 ½"	4,270	4,609	3,292	2,891	3,240	4,115
	96"	1 ½"	4,481	4,839	3,553	3,131	3,508	4,441

- Add \$6.80/in. over 96".
- MP (Mid-Post) – Add \$80 each. (Recommended for maximum rigidity on long door pulls.
See page 6 for guidelines.)
- FW (Full Wrap) available up to 72" overall length pull – Call for pricing.
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

ROCKWOOD

ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021–2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

English Bridle Leather Pulls (con't)

Straight Pulls - Round Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6080	12"	1"	1,052	1,135	887	697	780	1,109
	24"	1"	1,407	1,519	1,274	1,029	1,153	1,593
	36"	1"	1,866	2,013	1,634	1,362	1,526	2,043
	48"	1"	2,321	2,506	1,998	1,697	1,902	2,498
	60"	1"	2,797	3,019	2,360	2,032	2,275	2,950
	72"	1"	3,269	3,533	2,723	2,368	2,652	3,404
	84"	1"	3,536	3,817	2,862	2,495	2,793	3,578
	96"	1"	3,798	4,104	2,999	2,622	2,938	3,749
RM6081	12"	1 1/4"	1,058	1,143	999	800	894	1,249
	24"	1 1/4"	1,723	1,859	1,538	1,271	1,425	1,923
	36"	1 1/4"	2,386	2,575	2,051	1,746	1,956	2,564
	48"	1 1/4"	2,933	3,168	2,498	2,158	2,419	3,123
	60"	1 1/4"	3,480	3,758	2,945	2,571	2,881	3,681
	72"	1 1/4"	3,658	3,950	3,114	2,727	3,054	3,893
	84"	1 1/4"	3,832	4,139	3,282	2,882	3,228	4,103
	96"	1 1/4"	4,009	4,330	3,421	3,010	3,372	4,276
RM6082	12"	1 1/2"	1,204	1,301	1,116	909	1,019	1,395
	24"	1 1/2"	1,922	2,075	1,699	1,421	1,592	2,124
	36"	1 1/2"	2,638	2,850	2,256	1,935	2,168	2,820
	48"	1 1/2"	3,219	3,475	2,516	2,175	2,437	3,145
	60"	1 1/2"	3,798	4,104	2,777	2,417	2,707	3,471
	72"	1 1/2"	4,010	4,332	3,039	2,659	2,976	3,799
	84"	1 1/2"	4,223	4,560	3,299	2,898	3,245	4,124
	96"	1 1/2"	4,433	4,790	3,559	3,139	3,514	4,449
Offset Pulls - Round Ends								
RM6090	12"	1"	1,097	1,186	926	734	820	1,158
	24"	1"	1,554	1,679	1,312	1,065	1,193	1,640
	36"	1"	2,012	2,172	1,673	1,399	1,567	2,091
	48"	1"	2,468	2,667	2,036	1,734	1,941	2,545
	60"	1"	2,943	3,179	2,400	2,069	2,317	3,000
	72"	1"	3,418	3,693	2,763	2,403	2,693	3,454
	84"	1"	3,684	3,977	2,900	2,532	2,834	3,625
	96"	1"	3,947	4,261	3,040	2,660	2,978	3,800
RM6091	12"	1 1/4"	1,204	1,301	1,038	836	937	1,298
	24"	1 1/4"	1,869	2,017	1,576	1,309	1,466	1,970
	36"	1 1/4"	2,533	2,736	2,090	1,783	1,996	2,613
	48"	1 1/4"	3,080	3,326	2,537	2,197	2,458	3,171
	60"	1 1/4"	3,627	3,918	2,985	2,609	2,921	3,731
	72"	1 1/4"	3,803	4,107	3,153	2,764	3,095	3,941
	84"	1 1/4"	3,979	4,300	3,320	2,918	3,267	4,150
	96"	1 1/4"	4,156	4,488	3,461	3,046	3,413	4,326
RM6092	12"	1 1/2"	1,351	1,459	1,155	945	1,058	1,444
	24"	1 1/2"	2,069	2,233	1,739	1,459	1,633	2,174
	36"	1 1/2"	2,786	3,009	2,295	1,972	2,209	2,869
	48"	1 1/2"	3,367	3,634	2,555	2,212	2,478	3,194
	60"	1 1/2"	3,947	4,261	2,816	2,453	2,748	3,520
	72"	1 1/2"	4,157	4,489	3,077	2,695	3,017	3,846
	84"	1 1/2"	4,370	4,719	3,339	2,935	3,287	4,174
	96"	1 1/2"	4,579	4,947	3,600	3,175	3,556	4,500

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- FW (Full Wrap) available up to 72" overall length pull - Call for pricing.
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

Upholstery Leather Pulls



RM6131


Straight Pull - Square Posts

Part	Max OA	Grip Size	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6121	24"	1" x 1"	1,535	1,279	1,432	1,919
	36"	1" x 1"	1,608	1,352	1,505	2,010
	48"	1" x 1"	1,681	1,425	1,578	2,101
	60"	1" x 1"	1,754	1,498	1,651	2,193

Offset Pull - Square Posts

RM6131	24"	1" x 1"	1,574	1,312	1,469	1,968
	36"	1" x 1"	1,647	1,385	1,542	2,059
	48"	1" x 1"	1,720	1,458	1,615	2,150
	60"	1" x 1"	1,793	1,531	1,688	2,241

- Specify leather color.
- Order form available on website.



RM6141

Straight Pull - D-Tube

Part	Max OA	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6141	12"	506	417	444	633
	24"	780	696	722	975
	36"	1,054	975	1,001	1,318
	48"	1,328	1,254	1,280	1,660
	60"	1,602	1,532	1,559	2,003
	72"	1,876	1,811	1,838	2,345
	84"	2,150	2,090	2,116	2,688
	96"	2,424	2,369	2,395	3,030

Offset Pull - D-Tube

RM6151	12"	551	463	489	689
	24"	825	742	768	1,031
	36"	1,099	1,021	1,047	1,374
	48"	1,373	1,299	1,326	1,716
	60"	1,647	1,578	1,605	2,059
	72"	1,921	1,857	1,883	2,401
	84"	2,195	2,136	2,162	2,744
	96"	2,469	2,415	2,441	3,086

- Add \$8.00/in. over 96".
- MP (Mid-Post) - Add \$80.00 each. (Recommended for maximum rigidity on long door pulls.)
- FW (Full Wrap) available up to 72" overall length pull.
- Specify leather color.
- Order form available on website.

ROCKWOOD®
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Upholstery Leather Pulls (con't)

Straight Pulls - Flat Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6160	12"	1"	890	964	765	600	674	956
	24"	1"	1,262	1,363	998	823	921	1,248
	36"	1"	1,744	1,884	1,385	1,166	1,304	1,731
	48"	1"	2,226	2,403	1,747	1,510	1,691	2,184
	60"	1"	2,571	2,779	1,959	1,709	1,915	2,449
	72"	1"	3,072	3,318	2,322	2,054	2,302	2,903
	84"	1"	3,283	3,544	2,445	2,171	2,431	3,056
	96"	1"	3,559	3,844	2,583	2,304	2,581	3,229
RM6161	12"	1 ¼"	1,001	1,081	840	674	755	1,050
	24"	1 ¼"	1,747	1,886	1,438	1,214	1,361	1,798
	36"	1 ¼"	2,447	2,643	1,951	1,703	1,908	2,439
	48"	1 ¼"	3,024	3,266	2,398	2,129	2,382	2,998
	60"	1 ¼"	3,448	3,724	2,732	2,445	2,738	3,415
	72"	1 ¼"	3,633	3,924	2,902	2,604	2,918	3,628
	84"	1 ¼"	3,817	4,124	3,030	2,728	3,056	3,788
	96"	1 ¼"	4,006	4,323	3,170	2,861	3,206	3,963
RM6162	12"	1 ½"	1,136	1,230	898	728	816	1,123
	24"	1 ½"	1,893	2,045	1,608	1,378	1,542	2,010
	36"	1 ½"	2,648	2,859	2,165	1,908	2,135	2,706
	48"	1 ½"	3,260	3,521	2,426	2,154	2,414	3,033
	60"	1 ½"	3,871	4,181	2,687	2,402	2,688	3,359
	72"	1 ½"	4,094	4,422	2,948	2,651	2,968	3,685
	84"	1 ½"	4,318	4,664	3,209	2,897	3,245	4,011
	96"	1 ½"	4,540	4,903	3,470	3,145	3,523	4,338
Straight Pulls - Flat Ends								
RM6170	12"	1"	940	1,015	803	638	715	1,004
	24"	1"	1,310	1,416	1,036	860	964	1,295
	36"	1"	1,794	1,937	1,424	1,203	1,347	1,780
	48"	1"	2,275	2,456	1,788	1,548	1,734	2,235
	60"	1"	2,621	2,830	1,997	1,747	1,958	2,496
	72"	1"	3,121	3,371	2,361	2,092	2,343	2,951
	84"	1"	3,332	3,598	2,484	2,209	2,475	3,105
	96"	1"	3,608	3,898	2,624	2,340	2,622	3,280
RM6171	12"	1 ¼"	1,050	1,134	881	712	797	1,101
	24"	1 ¼"	1,797	1,940	1,477	1,253	1,403	1,846
	36"	1 ¼"	2,496	2,696	1,989	1,741	1,949	2,486
	48"	1 ¼"	3,073	3,319	2,438	2,164	2,425	3,048
	60"	1 ¼"	3,498	3,778	2,771	2,483	2,780	3,464
	72"	1 ¼"	3,684	3,978	2,940	2,643	2,958	3,675
	84"	1 ¼"	3,867	4,177	3,069	2,766	3,096	3,836
	96"	1 ¼"	4,052	4,377	3,212	2,898	3,246	4,015
RM6172	12"	1 ½"	1,187	1,282	937	765	857	1,171
	24"	1 ½"	1,943	2,099	1,648	1,415	1,585	2,060
	36"	1 ½"	2,697	2,913	2,205	1,944	2,176	2,756
	48"	1 ½"	3,308	3,573	2,464	2,192	2,454	3,080
	60"	1 ½"	3,920	4,236	2,726	2,439	2,731	3,408
	72"	1 ½"	4,143	4,475	2,987	2,686	3,010	3,734
	84"	1 ½"	4,369	4,716	3,248	2,935	3,288	4,060
	96"	1 ½"	4,590	4,957	3,509	3,182	3,565	4,386

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- FW (Full Wrap) available up to 72" overall length pull - Call for pricing.
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®


ASSA ABLOY

Experience a safer
and more open world

Upholstery Leather Pulls (con't)



Straight Pulls - Round Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6180	12"	1"	998	1,076	811	644	722	1,014
	24"	1"	1,367	1,478	1,044	866	970	1,305
	36"	1"	1,850	1,997	1,430	1,209	1,353	1,788
	48"	1"	2,330	2,516	1,794	1,554	1,741	2,243
	60"	1"	2,679	2,892	2,006	1,754	1,965	2,508
	72"	1"	3,178	3,433	2,368	2,098	2,348	2,960
	84"	1"	3,385	3,658	2,490	2,215	2,481	3,113
	96"	1"	3,665	3,957	2,630	2,346	2,628	3,288
RM6181	12"	1 ¼"	1,107	1,195	888	717	803	1,110
	24"	1 ¼"	1,854	2,001	1,484	1,259	1,411	1,855
	36"	1 ¼"	2,552	2,757	1,995	1,746	1,956	2,494
	48"	1 ¼"	3,129	3,380	2,445	2,171	2,431	3,056
	60"	1 ¼"	3,553	3,837	2,780	2,489	2,788	3,475
	72"	1 ¼"	3,738	4,040	2,946	2,650	2,967	3,683
	84"	1 ¼"	3,924	4,238	3,076	2,771	3,103	3,845
	96"	1 ¼"	4,109	4,439	3,218	2,906	3,253	4,023
RM6182	12"	1 ½"	1,243	1,343	944	772	864	1,180
	24"	1 ½"	2,000	2,161	1,655	1,420	1,591	2,069
	36"	1 ½"	2,754	2,974	2,211	1,950	2,184	2,764
	48"	1 ½"	3,367	3,634	2,472	2,199	2,461	3,090
	60"	1 ½"	3,978	4,295	2,732	2,445	2,738	3,415
	72"	1 ½"	4,199	4,537	2,995	2,694	3,017	3,744
	84"	1 ½"	4,423	4,778	3,256	2,942	3,294	4,070
	96"	1 ½"	4,646	5,018	3,516	3,188	3,571	4,395
Offset Pulls - Round Ends								
RM6190	12"	1"	1,047	1,130	849	682	765	1,061
	24"	1"	1,417	1,529	1,083	905	1,011	1,354
	36"	1"	1,899	2,052	1,470	1,246	1,396	1,838
	48"	1"	2,380	2,570	1,834	1,591	1,783	2,293
	60"	1"	2,727	2,945	2,044	1,792	2,005	2,555
	72"	1"	3,227	3,484	2,407	2,137	2,392	3,009
	84"	1"	3,436	3,711	2,530	2,253	2,524	3,163
	96"	1"	3,716	4,011	2,670	2,385	2,671	3,338
RM6191	12"	1 ¼"	1,156	1,250	927	755	845	1,159
	24"	1 ¼"	1,904	2,054	1,522	1,296	1,452	1,903
	36"	1 ¼"	2,602	2,811	2,036	1,785	1,997	2,545
	48"	1 ¼"	3,179	3,434	2,484	2,209	2,475	3,105
	60"	1 ¼"	3,602	3,891	2,817	2,527	2,831	3,521
	72"	1 ¼"	3,789	4,091	2,986	2,685	3,008	3,733
	84"	1 ¼"	3,974	4,291	3,114	2,808	3,146	3,893
	96"	1 ¼"	4,159	4,491	3,257	2,943	3,296	4,071
RM6192	12"	1 ½"	1,293	1,396	982	807	907	1,228
	24"	1 ½"	2,050	2,209	1,693	1,459	1,634	2,116
	36"	1 ½"	2,802	3,028	2,251	1,987	2,225	2,814
	48"	1 ½"	3,415	3,688	2,511	2,235	2,504	3,139
	60"	1 ½"	4,027	4,349	2,771	2,483	2,780	3,464
	72"	1 ½"	4,247	4,589	3,034	2,731	3,059	3,793
	84"	1 ½"	4,472	4,830	3,293	2,978	3,336	4,116
	96"	1 ½"	4,696	5,069	3,555	3,226	3,615	4,444



- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- FW (Full Wrap) available up to 72" overall length pull - Call for pricing.
- Specify leather color.
- Order form available on website.

NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

ROCKWOOD
ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.


Leather Oval - Ergonomic Pulls




RM6200



RM6220



RM6230



RM6240

True Oval						
Part	Max OA	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM6200	12"	1" x 1 1/2"	1,113	956	1,071	1,391
	24"	1" x 1 1/2"	1,558	1,364	1,528	1,948
	36"	1" x 1 1/2"	1,976	1,771	1,984	2,470
	48"	1" x 1 1/2"	2,395	2,178	2,441	2,994
	60"	1" x 1 1/2"	2,813	2,588	2,897	3,516
	72"	1" x 1 1/2"	3,231	2,995	3,354	4,039
	84"	1" x 1 1/2"	3,649	3,404	3,811	4,561
	96"	1" x 1 1/2"	4,068	3,810	4,266	5,085
Flat Oval - 3/4" Diameter Posts						
RM6220	12"	3/4" x 1 1/2"	1,159	1,002	1,123	1,449
	24"	3/4" x 1 1/2"	1,598	1,404	1,573	1,998
	36"	3/4" x 1 1/2"	2,010	1,804	2,021	2,513
	48"	3/4" x 1 1/2"	2,422	2,207	2,469	3,028
	60"	3/4" x 1 1/2"	2,834	2,609	2,920	3,543
	72"	3/4" x 1 1/2"	3,246	3,009	3,369	4,058
	84"	3/4" x 1 1/2"	3,658	3,411	3,821	4,573
	96"	3/4" x 1 1/2"	4,069	3,811	4,268	5,086
Flat Oval - 1" Diameter Posts						
RM6230	12"	3/4" x 1 1/2"	1,226	1,041	1,169	1,533
	24"	3/4" x 1 1/2"	1,638	1,444	1,617	2,048
	36"	3/4" x 1 1/2"	2,051	1,845	2,067	2,564
	48"	3/4" x 1 1/2"	2,462	2,247	2,515	3,078
	60"	3/4" x 1 1/2"	2,875	2,647	2,965	3,594
	72"	3/4" x 1 1/2"	3,286	3,048	3,415	4,108
	84"	3/4" x 1 1/2"	3,698	3,451	3,864	4,623
	96"	3/4" x 1 1/2"	4,110	3,850	4,313	5,138
Flat Oval - 3/4"x 1 1/2" Diameter Posts						
RM6240	12"	3/4" x 1 1/2"	1,383	1,194	1,336	1,729
	24"	3/4" x 1 1/2"	1,794	1,594	1,786	2,243
	36"	3/4" x 1 1/2"	2,206	1,996	2,235	2,758
	48"	3/4" x 1 1/2"	2,619	2,396	2,684	3,274
	60"	3/4" x 1 1/2"	3,029	2,798	3,134	3,786
	72"	3/4" x 1 1/2"	3,440	3,200	3,584	4,300
	84"	3/4" x 1 1/2"	3,853	3,601	4,033	4,816
	96"	3/4" x 1 1/2"	4,265	4,004	4,483	5,331

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify leather color.
- Order form available on website.


NOTE: All long pulls include charge for leather between mounting posts up to a maximum of 72" of leather cover.

Flush Leather Pulls

Straight Pulls – Flat Ends

Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6300	12"	1"	1,058	1,143	957	762	853	1,196
	24"	1"	1,578	1,705	1,456	1,199	1,343	1,820
	36"	1"	2,101	2,268	1,928	1,633	1,829	2,410
	48"	1"	2,621	2,830	2,401	2,070	2,319	3,001
	60"	1"	3,142	3,393	2,873	2,505	2,805	3,591
	72"	1"	3,663	3,954	3,345	2,942	3,294	4,181
	84"	1"	4,184	4,518	3,817	3,377	3,781	4,771
	96"	1"	4,704	5,082	4,290	3,811	4,268	5,363
RM6310	12"	1 ¼"	1,269	1,370	1,113	906	1,013	1,391
	24"	1 ¼"	1,811	1,955	1,616	1,344	1,505	2,020
	36"	1 ¼"	2,355	2,541	2,089	1,781	1,995	2,611
	48"	1 ¼"	2,895	3,127	2,563	2,219	2,486	3,204
	60"	1 ¼"	3,438	3,715	3,039	2,659	2,976	3,799
	72"	1 ¼"	3,981	4,300	3,514	3,096	3,468	4,393
	84"	1 ¼"	4,525	4,886	3,988	3,534	3,958	4,985
	96"	1 ¼"	5,065	5,470	4,464	3,971	4,450	5,580
RM6320	12"	1 ½"	1,373	1,484	1,238	997	1,116	1,548
	24"	1 ½"	1,930	2,084	1,726	1,449	1,622	2,158
	36"	1 ½"	2,488	2,686	2,216	1,900	2,127	2,770
	48"	1 ½"	3,044	3,287	2,707	2,351	2,632	3,384
	60"	1 ½"	3,601	3,889	3,195	2,801	3,139	3,994
	72"	1 ½"	4,158	4,491	3,685	3,252	3,644	4,606
	84"	1 ½"	4,715	5,094	4,174	3,706	4,149	5,218
	96"	1 ½"	5,273	5,694	4,663	4,156	4,655	5,829

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls.
See page 6 for guidelines.)
- Order form available on website.



ROCKWOOD®
ASSA ABLOY

Experience a safer
and more open world


USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Flush Leather Pulls (con't)

Offset Pulls - Flat Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6330	12"	1"	1,106	1,193	1,004	804	903	1,255
	24"	1"	1,626	1,756	1,502	1,241	1,389	1,878
	36"	1"	2,145	2,319	1,974	1,676	1,877	2,468
	48"	1"	2,668	2,881	2,448	2,112	2,365	3,060
	60"	1"	3,188	3,442	2,919	2,547	2,852	3,649
	72"	1"	3,707	4,007	3,391	2,984	3,341	4,239
	84"	1"	4,231	4,568	3,863	3,419	3,830	4,829
	96"	1"	4,752	5,132	4,337	3,854	4,318	5,421
RM6340	12"	1 ¼"	1,317	1,421	1,158	947	1,061	1,448
	24"	1 ¼"	1,858	2,006	1,661	1,385	1,552	2,076
	36"	1 ¼"	2,401	2,593	2,135	1,824	2,043	2,669
	48"	1 ¼"	2,942	3,179	2,610	2,262	2,534	3,263
	60"	1 ¼"	3,484	3,763	3,085	2,701	3,025	3,856
	72"	1 ¼"	4,027	4,350	3,559	3,139	3,514	4,449
	84"	1 ¼"	4,569	4,935	4,033	3,575	4,006	5,041
	96"	1 ¼"	5,113	5,521	4,509	4,014	4,496	5,636
RM6350	12"	1 ½"	1,420	1,533	1,283	1,039	1,163	1,604
	24"	1 ½"	1,977	2,134	1,773	1,491	1,670	2,216
	36"	1 ½"	2,534	2,737	2,264	1,942	2,174	2,830
	48"	1 ½"	3,090	3,338	2,752	2,392	2,680	3,440
	60"	1 ½"	3,649	3,940	3,242	2,844	3,185	4,053
	72"	1 ½"	4,204	4,541	3,731	3,296	3,690	4,664
	84"	1 ½"	4,761	5,144	4,220	3,747	4,197	5,275
	96"	1 ½"	5,318	5,744	4,708	4,200	4,703	5,885




RM6340

- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify leather type and color.
- Order form available on website.

Flush Leather Pulls (con't)

Straight Pulls - Round Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6304	12"	1"	1,165	1,259	1,016	817	914	1,270
	24"	1"	1,686	1,820	1,515	1,253	1,404	1,894
	36"	1"	2,207	2,384	1,987	1,688	1,891	2,484
	48"	1"	2,727	2,946	2,459	2,125	2,379	3,074
	60"	1"	3,248	3,508	2,932	2,559	2,867	3,665
	72"	1"	3,768	4,070	3,406	2,996	3,354	4,258
	84"	1"	4,290	4,634	3,876	3,431	3,842	4,845
	96"	1"	4,811	5,195	4,348	3,867	4,329	5,435
RM6314	12"	1 ¼"	1,376	1,486	1,173	961	1,074	1,466
	24"	1 ¼"	1,918	2,071	1,673	1,399	1,567	2,091
	36"	1 ¼"	2,460	2,658	2,148	1,835	2,055	2,685
	48"	1 ¼"	3,003	3,244	2,624	2,274	2,547	3,280
	60"	1 ¼"	3,546	3,828	3,098	2,713	3,038	3,873
	72"	1 ¼"	4,088	4,414	3,572	3,151	3,530	4,465
	84"	1 ¼"	4,629	5,000	4,048	3,589	4,018	5,060
	96"	1 ¼"	5,173	5,585	4,523	4,028	4,511	5,654
RM6324	12"	1 ½"	1,480	1,599	1,298	1,052	1,177	1,623
	24"	1 ½"	2,037	2,200	1,787	1,503	1,682	2,234
	36"	1 ½"	2,594	2,800	2,276	1,953	2,188	2,845
	48"	1 ½"	3,151	3,403	2,766	2,405	2,694	3,458
	60"	1 ½"	3,706	4,006	3,255	2,856	3,201	4,069
	72"	1 ½"	4,265	4,606	3,743	3,308	3,706	4,679
	84"	1 ½"	4,821	5,210	4,234	3,760	4,210	5,293
	96"	1 ½"	5,379	5,809	4,723	4,210	4,716	5,904



- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls.
See page 6 for guidelines.)
- Specify leather type and color.
- Order form available on website.


ROCKWOOD®
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.


Flush Leather Pulls (con't)



RM6334

Offset Pulls - Round Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6334	12"	1"	1,210	1,308	1,062	859	963	1,328
	24"	1"	1,732	1,872	1,563	1,295	1,451	1,954
	36"	1"	2,255	2,434	2,034	1,732	1,937	2,543
	48"	1"	2,776	2,995	2,505	2,167	2,426	3,131
	60"	1"	3,296	3,559	2,978	2,601	2,913	3,723
	72"	1"	3,816	4,121	3,452	3,038	3,402	4,315
	84"	1"	4,338	4,683	3,923	3,473	3,891	4,904
	96"	1"	4,858	5,248	4,396	3,910	4,378	5,495
RM6344	12"	1 ¼"	1,423	1,536	1,244	1,003	1,123	1,555
	24"	1 ¼"	1,965	2,122	1,719	1,441	1,613	2,149
	36"	1 ¼"	2,506	2,708	2,194	1,878	2,103	2,743
	48"	1 ¼"	3,049	3,295	2,670	2,318	2,595	3,338
	60"	1 ¼"	3,592	3,879	3,143	2,755	3,086	3,929
	72"	1 ¼"	4,135	4,466	3,618	3,193	3,575	4,523
	84"	1 ¼"	4,676	5,051	4,093	3,630	4,068	5,116
	96"	1 ¼"	5,219	5,636	4,568	4,070	4,557	5,710
RM6354	12"	1 ½"	1,526	1,649	1,343	1,093	1,225	1,679
	24"	1 ½"	2,084	2,249	1,833	1,544	1,732	2,291
	36"	1 ½"	2,640	2,853	2,323	1,996	2,236	2,904
	48"	1 ½"	3,198	3,453	2,810	2,448	2,741	3,513
	60"	1 ½"	3,755	4,055	3,300	2,900	3,247	4,125
	72"	1 ½"	4,312	4,658	3,789	3,351	3,753	4,736
	84"	1 ½"	4,868	5,258	4,280	3,801	4,258	5,350
	96"	1 ½"	5,426	5,861	4,768	4,253	4,764	5,960


- Add \$6.80/in. over 96".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Specify leather type and color.
- Order form available on website.



RM6317

Straight Pull - Casted Ends							
Part	CTC	Dia.	4/606	10B/613	15/619	Stock PC/ 10BE/BSP	OptiCoat™
RM6317	12"	1 ½"	589	663	679	644	805
	24"	1 ½"	924	998	1,015	962	1,203
	36"	1 ½"	1,260	1,334	1,350	1,280	1,600
	48"	1 ½"	1,595	1,669	1,686	1,598	1,998
	60"	1 ½"	1,931	2,005	2,021	1,916	2,395
	72"	1 ½"	2,266	2,340	2,357	2,234	2,793

- Add \$6.80/in over 72".
- NOTE: Engraving "RKW" add \$108.00.
- RM6317MP (Mid-Post) add \$113 each (Recommended for maximum rigidity on long door pulls).
- Specify leather type and color.
- Order form available on website.







RM6347

Offset Pull - Casted Ends									
Part	CTC	Dia.	3/605 4/606	10B/613	15/619	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6347	12"	1 ¼"	698	778	752	713	611	717	891
	24"	1 ¼"	984	1,063	1,038	984	886	993	1,230
	36"	1 ¼"	1,270	1,349	1,324	1,255	1,162	1,269	1,569

- Specify leather type and color.
- NOTE: Engraving "RKW" add \$108.00.
- Order form available on website.

Upholstery Leather GeoMetek - Narrow Profile Pulls



Straight Square End Pulls						
Part	CTC	Grip Size	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCool™
RM6400	12"	3/4" x 3/4"	755	591	662	944
	24"	3/4" x 3/4"	1,211	1,001	1,121	1,514
	36"	3/4" x 3/4"	1,643	1,409	1,578	2,054
	48"	3/4" x 3/4"	2,072	1,818	2,036	2,590
RM6440	12"	1 1/4" x 1 1/4"	875	705	791	1,094
	24"	1 1/4" x 1 1/4"	1,446	1,224	1,369	1,808
	36"	1 1/4" x 1 1/4"	1,988	1,740	1,947	2,485
	48"	1 1/4" x 1 1/4"	2,532	2,256	2,527	3,165
Straight Rectangular End Pulls						
RM6410	12"	3/4" x 1 1/2"	882	713	798	1,103
	24"	3/4" x 1 1/2"	1,270	1,056	1,182	1,588
	36"	3/4" x 1 1/2"	1,632	1,401	1,569	2,040
	48"	3/4" x 1 1/2"	1,993	1,744	1,953	2,491
	60"	3/4" x 1 1/2"	2,357	2,088	2,337	2,946
	72"	3/4" x 1 1/2"	2,719	2,431	2,722	3,399
	84"	3/4" x 1 1/2"	3,080	2,775	3,109	3,850
	96"	3/4" x 1 1/2"	3,442	3,120	3,494	4,303
Offset Square End Pulls						
RM6420	12"	3/4" x 3/4"	800	635	712	1,000
	24"	3/4" x 3/4"	1,258	1,043	1,169	1,573
	36"	3/4" x 3/4"	1,686	1,453	1,627	2,108
	48"	3/4" x 3/4"	2,118	1,862	2,085	2,648
Offset Rectangular End Pulls						
RM6430	12"	3/4" x 1 1/2"	928	756	848	1,160
	24"	3/4" x 1 1/2"	1,315	1,099	1,233	1,644
	36"	3/4" x 1 1/2"	1,679	1,443	1,618	2,099
	48"	3/4" x 1 1/2"	2,040	1,789	2,001	2,550
	60"	3/4" x 1 1/2"	2,401	2,132	2,387	3,001
	72"	3/4" x 1 1/2"	2,763	2,476	2,772	3,454
	84"	3/4" x 1 1/2"	3,126	2,819	3,157	3,908
	96"	3/4" x 1 1/2"	3,487	3,162	3,542	4,359

• Order form available on website.

ROCKWOOD®
ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.


Leather - Small Pulls for Cabinets, Casework & Closet Doors




Straight Surface Wrapped - Flat Ends								
Part	Max OA	Dia.	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	OptiCoat™
RM6500-4	5 7/8"	1/2"	242	261	243	165	175	304
RM6500-5	6 7/8"	1/2"	257	277	255	176	189	319
RM6510-5	6 7/8"	5/8"	295	320	291	209	226	364
RM6510-6	7 7/8"	5/8"	331	360	323	240	256	404



Offset Surface Wrapped - Flat Ends								
RM6530-5	7"	5/8"			377	269	289	471
RM6530-6	8"	5/8"			411	297	319	514



Straight Surface Wrapped - Round Ends								
RM6540-4	5 7/8"	1/2"	265	287	264	185	198	330
RM6540-5	6 7/8"	1/2"	284	309	279	200	213	349
RM6550-5	7"	5/8"	323	349	315	233	246	394
RM6550-6	8"	5/8"	359	385	365	259	278	456



Offset Surface Wrapped - Round Ends								
RM6570-5	7"	5/8"			403	291	237	504
RM6570-6	8"	5/8"			438	321	275	548




Straight Flush Wrapped - Flat Ends								
RM6610-5	6 7/8"	5/8"	331	360	304	221	237	380
RM6610-6	7 7/8"	5/8"	372	404	383	257	275	479



Offset Flush Wrapped - Flat Ends								
RM6630-5	6 7/8"	5/8"			393	269	289	491
RM6630-6	7 7/8"	5/8"			435	306	328	544



Straight Flush Wrapped - Round Ends								
RM6650-5	6 7/8"	5/8"	350	375	319	237	252	399
RM6650-6	7 7/8"	5/8"	392	426	396	273	292	495



Offset Flush Wrapped - Round Ends								
RM6670-5	6 7/8"	5/8"			411	285	303	514
RM6670-6	7 7/8"	5/8"			448	321	341	560

Straight Full Wrapped - Flat Ends								
RM6700-4	5 7/8"	1/2"	276	296	280	212	228	350
RM6700-5	6 7/8"	1/2"	311	333	317	240	256	396
RM6710-5	6 7/8"	5/8"	339	367	348	263	284	435
RM6710-6	7 7/8"	5/8"	381	409	388	297	319	485

Offset Full Wrapped - Flat Ends								
RM6730-5	6 7/8"	5/8"			407	310	332	509
RM6730-6	7 7/8"	5/8"			446	345	369	558

- Any size made to order.
- Specify leather type and color.

NeoCylinder - with or without GripZone

Straight Pulls without GripZone						
Part	CTC	Dia.	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7101*	12"	1 ¼"	560	422	521	700
	16"	1 ¼"	582	445	543	728
	24"	1 ¼"	626	489	588	783
	36"	1 ¼"	692	557	655	865
RM7210	12"	1 ¼"	521	388	433	651
	24"	1 ¼"	590	453	509	738
	36"	1 ¼"	657	519	581	821
Offset Pulls without GripZone						
RM7220	12"	1 ¼"	572	440	490	715
	24"	1 ¼"	641	505	565	801
	36"	1 ¼"	711	571	639	889
Straight Pulls with GripZone						
RM7230	12"	1 ¼"			578	
	24"	1 ¼"			653	
	36"	1 ¼"			728	
Offset Pulls with GripZone						
RM7240	12"	1 ¼"			628	
	24"	1 ¼"			703	
	36"	1 ¼"			777	
Push Bar without GripZone						
RM7212	Up to 36"	1 ¼"	657	519	581	821
Push Bar with GripZone						
RM7232	Up to 36"	1 ¼"			728	

• Add \$6.80/in. over 36".

• *RM7101 not available over 36".

NeoMitre - with or without GripZone

Straight Pulls without GripZone						
Part	CTC	Dia.	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7300	12"	1"	550	419	469	688
	24"	1"	645	510	571	806
	36"	1"	766	599	672	958
	36"	1"	766	599	672	958
RM7310	12"	1 ¼"	740	574	643	925
	24"	1 ¼"	795	627	701	994
	36"	1 ¼"	849	678	760	1,061
	36"	1 ¼"	849	678	760	1,061
RM7320	12"	1 ½"	852	681	762	1,065
	24"	1 ½"	908	735	824	1,135
	36"	1 ½"	963	790	882	1,204
	36"	1 ½"	963	790	882	1,204
Offset Pulls without GripZone						
RM7330	12"	1"	602	469	525	753
	24"	1"	694	559	626	868
	36"	1"	819	649	728	1,024
	36"	1"	819	649	728	1,024
RM7340	12"	1 ¼"	793	622	698	991
	24"	1 ¼"	846	676	756	1,058
	36"	1 ¼"	901	729	816	1,126
	36"	1 ¼"	901	729	816	1,126
RM7350	12"	1 ½"	904	732	818	1,130
	24"	1 ½"	959	787	879	1,199
	36"	1 ½"	1,014	837	937	1,268
	36"	1 ½"	1,014	837	937	1,268
Push Bars without GripZone						
RM7302	Up to 36"	1"	766	599	672	958
RM7312	Up to 36"	1 ¼"	849	678	760	1,061
RM7322	Up to 36"	1 ½"	963	790	882	1,204

• Add \$6.80/in. over 36".

• Order form available on website under RM7101, RM7210, RM7220, RM7230, RM7240, RM7300, RM7310, RM7320, RM7330, RM7340, RM7350, RM7400, RM7410, RM7420, RM7430, RM7440, RM7450.

NOTE: Post location on push bars can be located ⅛" from end for narrow & medium stile doors and 1" from end for flush and wide stile doors.

Straight Pulls with GripZone			
Part	CTC	Dia.	32/629
RM7400	12"	1"	611
	24"	1"	711
	36"	1"	812
RM7410	12"	1 ¼"	784
	24"	1 ¼"	842
	36"	1 ¼"	900
RM7420	12"	1 ½"	904
	24"	1 ½"	965
	36"	1 ½"	1,025
Offset Pulls with GripZone			
RM7430	12"	1"	665
	24"	1"	766
	36"	1"	870
RM7440	12"	1 ¼"	838
	24"	1 ¼"	898
	36"	1 ¼"	957
RM7450	12"	1 ½"	960
	24"	1 ½"	1,020
	36"	1 ½"	1,082
Push Bars with GripZone			
RM7402	Up to 36"	1"	812
RM7412	Up to 36"	1 ¼"	900
RM7422	Up to 36"	1 ½"	1,025

ROCKWOOD

ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.


Knurled Series Pulls




RM7511



RM7521



RM7501MP



RM7531MP

Straight Pulls – Flat Ends

Part	Max OA	Diameter	4/606	Stock PC/10BE/BSP	32D/630	OptiCoat™
RM7500	12"	1"	555	394	279	493
	24"	1"	581	420	305	525
	36"	1"	612	451	336	564
RM7501	12"	1 ¼"	609	409	297	511
	24"	1 ¼"	636	435	324	544
	36"	1 ¼"	668	466	355	583

Offset Pulls – Flat Ends

RM7510	12"	1"	591	430	315	538
	24"	1"	617	456	341	570
	36"	1"	648	487	372	609
RM7511	12"	1 ¼"	647	445	334	556
	24"	1 ¼"	674	471	360	589
	36"	1 ¼"	707	502	391	628

Straight Pulls – Round Ends

RM7520	12"	1"	658	445	325	556
	24"	1"	684	471	351	589
	36"	1"	715	502	382	628
RM7521	12"	1 ¼"	717	461	344	576
	24"	1 ¼"	745	486	370	608
	36"	1 ¼"	776	518	402	648

Offset Pulls – Round Ends

RM7530	12"	1"	694	482	361	603
	24"	1"	720	508	387	635
	36"	1"	751	539	418	674
RM7531	12"	1 ¼"	755	497	381	621
	24"	1 ¼"	783	523	407	654
	36"	1 ¼"	816	554	439	693

Straight Pulls – Flat Ends

RM7501MP	48"	1 ¼"	942	758	704	948
	60"	1 ¼"	1,032	808	755	1,010
	72"	1 ¼"	1,121	858	805	1,073
	84"	1 ¼"	1,211	908	856	1,135

Offset Pulls – Flat Ends

RM7511MP	48"	1 ¼"	996	843	757	1,054
	60"	1 ¼"	1,085	893	808	1,116
	72"	1 ¼"	1,175	943	858	1,179
	84"	1 ¼"	1,265	993	909	1,241

Straight Pulls – Round Ends

RM7521MP	48"	1 ¼"	975	809	735	1,011
	60"	1 ¼"	1,064	859	786	1,074
	72"	1 ¼"	1,154	909	837	1,136
	84"	1 ¼"	1,244	959	888	1,199


Offset Pulls – Round Ends

RM7531MP	48"	1 ¼"	1,028	893	787	1,116
	60"	1 ¼"	1,118	943	838	1,179
	72"	1 ¼"	1,208	993	889	1,241
	84"	1 ¼"	1,297	1,043	940	1,304

Order form available on website. Two tone finish options available. Ends and Post will match finish. Finish listed above is for knurled section.

NOTE: MP part # includes the price of the mid-post.

GeoMetek – Hex Pulls



RM7700

Flat End – Square Post

Part	Max OA	Grip	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7700	12"	1"	633	461	516	791
	24"	1"	719	513	575	899
	36"	1"	780	566	632	975
	48"	1"	838	617	691	1,048
	60"	1"	897	668		1,121
	72"	1"	955	719		1,194
	84"	1"	1,014	770		1,268
	96"	1"	1,072	824		1,340

- Add \$10.20/in. over 96".
- Order form available on website.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY


Experience a safer
and more open world

GeoMetek - Diamond Pulls




RM7800

Flat End - Square Post						
Part	Max OA	Grip	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7800	12"	¾" x ¾"	538	371	413	673
	24"	¾" x ¾"	594	421	472	743
	36"	¾" x ¾"	654	473	529	818
	48"	¾" x ¾"	740	524	586	925
RM7840	12"	1" x 1"	592	408	456	740
	24"	1" x 1"	654	463	519	818
	36"	1" x 1"	718	520	582	898
	48"	1" x 1"	814	576	645	1,018
Flat End - Diamond Post						
RM7805	12"	¾" x ¾"	572	401	450	715
	24"	¾" x ¾"	630	454	507	788
	36"	¾" x ¾"	690	505	567	863
	48"	¾" x ¾"	777	557	622	971
RM7845	12"	1" x 1"	630	442	496	788
	24"	1" x 1"	692	499	558	865
	36"	1" x 1"	759	556	623	949
	48"	1" x 1"	855	613	684	1,069
Flat End - Offset Post						
RM7825	12"	¾" x ¾"	615	444	497	769
	24"	¾" x ¾"	673	496	553	841
	36"	¾" x ¾"	734	546	614	918
	48"	¾" x ¾"	820	598	668	1,025
RM7860	12"	1" x 1"	646	465	520	808
	24"	1" x 1"	707	519	580	884
	36"	1" x 1"	770	574	643	963
	48"	1" x 1"	861	628	702	1,076
Diamond End - Square Post						
RM7810	12"	¾" x ¾"	745	528	612	931
	24"	¾" x ¾"	804	580	649	1,005
	36"	¾" x ¾"	864	632	710	1,080
	48"	¾" x ¾"	924	684	765	1,155
RM7850	12"	1" x 1"	820	581	672	1,025
	24"	1" x 1"	885	637	714	1,106
	36"	1" x 1"	951	696	781	1,189
	48"	1" x 1"	1,015	752	841	1,269
Diamond End - Diamond Post						
RM7815	12"	¾" x ¾"	783	562	628	979
	24"	¾" x ¾"	840	613	686	1,050
	36"	¾" x ¾"	901	665	745	1,126
	48"	¾" x ¾"	957	715	801	1,196
RM7855	12"	1" x 1"	862	619	690	1,078
	24"	1" x 1"	926	673	755	1,158
	36"	1" x 1"	990	733	819	1,238
	48"	1" x 1"	1,054	787	882	1,318
Diamond End - Offset Post						
RM7835	12"	¾" x ¾"	827	603	674	1,034
	24"	¾" x ¾"	884	654	734	1,105
	36"	¾" x ¾"	944	706	791	1,180
	48"	¾" x ¾"	1,001	756	848	1,251
RM7865	12"	1" x 1"	867	634	708	1,084
	24"	1" x 1"	928	686	769	1,160
	36"	1" x 1"	990	742	831	1,238
	48"	1" x 1"	1,052	794	889	1,315



RM7815



RM7835

- Add \$10.20/in. over 48".
- Order form available on website.

ROCKWOOD**ASSA ABLOY**

Experience a safer
and more open world





USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

GeoMetek - Narrow Profile Pulls



Straight Square End Pulls

Part	CTC	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7900	12"	3/4" x 3/4"	354	245	276	443
	24"	3/4" x 3/4"	459	297	334	574
	36"	3/4" x 3/4"	519	349	391	649
	48"	3/4" x 3/4"	579	403	451	724
RM7907	12"	1" x 1"	390	272	303	488
	24"	1" x 1"	504	328	365	630
	36"	1" x 1"	569	384	430	711
	48"	1" x 1"	635	444	497	794
RM7940	12"	1 1/4" x 1 1/4"	474	311	349	593
	24"	1 1/4" x 1 1/4"	542	372	414	678
	36"	1 1/4" x 1 1/4"	611	430	482	764
	48"	1 1/4" x 1 1/4"	677	490	546	846

Straight Square Bridge Pulls

Part	Max OA	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7902	12"	3/4" x 3/4"	463	303	339	579
	24"	3/4" x 3/4"	522	353	397	653
	36"	3/4" x 3/4"	582	406	455	728
	48"	3/4" x 3/4"	639	456	510	799
RM7917	12"	1" x 1"	511	335	375	639
	24"	1" x 1"	573	389	434	716
	36"	1" x 1"	639	447	500	799
	48"	1" x 1"	704	501	562	880

Straight Rectangular End Pulls

Part	CTC	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7910	12"	3/4" x 1 1/2"	442	285	318	553
	24"	3/4" x 1 1/2"	684	495	553	855
	36"	3/4" x 1 1/2"	954	704	789	1,193
	48"	3/4" x 1 1/2"	1,191	913	1,024	1,489

Straight Rectangular Bridge Pulls

Part	Max OA	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7912	12"	3/4" x 1 1/2"	504	338	379	630
	24"	3/4" x 1 1/2"	775	547	615	969
	36"	3/4" x 1 1/2"	1,015	757	849	1,269
	48"	3/4" x 1 1/2"	1,256	968	1,083	1,570

Offset Pulls

Part	CTC	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7920	12"	3/4" x 3/4"	446	287	321	558
	24"	3/4" x 3/4"	500	335	375	625
	36"	3/4" x 3/4"	557	384	429	696
	48"	3/4" x 3/4"	612	431	483	765
RM7927	12"	1" x 1"	492	315	353	615
	24"	1" x 1"	550	366	411	688
	36"	1" x 1"	612	422	473	765
	48"	1" x 1"	674	474	531	843
RM7930	12"	3/4" x 1 1/2"	501	336	376	626
	24"	3/4" x 1 1/2"	761	535	599	951
	36"	3/4" x 1 1/2"	990	737	825	1,238
	48"	3/4" x 1 1/2"	1,220	935	1,048	1,525

- Add \$10.20/in over 48".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world



GeoMetek - Narrow Profile Pulls (con't)

Offset Square Bridge Pull

Part	Max OA	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	OptiCoat™
RM7925	12"	3/4" x 3/4"	506	345	387	633
	24"	3/4" x 3/4"	564	395	444	705
	36"	3/4" x 3/4"	623	448	501	779
	48"	3/4" x 3/4"	709	498	557	886
RM7937	12"	1" x 1"	531	362	407	664
	24"	1" x 1"	592	414	465	740
	36"	1" x 1"	655	469	526	819
	48"	1" x 1"	743	523	585	929


Offset Rectangular Bridge Pull

RM7935	12"	3/4" x 1 1/2"	545	380	425	681
	24"	3/4" x 1 1/2"	814	588	660	1,018
	36"	3/4" x 1 1/2"	1,056	800	895	1,320
	48"	3/4" x 1 1/2"	1,323	1,008	1,130	1,654

Straight Rectangular End Stepped Post Pull

Part	CTC	Grip Size	Stock PC/10BE/BSP	32D/630	32/629	32/629
RM7960	12"	3/4" x 3/4"	504	338	379	630
	24"	3/4" x 3/4"	570	397	445	713
	36"	3/4" x 3/4"	637	454	507	796
	48"	3/4" x 3/4"	734	512	574	918

- Add \$10.20/in over 48".
- MP (Mid-Post) - Add \$80 each. (Recommended for maximum rigidity on long door pulls. See page 6 for guidelines.)
- Order form available on website.




Straight Rectangular End Stepped Post Cast Pull


Part	CTC	Grip Size	3/605 4/606	10B/613	15/619
RM7960	12"	3/4" x 3/4"	514	528	563

- Order form available on website.

Locking Door Pulls



LP3301DBD




LP3305DBD

PostMount - Round								
Part	Description	3/605 4/606	Stock PC/ 10BE/BSP	10B/613 10BL/614	32D/ 630	32/ 629	Translucent PC/4E	OptiCoat™
LP3301DBD	Half Height Pull - Bolts Down	2,363	1,813	2,552	1,235	1,381	1,994	2,266
LP3301DBU	Half Height Pull - Bolts Up	2,593	1,933	2,800	1,332	1,492	2,127	2,416
LP3301FHD	Full Height Pull - Bolts Down	2,867	2,048	3,102	1,426	1,598	2,253	2,560
LP3301FHU	Full Height Pull - Bolts Up	3,147	2,185	3,400	1,539	1,725	2,403	2,731
LP3301FHB	Full Height Pull - Bolts Up and Down	3,466	2,512	3,741	1,808	2,028	2,763	3,140
Horizontal Push/Pull Bar Option - Half Height - Bolts Down (DBD)								
LP3301DBDBEPB	Bent End Both Sides	3,143	2,309	3,394	1,698	1,838	2,540	2,886
LP3301DBDBEPT	Bent End Thumbturn Side - Mating Side Vert.	2,754	2,062	2,974	1,438	1,611	2,268	2,578
LP3301DBDBEPC	Bent End Cylinder Side - Mating Side Vertical	2,754	2,062	2,974	1,438	1,611	2,268	2,578
LP3301DBDPMPT	Post Mount Both Sides	3,448	2,464	3,726	1,769	1,983	2,711	3,080
LP3301DBDPMPT	Post Mount Thumbturn Side - Mating Side Vert.	3,020	2,198	3,262	1,550	1,738	2,418	2,748
LP3301DBDPMPC	Post Mount Cylinder Side - Mating Side Vert.	3,020	2,198	3,262	1,550	1,738	2,418	2,748
Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)								
LP3301DBUBEPB	Bent End Both Sides	3,143	2,309	3,394	1,698	1,838	2,540	2,886
LP3301DBUBEPT	Bent End Thumbturn Side - Mating Side Vert.	2,754	2,062	2,974	1,438	1,611	2,268	2,578
LP3301DBUBEPC	Bent End Cylinder Side - Mating Side Vert.	2,754	2,062	2,974	1,438	1,611	2,268	2,578
LP3301DBUPMPB	Post Mount Both Sides	3,448	2,464	3,726	1,769	1,983	2,711	3,080
LP3301DBUPMPT	Post Mount Thumbturn Side - Mating Side Vert.	3,020	2,198	3,262	1,550	1,738	2,418	2,748
LP3301DBUPMPC	Post Mount Cylinder Side - Mating Side Vert.	3,020	2,198	3,262	1,550	1,738	2,418	2,748
Horizontal Push/Pull Bar Option - Full Height - Bolts Up (FHU)								
LP3301FHUBEPT	Bent End Thumbturn Side - Mating Side Vert.	3,537	2,434	3,822	1,743	1,955	2,678	3,043
LP3301FHUBEPC	Bent End Cylinder Side - Mating Side Vertical	3,537	2,434	3,822	1,743	1,955	2,678	3,043
LP3301FHUPMPT	Post Mount Thumbturn Side - Mating Side Vert.	3,804	2,571	4,108	1,853	2,082	2,828	3,214
LP3301FHUPMPC	Post Mount Cylinder Side - Mating Side Vert.	3,804	2,571	4,108	1,853	2,082	2,828	3,214
Round - 10" Clearance on Cylinder Side								
LP3305DBD	Round Half Height Pull - Bolts Down / Minimum of 10" Clearance on Keyside of Pull	2,415	1,863	2,604	1,283	1,428	2,049	2,329
LP3305FHD	Full Height Pull - Bolts Down	2,930	2,104	3,162	1,479	1,651	2,314	2,630
LP3305FHU	Full Height Pull - Bolts Up	3,215	2,243	3,468	1,595	1,782	2,467	2,804
LP3305FHB	Full Height Pull - Bolts Up and Down	3,540	2,580	3,814	1,875	2,092	2,838	3,225
Horizontal Push/Pull Bar Option - 10" Clearance on Cylinder Side								
Part	Description	3/605 4/606	StockPC 10BE	10B/613 10BL/614	32D/ 630	32/ 629	Translucent PC/4E	OptiCoat™
LP3305DBDBEPB	Bent End Both Sides	3,195	2,359	3,445	1,690	1,884	2,595	2,949
LP3305DBDBEPT	Bent End Thumbturn Side - Mating Side Vert.	2,804	2,112	3,024	1,487	1,658	2,324	2,640
LP3305DBDBEPC	Bent End Cylinder Side - Mating Side Vert.	2,804	2,112	3,024	1,487	1,658	2,324	2,640
LP3305DBDPMPT	Post Mount Both Sides	3,499	2,515	3,776	1,817	2,030	2,767	3,144
LP3305DBDPMPT	Post Mount Thumbturn Side - Mating Side Vert.	3,072	2,249	3,313	1,598	1,783	2,474	2,811
LP3305DBDPMPC	Post Mount Cylinder Side - Mating Side Vert.	3,072	2,249	3,313	1,598	1,783	2,474	2,811


- DBD and DBU priced as 51" overall. Add \$13/in. over 96" long for full height or 51" long for half height.
- Horizontal Push/Pull Option, add \$13/in. over 36".
- Order form available when ordering LP3301 and LP3305.

LP3305 has a minimum of 10" clearance on the keyside to reduce interference with mobility devices. Product comes standard with ADA thumbturn.

Locking Door Pulls (con't)



NeoTek with GripZone - Round			
Part	Description	3/605	32/629
LP3401DBD	Half Height Pull - Bolts Down	2,533	1,484
LP3401DBU	Half Height Pull - Bolts Up	2,779	1,598
LP3401FHD	Full Height Pull - Bolts Down	3,038	1,710
LP3401FHU	Full Height Pull - Bolts Up	3,333	1,846
LP3401FHB	Full Height Pull - Bolts Up and Down	3,653	2,113
Horizontal Push/Pull Bar Option - Half Height – Bolts Down (DBD)			
LP3401DBDBEPB	Bent End Both Sides	3,368	1,972
LP3401DBDBEPT	Bent End Thumbturn Side - Mating Side Vertical	2,950	1,728
LP3401DBDBEPC	Bent End Cylinder Side - Mating Side Vertical	2,950	1,728
LP3401DBDPMPB	Post Mount Both Sides	3,368	1,972
LP3401DBDPMPT	Post Mount Thumbturn Side - Mating Side Vertical	2,950	1,728
LP3401DBDPMPC	Post Mount Cylinder Side - Mating Side Vertical	2,950	1,728
Horizontal Push/Pull Bar Option - Half Height – Bolts Up (DBU)			
LP3401DBUBEPB	Bent End Both Sides	3,696	2,127
LP3401DBUBEPT	Bent End Thumbturn Side - Mating Side Vertical	3,237	1,863
LP3401DBUBEPC	Bent End Cylinder Side - Mating Side Vertical	3,237	1,863
LP3401DBUPMPB	Post Mount Both Sides	3,696	2,127
LP3401DBUPMPT	Post Mount Thumbturn Side - Mating Side Vertical	3,237	1,863
LP3401DBUPMPC	Post Mount Cylinder Side - Mating Side Vertical	3,237	1,863



English Bridle Leather Wrapped - Round									
Part	Description	3/605 4/606	Stock PC/ 10BE/BSP	10B/613 10BL/614	32D/ 630	32/ 629	Translucent PC/4E	OptiCoat [†]	
LP6061DBD	Half Height Pull - Bolts Down	6,581	5,449	7,106	4,882	5,468	5,995	6,811	
LP6061DBU	Half Height Pull - Bolts Up	6,809	5,568	7,354	4,991	5,565	6,125	6,960	
LP6061FHD	Full Height Pull - Bolts Down	8,378	7,015	9,048	6,326	7,084	7,717	8,769	
LP6061FHU	Full Height Pull - Bolts Up	8,656	7,151	9,347	6,452	7,197	7,866	8,939	
LP6061FHB	Full Height Pull - Bolts Up and Down	8,976	7,479	9,690	6,753	7,465	8,227	9,349	
Horizontal Push/Pull Bar Option - Half Height - Bolts Down (DBD)									
LP6061DBDBEPB*	Bent End Both Sides	8,548	6,495	9,231	5,848	6,503	7,145	8,119	
LP6061DBDBEPT*	Bent End Thumbturn Side - Mating Side Vert.	7,562	5,972	8,169	5,365	5,984	6,569	7,465	
LP6061DBDBEPC*	Bent End Cylinder Side - Mating Side Vert.	7,562	5,972	8,169	5,365	5,984	6,569	7,465	
LP6061DBDPM PB*	Post Mount Both Sides	8,548	6,495	9,231	5,848	6,503	7,145	8,119	
LP6061DBDPMPT*	Post Mount Thumbturn Side - Mating Side Vert.	7,562	5,972	8,169	5,365	5,984	6,569	7,465	
LP6061DBDPMPC*	Post Mount Cylinder Side - Mating Side Vert.	7,562	5,972	8,169	5,365	5,984	6,569	7,465	

- DBD and DBU priced as 51" overall, add \$13/in. over 96" long for full height or 51" long for half height.
- Horizontal Push/Pull Option, add \$13/in. over 36".
- Order form available when ordering LP3401.

*Price includes up to 42" of English Bridle Leather on vertical. Other options available upon request.

ROCKWOOD
ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Locking Door Pulls (con't)



LP6161DBD


Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)								
Part	Description	3/605 4/606	Stock PC/ 10BE/BSP	10B/613 10BL/614	32D/ 630	32/ 629	Translucent PC/4E	OptiCoat™
LP6061DBUBEPPB*	Bent End Both Sides	8,778	6,615	9,479	5,957	6,597	7,276	8,269
LP6061DBUBEPT*	Bent End Thumbturn Side - Mating Side Vert.	7,792	6,092	8,418	5,474	6,081	6,702	7,615
LP6061DBUBEPC*	Bent End Cylinder Side - Mating Side Vert.	7,792	6,092	8,418	5,474	6,081	6,702	7,615
LP6061DBUPMPB*	Post Mount Both Sides	8,778	6,615	9,479	5,957	6,597	7,276	8,269
LP6061DBUPMPT*	Post Mount Thumbturn Side - Mating Side Vert.	7,792	6,092	8,418	5,474	6,081	6,702	7,615
LP6061DBUPMPC*	Post Mount Cylinder Side - Mating Side Vert.	7,792	6,092	8,418	5,474	6,081	6,702	7,615
PostMount Upholstery Leather Wrapped - Round								
LP6161DBD	Half Height Pull - Bolts Down	6,451	5,337	6,966	4,779	5,353	5,872	6,671
LP6161DBU	Half Height Pull - Bolts Up	6,680	5,458	7,216	4,889	5,451	6,003	6,823
LP6161FHD	Full Height Pull - Bolts Down	7,959	6,602	8,595	5,945	6,660	7,263	8,253
LP6161FHU	Full Height Pull - Bolts Up	8,235	6,738	8,896	6,070	6,770	7,412	8,423
LP6161FHB	Full Height Pull - Bolts Up and Down	8,554	7,065	9,235	6,374	7,039	7,772	8,831
Horizontal Push/Pull Bar Option - Half Height - Bolts Down (DBD)								
LP6161DBDBEPB*	Bent End Both Sides	8,336	6,368	9,003	5,731	6,372	7,005	7,960
LP6161DBDBEPT*	Bent End Thumbturn Side - Mating Side Vert.	7,393	5,855	7,983	5,290	5,830	6,441	7,319
LP6161DBDBEPC*	Bent End Cylinder Side - Mating Side Vert.	7,393	5,855	7,983	5,290	5,830	6,441	7,319
LP6161DBDPMPT*	Post Mount Both Sides	8,336	6,368	9,003	5,731	6,372	7,005	7,960
LP6161DBDPMPT*	Post Mount Thumbturn Side - Mating Side Vert.	7,393	5,855	7,983	5,290	5,830	6,441	7,319
LP6161DBDPMPC*	Post Mount Cylinder Side - Mating Side Vert.	7,393	5,855	7,983	5,290	5,830	6,441	7,319
Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)								
LP6161DBUBEPPB*	Bent End Both Sides	8,564	6,488	9,250	5,840	6,469	7,137	8,110
LP6161DBUBEPT*	Bent End Thumbturn Side - Mating Side Vert.	7,621	5,974	8,233	5,398	5,928	6,571	7,468
LP6161DBUBEPC*	Bent End Cylinder Side - Mating Side Vert.	7,621	5,974	8,233	5,398	5,928	6,571	7,468
LP6161DBUPMPB*	Post Mount Both Sides	8,564	6,488	9,250	5,840	6,469	7,137	8,110
LP6161DBUPMPT*	Post Mount Thumbturn Side - Mating Side Vert.	7,621	5,974	8,233	5,398	5,928	6,571	7,468
LP6161DBUPMPC*	Post Mount Cylinder Side - Mating Side Vert.	7,621	5,974	8,233	5,398	5,928	6,571	7,468

• DBD and DBU priced as 51" overall, add \$13/in. over 96" long for full height or 51" long for half height.

*Price includes up to 42" of English Bridle or Upholstery Leather on vertical.

Other options available upon request.

Locking Door Pulls (con't)




LP7901DBD

GeoMetek Upholstery Leather Wrapped - Square								
Part	Description	3/605 4/606	Stock PC/ 10BE/BSP	10B/613 10BL/614	32D/630	32/629	Translucent PC/4E	OptiCoat™
LP6440DBD	Half Height Pull - Bolts Down		5,609		5,030	5,632	6,170	7,011
LP6440DBU	Half Height Pull - Bolts Up		5,729		5,139	5,730	6,302	7,161
LP6440FHD	Full Height Pull - Bolts Down		6,872		6,193	6,935	7,560	8,590
LP6440FHU	Full Height Pull - Bolts Up		7,009		6,322	7,048	7,710	8,761
LP6440FHB	Full Height Pull - Bolts Up and Down		7,336		6,624	7,317	8,070	9,170
GeoMetek - Square								
LP7901DBD	Half Height Pull - Bolts Down		1,920		1,481	1,584	2,112	2,400
LP7901DBU	Half Height Pull - Bolts Up		2,045		1,594	1,707	2,250	2,556
LP7901FHD	Full Height Pull - Bolts Down		2,175		1,712	1,833	2,392	2,719
LP7901FHU	Full Height Pull - Bolts Up		2,318		1,848	1,976	2,550	2,898
LP7901FHB	Full Height Pull - Bolts Up and Down		2,668		2,169	2,321	2,935	3,335
MegaTek Dummy Pull - Round								
DP3301DBD	Half Height Pull - Bolts Down	1,855	1,386	2,003	988	1,056	1,525	1,733
DP3301DBU	Half Height Pull - Bolts Up	1,855	1,386	2,003	988	1,056	1,525	1,733
DP3301FHD	Full Height Pull - Bolts Down	2,533	1,710	2,736	1,286	1,375	1,881	2,138
DP3301FHU	Full Height Pull - Bolts Up	2,533	1,710	2,736	1,286	1,375	1,881	2,138
NeoTek with GripZone Dummy Pull - Round								
DP3401DBD	Half Height Pull - Bolts Down	1,987				1,184		
DP3401DBU	Half Height Pull - Bolts Up	1,987				1,184		
DP3401FHD	Full Height Pull - Bolts Down	2,681				1,539		
DP3401FHU	Full Height Pull - Bolts Up	2,681				1,539		
GeoMetek Dummy Pull - Square								
DP7901DBD	Half Height Pull - Bolts Down		1,598		1,182	1,265	1,757	1,998
DP7901DBU	Half Height Pull - Bolts Up		1,598		1,182	1,265	1,757	1,998
DP7901FHD	Full Height Pull - Bolts Down		1,987		1,542	1,651	2,186	2,484
DP7901FHU	Full Height Pull - Bolts Up		1,987		1,542	1,651	2,186	2,484


• DBD and DBU priced as 51" overall, add \$13/in. over 96" long for full height or over 51" long for half height.

NOTE: Square Locking Pulls only available in stainless steel finishes.

Locking Door Pull Accessories



LPS01



570

Part	Description				Stock PC/ 10BE/BSP	28/628	32D/630	32/629	Translucent PC/4E	OptiCoat™
LPS01	Top Strike - ¾" x 1 ½" x 3"				52	48.10	82	91	57	65
LPS02	Top Strike - w/Rubber Stop - ¾" x 2 ½" x 3"				52	48.10	82	91	57	65
LPS03	Top Strike - Stainless Steel - .050" x 1 ⅞" x 2 ¼"				52		38	42	57	65
LPS04	Transom Strike - 1 ¼"D x 4 ½"H				166		113	124	182	208
LPS05	Transom Strike - 1 ¼"SQ x 4 ½"H				193		129	147	212	241
LPS06	Mortised Header Strike 2" Dia.				195		130	148	214	244
LPS07	Top Inswinging Strike				215		191	215	237	269
LPS12	Top Strike - w/Adjustable Stops - ¾" x 1 ½" x 3"				147		100	113	161	184
Part	Description	3/605	4/606	10/612	10B/613	10BE/BSP	15/619	26D/626	26/625	OptiCoat™
570	Dust Proof Strike	27.90	26.00	29.00	29.00	46.50	33.90	21.90	28.00	58.00
Part	Description	3/605 4/606	10/612 10BL/614	Stock PC/ 10BE/BSP	26/625 26D/626	32D/630	Translucent PC/4E	OptiCoat™		
RM850	Floor Mounted Stop 1 ½" Projection	34	36	51	34	40	56	64		
RM851	Floor Mounted Stop 2 ½" Projection	74	81	75	74	61	82	94		
Part	Description	3/605 4/606	10B/613	Stock PC/ 10BE/BSP	32D/630	32/629	Translucent PC/4E	OptiCoat™		
LPTTD01	Dummy Thumbturn	59	63	54	52	58	59	68		
Part	Description	3/605 4/606	Stock PC/ 10BE/BSP	32D/630	Translucent PC/4E	OptiCoat™				
ADA (suffix)	ADA Large Thumbturn - 1 13⁄16" Projection		56	51	49	56	64			

NOTE: Thumbturn design differs between the round and square versions.

NOTE: If the 09 cylinder is specified, an add-on charge will be applied.

• Order form available for LPS07.

ROCKWOOD
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Door Pull Accessories

Part	Description	3/605 4/606	Stock PC/ 10BE/BSP	10B/613	32D/630	32/629	OptiCoat™
DGBKIT	Double Glazed Door Bushing Kit for Glass Doors	107	106	115	88	99	133

Locking Door Pull with Flat Latch

Part	Description	Stock PC/ 10BE/BSP	32D/630	32/629	Translucent PC/4E	OptiCoat™
FL3301DBU	Half Height Pull - Bolts Up	7,034	5,040	5,796	7,738	8,793
FL3301FHU	Full Height Pull - Bolts Up	7,106	5,393	6,202	7,817	8,883
Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)						
FL3301DBUBEPP	Bent End Both Sides	7,382	5,352	6,147	8,120	9,228
FL3301DBUBEPT	Bent End Thumbturn Side - Mating Side Vert.	7,153	5,148	5,916	7,868	8,941
FL3301DBUBEPC	Bent End Cylinder Side - Mating Side Vert.	7,153	5,148	5,916	7,868	8,941
FL3301DBUPMPB	Post Mount Both Sides	7,527	5,482	6,292	8,279	9,409
FL3301DBUPMPT	Post Mount Thumbturn Side - Mating Side Vert.	7,278	5,259	6,043	8,006	9,098
FL3301DBUPMPC	Post Mount Cylinder Side - Mating Side Vert.	7,278	5,259	6,043	8,006	9,098
Horizontal Push/Pull Bar Option - Full Height - Bolts Up (FHU)						
FL3301FHUBEPT	Bent End Thumbturn Side - Mating Side Vert.	7,225	5,502	6,322	7,948	9,031
FL3301FHUBEPC	Bent End Cylinder Side - Mating Side Vert.	7,225	5,502	6,322	7,948	9,031
FL3301FHUPMPT	Post Mount Thumbturn Side - Mating Side Vert.	7,351	5,613	6,448	8,085	9,189
FL3301FHUPMPC	Post Mount Cylinder Side - Mating Side Vert.	7,351	5,613	6,448	8,085	9,189

- See page 74 for strike options.

Locking Door Pull with Flat Latch for Inswing

Part	Description	Stock PC/ 10BE/BSP	32D/630	32/629	Translucent PC/4E	OptiCoat™
INSFL3301DBU	Half Height Pull - Bolts Up	7,034	5,040	5,796	7,738	8,793
INSFL3301FHU	Full Height Pull - Bolts Up	7,106	5,393	6,202	7,817	8,883
Horizontal Push/Pull Bar Option - Half Height - Bolts Up (DBU)						
INSFL3301DBUBEPB	Bent End Both Sides	7,382	5,352	6,147	8,120	9,228
INSFL3301DBUBEPT	Bent End Thumbturn Side - Mating Side Vert.	7,153	5,148	5,916	7,868	8,941
INSFL3301DBUBEPC	Bent End Cylinder Side - Mating Side Vert.	7,153	5,148	5,916	7,868	8,941
INSFL3301DBUPMPB	Post Mount Both Sides	7,527	5,482	6,292	8,279	9,409
INSFL3301DBUPMPT	Post Mount Thumbturn Side - Mating Side Vert.	7,278	5,259	6,043	8,006	9,098
INSFL3301DBUPMPC	Post Mount Cylinder Side - Mating Side Vert.	7,278	5,259	6,043	8,006	9,098
Horizontal Push/Pull Bar Option - Full Height - Bolts Up (FHU)						
INSFL3301FHUBEPT	Bent End Thumbturn Side - Mating Side Vert.	7,225	5,502	6,322	7,948	9,031
INSFL3301FHUBEPC	Bent End Cylinder Side - Mating Side Vert.	7,225	5,502	6,322	7,948	9,031
INSFL3301FHUPMPT	Post Mount Thumbturn Side - Mating Side Vert.	7,351	5,613	6,448	8,085	9,189
INSFL3301FHUPMPC	Post Mount Cylinder Side - Mating Side Vert.	7,351	5,613	6,448	8,085	9,189
Inswing Flat Latch Strike Options						
Part		Stock PC/ 10BE/BSP	32D/630	32/629	Translucent PC/4E	OptiCoat™
INSFL-1600		715	561	673	894	894
INSFL-MSK		175	114	146	150	219

- DBU priced as 51" overall. FHU priced as 96" overall, add \$13/in. for over 51" long for half height or over 96" long for full height.
- Horizontal Push/Pull Option, add \$13/in. over 36".
- For the 09 cylinder there is a \$58 add-on price.
- ADA Thumbturn is standard, no additional charge.
- Order form available when ordering FL3301 and INSFL3301.

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

Panic Device (for Storefront, Wood, and Metal doors)

Part	Latches	Mating Handle Shape	Mating Handle Length	Stock PC/10BE/BSP	32D/630	32/629	32/32D	32D316	32316	Tranlucent PC/4E	OptiCoat™
PDU8500	Up	None	None	6,817	5,703	6,559	6,672	6,459	7,428	7,499	8,521
PDU8500-1	Up	L-Shape	Full	8,673	7,258	8,347	8,492	8,219	9,453	9,541	10,841
PDU8500-2	Up	L-Shape	Half	8,467	7,086	8,147	8,288	8,024	9,226	9,314	10,584
PDU8500-3	Up	Vertical	Full	8,324	6,999	8,048	8,186	7,926	9,114	9,156	10,405
PDU8500-4	Up	Vertical	Half	7,814	6,539	7,518	7,651	7,406	8,514	8,596	9,768
PDU8500-5	Up	Vertical	Short	7,502	6,276	7,218	7,342	7,107	8,175	8,252	9,378
PDU8500-6	Up	Horizontal	Full	7,502	6,276	7,218	7,342	7,107	8,175	8,252	9,378

If door size is over 42" wide or 114" tall there is a \$360 add-on price. Order form available for PDU8500 configurations.

Dummy Pulls (Pricing is for back-to-back set)											
Part	Mating Handle Shape	Mating Handle Length	Stock PC/10BE/BSP	32D/630	32/629	32/32D	32/BSP	32D316	32316	Tranlucent PC/4E	OptiCoat™
DDU8000	None	None	1,703	1,344	1,506	1,573	1,791	1,443	1,616	1,873	2,129
DDU8000-1	L-Shape	Full	2,384	1,884	2,110	2,205	2,508	2,022	2,265	2,622	2,980
DDU8000-2	L-Shape	Half	2,322	1,835	2,055	2,146	2,443	1,969	2,206	2,553	2,903
DDU8000-3	Vertical	Full	2,437	1,927	2,158	2,255	2,565	2,068	2,316	2,682	3,046
DDU8000-4	Vertical	Half	2,275	1,796	2,012	2,102	2,393	1,928	2,160	2,503	2,844
DDU8000-5	Vertical	Short	2,151	1,698	1,902	1,986	2,264	1,823	2,042	2,366	2,689
DDU8000-6	Horizontal	Full	2,151	1,698	1,902	1,986	2,264	1,823	2,042	2,366	2,689


If door size is over 42" wide or 114" tall there is a \$360 add-on price. Engraving to match Panic – add \$150/side. Order form available.

"PUSH" Infill	Price
BLACK (Standard)	
WHITE	22.00
CUSTOM	216.00
NO FILL	
Panic Mounting Spare Parts Kit	Price
PDU8500	450.00


Infill not available on US32. Infill is available on US32D and powdercoat options.

*Only available on PDU8000 and PDU8000-6.


Panic Additional Options	Price
Security Dogging	52.00
Bent End Return (Panic side only)	250.00
To Meet California Building Code (2013) Sec. 11B-309.4	111.00
Cylinder Options	Price
Mortise Cylinder	
7-pin SFIC Housing w/Plastic Construction Core	
Special Order (Keyed alike) (4 week minimum lead time)	50.00
Customer Supplied Cylinder/Swap In Field	22.00
Dummy Cylinder Housing	
*Non-Keyed Function (Blank escutcheon plate provided)	
Keyed Construction Core for 7-pin SFIC Cylinder (Standard)	




PDU8500




PDU8500-1




PDU8500-2




PDU8500-3



PDU8500-4



PDU8500-5



PDU8500-6

ROCKWOOD
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Strikes

Panic Strike Kits (Strike, Shims, Cover) for Stiles 5" or greater, Wood and Hollow Metal Frames.											
Part	Description	Keeper Length	Voltage	Mode	Translucent PC/4E	Stock PC/10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
ESK-SGL-24D	Single Door	3/4"	24V DC	Fail Secure	1,452	1,452	1,229	1,414	1,290	1,438	1,815
ESK-DBL-24D	Double Door	3/4"	24V DC	Fail Secure	2,905	2,905	2,458	2,828	2,582	2,876	3,631
ESK-SGL-12D	Single Door	3/4"	12V DC	Fail Secure	1,452	1,452	1,229	1,414	1,290	1,438	1,815
ESK-DBL-12D	Double Door	3/4"	12V DC	Fail Secure	2,905	2,905	2,458	2,828	2,582	2,876	3,631
ESK-SGL-24D-FS	Single Door	3/4"	24V DC	Fail Safe	1,452	1,452	1,229	1,414	1,290	1,438	1,815
ESK-DBL-24D-FS	Double Door	3/4"	24V DC	Fail Safe	2,905	2,905	2,458	2,828	2,582	2,876	3,631
ESK-SGL-12D-FS	Single Door	3/4"	12V DC	Fail Safe	1,452	1,452	1,229	1,414	1,290	1,438	1,815
ESK-DBL-12D-FS	Double Door	3/4"	12V DC	Fail Safe	2,905	2,905	2,458	2,828	2,582	2,876	3,631
MSK-SGL	Single Door				249	249	216	248	228	253	311
MSK-DBL	Double Door				355	355	310	355	325	362	444
SL100	Security Latch Adapter	Single Manual Strike			2,858	2,858	2,414	2,776			3,573
		Double Manual Strike			5,715	5,715	4,828	5,550			7,144
AC-Rectifier	AC Converter for Electrc Strike				90						
ES-SmartpacIII	Power Controller				138						
LCBMA	Door Monitoring				185						
Medium Stile Panic Strike Kits (Strike, Adapter Plate, Cover) for Stiles 3 ½" and less than 5".											
ESK-MS-SGL-24D	Single Door	3/4"	24V DC	Fail Secure	1,672	1,672	1,414	1,626	1,485	1,654	2,090
ESK-MS-DBL-24D	Double Door	3/4"	24V DC	Fail Secure	3,342	3,342	2,826	3,253	2,968	3,308	4,178
ESK-MS-SGL-12D	Single Door	3/4"	12V DC	Fail Secure	1,672	1,672	1,414	1,626	1,485	1,654	2,090
ESK-MS-DBL-12D	Double Door	3/4"	12V DC	Fail Secure	3,342	3,342	2,826	3,253	2,968	3,308	4,178
ESK-MS-SGL-24D-FS	Single Door	3/4"	24V DC	Fail Safe	1,672	1,672	1,414	1,626	1,485	1,654	2,090
ESK-MS-DBL-24D-FS	Double Door	3/4"	24V DC	Fail Safe	3,342	3,342	2,826	3,253	2,968	3,308	4,178
ESK-MS-SGL-12D-FS	Single Door	3/4"	12V DC	Fail Safe	1,672	1,672	1,414	1,626	1,485	1,654	2,090
ESK-MS-DBL-12D-FS	Double Door	3/4"	12V DC	Fail Safe	3,342	3,342	2,826	3,253	2,968	3,308	4,178
MSK-MS-DBL	Double Door				419	419	356	408	374	416	524
AC-Rectifier	AC Converter for Electric Strike				90						
ES-SmartpacIII	Power Controller				138						
310-1 Electric Strikes Body Only											
Part	Description				Keeper Length	Voltage	Mode	Price			
ES-310-1-3/4-24D	Electric Strike				3/4"	24V DC	Fail Secure	708			
ES-310-1-3/4-12D	Electric Strike				3/4"	12V DC	Fail Secure	708			
ES-310-1-3/4-24D-FS	Electric Strike				3/4"	24V DC	Fail Safe	708			
ES-310-1-3/4-12D-FS	Electric Strike				3/4"	12V DC	Fail Safe	708			
ES-310-1-1-3/4-24D	Medium Stile Double Electric Strike				3/4"	24V DC	Fail Secure	814			
ES-310-1-1-3/4-12D	Medium Stile Double Electric Strike				3/4"	12V DC	Fail Secure	814			
ES-310-1-1-3/4-24D-FS	Medium Stile Double Electric Strike				3/4"	24V DC	Fail Safe	814			
ES-310-1-1-3/4-12D-FS	Medium Stile Double Electric Strike				3/4"	12V DC	Fail Safe	814			
1600 Panic Strike Kit for Medium and Wide Stiles											
Part	Description	Keeper Length	Voltage	Mode	Translucent PC/4E	Stock PC/10BE/BSP	32D/630	32/629	32D316	32316	OptiCoat™
ESK-1600-SGL	Single Door	1"	12V/24V AC/DC	Fail Secure or Fail Safe	1,452	1,452	1,229	1,414	1,290	1,438	1,815
ESK-1600-DBL	Double Door	1"	12V/24V AC/DC	Fail Secure or Fail Safe	2,905	2,905	2,458	2,828	2,582	2,876	3,631
ESK-9100	Single Door	1"	12V/24V AC/DC	Fail Secure or Fail Safe	1,117	1,016	934	1,109			1,270
ESK-9200	Double Door	1"	12V/24V AC/DC	Fail Secure or Fail Safe	2,278	1,881	1,752	2,044			2,351
LM	Lock Monitor				185						

NOTE: Medium stiles are 3 1/2" - less than 5". Wide stiles are over 5".
MSK-SGL will work on both wide and medium stiles.

Architectural Finishes

Most of Rockwood's products are available in all of the following architectural finishes. The catalog indicates exceptions. This finish list is grouped by base metal.

Base Metal	Description	Price Book Code	Rockwood Code	BHMA Code
Aluminum	Satin	27	US27	627
Aluminum	Clear Anodized	28	US28	628
Aluminum	Light Bronze Anodized	311	311	—
Aluminum	Medium Bronze Anodized	312	312	—
Aluminum	Dark Bronze Anodized	313	313	710
Aluminum	Extra Dark Bronze Anodized	314	314	—
Aluminum	Black Anodized	315	315	711
Aluminum	White Powder Coat	WPC	WPC	—
Aluminum	Red Powder Coat	RPC	RPC	—
Aluminum	Black Powder Coat	BPC	BPC	—
Brass	Polished Clear Coated	3	US3	605
Brass	Polished No Coating	3NL	US3NL	—
Brass	Satin Clear Coated	4	US4	606
Brass	Satin Oxidized Relieved	5	US5	609
Brass	Satin Nickel Plated Clear Coated	15	US15	619
Brass	Satin Nickel Blackened Relieved Clear Coated	15A	US15A	620
Brass	Flat Black Powder Coated	19	US19	622
Brass	Polished Chrome Plated	26	US26	625
Brass	Satin Chrome Plated	26D	US26D	626
Bronze*	Polished Clear Coated	9	US9	611
Bronze*	Satin Clear Coated	10	US10	612
Bronze*	Satin Black Oxidized Oil Rubbed	10A	US10A	722
Bronze*	Satin Oxidized Oil Rubbed	10B	US10B	613
Bronze*	Satin Oxidized Clear Coated	10BL	US10BL	614
Bronze*	Dark Oxidized Statuary Clear Coated	20A	US20A	624
Stainless Steel	Polished	32	US32	629
Stainless Steel	Satin	32D	US32D	630
Special Finishes (see descriptions)				
Stainless Steel	Satin MicroShield® Coated	32DMS***	US32DMS***	—
Stainless Steel	Polished 316 Alloy	32316***	US32316***	—
Stainless Steel	Satin 316 Alloy	32D316***	US32D316***	—
	Dark Oxidized Satin Bronze, Equivalent	10BE	10BE	(613E)
	Black Suede Powder Coat	BSP	BSP	—
	White Suede Powder Coat	WSP	WSP	—
	Wrought Black Powder Coat	WB	WB	—
	Translucent Brass Powder Coat	4E	4E	—

OptiCoat™ Finish Codes

Description	Rockwood Code
Somerset Pine	SPS
Casselman Pine	CPS
Scarlett Oak	SOS
Tangerine Oak	TOS
Amber Oak	AOS
Blonde Oak	BOS
Espresso Walnut	EWS
Toasted Walnut	TWS
Auburn Cherry	ACS
Burnt Sienna Cherry	BCS
Maple Cherry	MCS
Sunrise Cherry	SCS
White Marble	WMS

*Available on select product categories.

Special Finishes Description

32DMS (MicroShield®): As part of its promise to provide innovative solutions to their customers, ASSA ABLOY Group companies offer the MicroShield® technology, a silver-based antimicrobial coating designed to inhibit the spread of germs and bacteria.

32316 and **32D316** are made from alloy 316 stainless steel containing molybdenum and extra nickel, giving it substantially higher corrosion resistance than the standard stainless steels typically used in door hardware. This finish is ideal for use in coastal, urban, and industrial areas that have harsh environmental conditions. **32316** (polish) finishes offer the best corrosion resistance and should be used in caustic environments.

10BE Dark Oxidized Satin Bronze equivalent: This finish provides the richness and warmth of the 10B/613 "living" finish, but maintains its original color and appearance and will not fade or wear over time. The 10BE finish is offered by Corbin Russwin, McKinney, Norton, Rixson, Rockwood, SARGENT and Accentra, providing visual consistency between ASSA ABLOY Group brands.

*On most bronze finishes we will supply solid bronze material. Where solid bronze material is not available, we will use brass as a base material with a bronze look powder coat in its place.

***Available on select items as indicated by the finish icon throughout the catalog.

Wood Finishes

Wood species and finishes are found on page 46.



MicroShield® is a registered trademark of ASSA ABLOY Access and Egress Hardware Group, Inc., an ASSA ABLOY Group company.

ROCKWOOD
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Mounting Types

PULL STYLE	PULL ON ONE SIDE OF DOOR						PULL ON BOTH SIDES OF DOOR (BTB)			
MOUNTING STYLE	Thru Bolt	Deco Thru Bolt		Concealed			Cone Head/Set Screw		Spanner Collar	
DOOR TYPE	Wood/Metal		Glass	Metal	Metal	Wood	Wood/Metal	Glass	Wood/Metal	Glass
CONE HEADS	NA	NA	NA	Single	Single	Single	Single	Single	NA	NA
MOUNTING TYPE	Type 1	Type 12	Type 15	Type 6	Type 6R	Type 8	Type 5	Type 13	Type 11	Type 14
Standard (STD) Bolt Size	¼"-20	¼"-20	¼"-20	¼"-20	¼"-20	¼"-20	¼"-20	¼"-20		
Price	INCL	30.02	35.47	8.91	14.06	11.68	8.91	16.43		
Heavy Duty (HD) Bolt Size	⅝"-18	⅝"-18	⅝"-18	⅝"-18	⅝"-18	⅝"-18	⅝"-18	⅝"-18		
Price	8.91	35.47	42.03	13.28	19.90	16.33	13.28	20.80		
Extra Heavy Duty (XHD) Bolt Size	¾"-16	¾"-16	¾"-16						¾"-16	¾"-16
Price	13.04	38.75	45.31						33.84	40.38

Straight Pulls											
Pull Type	Dia.	MAXIMUM BOLT SIZE ALLOWED						MAXIMUM BOLT SIZE ALLOWED			
		Type 1	Type 12	Type 15	Type 6	Type 6R	Type 8	Type 5	Type 13	Type 11	Type 14
Straight	⅝"	8-32	STD	STD	8-32	8-32	8-32		STD		
Straight	¾"	HD	HD	HD	STD		STD	STD	STD		
Straight	1"	HD	HD	HD	HD	HD	HD	HD	HD	HD	HD
Straight	1 ¼"	HD	HD	HD	HD	HD	HD	HD	HD	HD	HD
Straight	1 ½"	HD	HD	HD	HD	HD	HD	HD	HD	HD	HD

Offset Pulls - Postmount											
Pull Type	Dia.	MAXIMUM BOLT SIZE ALLOWED						MAXIMUM BOLT SIZE ALLOWED			
		Type 1	Type 12	Type 15	Type 6	Type 6R	Type 8	Type 5	Type 13	Type 11	Type 14
Offset	⅝"	8-32	8-32	8-32	8-32	8-32	8-32	8-32	8-32		
Offset	1"	HD	HD	HD	HD	HD	HD	HD	HD		
Offset	1 ¼"	HD	HD	HD	HD	HD	HD	HD	HD		
Offset	1 ½"	HD	HD	HD	HD	HD	HD	HD	HD		

Offset Pulls - Tubular Bent Ends											
Pull Type	Dia.	MAXIMUM BOLT SIZE ALLOWED						MAXIMUM BOLT SIZE ALLOWED			
		Type 1	Type 12	Type 15	Type 6	Type 6R	Type 8	Type 5	Type 13	Type 11	Type 14
Offset	1"	XHD	XHD	XHD	HD	HD	HD			XHD	XHD
Offset	1 ¼"	XHD	XHD	XHD	HD	HD	HD			XHD	XHD
Offset	1 ½"	XHD	XHD	XHD	HD	HD	HD			XHD	XHD

For all bent 1 ¼" - 1 ½" solid Aluminum pulls and bars use the following mountings: (1HD-12HD-6HD-8HD-5HD-15HD-13HD).

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

Door Pull Mounting Details

Free End Thru Bolt

TYPE 1 - Thru Bolt Wood or Metal Door

Outside Inside
Pull Finish Washer
Flat Head Machine Screw

Type	Bolt Size	Drill Size	Price
1	1/4"-20	9/32	Incl.
1HD	5/16"-18	11/32	8.91
1XHD	3/8"-16	13/32	13.04

TYPE 12 - Decorative Thru Bolt Wood or Metal Door

Outside Inside
Pull Thru Bolt

Type	Bolt Size	Drill Size	Price
12	1/4"-20	9/32	30.02
12HD	5/16"-18	11/32	35.47
12XHD	3/8"-16	13/32	38.75

TYPE 15 - Decorative Thru Bolt Glass Door

Outside Inside
Pull Plastic Washers Thru Bolt
Neoprene Bushing 5/8" Dia. Hole

Type	Bolt Size	Drill Size	Price
15	1/4"-20	5/8	35.47
15HD	5/16"-18	5/8	42.03
15XHD	3/8"-16	5/8	45.31

Free End Concealed

TYPE 6 - Surface Concealed Metal Door

Minimum diameter of pull is 5/8"

Outside Inside
Pull Cone Head Machine Screw
Set Screw Reinforcement by others

Type	Bolt Size	Drill Size	Price
6	1/4"-20	1/4"-20 Tap	8.91
*6HD	5/16"-18	5/16"-18 Tap	13.28

TYPE 6R - Surface Concealed Metal Door

Minimum diameter of pull is 1"

Outside Inside
Pull Cone Head Machine Screw
Set Screw Rivnut

Type	Bolt Size	Drill Size	Price
6R	1/4"-20	N/A	14.06
*6RHD	5/16"-18	N/A	19.90

TYPE 8 - Surface Concealed Wood Door

Outside Inside
Pull Cone Head Machine Screw
Knife Thread Insert 1/4"-20 Set Screw

Type	Bolt Size	Drill Size	Price
8	1/4"-20	23/64 - 9/16 dp.	11.68
*8HD	5/16"-18	7/16 - 9/16 dp.	16.33

Back-to-Back

TYPE 5 - Back-to-Back Wood or Metal Door

Minimum diameter of pull is 5/8"

Outside Inside
Pull Cone Head Machine Screw
Set Screw

Type	Bolt Size	Drill Size	Price
5	1/4"-20	9/32	8.91
5HD	5/16"-18	11/32	13.28

TYPE 13 - Back-to-Back Glass Door

Outside Inside
Pull Cone Head Machine Screw
Set Screw Plastic Washers
Neoprene Bushing 5/8" Dia. Hole

Type	Bolt Size	Drill Size	Price
13	1/4"-20	5/8	16.43
*13HD	5/16"-18	5/8	20.80

TYPE 11/11XHD - Back-to-Back w/Spanner Collar - Wood or Metal Door

Minimum diameter of pull is 1"

Outside Inside
Pull Spanner Collar
Set Screw RH Thread

Type	Bolt Size	Drill Size	Price
11/11XHD	3/8"-16	13/32	33.84

TYPE 14/14XHD - Back-to-Back Glass Door

Minimum diameter of pull is 1"

Outside Inside
Pull Spanner Collar
Set Screw Felt Washers
Neoprene Bushing 5/8" Dia. Hole

Type	Bolt Size	Drill Size	Price
14/14XHD	3/8"-16	5/8	40.38

*HD mountings feature 2 set screws 180° apart.

RM4800 Mounting Only

RM4800 Series - Thru Bolt Wood or Metal Door

Outside Inside
Pull Screw Post

Bolt Size	Drill Size	Price
1/8"-16	5/8	44.45

RM4800 Series - Back-to-Back Wood or Metal Door

Outside Inside
Pull Screw Post

Bolt Size	Drill Size	Price
3/8"-16	5/8	44.45

RM790 x RM790 BTB Mounting Only

TYPE 10 - Surface Mounted Wood or Metal Door

Outside Inside
Pull Flat Head Machine Screw
Sleeve

Type	Bolt Size	Drill Size	Price
10	#8-32	9/32	16.33

Wire or Small Post Mount Pull Mounting

TYPE 1S - Thru Bolt Wood or Metal Door

Outside Inside
Pull Truss Head Machine Screw

Type	Bolt Size	Drill Size	Price
1S	#8-32	13/64	Incl.

TYPE 5S - Back-to-Back Wood or Metal Door

Outside Inside
Pull Brass Collar
Drill 13/64" Hole Through Door
Set Screw

Type	Bolt Size	Drill Size	Price
5S	#8-32	13/64	13.28

TYPE 6S - Surface Concealed Wood or Metal Door

Outside Inside
Pull Brass Collar
Set Screw Reinforcement by others

Type	Bolt Size	Drill Size	Price
6S	#8-32	13/64 Tap	16.33

TYPE 13S - Back-to-Back Glass Door

Outside Inside
Pull Brass Collar
Plastic Washers
Neoprene Bushing 5/8" Dia. Hole
Set Screw

Type	Bolt Size	Drill Size	Price
13S	#8-32	5/8	20.80

NOTE: This mounting should only be used on pulls with mounting points that are 3/8", 1/2" or 5/8" in diameter.

NOTE: This mounting should only be used on pulls with mounting points that are 1/2" or greater in diameter.

NOTE: This mounting should only be used on pulls with mounting points that are 1/2" or greater in diameter.

NOTE: This mounting should only be used on pulls with mounting points that are 1/2" or 5/8" in diameter.

ROCKWOOD
ASSA ABLOY

Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Push and Pull Bar Mounting Details

Sizing of Push Bars

Flush Doors


- Door width:
- minus 5" for bent end bars
 - minus 5" for flat end post mount bars
 - minus 7" for round end post mount bars

Stile and Rail Doors or Doors with Lites

- Door width:
- minus width of one stile

CAUTION: Always confirm bars will not interfere with jamb or cause pinching hazard.

CAUTION: On narrow stile doors, be sure push bar base fits on the stile and bar does not interfere with the stop.




Handing of Doors


The handing of a door is determined from the outside of the opening.

Standing outside the door:


- If the hinges are on the right, it is a right hand door.
- If the hinges are on the left, it is a left hand door.
- If the door opens away from you, it is a regular bevel door.
- If the door opens toward you, it is a reverse bevel door.



Typical Mounting




Thru Bolt Mounting - for 1 3/4" Wood and Metal Doors



Part	Description	Mounting Type	Price
SP1004	1/4"-20 x 2 1/4" Flat Head Machine Screw Thru Bolt	1	1.32
SP1005	1/4"-20 Finishing Washer	1	0.93
SP1053	5/16"-18 x 2 1/2" Socket Flat Head Machine Screw Thru Bolt	1HD	3.60
SP1054	5/16"-18 Finishing Washer	1HD	1.33
SP1001	3/8"-16 x 2 1/2" Socket Flat Head Machine Screw Thru Bolt	1XHD	5.58
SP1002	3/8"-16 Finishing Washer	1XHD	1.67
SP1003	1" Diameter Decorative Thru Bolt 1/4"-20 x 2 1/4"	12	15.09
SP1055	1" Diameter Decorative Thru Bolt 5/16"-18 x 2 1/4"	12HD	17.98
SP1041	1 1/4" Diameter Decorative Thru Bolt 3/8"-16 x 2 1/4"	12XHD	17.98

Back-to-Back Mounting - for 1 3/4" Wood and Metal Doors



Part	Description	Mounting Type	Price
SP1025	1/4"-20 x 2 1/4" Cone Head Machine Screw	5	3.92
SP1056	5/16"-18 x 2 1/4" Cone Head Machine Screw	5HD	6.20
SP1052	1/4"-20 x 2 1/4" Double Cone Head Machine Screw (for use with offset pulls)	16	4.64
SP1057	5/16"-18 x 2 1/4" Double Cone Head Machine Screw (for use with offset pulls)	16HD	7.62
SP1027	1/4"-20 Cone Head Union (Used to convert Cone Head to Thru Bolt Hole)	N/A	3.92
SP1079	1/4"-20 Double Cone Head Union (Used to convert Double Cone Head to Thru Bolt Hole)	N/A	6.91
SP1068	5/16"-18 Cone Head Union (Used to convert Cone Head to Thru Bolt Hole)	N/A	6.20
SP1026	1/4"-20 x 5/16" Set Screws (Standard)	N/A	0.93
SP1065	1/4"-20 x 3/16" Set Screw (Short)	N/A	1.22
SP1032	3/8"-16 x 3 1/2" LH/RH Bolt	11	8.18
SP1071	Spanner Collar 1" Diameter for LH/RH Bolt	11	12.37
SP1033	Spanner Collar 1 1/4" Diameter for LH/RH Bolt	11	12.37
SP1072	Spanner Collar 1 1/2" Diameter for LH/RH Bolt	11	13.77

ROCKWOOD
ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Concealed Mounting - for 1 3/4" Wood and Metal Doors




Part	Description	Mounting Type	Price
SP1039	1/4"-20 x 1/2" Cone Head Machine Screw	6 / 6R	3.92
SP1058	5/16"-18 x 1/2" Cone Head Machine Screw	6HD	6.20
SP1080	1/4"-20 Cone Head / Knife Thread Insert	8	6.52
SP1082	5/16"-18 Cone Head / Knife Thread Insert	8HD	6.52
SP1051	1/4"-20 x 1/2" Double Cone Head Machine Screw	17 / 17R	6.20
SP1059	5/16"-18 x 1/2" Double Cone Head Machine Screw	17HD	7.62

Bushings & Washers - for 1/2" Glass Doors



Part	Description	Mounting Type	Price
SP1022	Stainless Steel Washer for 1/4"-20 Cone Head Machine Screw .032" Thick	13	1.67
SP1060	Stainless Steel Washer for 5/16"-18 Cone Head Machine Screw .060" Thick	13HD	1.67
SP1023	Plastic Washer for 1/4"-20 Bolt; Specify Size	13	1.44
SP1061	Plastic Washer for 5/16"-18 Bolt; Specify Size	13HD	1.54
SP1062	Plastic Washer for 3/8"-16 Bolt; Specify Size	14	1.54
SP1024	Glass Door Bushing for 5/8" Hole in Glass; Specify Size	13 / 13HD / 14	1.67

Thru Bolt Mounting - for 1/2" Glass Doors



Part	Description	Mounting Type	Price
SP1020	1" Diameter Decorative Thru Bolt; 1/4"-20 x 1 1/8"	15	15.09
SP1063	1" Diameter Decorative Thru Bolt; 5/16"-18 x 1 1/8"	15HD	17.98
SP1040	1 1/4" Diameter Decorative Thru Bolt; 3/8"-16 x 1 1/8"	15XHD	17.98

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca


Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world


Back-to-Back Mounting - for ½" Glass Doors



Part	Description	Mounting Type	Price
SP1021	¼"-20 x 1 ½" Cone Head Machine Screw	13	3.92
SP1064	⅝"-18 x 1 ½" Cone Head Machine Screw	13HD	6.20
SP1067	¼"-20 x 1 ½" Double Cone Head Machine Screw	18	6.20
SP1066	⅝"-18 x 1 ½" Double Cone Head Machine Screw	18HD	7.62
SP1026	¼"-20 x ⅝" Set Screw (Standard)	N/A	0.93
SP1065	¼"-20 x ⅜" Set Screw (Short)	N/A	1.22
SP1031	⅜"-16 x 1 ¾" LH/RH Bolt (If SP1031 is ordered and KIT 14 is not called out fastener will be 2 ¼")	14	8.18
SP1071	Spanner Collar 1" Diameter for LH/RH Bolt	14	12.37
SP1033	Spanner Collar 1 ¼" Diameter for LH/RH Bolt	14	12.37
SP1072	Spanner Collar 1 ½" Diameter for LH/RH Bolt	14	13.77


Y Base Plates

Specify bolt hole size and finish. Standard pulls require two plates.



Part	Description	For Use With	Price
SP1073	⅝" Thick x 1 ½" Diameter	¾" Diameter Pulls	15.09
SP1074	⅝" Thick x 1 ¼" Diameter	1" Diameter Pulls and Posts	15.09
SP1075	⅝" Thick x 1 ½" Diameter	1" Diameter Pulls and Posts	15.09
SP1076	⅝" Thick x 1 ¾" Diameter	1" Diameter Pulls and Posts	15.09
SP1077	⅝" Thick x 2" Diameter	1" Diameter Pulls and Posts	15.09

Flush Pull Fasteners




Part	Description	Door Type	Price
SP1006	#8 x ¾" Oval Head Sheet Metal Screw	Wood or Metal	0.71
SP1007	#8-32 x ¾" Oval Head Machine Screw	Metal	0.71
SP1034	#8-32 x 1 ⅝" Brass Sleeve Machine Screw	Wood or Metal	4.16

ROCKWOOD
ASSA ABLOY


Experience a safer
and more open world

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)
Check the websites for the most updated product information.


USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca
Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.




Standard Thru Bolt for Countersunk Holes



Decorative Thru Bolt for Wood or Metal Doors



Cone Head Bolt for Back-to-Back Wood or Metal Doors



LH/RH Bolt without Heads

Mounting Kits for Door Pulls

Part	Mounting Type	Description	Price
KIT1	1	2 ea. ¼"-20 x 2 ¼" Thru Bolts and 2 ea. Finish Washers; Specify Finish	4.46
KIT1HD	1HD	2 ea. ⅝"-18 x 2 ½" Thru Bolts and 2 ea. Finish Washers; Specify Finish	8.91
KIT1XHD	1XHD	2 ea. ⅝"-16 x 2 ½" Thru Bolts and 2 ea. Finish Washers; Specify Finish	13.04
KIT5	5	2 ea. ¼"-20 x 2 ¼" Cone Head Bolts and 4 ea. Set Screws	8.91
KIT5HD	5HD	2 ea. ⅝"-18 x 2 ¼" Cone Head Bolts and 4 ea. Set Screws	13.28
KIT6	6	2 ea. ¼"-20 x ½" Cone Head Bolts and 4 ea. Set Screws	8.91
KIT6HD	6HD	2 ea. ⅝"-18 x ½" Cone Head Bolts and 4 ea. Set Screws	13.28
KIT11	11	2 ea. ⅝"-16 x 3 ½" LH/RH Bolt and 2 ea. Spanner Collars for 1 ¾" Doors; Specify Pull Diameter and Finish	33.84
KIT12-1	12	2 ea. ¼"-20 x 2 ¼" Decorative Thru Bolts; 1" Dia.; Specify Finish	30.02
KIT12-1HD	12HD	2 ea. ⅝"-18 x 2 ¼" Decorative Thru Bolts; 1" Dia.; Specify Finish	35.47
KIT12-1.25XHD	12XHD	2 ea. ⅝"-16 x 2 ¼" Decorative Thru Bolts; 1 ¼" Dia.; Specify Finish	38.75
KIT12-1.5XHD	12XHD	2 ea. ⅝"-16 x 2 ¼" Decorative Thru Bolts; 1 ½" Dia.; Specify Finish	45.47
KIT13	13	2 ea. ¼"-20 x 1 ½" Cone Head Bolts; 2 ea. Metal Washers; 4 ea. Plastic Washers; 2 ea. Bushings for ½" Glass Doors; 4 ea. Set Screws; Specify if other than ½" Glass	16.43
KIT13HD	13HD	2 ea. ⅝"-18 x 1 ½" Cone Head Bolts; 2 ea. Metal Washers; 4 ea. Plastic Washers; 2 ea. Bushings for ½" Glass Doors; 4 ea. Set Screws; Specify if other than ½" Glass	20.80
KIT14	14	2 ea. ⅝"-16 x 2 ¼" LH/RH Bolt; 2 ea. Spanner Collars; 2 ea. Bushings; 4 ea. Washers for ½" Glass Doors; Specify Pull Diameter and Finish	40.38
KIT15	15	2 ea. ¼"-20 x 1 ½" Decorative Thru Bolts; 1" Dia.; 2 ea. Bushings; 4 ea. Plastic Washers; Specify Finish and Glass Thickness/Hole Size	35.47
KIT15HD	15HD	2 ea. ⅝"-18 x 1 ½" Decorative Thru Bolts; 1" Dia.; 2 ea. Bushings; 4 ea. Plastic Washers; Specify Finish and Glass Thickness/Hole Size	42.03
KIT15-1.25XHD	15XHD	2 ea. ⅝"-16 x 1 ½" Decorative Thru Bolts; 1 ¼" Dia.; 2 ea. Bushings; 4 ea. Plastic Washers; Specify Finish and Glass Thickness/Hole Size	45.31
KIT15-1.5XHD	15XHD	2 ea. ⅝"-16 x 1 ½" Decorative Thru Bolts; 1 ½" Dia.; 2 ea. Bushings; 4 ea. Plastic Washers; Specify Finish and Glass Thickness/Hole Size	51.84
KIT16	16	2 ea. ¼"-20 x 2 ¼" Double Cone Head Bolts and 4 ea. Set Screws	13.25
KIT16HD	16HD	2 ea. ⅝"-18 x 2 ¼" Double Cone Head Bolts and 4 ea. Set Screws	16.33

Part	Mounting Type	Description	Price
KIT17	17	2 ea. ¼"-20 x ½" Double Cone Head Bolts and 4 ea. Set Screws	13.28
KIT17HD	17HD	2 ea. ⅝"-18 x ½" Double Cone Head Bolts and 4 ea. Set Screws	16.33
KIT18	18	2 ea. ¼"-20 x 1 ½" Double Cone Head Bolts; 2 ea. Metal Washers; 4 ea. Plastic Washers; 2 ea. Bushings for ½" Glass Doors; Specify if other than ½" Glass and 4 ea. Set Screws	22.75
KIT18HD	18HD	2 ea. ⅝"-18 x 1 ½" Double Cone Head Bolts; 2 ea. Metal Washers; 4 ea. Plastic Washers; 2 ea. Bushings for ½" Glass Doors; Specify if other than ½" Glass and 4 ea. Set Screws	26.02
KIT-T1	T1	1 ea. ¼"-20 X 2 ¼" Cone Head Bolt; 1 ea. ¼"-20 Cone Head Union; 2 ea. Set Screws; 2 ea. ¼"-20 x 2 ¼" — 1" Dia. Decorative Thru Bolts; Specify Finish	34.48
KIT-T2	T2	1 ea. ¼"-20 X 1 ½" Cone Head Bolt; 1 ea. ¼"-20 Cone Head Union; 2 ea. Set Screws; 2 ea. ¼"-20 x 1 ½" — 1" Dia. Decorative Thru Bolts; 1 ea. Metal Washer; 6 ea. Plastic Washers; 3 ea. Bushings; Specify Finish	43.69
KIT-T3	T3	1 ea. ¼"-20 X 2 ¼" Cone Head Bolt; 1 ea. ¼"-20 Cone Head Union; 2 ea. Set Screws; 2 ea. ¼"-20 x 2 ¼" Thru Bolts; 2 ea. Finish Washers; Specify Finish	13.26
KIT-T4	T4	1 ea. ¼"-20 X 2 ¼" Cone Head Bolt; 2 ea. ¼"-20 x ½" Cone Head Bolts; 3 ea. Set Screws	13.37
KIT-T5	T5	1 ea. ¼"-20 X 2 ¼" Cone Head Bolt; 2 ea. ¼"-20 x ½" Cone Head Wood Screws; 3 ea. Set Screws	16.14
KITRM1.25	11x1XHD	2 ea. ⅝"-16 x 2 ½" Thru Bolts; 2 ea. Finish Washers; 1 ea. ⅝"-16 x 3 ½" LH/RH Bolt; 1 ea. 1 ¼" Spanner Collar; Specify Finish	30.02
KITRM360	11x12XHD	2 ea. ⅝"-16 x 2 ¼" Decorative Thru Bolts 1 ¼" Dia.; 1 ea. ⅝"-16 x 3 ½" LH/RH Bolt; 1 ea. 1 ¼" Spanner Collar; Specify Finish	55.66
KITRM360G	14x15XHD	2 ea. ⅝"-16 x 2 ¼" Decorative Thru Bolts 1 ¼" Dia.; 1 ea. ⅝"-16 x 2 ¼" LH/RH Bolt; 1 ea. 1 ¼" Spanner Collar; 3 ea. Bushings; 6 ea. Plastic Washers; Specify Finish	65.50
KITRM1.5	11x1XHD	2 ea. ⅝"-16 x 2 ½" Thru Bolts; 2 ea. Finish Washers; 1 ea. ⅝"-16 x 3 ½" LH/RH Bolt; 1 ea. 1 ¼" Spanner Collar; Specify Finish	33.29
KITRM380	11x12XHD	2 ea. ⅝"-16 x 2 ¼" Decorative Thru Bolts 1 ½" Dia.; 1 ea. ⅝"-16 x 3 ½" LH/RH Bolt; 1 ea. 1 ¼" Spanner Collar; Specify Finish	65.50
KITRM380G	14x15XHD	2 ea. ⅝"-16 x 2 ¼" Decorative Thru Bolts 1 ½" Dia.; 1 ea. ⅝"-16 x 1 ¼" LH/RH Bolt; 1 ea. 1 ½" Spanner Collar; 3 ea. Bushings; 6 ea. Plastic Washers; Specify Finish	75.32

USA & Canada Prices Effective March 3, 2025 | Click Here for: [USA Tariffs](#) or [CA Tariffs](#)

Check the websites for the most updated product information.

USA: 800 458 2424 • www.rockwoodmfg.com | Canada: 800 461 3007 • www.assaabloydss.ca

Copyright © 2021-2025, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

ROCKWOOD®

ASSA ABLOY

Experience a safer
and more open world

The ASSA ABLOY Group is the global leader in access solutions.
Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within
door openings and products for access solutions in homes, businesses
and institutions. Our offering includes doors, frames, door and window
hardware, mechanical and smart locks, access control and service.



Rockwood Manufacturing Company
300 Main St.
Rockwood, PA 15557
www.rockwoodmfg.com
orders.rockwood@assaabloy.com
800 458 2424

(In Canada)
Door Security Solutions Canada
160 Four Valley Drive
Vaughan, ON L4K 4T9
800 461 3007
www.assaabloydss.ca