

# **Product Bulletin**

Brand/product: Schlage Electronics					
Date:	October 06, 2025				
Subject:	October 2025 Price Book Updates				

# **ISONAS Credentials**

Page 21: Removed EOL'd HID credential packs.

# **Schlage AD Series**

Page 246: Specify Door range and added Available Door ranges for Interior Baseplate Spacer for SVR.

# **Schlage CO Series**

Page 258: Updated the Model Number for Clutch Pin and Spring. Added the Cam interface part.

# **Merchandising Aids**

Page 292: XE360 Mortise, Tubular, and Falcon 25 Exit mounts added.







# **United States Customer Care**

Our Customer Care Representatives are available for questions or assistance.

# 877-671-7011

#### Customer service

Press 1

# Technical product support

# Schlage Electronic Locks and **System Components**

@allegion.com

# **Readers and Credentials**

Readers Credentials Biometrics TechProdSupport@allegion.com

# **Von Duprin Electronics**



@allegion.com

# **Engage Tech Support**

@allegion.com

# **Isonas Tech Support**

@allegion.com

# For new projects or to locate an authorized distributor



# For general sales questions, pre-printed cards, CardTrax accounts

# Overtur™ Software Support

https://support.overtur.allegion.com

# Canada Customer Care

Our Customer Care Representatives are available for questions or assistance.

**&** 800-900-4734

□ Canada.CustomerService@allegion.com

# Technical product support

□ Canada.TechServices@allegion.com

# **Placing orders**

You can place orders with Allegion via the fax number or email listed below:

1-800-209-4734

□ Canada.Orders.Service@allegion.com

# Canada Administrative Office

1076 Lakeshore Road East East Mississauga, Ontario L5E 1E4 allegion.ca

# **United States Request for quote**

#### Carolinas

(North Carolina, South Carolina, Virginia) Carolinas.Quotes@allegion.com

#### Central

(Illinois, Iowa, Kansas, Missouri, Nebraska) Central.Quotes@allegion.com

# Chicago

(Northern Illinois, Wisconsin) Chicago.Quotes@allegion.com

Florida.Quotes@allegion.com

#### **Metro New York**

(Metro New York, Northern New Jersey) Metro.Quotes@allegion.com

#### Michigan

Michigan.Quotes@allegion.com

# Mid Atlantic North

(New York, Western Pennsylvania) Mid.Atlantic.North.Quotes@allegion.com

#### Mid Atlantic South

(Delaware, Eastern Pennsylvania, Maryland, Northern Virginia, Southern New Jersey, Washington DC)

Mid.Atlantic.South.Quotes@allegion.com

# Midwest

(Indiana, Kentucky, Ohio, West Virginia) Midwest.Quotes@allegion.com

# **Mountain States**

(Colorado, Idaho, Montana, Nevada, Utah, Wyoming) Mtn.States.Quotes@allegion.com

# **New England**

(Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) NewEngland.Quotes@allegion.com

#### **North Central**

(Minnesota, North Dakota, South Dakota) NorthCentral.Quotes@allegion.com

#### Northern California

NoCal.Quotes@allegion.com

#### Northwest

(Alaska, Oregon, Washington) Northwest.Quotes@allegion.com

(Alabama, Georgia, Louisiana, Mississippi, Tennessee) South.Quotes@allegion.com

#### Southern California

(Southern California, Hawaii) SoCal.Quotes@allegion.com

# Southwest


(Arizona, New Mexico) Southwest.Quotes@allegion.com

#### Texas

(Arkansas, Texas, Oklahoma) Texas.Quotes@allegion.com

# **Canada Request for quote**

(All Regions/Provinces) Quote.Request.Canada@allegion.com



MISC



# **Contents**

DOING BUSINESS WITH ALLEGION	
Keyway and cylinder policies	
Distribution policy and finishes	
Allegion Solutions overview	12
CREDENTIALS	14
How to order	
Schlage Mobile Bluetooth® credentials	
Schlage Smart Card credentials	
Schlage Proximity credentials	
Schlage Magnetic stripe credentials	
ISONAS Credentials	
Services	
CARD READERS	26
Overview	
How to order	
Multi-technology readers	
Magnetic stripe readers	
Contactless Smart Card readers	
Proximity readers	
Parts and accessories	
OEM Module	
SOFTWARE	37
ISONAS Overview	
Pure Access Cloud	
Annual license fee products	
Renewal license fee products	
Multi-year license products	
Renewal multi-year license fee products	
Overtur™ Overview	61
Overtur <sup>™</sup> Key system management	
Initial subscriptions	
Renewal subscriptions	
The new at 3003ct lptions	<del>1</del> 2
READER CONTROLLERS	43
Schlage RC Multi-technology reader controllers	44
Pure IP™ ISONAS Reader controllers	45
CTE ENGAGE™ Single door controller	46
CT5000 Offline controller	48
WRI400 Outdoor wireless reader interface	49
ELECTRONIC LOCKS	50
Schlage XE360™ Series wireless locks	50
XE360™ Series wireless tubular lock	
XE360™ Series wireless mortise lock	53
XE360™ Series wireless exit wide stile lock	55

Schlage Control® Mobile enabled locks	57
Schlage Control® Mobile enabled smart interconnect locks	58
Schlage Control® Mobile enabled smart deadbolt	61
Schlage Control® Top sellers	63
LE Mobile enabled wireless lock	64
Overview	64
How to order	66
Functions	68
Styles	69
Configure a product	73
Parts	79
NDE Mobile enabled wireless lock	85
Overview	
How to order	86
Functions	88
Styles	89
Configure a product	90
Parts	96
AD Series Networked locks	
Overview	
How to order	103
Readers	106
Styles	
Configure a product	
AD-300 Networked hardwired	
AD-302 Networked hardwired (FIPS 201-2 Compliant)	
AD-400 Networked wireless	
AD-402 Networked wireless (FIPS 201-2 Compliant)	141
AD-993 Non-functioning dummy trim	147
Networked accessories	149
AD Series Standalone locks	
Overview	
How to order	156
AD-201/AD-302/AD-402 Overview	157
Functions	158
Readers	
Styles	
Configure a product	
AD-200 Standalone; Rights on locks	
AD-201 Standalone (FIPS Compliant); Rights on lock	177
AD-250 Standalone; Rights on card	
AD-993 Non-functioning dummy trim	189
Standalone accessories	191
AD Series Parts	196

CONTINUED



CO Series Standalone	213
Overview	213
How to order	214
Functions	216
Readers	217
Styles	218
Configure a product	219
CO-100 Standalone	226
CO-200 Standalone	232
CO-993DT Non-functioning dummy exit trim	238
CT5000 Offline controller	240
CO Series Accessories	242
CO Series Parts	244
ELECTROMAGNETIC LOCKS	
M490 Max security	
M450 High security	
M420 Traffic control series	
M490DE Delayed egress series	
M390RFK Retrofit lock	
Filler plates and angle brackets	
M490G Gate lock	
320M Mini mortise mount	
GF3000 Shear lock mortise series	267
GF-3000 Shear lock surface series	268
Electromagnetic lock parts	269
POWER SUPPLIES	271
Power supplies and option boards	
ower supplies and option boards	2/2
VON DUPRIN ACCESS CONTROL PRODUCTS	273
PS914 Power supplies	274
Delayed exit system	274
Electric power transfer	274
Remote Undogging (RU) and Remote Monitoring (RM)	274
4200/5100 Series Electric strikes	275
6100/6200 Series Electric strikes	276
6300/6400 Series Electric strikes	277

SYSTEM ACCESSORIES	278
8200 Series Consoles	279
800 Series Remote and local monitoring stations	279
672 TouchBar	280
692 SmartBar	28 <sup>.</sup>
672 TouchBar / 692 SmartBar Parts	282
600 Series Heavy duty pushbuttons	283
600 Series Heavy duty pushbutton parts	284
700 Series Entry level pushbutton	285
650 Series Heavy duty keyswitches	286
650 Series Heavy duty keyswitch parts	287
FSS1 High security door position monitor	288
Door position switches	288
Door cords	288
Electronic horns	289
Scanners/PIRs	289
740 Series Emergency break glass	289
660 Series Surface mini box	289
442S Series Cabinet lock	290
PB405/PB405S PowerBolts	290
MISCELLANEOUS	29
Merchandising aids	292
Agency listings	293
Door and frame handing chart	295
System design guide	296
Master key system summary	297
Wiring diagrams	304
BAA Order transmittal cover letter	307



#### Policies and documents

The purchase of Allegion products is governed by the Allegion Authorized Seller Program. For program terms and conditions, and other program details, please visit:

USA www.allegion.com/AuthorizedSeller

CAN www.allegion.ca/policies

For Warranty information, visit us.allegion.com/warranty or contact Customer Service at:

USA 877-671-7011 CAN 800-900-4734

# Sustainability

Allegion can provide sustainability documentation for select products. ensuring transparency and adherence to environmental standards and building certification programs such as LEED and Living Building Challenge. This documentation includes detailed information on the sustainable practices and materials used, helping you make informed decisions that align with your sustainability goals.

To view the full list of products with declarations, please visit: https://us.allegion.com/en/resources/sustainability.html

# **Keyway definitions**

# Open keyways

# Everest and Everest 29 Open (C and S Key Sections)

Everest and Everest 29 Open (C & S keyways) include non-Primus products with Everest C and Everest 29 S keyways and key sections. Schlage only sells Everest and Everest 29 Open products to commercial security professionals. Commercial security professionals purchasing Everest and Everest 29 Open products from Schlage are permitted to stock and to originate or duplicate keys without signature verification.

Purchasers of Everest and Everest 29 open (C & S) are permitted to resell the products in accordance with their distribution agreement to end users and to other commercial security dealers who have a professional locksmith on staff but are expressly prohibited from selling to:

- i) Any residential retail outlet.
- ii) Any individual or entity purchasing or selling products through any method of auction.

# Standard Classic (Obverse) Key Sections - no restriction

Standard keyways are Classic (Obverse) C, CE, E, EF, F, FG, G, H, J, K, L.

# **Restricted keyways**

# Everest B, Everest 29 R

All Everest and Everest 29 SFIC (B and R Families) keyways are restricted.

# Everest D, Everest 29 T

All Everest D and Everest 29 T keyways are restricted.

# Ouad, Numbered ("Paracentric") and Reverse Keyway Family Policy

These keyway families do not require a letter of authorization from the enduser and not available for new master key systems. Orders can be submitted for plugs, 0-bitted and 1-bitted, master keyed, and key blanks; keyed random is not available.



Online ordering is available through Overtur™ Estimate and Order (OEO)

OEO offers much more than placing online orders including:

- Provides net price for direct customers and list price for indirect customers, integrator partners and end-users
- Online Ordering for direct customers
- Automated price updates
- Ability to export price lists and crossreference guides in Excel
- Configuration and configuration reports, including e-lock configurations
- Request a quote or quote revision from an estimate
- Keying Guide
- Library pre-built hardware sets

# How to get it:

- 1. Login or register at http://360portal.allegion.com
- 2. Find the Estimate and Order Icon and follow the instructions to request access
- 3. The Online Ordering team will begin working on your access with your Allegion Sales Representative

# Traditional ordering methods

# **United States**

⋈ Allegion\_Orders@allegion.com

**1-800-248-1460** 

# Canada

□ Canada.Orders.Service@allegion.com

**1-800-209-4734** 

Training and Troubleshooting



回修画 Scan the QR Code to access our resource center or visit

https://support.oeo.allegion.com/hc/en-us

Questions or issues should be reported to Online.Ordering.Support@allegion.com for escalation



# RESTRICTED KEYWAY POLICY

**Everest B, Everest 29 R** - All Everest and Everest 29 SFIC (B and R Families) keyways are restricted.

When ordering a new keying system, include the following:

- Job (end-user) name, city, state and zip code.
- Letter of Authorization (LOA) Authorized ship-to address for key blanks, cores and cut keys on end-user's official stationery.
   See page 303 for sample letter of authorization.
- Numerically defined specifications for expansion of all branches of the key system.

The factory will assign a "facility code" which will appear on all keys and blanks for this job. When ordering additions to an existing keying system, include the following:

- Job (end-user) name, city, state and zip code.
- Facility code previously assigned by Schlage and stamped on all existing keys and blanks.
- Registry number of the keying system as established by Schlage.
- Letter of authorization on end-user's official stationery is required when:
  - End-user places order with new dealer.
  - Order is to be drop shipped to a different ship-to address than originally authorized by the end-user. See page 303 for sample letter of authorization.

Bitting list (transcript) orders require a letter of authorization on the end-user's official stationery. Prevailing prices apply.

**Everest D, Everest 29 T** - All Everest D and Everest 29 T keyways are restricted.

When ordering a new keying system, include the following:

- Job (end-user) name, city, state and zip code.
- Letter of Authorization (LOA) Authorized ship-to address for all products on end-user's official stationery. See page 303 for sample letter of authorization.
- Numerically defined specifications for expansion of all branches of the key system.

The factory will assign a "facility code" which will appear on all keys and blanks for this job. When ordering additions to an existing keying system, include the following:

- Job (end-user) name, city, state and zip code.
- Facility code previously assigned by Schlage and stamped on all existing keys and blanks.
- Registry number of the keying system as established by Schlage.
- Letter of authorization on end-user's official stationery is required when:
  - End-user places order with new dealer.
  - Order is to be drop shipped to a different ship-to address than originally authorized by the end-user. See page 303 for sample letter of authorization.

# Quad, Numbered ("Paracentric") and Reverse Keyway Family Policy

A letter of authorization from the end-user is required for all orders for restricted keyway plugs, 0-bitted and 1-bitted products and all key blanks. Restricted keyway products are not available keyed random. The letter of authorization must include the address in which the materials will be shipped. Keyway or keyway family must be referenced in the letter. Letters must be dated and signed by the end user. Letters dated more than 6 months prior to the order submission date will not be accepted. Letters for projects that are ongoing may be older than six months if effective dates are referenced in the letter. With the exception of the signature, all other information must be typed.

# Allowable End User Authorizations for Restricted Keyways:

The end user can authorize a dealer or distributor to order and inventory products if they so choose. This authorization requires the submission of a fully completed "Letter of Authorization" or "Signature Card", depending on the product type requirements, by the end user to Schlage.

# CONSTRUCTION CORE PROGRAM POLICY

Full size and small format construction cores will be invoiced under standard payment terms. Credit for these cores, less the handling charge, will be issued upon their return to the factory. Please contact customer service for return authorization. Customers may not deduct payment for construction cores prior to completion of their authorized return.

# CONTROL KEYS FOR INTERCHANGEABLE CORES

A single control key will be added to orders containing interchangeable cores where a new masterkey system, master key system expansions requiring a different control key and all construction core orders are placed and does not include a control key on the purchase order. Construction core orders will include both a control and user key.



# PRIMUS®/PRIMUS XP SALES POLICY

Primus High Security cylinder products manufactured by the Schlage Lock Company are offered for sale through specific channels of distribution, based on stocking requirements and security levels. Possession of this price book or any other Schlage price book does not constitute "the right to purchase" Primus products.

Important: In stocking levels where purchase agreements are required, a fully executed purchase agreement, including initial minimum inventory order, must be in place before any Primus products may be quoted or purchased. Contact your RSO Consultant for specific details.

The prices contained herein apply to Primus Levels 1 through 9 with respect to the actual product. Availability of product is subject to additional conditions as follows:

PRIMUS/PRIMUS XP LEVEL 1: For retail locksmiths and Schlage dealers. Standard nationwide side bitting by keyway. Stocking level requires a separate Primus/Primus XP agreement. Initial inventory commitment required for distributors but not for participating locksmiths. Obverse keyways only. HP, JP and LP section keys are not available.

PRIMUS LEVEL 1 PLUS: For retail locksmiths. A side bitting is assigned on a nationwide exclusive basis to a specific Schlage wholesale distributor. Stocking level which requires a separate Primus purchase agreement and an initial minimum inventory purchase by the wholesaler and the locksmith. Obverse keyways only. HP, JP and LP section keys are not available. Cylinders are always furnished less key blanks (LKB).

PRIMUS XP LEVEL 1 PLUS: For retail locksmiths. An exclusive side bitting is assigned to dealer within the first three digits of the dealer physical location zip-code. Distribution through direct Schlage dealers. Stocking level which requires a separate Primus purchase agreement and an initial minimum inventory purchase. Obverse keyways only. Cylinders can be ordered LKB, KD, KA or MK.

PRIMUS/PRIMUS XP LEVEL 2: For Schlage dealers and large commercial locksmith businesses. Exclusive side bitting is assigned to dealer by time zone. Distribution through direct Schlage dealers. Stocking level which requires a separate Primus purchase agreement and an initial minimum inventory purchase. Obverse keyways only.

PRIMUS/PRIMUS XP LEVEL 3: End user level not stocked by dealers. Key systems are assigned a side bitting exclusive within 2-digit zip code (Level 3G) for orders of 60 - 1,999 Primus cylinders. Orders of fewer than 60 Primus cylinders are randomly assigned a side bitting from a small nationwide pool of side bittings (Level 3U). Distribution through Schlage dealers and Schlage wholesale distributors. Obverse and Quad keyways only.

PRIMUS/PRIMUS XP LEVEL 4: End user level not stocked by dealers. Key systems are assigned a side bitting exclusive within a time zone (Level 4Z) for orders of 2,000 - 3,999 Primus cylinders. A nationwide exclusive side biting (Level 4N) is assigned to key systems of 4,000 or more Primus cylinders. This exclusivity can be purchased for a separate fee for smaller quantities of cylinders. This price book does not contain the fee schedule. Contact your RSO Consultant for specific information. Distribution through Schlage dealers and Schlage wholesale distributors. Obverse and Quad keyways only.

PRIMUS LEVEL 7: For retail locksmiths. Side bitting is assigned on a nationwide exclusive basis to a specific Schlage wholesale distributor. Stocking level which requires a separate Primus purchase agreement and an initial minimum inventory purchase by the Schlage wholesaler and the locksmith. Same as Level 1 PLUS above, but with Everest S Family keyways only.

PRIMUS XP LEVEL 7: For retail locksmiths. An exclusive side bitting is assigned to dealer within the first three digits of the dealer physical location zip-code. Distribution through direct Schlage dealers. Stocking level which requires a separate Primus purchase agreement and an initial minimum inventory purchase. All Everest 29 key sections. Cylinders can be ordered MK, KA, KD or LKB.

PRIMUS/PRIMUS XP LEVEL 8: For Schlage dealers and large commercial locksmith businesses. Exclusive side bitting is assigned to dealer by time zone. Distribution through direct Schlage dealers. Stocking level which requires a separate Primus purchase agreement and an initial minimum inventory purchase. Equivalent to Level 2 above, but with Everest S Family keyways only.

PRIMUS/PRIMUS XP LEVEL 9: End user level not stocked by dealers. Key systems are assigned varying degrees of geographically exclusive side bittings based on a sliding scale of purchase commitment or separate fees. This price book does not contain the fee schedule. Contact your RSO Consultant for specific information. Distribution through Schlage dealers and Schlage wholesale distributors. Level 9U, 9G, 9Z, and 9N are equivalent to Levels 3U, 3G, 4Z, and 4N above, but with Everest S and T Family keyways.

The following side bit milling exclusivity criteria apply to both levels 3, 4 and 9:

- 1-60 cylinders-Random assignment
- 61-1999 cylinders-First two digits of zip-code
- 2000-3999 cylinders-Time-Zone Exclusivity (also available for \$10,000 fee for an organization who would like this exclusivity and doesn't meet cylinders
  quantity requirement).
- 4000 + cylinders-Nation Wide Exclusivity. (also available for \$40,000 fee for an organization who would like this exclusivity and doesn't meet cylinders
  quantity requirement).






# Important ordering information

See Forms and Examples: Primus and Everest 29 Primus Ordering Checklist for a checklist of information required to process a Primus order. Note that, for security reasons, all end user Primus levels (Level 3, 4 and 9) require a Facesheet (MS-E120) bearing an original signature. Opening orders for end user Primus levels also require a Signature Card (MS-E130) bearing original signatures. Facesheets and signature cards are used to authenticate the end user request for product, therefore orders received without the correct supporting documents (or without original signatures) are subject to delays or cancellations. Blank Facesheets and Signature Cards are included in the Forms and Examples section of this price book for your reference. Additionally, electronic version of these forms are available at allegion.com/us.

The Schlage Lock Company reserves the right to make changes in designs and specifications, to make additions or improvements on its products, or to discontinue products without incurring any obligation. The Schlage Lock Company is not responsible for any modification, addition, or alteration to our products by others.

INVENTORY COMMITMENT REQUIREMENTS - COMMERCIAL LOCKSMITHS LEVELS								
Primus XP		Everest 29 Primus XP						
Level 1	None	N/A	N/A					
Level 1+	\$7,500	Level 7 XP	\$7,500					
Level 2	25,000	Level 8	\$25,000					





# Electronic validation from Schlage<sup>1</sup>

Electronic validation (e-validation) is an online system for the use of the end user to create electronic authorizations replacing the letter of authorization (LOA) and Primus Facesheet processes. This online validation system is designed to ease the burden of an end user providing authorizations for ordering restricted key and cylinder products on their behalf. Through this system, the end user can register for an online account with Schlage that will allow them to manage their shipping addresses, shipping contacts and additional authorized users for their restricted products. Through this system, they can then generate an electronic Facesheet that they can provide to the distributor of their choice to allow an order for restricted products to proceed. Enrolling in and using this feature will reduce the overall time for an order to be processed from the time that the end user has determined the need for product. The electronic Facesheet provided by the e-validation system can be faxed or emailed along with a distributors order reducing the time and energy required for original copies of Facesheets previously required. The system is for both new and existing restricted key system owners. For new restricted systems, a registration process will provide the ability to create the initiating Facesheet for the project.

Products/key systems eligible for e-validation:

Everest – B and D restricted family of keyways

Everest 29 – R and T restricted family of keyways

Primus – All keyway families that include the Primus feature

Primus XP – All keyway families that include the Primus XP feature

E-validation can be accessed at the following web address: https://mycredentials.allegion.com

 $^{\mbox{\tiny 1}}$  Does not apply to Canada.



# MASTER KEY SHIPMENT POLICY

# Keyway Family of Master Key System

- Classic Restricted (Numbered, Quad and Reverse)
- Classic Primus (Obverse and Quad)
- Everest Restricted (B and D Family)
- Everest 29 Restricted (R and T Family)
- Everest Primus (C and D Family)
- Everest 29 Primus and Primus XP (S and T Family)
- Classic Open (Obverse)
- Everest Open (C Family)
- Everest 29 Open (S Family)

# Standard Method of Shipment<sup>1</sup>

- 2-Day Air
- Tracking number is assigned to shipment
- Recipient's signature is required upon delivery

<sup>1</sup> Does not apply to Canada.

All goods are shipped F.O.B. factory and become the customer's property when they pass into the hands of the transportation company. Schlage reserves the right to use our choice of carrier.

# Schlage Default Keyways

# Schlage Commercial products (excluding Portable Security)

- Default keyway is Everest 29 S123
- For other optional keyways, please specify

# Schlage Electronics

- Default keyway is Everest 29 S123
- For other optional keyways, please specify

# Portable Security - Kryptonite:

- Default to C keyway KD
- For made to order products, please specify the keying and keyway

# Schlage Residential: (F, B60, J-Lock)

■ Default keyway is C





# DISTRIBUTION FUNCTION AND LOCATION POLICY

The Schlage customer relationship includes the nonexclusive area of primary sales responsibility and the channel of distribution assigned by Schlage. It is vital to our success and for the effective management of the distribution of our products that the Schlage customer relationship, once it is satisfactorily established between us, should not be changed without our approval. Therefore, after selection by Schlage as a distributor of one or more of Schlage products, a customer should continue to perform that distribution function from the location of its business at the place or places utilized at the time of selection. A customer should not change its Schlage distribution function or establish a different or additional location without the prior written consent of Schlage.

Schlage reserves the right to discontinue, after appropriate notice, sale of its products to any customer which refuses to adhere to this policy. Schlage also reserves the right to change, in its sole discretion, the number and locations of the distributors authorized to distribute its products in any area. This determination will be based upon, among other considerations, the success or failure in developing the market for Schlage products.

#### **Hardware Finishes**

Schlage Lock finishes are durable, top quality finishes obtained by the careful processing of solid brass, bronze, stainless steel or other materials. Where required, a protective clear coating is applied and cured under high temperature. It is important that climatic conditions and usage be taken under consideration when selecting finishes. This is especially true in areas subjected to strong corrosive vapors, humid climate or sea air which, in a short time, may have a damaging effect on metal finishes. The longevity and preservation of the finish appearance is determined by base metal and finishing process. Clear protective coating or other organic finishing applications may require different methods of cleaning and care. As an example, non-clear coated finishes should not be cleaned with soaps or any solvents; organically coated surfaces should periodically be cleaned with a mild, nonabrasive soap and buffed lightly with a clean cloth. The type of base metal and finishing techniques must be considered when applying any cleaning or preservative method. Contact the Schlage Technical Services Department for further information on the care of finished hardware.

In some instances, for customer convenience, the most appropriate BHMA finish symbols are used to indicate similarity of appearance, regardless of base metal of finishing process. A, CS, ND, F, FA, H, S, S200 Series and Dexter by Schlage levers are zinc-based material and are plated to match finishes indicated. L Series will utilize a brass material for 612 and 613 finishes. Finishes of latches, strikes, cylinders/cores, and visible mounting screws, though similar in appearance, may differ from the finish of the trim. Finish numbers in the 600 Series are the BHMA (Builders Hardware Manufacturers Association) industry standard.

COMMERCIAL FINISH CODES AND DESCRIPTIONS  The nearest old U.S. equivalent code designations are shown in parenthesis ( ).								
Symbol Description Symbol Description								
<b>605</b> (US3)	Bright Brass, Clear Coated	<b>622</b> (US19)	Matte Black, Coated					
<b>606</b> (US4)	Satin Brass, Clear Coated	<b>625</b> (US26)	Bright Chromium Plated, No Coating					
<b>609</b> (US5)	Antique Brass, Satin Brass, Blackened Satin Relieved, Clear Coated	<b>626</b> (US26D)	Satin Chromium Plated, No Coating					
<b>612</b> (US10)	Satin Bronze, Clear Coated	<b>629</b> (US32)	Bright Stainless Steel, No Coating					
<b>613</b> 1 (US10B)	Oil Rubbed Bronze, Oxidized Satin Bronze, Oil Rubbed, No Coating	<b>630</b> (US32D)	Satin Stainless Steel, No Coating					
<b>619</b> (US15)	Satin Nickel, Satin Nickel Plated, Clear Coated	643e	Aged Bronze, Clear Coated					

<sup>&</sup>lt;sup>1</sup> Oil rubbed bronze (613) is considered a category "B" finish by ANSI/BHMA and will vary in color when applied to different alloys and forms of base material. 613 will also vary from production lot and additionally from one manufacturer to another. Oil rubbed bronze will wear off over time due to the "rubbed" finishing method that has no protective coating or plating.



**For more than 100 years** Allegion brands have been providing innovative access control solutions. We are at the forefront of access control innovation, including contactless smart credentials, wireless security products.

Allegion electronic security offers the most extensive range of access control and security management solution on the market today. This comprehensive line of products allow you to build a complete access control system from the ground up. For facilities with existing access control systems, the open architecture design of Allegion electronic security products facilitates easy integration into your existing system. Because Allegion understands that your needs will evolve over time, Allegion also provides the opportunity for an easy migration path as technology advances.

At Allegion, we understand that each facility has unique security requirements. Our extensive line of products, flexible options and ability to adapt to your existing environment make it easy to find a solution that will fit your security needs... whatever they may be.



MISC



#### Physical (Cards, Fobs, etc.) Mobile **Credential Compatibility Chart** Schlage Bluetooth® Mobile Credentials and Google -IPS 201-2 Compliant (PIV and PIV-I) Allegion offers comprehensive security solutions for each facility. To help and Seos® Schlage Smart Card (13.56 MHz) you identify which solution is right for your facility, here are some reader Magnetic stripe (1,2,3 Track) Schlage NFC Apple Wallet® Wallet® mobile credentials technologies with their compatible credential technologies. Allegion Proximity Card (125 kHz) iClass®, iClass SE®, NFC mobile readers and credentials are designed on an open architecture platform. For more details on compatibility, please refer to the data sheets. Seos® E E M **ENGAGE Family Readers** NDEB and LEB NDEBSi and LEBSi • • • Schlage Control® Smart Locks (B version) XE360™ Series Readers XE360™ Series **AD Series Readers** KP Keypad reader • MSK (Swipe) Magnetic stripe + keypad reader • MS (Swipe) Magnetic stripe reader MTK Multi-technology + keypad reader • . • MT Multi-technology reader FMK Multi-technology FIPS 201-2 Compliant reader • SiK Multi-technology + keypad reader Si Multi-technology reader **CO Series Readers** KP Keypad reader . PRK Proximity + keypad reader • . PR Proximity reader **Card Readers** PR10 Proximity reader - Mini mullion SM10 Contactless smart reader - Mini mullion MT11 Multi-technology reader - Mullion Λ MT15 Multi-technology reader - Wall mount . . Δ MTK15 Multi-technology reader with Keypad - Wall mount Δ MTMS15 Multi-technology magnetic stripe reader - Wall mount Δ . Δ MTMSK15 Multi-technology magnetic stripe reader with keypad - Wall mount . MT11B Multi-technology reader - Mullion . • • MTB15 Multi-technology reader - Wall mount MTKB15 Multi-technology reader with Keypad - Wall mount . . . . . **Readers and Controllers** RC11 - Multi-technology IP reader-controller - Mullion RC15 - Multi-technology IP reader-controller - Wall mount . RCK15 - Multi-technology IP reader-controller with keypad - Wall mount

See the Credentials Compatibility Guide for additional details.

<sup>△</sup> Requires -485 model

Contents
Credentials   Overview14
Credential order template16
Credentials   Mobile17
Schlage Mobile Access via ENGAGE $^{\text{\tiny{M}}}$ 17
Credentials   Smart17
Schlage MIFARE® DESFire® EV3 technology17
Schlage MIFARE® DESFire® EV1 technology17
Discontinued MIFARE® DESFire® credentials18
Schlage MIFARE Classic®19
Credentials   Proximity20
Schlage Proximity credentials comparison guide20
Credentials   Magnetic stripe20
Credentials   ISONAS21
ISONAS Proximity credentials21
ISONAS Smart Card credentials21
HID and ISONAS reader compatible21
Credentials   Services22
Slot punch options22
Encoding fee22
Custom artwork22
Schlage Custom encryption key service22
Cross-reference sheet22
Credentials   Options24
Print scheme options24
Credentials   CardTrax™25
Credential sequencing service25


Customer service	Technical support	Inside sales			
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>	<ul> <li>General sales questions</li> <li>Custom Artwork credentials</li> <li>CardTrax™ accounts</li> </ul>			
USA Email Requests to: Sales Support Contact information on Page 2. CAN Canada.CustomerService @allegion.com	USA Readers_Credentials_Biometrics_ TechProdSupport@allegion.com CAN Canada.TechServices @allegion.com	USA ElectronicInsideSales@allegion.com CAN Canada.CustomerService @allegion.com			

MISC



#### 1) Model number

Please reference pages 17–22 to pick your credential model number to assure you receive the correct technology, form factor and memory size. Below is how the credential model numbers are created but not every combination is available and there are some unique part numbers available.



#### 2) CardTrax™

CardTrax format is a program designed to keep track of credential encoding and badge ID numbers to eliminate confusion in ordering sequential numbering and/or encoding details, and ensures duplicate cards are not issued. Cards will automatically be provided as "next in line" unless otherwise specified. Restricted CardTrax is an exclusive CardTrax Program for qualified end-user customers that provides global encoding protection. If a CardTrax number is provided on your PO, manual encoding information is not required. Please reference page 25 for more information on CardTrax.

# 3) Encoding information1,2

All credentials are encoded with 3 main properties (in order): Bit Format, Facility Code, and Badge ID. Bit Format is the data structure of your credential and determines how many facility codes and unique badge numbers are available to use. Facility Code differentiates your site, or facility, from another site that might be using the same Bit Format and Badge range as yours. Not all Bit Formats use a Facility Code. Badge ID is the unique ID number on the credential that is associated with each user in your access control system.

# Important encoding notes:

- 1. Every credential order must include directions on how to encode the credential. Most commonly, this includes information like Bit Format, Facility Code (if applicable), and Starting Badge ID Number. Customers using a CardTrax Account to track their credential information can instead provide a CT number on the credential line on the PO. Do not attach additional credential-related documents to the PO. Orders without proper encoding directions will require order clarification and may be delayed. "Default Encoding" can be specified on the PO, which will be a 26A bit format and Allegion will choose the facility code and starting badge ID number. For all other encoding guidance, contact your Allegion Sales Consultant or ElectronicInsideSales@allegion.com before proceeding.
- When ordering multi-technology credentials, the order requires credential encoding information for both the Smart and Proximity technologies if different encoding is preferred. One CT account can also be specified for each technology. The same encoding will be applied to both technologies if there is only one set of encoding information.

# COMMON BIT FORMATS:

BIT FORMAT	CROSS REFERENCE	FACILITY CODE RANGE	BADGE ID RANGE	PROX	SMART
26A	H10301	0-255	0-65,535	•	•
• 35C	CORP1000 identical	0-4,095	0-1,048,575	•	•
37X	H10304	0-65,535	0-524,288	•	•
• 40X		0-1,023	0-268,435,455		-

 $\bullet \;\; \text{For CardTrax}^{\scriptscriptstyle{\top}} \; \text{restricted program members only.}$ 

For other supported formats, please contact your Allegion Sales Consultant.

#### Sample credential model number

 $8543 \rm M1$  - Schlage MIFARE DESFire EV3 Smart Card 4K byte/16K bit with Magnetic stripe ISO Glossy White

#### Available form factors

DIMENSIONS	
Clamshell	3.37" x 2.125" x 0.075"
ISO glossy white	3.37" x 2.125" x 0.033"
Keyfob	2" x 1.24" x 0.038"
Thin keyfob	1.77" x 1.18" x 0.06"
Wristband	0.63" x 7.68" x 0.295"
PVC adhesive disk	1.38" diameter (35mm)
PVC adhesive patch	3.37" x 2.125" x 0.033"

Allegion offers an optional magnetic stripe encoding service on ISO glossy white cards. Include the "Magnetic Stripe" Part Number and magnetic stripe encoding instructions as a separate line item on your purchase order. Please see page 22 for details.

#### 4) Slot punch

Available option on ISO cards. Vertical slot punch is always included in Clamshell credential (no extra charge). Punch indicator dots are on all stock ISO cards. ISO cards with mag stripe can only be punched horizontally. A per-card cost applies for this service. Reference page 22 for details. Allegion is not responsible for damage caused by slot punching provided on Schlage cards by any third party.

# 5) Card print scheme

Card print schemes are printed in various locations on ISO and clamshell cards and provide information about the credential or order. Print scheme 01 will be used if no other print scheme is specified. Please reference page 24 for available print schemes.

# 6) Custom artwork number

Please reference page 23 for more information on custom artwork.

# 7) Special instructions

Please include additional special instructions for your order. Most orders will not have special instructions. Special instructions may include a Cross Reference Sheet or a custom configuration ("CE-xxx-xxx" number). Custom configurations may also be associated with your CardTrax Account and would be automatically applied when a CT Number is specified on the order. A Cross Reference Sheet is a .CSV file containing all badge properties from your order that is used for advanced enrollment functions. Please see page 22 for more information on Cross Reference Sheets.

For more information and guidance placing a credential order, visit our <u>Credentials How-to-Order Guide</u>. You are encouraged to attach a populated Credential Order Template to your purchase order.



# SCHLAGE CREDENTIAL TECHNOLOGY TYPES

Schlage offers a wide range of credential technologies and form factors.

#### Mobile credentials

Schlage offers a variety of ways to deliver mobile credentials to your students' and employees' phones. Using near field communication (NFC) or Bluetooth technology, a smartphone app works just like an ID card, providing more for your students and employees while enhancing the security of their credential. Easily assign credentials today using the access control software of one of our developer network partners. Schlage mobile credentials offer the highest level of credential security available.

#### Smart credentials

Ideal for facilities with moderate to high security needs, Schlage 13.56 MHz smart credentials put you in control by delivering smarter solutions. Using MIFARE® DESFire®'s EV Series or MIFARE Classic®, these credentials protect your most sensitive data by utilizing extra layers of security protection. Smart credentials can be used for many applications beyond access control including transit, cashless vending, and cafeteria point of sale.

#### Multi-technology credentials

Schlage multi-technology credentials are extremely flexible. Particularly useful during a transition from proximity technology to smart technology, these cards can be read by both proximity readers and smart readers. This allows your customers to economically migrate to the latest smart technology at their own pace.

#### Proximity credentials

Schlage proximity credentials are a solution for facilities with less demanding security needs. Utilizing 125 kHz proximity technology, these credentials are a cost-effective solution and can interface with many industry leading proximity readers.

#### Magstripe credentials

Schlage magstripe credentials are a solution for facilities with less demanding security needs. Utilizing magstripe technology, these credentials are a cost-effective solution.

CREDEN	CREDENTIAL ORDER TEMPLATE (Populate the applicable fields—Required: 1, 2, 3A or 3B)												
1	2	3	A	R		3B Manual Encoding					4 Advanced Options		
Model number	Qty	Technology	CardTrax Account #	DTRAX	Bit Format	(23.22.1.2.1.2.1.2.1.2.1.2.1.2.1.2.1.2.1.		Print Scheme (Default: 01)	Slot Punch (Default: No) No/SPV/SPH	Custom Artwork (CA###)	CRS Y/N		
		Smart (13.56 MHz)		CAR				Encoded ID Start Printed ID Start					
		Proximity (125 kHz)		IF USING				Encoded ID Start  Printed ID Start					
			Skip to 3B for manual encoding.	SKIP 3B	both te	Default: Encoding will match on both techs when using multi-tech		Difference be Encoded ID (inte Printed ID (extern	ernal) and	See Schlage	 ends on model   Electronics Price Skip if Default or	ebook for de	tails.

Please submit orders to Allegion\_Orders@allegion.com (USA) or Canada.Orders.Service@allegion.com (CAN) with purchase order. Orders are not required to be in this format, but either all encoding details or a CardTrax number must be clearly provided on the purchase order. For more information and guidance placing a credential order, visit our Credentials How-to-Order Guide.

# EXAMPLE: Single technology credential with CardTrax account, default print scheme, horizontal slot punch, and cross reference sheet

1	2	ЗА		
Model number	Qty	Technology	CardTrax Account #	
25 (2) 41 500	500	Smart (13.56 MHz)	CT123456	
8543M1	500	Proximity (125 kHz)		

	3B Manual Encoding				
~	Bit Format	Facility Code (Site Code)	City Code (for 48X only)	Badge ID Start (Default: Offs Encoded/Printe	set = 0,
OR				Encoded ID Start	
				Printed ID Start	
				Encoded ID Start	
				Printed ID Start	

4 Advanced Options				
Print Scheme (Default: 01)	Slot Punch (Default: No) No/SPV/SPH	Custom Artwork (CA###)	CRS Y/N	
01	SPH		Υ	

By default, magnetic stripe (M1) will not be programmed. If you need magnetic stripe programming, please reach out to your Allegion Sales Consultant before placing your order. Please be prepared to provide specific encoding details.

# EXAMPLE: Multi-technology credential with manual encoding details, no offset, and 04 print scheme (see page 24)

1	2	3.	A
Model number	Qty	Technology	CardTrax Account #
8943	200	Smart (13.56 MHz)	
0943	200	Proximity (125 kHz)	

3B Manual Encoding				
Bit Format	Facility Code (Site Code)	City Code (for 48X only)		
37X	2		Encoded ID Start	200
3//	2		Printed ID Start	200
26A	5		Encoded ID Start	200
20A	5		Printed ID Start	200

4 Advanced Options				
Print Scheme (Default: 01)	Slot Punch (Default: No) No/SPV/SPH	Custom Artwork (CA###)	CRS Y/N	
04			N	

8



SCHLAGE MOBILE ACCESS VIA ENGAGE™ ■ 1 unit/pack contains 10 licenses		
Description	Model number	Price
1-Year Flexible Schlage Mobile Credential License Pack	SMA-ENGAGE-FLEX-1YR	\$60.00
5-Year Fixed Schlage Mobile Credential License Pack	SMA-ENGAGE-FIX-5YR	\$100.00

# SCHLAGE SMART CREDENTIALS USING MIFARE® DESFIRE® EV3 TECHNOLOGY

- 13.56 MHz smart technology
- Uses MIFARE DESFire EV3 Technology
- Meets ISO standard 14443A
- Minimum order is 50

Description	Model number	Price
Schlage MIFARE DESFire EV3 4K byte Clamshell Card	8443	\$9.50
Schlage MIFARE DESFire EV3 4K byte ISO Glossy White	8543	\$10.40
Schlage MIFARE DESFire EV3 4K byte with Magnetic stripe ISO Glossy White	8543M1	\$11.40
Schlage MIFARE DESFire EV3 4K byte Thin Fob	8643T	\$10.80
Schlage MIFARE DESFire EV3 4K byte ISO Glossy White with Laser Grade Overlay <sup>1</sup>	8543L	\$10.60
Schlage MIFARE DESFire EV3 4K byte with Magnetic Stripe ISO Glossy White with Laser Grade Overlay <sup>1</sup>	8543M1L	\$11.60

Minimum order is 50		
Description	Model number	Price
Proximity and Schlage MIFARE DESFire EV3 4K byte Thin Fob	8843T	\$16.30
Proximity and Schlage MIFARE DESFire EV3 4K byte ISO Glossy White	8943	\$15.20
Proximity and Schlage MIFARE DESFire EV3 4K byte with Magnetic stripe ISO Glossy White	8943M1	\$16.20
Proximity and Schlage MIFARE DESFire EV3 4K byte ISO Glossy White with Laser Grade Overlay <sup>1</sup>	8943L	\$15.40
Proximity and Schlage MIFARE DESFire EV3 4K byte with Magnetic Stripe ISO Glossy White with Laser Grade Overlay	8943M1L	\$16.10

<sup>1.</sup> Laser Grade Overlay is an additional overlay on top of the card that enhances print quality and improves longevity.

# SCHLAGE MIFARE® DESFIRE® EV1 TECHNOLOGY

- 13.56 MHz smart technology
- Uses MIFARE DESFire EV1 Technology
- Meets ISO standard 14443A
- Minimum order is 50

Description	Model number	Price
Schlage MIFARE DESFire EV1 Smart Card 4K byte/32k bit Clamshell	8440 🖫	\$10.00
Schlage MIFARE DESFire EV1 Smart 4K byte/32k bit PVC Adhesive Patch	8740 🕏	\$9.90



# **DISCONTINUED MIFARE® DESFIRE® CREDENTIALS**

Please Note: Recommended alternatives will match in form factor, likely be in a different credential technology, still be functionally comparable, and may vary in memory size.

Description	Discontinued model number	Alternatives
Schlage MIFARE DESfire EV2 2K byte/16K bit Clamshell Card	2420	8443
Schlage MIFARE DESfire EV2 4K byte/32K bit Clamshell Card	2440	8443
Schlage MIFARE DESfire EV2 8K byte/64K bit Clamshell Card	2480	8443
Schlage MIFARE DESfire EV2 2K byte/16k bit ISO Glossy White	2520	8543
Schlage MIFARE DESfire EV2 4K byte/32k bit ISO Glossy White	2540	8543
Schlage MIFARE DESfire EV2 8K byte/64k bit ISO Glossy White	2580	8543
Proximity and Schlage MIFARE DESfire EV2 2K byte/16k bit ISO Glossy White	2920	8943
Proximity and Schlage MIFARE DESfire EV2 4K byte/32k bit ISO Glossy White	2940	8943
Proximity and Schlage MIFARE DESfire EV2 8K byte/64k bit ISO Glossy White	2980	8943
Schlage MIFARE DESFire EV1 Smart Card 2K byte/16k bit Clamshell	8420	8443
Schlage MIFARE DESFire EV1 Smart Card 8K byte/64k bit Clamshell	8480	8443
Schlage MIFARE DESFire EV1 Smart Card 2K byte/16k bit ISO Glossy White	8520	8543
Schlage MIFARE DESFire EV1 Smart Card 8K byte/64k bit ISO Glossy White	8580	8543
Proximity and Schlage Smart Card Combo 2K byte/16k bit ISO Glossy White	8920	8943
Proximity and Schlage Smart Card Combo 8K byte/64k bit ISO Glossy White	8980	8943
Schlage MIFARE DESfire EV2 2K byte/16k bit with Magnetic stripe ISO Glossy White	2520M1	8543M1
Schlage MIFARE DESfire EV2 4K byte/32k bit with Magnetic stripe ISO Glossy White	2540M1	8543M1
Schlage MIFARE DESfire EV2 8K byte/64k bit with Magnetic stripe ISO Glossy White	2580M1	8543M1
Schlage MIFARE DESfire EV2 2K Thin Fob	2620T	8643T
Schlage MIFARE MIFARE DESfire EV2 2K + HID Compatible Prox Thin Fob	2692T	8843T
Proximity and Schlage MIFARE DESfire EV2 2K byte/16k bit with Magnetic stripe ISO Glossy White	2920M1	8943M1
Proximity and Schlage MIFARE DESfire EV2 4K byte/32k bit with Magnetic stripe ISO Glossy White	2940M1	8943M1
Proximity and Schlage MIFARE DESfire EV2 8K byte/64k bit with Magnetic stripe ISO Glossy White	2980M1	8943M1
Schlage MIFARE DESFire EV1 Smart Card 2K byte/16k bit with Magnetic stripe ISO Glossy White	8520M1	8543M1
Schlage MIFARE DESFire EV1 Smart Card 8K byte/64k bit with Magnetic stripe ISO Glossy White	8580M1	8543M1
Proximity and Schlage Smart Card Combo 2K byte/16k bit with Magnetic stripe ISO Glossy White	8920M1	8943M1
Proximity and Schlage Smart Card Combo 8K byte/64k bit with Magnetic stripe ISO Glossy White	8980M1	8943M1
Schlage MIFARE DESFire EV1 Smart 2K byte/16k bit PVC Adhesive Patch	8720	8740
Schlage MIFARE DESFire EV1 Smart 8K byte/64k bit PVC Adhesive Patch	8780	8740
Schlage MIFARE DESFire EV1 Smart Card 4K byte/32k bit ISO Glossy White	8540	8543
Schlage MIFARE DESFire EV1 Smart Card 4K byte/32k bit with Magnetic stripe ISO Glossy White	8540M1	8543M1
Proximity and Schlage Smart Card Combo 4K byte/32k bit ISO Glossy White	8940	8943
Proximity and Schlage Smart Card Combo 4K byte/32k bit with Magnetic stripe ISO Glossy White	8940M1	8943M1



# SCHLAGE MIFARE CLASSIC®

- 13.56 MHz smart technology
- Uses MIFARE Technology
- Meets ISO standard 14443A
- Minimum order is 50

Description	Model number	Price
Schlage MIFARE Classic Card 2.5K bit Clamshell	9420	\$5.80
Schlage MIFARE Classic Card 1K byte Clamshell	9451	\$9.00
Schlage MIFARE Classic Card 2.5K bit ISO Glossy White	9520	\$7.30
Schlage MIFARE Classic Card 1K byte ISO Glossy White	9551	\$8.80
Schlage MIFARE Classic Card 4K byte ISO Glossy White	9558	\$12.40
Schlage MIFARE Classic Card 2.5k bit with Magnetic stripe ISO Glossy White	9520M1	\$8.10
Schlage MIFARE Classic Card 1K byte and Magnetic stripe ISO Glossy White	9551M1	\$9.60
Schlage MIFARE Classic Card 4K byte and Magnetic stripe ISO Glossy White	9558M1	\$13.30
Schlage MIFARE Classic 1K byte Keyfob	9651	\$10.10
Schlage MIFARE Classic 1K byte Thin Keyfob	9651T	\$10.30
Schlage MIFARE Classic 1K byte PVC Adhesive Patch	9751	\$9.10
Schlage MIFARE Classic 4K byte PVC Adhesive Patch	9758	\$13.70

MULTI-TECHNOLOGY: SCHLAGE MIFARE CLASSIC® AND PROXIMITY  • Minimum order is 50		
Description	Model number	Price
Proximity and Schlage 1K byte Thin Keyfob	9691T	\$13.60
Proximity and Schlage Card 1K byte ISO Glossy White	9951	\$12.20
Proximity and Schlage Card 4K byte ISO Glossy White	9958	\$14.30
Proximity and Schlage Card 1K byte with Magnetic stripe ISO Glossy White	9951M1	\$12.60
Proximity and Schlage Card 4K byte with Magnetic stripe ISO Glossy White	9958M1	\$15.10

	GE MIFARE C num order is !	LASSIC® WRIS	TBANDS										
Descript	tion									Model numi	ber	Price	
Schlage	MIFARE Clas	sic 1K byte Silico	ne Wristbar	nd. Available in six	colors.					9351-xxx		\$13.10	
Black	BLK	Blue	BLU	Green	GRN ℤ	Orange	ONG	Pui	rple	PLE 🖁	Re	d RED	2

Longer lead times expected.



#### SCHLAGE PROXIMITY CREDENTIALS

- 125 kHz proximity technology
- Compatible with most HID Proximity formats up to 37 bits
- Compatible with most HID readers
- Minimum order is 50

Description	Model number	Price
Proximity Card Clamshell	7410	\$4.30
Proximity Card ISO Glossy White	7510	\$7.20
Proximity and Magnetic Stripe Card ISO Glossy White	7510M1	\$8.10
Proximity Keyfob	7610	\$7.50
Proximity PVC Adhesive Disk (35 mm Disk)	7010 ₪	\$6.90
Proximity Thin Keyfob	7610T	\$8.00

# 125 khz Proximity Credentials Comparison Guide

•
HID® product number
1326
1386/1586
1336/1536
1346
1391

Please note: This chart offers comparable part numbers; these are **not** direct replacements. Please use this chart as a guide and reference the spec sheet for the part specified to determine compatibility.

GNETIC STRIPE ONLY CREDENTIALS (Minimum order is 5		
Description	Model number	Price
Magnetic stripe card - Not encoded, no logo	MAG1	\$3.40
Magnetic stripe card - Encoded (track 2 and track 3) with Schlage logo	MAG2	\$4.40
Magnetic stripe card - Encoded, no printing. Must have an enrollment reader to use this credential	MAG3	\$4.40

Schlage and the Schlage logo are trademarks of Allegion plc, its subsidiaries and/or affiliates in the United States and other countries. All other trademarks are the property of their respective owners.

# ISONAS

# ISONAS PROXIMITY CREDENTIALS (125 KHZ)

- ISONAS reader compatibility only.
- 1 unit is 1 pack. See descriptions below for pack quantities.

Description	Specify part number	Price
Proximity Thin Cards - 50 pack (purchased in packs of 50)	TC-2-50	\$589.00
Proximity Keyfob - 20 pack (purchased in packs of 20)	KF-3-20	\$200.00
Proximity Clamshell Cards - 25 pack (purchased in packs of 25)	LC-1-25	\$226.00
Proximity Cap Tags - 100 pack (purchased in packs of 100)	CT-4-100	\$812.00

ISONAS SMART CARD CREDENTIALS (13.56MHZ)		
1 unit is 1 pack. See description below for pack quantities.		
Description	Specify part number	Price
ISO DESFire EV3 4K (13.56MHz) (purchased in packs of 50)	DES-EV3-TC-4K-50	\$450.00

# HID AND ISONAS READER COMPATIBLE

- Replacements for HID-PROXKEY-III-100, HID-ISOPROX-2-50, AND HID-PROXCARD-2-100
- All Proximity credentials can be purchased using Schlage credential part numbers
- Minimum order is 50

Description	Include in Description	Specify part number	Price
Proximity Card ISO Glossy White		7510	\$7.20
Proximity Card Clamshell	CardTray Assount - CT4:9670	7410	\$4.30
Proximity Thin Fob	CardTrax Account = CT4i8670	7610T	\$8.00
Proximity Keyfob		7610	\$7.50



# **SERVICES**

SLOT PUNCH OPTIONS				
Description	Specify	Price		
Vertical slot punch for ISO Cards (not available for magnetic stripe cards)	SPV	\$1.00 per card		
Horizontal slot punch for ISO Cards, including those with magnetic stripe	SPH	\$1.00 per card		

Note: The slot punching service can only be added to an ISO card order.  $\label{eq:slot}$ 

ENCODING FEE		
Description	Specify	Price
Magnetic stripe encoding fee	Magnetic Stripe	\$1.10 per card

CUSTOM ARTWORK		
Description	Specify	Price
One-sided printed artwork fee	One-Sided	\$0.24 per card
Two-sided printed artwork fee	Two-Sided	\$0.36 per card

Note: Custom artwork print charges are net price adders. See page 23 for more information on Minimum Order Quantities.

SCHLAGE CUSTOM ENCRYPTION KEY SERVICE		
Description	Specify	Price
Schlage Custom Encryption Key Service  Allegion will create a symmetric Mifare DESFire custom encryption key that is unique to a single end-user customer. This adds an elevated layer of security and cross-manufacturer interoperability to the site when applied to credentials, readers, and intelligent locking hardware.  Customers should contact their Allegion Sales Consultant or email CardTrax@Allegion.com to request the latest version of the SCEKS application.  Before placing a Purchase Order where the SCEKS is intended to be used, the customer MUST have completed the application process and received a Custom Encryption ID Number (CE-xxx-xxx). See page 25 for details.	SCEKS	USA: No charge Canada: Call for quote

CROSS REFERENCE SHEET		
Description	Specify	Price
A Credential Cross Reference Sheet (CRS) file can be provided with a credential order and contains the credential encoding details in a .csv format, commonly used for Active Directory imports to access control software.  The Cross Reference Sheet <b>MUST</b> be included as its own line item on a Purchase Order (PO) to be included with the order.	Cross Reference Sheet	No charge



# **CUSTOM ARTWORK**

Cards with custom artwork offer a way to stand out from the crowd and creatively express features of your institution or business. Display your company logo, showcase unique artwork, or convey a uniform message with custom artwork. How does it work? The process varies depending on whether this is a first-time purchase using your artwork or placing a repeat order.

# **United States**

# New, first-time artwork/Updating existing artwork:

- 1. Contact Inside Sales at CustomArtwork@allegion.com to begin your new custom artwork request or change request. Artwork file requirements will be provided.
- 2. Once you review the requirements, you can provide us with your compliant artwork file.
  - a. Include a reference to CMYK in the art template, an .AI, .EPS, or .TIF file, a print scheme (see page 24), and credential encoding specifications for the first order.
  - b. The Minimum Order Quantity (MOQ) on new custom artwork orders must be 1,000 or more. This applies to all first-time artwork orders and orders with updated artwork (including any changes to image, text, layout, or positioning).
- 3. A quote and artwork proof will be created and provided digitally for review and approval. Upon approval and signature, a new CA number will be assigned to your artwork file.
- 4. Each order will require the artwork proof to be re-confirmed in email to eliminate any miscommunication.
- 5. Upon request from Allegion, submit a completed purchase order to CustomArtwork@allegion.com. The PO must contain your new CA number and credential encoding specifications that were initially provided in the CA application Allegion will cross-check the encoding specs and will being producing your credentials.

# Repeat artwork orders:

- 1. If you've purchased Custom Artwork credentials using the exact artwork template within the last 18 months, the MOQ is reduced to 500.
- 2. Contact Inside Sales at CustomArtwork@allegion.com to begin your repeat custom artwork order process.
- 3. Upon request from Allegion, submit a completed purchase order to CustomArtwork@allegion.com. The PO must contain your CA number and credential encoding specifications. Allegion will cross-check the encoding specs and will begin producing your credentials.

# Notes:

- There is an extended lead time on all orders that begins when the Sales Order Acknowledgement is received (not when the order is submitted). Lead times may increase during periods of peak demand. It is recommended that orders be placed well ahead of the required need-by date.
- Custom artwork is available for all ISO glossy white and clamshell cards.
- The artwork design must fit within the space allotted.
- Physical samples can be provided with an extended lead time.
- Contact Inside Sales at CustomArtwork@allegion.com with any questions throughout the process.


# Canada

For Custom Artwork order requests in Canada, contact Canada.CustomerService@allegion.com.



# PRINT SCHEME OPTIONS (PS#)

ID numbers are printed on the back of the cards. All the cards shown are picture samples for ID number locations only. Other variables on the card, such as logo and slot punch location are dependent on choices indicated on the Credential Order Form. Please indicate the print scheme option you would like on your purchase order. If a print scheme isn't selected, the default 01 print scheme will be provided.






ISO card with technology, bit format, order number and badge ID, bottom right hand corner



#### 02

ISO card with badge ID, bottom right hand corner



#### 03

ISO card with technology, bit format, Order number and badge ID, upper right hand corner




04

ISO card with badge ID, upper right hand corner




05

ISO card with technology, bit format, order number and badge ID, upper left hand corner



۸6

ISO card with badge ID, upper left hand corner




07

ISO card with technology, bit format, Order number and badge ID, bottom left hand corner



80

ISO card with badge ID, bottom left hand corner




09

Clamshell card with technology, bit format, order number and badge ID, bottom right hand corner



10

Clamshell card with badge ID, bottom right hand corner




11

Clamshell card with technology, bit format, order number and badge ID, bottom left hand corner




12

Clamshell card with badge ID, bottom left hand corner




13

Clamshell card with existing supplier part number, 88I, lower left hand corner



14

ISO card with existing supplier part number, 88I, lower right hand corner



15

No numbers printed





# CARDTRAX™ CREDENTIAL SEQUENCING SERVICE

There are two types of CardTrax accounts available: Standard CardTrax™ and Restricted CardTrax.™

Standard CardTrax accounts are available for end users, PACS/OEM's and integrator customers. The account will track bit format, facility code, and badge ID information. It will not allow duplicates to be sent to that specific customer.

Restricted CardTrax accounts (bit formats 35C and 40X) are reserved for End Users only. This type of account will track bit format facility code and badge ID information.

- 35C: Each facility code in this bit format can only be registered by one End User, and, once registered, it will not available to any other user.
- 40X: As of June 2025, new 40X accounts require a custom encryption key to be linked to the account going forward, and therefore can only be registered to an End User. Existing 40X accounts using the default Allegion encryption key are unaffected by this change.

Purchases using a CardTrax account are limited to authorized vendors that are designated by the account manager of that account. To begin the application process, or to make changes to your existing CardTrax account, please contact your Allegion Sales Consultant or email <a href="CardTrax@Allegion.com">CardTrax@Allegion.com</a> requesting the latest version of the CardTrax application form.

Please Note: Legacy paper forms are no longer accepted.

# Linking your CardTrax account to your SCEKS

End users with custom encryption keys (see page 22 for information on the Schlage Custom Encryption Key Service) can link their new or existing Custom Encryption ID number (CAxxxx) to a new or existing CardTrax account. After the link is complete, orders can be placed using just the respective CardTrax Account number (on the PO) and credentials will be both sequenced and encrypted with the end user's site-specific encryption during production.

Once a CardTrax account is linked to a custom encryption key, that CardTrax account will only produce credentials with custom encryption going forward. End user sites should plan accordingly to minimize the impact of an encryption key shift - including updating readers/electrified locks with new encryption and a replacement plan for old credentials. Contact your Allegion Sales Consultant for assistance navigating this change.

Linking your new custom encryption key to a CardTrax account is <u>highly recommended</u> to streamline credential purchases and purchaser authorization.



Contents
Card readers   Overview26
Card readers29
Multi-technology readers29
Magnetic stripe readers29
Contactless Smart Card readers30
Proximity readers30
Reader parts and accessories30
Reader replacement parts30
MTB Series C1 Reader covers30
MTB Series C2 Reader covers30
MT Series C1 Reader covers31
MT Series C2 Reader covers31
SM/PR Series Reader covers31
Enrollment readers / keypads 32
Enrollment readers for Schlage Express32
Enrollment readers32
OEM Module32
Schlage Reader command cards33
Keypad settings33
Audio visual settings33
Card serial number (CSN) or unique identifier (UID) settings34
Smart Card settings34
PIV settings34
Reader performance settings36

Customer service	Technical support	Inside sales
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>	<ul> <li>General sales questions</li> <li>Custom Artwork credentials</li> <li>CardTrax™ accounts</li> </ul>
USA Email Requests to: Sales Support Contact information on Page 2.  CAN Canada.CustomerService @allegion.com	USA Readers_Credentials_Biometrics_ TechProdSupport@allegion.com CAN Canada.TechServices @allegion.com	USA ElectronicInsideSales@allegion.com CAN Canada.CustomerService @allegion.com



# CARD READERS OVERVIEW

With our versatile mobile enabled multi-technology, multi-technology, smart and proximity reader options, we have a solution for any physical access control need. Our comprehensive, yet simple reader line-up is suitable for any new mobile, smart or proximity installation.

# Schlage Mobile Enabled Multi-technology readers (MTB Series)

Schlage mobile enabled multi-technology readers are ideal for any new mobile or smart installation—or as a cost-effective way to migrate from existing proximity to smart or mobile technology.

- Commission via ENGAGE™ mobile app for reader updates and easy configuration.
- 125 kHz proximity, 13.56 MHz smart and 2.4 GHz Bluetooth technology in one reader.
- · Compatible with Bluetooth and NFC-open smart phones
- Reads ISO 14443 A/B and 15693 credentials
- Compatible technologies include:
  - DESFire® CSN, HID iCLASS® CSN, Inside Contactless PicoTag® CSN, ST Microelectronics® CSN, Texas Instruments Tag-It® CSN, Phillips I-Code® CSN
  - Schlage® Proximity, HID® Proximity, GE/CASI® Proximity, AWID® Proximity, LenelProx®
  - Schlage MIFARE® DESFire® EV1 and EV3, Schlage MIFARE Classic®
  - Schlage mobile credentials using NFC technology
- Wiegand, Clock & Data and RS-485 (OSDP, OSDP Secure) interfaces are standard
- Plug and Play mode for straight out of the box functionality
- Improved voltage range of 5V to 28V for simplified power management
- Tri-state LED (red, green, amber) and audible status alert
- Standard color is black. Cream is available as an option, longer lead times may apply.

# Schlage Multi-technology readers (MT Series)

Schlage multi-technology readers are ideal for any new smart, proximity, or magnetic stripe installation—or as a cost effective way to migrate from existing magnetic stripe or proximity to smart technology.

- 125 kHz proximity and 13.56 MHz contactless smart card technology in one reader.
- Magnetic stripe option, reads track 2 default, tracks 1 and 3 configurable
- Reads ISO 14443 A/B and 15693 credentials
- Compatible with:
  - Schlage MIFARE® DESFire® EV1 and EV3, Schlage MIFARE Classic®
  - Schlage mobile credentials using NFC technology
  - Most popular proximity credentials including Schlage, XceedID, HID®, GE/ Casi ProxLite®, AWID®, and LenelProx®
  - CSN of most existing 13.56 MHz credentials
  - Magnetic stripe
- Wiegand interface (RS-485 available)
- FIPS 201-2 compliant
- Tri-state LED (red, green, amber) and audible status alert
- Standard color is black. Gray, brown and cream colors are available, longer lead times may apply.

# Schlage Smart Readers (SM Series)

The Schlage smart mini-mullion reader is an excellent option for a smart-only installation.

- 13.56 MHz single frequency contactless smart card technology
- Reads ISO 14443 A/B and 15693 credentials
- Compatible with:
- Schlage MIFARE® DESFire® EV1 and EV3, Schlage MIFARE Classic®
- Schlage mobile credentials using NFC technology
- CSN of most existing 13.56 MHz credentials
- Wiegand interface
- Tri-state LED (red, green, amber) and audible status alert
- Standard color is black. Gray, brown and cream colors are available, longer lead times may apply.

# Schlage Proximity Readers (PR Series)

This mini-mullion reader is a great solution for proximity-only facilities.


- 125 kHz single frequency proximity technology
- Compatible with:
- Most popular proximity credentials including Schlage, XceedID, HID®, GE/ Casi ProxLite®. AWID®, and LenelProx®
- Tri-state LED (red, green, amber) and audible status alert
- Wiegand interface
- Standard color is black. Gray, brown, and cream colors are available, longer lead times may apply.

Schlage, the Schlage logo, and XceedID are trademarks of Allegion plc, its subsidiaries and/or affiliates in the United States and other countries. All other trademarks are the property of their respective owners.



# HOW TO ORDER

Follow the steps below to build the full part number for the reader you wish to order. Use the sample below to determine how to write your part number on your PO.



MT READER FAMILY	
Example:	MT15 - 485 - BL - C2
Reader model number     See page 29	
<ol> <li>Communication protocol</li> <li>Standard includes Wiegand, Clock (OSDP, OSDP Secure)</li> </ol>	: & Data, RS-485
3. Reader cover color options Black (standard) - Available in C1 o Legacy cover color options (C1 Leg - Cream: Add "C" - Warm-tone brown: Add "BN" - Cool-tone grey: Add "G"	gacy Cover only)
4. Reader cover style C1 (Legacy) C2 (New Style) - Available for MT11	I, MT15, MTK15
5. PIV Format Optional; Specify PIV Format (see	chart at right for formats)

SINGLE TECH READERS		
Example:	SM10 -	- G -
1. Reader model number		T T
See page 29		
2. Communication protocol		
Standard includes Wiegand, Clock & Data		
3. Color option		
Black (standard): Leave blank		
Cream: Add "C"		
Warm-tone brown: Add "BN"		
Cool-tone grey: Add "G"		
4. PIV format		
N/A		

75-bit is the default format.

# 1. Choose your reader model

See next page for available models.

# 2. RS-485 capability

Schlage mobile enabled multi-technology readers (MTB Series) have been designed to interface directly with controllers that utilize RS-485 protocol as a standard feature. Schlage multi-technology readers (MT Series) have been designed with an option to interface directly with controllers that utilize RS-485 protocol. RS-485 is a communication protocol that allows a two way communication between the reader and the panel, for example OSDP protocol.

# 3. Reader color options

Schlage readers are available in four color options. Add the appropriate suffix after the reader model number for a cover color other than black. Please note the Schlage mobile enabled multi-technology readers (MTB Series) are only available in black and cream.

- Black (standard): Do not add a color suffix, leave blank
- Cream: Add "C"
- Warm-tone brown: Add "BN"
- Cool-tone grey: Add "G"

# 4. PIV format

The Schlage multi-technology readers (MT Series) use 75-bit PIV as the default format. Other format requirements are determined by the access control system, agency requirements, and customer specifications. The other available formatting options are listed below. Add "PIV" and the format number after the reader model number, RS-485 option (if applicable), and color suffix (if applicable). PIV Formats are not available on the Schlage mobile enabled multi-technology readers (MTB Series).

FORMAT NUMBER	BIT INFORMATION
1	75-bit PIV
2	58-bit TWIC/CAC
3	200-bit FASC-N
4	64-bit (BCD) TWIC/CAC
5	83-bit TWIC/CAC
6	66-bit (58-bit format +TSM) TWIC/CAC
7	64-bit (58-bit format (no parity) + TSM) TWIC/CAC
8	91-bit (83 bit format + TSM) TWIC/CAC
9	40-bit BCD
10	40-bit reversed BCD
11	64-bit BCD
12	64-bit reversed BCD
13	128-bit BCD
14	128-bit reversed BCD
15	58-bit HSE

If you need assistance in determining the PIV format for your facility, please contact your Allegion sales representative directly.

# 5. Special Instructions

Please specify any other special instructions directly on your PO. Readers can be ordered from the factory with custom configurations. This service may add 4-8 days to shipping time. The same can be achieved by configuring in the field.



# **CARD READERS**

New cover designs are available when ordering MTB11, MTB15, MTKB15 and MT11, MT15, and MTK15 readers. C1 is the designation for legacy covers and C2 is the designation for the new style reader covers.







MTB11

MTB15

MTKB15

SCHLAGE MOBILE ENABLED MULTI-TECHNOLOGY READERS (Power required: 5-24 VDC)	Model number	Price
Mullion mount, dimensions: 5.91" x 1.72" x 0.81"	MTBII	\$420.00
Wall mount, dimensions: 5.1" x 3.25" x 0.76"	MTB15	\$420.00
Wall mount with keypad, dimensions: 5.1" x 3.25" x 0.76"	MTKB15	\$678.00

Wiegand and RS-485  $\mid$  OSDP capability included in standard product offering.







MT11 MT15

MTK15-485

SCHLAGE MULTI-TECHNOLOGY READERS (Power required: 5-16 VDC)	Model number	Price
Mullion mount, dimensions: 5.91" x 1.72" x 0.81" (Note: While supplies last; moving to the -485 series)	MTII	\$415.00
Wall mount, dimensions: 5.1" x 3.25" x 0.76" (Note: While supplies last; moving to the -485 series)	MT15	\$420.00
Mullion mount, dimensions: 5.91" x 1.72" x 0.81"	MT11-485	\$415.00
Wall mount, dimensions: 5.1" x 3.25" x 0.76"	MT15-485	\$420.00
Wall mount with keypad, dimensions: 5.1" x 3.25" x 0.76"	MTK15-485	\$665.00

Readers with -485 are for OSDP or RS-485 installations. Readers without -485 are for Wiegand wiring installations.





MTMS15

MTMSK15-485

SCHLAGE MULTI-TECHNOLOGY MAGNETIC STRIPE READERS (Power required: 5-16 VDC)	Model number	Price
Wall mount, dimensions: 5.17" x 4.43" x 1.15" (Note: While supplies last; moving to the -485 series)	MTMS15	\$893.00
Wall mount, dimensions: 5.17" x 4.43" x 1.15"	MTMS15-485	\$893.00
Wall mount with keypad, dimensions: 5.17" x 4.43" x 1.15"	MTMSK15-485	\$1,207.00

 $Readers\ with\ -485\ are\ for\ OSDP\ or\ RS-485\ installations.\ Readers\ without\ -485\ are\ for\ Wiegand\ wiring\ installations.$ 





SM10

SCHLAGE CONTACTLESS SMART CARD READERS (Power required: 5-16 VDC)	Model number	Price
Mini-mullion mount, dimensions: 4.26" x 1.72" x 0.81"	SM10	\$217.00



PR10

SCHLAGE PROXIMITY READERS	Model number	Price
Mini-mullion mount, dimensions: 4.26" x 1.72" x 0.81"	PR10	\$217.00

# PARTS AND ACCESSORIES

READER REPLACEMENT PARTS	Specify	Price
MT Series pigtail – 18"	23846462	\$56.00
MTB Series pigtail - 12"	47265286	\$56.00
Screw pack	23933104	\$16.00
Magnetic stripe read head	47252693	\$160.00
Mini-mullion backplate	23846355	\$33.00
Single gang backplate	23846439	\$33.00
Mullion backplate	23846397	\$33.00
Magnetic stripe backplate	24152654	\$68.00
Cosmetic backplate cover – Mini-mullion /mullion (6.70" x 2.50")	CP-11	\$42.00
Cosmetic backplate cover – Single gang (5.65" x 3.85")	CP-15	\$42.00
Cosmetic backplate cover – Mid-range (6.45" x 5.50")	CP-21	\$42.00
Adapter cable, MT connector to MTB reader	47569692	\$70.00

<ul> <li>MTB SERIES C1 READER COVERS</li> <li>Standard color for readers is black. Cream color is available, longer lead time may apply.</li> </ul>	Specify	Price
C1 Mullion - Black, Schlage Bluetooth logo	47317558	\$33.40
C1 Mullion - Cream, Schlage Bluetooth logo	47317562	\$33.40
C1 Single Gang - Black, Schlage Bluetooth logo	47317564	\$33.40
C1 Single Gang - Cream, Schlage Bluetooth logo	47317568	\$33.40
C1 Single Gang with Keypad - Black, Schlage Bluetooth logo	47317570	\$33.40
C1 Single Gang with Keypad - Cream, Schlage Bluetooth logo	47317574	\$33.40

MTB SERIES C2 READER COVERS  Standard color for readers is black. Cream color is available, longer lead time may apply.	Specify	Price
MTB11 C2 Reader cover - Black, Schlage Bluetooth logo	47744033-SCH-B	\$33.00
MTB15 C2 Reader cover - Black, Schlage Bluetooth logo	47744034-SCH-B	\$33.00
MTKB15 C2 Reader cover - Black, Schlage Bluetooth logo	47744035-SCH-B	\$33.00



# PARTS AND ACCESSORIES

# MT/MTB Cover Images







<ul> <li>MT SERIES C1 READER COVERS</li> <li>Standard color for readers is black. Gray, brown, and cream colors are available, longer lead times may apply.</li> </ul>	Specify	Price
C1 Mullion - Black, Schlage logo	47317557	\$33.40
C1 Mullion - Warm-Tone Brown, Schlage logo	47317559	\$33.40
C1 Mullion - Cool-Tone Gray, Schlage logo	47317560	\$33.40
C1 Mullion - Cream, Schlage logo	47317561	\$33.40
C1 Single Gang - Black, Schlage logo	47317563	\$33.40
C1 Single Gang - Warm-Tone Brown, Schlage logo	47317565	\$33.40
C1 Single Gang - Cool-Tone Gray, Schlage logo	47317566	\$33.40
C1 Single Gang - Cream, Schlage logo	47317567	\$33.40
C1 Single Gang with Keypad - Black, Schlage logo	47317569	\$33.40
C1 Single Gang with Keypad - Warm-Tone Brown, Schlage logo	47317571	\$33.40
C1 Single Gang with Keypad - Cool-Tone Gray, Schlage logo	47317572	\$33.40
C1 Single Gang with Keypad - Cream, Schlage logo	47317573	\$33.40
C1 Single Gang Magnetic Stripe - Black, Schlage logo	47317575	\$66.90
C1 Single Gang Magnetic Stripe - Warm-Tone Brown, Schlage logo	47317576	\$66.90
C1 Single Gang Magnetic Stripe - Cool-Tone Gray, Schlage logo	47317577	\$66.90
C1 Single Gang Magnetic Stripe - Cream, Schlage logo	47317578	\$66.90
C1 Single Gang Magnetic Stripe with Keypad - Black, Schlage logo	47317579	\$66.90
C1 Single Gang Magnetic Stripe with Keypad - Warm-Tone Brown, Schlage logo	47317580	\$66.90
C1 Single Gang Magnetic Stripe with Keypad - Cool-Tone Gray, Schlage logo	47317581	\$66.90
C1 Single Gang Magnetic Stripe with Keypad - Cream, Schlage logo	47317582	\$66.90

MT SERIES C2 READER COVERS  Standard color for readers is black. Cream color is available, longer lead time may apply.	Specify	Price
MT11 C2 Reader Cover - Black, Schlage logo	47744033-SCH	\$33.00
MT15 C2 Reader Cover - Black, Schlage logo	47744034-SCH	\$33.00
MTK15 C2 Reader Cover - Black, Schlage logo	47744035-SCH	\$33.00

SM/PR SERIES READER COVERS  Standard color for readers is black. Gray, brown, and cream colors are available, longer lead times may apply.	Specify	Price
Mini-Mullion - Black, Schlage logo	47317553	\$33.40
Mini-Mullion - Warm-Tone Brown, Schlage logo	47317554	\$33.40
Mini-Mullion - Cool-Tone Gray, Schlage logo	47317555	\$33.40
Mini-Mullion - Cream, Schlage logo	47317556	\$33.40

Note: To receive a cover with no label, specify "No Label" or "NL".



# **ENROLLMENT READERS/KEYPADS**

ENROLLMENT READERS FOR SCHLAGE EXPRESS	Specify	Price
Magstripe enrollment reader for Schlage Express	CRM2	\$912.00

ENROLLMENT READERS	Specify	Price
USB Enrollment reader - Multi-technology, Smart and Proximity Credentials	MT20	\$820.00
USB/WIFI Enrollment, Read-write reader - Smart credentials only	MT20W	\$820.00

SCRAMBLE KEYPADS	Specify	Price
Scramble keypad (Gray) - The keypad is designed to prevent onlookers from detecting the code being entered.  Each key is lighted by an LED with a different set of numbers every time the keypad is used. Weatherized for outdoor applications with a Wiegand output. Power requirements: 8-14 VDC. Standard color is gray. Also available in black (SERIII-W-BLK).	SERIII-W-GR	\$2,868.00
Scramble keypad surface mount kit (Gray) - Surface Mount Kit and tamper proof screws. Standard color is gray.  Also available in black (SMK-2-BLK).	SMK-2-GR	\$373.00
Scramble keypad surface mount kit (ADA Compliant) - Surface Mount Kit and tamper proof screws.  ADA compliant.	SSMK-2-ADA	\$718.00
Panel mount kit (Gray) - Standard color is gray. Also available in black (PMK-2-BLK).	PMK-2-GR	\$302.00
Panel mount kit with steel back box (Gray) - Steel back box with tamper proof screws. Standard color is gray. Also available in black (SPMK-2-BLK).	SPMK-2-GR	\$328.00

Note: Mounting kits are sold separately and required for usage with scramble keypads.

ELECTRONIC KEYPADS	Specify	Price
<b>Electronic keypad (Mullion mount)</b> - Stainless faceplate with keypad. Weatherized for outdoor use - 2x6 Matrix (5 or 12 VDC), Wiegand output.	SEKPDMWG	\$754.00
<b>Electronic keypad</b> - Stainless faceplate with keypad. Weatherized for outdoor use - 3x4 Matrix (5 or 12 VDC), Wiegand output.	SEKPDWG	\$1,094.00
<b>Electronic keypad</b> - Stainless faceplate with keypad. Weatherized for outdoor use - 3x4 Matrix (5 or 12 VDC), Wiegand output, 8 bit word.	SEKPD8B	\$1,069.00

OEM MODULE	Specify	Price
<b>OEM200 Module</b> - The OEM200 module can be embedded into third-party products so that solution providers can seamlessly support RFID technology as part of their offering.	OEM200-TTL	\$220.00
OEM200 80mm Antenna Multi-Tech with cable	ANTENNA 80MTC	\$96.00
OEM200 90mm Antenna Multi-Tech with cable	ANTENNA 90MTC	\$96.00



# SCHLAGE READER COMMAND CARDS

The following command cards (configuration cards) can be used across the Schlage electronics portfolio of wall mount readers and electronic locks to change factory default settings. Similarly, customer-specific command cards can be ordered to update field devices with site-specific custom encryption keys.

# To order Configuration Cards specify this on your purchase order: COMMAND CARD CE-xxx-xxx.

• For example, to order an "LED Flash Red" command card, specify "COMMAND CARD CE-401-001" on your PO.

KEYPAD SETTINGS	Specify	Price
Keypad format, 26A; Fixed Facility Code 55	CE-000-026	\$14.20
Keypad format, 4 Bit burst	CE-000-034	\$14.20
Keypad format, 8 Bit burst	CE-000-038	\$14.20
Keypad format configuration mode	CE-000-044	\$14.20
Keypad backlight off	CE-000-045	\$14.20
Keypad backlight on	CE-000-046	\$14.20

AUDIO VISUAL SETTINGS	Specify	Price
LED Flash Red	CE-401-001	\$14.20
LED Solid Red	CE-401-002	\$14.20
LED Flash Green	CE-401-020	\$14.20
LED Flash Amber	CE-401-021	\$14.20
LED Flash Blue	CE-401-024	\$14.20
LED Solid Blue	CE-401-025	\$14.20
LED Solid Red; Flash Green and No Beep	CE-401-131	\$14.20
LED Solid Red; Flash Green and Beep	CE-401-132	\$14.20
Beeper off success	CE-401-133	\$14.20
Beeper on success	CE-401-134	\$14.20
Beeper and Green LED on Success for 1.5 seconds	CE-401-135	\$14.20
Card anti-passback disabled	CE-401-136	\$14.20
Card anti-passback enabled	CE-401-137	\$14.20
LED, beeper, and keypad beeper always off	CE-401-138	\$14.20
Flash Green and Beep (Success) 300ms	CE-401-139	\$14.20
Disable all sound	CE-401-141	\$14.20
Enable all sound	CE-401-142	\$14.20
LED and Beeper always off - External control only	CE-ALL-OFF	\$14.20
Disable all prox card technologies	CE-401-101	\$14.20
Enable all prox card technologies	CE-401-102	\$14.20
Disable HID prox	CE-401-111	\$14.20
Enable HID prox	CE-401-053	\$14.20
Disable GE/CASI prox	CE-401-082	\$14.20
Enable GE/ CASI prox 4001	CE-401-013	\$14.20
Enable GE/CASI prox 4002	CE-401-028	\$14.20
Enable AWID prox	CE-401-037	\$14.20
Disable AWID prox	CE-401-038	\$14.20
Enable prox report delay 0.8 seconds	CE-401-039	\$14.20
Disable prox report delay	CE-401-040	\$14.20



CARD SERIAL NUMBER (CSN) OR UNIQUE IDENTIFIER (UID) SETTINGS	Specify	Price
CSN Reader 56 Bit; Prox enabled (formerly CE-001-201)	CE-004-201	\$14.20
CSN Reader; 32 (Special iClass All Significant Bits) (formerly CE-001-202)	CE-004-202	\$14.20
CSN Reader; 32 Bit (15693/iClass/inside MSB First) (formerly CE-001-203)	CE-004-203	\$14.20
CSN Reader; 32 Bit (15693/iClass/inside LSB First) (formerly CE-001-204)	CE-004-204	\$14.20
CSN Reader; 34 Bit (32 Mifare + 2 Parity) (formerly CE-001-205)	CE-004-205	\$14.20
CSN Reader; 40 Bit (32 Mifare + 8 bit LRC) (formerly CE-001-206)	CE-004-206	\$14.20
CSN Reader; 32 Bit (Mifare MSB First) (formerly CE-001-207)	CE-004-207	\$14.20
CSN Reader; 32 Bit (Mifare LSB First) (formerly CE-001-208)	CE-004-208	\$14.20
CSN Reader; 26 Bit (formerly CE-001-209)	CE-004-209	\$14.20
CSN Reader; 64 Bit (GE 6400) (formerly CE-001-210)	CE-004-210	\$14.20
CSN Reader; 55 Bit (GE 5502) (formerly CE-001-211)	CE-004-211	\$14.20
CSN Reader; 40 Bit (GE 4001) (formerly CE-001-212)	CE-004-212	\$14.20
CSN Reader; iClass and ISO15693 (5502), ISO14443A and GE Prox (4002)	CE-004-213	\$14.20
CSN Reader; MFC and EV1 56 bit, All prox off	CE-004-214	\$14.20
CSN Reader 64 bit reversed	CE-004-215	\$14.20
Felica CSN 64 bit reversed	CE-401-226	\$14.20

SMART CARD SETTINGS	Specify	Price
Disable all smart card technologies (formerly CE-401-022)	CE-404-022	\$14.20
Enable all smart card technologies (formerly CE-401-023)	CE-404-023	\$14.20
Disable iClass CSN	CE-401-012	\$14.20
Enable iClass CSN 40 bit	CE-401-084	\$14.20
Enable iClass CSN 32 All Significant bits	CE-401-085	\$14.20
Enable iClass CSN 32 bit LSB first	CE-401-086	\$14.20
Enable iClass SE (AD Only)	CE-401-087	\$14.20
Disable iClass SE (AD Only)	CE-401-088	\$14.20
Enable iClass CSN 64 bit	CE-401-089	\$14.20
Enable CSN; Disable Secure MIFARE Classic, MIFARE DESFire EV1, EV3, and PIV (formerly CE-401-033)	CE-404-033	\$14.20
Enable Secure MIFARE Classic	CE-401-016	\$14.20
Enable Secure MIFARE DESFire EV1 and EV3	CE-401-018	\$14.20
Disable Secure MIFARE DESFire EV1 and EV3	CE-401-019	\$14.20
Disable MIFARE Plus	CE-401-042	\$14.20
Enable MIFARE Plus	CE-401-048	\$14.20
Disable MIFARE Classic	CE-401-049	\$14.20
Enable Felica CSN	CE-401-090	\$14.20
Disable Felica CSN	CE-401-091	\$14.20

PIV SETTINGS	Specify	Price
Disable PIV	CE-401-000	\$14.20
Enable PIV; 75 Bit; Prox Off; Mifare Off, EV1 Off (formerly CE-401-176)	CE-404-176	\$14.20
Enable PIV; 200 Bit; Prox Off; Mifare Off, EV1 Off (formerly CE-401-177)	CE-404-177	\$14.20
Enable PIV; 75 Bit;	CE-401-075	\$14.20
Enable PIV; 58 Bit TWIC/CAC	CE-401-180	\$14.20
Enable PIV; 200 Bit FASC-N	CE-401-200	\$14.20
Enable PIV; 200 Bit FASC-N, All Else Off	CE-401-201	\$14.20
Enable PIV; 64 Bit (BCD) TWIC/CAC	CE-401-181	\$14.20
Enable PIV; 83 Bit TWIC/CAC	CE-401-182	\$14.20
Enable PIV; 66 Bit (58 + TSM) TWIC/CAC	CE-401-183	\$14.20



PIV SETTINGS	Specify	Price
Enable PIV; 64 Bit (58 No Parity + TSM) TWIC/CAC	CE-401-184	\$14.20
Enable PIV; 91 Bit (83 + TSM) TWIC/CAC	CE-401-185	\$14.20
Enable PIV; 40 Bit BCD	CE-401-186	\$14.20
Enable PIV; 40 Bit Reverse BCD	CE-401-187	\$14.20
Enable PIV; 64 Bit BCD	CE-401-188	\$14.20
Enable PIV; 64 Bit Reverse BCD	CE-401-189	\$14.20
Enable PIV; 128 Bit BCD	CE-401-190	\$14.20
Enable PIV; 128 Reverse BCD	CE-401-191	\$14.20
PIV-I GUID Sentinel enabled	CE-401-192	\$14.20
PIV-I GUID Sentinel disabled	CE-401-193	\$14.20
Enable PIV; 58 Bit HSE	CE-401-194	\$14.20

READER OUTPUT SETTINGS	Specify	Price
Enable Generic Clock & Data output	CE-401-050	\$14.20
Disable Clock & Data output, magstripe track 2	CE-401-051	\$14.20
Enable (9 Bit) Geoffrey MR5 Clock & Data emulation, magstripe track 2	CE-401-052	\$14.20
Enable Generic Clock & Data Output with 8 Leading 0 and 235 min bit length	CE-401-054	\$14.20
Enable Geoffrey MR5 Clock & Data emulation	CE-401-055	\$14.20
Enable PIM400-TD2 MR5 Clock & Data emulation	CE-401-056	\$14.20
Select magstripe track 1	CE-401-057	\$14.20
Select magstripe track 2	CE-401-058	\$14.20
Select magstripe track 3	CE-401-059	\$14.20
Enable POS Reader FAC Code UID Data Format	CE-401-060	\$14.20
Enable POS reader octal data format	CE-401-061	\$14.20
Enable CT5000 Clock & Data compatibility	CE-401-062	\$14.20
Set Wiegand Pulse Width = 48us; Separation = 2ms	CE-401-064	\$14.20
Set Wiegand Pulse Width = 40us; Separation = 2ms	CE-401-065	\$14.20
Set Wiegand Pulse Width = 100us; Separation = 1ms	CE-401-066	\$14.20
Enable Clock & Data H10301 26 bit	CE-401-067	\$14.20
Enable Clock & Data H10302 37 bit	CE-401-068	\$14.20
Enable POS reader badge ID only	CE-401-069	\$14.20
Select magstripe track 1 – raw data	CE-401-070	\$14.20
Select magstripe track 2 – raw data	CE-401-071	\$14.20
Select magstripe track 3 – raw data	CE-401-072	\$14.20
Enable Clock & Data conversion	CE-017-701	\$14.20
Enable POS reader hexadecimal data format	CE-401-073	\$14.20
Enable POS reader ID Only with USB keyboard prefix and suffix	CE-401-074	\$14.20
Point of sale output format =6	CE-401-076	\$14.20
Point of sale output format =7	CE-401-077	\$14.20
Point of sale output format =8	CE-401-078	\$14.20
MT20 Only – USB inter keystroke delay 0ms	CE-401-220	\$14.20
Card anti-passback (1.6 Seconds)	CE-401-140	\$14.20
MT20 Only – USB inter keystroke delay 5ms	CE-401-221	\$14.20
MT20 Only – USB inter keystroke delay 10ms	CE-401-222	\$14.20
MT20 Only – USB inter keystroke delay 15ms	CE-401-223	\$14.20
MT20 Only – USB inter keystroke delay 20ms	CE-401-224	\$14.20
MT20 Only – USB inter keystroke delay 20ms and Point of Sale	CE-401-225	\$14.20
TRA Bit disabled	CE-401-230	\$14.20



READER OUTPUT SETTINGS	Specify	Price
TRA Bit enabled	CE-401-231	\$14.20
Mobile NFC bit disabled	CE-401-232	\$14.20
Mobile NFC bit enabled	CE-401-233	\$14.20
MT20 Only - Custom data decode format 26A	CE-401-234	\$14.20
MT20 Only - Custom data decode format 37X	CE-401-235	\$14.20
MT20 Only - Custom data decode format 40X	CE-401-236	\$14.20
MT20 Only - Custom data decode format 48X	CE-401-237	\$14.20
MT20 Only - Disable Felica, POS reader FAC Code UID data format, Custom data decode format 40X	CE-401-238	\$14.20

READER PERFORMANCE SETTINGS	Specify	Price
MT20W Reset to Default	CE-000-040	\$14.20
MTB Reset to Default	CE-000-012	\$14.20
Disable BLE credential	CE-401-431	\$14.20
Enable BLE credential short range	CE-401-432	\$14.20
Enable BLE credential long range	CE-401-433	\$14.20
Disable BLE intent	CE-401-434	\$14.20
Enable BLE intent	CE-401-435	\$14.20
OSDP Baud rate 9600	CE-401-440	\$14.20
OSDP Baud rate 19200	CE-401-441	\$14.20
OSDP Baud rate 38400	CE-401-442	\$14.20
OSDP Baud rate 57600	CE-401-443	\$14.20
OSDP Baud rate 115200	CE-401-444	\$14.20
OSDP Baud rate 230400	CE-401-445	\$14.20
OSDP Baud rate 460800	CE-401-446	\$14.20
OSDP Address 0 (Default address for MT/B Series)	CE-401-447	\$14.20
OSDP Address 1	CE-401-448	\$14.20
OSDP Address 2	CE-401-449	\$14.20
OSDP Address 3	CE-401-450	\$14.20
OSDP Address 4	CE-401-451	\$14.20
OSDP Address 5	CE-401-452	\$14.20
OSDP Address 6	CE-401-453	\$14.20
OSDP Address 7	CE-401-454	\$14.20
OSDP Address 8	CE-401-455	\$14.20



# **Contents**

ISONAS   Overview	38
ISONAS   Pure Access Cloud	39
Annual license fee products	39
Renewal license fee products	39
Multi-year license products	39
Renewal multi-year license products	40
Overtur™   Overview	41
Overtur™   Key system management	42
Initial subscriptions	42
Denouval subscriptions	42

ISONAS

Based in Security, Colorado, ISONAS $^{\mathsf{TM}}$  is now part of the Allegion portfolio of brands.



#### Installation

All installation should be completed by an ISONAS Allegion Pure Access Partner. Visit <a href="https://us.allegion.com/en/resources/resource-library/document-library/isonas-documents.html">https://us.allegion.com/en/resources/resource-library/document-library/isonas-documents.html</a> for more information.

# United States Ordering information (does not apply to Canada)

#### **Submitting USA orders**

United States orders should be submitted to:

Allegion\_Orders@allegion.com

#### Managing USA orders

For questions regarding United States orders, customers should contact their Allegion sales representative.

For expedited orders, contact your Allegion sales representative.

#### **USA Freight**

Default for United States is pre-pay and add.

Shipping and freight questions or issues should be directed to your Allegion sales representative.

#### Paying for USA orders

For existing United States Allegion accounts, ISONAS will review the account with the Allegion credit team to harmonize credit terms and limits.

For new accounts, credit will be determined by the Allegion finance team. If eligible, customer will receive ISONAS standard Net 45 terms.

All invoicing is handled by Allegion.

ISONAS Customer service	ISONAS Technical support	ISONAS Pure Access Solution Sales
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>	<ul><li>Software</li><li>Reader-controllers, wireless locks</li><li>Mobile and physical credentials</li></ul>
USA Email Requests to: Sales Support Contact information on Page 2. CAN Canada.CustomerService @allegion.com	USA ISONAS.TechProdSupport  @allegion.com 877-671-7011, Option 2  CAN Canada.CustomerService  @allegion.com 800-900-4734	USA ISONAS.Sales@allegion.com 800-581-0083  CAN Canada.CustomerService @allegion.com 800-900-4734



# ISONAS PURE ACCESS CLOUD

#### ANNUAL LICENSE FEE PRODUCTS

• When ordering a Pure Access Cloud License, please provide the end user site name, end user time zone and installer email address on the purchase order.

Description	Specify part number	Price
Pure Access Cloud, 1 door license, basic access control	PAC-1	\$100.00
Pure Access Cloud, 1–5 door license(s), basic access control	PAC-1-5	\$490.00
Pure Access Cloud, 6–20 door licenses, basic access control	PAC-6-20	\$1,225.00
Pure Access Cloud, 21–50 door licenses, basic access control	PAC-21-50	\$1,850.00
Pure Access Cloud, 51–100 door licenses, basic access control, active directory	PAC-51-100	\$2,450.00
Pure Access Cloud, 101–250 door licenses, basic access control, active directory	PAC-101-250	\$3,100.00
Pure Access Cloud, custom quote required for more than 250 doors	PAC-XXX	Call for quote
Pure Access Cloud, Integrator RMR license supporting up to 25 Tenants OR 300 Access Points	PAC-RMR	\$6,850.00
Pure Access Cloud, Integrator RMR license supporting up to 50 Tenants OR 600 Access Points	PAC-RMR-50	\$13,700.00
Pure Access Cloud, Integrator RMR license supporting up to 75 Tenants OR 900 Access Points	PAC-RMR-75	\$20,550.00
Pure Access Cloud, Integrator RMR license supporting up to 100 Tenants OR 1200 Access Points	PAC-RMR-100	\$27,400.00
Pure Access Cloud, Integrator RMR license supporting up to 125 Tenants OR 1500 Access Points	PAC-RMR-125	\$34,250.00
Pure Access Cloud, Integrator RMR license supporting up to 150 Tenants OR 1800 Access Points	PAC-RMR-150	\$41,100.00
Pure Access Cloud, Integrator RMR license supporting up to 175 Tenants OR 2100 Access Points	PAC-RMR-175	\$47,950.00

#### RENEWAL LICENSE FEE PRODUCTS

When renewing an existing Pure Access Cloud license, please utilize the appropriate renewal part numbers below. Please also provide current site/tenant name
or license key, allowing for a quick renewal process.

Description	Specify part number	Price
Pure Access Cloud, 1 door license, basic access control, renewal license	PAC-1-Renew	\$100.00
Pure Access Cloud, 1–5 door license(s), basic access control, renewal license	PAC-1-5-Renew	\$490.00
Pure Access Cloud, 6–20 door licenses, basic access control, renewal license	PAC-6-20-Renew	\$1,225.00
Pure Access Cloud, 21–50 door licenses, basic access control, renewal license	PAC-21-50-Renew	\$1,850.00
Pure Access Cloud, 51–100 door licenses, basic access control, active directory, renewal license	PAC-51-100-Renew	\$2,450.00
Pure Access Cloud, 101–250 door licenses, basic access control, active directory, renewal license	PAC-101-250-Renew	\$3,100.00
Pure Access Cloud, custom quote required for more than 250 doors, renewal license	PAC-XXX-Renew	Call for quote
Pure Access Cloud, integrator RMR license with customer partitioning, renewal license	PAC-RMR-Renew	\$6,850.00
Pure Access Cloud, Integrator RMR license supporting up to 50 Tenants OR 600 Access Points, renewal license	PAC-RMR-50-Renew	\$13,700.00
Pure Access Cloud, Integrator RMR license supporting up to 75 Tenants OR 900 Access Points, renewal license	PAC-RMR-75-Renew	\$20,550.00
Pure Access Cloud, Integrator RMR license supporting up to 100 Tenants OR 1200 Access Points, renewal license	PAC-RMR-100-Renew	\$27,400.00
Pure Access Cloud, Integrator RMR license supporting up to 125 Tenants OR 1500 Access Points, renewal license	PAC-RMR-125-Renew	\$34,250.00
Pure Access Cloud, Integrator RMR license supporting up to 150 Tenants OR 1800 Access Points, renewal license	PAC-RMR-150-Renew	\$41,100.00
Pure Access Cloud, Integrator RMR license supporting up to 175 Tenants OR 2100 Access Points, renewal license	PAC-RMR-175-Renew	\$47,950.00

MULTI-YEAR LICENSE PRODUCTS		
Description	Specify part number	Price
Pure Access Cloud, 1 door license, basic access control	PAC-1-2Y	\$200.00
Pure Access Cloud, 1 door license, basic access control	PAC-1-3Y	\$300.00
Pure Access Cloud, 1–5 door license(s), basic access control	PAC-1-5-2Y	\$980.00
Pure Access Cloud, 1–5 door license(s), basic access control	PAC-1-5-3Y	\$1,470.00
Pure Access Cloud, 6–20 door license, basic access control	PAC-6-20-2Y	\$2,450.00

PAC-XXX-3Y

Call for quote

ISONAS

RENEWAL MULTI-YEAR LICENSE PRODUCTS		
Description	Specify part number	Price
Pure Access Cloud, 1 door license, basic access control, renewal 2 year license	PAC-1-2Y-Renew	\$200.00
Pure Access Cloud, 1 door license, basic access control, renewal 3 year license	PAC-1-3Y-Renew	\$300.00
Pure Access Cloud, 1–5 door license(s), basic access control, renewal 2 year license	PAC-1-5-2Y-Renew	\$980.00
Pure Access Cloud, 1–5 door license(s), basic access control, renewal 3 year license	PAC-1-5-3Y-Renew	\$1,470.00
Pure Access Cloud, 6–20 door licenses, basic access control, renewal 2 year license	PAC-6-20-2Y-Renew	\$2,450.00
Pure Access Cloud, 6–20 door licenses, basic access control, renewal 3 year license	PAC-6-20-3Y-Renew	\$3,675.00
Pure Access Cloud, 21–50 door licenses, basic access control, renewal 2 year license	PAC-21-50-2Y-Renew	\$3,700.00
Pure Access Cloud, 21–50 door licenses, basic access control, renewal 3 year license	PAC-21-50-3Y-Renew	\$5,550.00
Pure Access Cloud, 51–100 door licenses, basic access control, renewal 2 year license	PAC-51-100-2Y-Renew	\$4,900.00
Pure Access Cloud, 51–100 door licenses, basic access control, renewal 3 year license	PAC-51-100-3Y-Renew	\$7,350.00
Pure Access Cloud, 101–250 door licenses, basic access control, renewal 2 year license	PAC-101-250-2Y-Renew	\$6,200.00
Pure Access Cloud, 101–250 door licenses, basic access control, renewal 3 year license	PAC-101-250-3Y-Renew	\$9,300.00
Pure Access Cloud, requires custom quote for more than 250 doors, 2 year license	PAC-XXX-2Y-Renew	Call for quote
Pure Access Cloud, requires custom quote for more than 250 doors, 3 year license	PAC-XXX-3Y-Renew	Call for quote

Pure Access Cloud, requires custom quote for more than 250 doors, 3 year license



OVERTUR™

**OVERVIEW** 

Overtur Key System Management is a fully supported, Allegion proprietary software. By leveraging data available in the Overtur digital environment such as interactive floor plans, door schedules, and opening/hardware information, it helps end users and facility managers move from cumbersome methods of designing, assigning, and managing their key system to an easy-to-use, cloud-based system accessible from anywhere.

Complimentary Key System Design features allow users to build and visualize a key system hierarchy and schematic, survey existing conditions, assign and view key symbols, and conduct key meetings while taking notes in the platform. Once your design is complete, the system outputs a printed graphical schematic and a detailed key schedule with configured part numbers. Access to the software includes unlimited users, automated updates, and support.

# Unlock the power of Overtur software with the purchase of a subscription

You can do so much more using Allegion's Overtur software to manage your key system.

# Level 1: Manage Bitting and Pinning

Instantly view available bittings, request the next available change keys, and receive results within minutes. Access on-demand bitting lists, pinning charts, and easily manage key symbol descriptions alongside associated openings, all in one intuitive visual interface and see it all within your building's floor plan.

# Level 2: Key Control

Gain full key control capability including tracking for key issuance and returns with on-demand reporting, serialization and key rings. Includes customized training and set-up assistance.

How to Place an Order	Overtur™ Software Support
<ul> <li>The distributor will place an order with Allegion detailing:         <ul> <li>End User company name</li> <li>End User main contact email address</li> </ul> </li> <li>Orders should be sent to Allegion Digital Solutions, separately from your lock or key system order, referencing <a href="https://us.allegion.com/en/resources/working-with-allegion/doing-business-with-allegion.html">https://us.allegion.com/en/resources/working-with-allegion/doing-business-with-allegion.html</a> </li> <li>Email orders to Allegion_Orders@allegion.com</li> </ul>	Overtur Resource Center https://support.overtur.allegion.com  Software support Knowledge center Onboarding assistance



# OVERTUR™

# KEY SYSTEM MANAGEMENT SOFTWARE

Distributors submit PO to Allegion Digital Solutions on behalf of an End User. The subscription will be provided from Allegion directly to the End User. The distributor does not need to conduct any digital transaction with the subscription itself.

- The distributor will place an order with Allegion detailing:
  - End User company name
  - End User main contact email address
  - Optional: End User's contact name and address
  - Optional: Allegion Key Structure and Restricted Product account numbers
- Orders should be sent to Allegion Digital Solutions, separately from your lock or key system order, referencing https://us.allegion.com/en/resources/working-with-allegion/doing-business-with-allegion.html
- Email orders to Allegion\_Orders@allegion.com
- After invoicing occurs, Allegion's Overtur Customer Success team will reach out via email to initiate onboarding activities within two business days

INITIAL SUBSCRIPTIONS		
Level 1	Specify	Price
Level 1 initial subscription, 1-year: Key System Design + Manage Bitting/Pinning	OVT-KEY-1YNEW-T1	\$499.00
Level 1 initial subscription, 3-year: Key System Design + Manage Bitting/Pinning	OVT-KEY-3YNEW-T1	\$1,272.00
Level 1 initial subscription, 5-year: Key System Design + Manage Bitting/Pinning	OVT-KEY-5YNEW-T1	\$1,497.00
Level 2	Specify	Price
Level 2 initial subscription, 1-year: Level 1 + Key Control	OVT-KEY-1YNEW-T2	\$2,000.00
Level 2 initial subscription, 3-year: Level 1 + Key Control	OVT-KEY-3YNEW-T2	\$3,400.00
Level 2 initial subscription, 5-year: Level 1 + Key Control	OVT-KEY-5YNEW-T2	\$3,600.00

RENEWAL SUBSCRIPTIONS		
Level 1	Specify	Price
Level 1 renewal subscription, 1-year: Key System Design + Manage Bitting/Pinning	OVT-KEY-IYREN-TI	\$499.00
Level 1 renewal subscription, 3-year: Key System Design + Manage Bitting/Pinning	OVT-KEY-3YREN-T1	\$1,272.00
Level 1 renewal subscription, 5-year: Key System Design + Manage Bitting/Pinning	OVT-KEY-5YREN-T1	\$1,497.00
Level 2	Specify	Price
Level 2 renewal subscription, 1-year: Level 1 + Key Control	OVT-KEY-1YREN-T2	\$1,000.00
Level 2 renewal subscription, 3-year: Level 1 + Key Control	OVT-KEY-3YREN-T2	\$2,550.00
Level 2 renewal subscription, 5-year: Level 1 + Key Control	OVT-KEY-5YREN-T2	\$3,000.00



# **Contents**

Reader controllers   Overview	43
How to order	44
Reader controllers	44
Schlage RC Multi-technology reader controllers	44
Schlage RC Parts and accessories	44
Pure IP™ ISONAS Reader controllers	45
IP Bridge cable options	45
CTE ENGAGE™ Single door controller	46
CT5000 Offline controller	48
WRI400 Outdoor wireless reader interface	49

#### RC READER FAMILY RC15 - C2 Example: 1. Reader model number See page 44 2. Reader cover style (Defaults to C2 new style but user can select the C1 legacy style)

C1 - Legacy style C2 - New style (Default)

Customer service	Technical support	Inside sales
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>	<ul> <li>General sales questions</li> <li>Custom Artwork credentials</li> <li>CardTrax™ accounts</li> </ul>
USA Email Requests to: Sales Support Contact information on Page 2. CAN Canada.CustomerService @allegion.com	USA Readers_Credentials_Biometrics_ TechProdSupport@allegion.com CAN Canada.TechServices @allegion.com	USA ElectronicInsideSales@allegion.com CAN Canada.CustomerService @allegion.com



# HOW TO ORDER

Follow the steps below.

- Choose your reader controller model: Specify the desired Schlage RC Multi-technology reader controller (RC11, RC15, or RCK15).
- Covers: New cover designs are available when ordering RC11, RC15, and RCK15 readers. C2 is the default designation for the new style reader covers. C1 is the designation for legacy covers and can still be ordered if designed.
- 3. All RC11, RC15, and RCK15 readers now ship with an 18-inch pigtail (part number 47884474) in the box. If you desire to also add a separate line you can still order the 10-foot cable while supplies last or the 25-foot cable at an additional charge.



#### Standard features

- Real time connectivity; local mode feature allows reader to function without a connection to the network
- Communication is secured using industry standard TLS 1.2 encryption
- Tamper detection via accelerometer senses any type of altering and prevents a security breach with the reader
- Three configurable inputs; Door Position (DPS), Request-to-Exit (REX), and Auxiliary (AUX)
- Reader controllers support 124 kHZ proximity, 13.56MHz smart technology,
   2.4 GHz Bluetooth and Near Field Communication (NPC)
- Commission via ENGAGE™ mobile app for reader updates and easy configuration

SCHLAGE RC MULTI-TECHNOLOGY READER CONTROLLERS  Power requirements: 10 - 13 VDC/PoE or PoE+(IEEE802.3af, Class 0)	Specify	Price
Mullion mount, dimensions: 5.94" x 1.77" x 1.0"	RC11	\$1,385.00
Wall mount, dimensions: 5.13" x 3.25" x 1.0"	RC15	\$1,385.00
Wall mount with keypad, dimensions: 5.13" x 3.25" x 1.0"	RCK15	\$1,579.00

SCHLAGE RC SERIES PIGTAIL CABLES	Specify	Price
Pigtail cable, 18-inch	47884474	\$47.00
Pigtail cable, 10-foot (Note: Available only while supplies last, then will be discontinued)	47274561	\$51.00
Pigtail cable, 25-foot	47274562	\$74.00

SCHLAGE RC SERIES ACCESSORIES	Specify	Price
RC04 to SRC adapter cable	47609539	\$25.00
Advanced security module, exterior door kit (was 47317537)	ACC-EDK-3A	\$88.00
Magnetic lock kit, in rush suppressor (was 47317538)	ACC-IRS-4700	\$42.00
Back EMF DIODE assembly (was ACC-BACKEMF-DIODE)	47275384	\$8.30
RC15 Enrollment reader stand	47962621	\$57.00

SCHLAGE RC SERIES CI COVERS	Specify	Price
C1 Cover, wall mount, Black	47317539	\$33.40
C1 Cover, wall mount with keypad, Black	47317540	\$33.40
C1 Cover, mullion, Black	47317541	\$33,40

SCHLAGE RC SERIES C2 COVERS	Specify	Price
RC11 C2 Reader cover, Black, Schlage logo	47787013-SCH	\$33.00
RC15 C2 Reader cover, Black, Schlage logo	47787014-SCH	\$33.00
RCK15 C2 Reader cover, Black, Schlage logo	47787015-SCH	\$33.00

SCHLAGE RC SERIES SCREW PACK	Specify	Price
Screw pack	47274844	\$15.00



PURE IP™ READERS-CONTROLLERS	Specify	Price
Wall mount keypad reader-controller (13.56MHz, 125kHz, BLE, backlit)	RC-04-MCT-WK	\$2,018.00
Wall mount reader-controller (13.56MHz, 125kHz, BLE)	RC-04-MCT-W	\$1,749.00
Mullion reader-controller (13.56MHz, 125kHz, BLE)	RC-04-MCT-M	\$1,778.00
Wall mount keypad reader-controller (125kHz, BLE, backlit)	RC-04-PRX-WK	\$1,658.00
Wall mount reader-controller (125kHz, BLE)	RC-04-PRX-W	\$1,409.00
Mullion reader-controller (125kHz, BLE)	RC-04-PRX-M	\$1,409.00
Pure IP MCT mullion enrollment reader-controller with stand	RC-04-Enroll-MCT	\$1,009.00
Pure IP mullion enrollment reader-controller with stand	RC-04-Enroll-PRX	\$619.00

PURE IP™ RC-04 PIGTAIL CABLES	Specify	Price
Pure IP RC-04 cable (25-foot pigtail)	CABLE-RC04-25	\$81.00
Pure IP RC-04 cable adapter (RC-03 to RC-4 conversion)	CABLE-Adapter	\$70.00
RC04 to SRC adapter cable	47609539	\$25.00

PURE IP™ WIEGAND READERS	Specify	Price
Wall mount keypad reader (13.56MHz, 125kHz, BLE, backlit)	R-1-MCT-WK	\$786.00
Wall mount reader (13.56MHz, 125kHz, BLE)	R-1-MCT-W	\$523.00
Mullion reader (13.56MHz, 125kHz, BLE)	R-1-MCT-M	\$523.00

IP BRIDGE	Specify	Price
IPBridge controlling up to 1 IP and 3 Wiegand devices	IPB2.0-3Door	\$2,025.00
IPBridge controlling up to 1 IP and 2 Wiegand devices	IPB2.0-2Door	\$1,436.00

IP BRIDGE CABLE OPTIONS	Specify	Price
3 inch DC power cable with "2" connectors for daisy chaining external power	IPB-Cbl-Pwr2-3in	\$17.00
3 foot power cable with "1" connector for connecting external power	IPB-Cbl-Pwr1-3ft	\$16.00
6 inch network cable with "2" connectors for daisy chaining IPbridges	IPB-Cbl-Net2-6in	\$11.00

ACCESSORIES	Specify	Price
Advanced security module, exterior door kit (was 47317537)	ACC-EDK-3A	\$88.00
Magnetic lock kit, in rush suppressor (was 47317538)	ACC-IRS-4700	\$42.00
Back EMF DIODE assembly (was ACC-BACKEMF-DIODE)	47275384	\$8.30



# CTE ENGAGE™ SINGLE DOOR CONTROLLER


The CTE is an ENGAGE™ enabled single opening controller that allows perimeter and common area openings to be managed in a single system along with Schlage Control® smart deadbolts, NDEB cylindrical, and LEB mortise wireless locks. It is ideal for multifamily, commercial mixed use, and retail store front applications.

The CTE is designed to work with a Schlage® Mobile enabled multi-technology reader and interface with an electrified lock, electromagnetic lock, electric strike, automatic operator or exit device to control an opening.

The CTE ENGAGE™ Single door controller with mobile enabled multi-technology reader kit can be used in a variety of applications; below are a few examples.

Please note: all components are sold separately.


ENGAGE™ cloud via mobile device or Wi-Fi, or Software Alliance Member (SAM) via Wi-Fi or GWE with IP to host



**Operation:** Presenting a valid credential to Schlage MTB XX reader will cause fail secure 5100 electric strike to release for authorized entrance. Free egress always.

**Products:** We offer a variety of electric strikes from Locknetics<sup>™</sup> and Von Duprin<sup>®</sup>, as well as Schlage Power Supplies to meet the specific needs of the opening.


ENGAGE™ cloud via mobile device or Wi-Fi, or Software Alliance Member (SAM) via Wi-Fi or GWE with IP to host



**Operation:** Presenting a valid credential to Schlage MTB XX will cause EL panic device to retract for authorized entrance. Free non-alarmed egress at all times.

**Products:** We offer a variety of Falcon® and Von Duprin exit devices, and Von Duprin power supplies to meet the specific needs of the opening.

ENGAGE™ cloud via mobile device or Wi-Fi, or Software Alliance Member (SAM) via Wi-Fi or GWE with IP to host



**Operation:** Presenting a valid credential to Schlage MTB XX will cause QEL panic device to retract for authorized entrance and enable exterior actuator. Free non-alarmed egress at all times. Interior actuator always active to retract QEL panic and open door.

**Products:** We offer a variety of hardware and accessories from Von Duprin, LCN®, Schlage and Locknetics to meet the specific needs of the opening.

Certifications: UL 294 Indoor, FCC Part 15, NEMA Enclosure Indoor (Type 1, 4, and 4X), ULC S319 Indoor, RoHS



# HOW TO ORDER CTE SINGLE DOOR CONTROLLER

		REQUIR	RED FIELDS	COLOR	COVER STYLE
		CTE -	- <u>MTB15</u>	- <u>В</u>	- <u>C2</u>
1. CTE					
2. Reader ty	pe				
MTB11	Mobile enabled multi-technology mullion mount				
MTB15	Mobile enabled multi-technology single gang wall mount				
3. Reader co	over color option				
В	Black (Standard for C1 and C2) Note: C2 is available in Black	only for M	ITBII & MTE	315.	
С	Cream (Available for C1 cover only)				
4. Reader co	over style				
C1	Legacy style cover (Black or Cream color options)				
C2	New style cover (Black is only color option)				


CTE SERIES SINGLE DOOR CONTROLLER	Specify			Price
CTE SERIES SINGLE DOOR CONTROLLER	Model number	Color (optional)	Cover style	Price
CTE with Mobile enabled multi-technology mullion reader kit	CTE-MTB11	- [B=Black] -	[C1 or C2]	\$1,601.00
CTE with Mobile enabled multi-technology mullion reader kit	CTE-MTB11	- [C=Cream] -	[C1]	\$1,601.00
CTE with Mobile enabled multi-technology single reader kit	CTE-MTB15	- [B=Black] -	[C1 or C2]	\$1,601.00
CTE with Mobile enabled multi-technology single reader kit	CTE-MTB15	- [C=Cream] -	[C1]	\$1,601.00



#### CT5000

The CT5000 is an indoor, offline single opening controller. It is flexible and works with various card reader technologies. With the correct power supply, the CT5000 controller works with various types of locking hardware, including electric strikes, electro-magnetic locks, or EL exit devices.

If networked functionality is required in the future, the CT5000 can be upgraded to a WRI-400 by upgrading the firmware and adding one incremental piece of hardware. This provides greater adaptability in the field.



Note: All hardware shown above including exit devices, electric strikes, auto operators, power supplies, push buttons, etc. are sold separately.

#### Certifications

- UL 294
- Canada UL
- FCC Part 15
- Canada RSS 210
- RoHS



#### **Features**

- Supports up to 5000 users and audits
- Comes standard with 15 foot USB remote cable connector
- Programmed using Schlage Handheld Device (HHD) via USB connection or with SUS A-KIT and Schlage Utility Software Android™ app
- Power is hardwired
- Three form C relay outputs (for strike, auxiliary, and alarm)
- Supports Request-to-Exit (remote release) and Door Position Switch input.
- · Card functions supported: normal, toggle, freeze, pass through, construction, lock down, and all card plus PIN applications
- Multiple reader technologies and positions on both sides of the gate/ door
- Internal LED visual indicators (Including low battery and state of the relay)
- Compatible with Schlage Express

#### Credential compatibility

- Magnetic stripe: field configurable track 1, 2, or 3
- Compatible with Schlage, Xceed ID™, AWID®, HID®, GE/CASI ProxLite®
- 125 kHz Proximity cards: 26a, 34x, 35x, 37x bit formats (reader dependant)
- 13.56 MHz Smart card: 26a,34x, 35x, 37x, 40x, 48x bit format (reader dependant)
- Can read card serial number of Mifare DESfire (reader dependant)

#### The following readers are UL294 listed for use with the CT5000:

- Essex Electronics model KTP-162
- Mercury Security models MR-5 and MR-20
- Schlage (previously XceedID) models PR10, SM10, MT11, MT15, MTK15

CT5000 OFFLINE CONTROLLER		
Product ID	Product description	Price
CT5000	Offline controller (15-foot USB cable standard)	See page 241
PS902	2 Amp power supply (Required)	See page 272
SUS A-KIT	Schlage Utility software programming cable (Required)	See page 191
23745565	125 ft. USB cable for CT5000 (Optional)	See page 241
23703481	23703481 N N SL USB Wall plate with panel mount cable	\$93.00
23787088	23787088 N N SL CT5000, 5 M USB extension cable - a female to a male	\$58.00

WIRELESS READER INTERFACE (OUTDOOR)			
Product ID	Product description	Product specification	Price
WRI400	Outdoor wireless reader interface	Compatible with Wiegand or Clock & Data. Includes weatherproof enclosure, inputs for two parallel readers. Requires 12 or 24 VDC power supply.	\$1,331.00

NDE LOCK



0	n	t	e	n	t	S

XE360™ Series   Overview	50
XE360™ Series   Wireless tubular lock	51
Standard features	5
Specifications	5
Configure a product	52
XE360 <sup>™</sup> Series   Wireless mortise lock	53
Standard features	53
Specifications	53
Configure a product	54
XE360™ Series   Wireless exit wide stile lock	55
Standard features	55
Specifications	55
Configure a product	
O	

# Finish codes and descriptions

BHMA code	Description
619	Satin Nickel
622	Matte Black
625	Bright Chromium Plated
626	Satin Chrome
716	Aged Bronze

\* Non-Standard finishes are not available. Available in split finish and/or split lever options for no additional charge.

Customer service	Technical support	
Order status	Technical questions/issues	
<ul> <li>Credit returns of non-defective products</li> </ul>	<ul> <li>Returns of defective products</li> </ul>	
<ul> <li>General sales questions</li> </ul>	Repairs	
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com	



XE360™ SERIES \

# WIRELESS TUBULAR LOCK



XE360	Tubular	Exterio
with	Latitude	lever

XE360 Tubular Interior

FINISH COD	ES AND DESC	RIPTIONS
619	622	626
Satin	Matte	Satin
Nickel	Black	Chrome
(US15)	(US19)	(US26D)

The XE $360^{\text{TM}}$  Series is the next generation of wireless electronic lock from Schlage. Its sleek design offers customers a solution that looks as good as it performs—at an affordable price point. Schlage XE360 currently works within No-Tour or offline access control systems and is built to accommodate changing technologies. Credential support includes smart, Bluetooth and NFC mobile. The XE360 Series is available as tubular, mortise, mortise deadbolt, or exit trim. The open architecture design of the XE360 allows it to be managed by ENGAGE<sup>™</sup> and other Allegion software or be integrated into popular physical access control and Proptech systems through Allegion's PACS Alliance program. This enables customers to choose what best fits their requirements now and in the future.

#### Standard features

- Next level design inside and out
- Credential support includes Schlage MIFARE®, Bluetooth® and NFC mobile¹
- Advanced encryption keeps data and communications safe
- Wireless configuration using connected smartphones or tablets
- No-Tour or offline system capacity
- 1. Use of mobile credential is dependent on availability of compatible mobile credential.
- $2. \ \ \, \text{Check with your Proptech or PACS provider for specific support.}$

- Open architecture interoperable and simple for software alliances to integrate
- Works seamlessly with other Schlage wireless locks, including Schlage Control<sup>® 2</sup>
- Uniquely concealed key override standard on all locks

#### Mechanical specifications

Chassis	Tubular	Door range	1-3/4" (44mm)
Handing	On-site handing with included hex key	Construction	All-metal chassis and escutcheon; exterior
Latch bolt	1" x 2-1/4" (25mm x 57mm); square and round corner		polycarbonate elements
	faceplate; 1" (25mm) edge bore required	Levers	Zinc
Strike	Standard: 1-1/8" (29mm) lip, ANSI, 1-1/8" x 2-3/4" (29mm	Cylinder and keys	Schlage Classic C keyway, Conventional 6-pin cylinder
	x 70mm), no box;		with two keys
	Optional: Additional strike lip lengths and ANSI strike	Certifications	ANSI/BHMA A156.02-2022 Grade 2
	box available		ANSI/BHMA A156.25-2023 Locked outdoor type
Strike width	Minimum 4-1/4" (108mm)		ANSI/BHMA A156.5-2020
Backset	Standard: 2-3/4" (70mm), field adjustable to		
	2-3/8" (60mm)		

#### Reader specifications

Credential technologies	Smart (13.56 MHz), Bluetooth Low Energy (LE) (2.4 GHz), and Near Field Communication (NFC)	Smart credential support	Secure application area: Schlage MIFARE Classic®, Schlage MIFARE® DESFire® EV1/EV3
Read range	Smart: up to .5" Bluetooth® Low Energy: up to 15'		CSN only: HID iCLASS®, HID iCLASS SE®, MIFARE Classic / DESFire
Standards	NFC: mobile device dependent ISO standard 15693 and ISO 14443	Mobile credential support	Schlage Mobile Bluetooth Credential, Integrated PACS mobile credential with Bluetooth, Apple Wallet® NFC student ID and employee badge; Google Wallet™ NFC student ID and employee badge





XE360™ SERIES

# WIRELESS TUBULAR LOCK

**619 622 626**US15 US19 US26D

SELECT LOCK MODEL	Specify	Price (ea.)
Tubular	XE360-T	\$883.00

SELECT LOCK MODEL	Specify	Price adjustment
Offline - Toured and No-Tour compatible	OF	No charge

SELECT FUNCTION	Specify	Price adjustment
Indicator (LED indicator on interior assembly)	I	No charge
Button (Interior Push Button with LED indicator)	В	No charge

SELECT READER	Specify	Price adjustment
Smart / NFC Mobile (13.56 MHz) and Bluetooth® (2.4 GHz) Mobile Credential Support	SM	No charge

SELECT LEVER STYLE	Specify	Price adjustment
Broadway	BRW	No charge
Latitude	LAT	No charge
Neptune	NEP	No charge
Longitude Extended Length	LON-E	No charge

SELECT FINISH STYLE	Specify	Price adjustment
Satin Nickel	619	No charge
Matte Black	622	No charge
Satin Chrome	626	No charge

SELECT KEY CYLINDER	Specify	Price adjustment
Schlage Conventional, 6-pin	P6	No charge
Schlage Conventional, 6-pin, keyed 5	Р	No charge

SELECT KEYWAY	Specify	Price adjustment
Schlage Classic Obverse	С	No charge
Keyed differently (Standard)	KD	No charge
Keyed alike: Please request combination on purchase order or leave blank for random combination	KA	No charge
Everest 29 S	S123	No charge
Keyed differently (Standard)	KD	No charge
Keyed alike: Please request combination on purchase order or leave blank for random combination	KA	No charge

SELECT STRIKE	Specify	Price adjustment
Strike, 1-1/8" lip (Standard)	A500-074	No charge
Strike, 1-1/2" lip	A500-077	No charge
Strike, 1-3/4" lip	A500-079	No charge
Strike, 2" lip	A500-081	No charge

SELECT DOOR THICKNESS	Specify	Price adjustment
1-3/4" Thick door	134	No charge

SELECT DOOR POSITION SENSOR	Specify	Price adjustment
Less door position switch (Standard)	LLLDPS	No charge
Door position switch (Optional)	47467230	\$47.00

SELECT SOLD SEPARATE	Specify	Price (ea.)
Mount, XE360 Series Tubular	47709952	See page 292
Condensation sealant kit (includes PCBA cover, backplate plugs, and gaskets for environmental robustness)	47870663	\$57.00
Door position switch	47467230	\$47.00



# XE360™ SERIES WIRELESS MORTISE LOCK





XE360 Mortise Exterior with Broadway lever

XE360 Mortise Interior with Broadway lever

FINISH CODES AND DESCRIPTIONS			
619	622	626	
Satin	Matte	Satin	
Nickel	Black	Chrome	
(US15)	(US19)	(US26D)	

The XE $360^{\text{M}}$  Series is the next generation of wireless electronic lock from Schlage. Its sleek design offers customers a solution that looks as good as it performs—at an affordable price point. Schlage XE360 currently works within No-Tour or offline access control systems and is built to accommodate changing technologies. Credential support includes smart, Bluetooth and NFC mobile. The XE360 Series is available as tubular, mortise, mortise deadbolt, or exit trim. The open architecture design of the XE360 allows it to be managed by ENGAGE<sup>™</sup> and other Allegion software or be integrated into popular physical access control and Proptech systems through Allegion's PACS Alliance program. This enables customers to choose what best fits their requirements now and in the future.

#### Standard features

- Next level design inside and out
- Credential support includes Schlage MIFARE®, Bluetooth® and NFC mobile¹
- Advanced encryption keeps data and communications safe
- Wireless configuration using connected smartphones or tablets
- No-Tour or offline system capacity
- 1. Use of mobile credential is dependent on availability of compatible mobile credential.
- ${\bf 2.} \quad {\bf Check\ with\ your\ Proptech\ or\ PACS\ provider\ for\ specific\ support.}$

- Open architecture interoperable and simple for software alliances to integrate
- Works seamlessly with other Schlage wireless locks, including Schlage Control<sup>® 2</sup>
- Uniquely concealed key override standard on all locks

# Mechanical specifications

Chassis	Mortise	Door range	1-3/4" (44mm)
Handing	On-site handing with included hex key	Construction	All-metal chassis and escutcheon; exterior
Latch bolt	Standard: 3/4" (19mm) throw stainless steel latch bolt		polycarbonate elements
	with anti-friction tongue	Levers	Zinc
Strike	Standard: 1-3/16" (30mm) curved lip, ANSI, 1-1/4" x 4-7/8"	Cylinder and keys	Schlage Classic C keyway, Conventional 6-pin cylinder
	(32mm x 124mm); no box		with two keys
	Optional: Additional strike lip lengths and ANSI strike	Certifications	ANSI/BHMA A156.13-2022
	box available		ANSI/BHMA A156.25-2023 Locked outdoor type
Strike width	Minimum 4-1/2" (114mm)		ANSI/BHMA A156.5-2020
Backset	2-3/4" (70mm)		

#### **Reader specifications**

Credential technologies Read range	Smart (13.56 MHz), Bluetooth Low Energy (LE) (2.4 GHz), and Near Field Communication (NFC) Smart: up to .5" Bluetooth® Low Energy: up to 15'	Smart credential support	Secure application area: Schlage MIFARE Classic®, Schlage MIFARE® DESFire® EV1/EV3 CSN only: HID iCLASS®, HID iCLASS SE®, MIFARE Classic/DESFire
Standards	NFC: mobile device dependent ISO standard 15693 and ISO 14443	Mobile credential support	Schlage Mobile Bluetooth Credential, Integrated PACS mobile credential with Bluetooth, Apple Wallet® NFC student ID and employee badge; Google Wallet™ NFC student ID and employee badge





619 622 626 US15 US19 US26D

XE360™ Series wireless mortise lock

XE360™ SERIES

# WIRELESS MORTISE LOCK

SELECT LOCK MODEL	Specify	Price (ea.)
Mortise	XE360-M	\$1,101.00
SELECT LOCK MODEL	Specify	Price adjustment
Offline - Toured and No-Tour compatible	OF	No charge
SELECT FUNCTION	Specify	Price adjustment
Indicator (LED indicator on interior assembly)	I	No charge
Button (Interior Push Button with LED indicator)	В	No charge
Deadbolt (Interior Thumbturn with LED indicator) - Mortise chassis with deadbolt included	D	\$104.00
SELECT READER	Specify	Price adjustment
Smart/NFC Mobile (13.56 MHz) and Bluetooth® (2.4 GHz) Mobile Credential Support	SM	No charge
SELECT LEVER STYLE	Specify	Price adjustment
Broadway	BRW	No charge
Latitude	LAT	No charge
Neptune	NEP	No charge
Longitude Extended Length	LON-E	No charge
SELECT FINISH STYLE	Specify	Price adjustment
Satin Nickel	619	-
Matte Black	622	No charge No charge
Satin Chrome	626	No charge
	- "	
SELECT KEY CYLINDER	Specify	Price adjustment
Schlage Conventional, 6-pin	P6	No charge
Schlage Conventional, 6-pin, keyed 5	Р	No charge
SELECT KEYWAY	Specify	Price adjustment
Schlage Classic Obverse	С	No charge
Keyed differently (Standard)	KD	No charge
<ul> <li>Keyed alike: Please request combination on purchase order or leave blank for random combination</li> </ul>	KA	No charge
Everest 29 S	S123	No charge
Keyed differently (Standard)	KD	No charge
Keyed alike: Please request combination on purchase order or leave blank for random combination	KA	No charge
SELECT ARMOR FRONT	Specify	Price adjustment
Button and indicator, 1-1/4" x 8" x 7/32"	09-663	No charge
Deadbolt, 1-1/4" x 8" x 7/32"	09-666	No charge
SELECT STRIKE	Specify	Price adjustment
Mortise strike, 1-3/16" lip with screws (Standard)	10-072	No charge
SELECT DOOR THICKNESS	Specify	Price adjustment
1-3/4" Thick door	134	No charge
SELECT DOOR POSITION SENSOR	Specify	Price adjustment
Less door position switch (Standard)	LLLDPS	No charge
Door position switch (Optional)	47467230	\$47.00
SELECT SOLD SEPARATE	Specify	Price (ea).
Mount, XE360 Series Mortise	47709953	See page 292
Condensation sealant kit (includes PCBA cover and backplate cabling plugs for environmental robustness)	47870663	\$57.00
Door position switch	47467230	\$47.00



# XE360T SERIES WIRELESS EXIT WIDE STILE LOCK



XE360 Exit Exterior with Neptune lever

XE360 Exit Interior with Falcon Rim 25R (exit device sold separately)

FINISH CODES AND DESCRIPTIONS			
619	622	626	
Satin	Matte	Satin	
Nickel	Black	Chrome	
(US15)	(US19)	(US26D)	

The XE $360^{\text{TM}}$  Series is the next generation of wireless electronic lock from Schlage. Its sleek design offers customers a solution that looks as good as it performs—at an affordable price point. Schlage XE360 currently works within No-Tour or offline access control systems and is built to accommodate changing technologies. Credential support includes smart, Bluetooth and NFC mobile. The XE360 Series is available as tubular, mortise, mortise deadbolt, or exit trim. The open architecture design of the XE360 allows it to be managed by ENGAGE<sup>™</sup> and other Allegion software or be integrated into popular physical access control and Proptech systems through Allegion's PACS Alliance program. This enables customers to choose what best fits their requirements now and in the future.

#### Standard features

- Next level design inside and out
- Credential support includes Schlage MIFARE®, Bluetooth® and NFC mobile¹
- Advanced encryption keeps data and communications safe
- Wireless configuration using connected smartphones or tablets
- No-Tour or offline system capacity
- 1. Use of mobile credential is dependent on availability of compatible mobile credential.
- ${\it 2.} \quad {\it Check with your Proptech or PACS provider for specific support.}$

- Open architecture interoperable and simple for software alliances to integrate
- Works seamlessly with other Schlage wireless locks, including Schlage Control®<sup>2</sup>
- Uniquely concealed key override standard on all locks

#### Mechanical specifications

Chassis Exit trim, wide stile Construction All-metal chassis and escutcheon; exterior

Handing On-site handing with included hex key polycarbonate elements

Latch bolt Defined by exit device Cylinder and keys Schlage Classic C keyway, Conventional 6-pin cylinder
Strike Defined by exit device with two keys

Strike width Minimum 4-1/4" (108mm) Certifications ANSI/BHMA A156.13-2020 Grade 1

Backset Defined by exit device ANSI/BHMA A156.25-2023 Locked outdoor type

Door range 1-3/4" (44mm) ANSI/BHMA A156.5-2020 Levers Zinc

#### Reader specifications

Credential Smart (13.56 MHz), Bluetooth Low Energy (LE) (2.4 GHz), Smart credential Secure application area: Schlage MIFARE Classic®, Schlage

technologies and Near Field Communication (NFC) support MIFARE® DESFire® EV1/EV3

Read range Smart: up to .5" CSN only: HID iCLASS SE®, MIFARE

Bluetooth® Low Energy: up to 15' Classic / DESFire

NFC: mobile device dependent Mobile credential Schlage Mobile Bluetooth Credential, Integrated PACS
Standards ISO standard 15693 and ISO 14443 support mobile credential with Bluetooth, Apple Wallet® NFC

student ID and employee badge; Google Wallet™ NFC

student ID and employee badge

NDE LOCK





619 622 626 US15 US19 US26D

# XE360™ SERIES

# WIRELESS EXIT WIDE STILE LOCK

SELECT LOCK MODEL	Specify	Price (ea.)
Exit Trim with wide escutcheon	XE360-EW	\$1,434.00
SELECT LOCK MODEL	Specify	Price adjustment
Offline - Toured and No-Tour compatible	OF	No charge
SELECT EXIT ADAPTER	Specify	Price adjustment
Falcon 25 Rim	25R	No charge
Falcon 25 Surface Vertical Rod	25S	No charge
Von Duprin 98/99 or XP98/99 Rim	99R	No charge
Von Duprin 98/99 Surface Vertical Rod	995	No charge
/on Duprin 22 Rim	22R	No charge
Von Duprin 22 Surface Vertical Rod	225	No charge
Less Exit Adapter	LLL	-\$103.00
SELECT FUNCTION	Specify	Price adjustment
ndicator (LED indicator on interior assembly)	Specify	No charge
Button (Interior Push Button with LED indicator)	В	No charge
sotton (interior Posit Dotton with ELD indicator)	В	Nochaige
SELECT READER	Specify	Price adjustment
Smart / NFC Mobile (13.56 MHz) and Bluetooth® (2.4 GHz) Mobile Credential Support	SM	No charge
SELECT LEVER STYLE	Specify	Price adjustment
Broadway	BRW	No charge
Latitude	LAT	No charge
Neptune	NEP	No charge
Longitude Extended Length	LON-E	No charge
SELECT FINISH	Specify	Price adjustment
Satin Nickel	619	No charge
Matte Black	622	No charge
Satin Chrome	626	No charge
SELECT KEY CYLINDER	Specify	Price adjustment
Schlage Conventional, 6-pin	P6	No charge
Schlage Conventional, 6-pin, keyed 5	Р	No charge
SELECT KEYWAY	Specify	Price adjustment
Schlage Classic Obverse	C	No charge
Keyed differently (Standard)	KD	No charge
Keyed alike: Please request combination on purchase order or leave blank for random combination	KA	No charge
Everest 29 S	S123	No charge
Keyed differently (Standard)	KD	No charge
Keyed alike: Please request combination on purchase order or leave blank for random combination	KA	No charge
SELECT DOOR THICKNESS	Specify	Price adjustment
-3/4" Thick door	134	No charge
SELECT DOOR POSITION SENSOR	Specify	Drice adjustment
Less door position switch (Standard)	Specify LLLDPS	Price adjustment No charge
Door position switch (Optional)	47467230	\$47.00
SELECT SOLD SEPARATE  Mount VE360 Sovice Built Trim for Falcon 35 vim	Specify	Price (ea.)
Mount, XE360 Series Exit Trim for Falcon 25 rim  Use Falcon 25 rim center case and center case cover kits to complete installation	47709954	See page 292
Condensation sealant kit (includes PCBA cover and backplate cabling plugs for environmental robustness)	47870662	\$57.00
Door position switch	47467230	\$47.00
Exit device decorative plate kit (exterior: 13.87" x 3.75"; interior: 12.75" x 3.75")	47679797	\$51.00
Request-to-Exit (REX) wiring kit, Falcon 25	47896690	\$52.00
Request-to-Exit (REX) wiring kit, Von Duprin 99	47896690	\$52.00



# Contents

Schlage Control®   Overview	57
Schlage Control® Mobile enabled smart interconnect locks	58
Standard features	
Specifications	58
Configure a product	59
Latch	60
Handing	60
Deco trim	60
Strike combinations	60
Deadbolt strike options	60
Deadlatch strike options	60
Schlage Control® Mobile enabled smart deadbolt.	61
Standard features	61
Specifications	61
Configure a product	61
Latch	62
BE467F Strike options	62
Thick door kit	62
Screw packs	62
Multifamily electronic locking systems	63
Schlage Control® Smart locks	63
Schlage Smart credentials	63
Multi-tech technology credentials	63
Credential enrollment reader	63

# Finish codes and descriptions

BHMA code	Description
619	Satin Nickel
622	Matte Black
625	Bright Chromium Plated
626	Satin Chrome
716	Aged Bronze

\* Non-Standard finishes are not available. Available in split finish and/or split lever options for no additional charge.

Customer service	Technical support	
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>	
USA <u>Allegion Orders@allegion.com</u> CAN Canada.CustomerService@allegion.com	USA <u>Electronic Lock TechProdSupport@allegion.com</u> CAN Canada.TechServices@allegion.com	



#### SCHLAGE CONTROL®

# MOBILE ENABLED SMART INTERCONNECT LOCK








with Broadway lever

FE410 with Addison trim with Accent lever

#### Standard features

- Keyless, no cylinder design
- Modern credentials smart credential and/or phone as key
- Wireless freedom control and program by phone
- Up to 500 users per lock
- Audit trail reports up to 1,000 events
- Fits standard door prep
- 1 year battery life with BLE mobile credential capability enabled
- 1.5 year battery life without BLE mobile credential capability enabled

- Full suiting with Schlage Mechanical locks
- Single motion egress
- ADA compliant design
- Uses ENGAGE<sup>™</sup> Technology
- See page 63 for information on the MT20W Credential enrollment reader



#### **Specifications**

Latch  $1"\,x\,2\text{-}1\text{/}4"$  square and round corner faceplate (square corner standard, round corner included in package); 1" edge bore required

Strike 1-1/8" x 2-3/4", square corner, no box, latch strike Backset Adjustable backset, fits 2-3/8" to 2-3/4" backsets Door range 1-3/8" to 1-3/4" (thick door kit available, up to 2") Battery

4-AA batteries included, (If loss of battery power occurs, a 9V battery can be used to jump start the lock and provide

access with an assigned credential.)

Construction All-metal chassis and escutcheons Bore

2-1/8" Credentials

Supports Schlage MIFARE Classic®, Schlage Mobile Access Credential, NFC mobile, Schlage DESFire® EV1 and Schlage DESFire® EV3 (sold separately). Please refer to the Credential Section of the Allegion Electronic Security

Price Book.

Stile width Minimum 4-1/2" stile for 2-3/8" backset;

Minimum 5" stile for 2-3/4" backset

Return-to-door Boardwalk (BRK), Longitude (LON), Neptune (NEP),

and Saturn (SAT) are return-to-door code compliant

Center-to-center Fits 4" or 5-1/2" center-to-center door preps - orderable

options (Please specify when ordering.)

Certifications 90-minute UL Listed A 156.12 Grade 2 ANSI/BHMA certified:

> Canada UL 20-minute wood door rated. Approved for use where the exterior escutcheon only is exposed to

the outdoors.



# Schlage Control® Mobile enabled smart interconnect locks

SCHLAGE CONTROL®

# MOBILE ENABLED SMART INTERCONNECT LOCK

1) SELECT LOCK MODEL		
Description	Specify	Price (ea.)
Schlage Control® Mobile enabled smart interconnect, UL Listed, 90 minutes	FE410F	\$988.00

2) SELECT DESIGN STYLE (Trim)		
Description	Specify	Price adjustment
Addison	ADD	No charge
Greenwich	GRW	No charge

3) SELECT INTERCONNECT TYPE		
Description	Specify	Price adjustment
For doors with 4" bore hole spacing (40)	4"	No charge
For doors with 5-1/2" bore hole spacing (55)	5-1/2"	No charge

4) SELECT FINISH STYLE						
Description	Specify	Price adjustment				
Satin Nickel	619	No charge				
Matte Black	622	No charge				
Bright Chrome	625	No charge				
Satin Chrome	626	No charge				
Aged Bronze	716	No charge				

4) DESIGN - Select Lever Style and Finish							
Style/Description	619	622	625	626	716		
ACC/Accent	-	-	-	-	•		
VLA/Avila	•		•	•	•		
BRW/Broadway	-	-	•	•	•		
BRK/Boardwalk	-	•	-	-	•		
ELA/Elan	-	•	-	-	•		
JAZ/Jazz	-	-	•	•	•		
JUP/Jupiter	-	•	-	-	•		
LAT/Latitude	-	•	•	•	•		
LON/Longitude	-	•	•	•	•		
MNH/Manhattan	-		-	-			
NEP/Neptune	-	•	-	-	•		
NBK/Northbrook	-						
SAC/Sacramento	-		•	•	•		
SAT/Saturn	-	-	•	•	•		

NDE LOCK



SCHLAGE CONTROL®

# MOBILE ENABLED SMART INTERCONNECT LOCK

LATCH		
Description	Specify	Price (ea.)
Combo latch, Dual option (sq + rd), Non-UL bolt, UL latch (Standard)	12-356	Not sold separately

HANDING		
Description	Specify	Price (ea.)
Can be changed to Right handed in the field (Standard)	Left	No charge

DECO TRIM		
Description	Specify	Price (ea.)
ADD or GRW depending on which style is selected above (Standard)	06-219	No charge

STRIKE COMBINATIONS						
Description	Specify	Price (ea.)				
10-094 and 10-026 Combo strike, square corner (Standard)	10-152	No charge				
10-094 and 10-001	10-151	No charge				
10-116 and 10-027	473344383	No charge				
10-092 and 10-027	10-123	No charge				
10-095 and 10-027	10-124	No charge				

DEADBOLT STRIKE OPTIONS						
Description	Specify	Price (ea.)				
Square corner strike, 1-1/8" x 2-3/4" (Standard)	10-094	\$18.00				
1/4" Radius round corner, full lip, no box, 1-5/8" x 2-1/4"	10-092	\$11.00				
Square corner, full lip, no box, 1-5/8" x 2-1/4"	10-095	\$11.00				
Metal dust box with screws	10-112	\$18.00				

DEADLATCH STRIKE OPTIONS						
Description	Specify	Price (ea.)				
Square corner, full lip, no box, 1-5/8" x 2-1/4" (Standard)	10-026	\$11.20				
Square corner, T-strike, box, 1-1/8" x 2-3/4"	10-001	\$9.00				
1/4" Radius round corner, full lip, no box, 1-5/8" x 2-1/4"	10-027	\$11.20				

THICK DOOR KIT		
Description	Specify	Price (ea.)
For doors between 1-3/4" and 2"	47244555	\$34.00

The Schlage Control® interconnect lock uses the same Thick Door Kit as the deadbolt. However, due to the latch assembly it should only be used on doors between 1-3/4" and 2".

		Available finishes									
SCREW PACKS	605	606	612	613	619	622	625	626	629	630	716
	N/A	N/A	N/A	N/A	•	•	•	•	N/A	N/A	•
Description		Specify					Price (ea.)				
	Part number Finish										
Security screws - Optional security Torx® screws	47250323 .[Finish]		47250323 .[Finish]			\$10	.00				
FE410 Screw pack		47275	372		.[F	inish]			\$10	.00	



SCHLAGE CONTROL®

# MOBILE ENABLED SMART DEADBOLT






# BE 467 F Lock Function 90 Minute UL

#### Standard features

- Keyless, no cylinder design
- Modern credentials smart credential and/or phone as key
- Wireless freedom control and program by phone
- Up to 500 users per lock
- Audit trail reports up to 1,000 events
- Fits standard door prep
- 1 year battery life with BLE mobile credential capability enabled
- 1.5 year battery life without BLE mobile credential capability enabled





- Uses ENGAGE™ Technology
- See page 63 for information on the MT20W Credential enrollment reader

Specification	ns		
Latch	1" x 2-1/4" square and round corner faceplate (round corner standard, square corner included in package); 1" edge bore required	Bore Credentials	2-1/8" Supports Schlage MIFARE Classic®, Schlage Mobile Access Credential, NFC mobile, Schlage DESFire® EVI and
Strikes Backset Door range	1-1/8" x 2-3/4", round corner, no box, latch strike Adjustable backset, fits 2-3/8" to 2-3/4" backsets 1-3/8" to 1-3/4" (thick door kit available - up to 2-1/4")		Schlage DESFire® EV3 (sold separately). Please refer to the <u>Credential Section</u> of the Allegion Electronic Security Price Book.
Hole distance	Minimum 4" center-to-center distance between cross bore holes	Stile width	Minimum 4-1/2" stile for 2-3/8" backset; Minimum 5" stile for 2-3/4" backset
Battery	4-AA batteries included, (If loss of battery power occurs, a 9V battery can be used to jump start the lock and provide access with an assigned credential.)	Certifications	90-minute UL Listed A 156.36 Grade 2 ANSI/BHMA certified; Canada UL 20-minute wood door rated. Approved for use where the exterior escutcheon only is exposed to
Construction	All-metal chassis and escutcheons		the outdoors.

1) SELECT LOCK MODEL		
Description	Specify	Price (ea.)
Schlage Control® Mobile enabled smart deadbolt, UL Listed, 90 minutes	BE467F	\$668.00

2) SELECT DESIGN STYLE (Trim)						
Description	Specify	Price adjustment				
Addison	ADD	No charge				
Greenwich	GRW	No charge				

3) SELECT FINISH STYLE		
Description	Specify	Price adjustment
Satin Nickel	619	No charge
Matte Black	622	No charge
Bright Chrome	625	No charge
Satin Chrome	626	No charge
Aged Bronze	716	No charge





# MOBILE ENABLED SMART DEADBOLT

LATCH		
Description	Specify	Price (ea.)
BE467F 90 Min UL Deadbolt latch dual option (sq+rd) (Standard)	12-398	Not sold separately

BE467F STRIKE OPTIONS							
Description	Specify	Price adjustment					
Round corner strike, 1-1/8" x 2-3/4" (Standard)	10-116	No charge					
Square corner strike, 1-1/8" x 2-3/4"	10-094	No charge					
Square corner full lip strike, 1-5/8" x 2-1/4" (Lip length: 1-1/8")	10-095	No charge					
Round corner full lip strike, 1-5/8" x 2-1/4" (Lip length: 1-1/8")	10-092	No charge					

THICK DOOR KIT		
Description	Specify	Price (ea.)
For doors between 1-3/4" and 2-1/4"	47244555	\$34.00

The Schlage Control® deadbolt uses the same Thick Door Kit as the Interconnect. However, due to the differences in latch assemblies, the deadbolt can accommodate doors up to 2-1/4" in thickness.

		Available finishes									
SCREW PACKS	605	606	612	613	619	622	625	626	629	630	716
1		N/A	N/A	N/A	•	•	•	•	N/A	N/A	•
Description -	Specify Price (ea						/on \				
	Pa	art nu	mber		Fi	inish			Price	(ea.)	
Security screws - Optional security Torx® screws	47250323		.[Finish] \$10		.[Finish]		.00				
		47244557				inish]		\$10.00			



# MULTIFAMILY ELECTRONIC LOCKING SYSTEMS









Greenwich (GRW)

Addison (ADD)

SCHLAGE CONTROL® SMART LOCKS (Top Sellers)							
Product	BHMA Finish	Latch	Strike	Lever style	Price (ea.)		
BE467F GRW	619	12-398	10-116	N/A	\$668.00		
BE467F GRW	626	12-398	10-116	N/A	\$668.00		
BE467F ADD	619	12-398	10-116	N/A	\$668.00		
BE467F ADD	626	12-398	10-116	N/A	\$668.00		
FE410F GRW	619	12-356	10-152	Latitude (LAT)	\$988.00		
FE410F GRW	626	12-356	10-152	Latitude (LAT)	\$988.00		
FE410F ADD	619	12-356	10-152	Latitude (LAT)	\$988.00		
FE410F ADD	626	12-356	10-152	Latitude (LAT)	\$988.00		

Note: FE410 locks are 5.5" center-to-center.

SCHLAGE CONTROL® SMART LOCKS (Mobile Enabled Retrofit Kits)					
Product	Description	Price (ea.)			
48057105-[Finish]	Upgrade kit, Control, BE467F, 1.0 to 2.3, GRW	\$529.00			
48057106-[Finish]	Upgrade kit, Control, BE467F, 1.0 to 2.3, ADD	\$529.00			
47977577-[Finish]	Upgrade kit, Control, FE410F, 1.0 to 2.3, GRW	\$529.00			
48056198-[Finish]	Upgrade kit, Control, FE410F, 1.0 to 2.3, ADD	\$529.00			

Note: BE467F and FE410F kits are not interchangable in the field.

SCHLAGE SMART CREDENTIALS							
Product	Туре	Description	Min. Order	Price (ea.)			
9651	Keyfob	Schlage MIFARE Classic Smart Card 1K bit keyfob	50	\$10.10			
9651T	Thin keyfob	Schlage MIFARE Classic Smart Card 1K bit thin keyfob	50	\$10.30			
8540	Card	Schlage MIFARE DESFire EV1 Smart Card 2K byte/16k bit ISO Glossy White	100	\$10.40			
8543	Card	Schlage MIFARE DESFire EV3 4K byte/32K bit ISO Glossy White	100	\$10.40			
8643T	Thin keyfob	Schlage MIFARE DESFire EV3 4K/32K bit thin keyfob	50	\$10.80			

Note: 125 kHz Proximity credentials and MIFARE DESFIRE EV2 credentials are not compatible.

MULTI-TECH TE	MULTI-TECH TECHNOLOGY CREDENTIALS							
Product	Туре	Description	Min. Order	Price (ea.)				
9691T	Thin keyfob	Proximity and Schlage MIFARE Classic Smart Card combo 1K byte/8K bit ISO thin keyfob	50	\$13.60				
8843T	Thin keyfob	Proximity and Schlage MIFARE DESFire EV3 4K byte/32K bit thin keyfob	100	\$16.30				


CREDENTIAL E	NROLLMENT READER	
Product	Description	Price (ea.)
MT20W	Schlage Credential enrollment reader	\$820.00

NDE LOCK



# LE MOBILE ENABLED WIRELESS LOCK

Grade 1 mortise levered lock






# **Contents**

LE Lock   Overview65
How to order66
LE Lock   Functions68
LE Lock   Styles69
LE Lock   Configure a product73
Cylinders74
Greenwich mortise / mortise deadbolt75
Addison mortise/mortise deadbolt77
LE Lock   Parts79
Levers79
Roses79
Inside/outside subassemblies80
Battery parts and components81
Armor fronts81
Strikes81
Mortise cylinders81
Cylinder housing without core82
Chassis and wire harnesses82
Lever/knob parts and components82
Screws83
Screw packs83
LE Lock   Accessories84

# Finish codes and descriptions

BHMA code	Description
605	Bright Brass
606	Satin Brass
612	Satin Bronze
619	Satin Nickel
622	Matte Black
625	Bright Chromium Plated
626	Satin Chrome
626AM	Satin Stainless Steel, Antimicrobial 🗘
643e	Aged Bronze

# Standard features



A156.13-2012, Series 1000, Grade 1

UL 294, ULC S319, UL 10C 3-hour rated

Case size 4-7/16" x 6-1/16" x 1"

Armor front 1-1/4" x 8"

Deadbolt 1" throw stainless steel

3/4" throw stainless steel with anti-friction tongue Latch bolt

Strike 1-1/4" x 4-7/8", square corner, 1-3/16" lip with box and DPS

Backset 2-3/4"


Cylinder 6-pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)

Door range 1-3/4" door thickness standard (can be ordered to accommodate doors 1-3/4" to 2-1/4" thick)

Keys Two nickel silver cut keys per lock, 6-pin, S123 section









Customer service	Technical support		
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>		
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com		

Co	mmon pricing information
1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1-3/4".
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	Engineering specials are denoted by a part number beginning with "X" and are not subject to standard discounting.
5.	$\overline{\mathbb{Z}}$ denotes a lock or part that requires an extended lead time.
6.	* denotes a handed product and requires handing to be specified.
7.	For all restricted keyways (Everest B, D, 29R, and 29T, also Quad, Numbered, and Reversed) add \$31.00. This does not apply to Primus cylinders.  See page 5 for ordering information and requirements.
8.	Locks, keys, and cylinders containing restricted keyways require additional documentation to order. Please see page 5 for the specific requirements.
9.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA (keyed alike), KD (keyed different), and 0-bitted product and S145 for factory managed masterkey systems.
10.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
11.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
12.	Locks specified with "C" keyway and KD or 0-bitted will receive 6-pin cylinders (keyed 5) with 5-pin keys.
13.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted.  This does not apply to FSIC Primus® cores.
14.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
15.	Available plug face finishes are 606, 622, 626 and 643e.

NDE LOCK




FUNCTIONS		ADDISON ESCUTCHEON SHOWN				
LEBMS AND LEBSIMS - MORTISE WITH LED INDICATOR						
Storeroom/ Classroom	Lockset is normally secure. Valid normal credential or key momentarily unlocks door. Valid toggle credential may be used to change to a passage or secured state. A mechanical key will retract the latch. An inside indicator LED confirms state of the lock. Inside lever always allows free egress.					
LEBMB AND LEBSIN	IB - MORTISE WITH INTERIOR PUSH BUTTON AND LED					
Office	Lockset is normally secure. Valid normal credential or key momentarily unlocks door. Valid toggle credential may be used to change to a passage or secured state. Interior push button on inside housing can be used to select a passage or secured state and confirms state of the lock via LED indicator. A mechanical key will retract the latch. Inside lever always allows free egress. Meets the need for lockdown function for safety and security.					
Privacy	Lockset is normally secure. Valid normal credential or key momentarily unlocks door. Valid toggle credential may be used to change to a passage or secured state. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior and confirms state of the lock via LED indicator. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. A mechanical key will always retract the latch. Inside lever always allows free egress. Door position sensor required for function.					
Apartment	Lockset is normally secure. Valid normal or toggle credential is used to change to a passage or secured state. Interior pushbutton on inside housing may be used to select a passage or secured state and confirms state of the lock via LED indicator. Opening the door or pressing the interior pushbutton a second time causes the lockset to toggle to passage. While in passage mode, the lockset can only be secured while the door is closed by pressing the interior pushbutton or using a normal credential on the exterior. A mechanical key will retract the latch. Inside lever always allows free egress. Door position sensor required for function.					
LEBMD AND LEBSIN	ID - MORTISE DEADBOLT WITH LED					
Privacy	Lockset is normally secure. Valid normal credential or key momentarily unlocks door. Valid toggle credential may be used to change to a passage or secured state. Thumbturn on inside housing may be used to select a privacy status. The thumbturn will disable normal electronic access from the exterior and confirms state of the lock via LED indicator. Opening the door or retracting the deadbolt deactivates the privacy status. A mechanical key will always retract the latch. Inside lever always allows free egress. Door position sensor required for function.					
Apartment	Lockset is normally secure. Valid normal or toggle credential is used to change to a passage or secured state. Thumbturn on inside housing may be used to select a passage or secured state and confirms state of the lock via LED indicator. Opening the door or retracting the deadbolt causes the lockset to toggle to passage. While in passage mode, the lockset can only be secured while the door is closed by rotating thumbturn or using a normal credential on the exterior. A mechanical key will retract the latch. Inside lever always allows free egress. Door position sensor required for function.					


HANDING		LH Left Hand	INSIDE	RH Right Hand
RH	Right handed: Hinges on right opens inward	Hinges on left; opens inward	₹ 3, <del>E</del>	Hinges on right opens inward
LH	Left handed: Hinges on left opens inward		OUTSIDE	
RHR	Right handed reverse: Hinges on right opens outward	LHR Left Hand Reverse	3E 3E	RHR
LHR	Left handed reverse: Hinges on left opens outward	Hinges on left; opens outward	OUTSIDE	Right Hand Reverse Hinges on right; opens outward


MISC





#### STANDARD LEVER COLLECTION






















































#### M LEVER COLLECTION














































#### **WROUGHT ROSE DESIGNS**

#### 00A



2 1/8" (54 mm) diameter

#### 00B



2 %16" (65mm) diameter

#### 00C

Not available in 612 finish



2 %" (66mm) diameter

#### AVA

ACC lever only



2 %" (66mm) diameter


#### MER

MER lever only




2 %" (66mm) diameter

# WROUGHT ESCUTCHEON DESIGN



# **TACTILE OPTIONS**



06 Lever shown (See LE ordering pages for availability)



#### **COMMERCIAL LEVER SUITING Standard Levers** 33A/35A, L/LE LT ND/NDE s 94/95, 98/99 ΑL AD/CO Series Mortise Cylindrical Tubular Tubular Cylindrical **Exit devices** (Von Duprin) 01 01 01 02 02 Tubular 03 03 03 Tubular1 05 05 05 06 06 Rhodes Rhodes 06 Saturn Saturn 07 07 **Athens** Athens Jupiter Jupiter 07 12 12 12 17 17 Sparta Sparta Neptune Neptune 17 18 18 18 Latitude Latitude Latitude Latitude Longitude Longitude Longitude Longitude Omega 16 Omega1 Omega1 Omega Asti Asti Merano Merano Merano Accent Accent Accent M521 M521 Broadway M811 M811 Boardwalk \_ \_ **M Collection Levers** 33A/35A, L/LE LT ND/NDE ΑL s 94/95, 98/99 AD/CO Series Mortise Tubular Cylindrical Cylindrical Tubular Exit devices (Von Duprin) M51 M51 M51 M52 M52 M52 M53 M53 M53 M54 M54 M54 M55 M55 M55 M56 M56 M56 M57<sup>2</sup> M57 M57 M61 M61 M62<sup>2</sup> M62 M62 M63 M63 M63 M81 M81 M81 M82 M82 M82 M83 M83 M83 M84 M84 M84 M85 M85 M85 ME1 ME1 ME1 ME2 ME2 ME2 ME3 ME3

- 1. Not available on NDE Series locks. M52 is equivalent to the Broadway lever and M81 to the Boardwalk lever.
- 2. Not available on LE Series locks.




# You can **configure and price a full range of products** using the tables and rules shown in this section.

The pricing of locks in this section includes the P6 cylinder in an open keyway (where applicable), default latch, strike, and a 1-3/4" thick door. Additional modifications are available using the rules and price adjustments on the subsequent pages.

#### How to order:

- All applicable product attributes must be provided in the order shown below
- Each value must separated by a period
- If requesting a product "Less (LLL)" any attribute, the entire detailed ACN must be provided
- Fractions will be written with the "/" symbol separating the numerator and the denominator (example 1/2)
- For dimensions that contain a whole number and a fraction, a hyphen "-" will be added after the whole number and before the fraction (example 2-1/4)
- For two dimensions represented together, such as length and width, the values would be separated by an "x" with no spaces
- Finishes should be listed using their BHMA finish as shown in this book






## COMPLETE LOCKS

## **CYLINDERS**

Keyed locks are priced including the P6 cylinder with open keyway. Provided below are pricing adjustments based on other available cylinder types. For Primus and Primus XP cylinders, order lock less cylinder and order the Primus or Primus XP cylinder separately.



CYLINDER	
P6	With mortise cylinder, Schlage Everest 29 S123, 6-pin Keyed Different as standard with two keys. For master keying, additional charge applies. Specify line item 50-210 per master-keyed lock.
z	With mortise cylinder, Schlage Everest SL, 7-pin, factory master keyed only.
L	Less mortise cylinder
R	With cylinder, Schlage Everest 29 S123, 6-pin Full Size Interchangeable Core (FSIC). Keyway one bitted as standard with two keys
J	Less cylinder, Schlage 6-pin FSIC
Т	T Construction core, Full Size Interchangeable Core (FSIC)
G	With cylinder, Schlage Everest 29 R, 7-Pin Small Format Interchangeable Core (SFIC). Factory master keyed with two keys as standard. Master keying must be specified.
В	Less cylinder, Schlage, Falcon, Competitive OEM's 7-pin SFIC
Н	Construction core SFIC, A non-refundable handling charge applies.
BDC	Disposable core SFIC

- 1. For P, R, Z and GD, master keyed cylinders can be specified and will be shipped in lock packaging.
- 2. For Master Key System Summary form which should accompany the master keyed order, see pages 297–302.
- 3. Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
- 4. For additional assistance on Master Keying as well as restricted keyways please contact your local sales representative.

CYLINDER AND LENGTH REQUIREMENTS					
Door thickness (+/-1				1/8")	
Cylinder type	Cylinder	1-3/4"	2"	2-1/4"	
Mortise cylinder	30-0213	1-1/4" (114), 1-3/8" (138), 1-1/2" (112)	1-3/8" (138), 1-1/2" (112), 1-5/8" (158)	1-1/2" (112), 1-5/8" (158), 1-3/4" (134)	
FSIC	30-0164	1-1/2" (112)	1-1/2" (112)	1-1/2" (112)	
SFIC	80-1084	1-3/8" (138)	1-3/8" (138)	N/A	


- 1. 112 Standard length will ship with lock.
- 2. Product is Less Core, see page 82 for pricing.
- 3. Cylinders include compression spring.
- 4. Assumes EE (equally extended).
- 5. Door thickness range supported: minimum 1-5/8" to maximum 2-3/8".
- 6. Supports all functions (MS, MB, MD) for both ADD and GRW.



**GREENWICH** 

## LE MOBILE ENABLED WIRELESS LOCK







Outside

4) SELECT CYLINDER TYPE		Price adjustment		
4) SEL	4) SELECT CTLINDER 1 TPE		Open	Restricted
△ • P6	6	Mortise cylinder, Schlage® 6-pin, Everest 29 S123 standard	No charge	\$31.00
• Z		Mortise cylinder, Schlage Everest SL, 7-pin, factory master keyed only	N/A	\$31.00
L		Less mortise cylinder	-\$118.00	-\$118.00
□● R		FSIC with cylinder, Schlage 6-pin, Everest 29 S123 standard	\$106.00	\$137.00
J		Less FSIC, Schlage, 6-pin	No charge	No charge
Т		FSIC construction core	\$106.00	N/A
□● G	1	SFIC with cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only	N/A	\$144.00
В		Less SFIC, Schlage, Falcon®, competitive OEM's, 7-pin	-\$15.00	-\$15.00
Н		SFIC construction core	\$64.00	N/A
BE	DC	SFIC disposable	-\$15.00	N/A
50	0-231	Construction core handling charge (non-refundable)	\$15.20	N/A



MS with LED


- Master keyed cylinders will be shipped in lock package. To specify, send Master Keying System Summary form (page 297 of SES price book) with order or go to kss.allegion.com.
- For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

Note: Maximum door thickness with SFIC Cylinder is 2", otherwise compatible with 1-3/4" to 2-1/4" doors. For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



MB with interior push button and LED

5) SELECT OUTSIDE L	LEVER	Price adj.
03	Suites with Tubular style	No charge
06	Suites with Rhodes style	No charge
07	Suites with Athens style	No charge
17	Suites with Sparta style	No charge
LAT	Latitude	No charge
Standard options	01, 02, 05, 12, 18, LON, OME, ACC, AST, MER, 41, 42 (also 03, 06, 07, 17, and LAT)	No charge
M Collection options	M51, M52, M53, M54, M55, M56, M61 <sup>1</sup> , M63, M81, M82, M83, M84, M85, ME1, ME2, ME3	\$30.00
8xx <sup>2</sup>	Tactile Warning on standard levers available for 01,02, 03, 05, 06, 07, 12, 17, and 18	\$74.00
8xx²	Tactile Warning on M collection levers available for M51, M52, and M81	\$104.00







2. Ordering instructions: Preface lever design code with 8. Example: 803 for 03, 851 for M51, etc. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

Reference pages 69 and 70 to see style option images.

6) SELECT OUTSIDE FINISH		Price adj.
626 Satin Chrome		No charge
605	Bright Brass	\$89.00
606	Satin Brass	\$89.00
612 <sup>3</sup>	Satin Bronze	\$89.00
619	Satin Nickel	\$89.00
622	Matte Black	\$89.00
625	Bright Chrome	\$89.00
643e	Aged Bronze	\$89.00
626AM	Satin Chrome Antimicrobial	\$128.00





MD Deadbolt with I FD



GREENWICH

# LE MOBILE ENABLED WIRELESS LOCK

7) SELECT OUTSIDE ROSE		Price adj.
00A	2-1/8" (54 mm) diameter	Standard
00B	2-9/16" (65 mm) diameter	No charge
00C	2-5/8" (66 mm) diameter with bevel (Not available in 612 finish)	No charge
AVA	Decorative rose 2-5/8" (66 mm) diameter, supports ACC lever only	No charge
MER	Decorative rose 2-5/8" (66 mm) diameter, supports MER lever only	No charge

8) SELECT INSIDE LEVER (Note: Specify only if different from Outside Lever.)		Price adj.
Standard options	01, 02, 03, 05, 06, 07, 12, 17, 18, LAT, LON, OME, ACC, AST, MER, 41, and 42	No charge
M Collection options <sup>1</sup>	M51, M52, M53, M54, M55, M56, M61, M63, M81, M82, M83, M84, and M85	\$30.00

 $1. \hspace{0.2cm} \$30.00 \hspace{0.1cm} price \hspace{0.1cm} adder \hspace{0.1cm} for \hspace{0.1cm} M \hspace{0.1cm} Collection \hspace{0.1cm} levers \hspace{0.1cm} only \hspace{0.1cm} applies \hspace{0.1cm} if \hspace{0.1cm} outside \hspace{0.1cm} lever \hspace{0.1cm} is \hspace{0.1cm} Standard.$ 

9) SELECT INSIDE FINISH <sup>2</sup> (Note: Specify only if different from Outside Finish.)	Price adj.
See options in section 6.	\$89.00-\$128.00

 $2. \ \ Upcharge\ only\ applies\ if\ outside\ finish\ is\ 626\ and\ you\ are\ specifying\ a\ different\ inside\ finish.$ 

10) SELECT INSIDE ROSE (Note: Specify only if different from Outside Rose.)	Price adj.
See options in section 7.	No charge

11) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	Standard
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

12) SELECT STRIKE LIP LENGTH		Price adj.
10-136	1-3/16" lip length (MS and MB only)	Standard
10-136-112	1-1/2" lip length (MS and MB only)	No charge
10-136-134	1-3/4" lip length (MS and MB only)	\$42.00
10-072	1-3/16" lip length (MD only)	Standard
10-072-112	1-1/2" lip length (MD only)	No charge
10-072-134	1-3/4" lip length (MD only)	\$48.40

13) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
200	2"	\$78.80
214	2-1/4"	\$78.80

14) SELECT KEYING TYPE						
Open keyway families (Mortise cylinder or FSIC) <sup>3</sup>						
S123	Everest 29 S (Key in Lever or FSIC)	Standard				
C123	Everest C	No charge				
C/CE/E/EF/F/FG/G	/E/EF/F/FG/G Classic Obverse					
Restricted keyway families (Mortise cylinder or FSIC) <sup>3,4</sup>						
29T	Everest 29 T	\$31.00				
D	Everest D	\$31.00				
Classic Restricted	Quad, Numbered, Reverse	\$31.00				
Restricted keyway far	nilies (SFIC) <sup>5</sup>					
29R	Everest 29 R	No charge				
В	Everest B	No charge				


- 3. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line item.
- 4. Everest Restricted Keyways require a Letter of Authorization submitted with the order. See sample Letter of Authorization, page 303 of SES price book.
- 5. For restricted keyways, see page 5.



**ADDISON** 


## LE MOBILE ENABLED WIRELESS LOCK








4) SELECT CYLINDER TYPE		Price adjustment		
4) SELECT CY	CINDER TYPE	Open	Restricted	
△ ● P6	Mortise cylinder, Schlage® 6-pin, Everest 29 S123 standard	No charge	\$31.00	
• Z	Mortise cylinder, Schlage 7-pin, Everest SL standard, factory master keyed only	N/A	\$31.00	
L	Less mortise cylinder	-\$118.00	-\$118.00	
□● R	FSIC with cylinder, Schlage 6-pin, Everest 29 S123 standard	\$106.00	\$137.00	
J	Less FSIC, Schlage, 6-pin FSIC	No charge	No charge	
Т	FSIC construction core	\$106.00	N/A	
□● G	SFIC with cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only	N/A	\$144.00	
В	Less SFIC, Schlage, Falcon®, competitive OEM's, 7-pin	-\$15.00	-\$15.00	
Н	SFIC construction core	\$64.00	N/A	
BDC	SFIC disposable	-\$15.00	N/A	
50-231	Construction core handling charge (non-refundable)	\$15.20	N/A	



MS with LED


- Master keyed cylinders will be shipped in lock package. To specify, send Master Keying System Summary form (page 297 of SES price book) with order or go to kss.allegion.com.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- ☐ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

Control keys for installation/removal of interchangeable cores are not formshed and most be ordered separat
Note: Maximum door thickness with SFIC Cylinder is 2", otherwise compatible with 1-3/4" to 2-1/4" doors.
For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



MB with interior push button and LED

5) SELECT OUTSIDE L	5) SELECT OUTSIDE LEVER	
03	Suites with Tubular style	No charge
06	Suites with Rhodes style	No charge
07	Suites with Athens style	No charge
17	Suites with Sparta style	No charge
LAT	Latitude	No charge
Standard options	01, 02, 05, 12, 18, LON, OME, ACC, AST, MER, 41, 42 (also 03, 06, 07, 17, and LAT)	No charge
M Collection options	M51, M52, M53, M54, M55, M56, M61, M63, M81, M82, M83, M84, M85, ME1, ME2, ME3	\$30.00
8xx <sup>1</sup>	Tactile Warning on standard levers available for 01 ,02, 03, 05, 06, 07, 12, 17, and 18	\$74.00
8xx <sup>1</sup>	Tactile Warning on M collection levers available for M51, M52, and M81	\$104.00



MD Deadbolt with LED

1. Ordering instructions: Preface lever design code with 8. Example: 803 for 03, 851 for M51, etc. Applied to exterior lever only unless otherwise specified. Not available with 643e finish. Reference pages 69 and 70 to see style option images.

6) SELECT OUTSIDE FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$89.00
606	Satin Brass	\$89.00
612	Satin Bronze	\$89.00
619	Satin Nickel	\$89.00
622	Matte Black	\$89.00
625	Bright Chrome	\$89.00
643e	Aged Bronze	\$89.00
626AM	Satin Chrome Antimicrobial	\$128.00



ADDISON

# LE MOBILE ENABLED WIRELESS LOCK

## 7) SELECT OUTSIDE ROSE Not applicable to Addison

8) SELECT INSIDE LEVER (Note: Specify only if different from Outside Lever.)					
Standard options 01, 02, 03, 05, 06, 07, 12, 17, 18, LAT, LON, OME, ACC, AST, MER, 41, 42					
M Collection options <sup>1</sup>	M51, M52, M53, M54, M55, M56, M61, M63, M81, M82, M83, M84, M85	\$30.00			

1. \$30.00 price adder for M Collection levers only applies if outside lever is Standard.

9) SELECT INSIDE FINISH <sup>2</sup> (Note: Specify only if different from Outside Finish.)	Price adj.
See options in section 6.	\$89.00-\$128.00

2. Upcharge only applies if outside finish is 626 and you are specifying a different inside finish.

## 10) SELECT INSIDE ROSE Not applicable to Addison

11) SELECT HANDING (Field reversible)			
RH	Right handed	Standard	
LH	Left handed	No charge	
RHR	Right handed reverse	No charge	
LHR	Left handed reverse	No charge	

12) SELECT STRIKE LIP LENGTH			
10-136	1-3/16" lip length (MS and MB only)	Standard	
10-136-112	1-1/2" lip length (MS and MB only)	No charge	
10-136-134	1-3/4" lip length (MS and MB only)	\$42.00	
10-072	1-3/16" lip length (MD only)	Standard	
10-072-112	1-1/2" lip length (MD only)	No charge	
10-072-134	1-3/4" lip length (MD only)	\$48.40	

13) SELECT DOOR THICKNESS			
134	1-3/4"	Standard	
200	2"	\$78.80	
214	2-1/4"	\$78.80	

14) SELECT KEYING TYPE		Price adj.
Open keyway familie	es (Mortise cylinder or FSIC) <sup>3</sup>	
S123	Everest 29 S (Key in Lever or FSIC)	Standard
C123	Everest C	No charge
C/CE/E/EF/F/FG/G	Classic Obverse	No charge
Restricted keyway fa	milies (Mortise cylinder or FSIC) <sup>3,4</sup>	·
29T	Everest 29 T	\$31.00
D	Everest D	\$31.00
Classic Restricted	Quad, Numbered, Reverse	\$31.00
Restricted keyway fa	milies (SFIC) <sup>5</sup>	·
29R	Everest 29 R	No charge
В	Everest B	No charge

- 3. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line item.
- 4. Everest Restricted Keyways require a Letter of Authorization submitted with the order. See sample Letter of Authorization, page 303 of SES price book.
- 5. For restricted keyways, see page 5.

\$209.00



### PARTS AND ACCESSORIES

LEVER AND KNOB KITS														
			Available finishes											
Style	Lever and knob style			605	606	609	612	613	619	622	625	626	643e	626AM
Standard	01\$, 02\$, 03, 05\$, 06, 07, 12\$, 17, 18, 41\$, 42\$, OME\$			•	N/A		N/A	•	•		•	•	•	
Standard	ACCZ, ASTZ, MERZ, LATZ, LONZ				•	N/A	N/A	N/A	•	•		•	•	•
Decorative M51, M52, M53%, M54%, M55%, M56%, M61%, M63%, M81, M82%, M83%, M84%, and M85%, ME1, ME2, ME3			₹, M84፮,		•	N/A	N/A	N/A	•		•	•	•	•
Description				Door				- Standard I			M Collection			
		Part number	Lever/kno						-	ers				

09-402

.[Lever/knob]

.[Finish]

.[ ]

\$194.00

Knobs and levers standard default is for 1-3/4" door. 2" and 2-1/4" door widths also available. Specify door thickness if not 1-3/4".

ROSE KITS (	GREENWICH ONLY)													
Chulo	Lavar and leash stude	Available finishes												
Style	Lever and knob style			605	606	609	612	613	619	622	625	626	643e	626AM
Standard	00A, 00B, 00C			•	•	N/A	•	N/A	•	•	•	•	•	•
Decorative	MER, AVA			•	•	N/A	N/A	N/A	•	•	•		•	•
			S	pecif	y						Cta	ndard		
Description		Part number	Lever/kno	b sty	le	Rose		Finish	1			ollec		
Inside rose (in	ncludes mounting plate and screws)	09-403	.[Lever/l	(nob]		.[Rose	] .	[Finish	1]		\$	3110.0	0	
Blank outside	rose (not available MER or AVA)	09-508	.[Lever/l	(nob]		.[Rose	] .	[Finish	1]		9	5110.0	0	

Lever design must be specified for proper bushing.

rose only

Inside lever + bushing, mounting plate, screw pack, spanner wrench

OUTSIDE GF	REENWICH LEVER/KNOB AND ROSE SUBASSEMBLIES													
	ctory lead time Specify handing Available finishes													
Style	Lever and knob style	605 606 609 612 613 619 622 625 626 643										643e	626AN	
Ctondovd	01ଛି, 02ଛି, 03, 05ଛି, 06, 07, 12ଙ୍କ, 17, 18, 41ଛି, 42ଛି, OMEଛି			•	•	N/A	•	N/A	•	•		•	•	•
Standard	ACCS, ASTS, MERS, LATS, LONS			•	•	N/A	N/A	N/A	•	•	•	•		•
Decorative	M51, M52, M53\$, M54\$, M55\$, M56\$, M61\$\$, M63\$\$, M8 and M85\$\$, ME1, ME2, ME3	2, M53\$, M54\$, M55\$, M56\$, M61\$\$, M63\$\$, M81, M82\$, M83\$, M84\$, s\$\$\$, ME1, ME2, ME3\$										•	•	•
			S	pecif	y					Ctor	ndard		MCall	ection
Description		Part number	Lever/kno	ob style Ros			Rose Fin		, ι		/knob		lev	
Outside lever	/knob assembly for 00A, 00B or 00C rose	09-506	.[Lever/l	knob]		[Rose	] .	[Finish	1]	\$21	5.00		\$230	0.00
Outside lever	assembly for AST with Avanti rose or MER with Merano	09-655 .[Lever/knob] .[Rose] .[Finish] \$215.00									N.	 ⁄Α		



### PARTS AND ACCESSORIES

Available finis									finishe	25																																		
INSIDE SUBASSEMBLIES		605	606	609	612	613	619	622	625	626	629	630	643e	626AM																														
		•	•	N/A	•	N/A	•	•	•	•	N/A	N/A	•	•																														
Greenwich inside trim assembly without I	pattery cover																																											
Description	Contents			5	peci	fy					Duia	e eac	_																															
Description	Contents	Pa	art nu	mber		F	inish				PIIC	e eac																																
Mobile enabled mortise deadbolt (BMD)			47270	612		.[F	inish]				\$7	19.00																																
Mobile enabled mortise with push button (BMB)	Complete trim minus battery cover, battery holder, and mounting screws	47270613		.[Finish]					\$7	13.00																																		
Mobile enabled mortise with LED (BMS)			47270	614		.[F	inish]				\$6	98.00																																
Addison inside escutcheon assembly with	nout battery cover																																											
Bassintian	Cantanta			S	peci	fy					Dula		L																															
Description	Contents	Pa	art nu	mber		Finish		Finish		Finish		Finish		Finish		Finish			Finish			Finish			Finish			Price each			п													
Mobile enabled mortise deadbolt (BMD)		47270616		47270616		47270616		47270616 .		47270616		47270616 .[		70616 .[Finish]		.[Finish]		.[Finish]		6 .[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		6 .[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]				87.00		
Mobile enabled mortise with push button (BMB)	Complete escutcheon minus battery cover, battery holder, and mounting screws	47270617		47270617		47270617		70617		.[F	inish]				\$78	30.00																												
Mobile enabled mortise with LED (BMS)	33.3	47270618 .[Finish]						\$7	74.00																																			

 $BMD, BMB, and BMS \ subassemblies \ can be \ used \ to \ upgrade \ an \ existing \ LE \ lock \ to \ a \ LEB \ mobile \ enabled \ lock. \ This \ is \ the \ only \ part \ number \ needed.$ 

		Available finishes																					
OUTSIDE SUBASSEMBLIES		605	606	609	612	613	619	622	625	626			643e	626AM									
		•	•	N/A	•	N/A	•	•	•	•	N/A	N/A	•	•									
Greenwich trim																							
Description	Contents			S	pecif	у					Dric	e eac	h										
Description	Contents	Pa	art nu	mber		Fi	nish				PIIC	e eac											
Greenwich trim <sup>1</sup>	(1) Outside reader (electronics and trim) (1) Grounding spring (1) Harness (1) Cover (1) Back plate (2) Screws	I	L483-	016	.[Finish]				6 .[Finish]				o .[Finish]				\$602.00						
Addison escutcheon																							
		Specify								Standard M		l Colle	ction										
Description	Contents	_	art nber		/er/kr style	r/knob Finish tyle				ers/ki		IV	leve										
Addison escutcheon	(1) Outside reader (electronics and escutcheon) 47270612 (1) Harness (1) Lever	L483-017 .[Lever/knob] .[Finis		17 .[Lever/knob] .[Finish]			L483-017 .[Lever/knob] .[Finish]				] .[Finish]		] .[Finish]		inish]		] .[Finish]		\$929.0			\$944	.00
Addison escutcheon <sup>2</sup>	(1) Outside reader (electronics and escutcheon) 47270612 (1) Harness	L483-051[Finish]			ish]		\$713.C	00		-													

- 1. Does not support HID Secure Sector compatibility.
- 2. Lever not included.



BATTERY PARTS		
Description	Specify	Price each
Battery harness	L483-039	\$14.00
Battery holder	N623-006	\$51.00
Greenwich battery cover with screw, washer, and magnet	L483-025	\$51.00
Addison battery cover with screw, washer, and magnet	L483-031	\$55.00

Available finishes											
ARMOR FRONTS	605	606	609	612	613	619	622	625	626	643e	626AM
	•	•	N/A	•	N/A	•	•	•	•	•	•
		Specify								ach	
Description	Part number Finish						-	rice e	acn		
1-1/4" wide for 1-3/4" and larger door thicknesses (for MS, MB, MD)	C	9-66	6	].	Finish	]			\$55.	70	

Availal								finishe	es																																							
STRIKES		605	606	609	612	613	619	622	625	626	643e	626AM																																				
		•	•	N/A	•	N/A	•	•	•	•	•	•																																				
Persylation	Contents			Spe	cify					Price e																																						
Description	Contents	Part number			Part number Finish					Finish				eacn																																		
1-1/4" x 4-7/8" strike, 1-3/16" lip length, std. (MS and MB)	(1) Square corner strike	1	10-136		10-136			10-136 .[Finish]						\$57.0	00																																	
1-1/4" x 4-7/8" strike, 1-1/2" lip length (MS and MB)	(2) Screws (1) Strike box (includes	10	10-136-112		10-136-112			)-136-112 .[Finish]			10-136-112 .[Finish]					\$58.	00																															
1-1/4" x 4-7/8" strike, 1-3/4" lip length (MS and MB)	DPS magnet)	10-	10-136-134		-134 .[Fi					\$98.	00																																					
Strike box with magnet tray only (MS and MB)	-	L5	583-76	61		-				\$23.0	50																																					
DPS magnet (For L583-761 only)	-	L5	83-76	50		-				\$23.0	50																																					
1-1/4" x 4-7/8" strike, 1-3/16" lip length, std. (MD only)	(1) Square corner strike	1	10-072		10-072		10-072		0-072		.[	.[Finish]		.[Finish]				\$34.0	00																													
1-1/4" x 4-7/8" strike, 1-1/2" lip length (MD only)	(2) Screws	10	10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		10-072-112		.[Finish		.[Finish]		[Finish]			\$34.0	00	
1-1/4" x 4-7/8" strike, 1-3/4" lip length (MD only)	(1) Strike box	10-072-134		10-072-134		10-072-134		10-072-134		10-072-134		10-072-134		10-072-134		10-072-134		10-072-134		0-072-134		.[Finish]		.[Finish]				\$86.	00																			
Strike box only (MD only)	-	K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		K510-066		0-066 -			\$10		\$10.2	20						

					Avail	lable 1	finishe	es																																							
MORTISE CYLINDERS	605 6	506 60	9 6	612	613	619	622	625	626	643e6	26AM																																				
	•	• N/	Ά	•	N/A	•	•	•	•	•	•																																				
	Specify						Price	each																																							
Cylinder only	Part number F			Part number Finish			nber Finish			Part number Finish			Part number Finish			Part number Finish Cyl. Lengt				Op	Open I		cted																								
Conventional (non-Everest, non-Primus) – 1-1/2" length	30-0	021-112		.[Finish]		.11	12	\$136	5.00	\$167	.00																																				
Primus controlled access – 1-1/2" length	20-7	793-112		.[Finish]		.[Finish]		.112		\$2		5247.00																																			
Primus XP controlled access – 1-1/2" length	20-79	3-112-X	Р	.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.11	12		\$24	7.00	
Primus UL 437 – 1-1/2" length	20-593-112			.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		.[Finish]		n] .112		\$31		0.00																									
Primus XP UL 437 – 1-1/2" length	20-593-112-XP .		.[Finish] .112		.112		\$310.00																																								

Note: 1-1/2" cylinders support 1-3/4" through 2-1/4" door thickness.

If 1-3/4" thick door, a 1-3/8" cylinder can be used by designating 138 in place of 112 in table above. If this is done deduct \$25.00 from list price in table.



### PARTS AND ACCESSORIES

	Available finishes											
CYLINDER HOUSING WITHOUT CORE	605	606	609	612	613	619	622	625	626	643e	626AM	
	•	•	•	•	•	•	•	•	•	•	N/A	
Cultural customer			Spe	cify					Price ea			
Cylinder type	Par	t num	ber	Fin	ish	Cyl	l. Len	gth	1	Price ea	acn	
FSIC	3	30-016	5	.[Fin	ish]		.112			\$127.0	00	
SFIC <sup>1,2</sup>	8	30-108	 В	.[Fin	ish1		.138			\$109.0	00	

- 1. Cylinders include compression spring.
- 2. Not available for 2-1/4" door thickness.

MORTISE CHASSIS AND WIRE HARNESSES		
Description	Specify	Price each
Chassis with harness (MS and MB only)	L483-000	\$1,205.00
Chassis with harness (MD only)	L483-001	\$1,454.00
Chassis harness with RX module switch	L483-007	\$154.00
Reader harness	L483-018	\$45.00
DPS kit (external, MD only) Contains: magnet, switch, and harness	L483-055	\$55.00

DOOR PARTS		
Description	Specify	Price each
(2) Spacers for ANSI A115.1 metal door preparations	L283-029	\$55.70

KNOB PARTS		
Description	Specify	Price each
(1) Pack of truarc ring, (2) spacer, knobs	K110-550	\$13.20
Mounting plate, inside knob	L583-321	\$11.10

LEVER PARTS		
Description	Specify	Price each
Pack of 20 truarc rings, levers	L283-030	\$33.00
(1) Mounting post (ferrule) for 1-3/4" door thickness	L583-212	\$17.60
(1) Mounting post (ferrule) for 2" door thickness	L583-213	\$17.60
(1) Mounting post (ferrule) for 2-1/4" door thickness	L583-214	\$17.60
Mounting plate, inside lever	L283-031	\$30.00
Spring cage (1 required per lever)	L283-040	\$14.80
Mounting plate screw (2 required per lock)	L583-066	\$2.00
Spindles and springs for 1-3/4" to 1-7/8" doors (2 each)	L283-198	\$24.00
Spindles and springs for 2" to 2-1/4" doors (2 each)	L283-199	\$28.40
Spindle and spring for 1-3/4" to 1-7/8" doors (qty: 1–2 required per lock)	L283-060	\$12.00
Spindle and spring for 2" to 2-1/4" doors (qty: 1–2 required per lock)	L283-061	\$14.80



						Available finishes										
SCREW PACKS		605	6	06	612	613	619	622	625	626	643e	626AM				
		•		•	•	N/A	•	N/A	•	•	•	•				
Description	Contents		Specify					Price each			<b>L</b>					
Description			Part number Finish			1	"									
Greenwich screw pack	<ul><li>(2) Reader-mount screws (not finished)</li><li>(1) Tamper-resistant battery screw</li><li>(1) Battery cover washer</li></ul>	L	L483-047 -				\$20.00									
Addison screw pack	<ol> <li>(1) Each Philips and tamper-resistant bottom screw</li> <li>(2) Reader- mount screws (not finished)</li> <li>(1) Tamper-resistant battery screw</li> <li>(1) Battery cover washer</li> </ol>	L	483	3-04	18	.[Finish]				\$3	32.00					
Lock case screws	(2) C603-256, #12-24 WMS PFH	С	C203-736 -				\$10.00									
Strike screws	(2) C603-256, #12-24 WMS PFH.	С	C203-736 -			\$10.00										
Armor front screws	(2) K510-210, #8-32 x 1/4" MS PFH	K	K110-020 -			\$5.00										
Battery cover screw (10 pack)	(10) 24361818 battery cover screw, #4-40 x 1/4" PH (10) L783-036 battery cover captive washer	L	L483-066 -					\$	31.00							

<sup>\*</sup> Consult Customer Care.

CHASSIS TORX® SCREW PACKS			Available finishes								
			606	612	613	619	622	625	626	643e	626AM
				•	N/A	•	N/A	•	•	•	•
Barriella.		Specify									
Description	Contents	Part number F			Finish		Price each				
Tamper-resistant Torx screw pack for standard L screws	(2) Armor screws, #8-32 x 1/4" (T-15) (2) Strike screws, #12-24 x 1/2" (T-20) (1) Each T-15 and T-20 installation tool	L	283-12	21	-				\$3	33.70	
Backplate screw pack with grounding spring	(1) L783-029, grounding spring (6) F605-416, #6-32 x 3/8" TFH	L4	83-04	8 .[Finish]			.[Finish]		\$32.00		



INSTALLATION TOOLS		
Description	Specify	Price each
Universal clamp	40-286	\$688.00
L/LE Series installation template	40-248	\$604.00
Universal mortise door position switch (DPS) installation template (For use with only LE-MD lock)	40-291	\$224.00
Mortise pocket filler (edge)	40-158	\$259.00

 $The \ universal\ clamp\ above\ is\ necessary\ when\ using\ the\ remaining\ products\ to\ ensure\ hole\ placement\ accuracy.$ 

These installation tools function together and form a complete LE installation kit.

The "Universal" (Clamp and DPS) products are for use in all CO, AD and LE product installations.

ENGAGE™ WIRELESS TEST KIT AND ACCESSORIES		
Description	Specify	Price each
TKE - ENGAGE™ Test kit. For use in pre-installation test applications. Comes with 2 TKE Transponders, ENGAGE gateway, tripod, TKE gateway bracket, battery, and backpack carry case	47271232	\$2,737.00
TKE Transponder	47269850	\$852.00
TKE Gateway backet (Tripod adapter)	47269870	\$70.00



# **Contents**

NDE Lock   Overview85	
How to order86	
NDE Lock   Functions88	
NDE Lock   Styles89	
NDE Lock   Configure a product90	
Cylinders91	
Style options92	
Less components	
·	
NDE Wireless lock cylindrical93  NDE Lock   Parts96	
Inside/outside escutcheon subassemblies96	
Reader PCBA96	
Battery holder kit96	
Levers and related components96	
Latches and related components98	
Strikes98	
Competitor core/compatibility parts99	
Reinforcements99	
Motorized chassis assembly99	
Tailpieces99	
Main wire harness99	
Inside baseplate100	
Spring cages100	
Conversion kits100	
Screws and screw packs100	
Torx® screw packs101	
Cylinder reference table101	
ENGAGE™ Wireless test kit101	
Installation tools101	

# Finish codes and descriptions

BHMA code	Description
605	Bright Brass
606	Satin Brass
612	Satin Bronze
619	Satin Nickel
622	Matte Black
625	Bright Chromium Plated
626	Satin Chrome
626AM	Satin Stainless Steel, Antimicrobial 🐴
643e	Aged Bronze

## Standard features



Certification ANSI/BHMA Certified A156.25-2013, A156.2-2011, Series 4000, Grade 1, UL 294, UL 10C

Latch 1-1/8" x 2-1/4", Square corner faceplate, 1" housing diameter, 1/2" throw

Strike 1-1/4" x 4-7/8", ANSI Square corner, no box


Backset 2-3/4"

Cylinder 6-pin solid brass, keyed 6-pin, S123 keyway, keyed different (KD)

Door range Comes set for 1-3/4" thick doors. Can be field adjusted for doors 1-5/8"-2" thick

Keys Two nickel silver cut keys per lock, 6-pin, S123 section







Customer service	Technical support					
<ul> <li>Order status</li> <li>Credit returns of non-defective products</li> <li>General sales questions</li> </ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>					
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com					

Coi	mmon pricing information
1.	Locks are furnished with standard features unless otherwise specified.
2.	Door thickness is 1-3/4".
3.	Split finishes and designs will be priced at the highest list price of the design and/or finish.
4.	Engineering specials are denoted by a part number beginning with "X" and are not subject to standard discounting.
5.	🕏 denotes a lock or part that requires an extended lead time.
6.	For all restricted keyways (Everest B, D, 29R, and 29T, also Quad, Numbered, and Reversed) add \$31.00. This does not apply to Primus cylinders.  See page 5 for ordering information and requirements.
7.	Locks, keys, and cylinders containing restricted keyways require additional documentation to order.  Please see page 5 for the specific requirements.
8.	Keyway must be specified for keyed functions and cylinders. If not specified, default keyway will be S123 for KA, KD, and 0-bitted product and S145 for Factory managed masterkey systems.
9.	Multiple keying options are available. Locks and cylinders are furnished KD unless otherwise specified or excepted by notation.
10.	Control Keys for permanent and construction cores are not included with the lock or cylinder and must be ordered separately.
11.	Locks specified with "C" keyway and KD or 0-bitted will receive 6-pin cylinders (keyed 5) with 5 pin keys.
12.	Full Size Interchangeable Cores (FSIC) are furnished 1-bitted unless otherwise specified. If 0-bitted is selected, the order will be entered as 1-bitted. This does not apply to FSIC Primus® cores.
13.	Conventional cylinders, Primus cylinders (conventional and FSIC) can be supplied 0-bitted. If 1-bitted is selected, the order will be entered as 0-bitted.
14.	Available plug face finishes are 606, 622, 626, and 643e.



ANSI/BHMA Certified A156.25-2013, A156.2-2011, Series 4000, Grade 1, UL 294, UL 10C

NDEB AND NDEE	NDEB AND NDEBSI - INTERIOR PUSH BUTTON (FUNCTION SELECTABLE VIA ENGAGE™ MOBILE APP)							
Storeroom/ Classroom	Lockset is normally secure with outside lever disengaged. Valid normal credential or key momentarily unlocks door. Valid toggle credential may be used to change to a passage or secured state. Interior push button on inside housing confirms state of the lock via LED indicator. A mechanical key will retract the latch. Inside lever always allows free egress.							
Office	Lockset is normally secure with outside lever disengaged. Valid normal credential or key momentarily unlocks door. Valid toggle credential may be used to change to a passage or secured state. Interior push button on inside housing can be used to select a passage or secured state and confirms state of the lock via LED indicator. A mechanical key will retract the latch. Inside lever always allows free egress. Meets the need for lockdown function for safety and security.							
Privacy	Lockset is normally secure with outside lever disengaged. Valid normal credential or key momentarily unlocks door. Valid toggle credential may be used to change to a passage or secured state. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior and confirms state of the lock via LED indicator. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. A mechanical key will always retract the latch. Inside lever always allows free egress. Door position sensor required for function.							
Apartment	Lockset is normally secure with outside lever disengaged. Valid normal or toggle credential is used to change to a passage or secured state. Interior pushbutton on inside housing may be used to select a passage or secured state and confirms state of the lock via LED indicator. Opening the door or pressing the interior pushbutton a second time causes the lockset to toggle to passage. While in passage mode, the lockset can only be secured while the door is closed by pressing the interior pushbutton or using a normal credential on the exterior. A mechanical key will retract the latch. Inside lever always allows free egress. Door position sensor required for function.							




#### **LEVER DESIGNS**

#### ATHENS (ATH)

Tactile option: 8AT (milled)






#### **BOARDWALK (BRK)**

Tactile option: 8BK (knurled)





#### **BROADWAY (BRW)**

Tactile option: 8BY (knurled)






#### LATITUDE (LAT)

Tactile option: 8LT (milled)






### LONGITUDE (LON)


Tactile option: 8LN (milled)





### OMEGA (OME)





#### **RHODES (RHO)**

Tactile option: 8RO (milled)






#### SPARTA (SPA)

Tactile option: 8SP (milled)






#### TUBULAR (TLR)

Tactile option: 8TR (knurled)





COMMERCIAL LEV	/ER SUITING						
NDE Levers	AD/CO Levers	ND Levers	L Lock Levers	98/99 Exit	ALX Lock	S Lock	F Lock
Athens	Athens	Athens	07	07	Athens	Jupiter	-
Sparta	Sparta	Sparta	17	17	Sparta	Neptune	Jazz
Rhodes	Rhodes	Rhodes	06	06	Rhodes	Saturn	Elan
Tubular	-	Tubular	-	-	Tubular	-	-
Omega	-	Omega	-	-	Omega	-	-
Latitude	-	Latitude	Latitude	Latitude	Latitude	-	Latitude
Longitude	-	Longitude	Longitude	Longitude	Longitude	-	-
Broadway	-	Broadway	-	-	Broadway	-	-
Boardwalk	-	Boardwalk	-	-	Boardwalk	-	-




# You can **configure and price a full range of products** using the tables and rules shown in this section.


The pricing of locks in this section includes the P6 cylinder in an open keyway (where applicable), default latch, strike, and a 1-3/4" thick door. Additional modifications are available using the rules and price adjustments on the subsequent pages.

#### How to order:

- All applicable product attributes must be provided in the order shown below
- Each value must separated by a period
- If requesting a product "Less (LLL)" any attribute, the entire detailed ACN must be provided
- Fractions will be written with the "/" symbol separating the numerator and the denominator (example 1/2)
- For dimensions that contain a whole number and a fraction, a hyphen "-" will be added after the whole number and before the fraction (example 2-1/4)
- For two dimensions represented together, such as length and width, the values would be separated by an "x" with no spaces
- Finishes should be listed using their BHMA finish as shown in this book



### EXAMPLE:








## COMPLETE LOCKS

### **CYLINDERS**

Keyed locks are priced including the P6 cylinder with open keyway. Provided below are pricing adjustments based on other available cylinder types. For Primus and Primus XP cylinders, order lock less cylinder and order the Primus or Primus XP cylinder separately.



CYLINDERS	
P6	Conventional 6-pin cylinder
z	Everest SL Conventional cylinder, 7-pin
L	Less conventional cylinder
R	FSIC (Full size interchangeable core)
Т	FSIC - Construction core <sup>2</sup>
J	Less FSIC
G	SFIC (Small format interchangeable core) 7-pin
н	Refundable Construction SFIC <sup>2</sup>
BDC	Disposable SFIC
В	Less SFIC
J-MED <sup>™</sup>	Less FSIC - Medeco® (ATH, SPA, RHO and TLR only)
J-CO6 🕏	Less FSIC – Corbin Russwin® (6-pin) (ATH, SPA, RHO, and TLR only)
J-CO7 ፟፟፟፟	Less FSIC – Corbin Russwin (7-pin) (SPA only)
J-SAR ℤ	Less FSIC – Sargent® (ATH, SPA, RHO, and TLR only)
J-YA6 🕏	Less FSIC – Yale® 1210 or Medeco 31*0100 (6-pin) (ATH, SPA, RHO, and TLR only)
J-YA7 🖁	Less FSIC – Yale (7-pin) (SPA only)
L-SAR 🖁	Less Conventional, Sargent (ATH, SPA, RHO, and TLR only)
L-COR ℤ	Less Conventional, Corbin Russwin (ATH, SPA, RHO, and TLR only)

#### Extended lead time

- 1. Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626AM with extended lead times.
- 2. For P, R, and G-Master Keyed cylinders can be specified and will be shipped in lock packaging.
- 3. For Master Key System Summary form which should accompany the master keyed order, see pages 297–302.
- 4. For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders.
- 5. Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
- 6. Spring cages and tailpieces are different based on the type of cylinder and chassis selected. Please see the NDE Series Parts Guide for more information.
- 7. The NDE Lock accepts many popular models of standard, SFIC, and FSIC cylinders. See pricebook for specific configurations.
- 8. For additional assistance on Master Keying, as well as restricted keyways, please contact your local sales representative.



COMPLETE LOCKS

# STYLE OPTIONS

Specify on order only if requesting an option other than the default.

- Tactile levers applied to exterior lever only unless otherwise specified.
- Not available with 643e finish.

	MILLED PATTERN	KNURLED PATTERN	OPTIO	IONAL		
			Specify	Price adjustment per lever		
TACTILE WARNING						
Athens tactile lever	Milled	N/A	8AT	\$70.00		
Boardwalk tactile lever	N/A	Knurled	8BK	\$70.00		
Broadway tactile lever	N/A	Knurled	8BW	\$70.00		
Latitude tactile lever	Milled	N/A	8LT	\$70.00		
Longitude tactile lever	Milled	N/A	8LN	\$70.00		
Omega tactile lever	N/A	N/A	N/A	N/A		
Rhodes tactile lever	Milled	N/A	8RO	\$70.00		
Sparta tactile lever	Milled	N/A	8SP	\$70.00		
Tubular tactile lever	N/A	Knurled	8TR	\$70.00		

COMPLETE LOCKS

# LESS COMPONENTS

Deductions are applied to complete lock prices. When requesting a product "Less (LLL)" any attribute, the entire detailed ACN must be provided.


LOCKS LESS COMPONENTS							
Description	Specify	Price adjustment					
Less each lever	LLL	-\$35.50					
Less latch	LLL	-\$54.00					



CYLINDRICAL

# NDE MOBILE ENABLED WIRELESS LOCK







NDE

3) CELECT C	WI INDER TYPE	Price ad	justment
2) SELECT C	YLINDER TYPE	Open	Restricted
△● P6	With Cylinder, Schlage®, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
• Z	With Cylinder, Schlage, Everest SL, 6-pin KIL, factory master keyed only	N/A	\$31.00
L	Less Cylinder, Schlage, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
Т	FSIC construction core	\$106.00	N/A
□● G	SFIC with cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only	N/A	\$118.00
В	Less SFIC, Schlage, Falcon®, competitive OEM's, 7-pin	-\$55.00	-\$55.00
⊙ L-CO6	Less Cylinder, Corbin Russwin® KIL, 6-pin KIL	No charge	No charge
፮⊙ L-SAR	Less Cylinder, Sargent® (10L + 11L), 6-pin KIL	No charge	No charge
№ J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC	No charge	No charge
№ J-CO6	Less Cylinder, Corbin® 8000, 6-pin FSIC	No charge	No charge
⊙ J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
<ul><li>J-MED</li></ul>	Less Cylinder, Medeco® 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
№ J-YA6	Less Cylinder, Yale® 1210 or Medeco 31*0100, 6-pin FSIC	No charge	No charge
⊙ J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
Н	SFIC construction core	\$32.00	N/A
BDC	SFIC disposable	-\$55.00	N/A
50-231	Construction core handling charge (non-refundable)	\$15.20	N/A

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
- $\odot$  Not available on BRK, BRW, LAT, or LON.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.

3) SELECT OUTSID	DE LEVER	Price adj.
LLL	Less each lever	-\$35.50
SPA	Sparta	No charge
RHO	Rhodes	No charge
ATH	Athens	No charge
TLR	Tubular	No charge
OME	Omega	No charge
LAT	Latitude	No charge
LON	Longitude	No charge
BRW	Broadway	No charge
BRK	Boardwalk	No charge
Tactile options	(8AT, 8LT, 8LN, 8RO, 8SP, 8BK, 8BW, 8TR)	\$70.00

Note: Credentials available, see pages 17–22.



CYLINDRICAL

# NDE MOBILE ENABLED WIRELESS LOCK

4) SELECT OUTSIDE F	FINISH	Price adj.
626	Satin Chrome	No charge
605 ፟፟፟፟	Bright Brass	\$89.00
606 ₺	Satin Brass	\$89.00
612 🕏	Satin Bronze (00C rose not available in 612 finish)	\$89.00
619 🕏	Satin Nickel	\$89.00
622 🕏	Matte Black	\$89.00
625 🕏	Bright Chrome	\$89.00
643e ፮	Aged Bronze	\$89.00
626AM ℤ	Satin Chrome Antimicrobial	\$128.00

5) SELECT INSIDE	LEVER (Note: Specify only if different from Outside Lever.)	Price adj.
LLL	Less each lever	-\$35.50
SPA	Sparta	No charge
RHO	Rhodes	No charge
ATH	Athens	No charge
TLR	Tubular	No charge
OME	Omega	No charge
LAT	Latitude	No charge
LON	Longitude	No charge
BRW	Broadway	No charge
BRK	Boardwalk	No charge
Tactile options	(8AT, 8LT, 8LN, 8RO, 8SP, 8BK, 8BW, 8TR)	\$70.00

Note: Credentials available, see pages 17–22.

6) SELECT INSIDE F	FINISH¹ (Note: Specify only if different from Outside Finish.)	Price adj.
626	Satin Chrome	No charge
605 🖫	Bright Brass	\$89.00
606 🖫	Satin Brass	\$89.00
612 🕏	Satin Bronze	\$89.00
619 🖫	Satin Nickel	\$89.00
622 🕏	Matte Black	\$89.00
625 🖫	Bright Chrome	\$89.00
643e 🖫	Aged Bronze	\$89.00
626AM ℤ	Satin Chrome Antimicrobial	\$128.00

<sup>1.</sup> Charge only applies if outside finish is 626 and you are specifying a different inside finish.

<sup>🖫</sup> Extended lead time on all finishes except 626.

7) SELECT BACKSET	7) SELECT BACKSET AND LATCH BOLT		
LLL	Less Latch	-\$54.00	
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard	
14-042	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner	\$279.00	
14-047	2-3/8" Backset, deadlatch square corner, 1-1/8" x 2-1/4"	No charge	
14-048	2-3/8" Backset, deadlatch square corner, 1" x 2-1/4"	No charge	



### NDE WIRELESS ELECTRONIC

# MOBILE ENABLED CYLINDRICAL LOCK

8-9) SELECT STRIKE	Price adj.			
47267101 <sup>1,2</sup> 1-3/16" Lip, ANSI, no box, 1-1/4" x 4-7/8" (10-025 with retained screws)				
10-016 <sup>2</sup>	1-1/8" Lip, square corner, T-strike, fire door latch	\$27.00		
C603-623	Dust box for T-strike, 10-013	No charge		
B502-853	Deep dust box for T-strike, 10-016	No charge		
K510-066	Box for ANSI strike (Must be specific)	No charge		

- 1. 1-3/8" Lip available, must specify 1-3/8" Lip \$44.00.1-1/2" Lip available, must specify 1-1/2" Lip \$44.00.
- 2. DPS magnet requires prep and install beneath strike.

10) SELECT KEYING TYPE				
Open keyway families	: KIL or FSIC <sup>3</sup>			
S123	3 Everest 29 S (Key in Lever or FSIC)			
C123	Everest C	No charge		
C/CE/E/EF/F/FG/G	Classic Obverse	No charge		
Restricted keyway families: KIL or FSIC <sup>3,4</sup>				
29T	Everest 29 T	\$31.00		
D	Everest D	\$31.00		
Classic Restricted	Quad, Numbered, Reverse	\$31.00		
Restricted keyway fan	nilies: SFIC <sup>5</sup>			
29R	Everest 29 R	No charge		
В	Everest B	No charge		

- 3. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 4. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 5. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.



OUTSIDE ESCUTCHEON SUBASSEMBLY					A	vailab	le fini	shes				
		605	606	612	613	619	622	625	626	643e	626AM	
		•	•	•	N/A	•	N/A	•	•	•	•	
S			Specify									
Description	Contents		Pai				Finish	1	Price each			
Outside escutcheon subassembly (without reader PCBA)	(3) #6-32 x .25 FH PD TC screws (1) Outside RF window assembly (1) Outside backplate	(1) Outside escutcheon (1) Adjustment spring	N223-045 .[Finish]			\$1	61.00					

			Available finishes									
INSIDE ESCUTCHEON SUBASSEMBLY		605	606	612	613	619	622	625	626	643e	626AM	
			•	•	•	N/A	•	N/A	•	•	•	•
Description	escription Contents -		Specify							Dela		
Description			Par	t num	ber	Finish			Price each			
NDEB Inside escutcheon assembly (with main PCBA) - Upgrades NDE80 product	(1) Inside escutcheon (1) Door position sensor (1) Inside label	(1) RF window (1) Main PCB module	47278749		47278749		Finish	1]		\$7	16.00	
Inside battery cover	(1) Battery cover		N	523-0	07	.[	Finish	1]		\$5	59.00	

READER PCBA	Specify	Price each
Reader PCBA (Does not support HID secure sector compatibility)	N223-046	\$534.00

BATTERY HOLDER KIT												
Description	Contents	Specify	Price each									
Battery holder kit	(1) Battery tray assembly (1) Battery strap	N223-044	\$40.00									

	Available finishes												
LEVERS AND RELATED COMPONENTS	605	60	06 612		619			25 (	626	643e	626AM		
	•	'	<u> </u>	N/A	•	N/A	_	•	•	•	•		
				Speci	fy								
Description Par					ver yle	Finish		ı		Price e	ach		
FSIC Core driver	N	1523	3-127		-	.[Fir	nish	1]		\$4.5	0		
SFIC Core driver	N!	523	3-091		-	.[Fir	nish	1]		\$18.1	0		
SFIC Core driver and spacer	(	09-	-774		-	.[Fir	nish	1]		\$22.4	10		
SFIC Core spacer - Spacer required for 6-pin, no spacer required for 7-pin	D5	500	-000		-	.[Fir	nish	1]		\$2.6	0		
New product manufactured on or after February 1, 2017 (reference serial number label on product)													
Lever - Closed; ATH, RHO, SPA, OME, TLR	C	03-	230	.[Le	ever]	.[Fir	nish	1]		\$206.	00		
Lever - Closed; 8AT, 8RO, 8SP, 8TR	(	03-	230	.[Lever]		.[Lever] .[Finish]		.[Finish]		\$276.00		00	
Lever - Cylinder - Schlage KIL; ATH, RHO, SPA	(	03-	-231	.[Le	ever]	.[Fir	nish	1]		\$206.	00		
Lever - Cylinder - Schlage FSIC; ATH, RHO, SPA	(	03-	232	.[Le	ever]	.[Fir	nish	1]		\$206.	00		
Lever - Cylinder - Schlage SFIC; ATH, RHO, SPA	C	03-	200	.[Le	ever]	.[Fir	nish	1]		\$206.	00		
Lever - Cylinder - Schlage SFIC - Broadway	47	725	8039		-	.[Fir	nish	1]		\$206.	00		
Lever - Cylinder - Schlage SFIC - Boardwalk	47	725	8040		-	.[Fir	nish	1]		\$206.	00		
Lever - Cylinder - Schlage SFIC - Latitude	47258041				-			1]	\$206.00				
Lever - Cylinder - Schlage SFIC - Longitude	47	725	8042		-	.[Fir	nish	1]	\$206.00		00		
Lever - Cylinder - Schlage SFIC - Broadway (Tactile)	47	726	0537		-	.[Fir	nish	1]		\$276.	00		



LEVERS AND RELATED COMPONENTS	605 606 612	613 619 622 625	626 643e 626AN
		N/A • N/A •	
Decadation		Specify	Dulas sook
Description	Part number	Lever Finish style	Price each
Lever - Cylinder - Schlage SFIC - Boardwalk (Tactile)	47260538	[Finish]	\$276.00
Lever - Cylinder - Schlage SFIC - Latitude (Tactile)	47260539	[Finish]	\$276.00
Lever - Cylinder - Schlage SFIC - Longitude (Tactile)	47260540	[Finish]	\$276.00
Lever - Closed - Broadway	47258043	[Finish]	\$206.00
Lever - Closed - Boardwalk	47258044	[Finish]	\$206.00
Lever - Closed - Latitude	47258045	[Finish]	\$206.00
Lever - Closed - Longitude	47258046	[Finish]	\$206.00
Lever - Closed - Broadway (Tactile)	47260541	[Finish]	\$276.00
Lever - Closed - Boardwalk (Tactile)	47260542	[Finish]	\$276.00
Lever - Closed - Latitude (Tactile)	47260543	[Finish]	\$276.00
Lever - Closed - Longitude (Tactile)	47260544	[Finish]	\$276.00
Lever - P, Z, L - Broadway	47258047	[Finish]	\$206.00
Lever - P, Z, L - Boardwalk	47258048	[Finish]	\$206.00
Lever - P, Z, L - Latitude	47258049	[Finish]	\$206.00
Lever - P, Z, L - Longitude	47258050	[Finish]	\$206.00
Lever - P, Z, L - Broadway (Tactile)	47260545	[Finish]	\$276.00
Lever -P, Z, L - Boardwalk (Tactile)	47260546	[Finish]	\$276.00
Lever - P, Z, L - Latitude (Tactile)	47260547	[Finish]	\$276.00
Lever - P, Z, L - Longitude (Tactile)	47260548	[Finish]	\$276.00
Lever FSIC R, J, T - Broadway	47258051	[Finish]	\$206.00
Lever FSIC R, J, T - Boardwalk	47258052	[Finish]	\$206.00
Lever FSIC R, J, T - Latitude	47258053	[Finish]	\$206.00
Lever FSIC R, J, T - Longitude	47258054	[Finish]	\$206.00
Lever FSIC R, J, T - Broadway (Tactile)	47260549	[Finish]	\$276.00
Lever FSIC R, J, T - Boardwalk (Tactile)	47260550	[Finish]	\$276.00
Lever FSIC R, J, T - Latitude (Tactile)	47260551	[Finish]	\$276.00
Lever FSIC R, J, T - Longitude (Tactile)	47260552	[Finish]	\$276.00



LATCHES AND RELA	ATED COMPONENTS													
14-047	14-048	13-247	14-042											
Available finishes	1				605	606	612	613	619	622	625	626	643e	626AM
Available IIIII311e3					•	•	•	N/A	•	N/A	•	•	•	N/A
DEADLATCH1														
Baranianian				Bardwart				Specify				D.1		
Description				Backset	Par	t num	ber		Finish	1		Pric	e eac	n
Square corner, 1-1/8"	x 2-1/4"			2-3/8"	1	14-04	7	.[	Finish	1]		\$	33.70	
Square corner, 1" x 2-	1/4"			2-3/8"	1	4-048	3	].	Finish	۱]		\$	83.70	
Square corner, 1-1/8"	x 2-1/4"			2-3/4"		13-247		.[	Finish	1]		\$1	30.00	
Anti-friction fire door	latch 1" square corner,	1-1/8" x 2-1/4", 3/4" th	row	2-3/4"	1	14-042	2	].	Finish	1]		\$5	36.00	

 $<sup>^{\</sup>scriptscriptstyle 1}\,$  All latches require reinforcement when used in hollow metal door applications.

STRIKES									-								
10-025	10-013																
Available finishes							$\epsilon$	05	606	612						6436	626AM
Available miliones								•	•	•	N/A	•	N/A		•	•	N/A
Description		Conten	-4-							Spe	cify				D-1		
Description	Description Cont		its					Part	t num	ber		Finish	1		Pri	ce eac	in.
1-3/16" - ANSI, no box, 1-	1/4" x 4-7/8"	(1) ANS	SI strike					1	0-025		].	Finisl	า]	\$23.10			
Box for ANSI strike		(1) Star	ndard box					K5	10-06	6		-			\$	10.20	

				Α	vailab	le fini	shes				
🖫 Extended factory lead time	605	606	612	613	619	622	625	626	643e	626AN	
	Z	Z	Z	N/A	2	N/A	Z	•	Z	N/A	
New product manufactured on or after February 1, 2017 (reference serial number label on product)											
			9	Specif	у						
Description			ber		ver yle	Fin	ish	l	Price each		
Lever - Cylinder - Corbin Russwin KIL (L-CO6); ATH, RHO, SPA, TLR	0	3-234	+	.[Le	ver]	.[Fin	nish]		\$379.	00	
Lever - Cylinder - Corbin Russwin 7-pin FSIC (J-CO7); RHO	0	3-235	i	.[Le	ver]	.[Fin	nish]		\$379.	00	
Lever - Cylinder - Yale 7-pin FSIC (J-YA7); RHO	0	3-236	<b>.</b>	-	-	.[Fin	nish]		\$379.	00	
Lever - Cylinder - Medeco 32 (J-MED); ATH, RHO, SPA, TLR	0	3-237	,	.[Le	ver]	.[Fin	nish]		\$379.	00	
Lever - Cylinder - Sargent KIL (L-SAR); ATH, RHO, SPA, TLR	0	3-244		.[Le	ver]	.[Fin	nish]		\$379.	00	
Lever - Cylinder - Medeco 31 or Yale 1210 6-pin FSIC (J-YA6); ATH, RHO, SPA, TLR	0	3-255	j	.[Le	ver]	.[Fin	nish]		\$379.	00	
Lever - Cylinder - Corbin Russwin 6-pin FSIC (J-CO6); ATH, RHO, SPA, TLR	0	3-266	5	.[Le	ver]	.[Fin	nish]		\$379.	00	

COMPETITOR CORE/COMPATIBILITY PARTS



COMPETITOR CORE/COMPATIBILITY PARTS													
	Available finishes												
🖫 Extended factory lead time	605	606	612	613	619	622	625	626	643e	626AM			
	2	Z	Z	N/A	Z	N/A	Z	•	Z	N/A			
New product manufactured on or after February 1, 2017 (reference serial number label on product)													
		Specify											
Description	Part number			Le <sub>\</sub>		Fin	Finish		Price each				
Lever - Cylinder - Sargent FSIC (J-SAR); ATH, RHO, SPA, TLR	03	3-277	,	.[Lever]		.[Lever] .[Finish]		\$379.00		00			
Spring cage and lever catch assembly - Outside standard (P, L, Z, R, J, T, B, BDC, G, H, L-SAR , L-CO6, J-CO6, J-SAR, J-CO7)	N5:	23-21	8	-	-	.[Fin	ish]		\$105.	00			
Spring cage and lever catch assembly - Outside competitor cores (J-YA6, J-YA7, J-MED)	N52	23-22	24	-		.[Fin	ish]		\$217.0	00			
Tailpiece Sargent XC FSIC	XN	12-29	92	-	•	.[Fin	ish]		\$19.4	10			

REINFORCEMENTS (Must be used for hollow metal doors)											
Description	Spe	Specify									
Description	Part number	Door thickness	Price each								
Metal door reinforcer kit, fits both 7/8" and 1" diameter housings. Specify door thickness, includes A501-567 and A501-565 or A501-566.	37-001	[].	\$58.60								
Latch spacer – fits 1" diameter latch housing and 1-3/4" hollow metal doors (steel and aluminum)	24483760	-	\$8.10								
Reinforcer for 1-3/4" thick non-reinforced metal doors. Fits both 7/8" and 1" diameter housings.	A501-566	-	\$29.40								

MOTORIZED CHASSIS ASSEMBLY											
Description	Contents	Specify	Price each								
Motorized chassis assembly	(1) NDE Chassis subassembly (1) Main wire harness (1) Motor actuator subassembly	N223-007	\$374.00								

TAILPIECES	Specify	Price each
Core driver - SCH SFIC	N523-091	\$18.10
Core driver - SCH FSIC	N523-127	\$4.50
Core driver - L-SAR	09-060	\$18.10
Core driver - J-YA6	09-061	\$18.10
Core driver - J-CO6	09-062	\$18.10
Core driver - J-SAR	09-063	\$18.10
Core driver - L-CO6	10-140	\$17.90
Core driver - J-CO7	10-141	\$34.20
Core driver - J-YA7	10-142	\$34.20
Core driver - J-MED	10-143	\$35.90
SFIC Core driver and spacer	09-774	\$22.40
SFIC Core spacer - Spacer required for 6-pin, no spacer required for 7-pin	D500-000	\$2.60
Tailpiece Sargent XC SFIC	XN12-292	\$19.40

MAIN WIRE HARNESS	Specify	Price each
Main wire harness	N223-019	\$57.00



### PARTS AND ACCESSORIES

INSIDE BASEPLATE	Specify	Price each
Inside baseplate	N623-000	\$40.00

New product manufactured on or after February 1, 2017 (reference serial number label on product)

SPRING CAGES	Specify	Price each
Spring cage and lever catch assembly - Outside standard (P, L, Z, R, J, T, B, BDC, G, H, L-SAR, L-CO6, J-CO6, J-SAR, J-CO7)	N523-218	\$105.00
Spring cage and lever catch assembly - Inside Less Cylinder	N523-221	\$73.50
Spring cage and lever catch assembly - Outside standard (J-YA7, J-YA6, J-MED	N523-224	\$217.00

DOOR POSITION SENSOR KIT	Specify	Price each
Door position sensor kit (Includes sensor with wire harness and connector, for NDEB only)	L483-055	\$55.00

			Available finishes									
CONVERSION KITS				606	612	613	619	622	625	626	643e 6	526AM
			•	•	•	•	•	•	•	•	•	•
			:	Specify	/							
Description	Part number	nber Function		Lev	er/	Fin	ish		Core oplica	ble)	Price	each
Inside spring cage/lever conversion kit	40-400	.[Function	on]	.[Le	/er]	.[Fin	ish]		[Core]		\$33	0.00
Outside spring cage / lever conversion kit	40-600	.[Function		.[Le			ish]		[Core]			0.00

Notes: All kits will contain a spring cage and lever. Some kits will contain a button or tailpiece. Kits are limited to previously offered product - KIL, FSIC, SFIC, L-SAR, J-SAR, J-CO6, J-YA6.

SCREWS PH = Phillips head POH machine = Phillips oval head PFH = Phillips flat head						612	613 N/A	619	ole fini 622 N/A	625	626	643e	626AM N/A
Size	Туре	Description	Door thickness	Par	t num		ecify	Finish	1	order		<b>e eac</b> ultiple	<b>h</b> s of 100
12-24 x 1"	PFH Combo	ANSI strike	-	Cé	03-25	56	].	Finish	n]			51.50	
#8 x 3/4"	PFH Combo	Latch and strike	-	CE	03-8	97	].	Finish	ո]		\$	51.40	
#10 x 32 x 2-1/8"	PFH Machine	Spring cage screws	1-3/8" – 2"	N:	523-0	21	].	Finish	n]		\$	3.00	

Specify for listed parts (A501-171, L583-133, C603-256, C603-897).

							А	vailat	ole fini	shes			
SCREW PACKS	SCREW PACKS			605	606	612	613	619	622	625	626	643e	626AM
				N/A	•	•	N/A	•	N/A	•	•	•	N/A
Description						Spe	cify				Duis		_
Description	Contents	Contents			Part number			Finish			Price each		
Latch and strike	(4) C603-897			В	202-5	17	.[	Finish	ո]		\$	12.30	
ANSI strike	(2) C603-256			C	203-73	36	.[	Finish	ո]		\$1	0.00	
Mounting kit	(4) C603-897 (2) 96954557	(1) N523-108 (1) N623-049	(1) N623-048	N2	223-04	49	].	Finish	٦]		\$	21.00	

Specify for listed parts (B202-517, C203-736, N123-020).



TORX® SCREW PACKS				Available finishes										
	Specify for listed parts (C203-311, C203-312)		605	606	612	613	619	622	625	626	643e	626AM		
Specify for tisted parts (C2C			-	•	•	•	•	N/A	•	•	•	N/A		
Description	Barrier de la constant de la constan			Specify								_		
Description	Contents				ber	Finish			Price each					
Latch and strike <sup>1</sup>	(4) C503-766 (T-15)		(	203-3	11	].	Finish	1]		\$3	32.00			
Latch and ANSI strike <sup>1</sup>	(2) C503-766 (T-15)	(2) L583-371 (T-20)	(	203-3	12	].	Finish	1]		\$3	32.00			

<sup>1.</sup> Torx screw packs are furnished with appropriate T-xx installation tool(s).

SCHLAGE NDE SERIES		Standard		Prir	nus	Primus	UL437
Cylinder reference table	Part #	Open	Restricted	Part #	Price	Part #	Price
All functions	22,065	#04.00	to/00 tion		\$205.00	20-565	\$268.00
All functions	23-065	\$94.00	\$125.00	20-765-XP	\$205.00	20-565-XP	\$268.00

Available finishes: 606, 626 (Specify for listed parts 23-065, 20-765/XP, 20-565/XP, 21-000).

ENGAGE™ WIRELESS TEST KIT AND ACCESSORIES	Specify	Price each
TKE - ENGAGE™ Test kit. For use in pre-installation test applications. Comes with 2 TKE Transponders, ENGAGE™ gateway, tripod, TKE gateway bracket, battery, and backpack carry case	47271232	\$2,737.00
TKE Transponder	47269850	\$852.00
TKE Gateway backet (Tripod adapter)	47269870	\$70.00

INSTALLATION TOOLS	Specify	Price each
Universal clamp (For use with all AD, CO, NDE, and LE Series installation templates)	40-286	See page 194
NDEB Door preparation template (Universal Clamp require to use this template)	47286225	\$961.00
Door position sensor fixture and mounting hardware (47286225 is required to use this fixture)	40-292	\$226.00



Contents
AD Series Networked locks   Overview102
How to order103
Class and chassis104
Exit device compatibility105
AD Series Networked   Functions105
AD Series Networked   Readers106
AD Series Networked   Styles107
AD Series Networked   Configure a product 108
Cylinders109
Key systems110
Handing110
Battery110
Backset and latchbolt (Cylindrical chassis)111
Mortise lock armor front (Mortise/Mortise deadbolt chassis)112
Strike plates (Cylindrical chassis)113
Door dimensions114
System architecture115
AD-300 Networked hardwired117
Cylindrical117
Mortise/mortise deadbolt120
Exit trim123
AD-302 Networked hardwired
(FIPS 201-2 Compliant)126
Cylindrical126
Mortise/mortise deadbolt128
Exit trim130
AD-400 Networked wireless132
Cylindrical132
Mortise/mortise deadbolt135
Exit trim138
AD-402 Networked wireless
(FIPS 201-1 Compliant)141
Cylindrical141
Mortise/mortise deadbolt143
Exit trim145
AD-993 Non-functioning dummy trim147

AD Series Networked | Accessories ......149

# Finish codes and descriptions

i ilian codes and descriptions							
BHMA code	Description						
605	Bright Brass						
606	Satin Brass						
612	Satin Bronze						
619	Satin Nickel						
625	Bright Chromium Plated						
626	Satin Chrome						
626AM	Satin Stainless Steel, Antimicrobial 🕒						
643e	Aged Bronze						

Customer service	Technical support							
Order status	Technical questions/issues							
<ul> <li>Credit returns of non-defective products</li> </ul>	Returns of defective products							
<ul> <li>General sales questions</li> </ul>	■ Repairs							
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com							



# HOW TO ORDER AD SERIES NETWORKED

For all options see individual Class/Chassis page

						RE	QUIF	RED FI	ELDS	5		FACTORY DEFAULT AND OPTIONS											
			۸Π		400		-				62	6	D6	SI	23	DН	/B	13_	2/17	10-	025	. 134	B
					<del>+</del> 00	. <del></del>	. 70	. K		)FA .	. 02		T	. 51.	2J.		. <del>4</del> 5	. 15-	Z <del>4</del> / .			. 134	. —
Serie	es																						
. Clas	is																						
300	N	etworked hardwired																					
302	N	etworked hardwired																					
400	N	etworked wireless				İ		İ															
402	N	etworked wireless																					
. Chas	ccic																						
CY		ylindrical																					
		ortise																					
MS MD		ortise Iortise Deadbolt																					
993R		xit trim - Rim/CVR/CVC																					
9935		xit trim - SVR																					
993N		xit trim - Mortise																					
9930	ט וכ	ummy Exit trim																					
. Fund	ction																						
70	St	toreroom	40		Priv	acy																	
50	0	ffice/Classroom	60		Apa	rtment																	
Reac	der																						
KP		eypad																					
MSK		lagnetic stripe + keypad (Sw	(ino)																				
MS		lagnetic stripe + keypad (3w lagnetic stripe (Swipe)	ipe)																				
MTK		lulti-technology + keypad																					
MT		<del>-</del>																					
FMK		lulti-technology PS 201-2 Compliant Multi-te	ochnolog	es e l	ove a																		
		·	_																				
SI		mart technology iClass com																					
SIK	51	mart technology iClass com	patible re	eade	r + key	/paɑ																	
. Leve	er <sup>1</sup>																						
SPA	S	parta	ATH		Athe	ens																	
RHO	R	hodes	TLR		Tub	ular																	
BRW	/ Bi	roadway	LAT		Lati	tude																	
BRK	В	oardwalk	LON		Long	gitude																	
<sup>1</sup> To ad	dd tactile wa	arning, use prefix 8. Example: 8SF	•																				
Finis	sh																						
605		right Brass	625		Brig	ht Chro	me																
606		atin Brass	626		_	n Chron																	
612		atin Bronze	643e			d Bronz																	
619		atin Nickel	626AN	4	_	n Chron		ntimicr	ohial (	^oatin	ıσ)												
			OZOAN	•	Juli		, i.e.	i ciii i ii ci	oblace	-courin	6/												
	nder type																						
P6		chlage 6-pin Full Cylinder																					
		see individual Class/Chassis	s page																				
	way type																						
S123		verest 29																					
For a	ıll options	see individual Class/Chassis	s page																				
). Hand	ding																						
RH	Ri	ight handed	RHR		Righ	nt hande	ed reve	erse															
LH	Le	eft handed	LHR		Left	handed	d rever	se															
Ratt.	ery holde	ar.																					
4B		AA Battery kit	8B		9 / /	Batter	ı ki+																
		-	OB		OAA	batter	y KIL																
		tch or Armor front																					
12_7/		-3/4" Backset, deadlatch, sq					•	in CY C	Chassis	s)													
13-24		rmor Front, 1-1/4" Wide, squa		er (St	d. on N	/IS Chas	ssis)																
09-6	III options	see individual Class/Chassis	s page																				
09-6																							
09-6	ке	3/16" Lip, ANSI, no box, 1-1/4	4" x 4-7/8	3" (S	td. on (	CY Chas	ssis)																
09-6 For a		3/10 Lip, Alv31, 110 box, 1-1/4			/61		Chac	sis)															
09-6 For a <b>3. Strik</b>	25 1-	3/16" Lip, 1-1/4" x 4-7/8" squ	Jare corn	er, b	ox (Sto	a. on MS	Clias	0.0,														- 1	
09-6 For a <b>8. Strik</b> 10-02	25 1- 72 1-			er, b	ox (Sto	a. on MS	Cilas	5.57															
09-6 For a . <b>Strik</b> 10-02 10-03 For a	25 1- 72 1-	3/16" Lip, 1-1/4" x 4-7/8" squ see individual Class/Chassi		er, b	OX (Sto	a. on MS	Cilas	J.J,															
09-6 For a . <b>Strik</b> 10-02 10-03 For a	25 1- 72 1- all options <b>r thickne</b>	3/16" Lip, 1-1/4" x 4-7/8" squ see individual Class/Chassi		er, b	OX (STO	3. ON MS	Cilas																



## AD SERIES NETWORKED LOCKS

- With the AD Series, one platform translates to an endless number of adaptable solutions.
- You can choose the features and functions that are right for the application today, and upgrade to meet your evolving needs in the future.

CLASS		
AD-300	Networked/Hardwired; Direct RS-485 connection or Wiegand or Clock & Data	
AD-302	FIPS 201-2 Compliant, Networked Hardwired; Direct RS-485 connection or Wiegand or Clock & Data	
AD-400	Networked/Wireless; 900 MHz, Secure encrypted data transmission	
AD-402	FIPS 201-2 Compliant, Networked Wireless; 900 MHz, Secure encrypted data transmission	

AD-Series locks are upgradable from standalone to networked by applying a communication module available in the accessories section and new firmware available on <a href="https://www.schlage.com/support">www.schlage.com/support</a>.

CHASSIS		
CY: Cylindrical	Bored lock installed into round hole in the door	
MS: Mortise	Lock case installed into a mortise rectangular "pocket" in the door	
MD: Mortise Deadbolt <sup>1</sup>	Mortise lock with built-in interconnected auxiliary deadbolt	
993R: Exit Trim	Rim/Concealed Vertical Rod* (CVR) & Concealed Vertical Cable* (CVC) * Metal door only	h
993M: Exit Trim	Mortise	
993S: Exit Trim	Surface Vertical Rod (SVR)	4
993DT: Exit Trim	Non-Functioning "Dummy" Exit Trim	W W

- 1. Mortise Deadbolt requires RS-485 connection to the ACP, see pages 115–116 for system diagram. Check with access control software provider to verify function is enabled.
- 2. Exit trim utilizes universal hardware to simplify installation to a variety of exit device. AD Series networked locks require a Request-to-Exit switch, please see compatibility chart on the next page.



EXIT DEVICE COMPA	ATIBILITY	Exit trim utilizes universal hardware to simplify installation to a variety of exit devices <sup>1</sup>							
Brand	Compatible exit devices	Rim	SVR	CVR/CVC <sup>2</sup>	Mortise				
Von Duprin	98/99 and 98/99XP	•	•	•	•				
Von Duprin	78	•	•	CVR Only					
Von Duprin	22/22F	•	•						
Falcon	25	•							

- 1. Low current request-to-exit switch is required:
- Part number for Von Duprin Request-to-Exit switch: 050281
   Part number for Falcon AE switch: 650359
   Metal door only.

FUNCTIONS		AD-300/302	AD-400/402
70: Storeroom	Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status.	LED	LED
50: Office/ Classroom	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security.  NOTE: Valid toggle credentials on the exterior may also be used to change status. Has interior pushbutton (IPB).		
40: Privacy	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. Has interior pushbutton (IPB).	Privacy button	Privacy button
60: Apartment	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Opening the door or pressing the interior pushbutton causes the lockset to toggle unsecured. While toggled unsecured, the lockset can only be secured while the door is closed by pressing the interior pushbutton or using a normal credential on the exterior. Normal electronic access from the exterior is always allowed. Has interior pushbutton.		



READER			
KP: Keypad	12 button design	000	
MSK: Magnetic Stripe + Keypad (Swipe)	Configurable to read the complete Track 1, 2 or 3.	000	
MS: Magnetic Stripe (Swipe)	Available with and without 12 button keypad.		
MTK: Multi- Technology + Keypad FMK: FIPS 201-2 Compliant Multi-Technology + Keypad	Single solution that reads 125 kHz proximity and 13.56 MHz smart credentials.  Available with and without 12-button keypad	(c)	
MT: Multi- Technology		Econolis	
Si/SiK: Smart iClass Compatible Reader	13.56 MHz smart card credential solution compatible with Schlage MIFARE, HID iClass, iClass SE, and SEOS technologies. Available with and without 12-button keypad.	((0)	

- 1. Please refer to AD-Series data sheets and solution sheets prior to ordering to verify credential compatibility.
- 2. FMK reader now sold separately for field upgrades.
- 3. Must specify finish when ordering reader separately. KP, MSK and MS readers available in 626, 605, 606, 612, 619, 625 and 643e. MT, MTK, FMK, Si, and SiK readers are available in Grey (for 619, 626, 626AM & 625) and available in Brown (for 605, 606, 612 and 643e).




#### **LEVER DESIGNS**

#### ATHENS (ATH)2


Tactile option: 8AT (knurled)






#### **BOARDWALK (BRK)**






#### **BROADWAY (BRW)**






#### LATITUDE (LAT)





#### LONGITUDE (LON)





#### RHODES (RHO)

Tactile option: 8RO (knurled)






#### SPARTA (SPA)2

Tactile option: 8SP (knurled)






#### TUBULAR (TLR)<sup>2</sup>

Tactile option: 8TR (knurled)





- $1. \quad \text{All lever designs are available in finishes 605, 606, 612, 619, 625, 626, 643E and 626AM}.$
- 2. ATH, SPA, and TLR levers meet California Fire Code for 1/2" or less return to door.
- 3. Changing lever cylinder compatibility on a device typically requires replacement of existing spring cage and tailpiece.
- 4. Tactile warning is applied to exterior lever only unless otherwise specified. Not available with 643e finish.
- 5. AD Series, CO Series, and ND Series levers may be interchangeable in some cases depending whether it is an interior or exterior lever, the type of chassis, and the type of cylinder/spring cage/tailpiece. Please consult the <u>AD Series Parts Guide</u> for more information.

FINISH CHART			
Finish description	Finish No.	BHMA No.	Government
Bright Brass	605	605E	US3
Satin Brass	606	606E	US4
Satin Bronze	612	612E	US10
Satin Nickel	619		
Bright Chrome	625	625E	US26
Satin Chrome	626	626E	US26D
Satin Chrome Antimicrobial	626AM		

Please refer to the Electronic Access Control catalog or online product information at <u>us.allegion.com</u> to view each finish.




# You can configure and price a full range of products using the tables and rules shown in this section.

The pricing of locks in this section includes the P6 cylinder in an open keyway (where applicable), default latch, strike and a 1-3/4" thick door. Additional modifications are available using the rules and price adjustments on the subsequent pages.

#### How to order:

- All applicable product attributes must be provided in the order shown below
- Each value must separated by a period
- If requesting a product "Less (LLL)" any attribute, the entire detailed ACN must be provided
- Fractions will be written with the "/" symbol separating the numerator and the denominator (example 1/2)
- For dimensions that contain a whole number and a fraction, a hyphen "-" will be added after the whole number and before the fraction (example 2-1/4)
- For two dimensions represented together, such as length and width, the values would be separated by an "x" with no spaces
- Finishes should be listed using their BHMA finish as shown in this book



3 10 11



# COMPLETE LOCKS

# **CYLINDERS**

Keyed locks are priced including the P6 cylinder with open keyway. Provided below are pricing adjustments based on other available cylinder types. For Primus and Primus XP cylinders, order lock less cylinder and order the Primus or Primus XP cylinder separately.

CYLINDERS		
P6	Conventional 6-pin cylinder	
L	Less conventional cylinder	
R	FSIC (Full size interchangeable core)	
J	Less FSIC	God
G	SFIC (Small format interchangeable core) 7-pin	(Supplied)
В	Less SFIC	*Less Core
L-SAR \$	Less cylinder, Sargent® (10L+11L) 6-pin Key-in-Lever (KIL) (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	
L-CO6 \$	Less cylinder, 6-pin Key-in-Lever (KIL) (Only RHO, SPA, 8RO, 8SP lever styles)	*Less Core
J-SAR 🖫	Less cylinder, Sargent 6300; 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	
J-CO6 🕏	Less cylinder, Corbin Russwin® 8000; 6-pin FSIC	
J-CO7 ፟፟፟	Less cylinder, Corbin Russwin 8000-7; 7-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	
J-MED ℤ	Less cylinder, Medeco 32*0201®; 6-pin FSIC (Only RHO, SPA, 8RO, 8SP lever styles)	
J-YA6 ℤ	Less cylinder, Yale® 1210 or Medeco 31*0100; 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	*Less Core
J-YA7 ℤ	Less cylinder, Yale 1220; 7-pin FSIC (Only RHO, SPA, 8RO, 8SP lever styles)	
L-FA7	Less cylinder, Falcon 7-pin Key-in-Lever (KIL) (Only RHO, 8RO, SPA, 8SP lever styles)	*Less Core

#### Extended lead time

- 1. Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626AM with extended lead-times.
- 2. For P, R and G-Master Keyed cylinders can be specified and will be shipped in lock packaging.
- $3. \ \ For Master Key System Summary form which should accompany the master keyed order, see pages 297-302.$
- 4. For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders.
- 5. Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
- 6. For additional assistance on Master Keying as well as restricted keyways please contact your local sales representative.
- 7. Spring cages and tailpieces are different based on the type of cylinder and chassis selected. Please see the <u>AD Series Parts Guide</u> for more information.
- 8. The AD Series accepts many popular models of standard, SFIC, and FSIC cylinders. Consult the <u>Keyway/Cylinder Compatibility Data Sheet</u> (010432) for details. See price book for specific configurations.



#### COMPLETE LOCKS

# **KEY SYSTEMS**

KEY SYSTEMS AVAILABLE THROUGH SCHLAGE				
Default	Keyway family	Description		
•	Everest 29™ S Keyway Family	Patent protected open keyways that are available in full size Key In Lever (KIL) and Full Size Interchangeable Core (FSIC) formats. Patent protection through 2029.		
	Everest 29 T Keyway Family	Patent protected restricted keyways that are available in full size KIL and FSIC formats. Patent protection through 2029.		
	Everest D Keyway Family	Restricted keyways that are available in full size KIL and FSIC formats.		
	Everest C Keyway Family	Open keyways that are available in full size KIL and FSIC formats.		
	Schlage Classic Open Keyways	Classic (C/E/F): Open keyways available in KIL and FSIC designs		
	Everest B Keyway Family	Restricted keyways that are available on Small Format Interchangeable Core (SFIC).		
	Everest 29 R Keyway Family	Patent protected restricted keyways that are available on SFIC. Patent protection through 2029.		

- 1. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization on page 303.
- 2. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

Contact your local RSO representative for assistance in determining which format and level of exclusivity best suits your needs.

#### COMPLETE LOCKS

# **HANDING**

HANDING		LH Left Hand	INSIDE	RH Right Hand
RH	Right handed: Hinges on right opens inward	Hinges on left; opens inward	3E 3F	Hinges on right opens inward
LH	Left handed: Hinges on left opens inward		OUTSIDE	
RHR	Right handed reverse: Hinges on right opens outward	LHR Left Hand Reverse	3F 3E	RHR
LHR	Left handed reverse: Hinges on left opens outward	Hinges on left; opens outward	OUTSIDE	Right Hand Reverse Hinges on right; opens outward

- 1. Exit trim 993 chassis available only with RHR or LHR option.
- 2. Handing is field reversible, but requires removal of the exterior escutcheon cover. Please see AD Series installation instructions for details.

#### COMPLETE LOCKS

# **BATTERY**

BATTERY	BATTERY		
4B	4AA Battery holder and cover kit		
8B	8AA Battery holder and cover kit		

AD-300/AD-302 are hardwired and therefore do not require battery power and ship standard with a cover only and no batteries. AD-Series locks use standard off-the-shelf AA batteries.



COMPLETE LOCKS

# BACKSET AND LATCHBOLT (CYLINDRICAL CHASSIS)

LATCHES		
13-247	2-3/4" Backset Deadlatch Square corner, 1-1/8" x 2-1/4"	
14-049	2-3/4" Backset  Deadlatch Anti-friction fire door latch,  Square corner, 1-1/8" x 2-1/4", 3/4" throw	
14-051	2-3/8" Backset  Deadlatch  Square corner, 1-1/8" x 2-1/4"	
14-050	3-3/4" Backset Deadlatch Square corner, 1-1/8" x 2-1/4"	
43-001	5" Backset extension link Deadlatch	
39-030	Rabbeted latch and strike kit, 605 and 626 only. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.	No image available





# COMPLETE LOCKS

# MORTISE LOCK ARMOR FRONT (MORTISE/MORTISE DEADBOLT CHASSIS)

- For 1-3/4" thick doors, use wide armor front.
- For over 1-3/4" thick door extended equally (EE), use 1-1/4" wide armor front.
- Available finishes are 605, 606, 612, 619, 625, 626.

ARMOR FRONT		
09-663	1-1/4" Wide square corner, latch for MS	
09-669	1-1/16" Wide square corner, latch, options for MS	
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	& & @
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	8 8 (* [][][] []

Images not shown to scale. Consult <u>AD Series Parts Guide</u> for more information.



COMPLETE LOCKS STRIKE PLATES (CYLINDRICAL CHASSIS)

STRIKES WITH LOC	CKS	
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8",	
10-013	1-1/8" Lip, square corner, T-strike, box, 1-1/8" – 2-3/4", 1-1/2" Lip available, must specify 1-1/2" Lip	
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	
K510-066	Box for ANSI strike (Must be specific)	
10-072	1-3/16" Lip, 1-1/4" x 4-7/8", square corner, box	
10-072	7/8", 1", 1-1/2", 1-3/4", or 2" Lip, 1-1/4" x 4-7/8", square corner, box	
10-075	1/2" Rabbeted, For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.	
37-015	Strike frame reinforcer, specify 37-015	
XL11-820	One hole for latching functions, RH & LHR doors Lip 1-3/16"	
XL11-821	One hole for latching functions, LH & RHR doors Lip 1-3/16"	
XQ07-351-134 🖫	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	Image not available
XQ03-494-134 ∑	Strike, square corner, T-strike, box, 1-1/8" x 2-3/4", 1-3/4" Lip	Image not available

<sup>🖫</sup> XL11-820 and XL11-821 Extended lead time; contact customer service.



# COMPLETE LOCKS

# DOOR DIMENSIONS

- Specify door thickness on order only if different than 1-3/4" thick door
- Door thickness should be specified to the nearest 1/8"

DOOR THICKNESS		
<b>1-3/4"</b> 1-3/4"		
1-3/8"	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	

- 1. Door thickness kits are available on page 209 to install a lock on a door that is thicker or thinner than 1-3/4". See <u>AD Series Parts Guide</u> for details. Locks cannot be installed on doors thicker than 2-3/4" or thinner than 1-3/8".
- 2. Thin door shims are available on page 209 to install a lock on a door that is thinner than 1-3/4".
- 3. Decorative plates are used to cover exposed holes when retrofitting from existing locks to AD Series locks. The size of plate required will vary based on the size and location of holes being covered. Retrofit information can be found at <a href="https://www.schlage.com/support">www.schlage.com/support</a>.
- 4. If under the lock decorative plates are on both sides of device, then door will become 1/8" thicker. A door thickness kit of an incremental 1/8" must be ordered to accommodate under the lock plates.



# SYSTEM ARCHITECTURE FOR AD-300 AND AD-400


The AD Series combines all the hardware components required at the door for a complete access control system into one integrated design to simplify installation. This includes the electrified lock, credential reader, request-to-exit and -enter sensors, door position switch, tamper guard and more.

The AD Series is available with flexible hardwired and wireless networked options and can accommodate Wiegand, Clock & Data or RS485 connections to the access control panel or reader interface board.

The following system configurations should be utilized as a guideline for specifying the AD Series. Data sheets with technical specifications are available for download on <a href="https://www.schlage.com/support">www.schlage.com/support</a>. We suggest that you consult with your Access Control Provider to verify the specific features, functions and capabilities of the AD Series.


#### AD-300 NETWORKED HARDWIRED SOLUTION

- Connections other than Wiegand or Clock & Data may incur an additional fee. Consult access control software provides for details.
- PIB300-2D required for Wiegand or Clock & Data connection; supports up to 2 AD-300 devices.



#### AD-400 NETWORKED WIRELESS SOLUTION

- Connections other than Wiegand or Clock & Data may incur an additional fee. Consult access control software provides for details.
- PIM400-TD2 required for Wiegand or Clock & Data connection; supports up to 2 AD-400 devices.
- If RS485 connection to other ACP is required, contact software provider.





# SYSTEM ARCHITECTURE FOR AD-302 AND AD-402

#### FIPS 201 Overview


- Federal Government Standard for secure and reliable form of identification
- Mandated by Homeland Security Presidential Directive 12 (HSPD 12)
- Required for all Federal Government employees and contractors
- Mandates the type of Smart Card and Card Reader per application
- The WPR401 (wireless portable reader) is available for remote credential verification

In order to meet requirements, the AD Series can either be:

- 1. Sold as a complete unit with the FMK Multi-technology + keypad reader
- 2. Field upgraded to a FIPS 201-2 compliant solution by adding the FMK reader (sold separately) and by utilizing the most current firmware available.


#### **AD-302 HARDWIRED FIPS 201-2 COMPLIANT SOLUTION**

- RS-485 or Wiegand communication to access control panel (ACP must be FIPS 201-2 compliant)
- FIPS 201-2 Multi-technology reader (FMK)



# **AD-402 WIRELESS FIPS 201-2 COMPLIANT SOLUTION**


- 900 MHz communication between lock and PIM400-TD2
- FIPS Multi-technology reader (FMK)
- Connections other than Wiegand or Clock & Data may incur an additional fee. Consult access control software provider for details
- If RS485 connection to ACP is required, contact software provider





# **CYLINDRICAL**







- 1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 2. Requires RS485 connection to ACP. See page 115 for system diagram. Check with access control software provider to verify function is enabled.

5) SELECT READER (Note: Reflects price adder to base keypad reader price of \$771.00)		Price adj.
LLL <sup>3</sup>	Less Reader	-\$771.00
KP	Keypad	Standard
MS	Magnetic Stripe (Swipe)	\$145.00
MSK	Magnetic Stripe (Swipe) + Keypad	\$238.00
MT	Multi-Technology   Proximity and Smart Card	\$286.00
MTK	Multi-Technology + Keypad   Proximity and Smart Card	\$379.00
SI	Smart Technology iClass Compatible Reader	\$498.00
SIK	Smart Technology iClass Compatible Reader + Keypad	\$589.00



<sup>4.</sup> FIPS 201-2 Compliant when applied with the FIPS Multi-technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 191 for the FMK reader module.

6) SELECT LEVER <sup>5</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

5. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze (OOC rose not available in 612 finish)	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



AD-300-CY-70-MT







MSK



MT/SI




MTK/SIK/FMK




# **CYLINDRICAL**

0) CE: 7	CT CVI IND	ED TVDE	Price adjustme		
8) SELE	LECT CYLINDER TYPE		Open	Restricted	
△ • P6	With	Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00	
L	Less	Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00	
□● R	With	Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00	
J	Less	Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00	
□● G	With	Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00	
В	Less	Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00	
L-S	AR Less	Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge	
L-C	O6 Less	Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
J-S/	AR Less	Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-C	O6 Less	Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-C	O7 Less	Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge	
J-M	ED Less	Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
J-YA	46	Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC y RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-YA	A7 Less	Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
L-F	A7 Less	Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	



- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	Standard
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge



Full Cylinder P, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



# **CYLINDRICAL**

11) SELECT BATTERY		Price adj.
Cover only	No batteries or holder	Standard

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$50.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, Deadlatch Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw	\$264.00
14-051	2-3/8" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	\$16.00
43-001	5" Backset extension link, Deadlatch	\$49.00
39-030¹	Rabbeted latch and strike kit, 605 and 626 only	\$88.00

<sup>1.</sup> Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-013 <sup>2</sup>	1-1/8" Lip, square corner, T-strike, box, 1-1/8" - 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	No charge
K510-066	Box for ANSI strike (Must be specific)	No charge

<sup>2. 1-1/2&</sup>quot; Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR TH	CKNESS	Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>3</sup>	BAA Compliant product	\$125.00

<sup>3.</sup> BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 149-154.

Credentials available, see pages 17–22.

<sup>4.</sup> Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.

<sup>5.</sup> Add PIB300-2D if Wiegand or Clock & Data connection to ACP is required. Sold separately. See page 152 for details.



### AD-300 NETWORKED HARDWIRED

# MORTISE/MORTISE DEADBOLT



1-3) SELECT CHASSIS	5	Price
AD-300-MS	Mortise	\$2,957.00
AD-300-MD <sup>1</sup>	Mortise Deadbolt	\$3,003.00

1. Requires RS485 connection to ACP. See page 115 for system diagram. Check with access control software provider to verify function is enabled.



AD-300-MS-70-MTK

4) SELECT FUNCTION	(Note: Locking function capabilities are determined by users access control system)	Price adj.
70 <sup>2</sup>	Storeroom (Not available on Mortise Deadbolt)	Standard
501,2	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
401,3	Privacy	\$10.00
601,3	Apartment	\$10.00


- 2. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 3. Inside Push Button (IPB) only included with Mortise (MS) chassis. Mortise Deadbolt (MD) chassis comes with LED indicator only. \$10.00 charge does not apply to Mortise Deadbolt (MD) chassis.

5) SELECT READER (Note: Reflects price adder to base keypad reader price of \$771.00)		Price adj.
LLL <sup>4</sup>	Less Reader	-\$771.00
KP	Keypad	Standard
MS	Magnetic Stripe (Swipe)	\$145.00
MSK	Magnetic Stripe (Swipe) + Keypad	\$238.00
MT	Multi-Technology   Proximity and Smart Card	\$286.00
MTK	Multi-Technology + Keypad   Proximity and Smart Card	\$379.00
SI	Smart Technology iClass Compatible Reader	\$498.00
SIK	Smart Technology iClass Compatible Reader + Keypad	\$589.00

- 4. For reader module accessories sold separately, see page 191.
- 5. FIPS 201-2 Compliant when applied with the FIPS Multi-technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 191 for the FMK reader module.

6) SELECT LEVER <sup>6</sup>		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

6. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.





ΚP



MS



MSK



MT/SI




MTK/SIK/FMK



# MORTISE/MORTISE DEADBOLT

8) SELECT CYLINDER TYPE		Price adjustment	
		Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C07	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



- $_{\triangle}\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- $\ \square$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
- For additional assistance on Master Keying as well as restricted keyways, please contact customer service.

9) SELECT KEYING TYPE		Price adj.	
Open keyway familie	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway fa	milies: KIL or FSIC <sup>1,2</sup>	·	
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway fa	milies: SFIC <sup>3</sup>		
29R	Everest 29 R	No charge	
В	Everest B	No charge	

<sup>1.</sup> Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	Standard
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



# AD-300 NETWORKED HARDWIRED

# MORTISE/MORTISE DEADBOLT

11) SELECT BATTERY		Price adj.
Cover only	No batteries or holder	Standard

12) SELECT MORTISE LOCK ARMOR FRONT		Price adj.
LLL	Less Armor Front	-\$25.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, Latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-075 <sup>1</sup>	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

 $<sup>1. \ \</sup> For 1-3/4" \ thick doors, use wide armor front. For over 1-3/4" \ thick door extended equally (EE) use 1-1/4" \ wide armor front.$ 

Extended lead time, consult customer service.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>2</sup>	BAA Compliant product	\$125.00

<sup>2.</sup> BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

- 3. Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.
- 4. Add PIB300-2D if Wiegand or Clock & Data connection to ACP is required. Sold separately. See page 152 for details. Accessories available, see pages 149–154.

Credentials available, see pages 17-22.

\$3,064.00




AD-300-993R

AD-300-993S

AD-300-993M

# AD-300 NETWORKED HARDWIRED

# **EXIT TRIM**



9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	
	b
0	200

AD-300-993R-70-MTK





MSK



MT/SI



MTK/SIK/FMK

4) SELECT FUNCTION (Note: Locking function capabilities are determined by users access control system.)		Price adj.
70¹	Storeroom	Standard
501,2	Office/Classroom	\$10.00
40²	Privacy	\$10.00
60²	Apartment	\$10.00

1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.

Exit Mortise Lock

2. Requires RS485 connection to ACP. See page 115 for system diagram. Check with access control software provider to verify function is enabled.

5) SELECT READER (	Note: Reflects price adder to base keypad reader price of \$771.00)	Price adj.
LLL <sup>3</sup>	Less Reader	-\$771.00
KP	Keypad	Standard
MS	Magnetic Stripe (Swipe)	\$145.00
MSK	Magnetic Stripe (Swipe) + Keypad	\$238.00
MT	Multi-Technology   Proximity and Smart Card	\$286.00
MTK	Multi-Technology + Keypad   Proximity and Smart Card	\$379.00
SI	Smart Technology iClass Compatible Reader	\$498.00
SIK	Smart Technology iClass Compatible Reader + Keypad	\$589.00

- 3. For reader module accessories sold separately, see page 191.
- 4. FIPS 201-2 Compliant when applied with the FIPS Multi-technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 191 for the FMK reader module.

6) SELECT LEVER <sup>5</sup>		Price adj.
LLL	Less both levers	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

5. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.


7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



#### AD-300 NETWORKED HARDWIRED

# **EXIT TRIM**

e) CELECT CVI INDED TYPE		Price adjustment	
8) SELECT C1	8) SELECT CYLINDER TYPE		Restricted
△ • P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
- For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



P6, L, L-SAR, L-FA7



**FSIC Format** R, J, J-SAR, J-CO6, J-CO7, J-YA6




SFIC Format B, G

9) SELECT KEYING TYPE		Price adj.
Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard
C123	Everest C	No charge
C/CE/E/EF/F/FG/G	Classic Obverse	No charge
Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00
D	Everest D	\$31.00
Classic Restricted	Quad, Numbered, Reverse	\$31.00
Restricted keyway families: SFIC <sup>3</sup>		
29R	Everest 29 R	No charge
В	Everest B	No charge

- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	Standard
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge





### **EXIT TRIM**

11) SELECT BATTERY		Price adj.
Cover only	No batteries or holder	Standard

#### 12-13) NO SELECTION REQUIRED

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
LRX	Less Von Duprin low current Request-To-Exit switch	-\$76.00
BAA <sup>1</sup>	BAA Compliant product	\$125.00

BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the
customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time,
please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.

Add PIB300-2D if Wiegand or Clock & Data connection to ACP is required. Sold separately. See page 152 for details.

AD-300 Exit trim comes with a universal mounting plate and is compatible with Von Duprin Series 98/99, 98/99XP, 78, 22/22F exit devices and Falcon 25 rim exit devices with proper low current Request-To-Exit switch (RX-LC). Concealed Vertical Rod and Concealed Vertical Cable trim on metal door only. When Request-to-exit is required, the Von Duprin RX-LC switch (part #050281) or Falcon AE switch (part #650359) must be used or the Warranty is void.

Accessories available, see pages 149–154.

Credentials available, see pages 17–22.

AD Series Non-Functioning "Dummy" Exit trim now available. Please see pages 147–148 for details.



#### AD-302 NETWORKED HARDWIRED

# CYLINDRICAL (FIPS 201-2 COMPLIANT)



1–4) SELECT CHASSIS/FUNCTION		Price
(Note: Locking function capabilities are determined by users access control system)		
AD-302-CY-70 <sup>1</sup>	Storeroom	\$2,574.00
AD-302-CY-501	Office/Classroom	\$2,584.00
AD-302-CY-40 <sup>2</sup>	Privacy	\$2,584.00
AD-302-CY-60 <sup>2</sup>	Apartment	\$2,584.00



AD-302-CY-70-FMK

- $1. \ \ Less \, Door \, Position \, Switch, \, deduct \, \hbox{-}\$28.00. \, Use \, suffix \, LDP.$
- 2. Requires RS485 connection to ACP. See page 116 for system diagram. Check with Access Control software provider to verify function is enabled.

5) SELECT READER		Price adj.
FMK	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00

The AD-300 lock can be field upgraded to a FIPS 201-2 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Verify compatibility of PIV and PIV-I credentials with access control software provider.

6) SELECT LEVER <sup>5</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

3. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00

8) SELECT CYLINDER TYPE		Price adjustment	
		Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C07	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No charge	No charge
J-YAO	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge No c	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- $\hfill \Box$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

 $For additional\ assistance\ on\ Master\ Keying\ as\ well\ as\ restricted\ keyways,\ please\ contact\ customer\ service.$ 



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



# CYLINDRICAL (FIPS 201-2 COMPLIANT)

9) SELECT KEYING T	YPE	Price adj.	
Open keyway families	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway families: KIL or FSIC <sup>1,2</sup>			
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway far	Restricted keyway families: SFIC <sup>3</sup>		
29R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	Standard
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
Cover only	No batteries or holder	Standard

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$50.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner, 1-1/8" x 2-1/4", 3/4" throw	\$264.00
14-051	2-3/8" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	\$16.00
43-001	5" Backset extension link, deadlatch	\$49.00
39-0304	Rabbeted latch and strike kit, 605 and 626 only	\$88.00

4. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-013 <sup>5</sup>	1-1/8" Lip, square corner, T-strike, box, 1-1/8" - 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	No charge
K510-066	Box for ANSI strike (Must be specific)	No charge

5. 1-1/2" Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>6</sup>	BAA Compliant product	\$125.00

6. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details. Add PIB300-2D if Wiegand or Clock & Data connection to ACP is required. Sold separately. See page 152 for details. Standard accessories sold separately available, see pages 149–154.



# MORTISE/MORTISE DEADBOLT (FIPS 201-2 COMPLIANT)



1–3) SELECT CHASSIS		Price
AD-302-MS	Mortise	\$2,957.00
AD-302-MD <sup>1</sup>	Mortise Deadbolt	\$3,003.00

1. Requires RS485 connection to ACP. See page 116 for system diagram. Check with access control software provider to verify function is enabled.

4) SELECT FUNCTION (Note: Locking function capabilities are determined by users access control system)		Price adj.
70 <sup>2</sup>	Storeroom (Not available on Mortise Deadbolt)	Standard
50 <sup>1, 2</sup>	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
401,3	Privacy	\$10.00
601,3	Apartment	\$10.00

- 2. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 3. Inside Push Button (IPB) only included with Mortise (MS) chassis. Mortise Deadbolt (MD) chassis comes with LED indicator only. \$10.00 charge does not apply to Mortise Deadbolt (MD) chassis.

5) SELECT READER		Price adj.
FMK	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00

The AD-300 lock can be field upgraded to a FIPS 201-2 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Verify compatibility of PIV and PIV-I credentials with access control software provider.

6) SELECT LEVER <sup>4</sup>		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

4. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00

8) SELECT CYLINDER TYPE		Price adjustment	
8) SELECT C	YLINDER I YPE	Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No chargo	No chargo
J-YAO	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- $\begin{tabular}{ll} \hline \square & Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate. \\ \hline \end{tabular}$

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



AD-302-MS-70-FMK



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



# MORTISE/MORTISE DEADBOLT (FIPS 201-2 COMPLIANT)

9) SELECT KEYING TYPE		Price adj.	
Open keyway families: KIL or FSIC <sup>1</sup>			
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway far	Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway far	Restricted keyway families: SFIC <sup>3</sup>		
29R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	RH Right handed	
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.	
Cover only	No batteries or holder	Standard	

12) SELECT MORTISE LOCK ARMOR FRONT		Price adj.
LLL	Less Armor Front	-\$25.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, Latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-075 <sup>4</sup>	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

- 4. For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.
- Extended lead time, consult customer service.

14) SELECT DOOR THICKNESS		Price adj.
134	34 1-3/4"	
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>5</sup>	BAA Compliant product	\$125.00

5. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details. Add PIB300-2D if Wiegand or Clock & Data connection to ACP is required. Sold separately. See page 152 for details. Accessories including Panel Interface Board (PIB300-2D) Decorative plates, US A-KIT, etc. available, see pages 149–154.



# EXIT TRIM (FIPS 201-2 COMPLIANT)



1–3) SELECT CHASSIS/EXIT TRIM TYPE (Note: See page 105 for exit device compatibility.)		Price
AD-302-993R	Exit Rim/Concealed Vertical Rod (Metal Door) /Concealed Vertical Cable (Metal Door)	\$3,028.00
AD-302-993S	Exit Surface Vertical Rod	\$3,064.00
AD-302-993M	Exit Mortise Lock	\$3,064.00

4) SELECT FUNCTION	4) SELECT FUNCTION (Note: Locking function capabilities are determined by users access control system)	
70¹	Storeroom	Standard
501,2	Office/Classroom	\$10.00
40 <sup>2</sup>	Privacy	\$10.00
60 <sup>2,</sup>	Apartment	\$10.00



- 1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 2. Requires RS485 connection to ACP. See page 116 for system diagram. Check with access control software provider to verify function is enabled.

5) SELECT READER		Price adj.
FMK	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00

The AD-300 lock can be field upgraded to a FIPS 201-2 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Verify compatibility of PIV and PIV-I credentials with access control software provider.

6) SELECT LEVER <sup>3</sup>		Price adj.
LLL	Less both levers	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway),	No charge
Standard options	BRK (Boardwalk), LAT (Latitude), LON (Longitude)	

3. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00

OVER EST CALINDED TARE		Price adjustment		
8)5	8) SELECT CYLINDER TYPE		Open	Restricted
△●	P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
ı	L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□ <b>●</b>	R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□ • (	G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
1	В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
ı	L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
ı	L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J	J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J	J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J	J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J	J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No observe	No chargo
٠.	J-YAO	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J	J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
Ī	L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\;$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



Full Cylinder P6, L, L-SAR, L-FA7



**FSIC Format** R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



# EXIT TRIM (FIPS 201-2 COMPLIANT)

9) SELECT KEYING T	/PE	Price adj.	
Open keyway families	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway far	Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway far	Restricted keyway families: SFIC <sup>3</sup>		
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
Cover only	No batteries or holder	Standard

### 12-13) NO SELECTION REQUIRED

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
LRX	Less Von Duprin low current Request-To-Exit switch	-\$76.00
BAA <sup>4</sup>	BAA Compliant product	\$125.00

4. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.

Add PIB300-2D if Wiegand or Clock & Data connection to ACP is required. Sold separately. See page 152 for details.


AD-302 Exit trim comes with a universal mounting plate and is compatible with Von Duprin Series 98/99, 98/99XP, 78, 22/22F exit devices and Falcon 25 rim exit devices. RX-LC switch is included unless lock is ordered as LRX, Less Request-to-Exit switch. Please specify if Von Duprin or Falcon RX-LC switch is required. Concealed Vertical Rod and Concealed Vertical Cable trim on metal door only. When Request-to-exit is required, the Von Duprin RX-LC switch (part #050281) or Falcon AE switch (part #650359) must be used or the Warranty is void.

Standard accessories sold separately available, see pages 149–154.



# **CYLINDRICAL**

1–4) SELECT CHASSIS/FUNCTION (Note: Locking function capabilities are determined by users access control system)		Price
AD-400-CY-70 <sup>1</sup>	Storeroom	\$2,869.00
AD-400-CY-50 <sup>1, 2</sup>	Office/Classroom	\$2,879.00
AD-400-CY-40 <sup>2</sup>	Privacy	\$2,879.00
AD-400-CY-60 <sup>2</sup>	Apartment	\$2,879.00



2. Requires RS485 connection to ACP. See page 115 for system diagram. Check with access control software provider to verify function is enabled.

5) SELECT READER (Note: Reflects price adder to base keypad reader price of \$771.00)		Price adj.
LLL <sup>3</sup>	Less Reader	-\$771.00
KP	Keypad	Standard
MS	Magnetic Stripe (Swipe)	\$145.00
MSK	Magnetic Stripe (Swipe) + Keypad	\$238.00
MT	Multi-Technology   Proximity and Smart Card	\$286.00
MTK	Multi-Technology + Keypad   Proximity and Smart Card	\$379.00
SI	Smart Technology iClass Compatible Reader	\$498.00
SIK	Smart Technology iClass Compatible Reader + Keypad	\$589.00

- 3. For reader module accessories sold separately, see page 191.
- 4. FIPS 201-2 Compliant when applied with the FIPS Multi-technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 191 for the FMK reader module.

6) SELECT LEVER <sup>5</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

5. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze (00C rose not available in 612 finish)	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00







MSK



MT/SI




MTK/SIK/FMK



# CYLINDRICAL

8) SELECT CYLINDER TYPE		Price adjustment	
		Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- $\ \square$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.

9) SELECT KEYING TYPE		Price adj.	
Open keyway families: KIL or FSIC <sup>1</sup>			
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway fa	milies: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

<sup>1.</sup> Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



#### AD-400 NETWORKED WIRELESS

# **CYLINDRICAL**

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$50.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner, 1-1/8" x 2-1/4", 3/4" throw	\$264.00
14-051	2-3/8" Backset, deadlatch square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch square corner, 1-1/8" x 2-1/4"	\$16.00
43-001	5" Backset extension link, deadlatch	\$49.00
39-030 <sup>1</sup>	Rabbeted latch and strike kit, 605 and 626 only	\$88.00

<sup>1.</sup> Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-013 <sup>2</sup>	1-1/8" Lip, square corner, T-strike, box, 1-1/8" - 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	No charge
K510-066	Box for ANSI strike (Must be specific)	No charge

<sup>2. 1-1/2&</sup>quot; Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>3</sup>	BAA Compliant product	\$125.00

3. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details. PIM400 required for connection to ACP; sold separately.

PIM400-TD2 required for Wiegand or Clock & Data connection, See page 152.

If RS485 connection to other ACP is required, contact software provider.

Accessories including Panel Interface Module (PIM400) Decorative plates, SUS A-KIT, etc. available, see pages 149–154. Credentials available, see pages 17–22.



# MORTISE/MORTISE DEADBOLT



1-3) SELECT CHASSIS		Price
AD-400-MS	Mortise	\$3,249.00
AD-400-MD <sup>1</sup>	Mortise Deadbolt	\$3,296.00



1. Requires RS485 connection to ACP. See page 115 for system diagram. Check with access control software provider to verify function is enabled.

4) SELECT FUNCTION	(Note: Locking function capabilities are determined by users access control system.)	Price adj.
70 <sup>2</sup>	Storeroom (Not available on Mortise Deadbolt)	Standard
501,2	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
401,3	Privacy	\$10.00
601,3	Apartment	\$10.00



2. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.



- 3. Inside Push Button (IPB) only included with Mortise (MS) chassis. Mortise Deadbolt (MD) chassis comes with LED indicator only. \$10.00 charge does not apply to Mortise Deadbolt (MD) chassis.

00	6
100	)
100	Ó
140 1000	
Spirit	

MSK

5) SELECT READER (Note: Reflects price adder to base keypad reader price of \$771.00) Price adj. LLL<sup>4</sup> Less Reader -\$771.00 ΚP Keypad Standard MS Magnetic Stripe (Swipe) \$145.00 MSK Magnetic Stripe (Swipe) + Keypad \$238.00 МТ Multi-Technology | Proximity and Smart Card \$286.00 MTK Multi-Technology + Keypad | Proximity and Smart Card \$379.00 SI Smart Technology iClass Compatible Reader \$498.00 SIK Smart Technology iClass Compatible Reader + Keypad \$589.00



MT/SI

MTK/SIK/FMK

- 4. For reader module accessories sold separately, see page 191.
- 5. FIPS 201-2 Compliant when applied with the FIPS Multi-technology plus keypad reader module (FMK) and by utilizing the most current firmware available. See page 191 for the FMK reader module.

6) SELECT LEVER <sup>6</sup>		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge


6. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00




# MORTISE/MORTISE DEADBOLT

C) CELECT CVI INDED TVDE			Price ad	Price adjustment	
8):	B) SELECT CYLINDER TYPE		Open	Restricted	
△●	P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00	
	L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00	
□●	R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00	
	J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00	
□●	G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00	
	В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00	
	L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge	
	L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
	J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
	J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
	J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge	
	J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
	J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
	J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
	L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	



- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



<sup>1.</sup> Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	Standard
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



# MORTISE/MORTISE DEADBOLT

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT MORTISE LOCK ARMOR FRONT		Price adj.
LLL	Less Armor Front	-\$25.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-075¹	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

<sup>1.</sup> For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.

<sup>🛮</sup> Extended lead time, consult customer service.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>2</sup>	BAA Compliant product	\$125.00

<sup>2.</sup> BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details. PIM400 required for connection to ACP; sold separately.

PIM400-TD2 required for Wiegand or Clock & Data connection, See page 152.

If RS485 connection to other ACP is required, contact software provider.

Accessories including Panel Interface Module (PIM400) Decorative plates, SUS A-KIT, etc. available, see pages 149–154.

Credentials available, see pages 17–22.



# **EXIT TRIM**

1–3) SELECT CHASSIS/TRIM TYPE (Note: See page 105 for exit device compatibility.)		Price
AD-400-993R	Exit Rim/Concealed Vertical Rod (Metal Door)/Concealed Vertical Cable (Metal Door)	\$3,345.00
AD-400-993S	Exit Surface Vertical Rod	\$3,383.00
AD-400-993M	Exit Mortise Lock	\$3,383,00

4) SELECT FUNCTION	(Note: Locking function capabilities are determined by users access control system.)	Price adj.
70¹	Storeroom (Not available on Mortise Deadbolt)	Standard
50 <sup>1, 2</sup>	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
40 <sup>2</sup>	Privacy	\$10.00
60²	Apartment	\$10.00

- 1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 2. Requires RS485 connection to ACP. See page 115 for system diagram. Check with access control software provider to verify function is enabled.

5) SELECT READER (Note: Reflects price adder to base keypad reader price of \$771.00)		Price adj.
LLL <sup>3</sup>	Less Reader	-\$771.00
KP	Keypad	Standard
MS	Magnetic Stripe (Swipe)	\$145.00
MSK	Magnetic Stripe (Swipe) + Keypad	\$238.00
MT	Multi-Technology   Proximity and Smart Card	\$286.00
MTK	Multi-Technology + Keypad   Proximity and Smart Card	\$379.00
SI	Smart Technology iClass Compatible Reader	\$498.00
SIK	Smart Technology iClass Compatible Reader + Keypad	\$589.00

3. For reader module accessories sold separately, see page 191.

6) SELECT LEVER4		Price adj.
LLL	Less both levers	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

4. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00





AD-400-993R-70-MTK



ΚP



MS



MSK



MT/SI




MTK/SIK/FMK



# **EXIT TRIM**

e) cel ect cyl indep type		Price adjustment	
8) SELECT CYLINDER TYPE		Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



 $<sup>\</sup>triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.

 $For additional \ assistance \ on \ Master \ Keying \ as \ well \ as \ restricted \ keyways, \ please \ contact \ customer \ service.$ 

9) SELECT KEYING TYPE		Price adj.	
Open keyway familie	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway fa	milies: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway fa	milies: SFIC <sup>3</sup>		
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

<sup>1.</sup> Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

 $<sup>\ \</sup>square$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.



### AD-400 NETWORKED WIRELESS

# **EXIT TRIM**

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

#### 12-13) NO SELECTION REQUIRED

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
LRX	Less Von Duprin low current Request-To-Exit switch	-\$76.00
BAA <sup>1</sup>	BAA Compliant product	\$125.00

BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the
customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time,
please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details. PIM400 required for connection to ACP; sold separately.

PIM400-TD2 required for Wiegand or Clock & Data connection, see page 152.

If RS485 connection to other ACP is required, contact software provider.

AD-400 Exit trim comes with a universal mounting plate and is compatible with Von Duprin Series 98/99, 98/99XP, 78, 22/22F exit devices and Falcon 25 rim exit devices. RX-LC switch is included unless lock is ordered as LRX, Less Request-to-Exit switch. Please specify if Von Duprin or Falcon RX-LC switch is required. Concealed Vertical Rod and Concealed Vertical Cable trim on metal door only. When Request-to-exit is required, the Von Duprin RX-LC switch (part #050281) or Falcon AE switch (part #650359) must be used or the Warranty is void.

Accessories available, see pages 149–154.

Credentials available, see pages 17–22.

AD Series Non-Functioning "Dummy" Exit trim now available. Please see pages 147–148 for details.



# CYLINDRICAL (FIPS 201-2 COMPLIANT)



1–4) SELECT CHASSIS/FUNCTION		Price
Note: Locking function capabilities are determined by users access control system)		Price
AD-402-CY-70 <sup>1</sup>	Storeroom	\$2,869.00
AD-402-CY-50 <sup>1</sup>	Office/Classroom	\$2,879.00
AD-402-CY-40 <sup>2</sup>	Privacy	\$2,879.00
AD-402-CY-60 <sup>2</sup>	Apartment	\$2,879.00

- 1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 2. Requires RS485 connection to ACP. See page 116 for system diagram. Check with Access Control software provider to verify function is enabled.

5) SELECT READER		Price adj.
FMK	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00

The AD-400 lock can be field upgraded to a FIPS 201-2 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Verify compatibility of PIV and PIV-I credentials with access control software provider.

6) SELECT LEVER <sup>3</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

3. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.



AD-402-CY-70-FMK



Full Cylinder P6, L, L-SAR, L-FA7

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6

8) SELECT CYLINDER TYPE		Price adjustment		
8)	6) SELECT CTLINDER 1 TPE		Open	Restricted
△●	P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
	L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□●	R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
	J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□●	G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
	В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
	L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
	L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
	J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No charge	No charge
-	1.7/4.7	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charce	No shares
	J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

SFIC Format B, G

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



AD-402 NETWORKED WIRELESS

# CYLINDRICAL (FIPS 201-2 COMPLIANT)

9) SELECT KEYING TYPE		Price adj.		
Open keyway families	S: KIL or FSIC1			
S123	Everest 29 S (Key in Lever or FSIC)	Standard		
C123	Everest C	No charge		
C/CE/E/EF/F/FG/G	Classic Obverse	No charge		
Restricted keyway families: KIL or FSIC <sup>1,2</sup>				
29T	Everest 29 T	\$31.00		
D	Everest D	\$31.00		
Classic Restricted	Quad, Numbered, Reverse	\$31.00		
Restricted keyway families: SFIC <sup>3</sup>				
29R	Everest 29 R	No charge		
В	Everest B	No charge		

- Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus AP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$50.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner, 1-1/8" x 2-1/4", 3/4" throw	\$264.00
14-051	2-3/8" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	\$16.00
43-001	5" Backset extension link, deadlatch	\$49.00
39-030 <sup>4</sup>	Rabbeted latch and strike kit. 605 and 626 only	\$88.00

4. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-0135	1-1/8" Lip, square corner, T-strike, box, 1-1/8" - 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	No charge
K510-066	Box for ANSI strike (Must be specific)	No charge

5. 1-1/2" Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>6</sup>	BAA Compliant product	\$125.00

6. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.

PIM400 required for connection to ACP; sold separately.

PIM400-TD2 required for Wiegand or Clock & Data connection, See page 152. If RS485 connection to other ACP is required, contact software provider.

Standard accessories available, see pages 149–154.

142 • Price book 15 • Effective February 28, 2025 • Rev. 10/25



# MORTISE/MORTISE DEADBOLT (FIPS 201-2 COMPLIANT)



1-3) SELECT CHASSIS		Price
AD-402-MS	Mortise	\$3,249.00
AD-402-MD <sup>1</sup>	Mortise Deadbolt	\$3,296.00

1. Requires RS485 connection to ACP. See page 116 for system diagram. Check with access control software provider to verify function is enabled.


<b>N</b> (Note: Locking function capabilities are determined by users access control system)	Price adj.
Storeroom (Not available on Mortise Deadbolt)	Standard
Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
Privacy	\$10.00
Apartment	\$10.00
	Office/Classroom (Not available on Mortise Deadbolt) Privacy



AD-402-MS-70-FMK

- 2. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 3. Inside Push Button (IPB) only included with Mortise (MS) chassis. Mortise Deadbolt (MD) chassis comes with LED indicator only. \$10.00 charge does not apply to Mortise Deadbolt (MD) chassis.

5) SELECT READER		Price adj.
FMK	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00



Verify compatibility of PIV and PIV-I credentials with access control software provider.

6) SELECT LEVER4		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

4. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

8) SELECT CYLINDER TYPE		Price adjustment	
o) SELECT C	TLINDER I TPE	Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C07	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No charge	No charge
J-YAO	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)		No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- ☐ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



# AD-402 NETWORKED WIRELESS

# MORTISE/MORTISE DEADBOLT (FIPS 201-2 COMPLIANT)

9) SELECT KEYING TYPE		Price adj.	
Open keyway families	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway far	milies: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway far	milies: SFIC <sup>3</sup>		
29R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING	(Field reversible)	Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT MORTISE	LOCK ARMOR FRONT	Price adj.
LLL	Less Armor Front	-\$25.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, Latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PI	LATE	Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-0754	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

- 4. For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.
- Extended lead time, consult customer service.

14) SELECT DOOR TH	CKNESS	Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>5</sup>	BAA Compliant product	\$125.00

5. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details.

PIM400 required for connection to ACP; sold separately.

PIM400-TD2 required for Wiegand or Clock & Data connection, see page 152.

If RS485 connection to other ACP is required, contact software provider.

Accessories available, see pages 149-154.

Credentials available, see pages 17-22.



### AD-402 NETWORKED WIRELESS

# EXIT TRIM (FIPS 201-2 COMPLIANT)



1–3) SELECT CHASSIS/EXIT TRIM TYPE (Note: See page 105 for exit device compatibility.)		Price
AD-402-993R	Exit Rim/Concealed Vertical Rod (Metal Door)/Concealed Vertical Cable (Metal Door)	\$3,345.00
AD-402-993S	Exit Surface Vertical Rod	\$3,383.00
AD-402-993M	Exit Mortise Lock	\$3,383.00

4) SELECT FUNCTION	(Note: Locking function capabilities are determined by users access control system.)	Price adj.
70¹	Storeroom	Standard
501,2	Office/Classroom	\$10.00
40 <sup>2</sup>	Privacy	\$10.00
60 <sup>2</sup>	Apartment	\$10.00



AD-402-993R-70-FMK

- 1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 2. Requires RS485 connection to ACP. See page 116 for system diagram. Check with access control software provider to verify function is enabled.

5) SELECT READER		Price adj.
FMK	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00

The AD-300 lock can be field upgraded to a FIPS 201-2 compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Verify compatibility of PIV and PIV-I credentials with access control software provider.

6) SELECT LEVER <sup>3</sup>		Price adj.
LLL	Less both levers	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



Full Cylinder P6, L, L-SAR, L-FA7

3. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

8) SELECT CYLINDER TYPE		Price adjustment		
O/SELECT CTLINDER TIPE		Open	Restricted	
$\triangle ullet$	P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
	L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
	R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
	J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
	G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
	В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
	L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
	L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
	J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.

Drice adjustment



AD-402 NETWORKED WIRELESS

# EXIT TRIM (FIPS 201-2 COMPLIANT)

9) SELECT KEYING TYPE		Price adj.	
Open keyway families: KIL or FSIC <sup>1</sup>			
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway fa	milies: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway far	milies: SFIC <sup>3</sup>		
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

### 12-13) NO SELECTION REQUIRED

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
LRX	Less Von Duprin low current Request-To-Exit switch	-\$76.00
BAA <sup>4</sup>	BAA Compliant product	\$125.00

4. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control software provider for details. PIM400 required for connection to ACP; sold separately.

PIM400-TD2 required for Wiegand or Clock & Data connection, see page 152.

If RS485 connection to other ACP is required, contact software provider.

AD-402 Exit trim comes with a universal mounting plate and is compatible with Von Duprin Series 98/99, 98/99XP, 78, 22/22F exit devices and Falcon 25 rim exit devices with proper low current Request-To-Exit switch (RX-LC). Concealed Vertical Rod and Concealed Vertical Cable trim on metal door only. When Request-to-exit is required, the Von Duprin RX-LC switch (part #050281) or Falcon AE switch (part #650359) must be used or the Warranty is void.

Standard accessories available, see pages 149-154.

AD Series Non-Functioning "Dummy" Exit trim now available. Please see pages 147–148 for details.



AD-993

# NON-FUNCTIONING DUMMY TRIM FOR EXIT



1–4) SELECT CHASSIS/EXIT TRIM TYPE/READER (Note: See page 105 for exit device compatibility.)		
AD-993LLL	Dummy Trim Less Reader for Exit Rim/Concealed Vertical Rod¹/Concealed Vertical Cable/ Surface Vertical Rod/Mortise Lock¹	See page 189
AD-993DT	Dummy Trim with "Dummy" Reader Cover for Exit Rim/Concealed Vertical Rod/ Surface Vertical Rod¹/Mortise Lock	



5) SELECT LEVER <sup>2</sup>		Price adj.
LLL	Less both levers	See page 189
SPA	Sparta	See page 189
RHO	Rhodes	See page 189
ATH	Athens	See page 189
TLR	Tubular	See page 189
BRW	Broadway	No charge
BRK	Boardwalk	No charge
LAT	Latitude	No charge
LON	Longitude	No charge

2. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

6) SELECT FINISH		Price adj.
626	Satin Chrome	See page 189
605	Bright Brass	See page 189
606	Satin Brass	See page 189
612	Satin Bronze	See page 189
619	Satin Nickel	See page 189
625	Bright Chrome	See page 189
643e	Aged Bronze	See page 189
626AM	Satin Chrome Antimicrobial	See page 189

7) SELECT CYLINDER TYPE		Price adjustment	
		Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	See page 189	See page 189
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	See page 189	See page 189
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	See page 189	See page 189
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	See page 189	See page 189
J-C07	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	See page 189	See page 189
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	See page 189	See page 189
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	See page 189	See page 189
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	See page 189	See page 189
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	See page 189	See page 189

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- $\ \ \Box \ \ Control\ keys\ for\ installation/removal\ of\ interchangeable\ cores\ are\ not\ furnished\ and\ must\ be\ ordered\ separate.$

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



AD-993DT



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



AD-993

### NON-FUNCTIONING DUMMY TRIM FOR EXIT

8) SELECT KEYING T	Price adj.	
Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	See page 190
C/CE/E/EF/F/FG/G	Classic Obverse	See page 190
Restricted keyway fa	milies: KIL or FSIC <sup>1,2</sup>	
29 T	Everest 29 T	See page 190
D	Everest D	See page 190
Classic Restricted	Quad, Numbered, Reverse	See page 190
Restricted keyway fa	milies: SFIC <sup>3</sup>	
29R	Everest 29 R	See page 190
В	Everest B	See page 190

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

9) SELECT HANDING (Field reversible)		
RHR	Right handed reverse	See page 190
LHR	Left handed reverse	See page 190

### 10-12) NO SELECTION REQUIRED

13) SELECT DOOR TH	CKNESS	Price adj.
134	1-3/4"	See page 190
Example 178	1-7/8" to 2-3/4", (Specify in 1/8" increments)	See page 190

14) SELECT OPTIONS		Price adj.
BAA <sup>4</sup>	BAA Compliant product	See page 190

4. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 149–154. Credentials available, see pages 17–22.

### **AD Series Exit trim**

The AD993DT Non-Functioning Dummy Trim comes with a universal mounting plate and is compatible with the following exit devices:

- Von Duprin 98/99 and 98/99XP Series
  - Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.
     Low current Request-to-Exit Switch optional for future network migration.
- Von Duprin 78 Series
  - Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod
- Von Duprin 22/22F Series
  - Rim, Surface Vertical Rod
- Falcon 25 Series Rim
- Sargent 80 Series (Narrow design and reversible rim exits not compatible) Rim
- Corbin Russwin 5000 Series Rim
- Yale 7000 Rim
- Dorma 9300 Rim
- Precision 21 Rim (2100 converts to 21 with Precision's BP21 Kit)



ANDROID™ CABLE (For use	with SUS Android App)		
Product description	Product specification	Specify	Price
USB & 2-PIN Android cable	Used to connect Android device to USB and 2-PIN locks and accessories	47282796 SUS A-KIT	See page 191

HANDHELD DEVICE ACCES	SORIES (Legacy Product Support)		
Product description	Product specification	Specify	Price
Serial cable	Used to connect current model HHD (BM170) directly to legacy serial products without the need of a CIP	HH-2PIN SERIAL	
Serial cable <sup>1</sup>	Used to connect previous model HHD (BM150) with CIP to program serial products	HH-SERIAL	
Null converter	Used to connect handheld device to WA Series PIM, using HH-SERIAL serial cable (compatible to current and previous model HHDs)	PIMWA-CV	See page 191
Computer interface module (CIP) <sup>1</sup>	Used to program serial products using HH-SERIAL serial cable	P512112	
CIP with iButton reader <sup>1</sup>	Used to program serial products using HH-SERIAL serial cable	P101203	

<sup>1.</sup> Not compatible to current HHD (BM170).

	Available finishes											
READER MODULES (Select by Technology)	605 606	612	613	619	622	625	626	643e	626AM			
		•	N/A	•	N/A	-	•	•	•			
Product description		Spe	ecify					Price				
Product description	Part num	t number Finish					Price					
Keypad only reader module	KP	KP .[Finish]										
Magnetic stripe (Swipe) reader module - (Track 1, 2, or 3)	MS	MS .[Finis			.[Finish]			.[Finish]				
Magnetic stripe (Swipe) with keypad reader module - (Track 1, 2, or 3)	MSK		.[Finish]									
Multi-technology reader module - (125 kHz Proximity and 13.56 MHz Smart)	MT		].	Finish	-inish]							
Multi-technology with keypad reader module - (125 kHz Proximity and 13.56 MHz Smart)	MTK		.[	Finish	1]		See	page 1	91			
Smart technology iClass compatible reader	SI	SI .[Finish]		1]								
Smart technology iClass compatible reader + keypad	SIK	SIK .[Finish]		1]								
FIPS Multi-technology with keypad reader module - (125 kHz Proximity and 13.56 MHz Smart)	FMK .[Finish]		inish]									
Dummy trim reader cover	DT		.[Finish]									

READER MODULE ACCESSORIES		
Product description	Specify	Price
Magnetic stripe cleaning cards	510310	See page 191



		Available finishes												
COMMUNICATION MODULE KITS		605 606	612	613	619	622	625	626	643e	626AM				
			•	N/A	•	N/A		•	•	•				
Product description	Product specification		Spe	ecify					Price					
Product description	Product specification	Part num	nber		Finish	1			TICE					
AD-200/AD-250 Offline communication kit (Cover)	Storeroom Functions (Cylindrical and Exit Chassis)	COM200C .[Finish]												
AD-200/AD-250 Offline communication kit (Cover with indicator lens) <sup>1</sup>	Privacy/Apartment Functions (Mortise Deadbolt Chassis)	COM20	.[Finish]											
AD-200/AD-250 Offline communication kit (Cover with push button) <sup>1</sup>	Privacy/Apartment/Office/Classroom Functions (Cylindrical and Mortise Chassis)	COM20	COM200P .[Finish]			.[Finish]								
AD-300 Hardwired Communication Kit (Cover with Indicator Lens, RS485 Communication PCB) <sup>1,2</sup>	Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis)	COM300L .[Finish]			COM300L .[Finish]			COM300L .[Finish]			See page 192			
AD-300 Hardwired communication kit (Cover with push button, RS485 communication PCB) <sup>1,2</sup>	Privacy/Apartment/Office/Classroom Functions (Cylindrical and Mortise Chassis)				COM300P .[Finish]									
AD-400 Wireless Communication Kit (Cover with indicator lens, 900MHz communication PCB) <sup>1,2</sup>	Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis)	COM40	COM400L .[Finish]											
AD-400 Wireless communication kit (Cover with push button, 900MHz communication PCB) <sup>1,2</sup>	Privacy/Apartment/Office/Classroom Functions (Cylindrical and Mortise Chassis)	COM40	0P	.[	[Finish	1]								

- 1. Must order and install Door Position Switch #46929121 for proper operation.
- 2. Must order and install Pigtail Exit Adapter #23536774 for RX-LC switch if retrofitting AD-200-993 to AD-300-993 or AD-400-993.

	Class	Chassis	Туре	Storeroom (70)	Office/ Classroom (50)	Apartment (60)	Privacy (40)
	AD-200 and AD-250	CY	Cylindrical	COM200C	COM200P	COM200P	COM200P
OFFLINE	AD-200 and AD-250	MS	Mortise	СОМ200С	COM200P	COM200P	COM200P
l F	AD-200 and AD-250	MD	Mortise Deadbolt	N/A	N/A	COM200L	COM200L
	AD-200 and AD-250	993	Exit trim	СОМ200С	N/A	N/A	N/A
	AD-300	CY	Cylindrical	COM300L	СОМ300Р	COM300P	СОМ300Р
	AD-300	MS	Mortise	COM300L	СОМ300Р	COM300P	СОМ300Р
	AD-300	MD	Mortise Deadbolt	N/A	N/A	COM300L	COM300L
X	AD-300	993	Exit trim	COM300L	N/A	N/A	N/A
NETWORKED	AD-400	CY	Cylindrical	COM400L	COM400P	COM400P	COM400P
Z	AD-400	MS	Mortise	COM400L	COM400P	COM400P	COM400P
	AD-400	MD	Mortise Deadbolt	N/A	N/A	COM400L	COM400L
	AD-400	993	Exit trim	COM400L	N/A	N/A	N/A

Suffixes: C= Cover L= LED Only P= Pushbutton

Note: Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control provider for details.



DOOR POSITION SWITCH		
Description	Specify	Price
Door position switch	46929121	See page 209

	Available finishes										
BATTERY HOLDER AND COVER KIT (Select by Battery Quantity)	605	606	612	613	619	622	625	626	643e	626AM	
	•	•	•	N/A	•	N/A	•	•	•	•	
Description			Spe		_	Nul					
		t num	ber	Finish			Price				
4AA Battery holder and cover kit (Includes 4AA battery holder with cable, 4AA battery strap, battery strap screws, 4AA battery cover, cover screw, Torx® cover screw)	4B (46929055)			.[Finish]				See page 210		0	
8AA Battery holder and cover kit (Includes 8AA battery holder with cable, 8AA battery strap, battery strap screws, 8AA battery cover, cover screw, Torx cover screw, Mylar)	8B (46929089)		.[	Finish	1]		see t	Jage 21	U		

	Available finishes												
BATTERY COVER (Select by Battery Quantity)	605	606	612	613	619	622	625	626	643e	626AM			
	•	•	•	N/A	•	N/A	•	•	•	•			
Description		Specify											
		Part number			Finish			Price					
4AA Battery cover (with screw)	4C (46929071) .[Finish]		)71) .[Finish]			See page 211		11					
8AA Battery cover (with screw)	8C (4	8C (46929105)		].	.[Finish]			See	Jage 2	.11			

				Available finishes											
TORX® TAMPER SCR	TORX® TAMPER SCREW PACK (Select by Chassis Type)		606	612	613 619 622			625 626 6436			626AM				
		•	•	•	N/A	•	N/A	•	•	•	•				
Chancin	Passistica	Specify	Dulas												
Chassis	Description	Par	t num	ber		Finish	1	Price							
Cylindrical	Torx tamper screw pack	23	5388	12	.[Finish]										
Mortise	Torx tamper screw pack	23538820		.[Finish]			See page 211			:11					
Exit	Torx tamper screw pack	23538838			].	.[Finish]									

					Available finishes								
DECORATIVE PLATE	(Select by Size)	6051 6	06	612	613	619	622	625	626	643e	1626AM		
		• N	/A	N/A	N/A	N/A	N/A	N/A	•	•	N/A		
Size	Description			Spe	cify					Price			
Size	Description	Part n	uml	oer		Finish	1						
1.5" x 3.25" x .105"	Decorative plate (with screws) - (Exit trim)	2363	3182	3	].	[Finish	1]						
1.7" x 3.5" x .075"	Decorative plate (with screws)	2376	026	57	].	[Finish	1]						
3.2" x 3.5" x .075"	Decorative plate (with screws)	2376	028	3	.[Finish]								
6.0" x 3.5" x .075"	Decorative plate (with screws)	2376	23760317 .[Finish]				1]						
6.6" x 3.5" x .075"	Decorative plate (with screws)	2376	032	5	].	[Finish	1]		See	oage 2	09		
8.0" x 3.5" x .075"	Decorative plate (with screws)	2376	030	9	].	[Finish	1]						
8.0" x 3.5" x .075"	Decorative plate (with screws and welded standoff)	2376	029	91	.[	[Finish	1]						
10.5" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>2</sup>	2376	23760259 <sup>2</sup> .[Finish]										
12.0" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>2</sup>	2376	027	5 <sup>2</sup>	].	[Finish	1]						

- 1. 626 Satin Chrome finish standard. Please consult Customer Care for 605 Bright Brass or 643E Aged Bronze.
- 2. Please consider overall Door Thickness when ordering.
- 3. Single Decorative plate. Interior and Exterior Decorative plates may be required.
- $4. \ \ Decorative\ plates\ may\ have\ multiple\ applications.\ Please\ see\ AD\ Series\ Retrofit\ Template\ Overlay\ guide\ at\ \underline{www.schlage.com/support}\ for\ more\ information.$



SHIM PLATES (Note: Device is 0.063" thick)					
Description	Specify	Price			
Interior shim plate - (for AD-200/250/300)	23458607				
Interior shim plate - (for AD-400)	23458565	See page 209			
Exterior shim plate	23458599				

INSTALLATION TOOLS		
Description	Specify	Price
Universal clamp  The universal clamp is necessary when using the remaining products to ensure hole placement accuracy  The "Universal" (Clamp and DPS) products are for use in all CO, AD and LE product installations	40-286	
AD Series cylindrical lock installation template	40-288	See page 194
Universal cylindrical door position switch (DPS) installation template	40-292	
AD Series mortise lock installation template	40-287	
Universal mortise door position switch (DPS) installation template	40-291	

AD-300/302 HARDWIRED ACCESSORIES  Note: Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control provider for details.						
Panel interface board						
Product description	Product specification	Specify	Price			
Panel interface board (supports 2 doors) <sup>1</sup>	Supports up to two AD-300 Locks. Wiegand or Clock & Data output. Includes weatherproof enclosure (7.1" x 7.1"), RS485 input. Requires 12 or 24 VDC Power supply.	PIB300-2D	\$735.00			
Relay board (for PIB300-2D or PIM400-TD2)	Optionally used with PIM300-2D or PIM400-TD2 to simplify installation with access control panels that require relays. Configurable for Normally Open or Normally Closed.	RLBD	\$369.00			
Miscellaneous						
Product description	Product specification	Specify	Price			
Armored door cord	12" x 1/2"	798-12	\$120.00			
Armored door cord	18" x 1/2"	798-18	\$154.00			

- 1. For BAA compliant PIB300-2D or PIM400-TD2, add \$30.00. Use suffix BAA.
  - BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund.
  - BAA compliant product requires a longer lead time, please contact customer service for details.



Panel interface module			
Product description	Product specification	Specify	Price
Panel interface module (supports 2 doors)	Wiegand or Clock & Data output. Includes weatherproof enclosure (7.1" x 7.1"), internal antenna with ability to add remote antenna. Requires 12 or 24 VDC power supply. Relay board sold separately.	PIM400-TD2	\$1,292.00
Relay board (for PIB300-2D or PIM400-TD2)	Optionally used with PIM300-2D or PIM400-TD2 to simplify installation with access control panels that require relays. Configurable for Normally Open or Normally Closed.	RLBD	\$369.00
Wireless portable readers			
Product description	Product specification	Specify	Price
Wireless portable signal tester (With dummy trim reader cover)	Handheld, battery-operated signal tester with non- functioning dummy trim reader cover	WPR400-DT	\$2,078.00
Wireless portable reader (With keypad only reader module)	Handheld, battery-operated unit with keypad only reader module	WPR400-KP	\$2,864.00
Wireless portable reader (With magnetic stripe [swipe] reader module)	Handheld, battery-operated unit with magnetic stripe (Swipe) reader module	WPR400-MS	\$2,823.00
Wireless portable reader (With magnetic stripe [swipe] with keypad reader module)	Handheld, battery-operated unit with magnetic stripe (Swipe) with keypad reader module	WPR400-MSK	\$3,019.00
Wireless portable reader (With multi-technology reader module)	Handheld, battery-operated unit with Multi-technology reader module	WPR400-MT	\$3,123.00
Wireless portable reader (With multi-technology with keypad reader module)	Handheld, battery-operated unit with Multi-technology with keypad reader module	WPR400-MTK	\$3,175.00
Wireless portable reader (with Smart-Technology iClass reader module)	Handheld, battery operated unit with Smart-Technology iClass compatible reader module	WPR400-SI	\$3,274.00
Wireless portable reader (with Smart-Technology iClass keypad reader module)	Handheld, battery operated unit with Smart-Technology iClass compatible with keypad reader module	WPR400-SIK	\$3,325.00
Wireless portable reader (with FIPS Multi-technology with keypad reader module)	Handheld, battery-operated unit with FIPS Multi- technology with keypad reader module	WPR401-FMK	\$3,596.00
WPR400/TK400 Battery conversion kit (includes 8AA batteries, 8AA battery holder w/appropriate mounting hardware pre-mounted in a new base)	Converts from the proprietary battery pack to 8 off-the- shelf AA batteries	24885600	\$154.00

NDE LOCK



### PARTS AND ACCESSORIES

Control kits			
Product description	Product specification	Specify	Price
Elevator control kit	Includes WRI400, PIM400-TD2, ANT400-REM-I/O, 12 VDC Power Supply	ECK400	\$4,519.00
Gate control kit	Includes WRI400, PIM400-TD2, ANT400-REM-I/O, MGB+MCA5, 12 VDC Power Supply	GCK400	\$4,721.00
Wireless test kit			
Product description	Product specification	Specify	Price
Wireless test kit	Pre-Installed Test Kit; Complete with WPR400-DT, PIM400-TD2, 593PI Power Supply, Charger, Carrying Case	TK400	\$2,707.00
Wireless repeater kit			
Product description	Product specification	Specify	Price
Wireless repeater kit	Complete with PIM400-TD2 and WRI400	REPTR400	\$3,012.00
Remote antennas			
Product description	Product specification	Specify	Price
Omni-directional remote indoor/outdoor antenna module¹	Includes Antenna, 15' coax, coax whip, articulated wall/post mounting hardware	ANT400-REM-I/O	\$872.00
Directional remote indoor/outdoor antenna module with 6dB Gain¹	Includes Antenna, 15' coax, coax whip, articulated wall/post mounting hardware	ANT400-REM- I/O+6DB	\$840.00
Omni-directional remote indoor/outdoor antenna module <sup>2</sup>	Includes Antenna, 15' coax, coax whip	ANT400-REM- CEILING	\$641.00
Bi-directional remote indoor antenna module <sup>2</sup>	Includes Antenna, 15' coax, coax whip	ANT400- REM-HALL	\$914.00
Antenna grounding kit		,	
Product description	Product specification	Specify	Price
Antenna grounding kit (for outdoor mounting)	May be used with ANT400-REM-I/O, ANT400-REM-I/O+6DB, ANT400-REM-CEILING, ANT400-REM-HALL	MGB+MCA5	\$301.00
Power supply			
Product description	Product specification	Specify	Price
120 VAC to 12 VDC Power supply	Used to power PIM-TD2, PIM-TD4, PIM-EXP, WRI-OTD-12 VDC, and WRI-IN-12 VDC as well as PIM400 and WRI400	593PI-12DC	\$190.00

 $<sup>1. \ \</sup> For indoor use with PIM400 and/or WRI400. Requires MGB+MCA5 Antenna grounding kit for outdoor applications.$ 

Note: Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control provider for details.

<sup>2.</sup> For indoor use with PIM400 and/or WRI400.



# **Contents**

AD Series Standalone   Overview155
How to order156
Class and chassis157
Exit device compatibility158
AD Series Standalone   Functions158
AD Series Standalone   Readers159
AD Series Standalone   Styles 160
AD Series Standalone   Configure a product161
Cylinders162
Key systems163
Handing163
Battery163
Backset and latchbolt (Cylindrical chassis)164
Mortise lock armor front (Mortise/Mortise deadbolt chassis)165
Strike plates (Cylindrical chassis)166
Door dimensions167
AD-200 Standalone hardwired 168
Cylindrical168
Mortise / mortise deadbolt171
Exit trim174
AD-201 Standalone hardwired (FIPS Compliant)177
Cylindrical177
Mortise / mortise deadbolt179
Exit trim181
AD-250 Standalone, Rights on card183
Cylindrical183
Mortise/mortise deadbolt185
Exit trim187
AD-993 Non-functioning dummy trim189
AD Series Standalone   Accessories191

# Finish codes and descriptions

BHMA code	Description
605	Bright Brass
606	Satin Brass
612	Satin Bronze
619	Satin Nickel
625	Bright Chromium Plated
626	Satin Chrome
626AM	Satin Stainless Steel, Antimicrobial 🗘
643e	Aged Bronze

Customer service	Technical support					
<ul><li>Order status</li><li>Credit returns of non-defective products</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li></ul>					
General sales questions	Repairs					
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com					

NDE LOCK



# HOW TO ORDER AD SERIES STANDALONE LOCKS

						DEC:							F4.00	OD/ D== :	T 4 \	DTICK	
								FIELDS							ULT AND O		
			AD	200	. CY	. 70	. KP	. SPA	626	. P6	. S123	. RH	. 4B	. 13-247	. 10-025	. 134	. BA
1.	Series																
2.	Class																
	200	Rights on lock															
	201	FIPS Compliant															
	250	Rights on magnetic card															
3.	Chassis																
	CY	Cylindrical															
	MS	Mortise															
	MD 993R	Mortise Deadbolt Exit trim - Rim/CVR/CVC															
	993S	Exit trim - SVR															
	993M	Exit trim - Mortise															
	993DT	Dummy Exit trim															
4.	Function	•															
-	70	Storeroom	40	Priva	acy												
	50	Office/Classroom	60		rtment												
5.	Reader																
_	KP	Keypad															
	MSK	Magnetic stripe + keypad (sv	wipe)							İ							
	MS	Magnetic stripe (swipe)															
	MTK	Multi-technology + keypad															
	MT	Multi-technology															
	FMK SI	FIPS 201-2 Compliant multi- Smart technology iClass cor															
	SIK	Smart technology iClass cor			nad (												
6.	Lever <sup>1</sup>	oman toomiology lotace co.		uc,	paa												
٥.	SPA	Sparta	ATH	Athe													
	RHO	Rhodes	TLR	Tubi													
		ile warning, use prefix 8. Example: 85															
7.	Finish																
	605	Bright Brass	625	Brig	ht Chro	me											
	606	Satin Brass	626	Sati	n Chron	ne											
	612	Satin Bronze	643e	_	d Bronz												
	619	Satin Nickel	626AM	Sati	n Chron	ne (Anti	imicrob	ial Coatir	g)								
8.	Cylinder t																
	P6	Schlage 6-pin Full Cylinder ons see individual Class/Chass	ic page														
_			ois page														
9.	Keyway ty S123	ype Everest 29															
		ons see individual Class/Chass	sis nage														
10	Handing		0-														
10.	RH	Right handed	RHR	Righ	nt hande	ed rever	Se										
	LH	Left handed	LHR	_	handed												
11.	Battery h																
-	4B	4AA Battery kit	8B		Battery	/ kit											
12.		latch or Armor front															
	13-247 09-663	2-3/4" Backset, deadlatch, s Armor front, 1-1/4" wide, squ	are corner (				CY Cha	assis)									
		ons see individual Class/Chass	sis page														
13.	Strike	1.2/16  1:- 45  6	//!! / 7/5"	(Ct-)	C) / C'	-!-\											
	10-025 10-072	1-3/16" Lip, ANSI, no box, 1-1, 1-3/16" Lip, 1-1/4" x 4-7/8" so	quare corner				s)										
.,		ons see individual Class/Chass	ors hage														
14.	Door thic																
	134 For all opti	1-3/4" (Std.) ons see individual Class/Chass	is nage														
15			no hage														
ıɔ.	Additiona	u options															



# AD SERIES STANDALONE LOCKS

• With the AD Series, one platform translates to an endless number of adaptable solutions. You can choose the features and functions that are right for the application today, and upgrade to meet your evolving needs in the future.

CLASS		
AD-200	Standalone, User Rights on the Lock. Computer or Manually Programmable. Keypad, Multi-technology or Magnetic stripe reader options available.	
AD-201	FIPS 201-2 Compliant Standalone, User Rights on the Lock. Computer Programmable with FIPS 201-2 Compliant multi-technology reader.	
AD-250	Standalone, user rights on magnetic stripe card. Computer programmable.  Magnetic stripe or magnetic stripe + keypad reader options available.	

AD-Series locks are upgradable from standalone to networked by applying a communication module available in the accessories section and new firmware available on <a href="https://www.schlage.com/support">www.schlage.com/support</a>.

CHASSIS		
CY: Cylindrical	Bored lock installed into round hole in the door	
MS: Mortise	Lock case installed into a mortise rectangular "pocket" in the door	D 1025
MD: Mortise Deadbolt	Mortise lock with built-in interconnected auxiliary deadbolt	***************************************
993R: Exit Trim	Rim/Concealed Vertical Rod* (CVR) & Concealed Vertical Cable* (CVC) *Metal door only	li li
993M: Exit Trim	Mortise	
993S: Exit Trim	Surface Vertical Rod (SVR)	
993DT: Exit Trim	Non-Functioning "Dummy" Exit Trim	

<sup>1.</sup> Exit trim utilizes universal hardware to simplify installation to a variety of exit device. AD Series networked locks require a Request-to-Exit switch, please see compatibility chart on next page.



EXIT DEVICE COMP	PATIBILITY	Exit trim utilizes universal hardware to simplify installation to a variety of ex							
Brand	Compatible exit devices	Rim	SVR	CVR/CVC <sup>1</sup>	Mortise				
Von Duprin	98/99 and 98/99XP	•	•	•	•				
Von Duprin	78	•	•	CVR Only					
Von Duprin	22/22F	•	•						
Falcon	25	•							
Corbin Russwin®	5000	•							
Precision™	212	•							
Yale®	7000	•							
Dorma®	9300	•							
Sargent®	80³	•							

- $\bullet$  AD-200 and 250 Offline locks only.
- 1. Metal door only.
- 2. 2100 converts to 21 with Precision's BP21 kit.
- 3. Narrow design and reversible rim exits not compatible.

FUNCTIONS		AD-200/201	AD-250		
70: Storeroom	Lockset is normally secure. Inside lever always allows free egress.  Valid toggle credentials on the exterior may be used to change to a passage or secured status.	No button	No button		
50: Office/ Classroom	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security.  NOTE: Valid toggle credentials on the exterior may also be used to change status. Has interior pushbutton (IPB).				
40: Privacy	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. Has interior pushbutton (IPB).	Privacy button	Privacy button		
60: Apartment	Lockset is normally secure. Inside lever always allows free egress. Interior-pushbutton on inside housing may be used to select a passage or secured status. Opening the door or pressing the interior pushbutton causes the lockset to toggle unsecured. While toggled unsecured, the lockset can only be secured while the door is closed by pressing the interior pushbutton or using a normal credential on the exterior. Normal electronic access from the exterior is always allowed. Has interior pushbutton.				



READER		
KP: Keypad	12 button design	000
MSK: Magnetic Stripe + Keypad (Swipe)	Configurable to read the complete Track 1, 2 or 3.	
MS: Magnetic Stripe (Swipe)	Available with and without 12 button keypad.	
MTK: Multi- Technology + Keypad FMK: FIPS 201- 2 Compliant Multi-Technology + Keypad	Single solution that reads 125 kHz proximity and 13.56 MHz smart credentials. Available with and without 12-button keypad	(*)
MT: Multi- Technology		(2000)
Si/SiK: Smart iClass Compatible Reader	13.56 MHz smart card credential solution compatible with Schlage MIFARE, HID iClass, iClass SE, and SEOS technologies. Available with and without 12-button keypad.	(6-2)

- 1. Please refer to AD-Series data sheets and solution sheets prior to ordering to verify credential compatibility.
- 2. FMK reader now sold separately for field upgrades.
- 3. Must specify finish when ordering reader separately. KP, MSK and MS readers available in 626, 605, 606, 612, 619, 625 and 643e. MT, MTK, FMK, Si, and SiK readers are available in Grey (for 619, 626, 626AM and 625) and available in Brown (for 605, 606, 612 and 643e).




### **LEVER DESIGNS**

### ATHENS (ATH)<sup>2</sup>


Tactile option: 8AT (knurled)






# **BOARDWALK (BRK)**






### **BROADWAY (BRW)**






### LATITUDE (LAT)





### LONGITUDE (LON)





**RHODES (RHO)** 

Tactile option: 8RO (knurled)





### SPARTA (SPA)<sup>2</sup>

Tactile option: 8SP (knurled)





### TUBULAR (TLR)<sup>2</sup>

Tactile option: 8TR (knurled)





- 1. All lever designs are available in finishes 605, 606, 612, 619, 625, 626, 643E and 626AM.
- 2. ATH, SPA, and TLR levers meet California Fire Code for 1/2" or less return to door.
- 3. Changing lever cylinder compatibility on a device typically requires replacement of existing spring cage and tailpiece.
- 4. Tactile warning is applied to exterior lever only unless otherwise specified. Not available with 643e finish.
- 5. AD Series, CO Series, and ND Series levers may be interchangeable in some cases depending whether it is an interior or exterior lever, the type of chassis, and the type of cylinder/spring cage/tailpiece. Please consult the <u>AD Series Parts Guide</u> for more information.

FINISH CHART							
Finish description	Finish No.	BHMA No.	Government				
Bright Brass	605	605E	US3				
Satin Brass	606	606E	US4				
Satin Bronze	612	612E	US10				
Satin Nickel	619						
Bright Chrome	625	625E	US26				
Satin Chrome	626	626E	US26D				
Satin Chrome Antimicrobial	626AM						

Please refer to the Electronic Access Control catalog or online product information at <u>us.allegion.com</u> to view each finish.



# You can **configure and price a full range of products** using the tables and rules shown in this section.

The pricing of locks in this section includes the P6 cylinder in an open keyway (where applicable), default latch, strike and a 1-3/4" thick door. Additional modifications are available using the rules and price adjustments on the subsequent pages.

### How to order:

- All applicable product attributes must be provided in the order shown below
- Each value must separated by a period
- If requesting a product "Less (LLL)" any attribute, the entire detailed ACN must be provided
- Fractions will be written with the "/" symbol separating the numerator and the denominator (example 1/2)
- For dimensions that contain a whole number and a fraction, a hyphen "-" will be added after the whole number and before the fraction (example 2-1/4)
- For two dimensions represented together, such as length and width, the values would be separated by an "x" with no spaces
- Finishes should be listed using their BHMA finish as shown in this book

		Re	equire	d for a	all loc	k orde	rs															
													dir	Door nensio	ons		Options			Keying		3
Ouantity	Brand	Series	Class + Chassis	Function	Reader	Lever style	Finish	Cylinder	Handing	Battery	Backset & latch or Armor front	Strike	Door thickness	Extended	Strike lip length	Latch extension	Box for ANSI strike	Rabbeted latch and strike kit	Buy America Act compliant	Keying code	Keyway	Pack keys independently
Oua	1	2	3	4	5	6	7	8	9	10	11	12	13A	13B	13C	14A	14B	14C	14D	15A	15B	15C

If ordering a product
"Less (LLL)" any
attribute, values for
each attribute must
be provided.

Only required when deviating from the product's default. Specify only the deviated attribute(s).

Only required when deviating from the product's default. Specify only the deviated attribute(s).

### **EXAMPLE:**

Battery deviates from the product default





# COMPLETE LOCKS

### **CYLINDERS**

Keyed locks are priced including the P6 cylinder with open keyway. Provided below are pricing adjustments based on other available cylinder types. For Primus and Primus XP cylinders, order lock less cylinder and order the Primus or Primus XP cylinder separately.

CYLINDERS		
P6	Conventional 6-pin cylinder	
L	Less conventional cylinder	
R	FSIC (Full size interchangeable core)	
J	Less FSIC	(south
G	SFIC (Small format interchangeable core) 7-pin	CONTRACTOR
В	Less SFIC	*Less Core
L-SAR 🖫	Less cylinder, Sargent® (10L+11L), 6-pin Key-in-Lever (KIL) (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	
L-CO6 🕏	Less cylinder, 6-pin Key-in-Lever (KIL) (Only RHO, SPA, 8RO, 8SP lever styles)	*Less Core
JDSAR 🖫	Less cylinder, Sargent 6300; 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	
J-CO6 ፟፟፟	Less cylinder, Corbin Russwin® 8000; 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	
J-CO7 🕏	Less cylinder, Corbin Russwin 8000-7; 7-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	
J-MED ⅔	Less cylinder, Medeco 32*02018; 6-pin FSIC	
J-YA6 ℤ	Less cylinder, Yale® 1210 or Medeco 31*0100; 6-pin FSIC	*Less Core
J-YA7 ಔ	Less cylinder, Yale 1220; 7-pin FSIC	
L-FA7	Less cylinder, Falcon 7-pin Key-in-Lever (KIL) (Only RHO, 8RO, SPA, 8SP lever styles)	*Less Core

### Extended lead time

- 1. Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626AM with extended lead-times.
- 2. For P, R and G-Master Keyed cylinders can be specified and will be shipped in lock packaging.
- 3. For Master Key System Summary form which should accompany the master keyed order, see pages 297–302.
- 4. For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders.
- $5. \ \ Control\ Keys\ for\ installation/removal\ of\ interchangeable\ cores\ are\ not\ furnished\ and\ must\ be\ ordered\ separate.$
- 6. For additional assistance on Master Keying as well as restricted keyways please contact your local sales representative.
- 7. Spring cages and tailpieces are different based on the type of cylinder and chassis selected. Please see the AD Series Parts Guide for more information.
- 8. The AD Series accepts many popular models of standard, SFIC, and FSIC cylinders. Consult the Keyway/Cylinder Compatibility Data Sheet (010432) for details. See price book for specific configurations.



COMPLETE LOCKS

**KEY SYSTEMS** 

KEY SYST	KEY SYSTEMS AVAILABLE THROUGH SCHLAGE						
Default	Keyway family	Description					
•	Everest 29™ S Keyway Family	Patent protected open keyways that are available in full size Key In Lever (KIL) and Full Size Interchangeable Core (FSIC) formats. Patent protection through 2029.					
	Everest 29 T Keyway Family	Patent protected restricted keyways that are available in full size KIL and FSIC formats. Patent protection through 2029.					
	Everest D Keyway Family	Restricted keyways that are available in full size KIL and FSIC formats.					
	Everest C Keyway Family	Open keyways that are available in full size KIL and FSIC formats.					
	Schlage Classic Open Keyways	Classic (C/E/F): Open keyways available in KIL and FSIC designs					
	Everest B Keyway Family	Restricted keyways that are available on Small Format Interchangeable Core (SFIC).					
	Everest 29 R Keyway Family	Patent protected restricted keyways that are available on SFIC. Patent protection through 2029.					

- 1. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization on page 303.
- 2. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

Contact your local RSO representative for assistance in determining which format and level of exclusivity best suits your needs.

### COMPLETE LOCKS

**HANDING** 

HANDING		LH Left Hand	INSIDE	RH Right Hand
RH	Right handed: Hinges on right opens inward	Hinges on left; opens inward	3,E 3,E	Hinges on right opens inward
LH	Left handed: Hinges on left opens inward		OUTSIDE	
RHR	Right handed reverse: Hinges on right opens outward	LHR Left Hand Reverse	<b>₹</b>	RHR
LHR	Left handed reverse: Hinges on left opens outward	Hinges on left; opens outward	OUTSIDE	Right Hand Reverse Hinges on right; opens outward

- 1. Exit trim 993 chassis available only with RHR or LHR option.
- 2. Handing is field reversible, but requires removal of the exterior escutcheon cover. Please see AD Series installation instructions for details.

### COMPLETE LOCKS

BATTERY

BATTERY		
<b>4B</b>	4AA Battery holder and cover kit	
8B	8AA Battery holder and cover kit	

AD-Series locks use standard off-the-shelf AA batteries.





# BACKSET AND LATCHBOLT (CYLINDRICAL CHASSIS)

LATCHES		
13-247	2-3/4" Backset Deadlatch Square corner, 1-1/8" x 2-1/4"	
14-049	2-3/4" Backset  Deadlatch Anti-friction fire door latch,  Square corner, 1-1/8" x 2-1/4", 3/4" throw	
14-051	2-3/8" Backset  Deadlatch  Square corner, 1-1/8" x 2-1/4"	
14-050	3-3/4" Backset  Deadlatch  Square corner, 1-1/8" x 2-1/4"	
43-001	5" Backset extension link Deadlatch	
39-030	Rabbeted latch and strike kit, 605 and 626 only. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.	No image available



# AD Series Standalone | Configure a produc

# COMPLETE LOCKS

# MORTISE LOCK ARMOR FRONT (MORTISE/MORTISE DEADBOLT CHASSIS)

- For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE), use 1-1/4" wide armor front.
- Available finishes are 605, 606, 612, 619, 625, and 626.

ARMOR FRONT		
09-663	1-1/4" Wide square corner, latch for MS	& & @
09-669	1-1/16" Wide square corner, latch, options for MS	8 8
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	& & &
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	& & @

Images not shown to scale. Consult <u>AD Series Parts Guide</u> for more information.

NDE LOCK



COMPLETE LOCKS

# STRIKE PLATES (CYLINDRICAL CHASSIS)

STRIKES WITH LOC	CKS					
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8",					
10-013	1-1/8" Lip, square corner, T-strike, box, 1-1/8" – 2-3/4", 1-1/2" Lip available, must specify 1-1/2" Lip					
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch					
K510-066	Box for ANSI strike (Must be specific)					
	1-3/16" Lip, 1-1/4" x 4-7/8", square corner, box					
10-072	7/8", 1", 1-1/2", 1-3/4", or 2" Lip, 1-1/4" x 4-7/8", square corner, box					
10-075	1/2" Rabbeted, For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.					
37-015	Strike frame reinforcer, specify 37-015					
XL11-820	One hole for latching functions, RH & LHR doors Lip 1-3/16"					
XL11-821	One hole for latching functions, LH & RHR doors Lip 1-3/16"					
XQ07-351-134 ∑	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	Image not available				
XQ03-494-134 🖁	Strike, square corner, T-strike, box, 1-1/8" x 2-3/4", 1-3/4" Lip	Image not available				





COMPLETE LOCKS

### DOOR DIMENSIONS

### **DOOR THICKNESS**

- Specify door thickness on order only if different than 1-3/4" thick door
- Door thickness should be specified to the nearest 1/8"

DOOR THICKNESS	
1-3/4"	1-3/4"
1-3/8"	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)

- 1. Door thickness kits are available on page 209 to install a lock on a door that is thicker or thinner than 1-3/4". See <u>AD Series Parts Guide</u> for details. Locks cannot be installed on doors thicker than 2-3/4" or thinner than 1-3/8".
- 2. Thin door shims are available on page 209 to install a lock on a door that is thinner than 1-3/4".
- 3. Decorative plates are used to cover exposed holes when retrofitting from existing locks to AD Series locks. The size of plate required will vary based on the size and location of holes being covered. Retrofit information can be found at <a href="https://www.schlage.com/support">www.schlage.com/support</a>.
- 4. If under the lock decorative plates are on both sides of device, then door will become 1/8" thicker. A door thickness kit of an incremental 1/8" must be ordered to accommodate under the lock plates.

NDE LOCK



### AD-200 STANDALONE HARDWIRED

# CYLINDRICAL



1–4) SELECT CHASSIS/FUNCTION		Price
AD-200-CY-701	Storeroom	\$2,674.00
AD-200-CY-50 <sup>1</sup>	Office/Classroom	\$2,684.00
AD-200-CY-40	Privacy	\$2,684.00
AD-200-CY-60	Apartment	\$2,684.00



1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.

AD-200-CY-70-KP

5) SELECT READER (Note: Reflects price adder to base keypad reader price of \$771.00)		Price adj.
LLL <sup>2</sup>	Less Reader	-\$771.00
KP	Keypad	Standard
MS	Magnetic Stripe (Swipe)	\$145.00
MSK	Magnetic Stripe (Swipe) + Keypad	\$238.00
MT	Multi-Technology   Proximity and Smart Card	\$286.00
MTK	Multi-Technology + Keypad   Proximity and Smart Card	\$379.00
SI	Smart Technology iClass Compatible Reader	\$498.00
SIK	Smart Technology iClass Compatible Reader + Keypad	\$589.00



2. For reader module accessories sold separately, see page 191.

A	ΙÑ	-	
	W	0	00
		1 €	000
		10	000
		м	
- 100			

MSK

6) SELECT LEVER <sup>3</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



3. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

MT/SI

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze (00C rose not available in 612 finish)	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00




MTK/SIK/FMK



# CYLINDRICAL

0) CELECT C	0) CELECT CVI INDED TVDE		Price adjustment	
8) SELECT C	8) SELECT CYLINDER TYPE		Restricted	
△ • P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00	
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00	
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00	
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00	
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00	
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00	
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge	
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge	
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	



 $<sup>\</sup>triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.

 $For additional \ assistance \ on \ Master \ Keying \ as \ well \ as \ restricted \ keyways, \ please \ contact \ customer \ service.$ 

9) SELECT KEYING TYPE		Price adj.	
Open keyway families: KIL or FSIC <sup>1</sup>			
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway families: KIL or FSIC <sup>1,2</sup>			
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

<sup>1.</sup> Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

 $<sup>\ \</sup>square$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.



# CYLINDRICAL

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$50.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner, 1-1/8" x 2-1/4", 3/4" throw	\$264.00
14-051	2-3/8" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	\$16.00
43-001	5" Backset extension link, deadlatch	\$49.00
39-030 <sup>1</sup>	Rabbeted latch and strike kit, 605 and 626 only	\$88.00

<sup>1.</sup> Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-013 <sup>2</sup>	1-1/8" Lip, square corner, T-strike, box, 1-1/8" - 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	\$23.00
K510-066	Box for ANSI strike (Must be specific)	No charge

<sup>2. 1-1/2&</sup>quot; Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>3</sup>	BAA Compliant product	\$125.00


<sup>3.</sup> BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 191–194. Credentials available, see pages 17–22.



# MORTISE/MORTISE DEADBOLT







4) SELECT FUNCTION	(Note: Locking function capabilities are determined by users access control system)	Price adj.
70¹	Storeroom (Not available on Mortise Deadbolt)	Standard
50¹	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
402	Privacy	\$10.00
60 <sup>2</sup>	Apartment	\$10.00



- 1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- 2. Inside Push Button (IPB) only included with Mortise (MS) chassis. Mortise Deadbolt (MD) chassis comes with LED indicator only. \$10.00 charge does not apply to Mortise Deadbolt (MD) chassis.

000 000 000 000
MSK





MTK/SIK/FMK

5) SELECT READER	(Note: Reflects price adder to base keypad reader price of \$771.00)	Price adj.
LLL <sup>4</sup>	Less Reader	-\$771.00
KP	Keypad	Standard
MS	Magnetic Stripe (Swipe)	\$145.00
MSK	Magnetic Stripe (Swipe) + Keypad	\$238.00
MT	Multi-Technology   Proximity and Smart Card	\$286.00
MTK	Multi-Technology + Keypad   Proximity and Smart Card	\$379.00
SI	Smart Technology iClass Compatible Reader	\$498.00
SIK	Smart Technology iClass Compatible Reader + Keypad	\$589.00

3. For reader module accessories sold separately, see page 191.

6) SELECT LEVER4		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge


4. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00




# MORTISE/MORTISE DEADBOLT

OVCELECT CV/ INDED TVDE		Price adjustment	
8) SELECT C	8) SELECT CYLINDER TYPE		Restricted
△ • P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



<sup>1.</sup> Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING	(Field reversible)	Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



# MORTISE/MORTISE DEADBOLT

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT MORTISE	LOCK ARMOR FRONT	Price adj.
LLL	Less Armor Front	-\$25.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, Latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-075 <sup>1</sup>	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

 $<sup>1. \ \</sup> For 1-3/4" \ thick doors, use wide armor front. For over 1-3/4" \ thick door extended equally (EE) \ use 1-1/4" \ wide armor front.$ 

<sup>🛮</sup> Extended lead time, consult customer service.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>2</sup>	BAA Compliant product	\$125.00

<sup>2.</sup> BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 191–194. Credentials available, see pages 17–22. NDE LOCK



# AD-200 STANDALONE HARDWIRED

# **EXIT TRIM**

Note: See page 158 for exit device compatibility.)	Price
ealed Vertical Rod (Metal Door)/Concealed Vertical Cable (Metal Door)	\$3,187.00

1–3) SELECT CHASSIS/TRIM TYPE (Note: See page 158 for exit device compatibility.)		Price
AD-200-993R	Exit Rim/Concealed Vertical Rod (Metal Door)/Concealed Vertical Cable (Metal Door)	\$3,187.00
AD-200-993S	Exit Surface Vertical Rod	\$3,224.00
AD-200-993M	Exit Mortise Lock	\$3,224.00

4) SELECT FUNCTION	(Note: Locking function capabilities are determined by users access control system)	Price adj.
70¹	Storeroom (Not available on Mortise Deadbolt)	Standard
501,2	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
40 <sup>2</sup>	Privacy	\$10.00
60²	Apartment	\$10.00

- 1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
- $2. \ \ Confirm \ these \ functions \ are \ supported \ by \ your \ access \ control \ system \ provider. \ RX-LC \ switch \ is \ included \ when \ ordered \ in \ 40,50 \ or \ 60$ function. Please specify if Von Duprin Exit or Falcon Exit is being used.

5) SELECT READER (Note: Reflects price adder to base keypad reader price of \$771.00)		Price adj.
LLL <sup>3</sup>	Less Reader	-\$771.00
KP	Keypad	No charge
MS	Magnetic Stripe (Swipe)	\$145.00
MSK	Magnetic Stripe (Swipe) + Keypad	\$238.00
MT	Multi-Technology   Proximity and Smart Card	\$286.00
MTK	Multi-Technology + Keypad   Proximity and Smart Card	\$379.00
SI	Smart Technology iClass Compatible Reader	\$498.00
SIK	Smart Technology iClass Compatible Reader + Keypad	\$589.00

3. For reader module accessories sold separately, see page 191.

6) SELECT LEVER <sup>4</sup>		
LLL	Less both levers	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

4. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00





AD-200-993-70-MTK









MT/SI




MTK/SIK/FMK



### **EXIT TRIM**

8) SELECT CYLINDER TYPE		Price adjustment	
8) SELECT CY	O) SELECT CTLINDER TIPE		Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



 $<sup>\</sup>triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.

 $For additional \ assistance \ on \ Master \ Keying \ as \ well \ as \ restricted \ keyways, \ please \ contact \ customer \ service.$ 

9) SELECT KEYING T	YPE	Price adj.
Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard
C123	Everest C	No charge
C/CE/E/EF/F/FG/G	Classic Obverse	No charge
Restricted keyway families: KIL or FSIC <sup>2,3</sup>		
29T	Everest 29 T	\$31.00
D	Everest D	\$31.00
Classic Restricted	Quad, Numbered, Reverse	\$31.00
Restricted keyway families: SFIC <sup>3</sup>		
29 R	Everest 29 R	No charge
В	Everest B	No charge

<sup>1.</sup> Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

 $<sup>\ \</sup>square$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.



# SCHLAGE

### AD-200 STANDALONE HARDWIRED

### **EXIT TRIM**

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

### 12-13) NO SELECTION REQUIRED

14) SELECT DOOR TH	ICKNESS	Price adj.
134	1-3/4"	Standard
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>1</sup>	BAA Compliant product	\$125.00

BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the
customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time,
please contact customer service for details.

Accessories available, see pages 191–194. Accessories include Decorative plates, SUS A-KIT, etc. Credentials available, see pages 17–22.

AD Series Non-Functioning "Dummy" Exit trim now available. Please see pages 189–190 for details.

### **AD Series Exit trim**

The AD993DT Non-Functioning Dummy Trim comes with a universal mounting plate and is compatible with the following exit devices:

### Von Duprin 98/99 and 98/99XP

Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.
 Low current Request-to-Exit Switch optional for future network migration or if ordered as a 40, 50 or 60 function.

### Von Duprin 78

- Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod

### Von Duprin 22/22F

- Rim, Surface Vertical Rod

### Falcon 25

- Rim Low current Request-to-Exit switch optional for future network migration or included if ordered as a 40,50 or 60 function.
- Sargent 80 Series (Narrow design and reversible rim exits not compatible) Rim
- Corbin Russwin 5000 Series Rim
- Yale 7000 Rim
- **Dorma 9300** Rim
- Precision 21 Rim (2100 converts to 21 with Precision's BP21 Kit)



# CYLINDRICAL (FIPS COMPLIANT)



1–4) SELECT CHASSIS/FUNCTION (Note: Locking function capabilities are determined by users access control system)		Price
AD-201-CY-701	Storeroom	\$2,674.00
AD-201-CY-501	Office/Classroom	\$2,684.00
AD-201-CY-40	Privacy	\$2,684.00
AD-201-CY-60	Apartment	\$2,684.00



AD-201-CY-70-FMK

1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.

5) SELECT READER		Price adj.
FMK	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00

6) SELECT LEVER <sup>2</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



Full Cylinder P6, L, L-SAR, L-FA7

2. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6

e) selection indeption		Price adjustment		
8) SELECT CYLINDER TYPE		Open	Restricted	
$\triangle \bullet$	P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
	L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
	R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
	J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
	G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
	В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
	L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
	L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
	J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



SFIC Format B, G

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- $\ \square$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



# CYLINDRICAL (FIPS COMPLIANT)

9) SELECT KEYING TYPE				
Open keyway families: KIL or FSIC <sup>1</sup>				
S123	Everest 29 S (Key in Lever or FSIC)	Standard		
C123	Everest C	No charge		
C/CE/E/EF/F/FG/G	Classic Obverse	No charge		
Restricted keyway families: KIL or FSIC <sup>1,2</sup>				
29T	Everest 29 T	\$31.00		
D	Everest D	\$31.00		
Classic Restricted	Quad, Numbered, Reverse	\$31.00		
Restricted keyway fan	nilies: SFIC <sup>3</sup>			
29R	Everest 29 R	No charge		
В	Everest B	No charge		

- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$50.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner, 1-1/8" x 2-1/4", 3/4" throw	\$264.00
14-051	2-3/8" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	\$16.00
43-001	5" Backset extension link, deadlatch	\$49.00
39-0304	Rabbeted latch and strike kit, 605 and 626 only	\$88.00

4. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-0135	1-1/8" Lip, square corner, T-strike, box, 1-1/8" – 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	\$23.00
K510-066	Box for ANSI strike (Must be specific)	No charge

5. 1-1/2" Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", shims included (specify in 1/8" increments)	\$86.00

The AD-200 lock can be field upgraded to a FIPS compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

Standard accessories available, see pages 191-194.



# MORTISE/MORTISE DEADBOLT (FIPS COMPLIANT)



1–3) SELECT CHASSIS		Price
AD-201-MS	Mortise	\$3,071.00
AD-201-MD	Mortise Deadbolt	\$3,119.00

4) SELECT FUNCTION	4) SELECT FUNCTION (Note: Locking function capabilities are determined by users access control system.)	
70¹	Storeroom (Not available on Mortise Deadbolt)	Standard
50¹	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
40	Privacy	\$10.00
60	Apartment	\$10.00



AD-201-MS-70-FMK

1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.

5) SELECT READER		Price adj.
FMK	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00

6) SELECT LEVER <sup>2</sup>		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



Full Cylinder P6, L, L-SAR, L-FA7

2. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

0) CELECT	) SELECT CYLINDER TYPE		Price adjustment	
8) SELECT C	YLINDER I YPE	Open	Restricted	
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00	
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00	
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00	
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00	
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00	
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00	
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge	
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-C07	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge	
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge	
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge	

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



#### AD-201 STANDALONE HARDWIRED

# MORTISE/MORTISE DEADBOLT (FIPS COMPLIANT)

9) SELECT KEYING TYPE				
Open keyway families: KIL or FSIC <sup>1</sup>				
S123	Everest 29 S (Key in Lever or FSIC)	Standard		
C123	Everest C	No charge		
C/CE/E/EF/F/FG/G	Classic Obverse	No charge		
Restricted keyway families: KIL or FSIC <sup>1,2</sup>				
29T	Everest 29 T	\$31.00		
D	Everest D	\$31.00		
Classic Restricted	Quad, Numbered, Reverse	\$31.00		
Restricted keyway families: SFIC <sup>3</sup>				
29R	Everest 29 R	No charge		
В	Everest B	No charge		

- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT MORTISE LOCK ARMOR FRONT		Price adj.
LLL	Less Armor Front	-\$25.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, Latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-0754	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

- 4. For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.
- Extended lead time, consult customer service.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

The AD-200 lock can be field upgraded to a FIPS compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.


Standard accessories available, see pages 191–194.



#### AD-201 STANDALONE HARDWIRED

# EXIT TRIM (FIPS COMPLIANT)





	4) SELECT FUNCTION	(Note: Locking function capabilities are determined by users access control system.)	Price adj.
ſ	70¹	Storeroom	Standard
ſ	50¹	Office/Classroom	\$10.00
	40	Privacy	\$10.00
Ī	60	Apartment	\$10.00
_			



AD-201-993R-70-FMK

1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.

SELECT READER		Price adj.
<	FIPS 201-2 Multi-Technology + Keypad   Proximity and Smart Card (PIV and PIV-I Card)	\$691.00

6) SELECT LEVER <sup>2</sup>		Price adj.
LLL Less both levers		-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



Full Cylinder P6, L, L-SAR, L-FA7

2. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6

9) SELECT CVI INDED TYPE		Price adjustment		
8)	8) SELECT CYLINDER TYPE		Open	Restricted
$\triangle \bullet$	P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
	L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
	R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
	J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□●	G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
	В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
	L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
	L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
	J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	Ј-ҮАб	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No chargo	No charge
	J-1AU	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



SFIC Format B, G

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



#### AD-201 STANDALONE HARDWIRED

## EXIT TRIM (FIPS COMPLIANT)

9) SELECT KEYING TYPE			
Open keyway families: KIL or FSIC <sup>1</sup>			
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway families: KIL or FSIC <sup>1, 2</sup>			
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

## 12-13) NO SELECTION REQUIRED

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

Standard accessories available, see pages 191-194.

The AD-200 lock can be field upgraded to a FIPS compliant solution simply by adding the FMK reader (sold separately) and by using the most current firmware revision.

#### **AD Series Exit trim**

The AD993DT Non-Functioning Dummy Trim comes with a universal mounting plate and is compatible with the following exit devices:

- Von Duprin 98/99 and 98/99XP
  - Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.
     Low current Request-to-Exit Switch optional for future network migration.
- Von Duprin 78
  - Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod
- Von Duprin 22/22F
  - Rim, Surface Vertical Rod
- Falcon 25 Rim
- Sargent 80 Series (Narrow design and reversible rim exits not compatible) Rim
- Corbin Russwin 5000 Series Rim
- Yale 7000 Rim
- **Dorma 9300** Rim
- Precision 21 Rim (2100 converts to 21 with Precision's BP21 Kit)



## **CYLINDRICAL**



1-4) SELECT CHASSIS	5/FUNCTION	Price
(Note: Locking function	(Note: Locking function capabilities are determined by users access control system)	
AD-250-CY-701	Storeroom	\$2,917.00
AD-250-CY-50 <sup>1</sup>	Office/Classroom	\$2,927.00
AD-250-CY-40	Privacy	\$2,927.00
AD-250-CY-60	Apartment	\$2,927.00



IVIO

1. Less Door Position Switch, deduct -\$28.00. Use suffix LDP.

5) SELECT READER (	Note: Reflects price adder to base keypad reader price of \$960.00)	Price adj.
LLL <sup>2</sup>	Less Reader	-\$960.00
MS	Magnetic Stripe (Swipe)	No charge
MSK	Magnetic Stripe (Swipe) + Keypad	\$98.00



M:

2. For reader module accessories sold separately, see page 191.

6) SELECT LEVER <sup>3</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



Full Cylinder P6, L, L-SAR, L-FA7

3. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FIN	ISH	Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze (OOC rose not available in 612 finish)	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

8) SELECT CYLINDER TYPE		Price adjustment	
8) SELECT C	O/SELECT CTLINDER TIFE		Restricted
△ ● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No charge	No charge
3 140	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	140 Charge	140 Charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

 $For additional\ assistance\ on\ Master\ Keying\ as\ well\ as\ restricted\ keyways, please\ contact\ customer\ service.$ 



## **CYLINDRICAL**

9) SELECT KEYING T	YPE	Price adj.
Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard
C123	Everest C	No charge
C/CE/E/EF/F/FG/G	Classic Obverse	No charge
Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00
D	Everest D	\$31.00
Classic Restricted	Quad, Numbered, Reverse	\$31.00
Restricted keyway families: SFIC <sup>3</sup>		
29 R	Everest 29 R	No charge
В	Everest B	No charge

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$50.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner, 1-1/8" x 2-1/4", 3/4" throw	\$264.00
14-051	2-3/8" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	\$16.00
43-001	5" Backset extension link, deadlatch	\$49.00
39-030 <sup>4</sup>	Rabbeted latch and strike kit, 605 and 626 only	\$88.00

4. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE	PLATE	Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-0135	1-1/8" Lip, square corner, T-strike, box, 1-1/8" - 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	\$23.00
K510-066	Box for ANSI strike (Must be specific)	No charge

5. 1-1/2" Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR TH	CKNESS	Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS	3	Price adj.
BAA <sup>6</sup>	BAA Compliant product	\$125.00


6. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 191–194. Accessories include Decorative plates, SUS A-KIT, etc. Credentials available, see pages 17–22.




## MORTISE/MORTISE DEADBOLT





4) SELECT FUNCTION	(Note: Locking function capabilities are determined by users access control system.)	Price adj.
70¹	Storeroom (Not available on Mortise Deadbolt)	Standard
50¹	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
40 <sup>2</sup>	Privacy	\$10.00
60 <sup>2</sup>	Apartment	\$10.00



2. Inside Push Button (IPB) only included with Mortise (MS) chassis. Mortise Deadbolt (MD) chassis comes with LED indicator only. \$10.00 charge does not apply to Mortise Deadbolt (MD) chassis.

5) SELECT READER (Note: Reflects price adder to base magnetic swipe reader price of \$960.00		Price adj.
LLL <sup>3</sup>	Less Reader	-\$960.00
MS	Magnetic Stripe (Swipe)	No charge
MSK	Magnetic Stripe (Swipe) + Keypad	\$98.00

3. For reader module accessories sold separately, see page 191.

6) SELECT LEVER <sup>4</sup>		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

4. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00

8) SELECT CYLINDER TYPE		Price adjustment	
		Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No charge	No charge
JIAO	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	ivo criaige	140 charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



M.



MSK



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G



# MORTISE/MORTISE DEADBOLT

9) SELECT KEYING TYPE		Price adj.
Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard
C123	Everest C	No charge
C/CE/E/EF/F/FG/G	Classic Obverse	No charge
Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00
D	Everest D	\$31.00
Classic Restricted	Quad, Numbered, Reverse	\$31.00
Restricted keyway families: SFIC <sup>3</sup>		
29 R	Everest 29 R	No charge
В	Everest B	No charge

- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING	(Field reversible)	Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

12) SELECT MORTISE LOCK ARMOR FRONT		Price adj.
LLL	Less Armor Front	-\$25.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-0754	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

- 4. For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.
- Extended lead time, consult customer service.

14) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00


15) SELECT OPTIONS		Price adj.
BAA <sup>5</sup>	BAA Compliant product	\$125.00

5. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.



#### **EXIT TRIM**







4) SELECT FUNCTION (Note: Locking function capabilities are determined by users access control system.)		Price adj.
70¹	Storeroom	Standard
50¹	Office/Classroom	\$10.00
40	Privacy	\$10.00
60	Apartment	\$10.00



MS

1.	Less Door Position Switch, deduct -\$28.00. Use suffix LDP.
5	5) SELECT READER (Note: Reflects price adder to base mag

5) SELECT READER (Note: Reflects price adder to base magnetic swipe reader price of \$960.00)		Price adj.
LLL <sup>2</sup>	Less Reader	-\$960.00
MS	Magnetic Stripe (Swipe)	No charge
MSK	Magnetic Stripe (Swipe) + Keypad	\$98.00



2. For reader module accessories sold separately, see page 191.

6) SELECT LEVER <sup>3</sup>		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge





3. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00

FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

8) SELECT CYLINDER TYPE		Price adjustment		
6):	O/SELECT CTEINDER TIPE		Open	Restricted
$\triangle \bullet$	P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
	L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
	R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
	J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
	G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
	В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
	L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
	L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
	J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC	No charge	No charge
	J-1AU	(Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	ino charge ino t	No charge
	J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



#### AD-250 STANDALONE RIGHTS ON CARD

## **EXIT TRIM**

9) SELECT KEYING TYPE		Price adj.	
Open keyway families: KIL or FSIC <sup>1</sup>			
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway families: KIL or FSIC <sup>1,2</sup>			
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
LLL	Less Battery Holder, batteries, and cover	-\$38.00
4B	4AA Battery kit	Standard
8B	8AA Battery kit	\$57.00

## 12-13) NO SELECTION REQUIRED

14) SELECT DOOR THICKNESS		Price adj.
134 1-3/4"		Standard
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

15) SELECT OPTIONS		Price adj.
BAA <sup>4</sup>	BAA Compliant product	\$125.00

4. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 191–194. Accessories include Decorative plates, SUS A-KIT, etc. Credentials available, see pages 17–22.



AD-993


## NON-FUNCTIONING DUMMY TRIM FOR EXIT



1–4) SELECT CHASSIS/EXIT TRIM TYPE/READER (Note: See page 158 for exit device compatibility.)		Price
AD-993LLL	Dummy Trim Less Reader for Exit Rim/Concealed Vertical Rod¹/Concealed Vertical Cable/ Surface Vertical Rod/Mortise Lock¹	\$932.00
AD-993DT	Dummy Trim with "Dummy" Reader Cover for Exit Rim/Concealed Vertical Rod/ Surface Vertical Rod <sup>1</sup> /Mortise Lock	\$949.00

1. Metal door only.

5) SELECT LEVER <sup>2</sup>		Price adj.
LLL	Less both levers	-\$32.00
SPA	Sparta	No charge
RHO	Rhodes	No charge
ATH	Athens	No charge
TLR	Tubular	No charge
BRW	Broadway	No charge
BRK	Boardwalk	No charge
LAT	Latitude	No charge
LON	Longitude	No charge





AD993DT




Full Cylinder P6, L, L-SAR, L-FA7

6) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6

7) SELECT CYLINDER TYPE		Price adjustment		
		Open	Restricted	
$\triangle \bullet$	P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
	L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
	R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
	J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
	G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
	В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
	L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
	L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
	J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	No charge	No charge
	J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
	L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge



 $<sup>\</sup>triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



SFIC Format B, G

 $<sup>\ \</sup>square$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.



AD-993

#### NON-FUNCTIONING DUMMY TRIM FOR EXIT

8) SELECT KEYING TYPE Price a			
Open keyway families: KIL or FSIC <sup>1</sup>			
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway families: KIL or FSIC <sup>1,2</sup>			
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

9) SELECT HANDING (Field reversible)		Price adj.
RHR Right handed reverse		No charge
LHR	Left handed reverse	No charge

#### 10-12) NO SELECTION REQUIRED

13) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 178	1-7/8" to 2-3/4", (Specify in 1/8" increments)	\$86.00

14) SELECT OPTIONS		Price adj.
BAA <sup>4</sup>	BAA Compliant product	\$125.00

4. BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

Accessories available, see pages 191–194. Credentials available, see pages 17–22.

#### **AD Series Exit trim**

The AD993DT Non-Functioning Dummy Trim comes with a universal mounting plate and is compatible with the following exit devices:

- Von Duprin 98/99 and 98/99XP
  - Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.
     Low current Request-to-Exit Switch optional for future network migration.
- Von Duprin 78
  - Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod
- Von Duprin 22/22F
  - Rim, Surface Vertical Rod
- Falcon 25 Rim
- Sargent 80 Series (Narrow design and reversible rim exits not compatible) Rim
- Corbin Russwin 5000 Series Rim
- Yale 7000 Rim
- Dorma 9300 Rim
- Precision 21 Rim (2100 converts to 21 with Precision's BP21 Kit)



## PARTS AND ACCESSORIES

ANDROID™ CABLE (For use with SUS Android App)				
Product description Product specification Specify Price				
USB & 2-PIN Android cable	Used to connect Android device to USB and 2-PIN locks and accessories	47282796 SUS A-KIT	\$290.00	

HANDHELD DEVICE ACCESSORIES (Legacy Product Support)				
Product description	Product specification	Specify	Price	
Serial cable	Used to connect current model HHD (BM170) directly to legacy serial products without the need of a CIP	HH-2PIN SERIAL	\$227.00	
Serial cable <sup>1</sup>	Used to connect previous model HHD (BM150) with CIP to program serial products	HH-SERIAL	\$203.00	
Null converter	Used to connect Handheld Device to WA Series PIM, using HH-SERIAL serial cable (compatible to current and previous model HHDs)	PIMWA-CV	\$42.00	
Computer interface module (CIP) <sup>1</sup>	Used to program serial products using HH-SERIAL serial cable	P512112	\$527.00	
CIP with iButton Reader <sup>1</sup>	Used to program serial products using HH-SERIAL serial cable	P101203	\$556.00	

<sup>1.</sup> Not compatible to current HHD (BM170)

	Available finishes										
READER MODULES (Select by Technology)	605 606	612	613	619	622	625	626	643e	626AM		
		•	N/A	•	N/A	•	•	•	•		
Product description		Spe	Specify				-	Price			
Product description	Part num	umber Finish					Price				
Keypad only reader module	KP		.[Finish]				29.00				
Magnetic stripe (Swipe) reader module - (Track 1, 2, or 3)	MS		.[Finish]				85.00				
Magnetic stripe (Swipe) with keypad reader module - (Track 1, 2, or 3)	MSK		.[Finish]		.[Finish]			\$1,090.00			
Multi-technology reader module - (125 kHz Proximity and 13.56 MHz Smart)	MT		.[Finish]			\$1,139.00			)		
Multi-technology with keypad reader module - (125 kHz Proximity and 13.56 MHz Smart)	MTK		].	[Finish	1]		\$1,2	241.00	)		
Smart Technology iClass compatible reader	SI		].	[Finish	1]		\$1,3	318.00	)		
Smart Technology iClass compatible reader + keypad	SIK		.[Finish]		\$1,413.0			)			
FIPS Multi-technology with keypad reader module - (125 kHz Proximity and 13.56 MHz Smart)	FMK		.[Finish]			\$1,559.00			)		
Dummy trim reader cover	DT			[Finish	Finish] \$4			47.00			

READER MODULE ACCESSORIES		
Product description	Specify	Price
Magnetic stripe cleaning cards	510310	\$59.50



## PARTS AND ACCESSORIES

				А	vailab	le fini	shes												
COMMUNICATION MODULE KITS		605 606	612	613	619	622	625	626	643e	626AM									
			•	N/A	•	N/A	•	•	•	•									
Product description	Product specification		Spe	ecify					Price										
Prodoct description	Product specification	Product	ID		Finish														
AD-200/AD-250 Offline communication kit (Cover)	Storeroom Functions (Cylindrical and Exit Chassis)	COM200	OC	.[Finish]			.[Finish] \$2					10.00							
AD-200/AD-250 Offline communication kit (Cover w/indicator lens) <sup>1</sup>	Privacy/Apartment Functions (Mortise Deadbolt Chassis)	COM200	OL	.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish] \$21			
AD-200/AD-250 Offline communication kit (Cover w/push button) <sup>1</sup>	Privacy/Apartment/Office/Classroom Functions (Cylindrical and Mortise Chassis)	COM200	0P	.[Finish]		.[Finish]			.[Finish] \$210			10.00							
AD-300 Hardwired Communication Kit (Cover w/Indicator Lens, RS485 Communication PCB) <sup>1,2</sup>	Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis)	СОМ300	0L	.[Finish]		.[Finish]			.[Finish]			.[Finish]				\$4	64.00		
AD-300 Hardwired communication kit (Cover w/push button, RS485 communication PCB) <sup>1,2</sup>	Privacy/Apartment/Office/Classroom Functions (Cylindrical and Mortise Chassis)	СОМ300	0P	.[Finish]		.[Finish]			.[Finish]			h] \$464							
AD-400 Wireless Communication Kit (Cover w/indicator lens, 900MHz communication PCB) <sup>1,2</sup>	Storeroom Functions (Cylindrical, Mortise and Exit Chassis) Privacy/Apartment Functions (Mortise Deadbolt Chassis)	COM400	M400L .[Finish]			.[Finish]		[Finish]			. [Finish]			.[Finish]			02.00		
AD-400 Wireless communication kit (Cover w/push button, 900MHz communication PCB) <sup>1,2</sup>	Privacy/Apartment/Office/Classroom Functions (Cylindrical and Mortise Chassis)	COM400	0P	.[Finish]		.[Finish]				\$5	02.00								

<sup>1.</sup> Must order and install Door Position Switch #46929121 for proper operation.

	Class	Chassis	Туре	Storeroom (70)	Office/ Classroom (50)	Apartment (60)	Privacy (40)
	AD-200 and AD-250	CY	Cylindrical	COM200C	COM200P	COM200P	COM200P
OFFLINE	AD-200 and AD-250	MS	Mortise	COM200C	COM200P	COM200P	COM200P
E	AD-200 and AD-250	MD	Mortise Deadbolt	N/A	N/A	COM200L	COM200L
	AD-200 and AD-250	993	Exit trim	COM200C	N/A	N/A	N/A
	AD-300	CY	Cylindrical	COM300L	СОМ300Р	COM300P	СОМ300Р
	AD-300	MS	Mortise	COM300L	СОМ300Р	COM300P	СОМ300Р
	AD-300	MD	Mortise Deadbolt	N/A	N/A	COM300L	COM300L
NETWORKED	AD-300	993	Exit trim	COM300L	N/A	N/A	N/A
) A	AD-400	CY	Cylindrical	COM400L	COM400P	COM400P	COM400P
Z	AD-400	MS	Mortise	COM400L	COM400P	COM400P	COM400P
	AD-400	MD	Mortise Deadbolt	N/A	N/A	COM400L	COM400L
	AD-400	993	Exit trim	COM400L	N/A	N/A	N/A

Suffixes: C= Cover L= LED Only P= Pushbutton

Note: Connections other than Wiegand or Clock & Data may incur additional fee. Consult access control provider for details.

<sup>2.</sup> Must order and install Pigtail Exit Adapter #23536774 for RX-LC switch if retrofitting AD-200-993 to AD-300-993 or AD-400-993.



## PARTS AND ACCESSORIES

DOOR POSITION SWITCH		
Description	Specify	Price
Door Position Switch	46929121	See page 209

	Available finishes											
BATTERY COVER (Select by Battery Quantity)	605	606	612	613	619	622	625	626	643e	626AM		
	•	•	•	N/A	•	N/A	•	•	•	•		
	Specify								nui a a			
Description	Product ID				Finish	1	Price					
4AA Battery cover (with screw)	4C	(4692	9071)	].	.[Finish]			6 211				
8AA Battery cover (with screw)	8C (	8C (46929105) .[Finish]		See page 211								

	Available finishes											
BATTERY HOLDER AND COVER KIT (Select by Battery Quantity)	605	606	612	613	619	622	625	626	643e	626AM		
	•	•	•	N/A	•	N/A	•	•	•	•		
Description		Specify						_	Nul			
Description	Pro	duct	ID	Finish			Price					
4AA Battery holder and cover kit (Includes 4AA battery holder with cable, 4AA battery strap, battery strap screws, 4AA battery cover, cover screw, Torx® cover screw)	4B (46929055) .[Finish]			.[Finish]			C00 m		10			
8AA Battery holder and cover kit (Includes 8AA battery holder with cable, 8AA battery strap, battery strap screws, 8AA battery cover, cover screw, Torx cover screw, Mylar)	8B (4	8B (46929089) .[Finish]			.[Finish]			See t	oage 2	10		

				Available finishes											
TORX® TAMPER SCR	EW PACK (Select by Chassis Type)	605	606	612	613	619	622	625	626	643e	626AM				
					N/A	•	N/A	•	•	•	•				
	Description			Spe	cify				_	\!					
Chassis	Description	Pro	duct	ID		Finish	1	Price							
Cylindrical	Torx tamper screw pack	23	5388	12	.[Finish]		.[Finish]								
Mortise	Torx tamper screw pack	235	53882	20	].	.[Finish]		See page 211			211				
Exit	Torx tamper screw pack	235	53883	38	].	Finish	۱]								

						Available finishes																					
DECORATIVE PLATE	(Select by Size)	605 606	612	613	619	622	625	626	643e	626AM																	
		■ N/A	N/A	N/A	N/A	N/A	N/A	•	•	N/A																	
Size	Description		Spe	ecify				-	Price																		
Size	Description	Product ID Finish						11100																			
1.5" x 3.25" x .105"	Decorative plate (with screws) - (Exit trim)	236318	23		[Finish	1]																					
1.7" x 3.5" x .075"	Decorative plate (with screws)	237602	67	.1	[Finish	1]																					
3.2" x 3.5" x .075"	Decorative plate (with screws)	237602	83		[Finish	1]																					
6.0" x 3.5" x .075"	Decorative plate (with screws)	237603	317		.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish]		.[Finish]					
6.6" x 3.5" x .075"	Decorative plate (with screws)	237603	25		.[Finish]			.[Finish] See pa			age 20	09															
8.0" x 3.5" x .075"	Decorative plate (with screws)	237603	09		[Finish	1]																					
8.0" x 3.5" x .075"	Decorative plate (with screws and welded standoff)	237602	91		[Finish	1]																					
10.5" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>1</sup>	237602	59		[Finish	1]																					
12.0" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>1</sup>	237602	75		[Finish	1]																					

- 1. Please consider overall Door Thickness when ordering.
- ${\bf 2. \ \ Single\ Decorative\ plate.\ Interior\ and\ Exterior\ Decorative\ plates\ may\ be\ required.}$
- $\textbf{3. Decorative plates may have multiple applications. Please see AD Series Retrofit Template Overlay guide at \underline{www.schlage.com/support} \ for more information.}$



## PARTS AND ACCESSORIES

SHIM PLATES		
(Note: Device is 0.063" thick)		
Description	Specify	Price
Interior shim plate - (for AD-200/250/300)	23458607	
Interior shim plate - (for AD-400)	23458565	See page 209
Exterior shim plate	23458599	

INSTALLATION TOOLS		
Description	Specify	Price
Universal clamp  The universal clamp above is necessary when using the remaining products to ensure hole placement accuracy  The "Universal" (Clamp and DPS) products are for use in all CO, AD and LE product installations	40-286	\$688.00
AD Series cylindrical lock installation template	40-288	\$1,468.00
Universal cylindrical door position switch (DPS) installation template	40-292	\$226.00
AD Series mortise lock installation template	40-287	\$1,468.00
Universal mortise door position switch (DPS) installation template	40-291	\$224.00

 $Note: These \ metal \ lock \ and \ DPS \ templates \ require \ use \ of \ specially \ designed \ universal \ clamp \ to \ ensure \ drilling \ accuracy.$ 

AD-200 STANDALONE ACCESSORIES			
Express level software package Note: Refer to Software Levels Data sheet for fe	eatures and details.		
Product description	Product specification	Specify	Price
Express offline lock software	Recommended for offline locks of fewer than 1000 users and/or 100 access points. Reporting of last 1000 events capability will retrieve audit trails. Must be installed on a computer that meets the minimum requirements (refer to software data sheet)	SXPR-SFT-1	See page 243
Express level software package accessories			
Product description	Product specification	Specify	Price
Express computer interface module	Used to program legacy CM/CL/KC products, using HH-SERIAL serial cable	P512112	
Express computer interface module (with iButton)	Used to connect PC/laptop to access device	P101203	
Express female to female serial cable	Used to connect P101203 Computer Interface Module to PC/laptop	P394548	See page 243
Express male DB9 to USB 6" cable adapter	Used to connect a USB Port device to a Serial Port device	SDB9USBCBL	
Express magnetic stripe enrollment reader	-	CRM2	1
Express proximity enrollment reader	-	CRP2	
USB/BLE (ENGAGE mobile app) MIFARE/EV1 F	PIV Enrollment reader	MT20	See page 32
Express Installation and training			
Product description	Product specification	Specify	Price
Express installation and training	Includes software installation and training. Provided by Allegion Security and Safety Consultant remotely from factory. (No discounts apply)	SCH-EXP-INST	See page 243

REMOTE DOOR RELEASE		
Product description	Product specification	Price
Push button release options	AD-200 firmware enables the use of a wired remote release of the door.  Many push button types are available.	See page 192

AD-250 ACCESSORIES			
Product description	Product specification	Specify	Price
Campus lock magnetic stripe encoder	ISO compatible high/low coercivity with female/male serial cable.	CL-ENCODER-2	\$7,060.00



this page intentionally blank



Contents
Reader module197
Interior escutcheon197
Interior baseplate gasket197
Exterior escutcheon198
Exterior gasket kit198
Base plate subassembly198
Mounting hardware199
Exterior spring cage199
Tailpiece200
Cylinders202
Latches202
Lever203
Lock retractor206
IPB Retrofit kit module207
Spindle spring 207
Mortise armor front208
Strike plate208
Shim plate209
Door position switch209
Door thickness kit209
Decorative plate209
Wireless parts and cables210
Battery kits and parts210
Screw pack211
Miscellaneous212

# Finish codes and descriptions

BHMA code	Description
605	Bright Brass
606	Satin Brass
612	Satin Bronze
619	Satin Nickel
625	Bright Chromium Plated
626	Satin Chrome
626AM	Satin Stainless Steel, Antimicrobial 🗘
643e	Aged Bronze

Customer service	Technical support						
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>						
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com						



READER MODULE														
KP	MS	MSK	MT/SI	MTK/SIK/FMK										
000		000	(4)	7 2 9 9 3 0 7 8 9 9 0 9										
Available finishes					605	606	612	613	619	622	625	626 6	543e 6	26AM
Available IIIIsries					•	•	•	N/A	•	N/A	•	•	•	•
Description					Specify						Price			
Description	Description		Part number Finish				n	FILE						
Keypad only reader r	module				KP .[Finish]				h]					
Magnetic stripe (Sw	ripe) reader module -	(Track 1, 2, or 3)				MS	MS .[Finish]							
Magnetic stripe (Sw	ripe) with keypad read	ler module - (Track 1, 2	2, or 3)			MSK	MSK .[Finish]				Ī			
Multi-technology rea	ader module - (125 kH	z Proximity and 13.56	MHz Smart)		MT .[Finish]				n]					
Multi-technology wi	th keypad reader mod	lule - (125 kHz Proxim	ity and 13.56 MHz Sm	art)	MTK .[Finish]				n]	See page 191			1	
Smart Technology iClass compatible reader				SI			[Finish	n]	1					
Smart Technology iClass compatible reader + keypad						SIK			[Finish	n]				
FIPS Multi-technology with keypad reader module - (125 kHz Proximity and 13.56 MHz Smart)					FMK			[Finish	n]					
Dummy trim reader cover					DT			[Finish	ո]					

READER MODULE SCREWS								
	Spec							
Description		Door thickness	Price					
Screws, reader module assembly (1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8", 2-1/4", 2-3/8", 2-1/2", 2-5/8", and 2-3/4")	46928511	.[ ].	\$16.00					

MAGNETIC SWIPE CLEANING CARDS							
Description	Specify	Price					
Magnetic stripe cleaning cards	510310	\$59.50					

			Available finishes											
INTERIOR ESCUTCHEON (Select by Chassis Type)		605 606 612 613 619 622 625				625	25 626 643e 62							
		•	•	•	N/A	•	N/A	•	•	•	•			
Chanciatura	Description		Specify						D.J.					
Chassis type			Part number				1	Price						
Cylindrical	Interior escutcheon (with baseplate screws)	46	46929014		.[Finish]				\$1	15.00				
Mortise	Interior escutcheon (with baseplate screws)	46	46929014		.[Finish]			h] \$115.00						
Mortise Deadbolt	Interior escutcheon (with baseplate screws); Thumbturn not included	46	46929022		2 .[Finish]				\$1	15.00				
Exit	Interior escutcheon (with baseplate screws)	46929279		.[Finish]				\$8	37.00					

INTERIOR BASEPLATE GASKET		
Description	Specify	Price
Interior baseplate gasket	46928982	\$52.00

USB COVER PLUG, 10-PIECE BULK PACK							
Description	Original part #	Specify	Price				
Description	Original part #	New part #	Price				
USB Cover plug (10-piece bulk pack)	46928719	46928719	\$38.00				
USB Cover plug, exit (10-piece bulk pack)	-	47258550	\$38.00				
Cable, USB, AD/CO, Exit	-	47253409	\$38.00				



			Available finishes											
EXTERIOR ES	EXTERIOR ESCUTCHEON (Select by Chassis Type)		605 606 612 613 619 622 62				625	625 626 643e 62						
					•	N/A	•	N/A	•	•	•	•		
Ch i - t	Bassistian	Original part#	Specify								rice			
Chassis type	Description		Ne	w par	t#		Finish	1						
Cylindrical	Exterior escutcheon with baseplate screws	46928743	46928743 .[Finish]		46928743 .[Finish]		743 .[Finish]			\$19	93.00			
Mortise	Exterior escutcheon with baseplate screws	46928750	46928743 .[Finish]		46928743 .[Finish]		.[Finish]		.[Finish] \$193.0		93.00			
Exit	Exterior escutcheon with baseplate screws	46928750	47	47258398		.[Finish]				\$1	91.00			
Exit	Exterior escutcheon with baseplate screws	46928743	47258398		.[Finish]				\$1	91.00				

					A۱	/ailabl	e finis	hes				
EXTERIOR ES	EXTERIOR ESCUTCHEON, 10-PIECE BULK PACK (Select by Chassis Type)		605	606	612	613	619	622	625	626	643e 6	26AM
		•	•	•	N/A	•	N/A	•	•	•	•	
Chanala tuma					Spe	cify					Nul	
Chassis type	Description	Original part #	Ne	w par	t #	ı	Finish	1		•	Price	
Cylindrical	Exterior escutcheon with baseplate screws	23608532	23	6085	32	].	Finish	1]		\$9	68.00	
Mortise	Exterior escutcheon with baseplate screws	23608540	23	6085	32	].	Finish	1]		\$9	68.00	
Exit	Exterior escutcheon with baseplate screws	23608540	47	2607	31	].	Finish	1]		\$9	68.00	
Exit	Exterior escutcheon with baseplate screws	23608532	47	2607	31	].	Finish	1]		\$9	68.00	

EXTERIOR GA	EXTERIOR GASKET KIT (Select by Chassis Type)									
Chassis tuno	Description	Original part #	Specify	Price						
Chassis type		Original part #	New part #	Price						
Cylindrical	Exterior gasket kit (Includes exterior baseplate gasket, spindle cover seal, reader O-ring)	46929154	47260740	\$77.00						
Mortise	Exterior gasket kit (Includes exterior baseplate gasket, spindle cover seal, reader O-ring)	46929162	47260740	\$77.00						
Exit	Exterior gasket kit (Includes exterior baseplate gasket, spindle cover seal, reader O-ring)	46929162	47260741	\$77.00						

INTERIOR BA	INTERIOR BASEPLATE SUBASSEMBLY (Select by Chassis Type)									
Chassis tuno	Description	Original part #	Spec	Price						
Chassis type		Original part #	New part #	Class	Price					
Cylindrical	Interior baseplate subassembly - (Less Lever, Less Escutcheon, Less Spring Cage)	46928990	47261347	.[Class]	\$1,409.00					
Mortise	Interior baseplate subassembly - (Less Lever, Less Escutcheon, Less Spring Cage)	46928990	47261347	.[Class]	\$1,409.00					
Exit	Interior baseplate subassembly - (Less Escutcheon, Less Battery Cover, Less Communication Module Cover)	46929253	46929253	.[Class]	\$1,022.00					

EXTERIOR BASEPLATE SUBASSEMBLY (Select by Chassis Type)										
Chassis type	Description		Spe							
		Original part #	New part #	Cylinder detail	Price					
Cylindrical	Exterior baseplate subassembly - (Less Lever, Less Cylinder, Less Escutcheon)	46928529	47260732	.[Cylinder]	\$1,192.00					
Mortise	Exterior baseplate subassembly - (Less Lever, Less Cylinder, Less Escutcheon)	46928537	47260738	.[Cylinder]	\$1,246.00					
Exit	Exterior baseplate subassembly - (Less Lever, Less Cylinder, Less Escutcheon)	46928545	47260739	.[Cylinder]	\$1,192.00					

INTERIOR BA	INTERIOR BASEPLATE SPACER FOR SVR								
Chassis type	Description	Specify	Price						
Fy:+	Interior baseplate spacer for SVR (w/baseplate mounting screws, surface mount screws)	46929238-DOOR RANGE	¢72.00						
Exit	Available door ranges: 1-3/8", 1-1/2", 1-5/8", 1-7/8", 2", 2-1/8", 2-1/4", 2-3/8", 2-1/2", 2-5/8", 2-3/4"	40929236-DOOR RAINGE	\$72.00						

INTERIOR WI	RELESS COVER SPACER FOR SVR		
Chassis type	Description	Specify	Price
Exit	Interior wireless cover spacer for SVR (with surface mount screw)	46929246	\$52.00



INTERIOR MO	UNTING PLATE		
Chassis type	Description	Specify	Price
Exit	Interior mounting plate (with screws)	46929030	\$77.00

INTERIOR SPRING CAGE	Specify		
Description	Original part#	New part #	Price
Interior spring cage (with screws)	46929006	47260743	\$87.00

	EXIT DEVICE MOUNTING HARDWARE KIT 6					Av	ailab	le fini	shes			
EXIT DEVICE			605	606	612	613	619	622	625	626	643e	626AM
			-	•	•	N/A	•	N/A	•	•	•	•
	Description					Spec	ify					
Chassis type		Original part #	New		Device		Finish		Door		Price	
			part	#	ty	pe	FII	11511	thick	ness		
	Exit device mounting hardware kit (upper mounting bolts, lower mounting sex-bolts, reader mounting bolts, finish washers, screws)				.[99	93R,						
Exit		46929287	47260	744	993	S or	.[Fir	nish]	].	]	\$12	29.00
					993	BM]						

Chassis type	Description	New part #	Original part #	Price
Cylindrical	Schlage, KIL, P6/L	47258543	46928552	\$108.00
Cylindrical	Schlage, FSIC, R/J	47258543	46928552	\$108.00
Cylindrical	Schlage, SFIC, G/B	47258543	46928560	\$108.00
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	47258543	23845969	\$108.00
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258543	46928586	\$108.00
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258543	23990674	\$108.00
Cylindrical	Sargent, KIL, L-SAR (6-pin)	47258543	46928578	\$108.00
Cylindrical	Sargent, FSIC, J-SAR (6-pin)	47258543	46928586	\$108.00
Cylindrical	Medeco, FSIC, J-MED (6-pin)	47258544	24281735	\$517.00
Cylindrical	Yale, FSIC, J-YA6 (6-pin)	47258544	46928644	\$517.00
Cylindrical	Yale, FSIC, J-YA7 (7-pin)	47258544	24281768	\$517.00
Mortise	Schlage, KIL, P6/L	47258543	46928602	\$108.00
Mortise	Schlage, FSIC, R/J	47258543	46928610	\$108.00
Mortise	Schlage, SFIC, G/B	47258543	46928560	\$108.00
Mortise	Falcon, KIL, L-FA7 (7-pin)	47258543	23845977	\$108.00
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258543	46928636	\$108.00
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258543	23988033	\$108.00
Mortise	Sargent, KIL, L-SAR (6-pin)	47258543	46928628	\$108.00
Mortise	Sargent, FSIC, J-SAR (6-pin)	47258543	46928636	\$108.00
Mortise	Medeco, FSIC, J-MED (6-pin)	47258544	24281735	\$517.00
Mortise	Yale, FSIC, J-YA6 (6-pin)	47258544	46928644	\$517.00
Mortise	Yale, FSIC, J-YA7 (7-pin)	47258544	24281768	\$517.00
Exit	Schlage, KIL, P6/L (Steel Levers)	47258545	46928651	\$262.00
Exit	Schlage, FSIC, R/J (Steel Levers)	47258545	46928553	\$262.00
Exit	Schlage, SFIC, G/B (Steel Levers)	47258545	46928669	\$262.00
Exit	Falcon, KIL, L-FA7 (7-pin) (Steel Levers) - (Except ATH, 8AT Lever Style)	47258545	23779838	\$262.00
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin) (Steel Levers)	47258545	46928693	\$262.00
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin) (Steel Levers) - (Except ATH, 8AT Lever Style)	47258545	23988017	\$262.00
Exit	Sargent, KIL, L-SAR (6-pin) (Steel Levers)	47258545	46928677	\$262.00
Exit	Sargent, FSIC, J-SAR (6-pin) (Steel Levers)	47258545	46928685	\$262.00
Exit	Medeco, FSIC, J-MED (6-pin)	47258546	24289902	\$519.00
Exit	Yale, FSIC, J-YA6 (6-pin) (Steel Levers)	47258546	46928701	\$519.00
Exit	Yale, FSIC, J-YA7 (7-pin)	47258546	24289928	\$519.00



EXTERIOR SPE	EXTERIOR SPRING CAGE AND TAILPIECE KIT (FOR SCHLAGE), 10-PIECE BULK PACK (Select by Chassis, Cylinder OEM, Cylinder Type, Cylinder Detail)								
Chassis type	Description	New part #	Original part #	Price					
Cylindrical	Schlage, KIL, P6/L	47259238	23593270	\$1,067.00					
Cylindrical	Schlage, FSIC, R/J	47259239	23593288	\$1,068.00					
Cylindrical	Schlage, SFIC, G/B	47259240	23593304	\$1,067.00					
Mortise	Schlage, KIL, P6/L	47259238	23593346	\$1,067.00					
Mortise	Schlage, FSIC, R/J	47259239	23593353	\$1,068.00					
Mortise	Schlage, SFIC, G/B	47259240	23593304	\$1,067.00					
Exit	Schlage, KIL, P6/L	47259249	23593271	\$1,067.00					
Exit	Schlage, FSIC, R/J	47259250	23593272	\$3,552.00					
Exit	Schlage, SFIC, G/B	47259248	23593437	\$1,906.00					
Exit	Schlage, SFIC, G/B	47259248	23593510	\$1,906.00					

EXTERIOR SPI	EXTERIOR SPRING CAGE AND TAILPIECE KIT (FOR NON-SCHLAGE), SINGLE PIECE (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)								
Chassis type	Description	New part #	Original part #	Price					
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	47259244	23845985	\$129.00					
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin)	47259242	23593320	\$560.00					
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	47259242	23990666	\$560.00					
Cylindrical	Sargent, KIL, L-SAR (6-pin)	47259241	23593312	\$522.00					
Cylindrical	Sargent, FSIC, J-SAR (6-pin)	47259242	23593320	\$560.00					
Cylindrical	Medeco, FSIC, J-MED (6-pin)	47259245	24281792	\$589.00					
Cylindrical	Yale, FSIC, J-YA6 (6-pin)	47259243	23593395	\$589.00					
Cylindrical	Yale, FSIC, J-YA7 (7-pin)	47259246	24281826	\$517.00					
Mortise	Falcon, KIL, L-FA7 (7-pin)	47259244	23845923	\$129.00					
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin)	47259242	23593387	\$560.00					
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	47259242	23988041	\$560.00					
Mortise	Sargent, KIL, L-SAR (6-pin)	47259241	23593379	\$522.00					
Mortise	Sargent, FSIC, J-SAR (6-pin)	47259242	23593387	\$560.00					
Mortise	Medeco, FSIC, J-MED (6-pin)	47259245	24281792	\$589.00					
Mortise	Yale, FSIC, J-YA6 (6-pin)	47259243	23593395	\$589.00					
Mortise	Yale, FSIC, J-YA7 (7-pin)	47259246	24281826	\$517.00					
Exit	Falcon, KIL, L-FA7 (7-pin)	47259254	23810872	\$135.00					
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin)	47259252	23593274	\$560.00					
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin) - (Except ATH, 8AT Lever Styles)	47259252	23988025	\$560.00					
Exit	Sargent, KIL, L-SAR (6-pin)	47259251	23593273	\$522.00					
Exit	Sargent, FSIC, J-SAR (6-pin)	47259252	23593274	\$560.00					
Exit	Medeco, FSIC, J-MED (6-pin)	47259255	24289936	\$569.00					
Exit	Yale, FSIC, J-YA6 (6-pin)	47259253	23593275	\$569.00					
Exit	Yale, FSIC, J-YA7 (7-pin)	47259257	24289944	\$486.00					

TAILPIECE (FC	R CYLINDER) (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail	)		
Chassis type	Description	New part #	Original part #	Price
Cylindrical	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders) <sup>1</sup>	47258186	C604-243	\$3.00
Cylindrical	Schlage, KIL, P6/L - (Classic Cylinders) <sup>1</sup>	47258186	C603-524	\$3.00
Cylindrical	Schlage, FSIC, R/J	23446339	23446339	\$8.00
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	47258182	23779820	\$37.00
Cylindrical	Universal, SFIC, B/BDC	47258187	46929456	\$23.00
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258180	23433634	\$57.00
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258180	23854516	\$57.00
Cylindrical	Sargent, KIL, L-SAR (6-pin) - (Compatible with 10L and 11L)	47258179	23433626	\$9.00
Cylindrical	Sargent, FSIC, J-SAR (6-pin)	47258180	23433634	\$57.00
Cylindrical	Medeco, FSIC, J-MED (6-pin)	47258183	23810898	\$134.00
Cylindrical	Yale, FSIC, J-YA6 (6-pin) - (Compatible with Medeco 31)	47258181	23760366	\$73.00
Cylindrical	Yale, FSIC, J-YA7 (7-pin)	47258184	23929722	\$50.00
Cylindrical	Universal, SFIC, G/H	23446347	23446347	\$20.50

 $<sup>^{\</sup>rm 1}$  This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.



Chassis type	Description	New part #	Original part #	Price
Cylindrical	Corbin Russwin, KIL L-CO6	47258185	-	\$23.00
Mortise	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders) <sup>1</sup>	47258186	23538077	\$3.00
Mortise	Schlage, KIL, P6/L - (Classic Cylinders) <sup>1</sup>	47258186	23538085	\$3.00
Mortise	Schlage, FSIC, R/J	23446339	23446339	\$8.00
Mortise	Falcon, KIL, L-FA7 (7-pin)	47258182	23779820	\$37.00
Mortise	Universal, SFIC, B/BDC	47258187	46929456	\$23.00
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258180	23443435	\$57.00
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258180	23854516	\$57.00
Mortise	Sargent, KIL, L-SAR (6-pin) - (Compatible with 10L and 11L)	47258179	23443427	\$9.00
Mortise	Sargent, FSIC, J-SAR (6-pin)	47258180	23443435	\$57.00
Mortise	Medeco, FSIC, J-MED (6-pin)	47258183	23810898	\$134.00
Mortise	Yale, FSIC, J-YA6 (6-pin) - (Compatible with Medeco 31)	47258181	23760366	\$73.00
Mortise	Yale, FSIC, J-YA7 (7-pin)	47258184	23929722	\$50.00
Mortise	Universal, SFIC, G/H	23446347	23446347	\$20.50
Mortise	Corbin Russwin, KIL L-CO6	47258185	-	\$23.00
Exit	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders) <sup>1</sup>	47258186	23538077	\$3.00
Exit	Schlage, KIL, P6/L - (Classic Cylinders) <sup>1</sup>	47258186	23538085	\$3.00
Exit	Schlage, FSIC, R/J	23446339	23446339	\$8.00
Exit	Falcon, KIL, L-FA7 (7-pin)	47258182	23779820	\$37.00
Exit	Universal, SFIC, B/BDC	47258187	46929456	\$23.00
Exit	Universal, SFIC, G/H	23446347	N523-091	\$20.50
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258180	23443435	\$57.00
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258180	23854516	\$57.00
Exit	Sargent, KIL, L-SAR (6-pin)	47258179	23443427	\$9.00
Exit	Sargent, FSIC, J-SAR (6-pin)	47258180	23443435	\$57.00
Exit	Medeco, FSIC, J-MED (6-pin)	47258183	23810898	\$134.00
Exit	Yale, FSIC, J-YA6 (6-pin) - (Compatible with Medeco 31)	47258181	23760366	\$73.00
Exit	Yale, FSIC, J-YA7 (7-pin)	47258184	23929722	\$50.00
Exit	Universal, SFIC, G/H	23446347	23446347	\$20.50
Exit	AD/CO, SFIC, B/BDC	47258187	09-774	\$23.00
Exit	Corbin Russwin, KIL L-CO6	47258185	-	\$23.00

 $<sup>^{\</sup>rm 1}$  This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

TAILPIECE KIT	「 (FOR EXTERIOR ESCUTCHEON INTO EXIT DEVICE)			
Chassis type	Description	New part #	Original part #	Price
Exit	Tailpiece kit (includes tailpiece, tailpiece guide, pine tree clip)	-	46929303	\$31.00

TAILPIECE KI	T (FOR AD-993M EXIT DEVICES)			
Chassis type	Description	Quantity	Specify	Price
Mortise	993M, Exit tailpiece, kit (contains 1 unit only)	1	48250384	\$24.00

TAILPIECE KIT,	10-PIECE BULK PACK (Select by Chassis Type, Cylinder OEM, Cylinder Type,	Cylinder Detail)		
Chassis type	Description	New part #	Original part #	Price
Cylindrical	Schlage, KIL, P6/L - (Classic Cylinders)	09-418	09-418	\$21.00
Cylindrical	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders)	09-417	09-417	\$21.00
Cylindrical	Falcon, KIL, P6/L	23790611	23790611	\$35.00
Mortise	Schlage, KIL, P6/L - (Classic Cylinders)	09-418	46928768	\$21.00
Mortise	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders)	09-417	46928776	\$21.00
Mortise	Falcon, KIL, P6/L	23790611	-	\$35.00
Exit	Schlage, KIL, P6/L - (Classic Cylinders)	09-418	46928768	\$21.00
Exit	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders)	09-417	46928776	\$21.00
Exit	Falcon, KIL, P6/L	23790611	-	\$35.00



Chassis type	Description	Specify	Price
Cylindrical	Classic, KIL, P6 - (Only ATH, 8AT Lever Styles) <sup>1</sup>	23-013	\$94.00
Cylindrical	Classic, FSIC, R (Open)	23-030	\$106.00
Cylindrical	Classic, FSIC, R (Restricted)	23-030	\$137.00
Cylindrical	Primus, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-750	\$203.00
Cylindrical	Primus, FSIC, R	20-740	\$215.00
Cylindrical	Primus UL, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-550	\$264.00
Cylindrical	Primus XP, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-750-XP	\$203.00
Cylindrical	Primus XP, FSIC, R	20-740-XP	\$215.00
Cylindrical	Primus UL XP, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-550-XP	\$264.00
Mortise	Classic, KIL, P6 - (Except ATH, 8AT Lever Styles) (Open) <sup>1</sup>	23-118	\$94.00
Mortise	Classic, KIL, P6 - (Except ATH, 8AT Lever Styles) (Restricted)	23-118	\$125.00
Mortise	Classic, FSIC, R (Open)	23-030	\$106.00
Mortise	Primus, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-854	\$203.00
Mortise	Primus, FSIC, R	20-740	\$215.00
Mortise	Primus UL, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-554	\$264.00
Mortise	Primus XP, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-854-XP	\$203.00
Mortise	Primus XP, FSIC, R	20-740-XP	\$215.00
Mortise	Primus UL XP, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-554-XP	\$264.00
Exit	Classic, KIL, P6 - (Except ATH, 8AT Lever Styles) (Open) <sup>1</sup>	23-118	\$94.00
Exit	Classic, KIL, P6 - (Except ATH, 8AT Lever Styles) (Restricted)	23-118	\$125.00
Exit	Classic, KIL, P6 - (Only ATH, 8AT Lever Styles) <sup>1</sup>	23-013	\$94.00
Exit	Classic, FSIC, R (Open)	23-030	\$106.00
Exit	Classic, FSIC, R (Restricted)	23-030	\$137.00
Exit	Primus, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-854	\$203.00
Exit	Primus, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-750	\$203.00
Exit	Primus, FSIC, R	20-740	\$215.00
Exit	Primus UL, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-554	\$264.00
Exit	Primus UL, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-550	\$264.00
Exit	Primus XP, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-854-XP	\$203.00
Exit	Primus XP, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-750-XP	\$203.00
Exit	Primus XP, FSIC, R	20-740-XP	\$215.00
Exit	Primus UL XP, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-554-XP	\$264.00
Exit	Primus UL XP, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-550-XP	\$264.00

<sup>&</sup>lt;sup>1</sup>This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

LATCHES														
13-247	14-049	14-051	14-050											
Available finishes			'		605	606	612	613	619	622	625	626	643e	626AM
Available finishes					•	•	•	N/A	•	N/A	•	•	•	N/A
DEADLATCHES														
Description				Backset			Spe	ecify				Dela	e eac	_
Description				Dackset	Par	t num	ber		Finish	1		Pric	e eac	11
Square corner, 1-1/8"	x 2-1/4"			2-3/4"		13-247		].	[Finish	۱]		\$13	30.00	
Anti-friction fire door	latch, Square corner, 1	-1/8" x 2-1/4", 3/4" thr	ow	2-3/4"	1	4-049	)	].	[Finish	۱]		\$5	46.00	
Square corner, 1-1/8"	x 2-1/4"			2-3/8"	1	14-051		].	[Finish	1]		\$17	78.00	
Square corner, 1-1/8"	x 2-1/4"			3-3/4"	1	4-050	)	].	[Finish	۱]		\$16	52.00	



							A۷	ailabl	le finis	hes			
INTERIOR LEVER (CLOSED)				605	606	612	613	619	622	625	626	643e 6	526AM
				•	•	•	N/A	•	N/A	•	•	•	•
Baradatian	St. de authore	N	0-1-11			Spe	cify				_		
Description	Style options	New part #	Original part #	Lev	er des	ign	- 1	Finish	1	Price			
	ATH (Athens)												
Inside Lever, Closed	RHO (Rhodes)	03-230	03-030		Lever	1		Finish	<b>.</b> 1		¢ο	06.00	
Illiside Level, Closed	SPA (Sparta)	03-230	03-030	۱۰.	Levei	J	٠٤	FII IISI	ני		ΨZI	00.00	
	TLR (Tubular)												

					Available finis	shes	
	VER (LESS CYLINDER)	r Dotail)		605 606 612	613 619 622	625 626 643e 626	5ΑM
(Select by Cha	ıssis Type, Cylinder OEM, Cylinder Type, Cylinde	r Detail)			N/A ■ N/A		•
Chassis type	Description	New part #	Original part #	Spe	ecify	Price	
Cilassis type	Description	new part #	Ongmat part #	Lever design	Finish	1 1100	
Cylindrical	Schlage, KIL, P6/L	03-231	03-031	.[Lever]	.[Finish]	\$206.00	
Cylindrical	Schlage, FSIC, R/J	03-232	03-032	.[Lever]	.[Finish]	\$206.00	
Cylindrical	Schlage, SFIC, G/B	03-200	03-000	.[Lever]	.[Finish]	\$206.00	
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	03-280	23779739	.RHO	.[Finish]	\$223.00	
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	03-280	23779762	.SPA	.[Finish]	\$223.00	
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	03-280	23779747	.8RO	.[Finish]	\$293.00	
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	03-280	23779770	.8SP	.[Finish]	\$293.00	
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin)	03-266	03-066	.[Lever]	.[Finish]	\$379.00	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	23854524	.RHO	.[Finish]	\$379.00	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	23854540	.SPA	.[Finish]	\$379.00	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	23854565	.TLR	.[Finish]	\$379.00	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	23854532	.8RO	.[Finish]	\$449.00	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	23854557	.8SP	.[Finish]	\$449.00	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	23854573	.8TR	.[Finish]	\$449.00	
Cylindrical	Sargent, KIL, L-SAR (6-pin)	03-244	03-044	.[Lever]	.[Finish]	\$379.00	
Cylindrical	Sargent, FSIC, J-SAR (6-pin)	03-277	03-077	.[Lever]	.[Finish]	\$379.00	
Cylindrical	Medeco, FSIC, J-MED (6-pin)	03-237	09-388	.[Lever]	.[Finish]	\$379.00	
Cylindrical	Yale, FSIC, J-YA6 (6-pin)	03-255	09-355	.[Lever]	.[Finish]	\$379.00	
Cylindrical	Yale, FSIC, J-YA7 (7-pin)	03-236	09-399	.[Lever]	.[Finish]	\$379.00	
Cylindrical	Corbin Russwin, KIL, L-CO6 (6-pin)	03-234	-	.[Lever]	.[Finish]	\$379.00	
Mortise	Schlage, KIL, P6/L	03-231	09-331	.[Lever]	.[Finish]	\$206.00	
Mortise	Schlage, FSIC, RD/J	03-232	09-332	.[Lever]	.[Finish]	\$206.00	
Mortise	Schlage, SFIC, GD/BD	03-200	03-000	.[Lever]	.[Finish]	\$206.00	
Mortise	Falcon, KIL, L-FA7 (7-pin)	03-280	09-331	.[Lever]	.[Finish]	\$223.00	
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin)	03-266	09-366	.[Lever]	.[Finish]	\$379.00	
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	09-366	.[Lever]	.[Finish]	\$379.00	
Mortise	Sargent, KIL, L-SAR (6-pin)	03-244	09-344	.[Lever]	.[Finish]	\$379.00	
Mortise	Sargent, FSIC, J-SAR (6-pin)	03-277	09-377	.[Lever]	.[Finish]	\$379.00	
Mortise	Medeco, FSIC, J-MED (6-pin)	03-237	09-388	.[Lever]	.[Finish]	\$379.00	
Mortise	Yale, FSIC, J-YA6 (6-pin)	03-255	09-355	.[Lever]	.[Finish]	\$379.00	
Mortise	Yale, FSIC, J-YA7 (7-pin)	03-236	09-399	.[Lever]	.[Finish]	\$379.00	
Mortise	Corbin Russwin, KIL, L-CO6 (6-pin)	03-234	-	.[Lever]	.[Finish]	\$379.00	
Exit	Schlage, KIL, P6/L	03-231	03-331	.[Lever]	.[Finish]	\$206.00	
Exit	Schlage, FSIC, R/J	03-232	03-332	.[Lever]	.[Finish]	\$206.00	
Exit	Schlage, SFIC, G/B	03-200	03-300	.[Lever]	.[Finish]	\$206.00	
Exit	Falcon, KIL, L-FA7 (7-pin)	03-280	03-331	.[Lever]	.[Finish]	\$223.00	
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin)	03-266	03-366	.[Lever]	.[Finish]	\$379.00	
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	03-366	.[Lever]	.[Finish]	\$379.00	
Exit	Sargent, KIL, L-SAR (6-pin)	03-244	03-344	.[Lever]	.[Finish]	\$379.00	
Exit		03-277	03-344	.[Lever]	.[Finish]	\$379.00	
	Sargent, FSIC, J-SAR (6-pin)						
Exit	Medeco, FSIC, J-MED (6-pin)	03-237	03-388	.[Lever]	.[Finish]	\$379.00	
Exit	Yale, FSIC, J-YA6 (6-pin)	03-255	03-355	.[Lever]	.[Finish]	\$379.00	



EVTEDIODIE	VED (LESS CYLINDED)						Av	ailabl	le finis	hes			
	<b>VER (LESS CYLINDER)</b> ssis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)			605	606	612	613	619	622	625	626	643e	626AM
(Select by Cha	SSIS Type, Cytilider OEM, Cytilider Type, Cytilider Detait)			N/A - N/A			•	•					
Chancia tuma	Description	November 4	Original marek#			Spe	ecify				Dul		
Chassis type	Description	New part #	Original part #	Lev	er des	ign	ı	Finish	1		,	Price	
Exit	Yale, FSIC, J-YA7 (7-pin)	03-236	03-399		[Lever	]	.[Finish] \$379.00						
Exit	Corbin Russwin, KIL, L-CO6 (6-pin)	03-234	-		[Lever	]	.[Finish] \$379.00						

	EVER (LESS CYLINDER) - NEW LEVER OPTION ASSIS Type, Cylinder OEM, Cylinder Type, Cylind			605 606 612	613 619 622	625 626 643e 626A
(Select by Che	T	lei Detait)			N/A • N/A	
Chassis type	Description	New part #	Original part #		ecify	Price
Cylindrical	Boardwalk - Closed	47258044		Lever design .BRK	Finish .[Finish]	\$206.00
Cylindrical	Boardwalk - J	47258052		.BRK	.[Finish]	\$206.00
Cylindrical	Boardwalk - P6/L	47258048		.BRK	.[Finish]	\$206.00
Cylindrical	Boardwalk - BDC/B/G/H	47258040	-	.BRK	.[Finish]	\$206.00
Cylindrical	Broadway - Closed	47258048	-	.BRW	.[Finish]	\$206.00
Cylindrical	Broadway - J	47258051	_	.BRW	.[Finish]	\$206.00
Cylindrical	Broadway - P6/L	47258047	_	.BRW	.[Finish]	\$206.00
Cylindrical	Broadway - BDC/B/G/H	47258039	_	.BRW	.[Finish]	\$206.00
Cylindrical	Latitude - Closed	47258045	_	.LAT	.[Finish]	\$206.00
Cylindrical	Latitude - J	47258053	_	.LAT	.[Finish]	\$206.00
Cylindrical	Latitude - P6/L	47258049	_	.LAT	.[Finish]	\$206.00
Cylindrical	Latitude - BDC/B/G/H	47258041	-	.LAT	.[Finish]	\$206.00
Cylindrical	Longitude - Closed	47258046	_	.LON	.[Finish]	\$206.00
Cylindrical	Longitude - J	47258054	-	.LON	.[Finish]	\$206.00
Cylindrical	Longitude - P6/L	47258050	-	.LON	.[Finish]	\$206.00
Cylindrical	Longitude - BDC/B/G/H	47258042	-	.LON	.[Finish]	\$206.00
 Cylindrical	Boardwalk (Tactile) - Closed	47260554	-	.8BK	.[Finish]	\$276.00
Cylindrical	Boardwalk (Tactile) - J	47260546	-	.8BK	.[Finish]	\$276.00
 Cylindrical	Boardwalk (Tactile) - P6/L	47260550	-	.8BK	.[Finish]	\$276.00
Cylindrical	Boardwalk (Tactile) - BDC/B/G/H	47260538	-	.8BK	.[Finish]	\$276.00
Cylindrical	Broadway (Tactile) - Closed	47260553	-	.8BY	.[Finish]	\$276.00
Cylindrical	Broadway (Tactile) - J	47260545	-	.8BY	.[Finish]	\$276.00
Cylindrical	Broadway (Tactile) - P6/L	47260549	-	.8BY	.[Finish]	\$276.00
Cylindrical	Broadway (Tactile) - BDC/B/G/H	47260537	-	.8BY	.[Finish]	\$276.00
Cylindrical	Latitude (Tactile) - Closed	47260555	-	.8LT	.[Finish]	\$276.00
Cylindrical	Latitude (Tactile) - J	47260547	-	.8LT	.[Finish]	\$276.00
Cylindrical	Latitude (Tactile) - P6/L	47260551	-	.8LT	.[Finish]	\$276.00
Cylindrical	Latitude (Tactile) - BDC/B/G/H	47260539	-	.8LT	.[Finish]	\$276.00
Cylindrical	Longitude (Tactile) - Closed	47260556	-	.8LN	.[Finish]	\$276.00
Cylindrical	Longitude (Tactile) - J	47260548	-	.8LN	.[Finish]	\$276.00
Cylindrical	Longitude (Tactile) - P6/L	47260552	-	.8LN	.[Finish]	\$276.00
Cylindrical	Longitude (Tactile) - BDC/B/G/H	47260540	-	.8LN	.[Finish]	\$276.00
Mortise	Boardwalk - Closed	47258044	-	.BRK	.[Finish]	\$206.00
Mortise	Boardwalk - J	47258052	-	.BRK	.[Finish]	\$206.00
Mortise	Boardwalk - P6/L	47258048	-	.BRK	.[Finish]	\$206.00
Mortise	Boardwalk - BDC/B/G/H	47258040	-	.BRK	.[Finish]	\$206.00
Mortise	Broadway - Closed	47258043	-	.BRW	.[Finish]	\$206.00
Mortise	Broadway - J	47258051	-	.BRW	.[Finish]	\$206.00
Mortise	Broadway - P6/L	47258047	-	.BRW	.[Finish]	\$206.00
Mortise	Broadway - BDC/B/G/H	47258039	-	.BRW	.[Finish]	\$206.00
Mortise	Latitude - Closed	47258045	-	.LAT	.[Finish]	\$206.00
Mortise	Latitude - J	47258053	-	.LAT	.[Finish]	\$206.00
Mortise	Latitude - P6/L	47258049	-	.LAT	.[Finish]	\$206.00



EXTERIOR LEVER (LESS CYLINDER) - NEW LEVER OPTIONS						Available finishes																																							
	assis Type, Cylinder OEM, Cylinder Type, Cylind				606 612		619		625 626 643e 626																																				
(	T			•		N/A	•	N/A	•																																				
Chassis type	Description	New part #	Original part #	Love	sp er design	ecify	Finish		-	Price																																			
Mortise	Latitude - BDC/B/G/H	47258041			.LAT .[Finish]					\$206.00																																			
Mortise	Longitude - Closed	47258046			LON		[Finish	•		\$206.00																																			
Mortise	Longitude - J	47258054			LON		[Finish			\$206.00																																			
Mortise	Longitude - P6/L	47258050	_		LON		[Finish			\$206.00																																			
Mortise	Longitude - BDC/B/G/H	47258042			LON		[Finish			\$206.00																																			
Mortise	Boardwalk (Tactile) - Closed	47260554	-		.8BK		[Finish			\$276.00																																			
Mortise	Boardwalk (Tactile) - J	47260546			.8BK		[Finish			\$276.00																																			
Mortise	Boardwalk (Tactile) - P6/L	47260550	-		.8BK		[Finish			\$276.00																																			
Mortise	Boardwalk (Tactile) - BDC/B/G/H	47260538			.8BK		[Finish			\$276.00																																			
Mortise	Broadway (Tactile) - Closed	47260553	-		.8BY					\$276.00																																			
Mortise	Broadway (Tactile) - Liosed	47260535			.8BY		[Finish			\$276.00																																			
Mortise		47260549	-	-	.8BY		[Finish [Finish			\$276.00																																			
Mortise	Broadway (Tactile) - P6/L Broadway (Tactile) - BDC/B/G/H	47260549	-		.8BY			•		\$276.00																																			
	, ,						[Finish																																						
Mortise Mortise	Latitude (Tactile) - Closed	47260555	-		.8LT		[Finish			\$276.00																																			
Mortise	Latitude (Tactile) - J	47260547	-		.8LT		[Finish			\$276.00																																			
Mortise	Latitude (Tactile) - P6/L	47260551			.8LT		[Finish	-		\$276.00																																			
Mortise	Latitude (Tactile) - BDC/B/G/H	47260539	-			<del>-</del>	.[Finish]		\$276.00																																				
Mortise	Longitude (Tactile) - Closed	47260556	-	.8LN .[Finish]						\$276.00																																			
Mortise	Longitude (Tactile) - J	47260548	-		.8LN		[Finish	•		\$276.00																																			
Mortise	Longitude (Tactile) - P6/L	47260552	-		.8LN				.[Finish]						.[Finish]						.[Finish]									.[Finish]				\$276.00											
Mortise	Longitude (Tactile) - BDC/B/G/H	47260540	-		.8LN		[Finish	\$276.00																																					
Exit	Boardwalk - Closed	47258044	-		BRK		[Finish	\$206.00																																					
Exit	Boardwalk - J	47258052	-		.BRK		[Finish	ן]	\$206.00																																				
Exit	Boardwalk - P6/L	47258048	-		.BRK		[Finish	ո]	\$206.00																																				
Exit	Boardwalk - BDC/B/G/H	47258040	-		.BRK		[Finish	1]		\$206.00																																			
Exit	Broadway - Closed	47258043	-		BRW		[Finish	Finish] \$206.																																					
Exit	Broadway - J	47258051	-		BRW	.[Finish]			.[Finish]				\$206.00																																
Exit	Broadway - P6/L	47258047	-		BRW		[Finish	ո]		\$206.00																																			
Exit	Broadway - BDC/B/G/H	47258039	-		BRW		[Finish	ո]		\$206.00																																			
Exit	Latitude - Closed	47258045	-		.LAT		[Finish	า]		\$206.00																																			
Exit	Latitude - J	47258053	-		.LAT		[Finish	า]		\$206.00																																			
Exit	Latitude - P6/L	47258049	-		.LAT		[Finish	า]		\$206.00																																			
Exit	Latitude - BDC/B/G/H	47258041	-		.LAT	.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish]			.[Finish]		.[Finish]		.[Finish]		.[Finish		].		า]		\$206.00
Exit	Longitude - Closed	47258046	-		LON		[Finish	ո]		\$206.00																																			
Exit	Longitude - J	47258054	-		LON		[Finish	ո]		\$206.00																																			
Exit	Longitude - P6/L	47258050	-		LON		[Finish	ո]		\$206.00																																			
Exit	Longitude - BDC/B/G/H	47258042	-		LON		[Finish	n]		\$206.00																																			
Exit	Boardwalk (Tactile) - Closed	47260554	-		.8BK		[Finish	n]		\$276.00																																			
Exit	Boardwalk (Tactile) - J	47260546	-		.8BK		[Finish	ո]		\$276.00																																			
Exit	Boardwalk (Tactile) - P6/L	47260550	-		.8BK		[Finish	ո]		\$276.00																																			
Exit	Boardwalk (Tactile) - BDC/B/G/H	47260538	-		.8BK		 [Finish	n]		\$276.00																																			
Exit	Broadway (Tactile) - Closed	47260553	-		.8BY					\$276.00																																			
Exit	Broadway (Tactile) - J	47260545	-		.8BY .[Finish]					\$276.00																																			
Exit	Broadway (Tactile) - P6/L	47260549	-	.8BY .[Finish]						\$276.00																																			
Exit	Broadway (Tactile) - BDC/B/G/H	47260537	-	.8BY .[Finish]						\$276.00																																			
Exit	Latitude (Tactile) - Closed	47260555	-	.8LT .[Finish]						\$276.00																																			
Exit	Latitude (Tactile) - J	47260547	-	.8LT .[Finish]						\$276.00																																			
Exit	Latitude (Tactile) - P6/L	47260551	-	.8LT .[Finish]						\$276.00																																			
Exit	Latitude (Tactile) - BDC/B/G/H	47260539			.8LT		[Finisi			\$276.00																																			
Exit	Longitude (Tactile) - BDC/B/G/H  Longitude (Tactile) - Closed	47260556			.8LN		[Finisi			\$276.00																																			
Exit	Longitude (Tactile) - Closed  Longitude (Tactile) - J	47260548	-		.8LN		[Finisi																																						



EXTERIOR LE	EXTERIOR LEVER (LESS CYLINDER) - NEW LEVER OPTIONS (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)						Available finishes										
							613	619	622	625 626 643e 626AM							
(Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)				•	•	•	N/A	•	N/A	•	•	•	•				
Chanala tuna	Description	Now port #	Original marek#			Spe	cify				D.I						
Chassis type	Description	New part #	Original part #	Lev	er des	ign	ı	Finish	1		,	Price					
Exit	Longitude (Tactile) - P6/L	47260552	-	.8LN		].	Finish	۱]			\$276.00						
Exit	Longitude (Tactile) - BDC/B/G/H	47260540	-	.8LN .[Finish]			\$276.00										

EXTERIOR I F	VER (LESS CYLINDER), 10-PIECE BULK PACK	(			Available finis					
	ssis Type, Cylinder OEM, Cylinder Type, Cylinder			605 606 612		625 626 643e 626				
					N/A • N/A					
Chassis type	Description	New part #	Original part #		ecify	Price				
Coding duty and	Cablaga IVII DC (1)	1/102 601	1/102 021	Lever design	Finish	¢1.615.00				
Cylindrical	Schlage, KIL, P6/L1	K103-681	K103-031	.[Lever]	.[Finish]	\$1,615.00				
Cylindrical	Schlage, FSIC, R/J <sup>1</sup>	K103-682	K103-032	.[Lever]	.[Finish]	\$1,923.00				
Cylindrical	Schlage, SFIC, G/B <sup>1</sup>	K103-680	K103-000	.[Lever]	.[Finish]	\$1,923.00				
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin) <sup>1</sup>	K103-684	K103-066	.[Lever]	.[Finish]	\$2,995.00				
Cylindrical	Sargent, KIL, L-SAR (6-pin) <sup>1</sup>	K103-683	K103-044	.[Lever]	.[Finish]	\$3,832.00				
Cylindrical	Sargent, FSIC, J-SAR (6-pin) <sup>1</sup>	K103-685	K103-077	.[Lever]	.[Finish]	\$3,792.00				
Cylindrical	Medeco, FSIC, J-MED (6-pin)	K103-687	K109-388	.[Lever]	.[Finish]	\$3,837.00				
Cylindrical	Yale, FSIC, J-YA6 (6-pin) <sup>1</sup>	K103-686	K103-055	.[Lever]	.[Finish]	\$3,837.00				
Cylindrical	Yale, FSIC, J-YA7 (7-pin) <sup>1</sup>	K103-688	K109-399	.[Lever]	.[Finish]	\$3,837.00				
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	K103-689	-	.[Lever]	.[Finish]	\$3,084.00				
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991086	.RHO	.[Finish]	\$3,084.00				
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991094	.SPA	.[Finish]	\$3,084.00				
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991102	.TLR	.[Finish]	\$2,974.00				
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991110	.8RO	.[Finish]	\$3,799.00				
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991128	.8SP	.[Finish]	\$3,799.00				
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991136	.8TR	\$3,799.00					
Mortise	Schlage, KIL, P6/L <sup>1</sup>	K103-681	K109-331	.[Lever]	.[Finish]	\$1,615.00				
Mortise	Schlage, FSIC, R/J <sup>1</sup>	K103-682	K109-332	.[Lever]	.[Finish]	\$1,923.00				
Mortise	Schlage, SFIC, G/B <sup>1</sup>	K103-680	K103-000	.[Lever]	.[Finish]	\$1,923.00				
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin) <sup>1</sup>	K103-684	K109-366	.[Lever]	.[Finish]	\$2,995.00				
Mortise	Sargent, KIL, L-SAR (6-pin) <sup>1</sup>	K103-683	K109-344	.[Lever]	.[Finish]	\$3,832.00				
Mortise	Sargent, FSIC, J-SAR (6-pin) <sup>1</sup>	K103-685	K109-377	.[Lever]	.[Finish]	\$3,792.00				
Mortise	Medeco, FSIC, J-MED (6-pin)	K103-687	K109-388	.[Lever]	.[Finish]	\$3,837.00				
Mortise	Yale, FSIC, J-YA6 (6-pin) <sup>1</sup>	K103-686	K109-355	.[Lever]	.[Finish]	\$3,837.00				
Mortise	Yale, FSIC, J-YA7 (7-pin) <sup>1</sup>	K103-688	K109-399	.[Lever]	.[Finish]	\$3,837.00				
Mortise	Falcon, KIL, L-FA7 (7-pin)	K103-689	K109-331	.[Lever]	.[Finish]	\$3,084.00				
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	K109-366	.[Lever]	.[Finish]	\$3,084.00				
Exit	Schlage, KIL, P6/L1	K103-681	K103-331	.[Lever]	.[Finish]	\$1,615.00				
Exit	Schlage, FSIC, R/J <sup>1</sup>	K103-682	K103-332	.[Lever]	.[Finish]	\$1,923.00				
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin)	K103-684	K103-366	.[Lever]	.[Finish]	\$2,995.00				
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	K103-366	.[Lever]	.[Finish]	\$3,084.00				
Exit	Sargent, KIL, L-SAR (6-pin) <sup>1</sup>	K103-683	K103-344	.[Lever]	.[Finish]	\$3,832.00				
Exit	Schlage, SFIC, G/B <sup>1</sup>	K103-680	K103-000	.[Lever]	.[Finish]	\$1,923.00				
Exit	Falcon, KIL, L-FA7 (7-pin)	K103-689	K103-331	.[Lever]	.[Finish]	\$3,084.00				
Exit	Sargent, FSIC, J-SAR (6-pin) <sup>1</sup>	K103-685	K103-377	.[Lever]	.[Finish]	\$3,792.00				
Exit	Medeco, FSIC, J-MED (6-pin)	K103-687	K103-388	.[Lever]	.[Finish]	\$3,837.00				
Exit	Yale, FSIC, J-YA6 (6-pin) <sup>1</sup>	K103-686	K103-355	.[Lever]	.[Finish]	\$3,837.00				
Exit	Yale, FSIC, J-YA7 (7-pin) <sup>1</sup>	K103-688	K103-399	.[Lever]	.[Finish]	\$3,837.00				

<sup>&</sup>lt;sup>1</sup> This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

LOCK RETRAC	LOCK RETRACTOR (Select by Chassis Type, Chassis Thickness)									
Chassis type	Chassis type Description		Price							
Cylindrical	Retractor	46928800	\$517.00							
Mortise	1-1/16" Narrow - (door thicknesses 1-3/8" to 1-5/8")	46928818	\$662.00							



LOCK RETRA	LOCK RETRACTOR (Select by Chassis Type, Chassis Thickness)									
Chassis type	Description	Specify	Price							
Mortise	1-1/4" Standard - (door thicknesses 1-3/4" to 2-3/4")	46928826	\$662.00							
Mortise with	1-1/16" Narrow - (door thicknesses 1-3/8" to 1-5/8")	46928834	\$837.00							
deadbolt	1-1/4" Standard - (door thicknesses 1-3/4" to 2-3/4")	46928842	\$837.00							

SPINDLE AND	SPINDLE AND HUB KIT (Select by Chassis Type)									
Chassis type	Description	Specify	Price							
Exit	Exit spindle and hub kit (Includes spindle, spindle cover, spindle hub, tailpiece, twisted tailpiece, tailpiece spring, pine tree clip, screw)	46929295	\$64.00							

SPINDLE SPRING		
Description	Specify	Price
Inside spindle spring (25 pack)	47256978	\$119.00

				A۷	/ailab	le finis	hes			
DEADBOLT THUMBTURN ASSEMBLY (WITH E-CLIP)		606	612	613	619	622	625	626	643e	626AM
	•	•	•	N/A	•	N/A	•	•	•	•
Description  Deadbolt thumbturn assembly (with E-clip)		Specify							Price	
		t num	ber	Finish				,	rice	
		46929113 .[Finish]				\$52.00				

The Schlage AD-993 internal push button (IPB) retrofit kit relocates the push button from the interior escutcheon of the lock to the exit device to meet the specific needs of California Building Code accessibility standards, Section 11B-404.2.7. This retrofit kit is available for the AD-993 with Von Duprin 98/99 exit devices with the following options:

- Rim, Concealed Vertical Rod (CVR)/Concealed Vertical Cable (CVC), XP, Mortise, and Surface Vertical Rod (SVR) devices
- Right hand reverse (RHR) or Left-hand reverse (LHR) door handing

IPB RETROFIT KIT MODULE (Note: IPB Retrofit Kits will be handled and invoiced from Von Duprin Plant.)											
Description			Avai	lable I	Finish	nes			Specify		Duise
Description	605 606 619 625 626 643e 626AM Part		Part number	Handing	Finish	Price					
Rim Exit (LH) - Stainless Steel			•	•	•	•	•	47385857	.[LHR or RHR]	.[Finish]	\$772.00
Rim Exit Devices (RH) - Stainless Steel			•	•	•	•	•	47385858	.[LHR or RHR]	.[Finish]	\$772.00
Rim Exit (LH) - Brass		•						47385865	.[LHR or RHR]	.[Finish]	\$772.00
Rim Exit (RH) - Brass	•	•						47385866	.[LHR or RHR]	.[Finish]	\$772.00
Surface Vertical Rods (SVR) (LH) - Stainless Steel				•	•	•	•	47385859	.[LHR or RHR]	.[Finish]	\$772.00
Surface Vertical Rods (SVR) (RH) - Stainless Steel				•	•	•	•	47385860	.[LHR or RHR]	.[Finish]	\$772.00
Surface Vertical Rods (SVR) (LH) - Brass	•	•	•					47385867	.[LHR or RHR]	.[Finish]	\$772.00
Surface Vertical Rods (SVR) (RH) - Brass	•	•	•					47385868	.[LHR or RHR]	.[Finish]	\$772.00
CVR / CVC (LH) - Stainless Steel				•	•	•	•	47385861	.[LHR or RHR]	.[Finish]	\$772.00
CVR / CVC (RH) - Stainless Steel				•	•	•	•	47385862	.[LHR or RHR]	.[Finish]	\$772.00
CVR / CVC (LH) - Brass		•	•					47385869	.[LHR or RHR]	.[Finish]	\$772.00
CVR / CVC (RH) - Brass	•	•	•					47385870	.[LHR or RHR]	.[Finish]	\$772.00
MS (LH) - Brass	•	•	•					47385871	.[LHR or RHR]	.[Finish]	\$772.00
MS (RH) - Brass	•	•	•					47385872	.[LHR or RHR]	.[Finish]	\$772.00
MS (LH) - Stainless Steel				•	•	•	•	47455861	.[LHR or RHR]	.[Finish]	\$772.00
MS (RH) - Stainless Steel				•	•	•	•	47455862	.[LHR or RHR]	.[Finish]	\$772.00
XP99/98 (LH)	-	•	•	•	•	•	•	47385863	.[LHR or RHR]	.[Finish]	\$772.00
XP99/98 (RH)		•	•		•	•	•	47385864	.[LHR or RHR]	.[Finish]	\$772.00



PARTS

MORTISE ARMOR FR	ONT (Select by Width	ı, Door Thickness)												
09-663	09-666	09-669	09-672											
( o f 0 ( o )	* *	(o 11/1 o)	* *											
Available finishes				605	606	612	613	619	622	625	626	543e	626AM	
					•	•	•	N/A	•	N/A	-	•	•	•
1-1/4" Wide (Standard	d armor size for 1-3/4"	and larger door thick	nesses)		,						,			
Description					Specify						Price			
Description					Par	t num	ber		Finish	1		-	ice	
Latch x auxiliary latch1					0	9-663	3	.[	Finish	۱]		\$5	5.10	
Latch x auxiliary latch	x deadbolt¹				0	9-666	5	.[	Finish	n]		\$5	5.70	
1-1/16" Wide (armor s	size for doors thinner t	han 1-3/4", including	I-3/8" doors)											
			Specify											
Description		Par	num	ber		Finish	1		Р	rice				
Latch x auxiliary latch					0	9-669	9	.[	Finish	۱]		\$5	5.10	
Latch x auxiliary latch x deadbolt <sup>1</sup>				C	9-672	2	.[	Finish	ո]		\$5	5.10		

1. This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

K510-066

10-016

2. Use with fire door latch.

10-025

STRIKE PLATE (Select by Chassis Type)

10-013

Available finishes			605 606 612	613 619 N/A •	622 625 626 N/A • •	643e 626AM
		Default		Specify	IN/A	
Chassis type	Description	lip length	Part number	Finish	Lip length	Price
Cylindrical	1-1/4" x 4-7/8" ANSI, no box <sup>1</sup>	1-3/16"	10-025-1316	.[Finish]	.LIP1-3/16	\$23.10
Cylindrical	1-1/4" x 4-7/8" ANSI, no box <sup>1</sup>	1-3/8"	10-025-138	.[Finish]	.LIP1-3/8	\$66.40
Cylindrical	1-1/4" x 4-7/8" ANSI, no box <sup>1</sup>	1-1/2"	10-025-112	.[Finish]	.LIP1-1/2	\$66.40
Cylindrical	1-1/8" x 2-3/4" square corner, T-strike, box <sup>1</sup>	1-1/8"	10-013-118	.[Finish]	.LIP1-1/8	\$23.10
Cylindrical	1-1/8" x 2-3/4" square corner, T-strike, box <sup>1</sup>	1-1/2"	10-013-112	.[Finish]	.LIP1-1/2	\$23.10
Cylindrical	1-1/8" x 2-3/4" square corner, T-strike, deep box <sup>1,2</sup>	1-1/8"	10-016	.[Finish]	.LIP1-1/8	\$23.10
Cylindrical	Box for ANSI strike (finish not applicable) <sup>1</sup>	-	K510-066	-	-	\$10.20
Cylindrical	1-1/4" x 4-7/8" ANSI, no box <sup>1</sup>	1-3/4"	XQ07-351-134	.[Finish]	.LIP1-3/4	\$320.00
Cylindrical	1-1/8" x 2-3/4" square corner, T-strike, box <sup>1</sup>	1-3/4"	XQ03-494-134	.[Finish]	.LIP1-3/4	\$92.00
Mortise Deadbolt	1-1/4" x 4-7/8" square corner, box (standard with Lip at 1-3/16", 1", 1-1/2", 1-3/4", or 2") $^{\rm 1}$	1-3/16"	10-072-1316	.[Finish]	.LIP1-3/16	\$34.00
Mortise Deadbolt	1-1/4" x 4-7/8" square corner, box (specify lip length [xx] as 1" or 1-1/2") $^1$	1-3/16"	10-072-xx	.[Finish]	.[Lip length]	\$34.00
Mortise Deadbolt	1-1/4" x 4-7/8" square corner, box (specify lip length [xx] as 1-3/4", 1" or 2")1	1-3/16"	10-072-xx	.[Finish]	.[Lip length]	\$86.00
Mortise Deadbolt	1/2" Rabbeted¹	-	10-075	.[Finish]	.[Lip length]	\$219.00
Mortise Deadbolt	Strike frame reinforcer (finish not applicable)	-	37-015	-	-	\$37.30

10-072

10-075

37-015

- ${\it 1.} \ \ \, {\it This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.}$
- 2. Use with fire door latch.



INTERIOR SHIM PLATE (Select by Class)										
Description	Specify	Price								
Interior shim plate, AD200/250/300 - (Device is 0.063" thick)	23458607	\$45.00								
Interior shim plate, AD400 - (Device is 0.063" thick)	23458565	\$45.00								

EXTERIOR SHIM PLATE		
Description	Specify	Price
Exterior shim plate - (Device is 0.063" thick)	23458599	\$35.00

DOOR POSITION SWITCH		
Description	Specify	Price
Door position switch	46929121	\$49.00

DOOR THICKNES	SS KIT (Select by Chassis Type)			
		Speci		
Chassis type	Description	Part number Door thickness		Price
Cylindrical	1-3/8" Door thickness kit (includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	46929170-138	.[ ].	\$253.00
Cylindrical	1-1/2" Door thickness kit (includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	46929170-112	.[ ].	\$180.00
Cylindrical	1-5/8" Door thickness kit (includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	46929170-158	.[]	\$129.00
Cylindrical	Door thickness kit (includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, standoffs) <sup>1</sup>	46929170-XXX	.[ ].	\$77.00
Mortise	1-3/8" Door thickness kit (includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	46929178-138	.[ ].	\$253.00
Mortise	1-1/2" Door thickness kit (includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	46929178-112	.[ ].	\$180.00
Mortise	1-5/8" Door thickness kit (includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	46929178-158	.[ ].	\$129.00
Mortise	Door thickness kit (includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, standoffs) <sup>1</sup>	46929178-XXX	.[ ]	\$77.00

<sup>1.</sup> Must specify door thickness: 1-3/4" to 2-3/4" in 1/8" increments.

	Available finish						shes																																																																														
DECORATIVE PLAT	<b>E</b> (Select by Size)	605	606	612	613	619	622	625	626	643e	626AM																																																																										
			N/A	N/A	N/A	N/A	N/A	N/A	•	•	N/A																																																																										
Size Description					cify					Orico																																																																											
Size	Description	Part	Part number Finish				Part number Finish				Price																																																																										
1.5" x 3.25" x .105"	Decorative plate (with screws) - (Exit chassis)	23631823 .[Finish]				23631823 .[Finish]					23631823 .[Finish]					\$	55.00																																																																				
1.7" x 3.5" x .075"	Decorative plate (with screws)	23760267 .[Finish]			23760267 .[Finish]			23760267 .[Finish]			23760267 .[Finish]			23760267 .[Finish]		23760267 .[Finish]		23760267 .[Finish]		23760267 .[Finis		23760267		23760267		23760267		23760267		23760267		23760267		23760267		23760267		23760267 .		23760267 .[F		23760267 .[Finish]		67 .[Finish]		267 .[Finish]		23760267 .[Finish]		0267 .[Fin		67 .[Finis		60267 .[Fin		760267		3760267 .		67 .[Finish		57 .[Finish		67 .[Finish]		7 .[Finish]		/ .[Finish]		.[Finish]		i7 .[Finish		.[Finish]		.[Finish]		.[Finish]		7 .[Finish]			\$	40.00	
3.2" x 3.5" x .075"	Decorative plate (with screws)	23	76028	33	3 .[Finish]			3 .[Finish]			.[Finish]			.[Finish]			.[Finish]				\$	62.00																																																															
6.0" x 3.5" x .075"	Decorative plate (with screws)	23760317 .[Finish]			7 .[Finish]				\$	94.00																																																																											
6.6" x 3.5" x .075"	Decorative plate (with screws)	23760325 .[Finish]			Finish] \$94			94.00																																																																													
8.0" x 3.5" x .075"	Decorative plate (with screws)	23760309 .[Fir			23760309 .[Finish]			23760309 .[Finish]				09 .[Finish]			.[Finish]			\$97.00																																																																			
8.0" x 3.5" x .075"	Decorative plate (with screws and welded standoff)	23760291 .[Finis			23760291 .[Finish]				23760291 .[Finish]			23760291 .[Finish]			23760291 .[Finish]				1]		\$	31.00																																																															
10.5" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>1</sup>	23760259 .[Finis			23760259 .[Finish]					23760259 .[Finish]				۱]	\$125.00																																																																						
12.0" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>1</sup>	23760275 .[Finish]			23760275 .[Finish]				1]		\$1	24.00																																																																									

- ${\it 1. \ \ Please\ consider\ overall\ Door\ Thickness\ when\ ordering.}$
- $2. \ \ Single \ Decorative \ plate. \ Interior \ and \ Exterior \ Decorative \ plates \ may \ be \ required.$
- 3. Decorative plates may have multiple applications. Please see AD Series Retrofit Template Overlay guide at <a href="https://www.schlage.com/support">www.schlage.com/support</a> for more information.



	Available finishes																														
OFFLINE / HARDWIRED COMMUNICATION MODULE COVER (Select by Function)	605	606	612	613	619	622	625	626AM																							
	•	•	•	N/A	•	N/A	•	•	•	•																					
Becautetten		Specify							\!																						
escription			umber Finish					Price																							
Offline communication module cover, cover (Includes communication module cover, cover screw,	COM200C			COM200C (23519168) .[Finis		.[Finish		COM200C		COM200C		COM200C		COM200C		COM200C		COM200C		COM200C		COM200C		)0C		.[Finish]					
Torx® cover screw)	(23519168)		(68)					נוופווודן.			.[FIIIISII]			.[111311]		.[110111]		.[110111]		.[110011]		.[11111511]		) .[[[[[]]]]				)		68)	
Offline/hardwired communication module cover, indicator (Includes off-line/hardwired communication	C	COM200L [Finis		L [Finish]		OL [Finish]			00L [Einich]			200L [Finish		<b>.</b> 1		Soo r	oage 19	າວ													
module cover with indicator, cover screw, Torx cover screw)	(2:	351918	184)		.[Finish]		.[Finish]			See h	Jage 15	72																			
ne/hardwired communication module cover, pushbutton (Includes offline/hardwired communication		OM20	0P	[Einich]																											
module cover with pushbutton, cover screw, Torx cover screw)	(2	(23519176) .[Finish]			.[Finish]																										

	Available finishes													
HARDWIRED UPGRADE KIT (Select by Function)	605	606	612	613	619	622	625	626	643e	626AM				
	•	•	•	N/A	•	N/A	•	•	•	•				
Boundard and			Specify				Specify						<b>.</b>	
Description		t nun	ber		Finish			Price						
Hardwired upgrade kit, indicator (Includes hardwired communication module, standoff, offline/hardwired	COM300L				_1									
communication module cover with indicator, cover screw, Torx® cover screw)	(46	9289	09)	.[Finish]			.[Finish]						1	00
Hardwired upgrade kit, pushbutton (Includes hardwired communication module, standoff, offline/	COM300P			[Finish]			See l	oage 1	92					
hardwired communication module cover with pushbutton, cover screw, Torx cover screw)	(46	59288	391)	.[Finish]										

HARDWIRED COMMUNICATION MODULE		
Description	Specify	Price
Hardwired communication module (with fasteners, jumpers)	46928958	\$384.00

	Available finishes													
WIRELESS UPGRADE KIT (Select by Function)	605	606	612	613	619	622	625	626	643e	526AM				
				N/A	•	N/A	•	•	•	•				
Paradallar.	Specif				Specify			Specify						
Description	Part number Finish					Price								
Wireless upgrade kit, indicator (Includes wireless communication module, (2) standoffs, wireless	COM400L					COM400L								
communication module cover with indicator, cover screw, Torx® cover screw, wireless foil gasket)	.[Finish] (46928867)			.[Finish]			57) [Finish]				C	10	,_	
Wireless upgrade kit, pushbutton (Includes wireless communication module, (2) standoffs, wireless	COM400P				shbutton (Includes wireless communication module, (2) standoffs, wireless COM400P		FEI-1-1-1		See page 192		12			
communication module cover with pushbutton, cover screw, Torx cover screw, wireless foil gasket)	(46	9288	59)	.[Finish]										

	Available finishes										
WIRELESS COMMUNICATION MODULE COVER (Select by Function)	605	606	612	613	619	622	625	626	643e	626AM	
	•	•	•	N/A	•	N/A	•	•	•	•	
Description	Specify							Dulas.			
	Part number Finish					Price					
Wireless communication module cover, indicator (with screws)	46928883 .[Finish]			46928883 .[Finish]				\$	51.00		
Wireless communication module cover, pushbutton (with screws)	46928875			46928875 .[Finish]				\$1	03.00		

WIRELESS COMMUNICATION MODULE		
Description	Specify	Price
Wireless communication module (with screws, standoffs)	46928941	\$517.00
Wireless communication module with antenna connector (with screws, standoffs)	23848385	\$560.00

WIRELESS PARTS		
Description	Specify	Price
Wireless foil gasket	46928974	\$30.00
Terminal block kit – (Includes one power connector and ten I/O connectors) supports PIM400, PIB300, TK400, ECK400, GCK400 and WRI400	47250326	\$69.00

BATTERY HOLDER AND COVER KIT (Select by Battery Quantity)										
Description	Spec	ify	Price							
Description	Part number	Finish	Price							
4AA Battery holder and cover kit (Includes 4AA battery holder with cable, 4AA battery strap, battery strap	4B	.[Finish]	\$86.50							
, 4AA battery cover, cover screw, Torx® cover screw) (46929055	(46929055)	.[FIIIISII]	\$60.50							



BATTERY HOLDER AND COVER KIT (Select by Battery Quantity)										
Description	Specify									
Description	Part number	Finish	Price							
8AA Battery holder and cover kit (Includes 8AA battery holder with cable, 8AA battery strap, battery strap	8B	[Finish]	¢1E0.00							
screws, 8AA battery cover, cover screw, Torx cover screw)	(46929089)	.[Finish]	\$159.80							

BATTERY HOLDER KIT (Select by Battery Quantity)		
Description	Specify	Price
4AA Battery holder kit (Includes 4AA battery holder w/ cable, 4AA battery strap, battery strap screws)	46929063	\$37.00
8AA Battery holder kit (Includes 8AA battery holder w/ cable, 8AA battery strap, battery strap screws)	46929097	\$74.00

BATTERY PARTS				
Description	Speci	Dulco		
Description	Part number	Finish	Price	
4AA Battery cover (with screw)	4C (46929071)	.[Finish]	\$49.50	
8AA Battery cover (with screw)	8C (46929105)	.[Finish]	\$87.00	
Mylar protective sticker for 8 battery pack (package of 20)	47250305	-	\$223.00	
AD Battery cable (package of 5)	47250320	-	\$35.00	

BATTERY¹ (Select by Battery Type)		
Description	Specify	Price
(4) AA Batteries	F206-488	\$17.00

<sup>1.</sup> Not for use with AD Series Locks.

INTERIOR COVER HARDWARE KIT		Available finishes								
		606	612	613	619	622	625	626	643e	626AM
	•	•	•	N/A	•	N/A	•	•	•	•
Description		Specify					Dulaa			
	Par	Part number Finish			Price					
Interior cover hardware kit (Includes (2) wireless communication module cover screws, (1) hardwired		9289			Finish			•	64.00	

INTERIOR MAIN BOARD					
Description		Specify			
Description	Part number	Class	Price		
Interior main board (with battery lead, coin cell battery, (2) screws)	46929048	.[Class]	\$987.00		

TORX® TAMPER SCREW PACK (Select by Chassis Type)					
Chassis type	Description	Specify	Price		
Cylindrical	Torx tamper screw pack	23538812	\$62.00		
Mortise	Torx tamper screw pack	23538820	\$50.00		
Exit	Torx tamper screw pack	23538838	\$60.00		

WIRING HARNESS (INTERIOR MAIN BOARD TO EXTERIOR BOARD) (Select by Chassis Type)				
Chassis type	Description	Specify	Price	
Cylindrical	Wiring harness (interior main board to exterior board)	46928727	\$79.00	
Mortise	Wiring harness (interior main board to exterior board)	46928727	\$79.00	
Exit	Wiring harness (interior main board to exterior board)	46928735	\$79.00	
Exit	RX Adapter	23536774	\$74.00	

REX SWITCH, LEAF SPRING AND SCREWS	Specify	Price
REX Switch, leaf spring and screws - (for CY and MS/MD only)	46929139	\$52.00

DRILL BIT (Same as Legacy)	Specify	Price
Drill bit for 3/8" VIP/AD-300	P511472	\$1,224.00



PARTS

REQUEST-TO-EXIT SWITCH KIT	Specify	Price
Von Duprin RX-LC (also called SI-LC or Von Duprin part number 050281)	RX-LC	\$501.00
(Warm) Keypad, base, keypad + proximity, AD, KIT	47269269	\$58.00
(Warm) Keypad, MSK, AD, KIT	47269271	\$58.00
(Warm) Keypad, base, keypad + mag reader, AD, KIT	47269273	\$58.00
(Warm) Keypad, base, keypad only module, AD, KIT	47269275	\$58.00
Inside push button, AD/CO	47269170	\$90.00
Mag reader head, AD	47269169	\$191.00

Please see Falcon Price Book for Falcon AE part number 650359.

MISCELLANEOUS	Specify	Price
MISCELLANEOUS	Model number	Price
Clutch pin (mushroom pin) - contains 50 units	47942587	\$13.00
Spring (mushroom spring) - contains 50 units	47942589	\$3.00
Motor drive assembly - contains 25 units	47939573	\$260.00
Cam interface - contains 25 units	48048245	\$260.00



# **Contents** CO Series Standalone | Overview ......213 CO Series Standalone | Functions ......216 CO Series Standalone | Readers...... 217 CO Series Standalone | Styles ......218 CO Series Standalone | Configure a product ......219 Cylinders... Key systems......221 Handing......221 Battery..... Backset and latchbolt (Cylindrical chassis).....222 Mortise lock armor front (Mortise/Mortise deadbolt chassis)223 Strike plates (Cylindrical chassis) ......224 Door dimensions ......225 CO-100 Manually programmable......226 Cylindrical..... .....226 Mortise/mortise deadbolt......228 CO-200 Standalone......232 Cylindrical......232 Mortise/mortise deadbolt......234 CO-993DT Non-functioning dummy exit trim........238 CT5000 Offline controller ......240 CO Series | Accessories ......242


# Finish codes and descriptions

BHMA code	Description
605	Bright Brass
606	Satin Brass
612	Satin Bronze
619	Satin Nickel
625	Bright Chromium Plated
626	Satin Chrome
626AM	Satin Stainless Steel, Antimicrobial 🕒
643e	Aged Bronze

Customer service	Technical support	
Order status	Technical questions/issues	
<ul> <li>Credit returns of non-defective products</li> </ul>	<ul> <li>Returns of defective products</li> </ul>	
<ul> <li>General sales questions</li> </ul>	<ul><li>Repairs</li></ul>	
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com	



## HOW TO ORDER CO SERIES





## CO SERIES STANDALONE LOCKS

• CO Series standalone locks are the ideal solution for facilities that want the convenience and efficiency of electronic access control without the complexity or cost of a networked system.

CLASS <sup>1</sup>		
CO-100	Standalone, keypad only, manually programmable only	900 900 900 900 900 900
CO-200	Standalone, user access rights stored on the lock, manually or computer programmable	

CHASSIS		
CY: Cylindrical	Bored lock installed into round hole in the door	
MS: Mortise	Lock case installed into a mortise rectangular "pocket" in the door	
MD: Mortise Deadbolt	Mortise lock with built-in interconnected auxiliary deadbolt	
993R: Exit Trim	Rim/Concealed Vertical Rod* (CVR) & Concealed Vertical Cable* (CVC) * Metal door only	
993M: Exit Trim	Mortise	
993S: Exit Trim	Surface Vertical Rod (SVR)	
993DT: Exit Trim	Non-Functioning "Dummy" Exit Trim	T T T T T T T T T T T T T T T T T T T

- 1. Exit trim is only available in 70 function on CO-200 models.
- $2. \ \ \text{Exit trim utilizes universal hardware to simplify installation to a variety of exit device}.$



EXIT DEVICE COM	PATIBILITY	Exit trim utilizes universal hardware to simplify installation to a variety of exit devic							
Brand	Compatible exit devices	Rim	SVR	CVR/CVC <sup>1</sup>	Mortise				
Von Duprin	98/99 and 98/99XP	•	•	•	•				
Von Duprin	78	•	•	CVR Only					
Von Duprin	22/22F	•	•						
Falcon	25	•							
Corbin Russwin®	5000	•							
Precision™	212	•							
Yale®	7000	•							
Dorma®	9300	•							
Sargent®	803	•							

- 1. Metal door only.
- 2. 2100 converts to 21 with Precision's BP21 kit.
- 3. Narrow design and reversible rim exits not compatible.

FUNCTIONS		CO-100	CO-200
70: Storeroom	Lockset is normally secure. Inside lever always allows free egress. Valid toggle credentials on the exterior may be used to change to a passage or secured status.	No button	No button
50: Office/ Classroom	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a passage or secured status. Meets need for lockdown function for safety and security.  NOTE: Valid toggle credentials on the exterior may also be used to change status. Has interior pushbutton (IPB).	Privacy button	
40: Privacy	Lockset is normally secure. Inside lever always allows free egress. Interior pushbutton on inside housing may be used to select a privacy status. The interior pushbutton will disable normal electronic access from the exterior. Opening the door or pressing the interior pushbutton a second time on the inside housing deactivates the privacy status. Has interior pushbutton (IPB).	Privacy button	Privacy button



READER	READER					
KP: Keypad	12 button design	000				
PR: Proximity	Reads 125 kHz proximity credentials					
PRK: Proximity + Keypad	Reads 125 kHz proximity credentials	1000 0000 0000 0000 0000 0000 0000 000				

 $Please\ refer\ to\ CO\ Series\ data\ sheets\ and\ solution\ sheets\ prior\ to\ ordering\ to\ verify\ credential\ compatibility.$ 



#### **LEVER DESIGNS**

#### ATHENS (ATH)2


Tactile option: 8AT (knurled)





#### **BOARDWALK (BRK)**






#### **BROADWAY (BRW)**






#### LATITUDE (LAT)





#### LONGITUDE (LON)





RHODES (RHO)

Tactile option: 8RO (knurled)





#### SPARTA (SPA)<sup>2</sup>

Tactile option: 8SP (knurled)





#### TUBULAR (TLR)<sup>2</sup>

Tactile option: 8TR (knurled)





- 1. All lever designs are available in finishes 605, 606, 612, 619, 625, 626, 643E and 626AM.
- 2. ATH, SPA, and TLR levers meet California Fire Code for 1/2" or less return to door.
- 3. Changing lever cylinder compatibility on a device typically requires replacement of existing spring cage and tailpiece.
- 4. Tactile warning is applied to exterior lever only unless otherwise specified. Not available with 643e finish.
- 5. AD Series, CO Series, and ND Series levers may be interchangeable in some cases depending whether it is an interior or exterior lever, the type of chassis, and the type of cylinder/spring cage/tailpiece. Please consult the <u>AD Series Parts Guide</u> for more information.

FINISH CHART			
Finish description	Finish No.	BHMA No.	Government
Bright Brass	605	605E	US3
Satin Brass	606	606E	US4
Satin Bronze	612	612E	US10
Satin Nickel	619		
Bright Chrome	625	625E	US26
Satin Chrome	626	626E	US26D
Satin Chrome Antimicrobial	626AM		

Please refer to the Electronic Access Control catalog or online product information at <u>us.allegion.com</u> to view each finish.



# You can **configure and price a full range of products** using the tables and rules shown in this section.

The pricing of locks in this section includes the P6 cylinder in an open keyway (where applicable), default latch, strike and a 1-3/4" thick door. Additional modifications are available using the rules and price adjustments on the subsequent pages.

#### How to order:


- All applicable product attributes must be provided in the order shown below
- Each value must separated by a period
- If requesting a product "Less (LLL)" any attribute, the entire detailed ACN must be provided
- Fractions will be written with the "/" symbol separating the numerator and the denominator (example 1/2)
- For dimensions that contain a whole number and a fraction, a hyphen "-" will be added after the whole number and before the fraction (example 2-1/4)
- For two dimensions represented together, such as length and width, the values would be separated by an "x" with no spaces
- Finishes should be listed using their BHMA finish as shown in this book

				Requ	Jired f	or all l	lock o	rders															
														dir	Door nensio	ons		Options			Keying		
	Quantity	Brand	Series	Class + Chassis	Function	Reader	Lever style	Finish	Cylinder	Handing	Battery	Backset & latch or Armor front	Strike	Door thickness	Extended	Strike lip length	Latch extension	Box for ANSI strike	Rabbeted latch and strike kit	Buy America Act compliant	Keying code	Keyway	Pack keys independently
_ (	ong Ong	1	2	3	4	5	6	7	8	9	10	11	12	13A	13B	13C	14A	14B	14C	14D	15A	15B	15C

If ordering a product
"Less (LLL)" any
attribute, values for
each attribute must
be provided.

Only required when deviating from the product's default. Specify only the deviated attribute(s). Only required when deviating from the product's default. Specify only the deviated attribute(s).

#### **EXAMPLE:**





#### COMPLETE LOCKS

#### **CYLINDERS**

Keyed locks are priced including the P6 cylinder with open keyway. Provided below are pricing adjustments based on other available cylinder types. For Primus and Primus XP cylinders, order lock less cylinder and order the Primus or Primus XP cylinder separately.

CYLINDERS		
P6	Conventional 6-pin cylinder Keyed Different as standard with two keys.	
L	Less conventional cylinder	
R	FSIC (Full size interchangeable core) Keyway one bitted as standard with two keys.	
J	Less FSIC	
G	SFIC (Small format interchangeable core) 7-pin Factory master keyed with two keys as standard, master keying must be specified.	(Spanse)
В	Less SFIC	*Less Core
L-SAR 🕏	Less cylinder, Sargent® (10L+11L), 6-pin Key-in-Lever (KIL) (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	
L-CO6 \$	Less cylinder, 6-pin Key-in-Lever (KIL) (Only RHO, SPA, 8RO, 8SP lever styles)	*Less Core
J-SAR 🖫	Less cylinder, Sargent 6300; 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	
J-CO6 🖫	Less cylinder, Corbin Russwin® 8000; 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	
J-CO7 ∑	Less cylinder, Corbin Russwin 8000-7; 7-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	
J-MED \∑	Less cylinder, Medeco 32*0201®; 6-pin FSIC (Only RHO, SPA, 8RO, 8SP lever styles)	
J-YA6 ℤ	Less cylinder, Yale® 1210 or Medeco 31*0100; 6-pin FSIC (Only RHO, SPA, TLR, ATH, 8RO, 8SP, 8TR, 8AT lever styles)	*Less Core
J-YA7 ∑	Less cylinder, Yale 1220; 7-pin FSIC (Only RHO, SPA, 8RO, 8SP lever styles)	
L-FA7	Less cylinder, Falcon, 7-pin Key-in-Lever (KIL) (Only RHO, 8RO, SPA, 8SP lever styles)	*Less Core

#### Extended lead time

- 1. Competitor lever designs come in finishes 626 standard, and 605, 606, 612, 619, 625, 643e, and 626AM with extended lead-times.
- 2. For P, R and G-Master Keyed cylinders can be specified and will be shipped in lock packaging.
- 3. For Master Key System Summary form which should accompany the master keyed order, see pages 297–302.
- 4. For Master Keying, additional line item 50-210 is required for Classic and Everest cylinders.
- 5. Control Keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.
- 6. For additional assistance on Master Keying as well as restricted keyways please contact your local sales representative.
- 7. Spring cages and tailpieces are different based on the type of cylinder and chassis selected. Please see the CO Series Parts Guide for more information.
- 8. The CO Series accepts many popular models of standard, SFIC, and FSIC cylinders. Consult the Keyway/Cylinder Compatibility Data Sheet (010432) for details. See price book for specific configurations.



#### COMPLETE LOCKS

#### **KEY SYSTEMS**

KEY SYST	KEY SYSTEMS AVAILABLE THROUGH SCHLAGE					
Default	Keyway family	Description				
•	Everest 29™ S Keyway Family	Patent protected open keyways that are available in full size Key In Lever (KIL) and Full Size Interchangeable Core (FSIC) formats. Patent protection through 2029.				
	Everest 29 T Keyway Family	Patent protected restricted keyways that are available in full size KIL and FSIC formats. Patent protection through 2029.				
	Everest D Keyway Family	Restricted keyways that are available in full size KIL and FSIC formats.				
	Everest C Keyway Family	Open keyways that are available in full size KIL and FSIC formats.				
	Schlage Classic Open Keyways	Classic (C/E/F): Open keyways available in KIL and FSIC designs				
	Everest B Keyway Family	Restricted keyways that are available on Small Format Interchangeable Core (SFIC).				
	Everest 29 R Keyway Family	Patent protected restricted keyways that are available on SFIC. Patent protection through 2029.				

- 1. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See sample Letter of Authorization on page 303.
- 2. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

Contact your local RSO representative for assistance in determining which format and level of exclusivity best suits your needs.

#### COMPLETE LOCKS

#### **HANDING**

HANDING		
RH	Right handed: Hinges on right opens inward	LH RH Left Hand INSIDE Right Hand Hinges on left: opens inward opens inward
LH	Left handed: Hinges on left opens inward	OUTSIDE
RHR	Right handed reverse: Hinges on right opens outward	INSIDE RHR
LHR	Left handed reverse: Hinges on left opens outward	Left Hand Reverse Hinges on left: OUTSIDE Opens outward OUTSIDE Opens outward

Exit trim 993 chassis available only with RHR or LHR option.

Handing is field reversible, but requires removal of the exterior escutcheon cover. Please see CO Series installation instructions for details.

#### COMPLETE LOCKS

#### **BATTERY**

BATTERY		
4B	4AA Battery holder and cover kit	

CO-Series locks use standard off-the-shelf AA batteries.



COMPLETE LOCKS

## BACKSET AND LATCHBOLT (CYLINDRICAL CHASSIS)

LATCHES		
13-247	2-3/4" Backset Deadlatch Square corner, 1-1/8" x 2-1/4"	
14-049	2-3/4" Backset  Deadlatch Anti-friction fire door latch,  Square corner, 1-1/8" x 2-1/4", 3/4" throw	
14-051	2-3/8" Backset Deadlatch Square corner, 1-1/8" x 2-1/4"	
14-050	3-3/4" Backset  Deadlatch  Square corner, 1-1/8" x 2-1/4"	
43-001	5" Backset extension link Deadlatch	
39-030	Rabbeted latch and strike kit, 605 and 626 only. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.	No image available



COMPLETE LOCKS

## MORTISE LOCK ARMOR FRONT (MORTISE/MORTISE DEADBOLT CHASSIS)

- For 1-3/4" thick doors, use wide armor front
- For over 1-3/4" thick door extended equally (EE), use 1-1/4" wide armor front
- Available finishes are 605, 606, 612, 619, 625, 626

ARMOR FRONT		
09-663	1-1/4" Wide square corner, latch for MS	8 8 (o)
09-669	1-1/16" Wide square corner, latch, options for MS	* O III o
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	& & @
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	& @ [][[] [e]

Images not shown to scale. Consult <u>CO Series Parts Guide</u> for more information.



COMPLETE LOCKS

## STRIKE PLATES (CYLINDRICAL CHASSIS)

STRIKES WITH LO	cks	
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8",	
10-013	1-1/8" Lip, square corner, T-strike, box, 1-1/8" – 2-3/4", 1-1/2" Lip available, must specify 1-1/2" Lip	
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	
K510-066	Box for ANSI strike (Must be specific)	
10-072	1-3/16" Lip, 1-1/4" x 4-7/8", square corner, box	
10-072	7/8", 1", 1-1/2", 1-3/4", or 2" Lip, 1-1/4" x 4-7/8", square corner, box	
10-075	1/2" Rabbeted, For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.	0
37-015	Strike frame reinforcer, specify 37-015	
XL11-820	One hole for latching functions, RH & LHR doors Lip 1-3/16"	
XL11-821	One hole for latching functions, LH & RHR doors Lip 1-3/16"	
XQ07-351-134 ∑	Strike, ANSI, No Box, 1-1/4" x 4-7/8", 1-3/4" Lip Length	Image not available
XQ03-494-134 🖫	Strike, square corner, T-strike, box, 1-1/8" x 2-3/4", 1-3/4" Lip	Image not available





#### COMPLETE LOCKS

#### DOOR DIMENSIONS

- Specify door thickness on order only if different than 1-3/4" thick door
- Door thickness should be specified to the nearest 1/8"

DOOR THICKNESS	
1-3/4"	1-3/4"
1-3/8"	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)

- 1. Door thickness kits are available on page 256 to install a lock on a door that is thicker or thinner than 1-3/4". See <u>AD Series Parts Guide</u> for details. Locks cannot be installed on doors thicker than 2-3/4" or thinner than 1-3/8".
- 2. Thin door shims are available on page 256 to install a lock on a door that is thinner than 1-3/4".
- 3. Decorative plates are used to cover exposed holes when retrofitting from existing locks to AD Series locks. The size of plate required will vary based on the size and location of holes being covered. Retrofit information can be found at <a href="https://www.schlage.com/support">www.schlage.com/support</a>.
- 4. If under the lock decorative plates are on both sides of device, then door will become 1/8" thicker. A door thickness kit of an incremental 1/8" must be ordered to accommodate under the lock plates.



#### CO-100 STANDALONE

## CYLINDRICAL



1–5) SELECT CHASSIS/FUNCTION/READER (Note: CO Series readers are not interchangeable.)		Price
CO-100-CY-70-KP	Storeroom with Keypad Reader; manually programmed	\$1,136.00
CO-100-CY-50-KP	Office/Classroom with Keypad Reader; manually programmed	\$1,146.00
CO-100-CY-40-KP	Privacy with Keypad Reader; manually programmed	\$1,146.00

026 050 050 000

CO-100-CY-70-KP

6) SELECT LEVER <sup>1</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



1. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

Full Cylinder
P6, L, L-SAR, L-FA7

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
6124	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6

(00	
	SCHLAGE

SFIC Format B, G

8) SELECT CYLINDER TYPE		Price adjustment	
6) SELECT C	TLINDER I TPE	Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



## CYLINDRICAL

9) SELECT KEYING TYPE		Price adj.	
Open keyway families	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway fan	Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

<sup>1.</sup> Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.

Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
4B	4AA Battery kit	Standard

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$53.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner, 1-1/8" x 2-1/4", 3/4" throw	\$279.00
14-051	2-3/8" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	\$17.00
43-001	5" Backset extension link, Deadlatch	\$49.00
39-030 <sup>4</sup>	Rabbeted latch and strike kit, 605 and 626 only	\$88.00

<sup>4.</sup> Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-013 <sup>5</sup>	1-1/8" Lip, square corner, T-strike, box, 1-1/8" - 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	\$23.10
K510-066	Box for ANSI strike (Must be specific)	No charge

<sup>5. 1-1/2&</sup>quot; Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR TH	ICKNESS	Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

Accessories available, see pages 242–243. Credentials available, see pages 17–22.



#### CO-100 STANDALONE

## MORTISE/MORTISE DEADBOLT



1-5) SELECT CHASSIS	S/FUNCTION/READER (Note: CO Series readers are not interchangeable.)	Price
CO-100-MS-70-KP	Storeroom with Keypad Reader; manually programmed	\$1,353.00
CO-100-MS-50-KP	Office/Classroom with Keypad Reader; manually programmed	\$1,363.00
CO-100-MS-40-KP	Privacy with Keypad Reader; manually programmed	\$1,363.00
CO-100-MD-40-KP	Privacy with Mortise Deadbolt with Keypad Reader; manually programmed	\$1,493.00



CO-100-MS-70-KP

6) SELECT LEVER <sup>1</sup>		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



1. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

Full Cylinder P6, L, L-SAR, L-FA7

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

8) SELECT CYLINDER TYPE		Price adjustment	
O) SELECT C	TLINDER I TPE	Open	Restricted
△ ● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C07	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- ☐ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

 $For additional\ assistance\ on\ Master\ Keying\ as\ well\ as\ restricted\ keyways, please\ contact\ customer\ service.$ 



## MORTISE/MORTISE DEADBOLT

9) SELECT KEYING TY	/PE	Price adj.	
Open keyway families	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway fan	Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
4B	4AA Battery kit	Standard

12) SELECT MORTISE LOCK ARMOR FRONT		Price adj.
LLL	Less Armor Front	-\$26.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, Latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-0754	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

- $4. \ \ For 1-3/4" \ thick doors, use wide armor front. For over 1-3/4" \ thick door extended equally (EE) use 1-1/4" \ wide armor front.$
- 🛮 Extended lead time, consult customer service.

14) SELECT DOOR TH	CKNESS	Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

Accessories available, see pages 242–243.

Credentials available, see pages 17-22.



#### **EXIT TRIM**



1–3) SELECT CHASSIS/FUNCTION/READER (Note: CO Series readers are not interchangeable.)		Price
CO-100-993R-70-KP1	Exit Rim/Concealed Vertical Rod <sup>2</sup> /Concealed Vertical Cable <sup>2</sup> with Keypad Reader, manually programmed	\$1,567.00
CO-100-993R-40-KP1	Privacy with Keypad Reader; manually programmed	\$1,567.00
CO-100-993R-50-KP	Office/Classroom with Keypad Reader; manually programmed	\$1,567.00
CO-100-993S-70-KP1	Exit Surface Vertical Rod with Keypad Reader, manually programmed	\$1,580.00
CO-100-993M-70-KP <sup>1</sup>	Exit Mortise Lock with Keypad Reader, manually programmed	\$1,580.00



CO-100-993R-70-KP

- 1. See page 216 for exit device compatibility.
- 2. Metal door only.

4) SELECT FUNCTION		Price adj.
70	Storeroom	Standard

5) SELECT LEVER <sup>3</sup>		Price adj.
LLL	Less both levers	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



Full Cylinder P6, L, L-SAR, L-FA7

3. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

6) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

7) SELECT CYLINDER TYPE		Price adjustment	
/) SELECT C	TLINDER I TPE	Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- □ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

 $For additional\ assistance\ on\ Master\ Keying\ as\ well\ as\ restricted\ keyways,\ please\ contact\ customer\ service.$ 



#### **EXIT TRIM**

8) SELECT KEYING TY	/PE	Price adj.	
Open keyway families	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway fan	Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

9) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

10) SELECT BATTERY		Price adj.
4B	4AA Battery kit	Standard

#### 11-12) NO SELECTION REQUIRED

13) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 200	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

Accessories available, see pages 242–243. Accessories include Decorative plates, SUS A-KIT, etc.

Credentials available, see pages 17-22.

CO Series Non-Functioning "Dummy" Exit trim now available. Please see pages 238–239 for details.

#### CO Series Exit trim

The CO-100 Exit trim comes with a universal mounting plate and is compatible with the following exit devices:

- Von Duprin 98/99 and 98/99XP
  - Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.
- Von Duprin 78
  - Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod
- Von Duprin 22/22F
  - Rim, Surface Vertical Rod
- Falcon 25 Rim
- Sargent 80 Series (Narrow design and reversible rim exits not compatible) Rim
- Corbin Russwin 5000 Series Rim
- Yale 7000 Rim
- **Dorma 9300** Rim
- Precision 21 Rim (2100 converts to 21 with Precision's BP21 Kit)



## CYLINDRICAL



1–4) SELECT CHASSIS/FUNCTION		Price
CO-200-CY-70	Storeroom	\$1,756.00
CO-200-CY-50	Office/Classroom	\$1,766.00
CO-200-CY-40	Privacy	\$1,766.00

5) SELECT READER (Note: CO Series readers are not interchangeable.)		Price adj.
KP	Keypad	No charge
PR	Proximity	\$244.00
PRK	Proximity + keypad	\$343.00

6) SELECT LEVER <sup>1</sup>		Price adj.
LLL	Less each lever	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

1. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612 <sup>4</sup>	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00

8) SELECT CYLINDER TYPE		Price adjustment	
		Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $_{\triangle}\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- $\ \square$  Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



## CYLINDRICAL

9) SELECT KEYING TYPE		Price adj.
Open keyway families	: KIL or FSIC1	
S123	Everest 29 S (Key in Lever or FSIC)	Standard
C123	Everest C	No charge
C/CE/E/EF/F/FG/G	Classic Obverse	No charge
Restricted keyway families: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00
D	Everest D	\$31.00
Classic Restricted	Quad, Numbered, Reverse	\$31.00
Restricted keyway families: SFIC <sup>3</sup>		
29 R	Everest 29 R	No charge
В	Everest B	No charge

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
4B	4AA Battery kit	Standard

12) SELECT BACKSET AND LATCH BOLT		Price adj.
LLL	Less Latch	-\$53.00
13-247	2-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	Standard
14-049	2-3/4" Backset, deadlatch anti-friction fire door latch, square corner, 1-1/8" x 2-1/4", 3/4" throw	\$279.00
14-051	2-3/8" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	No charge
14-050	3-3/4" Backset, deadlatch, square corner, 1-1/8" x 2-1/4"	\$17.00
43-001	5" Backset extension link, Deadlatch	\$49.00
39-0304	Rabbeted latch and strike kit, 605 and 626 only	\$88.00

4. Adapts square corner latch and 2-3/4" square corner strike to 1/2" rabbeted door and frame.

13) SELECT STRIKE PLATE		Price adj.
LLL	Less Strike Plate	-\$7.00
10-025	1-3/16" Lip, ANSI, no box, 1-1/14" x 4-7/8"	Standard
10-0135	1-1/8" Lip, square corner, T-strike, box, 1-1/8" - 2-3/4"	No charge
10-016	1-1/8" Lip, square corner, T-strike, deep box, fire door latch	No charge
K510-066	Box for ANSI strike (Must be specific)	No charge

5. 1-1/2" Lip available, must specify 1-1/2" Lip \$10.00.

14) SELECT DOOR TH	CKNESS	Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

Accessories available, see pages 242–243. Accessories include Decorative plates, SUS A-KIT, etc. Credentials available, see pages 17–22.



#### CO-200 STANDALONE

## MORTISE/MORTISE DEADBOLT



1–3) SELECT CHASSIS		Price
CO-200-MS	Mortise	\$2,069.00
CO-200-MD	Mortise Deadbolt	\$2,168.00

4) SELECT FUNCTION		Price adj.
70	Storeroom (Not available on Mortise Deadbolt)	Standard
50	Office/Classroom (Not available on Mortise Deadbolt)	\$10.00
40¹	Privacy	\$10.00



CO-200-MS-70-PR

1. Inside Push Button (IPB) only included with Mortise (MS) chassis. Mortise Deadbolt (MD) chassis comes with LED indicator only. \$10.00 charge does not apply to Mortise Deadbolt (MD) chassis.

5) SELECT READER (Note: CO Series readers are not interchangeable.)		Price adj.
KP	Keypad	Standard
PR	Proximity	\$244.00
PRK	Proximity + keypad	\$343.00

123 456 789 808
3

6) SELECT LEVER <sup>2</sup>		Price adj.
LLL	Less both levers	-\$93.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge

CO-200-MS-70-PRK

2. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.



CO-200-	·MS-70-K	ł

7) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00

0) CELEC	COVINDED TYPE	Price ad	ustment
8) SELECT CYLINDER TYPE		Open	Restricted
△ • P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-CO6	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C07	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $\triangle\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- ☐ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



## MORTISE/MORTISE DEADBOLT

9) SELECT KEYING TY	PE	Price adj.	
Open keyway families	Open keyway families: KIL or FSIC <sup>1</sup>		
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway fam	nilies: KIL or FSIC <sup>1,2</sup>		
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway fam	nilies: SFIC <sup>3</sup>		
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest restricted keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

10) SELECT HANDING (Field reversible)		Price adj.
RH	Right handed	No charge
LH	Left handed	No charge
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

11) SELECT BATTERY		Price adj.
4B	4AA Battery kit	Standard

12) SELECT MORTISE LOCK ARMOR FRONT		Price adj.
LLL	Less Armor Front	-\$26.00
09-663	1-1/4" Wide square corner, latch for MS	Standard
09-669	1-1/16" Wide square corner, latch, options for MS	No charge
09-666	1-1/4" Wide square corner, latch x deadbolt for MD	Standard
09-672	1-1/16" Wide square corner, latch x deadbolt, options for MD	No charge

13) SELECT STRIKE PI	LATE	Price adj.
LLL	Less Strike	-\$19.00
10-072	1-1/4" x 4-7/8" Square corner + box; 1-3/16" lip length	Standard
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1" or 1-1/2"	No charge
10-072xx	1-1/4" x 4-7/8" Square corner + box; specify lip length (xx) as 1-3/4"	\$47.00
10-075 <sup>4</sup>	1/2" Rabbeted	\$161.00
37-015	Strike frame reinforcer, specify 37-015	No charge

- 4. For 1-3/4" thick doors, use wide armor front. For over 1-3/4" thick door extended equally (EE) use 1-1/4" wide armor front.
- Extended lead time, consult customer service.

14) SELECT DOOR TH	ICKNESS	Price adj.
134	1-3/4"	Standard
Example 138	1-3/8" to 2-3/4", Shims included (Specify in 1/8" increments)	\$86.00

Accessories available, see pages 242–243. Accessories include Decorative plates, SUS A-KIT, etc. Credentials available, see pages 17–22.



#### CO-200 STANDALONE

## **EXIT TRIM**



1–3) SELECT CHASSIS/EXIT TRIM TYPE (Note: See page 216 for exit device compatibility.)		Price
CO-200-993R	Exit Rim/Concealed Vertical Rod (Metal Door)/Concealed Vertical Cable (Metal Door)	\$2,325.00
CO-200-993S	Exit Surface Vertical Rod	\$2,365.00
CO-200-993M	Exit Mortise Lock	\$2,365.00

4) SELECT FUNCTION		Price adj.
70	Storeroom	Standard



CO-200-993R-70-KP

5) SELECT READER (Note: CO Series readers are not interchangeable.)		Price adj.
KP	Keypad	No charge
PR	Proximity	\$244.00
PRK	Proximity + keypad	\$343.00

6) SELECT LEVER <sup>1</sup>		Price adj.
LLL	Less both levers	-\$32.00
Standard options	SPA (Sparta), RHO (Rhodes), ATH (Athens), TLR (Tubular), BRW (Broadway), BRK (Boardwalk), LAT (Latitude), LON (Longitude)	No charge



CO-200-993R-70-PR

1. Tactile Warning use 8AT for Athens, 8RO for Rhodes, 8SP for Sparta and 8TR for Tubular. \$70.00 per lever. Applied to exterior lever only unless otherwise specified. Not available with 643e finish.

6) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00



CO-200-993 70-PRK

7) SELECT CYLINDER TYPE		Price adjustment	
/) SELECT C	YLINDEK I YPE	Open	Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAR	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-C06	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAR	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C06	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-C07	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MED	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

- Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.
- $_{\triangle}\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.
- ☐ Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



#### **EXIT TRIM**

8) SELECT KEYING TYPE		Price adj.	
Open keyway families: KIL or FSIC <sup>1</sup>			
S123	Everest 29 S (Key in Lever or FSIC)	Standard	
C123	Everest C	No charge	
C/CE/E/EF/F/FG/G	Classic Obverse	No charge	
Restricted keyway families: KIL or FSIC <sup>1,2</sup>			
29T	Everest 29 T	\$31.00	
D	Everest D	\$31.00	
Classic Restricted	Quad, Numbered, Reverse	\$31.00	
Restricted keyway families: SFIC <sup>3</sup>			
29 R	Everest 29 R	No charge	
В	Everest B	No charge	

- 1. Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.
- 2. Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.
- 3. Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

9) SELECT HANDING (Field reversible)		Price adj.
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

10) SELECT BATTERY		Price adj.
4B	4AA Battery kit	Standard

#### 11-12) NO SELECTION REQUIRED

13) SELECT DOOR THICKNESS		Price adj.
134	1-3/4"	Standard
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

Accessories available, see pages 242–243. Accessories include Decorative plates, SUS A-KIT, etc.

Credentials available, see pages 17-22.

CO Series Non-Functioning "Dummy" Exit trim now available. Please see pages 238–239 for details.

#### CO Series Exit trim

The CO-100 Exit trim comes with a universal mounting plate and is compatible with the following exit devices:

- Von Duprin 98/99 and 98/99XP
  - Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Surface Vertical Rod, Mortise.
- Von Duprin 78
  - Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod
- Von Duprin 22/22F
  - Rim, Surface Vertical Rod
- Falcon 25 Rim
- Sargent 80 Series (Narrow design and reversible rim exits not compatible) Rim
- Corbin Russwin 5000 Series Rim
- Yale 7000 Rim
- **Dorma 9300** Rim
- Precision 21 Rim (2100 converts to 21 with Precision's BP21 Kit)



CO-993DT


## NON-FUNCTIONING DUMMY EXIT TRIM



1–3) SELECT CHASSIS/EXIT TRIM TYPE (Note: See page 216 for exit device compatibility.)		Price
CO-993DT	Dummy Trim with Dummy Reader Cover and CO-100/200/250 Interior Escutcheon for Exit Rim/Concealed Vertical Rod¹/Concealed Vertical Cable¹/Surface Vertical Rod¹/Mortise Lock	\$1,165.00

1. Metal door only.

4) SELECT LEVER <sup>2</sup>		Price adj.
LLL	Less both levers	-\$32.00
SPA	Sparta	No charge
RHO	Rhodes	No charge
ATH	Athens	No charge
TLR	Tubular	No charge
BRW	Broadway	No charge
BRK	Boardwalk	No charge
LAT	Latitude	No charge
LON	Longitude	No charge



5) SELECT FINISH		Price adj.
626	Satin Chrome	No charge
605	Bright Brass	\$173.00
606	Satin Brass	\$173.00
612	Satin Bronze	\$173.00
619	Satin Nickel	\$173.00
625	Bright Chrome	\$173.00
643e	Aged Bronze	\$173.00
626AM	Satin Chrome Antimicrobial	\$224.00

6) SELECT CVI INDED TYPE		Price adjustment	
6) SELEC	6) SELECT CYLINDER TYPE		Restricted
△● P6	With Cylinder, Schlage, Everest 29 S123, 6-pin KIL standard	No charge	\$31.00
L	Less Cylinder, Schlage, Falcon, 6-pin KIL	-\$94.00	-\$94.00
□● R	With Cylinder, Schlage 6-pin, Everest 29 S123 standard, FSIC	\$106.00	\$137.00
J	Less Cylinder, Schlage, 6-pin FSIC	-\$55.00	-\$55.00
□● G	With Cylinder, Schlage 7-pin, Everest 29R standard, factory master keyed only, SFIC	N/A	\$118.00
В	Less Cylinder, Schlage, Falcon, Competitive OEM's, 7-pin, SFIC	-\$55.00	-\$55.00
L-SAF	Less Cylinder, Sargent (10L + 11L), 6-pin KIL (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
L-CO	Less Cylinder, Corbin, 6-pin KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-SAF	Less Cylinder, Sargent 6300, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-CO6	Less Cylinder, Corbin 8000, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-CO7	Less Cylinder, Corbin 8000-7, 7-pin FSIC, (Only RHO, 8RO, SPA, 8SP, TLR, 8TR lever styles)	No charge	No charge
J-MEI	Less Cylinder, Medeco 32*0201, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
J-YA6	Less Cylinder, Yale 1210 or Medeco 31*0100, 6-pin FSIC (Only RHO, 8RO, SPA, 8SP, TLR, 8TR, ATH, 8AT lever styles)	No charge	No charge
J-YA7	Less Cylinder, Yale 1220, 7-pin FSIC (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge
L-FA7	Less Cylinder, Falcon, 7-pin, KIL (Only RHO, 8RO, SPA, 8SP lever styles)	No charge	No charge

Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.



CO-993DT



Full Cylinder P6, L, L-SAR, L-FA7



FSIC Format R, J, J-SAR, J-CO6, J-CO7, J-YA6



SFIC Format B, G

 $_{\triangle}\,$  For master keying, an additional charge of \$29.40 each applies. Specify line item 50-210.

<sup>□</sup> Control keys for installation/removal of interchangeable cores are not furnished and must be ordered separate.

For additional assistance on Master Keying as well as restricted keyways, please contact customer service.



CO-993DT

#### NON-FUNCTIONING DUMMY TRIM FOR EXIT

7) SELECT KEYING TY	PE	Price adj.			
Open keyway families: KIL or FSIC <sup>1</sup>					
S123	Everest 29 S (Key in Lever or FSIC)	Standard			
C123	Everest C	No charge			
C/CE/E/EF/F/FG/G	Classic Obverse	No charge			
Restricted keyway fan	Restricted keyway families: KIL or FSIC <sup>1,2</sup>				
29T	Everest 29 T	\$31.00			
D	Everest D	\$31.00			
Classic Restricted	Quad, Numbered, Reverse	\$31.00			
Restricted keyway fan	nilies: SFIC <sup>3</sup>				
29 R	Everest 29 R	No charge			
В	Everest B	No charge			

<sup>1.</sup> Full Size key systems (Everest 29 S and T, Everest C and D, Obverse and Quad) are available in Primus and Primus XP key system and must be ordered separately. Lock should be ordered less cylinder and Primus cylinder should be a separate line.

<sup>3.</sup> Master Keyed cylinders can be specified and will be shipped in lock packaging. For Master Keying System Summary form which should accompany the master keyed order, see page 297.

8) SELECT HANDING	(Field reversible)	Price adj.
RHR	Right handed reverse	No charge
LHR	Left handed reverse	No charge

#### 9-10) NO SELECTION REQUIRED

11) SELECT DOOR THI	CKNESS	Price adj.
134	134 1-3/4"	
Example 200	1-3/4" to 2-3/4", (Specify in 1/8" increments)	\$86.00

Accessories available, see pages 242–243. Accessories include Decorative plates, SUS A-KIT, etc. Credentials available, see pages 17–22.

#### CO Series Exit trim

The CO Series Exit trim comes with a universal mounting plate and is compatible with the following exit devices:

- Von Duprin 98/99 and 98/99XP
  - Rim, Concealed Vertical Rod (metal door only), Concealed Vertical Cable (metal door only), Mortise, Surface Vertical Rod (CO-100, CO-200 and CO-250 only)
- Von Duprin 78
  - Rim, Concealed Vertical Rod (metal door only), Surface Vertical Rod
- Von Duprin 22/22F
  - Rim, Surface Vertical Rod
- Falcon 25 Rim
- Sargent 80 Series (Narrow design and reversible rim exits not compatible) Rim
- Corbin Russwin 5000 Series Rim
- Yale 7000 Rim
- Dorma 9300 Rim
- Precision 21 Rim (2100 converts to 21 with Precision's BP21 Kit)

<sup>2.</sup> Everest Restricted Keyways require a Letter of Authorization to be submitted with the order. See page 303 for sample Letter of Authorization.




CT5000 OFFLINE CONTROLLER

**OVERVIEW** 

#### CT5000

The CT5000 is an indoor, offline single opening controller. It is flexible and works with various card reader technologies. With the correct power supply, the CT5000 controller works with various types of locking hardware, including electric strikes, electro-magnetic locks, or EL exit devices.

If networked functionality is required in the future, the CT5000 can be upgraded to a WRI-400 by upgrading the firmware and adding one incremental piece of hardware. This provides greater adaptability in the field.



Note: All hardware shown above including exit devices, electric strikes, auto operators, power supplies, push buttons, etc. are sold separately.

## Certifications

- UL 294
- Canada UL
- FCC Part 15
- Canada RSS 210
- RoHS



#### CT5000 OFFLINE CONTROLLER

#### **FEATURES**

#### **Features**

- Supports up to 5000 users and audits
- Comes standard with 15 foot USB remote cable connector
- Programmed using Schlage Handheld Device (HHD) via USB connection or with SUS A-KIT and Schlage Utility Software Android™ app
- Power is hardwired
- Three form C relay outputs (for strike, auxiliary, and alarm)
- Supports Request-to-Exit (remote release) and Door Position Switch input.
- Card functions supported: normal, toggle, freeze, pass through, construction, lock down, and all card plus PIN applications
- Multiple reader technologies and positions on both sides of the gate/ door
- Internal LED visual indicators (Including low battery and state of the relay)
- Compatible with Schlage Express

#### Credential compatibility

- Magnetic stripe: field configurable track 1, 2, or 3
- Compatible with Schlage, Xceed ID™, AWID®, HID®, GE/CASI ProxLite®
- 125 kHz Proximity cards: 26a, 34x, 35x, 37x bit formats (reader dependant)
- 13.56 MHz Smart card: 26a,34x, 35x, 37x, 40x, 48x bit format (reader dependant)
- Can read card serial number of Mifare DESfire (reader dependant)

#### The following readers are UL294 listed for use with the CT5000:

- Essex Electronics model KTP-162
- Mercury Security models MR-5 and MR-20
- Schlage (previously XceedID) models PR10, SM10, MT11, MT15, MTK15

CT5000 OFFLINE CONTROLLER				
Product ID	Product Description	Price		
CT5000	Offline controller (15 ft. USB cable standard)	\$1,315.00		
23745565	125 ft. USB cable for CT5000 (optional)	\$182.00		
PS902	2 Amp power supply (required)	See page 272		
SUS A-KIT	Schlage utility software programming cable (required)	See page 191		



#### PARTS AND ACCESSORIES

ANDROID™ CABLE (For use with SUS Android App)				
Product description Product specification Specify Price				
USB & 2-PIN Android cable	Used to connect Android device to USB and 2-PIN locks and accessories	47282796 SUS A-KIT	See page 191	

HANDHELD DEVICE ACCESSORIES (Legacy Product Support)					
Product description	Product specification	Specify	Price		
Serial cable	Used to connect current model HHD (BM170) directly to legacy serial products without the need of a CIP	HH-2PIN SERIAL	\$227.00		
Serial cable <sup>1</sup>	Used to connect previous model HHD (BM150) with CIP to program serial products	HH-SERIAL	\$203.00		
Null converter	Used to connect Handheld Device to WA Series PIM, using HH-SERIAL serial cable (compatible to current and previous model HHDs)	PIMWA-CV	\$42.00		
Computer interface module (CIP) <sup>1</sup>	Used to program serial products using HH-SERIAL serial cable	P512112	\$527.00		
CIP with iButton reader <sup>1</sup>	Used to program serial products using HH-SERIAL serial cable	P101203	\$556.00		

<sup>1.</sup> Not compatible to current HHD (BM170)

READER MODULE ACCESSORIES	Specify	Price
Magnetic stripe cleaning cards	510310	See page 245

					Д	vailat	ole fini	shes			
BATTERY HOLDER	R AND COVER KIT (Select by Chassis Type)	605	606	612	613	619	622	625	626	643e	626AM
		•	•	•	N/A	•	N/A	•	•	•	•
Charain turns			Specify								
Chassis type	Description	Pai	rt num	ber		Finish	1		-	Price	
Cylindrical	Battery holder kit (Includes 4AA battery holder with cable, 4AA battery strap,		4B-CN	1		Einick	.1				
Cylinuncal	(2) battery strap screws, 4AA battery cover, cover screw, Torx® cover screw)	(23	35992	02)	٠١	.[Finish]					
Mortise	Battery holder kit (Includes 4AA battery holder with cable, 4AA battery strap,		4B-CN	1		Einick	<b>.</b> 1		Soor	oage 2	<b>5</b> 7
Mortise	(2) battery strap screws, 4AA battery cover, cover screw, Torx cover screw)	(23599202)		99202) [Finish]		.[Finish]		See h	Jage 2	J/	
Exit	Battery holder kit (Includes 4AA battery holder with cable, 4AA battery strap,		4B-E		[Finish]						
	(2) battery strap screws, 4AA battery cover, cover screw, Torx cover screw)	(23	35992	85)	.[Finish]						

SHIM PLATES	Specify	Price
Interior shim plate	23599368	Coopera 3E7
Exterior shim plate	23458599	See page 257

Note: Device is 0.063" thick.

INSTALLATION TOOLS	Specify	Price
Universal clamp <sup>1</sup>	40-286	\$688.00
CO Series Mortise lock installation template	40-289	\$1,603.00
Universal Mortise door position switch (DPS) installation template	40-291	\$224.00
CO Series Cylindrical lock installation template	40-290	\$1,603.00
Universal Cylindrical door position switch (DPS) installation template	40-292	\$226.00

<sup>1.</sup> The universal clamp above is necessary when using the remaining products to ensure hole placement accuracy. The "Universal" (Clamp and DPS) products are for use in all CO, AD and LE product installations.



#### PARTS AND ACCESSORIES

			Available f	nishes			
DECORATIVE PLATE	(Select by Size)	605 606 612	613 619 62	2 625	626	643e	626AM
		■ N/A N/A	N/A N/A N/	A N/A	•	•	N/A
S!	Beardatter	Spec	ify			D!	
Size	Description	Part number	Finish			Price	
1.5" x 3.25" x .105"	Decorative plate (with screws) - (Exit trim)	23631823	.[Finish]				
1.7" x 3.5" x .075"	Decorative plate (with screws)	23760267	.[Finish]				
3.2" x 3.5" x .075"	Decorative plate (with screws)	23760283	.[Finish]				
6.0" x 3.5" x .075"	Decorative plate (with screws)	23760317	.[Finish]				
6.6" x 3.5" x .075"	Decorative plate (with screws)	23760325	.[Finish]		See	page 2	56
8.0" x 3.5" x .075"	Decorative plate (with screws)	23760309	.[Finish]				
8.0" x 3.5" x .075"	Decorative plate (with screws and welded standoff)	23760291	.[Finish]				
10.5" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>1</sup>	23760259	.[Finish]				
12.0" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>1</sup>	23760275	.[Finish]				

- 1. Please consider overall Door Thickness when ordering.
- $2. \ \ Single \ Decorative \ plate. \ Interior \ and \ Exterior \ Decorative \ plates \ may \ be \ required.$
- 3. Decorative plates may have multiple applications. Please see AD Series Retrofit Template Overlay guide at <a href="https://www.schlage.com/support">www.schlage.com/support</a> for more information.

CO-200 STANDALONE ACCESSORIES			
Express level software package (Note: Refer to Sof	tware Levels Data sheet for features and details)		
Product description	Product specification	Specify	Price
Express offline lock software	Recommended for offline locks of fewer than 1000 users and/or 100 access points. Reporting of last 1000 events capability will retrieve audit trails. Must be installed on a computer that meets the minimum requirements (refer to software data sheet)	SXPR-SFT-1	\$739.00
Express level software package accessories			
Product description	Product specification	Specify	Price
Express computer interface module	Used to program legacy CM/CL/KC products, using HH-SERIAL serial cable	P512112	\$527.00
Express computer interface module (with iButton)	Used to connect PC/laptop to access device	P101203	\$556.00
Express female to female serial cable	Used to connect P101203 Computer Interface Module to PC/laptop	P394548	\$104.00
Express male DB9 to USB 6" cable adapter	Used to connect a USB Port device to a Serial Port device	SDB9USBCBL	\$163.00
Express magnetic stripe enrollment reader	-	CRM2	\$912.00
Express proximity enrollment reader	-	CRP2	\$884.00
Express Installation and training			
Product description	Product specification	Specify	Price
Express installation and training	Includes software installation and training. Provided by Allegion Security and Safety Consultant remotely from factory. (No discounts apply)	SCH-EXP-INST	\$675.00



## Contents

Reader module with exterior escutcheon245
Keypad membrane245
Magnetic swipe cleaning cards245
Escutcheons245
Interior baseplate gasket245
Exterior gasket kit246
Interior baseplate subassembly246
Spring cage246
Exit device mounting hardware kit246
Tailpiece248
Cylinder249
Latches250
Levers250
Interior rose254
Deadbolt thumbturn assembly254
Lock retrator254
Spindle spring254
Strike plate255
Mortise armor front256
Decorative plate256
Door thickness kit256
Battery holder and cover kit257
Door position switch257
Shim plates 257
Screw pack257
Wireless parts258
Cables258
Miscellaneous258

## Finish codes and descriptions

**BHMA** code

605	Bright Brass
606	Satin Brass
612	Satin Bronze
619	Satin Nickel
625	Bright Chromium Plated
626	Satin Chrome
626AM	Satin Stainless Steel, Antimicrobial 🕒
643e	Aged Bronze

Description

Customer service	Technical support					
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>					
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com					



READER MODULE (WITH EXTERIOR ESCUTCHEON)						Avail	able fin	ishes																																																					
•	® Coosify banding	605	606	612	613	619	622	625	626	643e	626AM																																																		
(Select by Chassis, Class, Reader Technology)	Specify handing	•	•	•	N/A	•	N/A	•	•	•	•																																																		
Cylindrical				Spec	cify																																																								
Description	Part nun	ber		FIINCTION FINISH '		Finish Cylinder type		Function Finish		F	Price																																																		
CO-100, Keypad only reader module	EXT-CO-100-0	CY-xx-	KP	.[Fun	ction]	.[Fi	nish]	.[Cyl	inder]	\$7	714.00																																																		
CO-200, Keypad only reader module	EXT-CO-200-	CY-xx-	KP	.[Fun	ction]	.[Fi	nish]	.[Cyl	inder]	\$1,0	054.00																																																		
CO-200, Proximity reader module - (125 kHz Proximity)	EXT-CO-200-	CY-xx-	PR	.[Fun	ction]	.[Fi	nish]	.[Cyl	inder]	\$1,3	368.00																																																		
CO-200, Proximity with keypad reader module - (125 kHz Proximity)	EXT-CO-200-0	Y-xx-P	PRK	.[Fun	ction]	.[Fi	nish]	.[Cyl	inder]	\$1,4	496.00																																																		
Mortise																																																													
CO-100, Keypad only reader module	EXT-CO-100-N	T-CO-100-MS-xx-KP .[Funct		.[Function] .[Finish]		.[Cylinder]		\$7	73.00																																																				
CO-200, Keypad only reader module	EXT-CO-200-I	EXT-CO-200-MS-xx-KP		.[Function] .[Finish]		.[Cylinder]		\$1,	,117.00																																																				
CO-200, Proximity reader module - (125 kHz Proximity)	EXT-CO-200-I	MS-xx-	PR	.[Fun	ction]	.[Fi	nish]	.[Cyl	inder]	\$1,4	428.00																																																		
CO-200, Proximity with keypad reader module - (125 kHz Proximity)	EXT-CO-200-N	1S-xx-l	PRK	.[Fun	ction]	.[Fi	nish]	.[Cyl	inder]	\$1,5	549.00																																																		
Mortise Deadbolt																																																													
CO-200, Keypad only reader module	EXT-CO-200-N	/D-40	-KP	.[Fun	ction]	.[Fi	nish]	.[Cy	inder]	\$1,	,117.00																																																		
CO-200, Proximity reader module - (125 kHz Proximity)	EXT-CO-200-N	1D-40	1D-40-PR .[Function]		-40-PR .[Function]		.[Function] .[Finish		tion] .[Finish] .[Cy		inder]	\$1,4	428.00																																																
CO-200, Proximity with keypad reader module - (125 kHz Proximity)	EXT-CO-200-M	D-40-	D-40-PRK .[Function]		.[Function] .[Finish]		nish]	.[Cy	inder]	\$1,5	549.00																																																		
Exit																																																													
CO-100, Keypad only reader module	EXT-CO-100-9	93-xx	93-xx-KP .[Func		3-xx-KP .[Funct		3-xx-KP .[		ction]	.[Fi	nish]	.[Cy	inder]	\$7	714.00																																														
CO-200, Keypad only reader module	EXT-CO-200-9	)-993-xx-KP		-993-xx-KP		993-xx-KP		93-xx-KP		93-xx-KP		993-xx-KP		993-xx-KP		993-xx-KP		993-xx-KP		993-xx-KP		993-xx-KP		993-xx-KP		993-xx-KP		993-xx-KP		993-xx-KP		93-xx-KP		93-xx-KP		93-xx-KP		93-xx-KP		993-xx-KP		.[Fun	ction]	.[Fi	nish]	.[Cy	inder]	\$1,0	054.00												
CO-200, Proximity reader module - (125 kHz Proximity)	EXT-CO-200-9	93-xx	-PR	.[Fun	ction]	.[Fi	nish]	.[Cy	inder]	\$1,3	368.00																																																		
CO-200, Proximity with keypad reader module - (125 kHz Proximity)	EXT-CO-200-9	93-xx-	PRK	.[Fun	ction]	.[Fi	nish]	.[Cy	inder]	\$1,4	496.00																																																		

KEYPAD MEMBRANE	Specify	Price
Keypad membrane	44487247	\$59.00

MAGNETIC SWIPE CLEANING CARDS	Specify	Price
Magnetic stripe cleaning cards	510310	\$59.50

						ailabl	e finis	hes					
INTERIOR ESCUTO	605	606	612	613	619	622	625	626	643e 6	26AM			
		•	•	•	N/A	•	N/A	•	•	•	•		
Chassis turns	Description			Spe	cify					rice			
Chassis type	Description	Part number Fin		Finish	1		-	rice					
Cylindrical	Interior escutcheon, non-privacy	23	23599327 .[Finish]			.[Finish]		327 .[Finish]			\$202.00		
Cylindrical	Interior escutcheon, privacy	23	5993	35	].	Finish	1]		\$2	47.00			
Mortise	Interior escutcheon, non-privacy	23	5993	27	].	Finish	1]		\$20	02.00			
Mortise	Interior escutcheon, privacy	23	5993	35	].	Finish	1]		\$2	47.00			
Mortise Deadbolt	Interior escutcheon, non-privacy	23	5993	43	].	Finish	1]		\$22	28.00			
Mortise Deadbolt	Interior escutcheon, privacy	23	5993	50	].	Finish	1]		\$2	47.00			
Exit	Interior escutcheon, non-privacy (with (4) screws)	46	9292	79	].	Finish	1]		\$8	37.00			

INTERIOR BASEPLATE GASKET								
Chassis type	Description	Specify	Price					
Exit	Interior baseplate gasket	46928982	\$52.00					

USB COVER PLUG, 10-PIECE BULK PACK	Specify	Price
USB Cover Plug (10-Piece Bulk Pack)	46928719	\$38.00
USB Cover Plug, Exit (10-Piece Bulk Pack)	47258550	\$38.00
Cable, USB, AD/CO, Exit	47253409	\$38.00



	EXTERIOR ESCUTCHEON (Select by Chassis Type, Class, Reader Type)					Available finishes									
EXTERIOR ES						619	622	625	626 6	43e 6	26AM				
		•	•	•	N/A	•	N/A	•	•	•	•				
Chassis tuno	Description			Spe	ecify				D.						
Chassis type	Description	Part number Finish		Part number Finish			Price								
Cylindrical	Exterior escutcheon, CO-100, KP (with 6 screws)	47260707 .[Finish]				47260707 .[Finish]			\$347	7.00					
Cylindrical	Exterior escutcheon, CO-200, KP (with 6 screws)	47260709 .[Finish] \$:			47260709 .[Finish]		47260709 .[Finish]			\$308	3.00				
Cylindrical	Exterior escutcheon, CO-200/250, PR/PRK/MS/MSK (with 6 screws, O-ring)	47	47260705		.[Finish]			.[Finish]			\$191.00				
Mortise	Exterior escutcheon, CO-100, KP (with 6 screws)	47	47260707 .[Finish		47260707 .			07 .[Finish]			\$347	7.00			
Mortise	Exterior escutcheon, CO-200, KP (with 6 screws)	47260709 .[Finish]			47260709 .[Finish]			\$308	3.00						
Mortise	Exterior escutcheon, CO-200/250, PR/PRK/MS/MSK (with 6 screws, O-ring)	47260705 .[Finish]		47260705 .[Finish]			1]		\$191	.00					
Exit	Exterior escutcheon, CO-100, KP (with 6 screws)	47260708		47260708		47260708		47260708 .[Finish]		1]	\$191.00				
Exit	Exterior escutcheon, CO-200, KP (with 6 screws)	4	72607	10	].	Finish	1]		\$308	3.00					
Exit	Exterior escutcheon, CO-200/250, PR/PRK/MS/MSK (with 6 screws, O-ring)	47	26070	06	].	Finish	1]		\$191	.00					

EXTERIOR GASKET KIT (Select by Chassis Type)									
Chassis type	Description	Specify	Price						
Cylindrical	Exterior gasket kit (Includes exterior baseplate gasket, spindle cover seal, reader O-ring)	47260740	\$77.00						
Mortise	Exterior gasket kit (Includes exterior baseplate gasket, spindle cover seal, reader O-ring)	47260740	\$77.00						
Exit	Exterior gasket kit (Includes exterior baseplate gasket, spindle cover seal, reader O-ring)	47260741	\$77.00						

INTERIOR BASEPLATE SUBASSEMBLY (Select by Chassis Type)									
Chassis type	Description	Specify							
Exit	Interior baseplate subassembly	23599251	\$50.00						

INTERIOR BASEPLATE SPACER FOR SVR					
Chassis type	Description	Specify	Price		
Fyi+	Interior baseplate spacer for SVR (with baseplate mounting screws, surface mount screws)	46929238-DOOR RANGE	\$72.00		
Exit	Available door ranges: 1-3/8", 1-1/2", 1-5/8", 1-7/8", 2", 2-1/8", 2-1/4", 2-3/8", 2-1/2", 2-5/8", 2-3/4"	40929236-DOOR RANGE	\$72.00		

INTERIOR MOUNTING PLATE					
Chassis type	Description	Specify	Price		
Exit	Interior mounting plate (with screws)	23599244	\$62.00		

INTERIOR SPI	INTERIOR SPRING CAGE				
Chassis type	Description	Specify	Price		
Cylindrical	Interior spring cage (with screws)	47260717	\$74.00		
Mortise	Interior spring cage (with screws)	47260717	\$74.00		

		Available finishes									
EXIT DEVICE M	IOUNTING HARDWARE KIT		605 606	612	613	619	622	625	626	643e 6	526AM
				•	N/A	•	N/A	•	•	•	-
	Description	Specify									
Chassis type									1	Dul	
Chassis type	Description	Dart number	Dovice to	vno	Ein	ich	Do	or		Price	!
Chassis type	Description	Part number	Device ty	ype	Fin	ish	thick			Price	!
Exit	Exit device mounting hardware kit (upper mounting bolts, lower	Part number	<b>Device t</b> 9.			i <b>sh</b> nish1				\$129.0	

EXTERIOR SPRING CAGE (WITH SCREWS) (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)					
Chassis type	Description	New part #	Original part #	Price	
Cylindrical	Schlage, KIL, P6/L	47258543	46928552	\$108.00	
Cylindrical	Schlage, FSIC, R/J	47258543	46928552	\$108.00	
Cylindrical	Schlage, SFIC, G/B	47258543	46928560	\$108.00	
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	47258543	23845969	\$108.00	
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258543	46928586	\$108.00	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258543	23990674	\$108.00	
Cylindrical	Sargent, KIL, L-SAR (6-pin)	47258543	46928578	\$108.00	
Cylindrical	Sargent, FSIC, J-SAR (6-pin)	47258543	46928586	\$108.00	



Chassis type	Description	New part #	Original part #	Price
Cylindrical	Medeco, FSIC, J-MED (6-pin)	47258544	24281735	\$517.00
Cylindrical	Yale, FSIC, J-YA6 (6-pin)	47258544	46928644	\$517.00
Cylindrical	Yale, FSIC, J-YA7 (7-pin)	47258544	24281768	\$517.00
Mortise	Schlage, KIL, P6/L	47258543	46928602	\$108.00
Mortise	Schlage, FSIC, R/J	47258543	46928610	\$108.00
Mortise	Schlage, SFIC, G/B	47258543	46928560	\$108.00
Mortise	Falcon, KIL, L-FA7 (7-pin)	47258543	23845977	\$108.00
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258543	46928636	\$108.00
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258543	23988033	\$108.00
Mortise	Sargent, KIL, L-SAR (6-pin)	47258543	46928628	\$108.00
Mortise	Sargent, FSIC, J-SAR (6-pin)	47258543	46928636	\$108.00
Mortise	Medeco, FSIC, J-MED (6-pin)	47258544	24281735	\$517.00
Mortise	Yale, FSIC, J-YA6 (6-pin)	47258544	46928644	\$517.00
Mortise	Yale, FSIC, J-YA7 (7-pin)	47258544	24281768	\$517.00
Exit	Schlage, KIL, P6/L (Steel Levers)	47258545	46928651	\$262.00
Exit	Schlage, FSIC, R/J (Steel Levers)	47258545	46928553	\$262.00
Exit	Schlage, SFIC, G/B (Steel Levers)	47258545	46928669	\$262.00
Exit	Falcon, KIL, L-FA7 (7-pin) (Steel Levers) - (Except ATH, 8AT Lever Style)	47258545	23779838	\$262.00
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin) (Steel Levers)	47258545	46928693	\$262.00
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin) (Steel Levers) - (Except ATH, 8AT Lever Style)	47258545	23988017	\$262.00
Exit	Sargent, KIL, L-SAR (6-pin) (Steel Levers)	47258545	46928677	\$262.00
Exit	Sargent, FSIC, J-SAR (6-pin) (Steel Levers)	47258545	46928685	\$262.00
Exit	Medeco, FSIC, J-MED (6-pin)	47258546	24289902	\$519.00
Exit	Yale, FSIC, J-YA6 (6-pin) (Steel Levers)	47258546	46928701	\$519.00
Exit	Yale, FSIC, J-YA7 (7-pin)	47258546	24289928	\$519.00

EXTERIOR SPRING CAGE AND TAILPIECE KIT (FOR SCHLAGE), 10-PIECE BULK PACK (Select by Chassis, Cylinder OEM, Cylinder Type, Cylinder Detail)						
Chassis type	Description	New part #	Original part#	Price		
Cylindrical	Schlage, KIL, P6/L	47259238	23593270	\$1,067.00		
Cylindrical	Schlage, FSIC, R/J	47259239	23593288	\$1,068.00		
Cylindrical	Schlage, SFIC, G/B	47259240	23593304	\$1,067.00		
Mortise	Schlage, KIL, P6/L	47259238	23593346	\$1,067.00		
Mortise	Schlage, FSIC, R/J	47259239	23593353	\$1,068.00		
Mortise	Schlage, SFIC, G/B	47259240	23593304	\$1,067.00		
Exit	Schlage, KIL, P6/L	47259249	23593271	\$1,067.00		
Exit	Schlage, FSIC, R/J	47259250	23593272	\$3,552.00		
Exit	Schlage, SFIC, G/B	47259248	23593437	\$1,906.00		
Exit	Schlage, SFIC, G/B	47259248	23593510	\$1,906.00		

EXTERIOR SPRING CAGE AND TAILPIECE KIT (FOR NON-SCHLAGE), SINGLE PIECE (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)					
Chassis type	Description	New part #	Original part#	Price	
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	47259244	23845985	\$129.00	
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin)	47259242	23593320	\$560.00	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	47259242	23990666	\$560.00	
Cylindrical	Sargent, KIL, L-SAR (6-pin)	47259241	23593312	\$522.00	
Cylindrical	Sargent, FSIC, J-SAR (6-pin)	47259242	23593320	\$560.00	
Cylindrical	Medeco, FSIC, J-MED (6-pin)	47259245	24281792	\$589.00	
Cylindrical	Yale, FSIC, J-YA6 (6-pin)	47259243	23593395	\$589.00	
Cylindrical	Yale, FSIC, J-YA7 (7-pin)	47259246	24281826	\$517.00	
Mortise	Falcon, KIL, L-FA7 (7-pin)	47259244	23845923	\$129.00	
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin)	47259242	23593387	\$560.00	
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	47259242	23988041	\$560.00	
Mortise	Sargent, KIL, L-SAR (6-pin)	47259241	23593379	\$522.00	
Mortise	Sargent, FSIC, J-SAR (6-pin)	47259242	23593387	\$560.00	

<sup>&</sup>lt;sup>1</sup> This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.



EXTERIOR SP	EXTERIOR SPRING CAGE AND TAILPIECE KIT (FOR NON-SCHLAGE), SINGLE PIECE (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)						
Chassis type	Description	New part #	Original part #	Price			
Mortise	Medeco, FSIC, J-MED (6-pin)	47259245	24281792	\$589.00			
Mortise	Yale, FSIC, J-YA6 (6-pin)	47259243	23593395	\$589.00			
Mortise	Yale, FSIC, J-YA7 (7-pin)	47259246	24281826	\$517.00			
Exit	Falcon, KIL, L-FA7 (7-pin)	47259254	23810872	\$135.00			
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin)	47259252	23593274	\$560.00			
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin) - (Except ATH, 8AT Lever Styles)	47259252	23988025	\$560.00			
Exit	Sargent, KIL, L-SAR (6-pin)	47259251	23593273	\$522.00			
Exit	Sargent, FSIC, J-SAR (6-pin)	47259252	23593274	\$560.00			
Exit	Medeco, FSIC, J-MED (6-pin)	47259255	24289936	\$569.00			
Exit	Yale, FSIC, J-YA6 (6-pin)	47259253	23593275	\$569.00			
Exit	Yale, FSIC, J-YA7 (7-pin)	47259257	24289944	\$486.00			

 $<sup>^{\</sup>rm 1}{\rm This}$  part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

TAILPIECE (FOR CYLINDER) (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)				
Chassis type	Description	New part #	Original part #	Price
Cylindrical	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders) <sup>1</sup>	47258186	C604-243	\$3.00
Cylindrical	Schlage, KIL, P6/L - (Classic Cylinders) <sup>1</sup>	47258186	C603-524	\$3.00
Cylindrical	Schlage, FSIC, J,R,T	23446339	23446339	\$8.00
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	47258182	23779820	\$37.00
Cylindrical	Universal, SFIC, B/BDC	47258187	46929456	\$23.00
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258180	23433634	\$57.00
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258180	23854516	\$57.00
Cylindrical	Sargent, KIL, L-SAR (6-pin) - (Compatible with 10L and 11L)	47258179	23433626	\$9.00
Cylindrical	Sargent, FSIC, J-SAR (6-pin)	47258180	23433634	\$57.00
Cylindrical	Medeco, FSIC, J-MED (6-pin)	47258183	23810898	\$134.00
Cylindrical	Yale, FSIC, J-YA6 (6-pin) - (Compatible with Medeco 31)	47258181	23760366	\$73.00
Cylindrical	Yale, FSIC, J-YA7 (7-pin)	47258184	23929722	\$50.00
Cylindrical	Universal, SFIC, G/H	23446347	23446347	\$20.50
Cylindrical	Corbin Russwin, KIL L-CO6	47258185	-	\$23.00
Mortise	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders) <sup>1</sup>	47258186	23538077	\$3.00
Mortise	Schlage, KIL, P6/L - (Classic Cylinders) <sup>1</sup>	47258186	23538085	\$3.00
Mortise	Schlage, FSIC, J,R,T	23446339	23446339	\$8.00
Mortise	Falcon, KIL, L-FA7 (7-pin)	47258182	23779820	\$37.00
Mortise	Universal, SFIC, B/BDC	47258187	46929456	\$23.00
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258180	23443435	\$57.00
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258180	23854516	\$57.00
Mortise	Sargent, KIL, L-SAR (6-pin) - (Compatible with 10L and 11L)	47258179	23443427	\$9.00
Mortise	Sargent, FSIC, J-SAR (6-pin)	47258180	23443435	\$57.00
Mortise	Medeco, FSIC, J-MED (6-pin)	47258183	23810898	\$134.00
Mortise	Yale, FSIC, J-YA6 (6-pin) - (Compatible with Medeco 31)	47258181	23760366	\$73.00
Mortise	Yale, FSIC, J-YA7 (7-pin)	47258184	23929722	\$50.00
Mortise	Universal, SFIC, G/H	23446347	23446347	\$20.50
Mortise	Corbin Russwin, KIL L-CO6	47258185	-	\$23.00
Exit	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders) <sup>1</sup>	47258186	23538077	\$3.00
Exit	Schlage, KIL, P6/L - (Classic Cylinders) <sup>1</sup>	47258186	23538085	\$3.00
Exit	Schlage, FSIC, J,R,T	23446339	23446339	\$8.00
Exit	Falcon, KIL, L-FA7 (7-pin)	47258182	23779820	\$37.00
Exit	Universal, SFIC, B/BDC	47258187	46929456	\$23.00
Exit	Universal, SFIC, G/H	23446347	N523-091	\$20.50
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin)	47258180	23443435	\$57.00
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin)	47258180	23854516	\$57.00
Exit	Sargent, KIL, L-SAR (6-pin)	47258179	23443427	\$9.00
Exit	Sargent, FSIC, J-SAR (6-pin)	47258180	23443435	\$57.00

 $<sup>^{\</sup>scriptscriptstyle 1}$  This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.



TAILPIECE (FOR CYLINDER) (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)					
Chassis type	Description	New part #	Original part#	Price	
Exit	Medeco, FSIC, J-MED (6-pin)	47258183	23810898	\$134.00	
Exit	Yale, FSIC, J-YA6 (6-pin) - (Compatible with Medeco 31)	47258181	23760366	\$73.00	
Exit	Yale, FSIC, J-YA7 (7-pin)	47258184	23929722	\$50.00	
Exit	Universal, SFIC, G/H	23446347	23446347	\$20.50	
Exit	AD/CO, SFIC, B/BDC	47258187	09-774	\$23.00	
Exit	Corbin Russwin, KIL L-CO6	47258185	-	\$23.00	

 $<sup>^{\</sup>rm 1}$  This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

TAILPIECE KIT (FOR EXTERIOR ESCUTCHEON INTO EXIT DEVICE)				
Chassis type	Description	New part #	Original part #	Price
Exit	Tailpiece kit (includes tailpiece, tailpiece guide, pine tree clip)	-	46929303	\$31.00

TAILPIECE KIT (FOR CO-993M EXIT DEVICES)										
Chassis type	Description	Quantity	Specify	Price						
Mortise	993M, Exit tailpiece, kit (contains 1 unit only)	1	48250384	\$24.00						

TAILPIECE KIT, 10-PIECE BULK PACK (Select by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)											
Chassis type	Description	New part #	Original part #	Price							
Cylindrical	Schlage, KIL, P6/L - (Classic Cylinders)	09-418	09-418	\$21.00							
Cylindrical	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders)	09-417	09-417	\$21.00							
Cylindrical	Falcon, KIL, P6/L	23790611	23790611	\$35.00							
Mortise	Schlage, KIL, P6/L - (Classic Cylinders)	09-418	46928768	\$21.00							
Mortise	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders)	09-417	46928776	\$21.00							
Mortise	Falcon, KIL, P6/L	23790611	-	\$35.00							
Exit	Schlage, KIL, P6/L - (Classic Cylinders)	09-418	46928768	\$21.00							
Exit	Schlage, KIL, P6/L - (Everest/Primus/Modular Cylinders)	09-417	46928776	\$21.00							
Exit	Falcon, KIL, P6/L	23790611	-	\$35.00							

CYLINDER (S	elect by Chassis Type, Cylinder Mechanism, Cylinder Type, Cylinder Detail)		
Chassis type	Description	Specify	Price
Cylindrical	Classic, KIL, P6 - (Only ATH, 8AT Lever Styles) <sup>1</sup>	23-013	\$94.00
Cylindrical	Classic, FSIC, R (Open)	23-030	\$106.00
Cylindrical	Classic, FSIC, R (Restricted)	23-030	\$137.00
Cylindrical	Primus, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-750	\$203.00
Cylindrical	Primus, FSIC, R	20-740	\$215.00
Cylindrical	Primus UL, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-550	\$264.00
Cylindrical	Primus XP, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-750-XP	\$203.00
Cylindrical	Primus XP, FSIC, R	20-740-XP	\$215.00
Cylindrical	Primus UL XP, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-550-XP	\$264.00
Mortise	Classic, KIL, P6 - (Except ATH, 8AT Lever Styles) (Open) <sup>1</sup>	23-118	\$94.00
Mortise	Classic, KIL, P6 - (Except ATH, 8AT Lever Styles) (Restricted)	23-118	\$125.00
Mortise	Classic, FSIC, R (Open)	23-030	\$106.00
Mortise	Primus, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-854	\$203.00
Mortise	Primus, FSIC, R	20-740	\$215.00
Mortise	Primus UL, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-554	\$264.00
Mortise	Primus XP, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-854-XP	\$203.00
Mortise	Primus XP, FSIC, R	20-740-XP	\$215.00
Mortise	Primus UL XP, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-554-XP	\$264.00
Exit	Classic, KIL, P6 - (Except ATH, 8AT Lever Styles) (Open) <sup>1</sup>	23-118	\$94.00
Exit	Classic, KIL, P6 - (Except ATH, 8AT Lever Styles) (Restricted)	23-118	\$125.00
Exit	Classic, KIL, P6 - (Only ATH, 8AT Lever Styles) <sup>1</sup>	23-013	\$94.00
Exit	Classic, FSIC, R (Open)	23-030	\$106.00
Exit	Classic, FSIC, R (Restricted)	23-030	\$137.00
Exit	Primus, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-854	\$203.00

 $<sup>^{\</sup>mathrm{1}}$  This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.



CYLINDER (S	CYLINDER (Select by Chassis Type, Cylinder Mechanism, Cylinder Type, Cylinder Detail)											
Chassis type	Description	Specify	Price									
Exit	Primus, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-750	\$203.00									
Exit	Primus, FSIC, R	20-740	\$215.00									
Exit	Primus UL, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-554	\$264.00									
Exit	Primus UL, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-550	\$264.00									
Exit	Primus XP, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-854-XP	\$203.00									
Exit	Primus XP, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-750-XP	\$203.00									
Exit	Primus XP, FSIC, R	20-740-XP	\$215.00									
Exit	Primus UL XP, KIL, P6 - (Except ATH, 8AT Lever Styles)	20-554-XP	\$264.00									
Exit	Primus UL XP, KIL, P6 - (Only ATH, 8AT Lever Styles)	20-550-XP	\$264.00									

 $<sup>^{\</sup>mbox{\tiny 1}}$  This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

LATCHES														
13-247	14-049	14-051	14-050											
				605	606	612	613	619	622	625	626	643e	626AM	
Available finishes					•	•	•	N/A	•	N/A	•	•	•	N/A
DEADLATCHES														
Description				Doolsoot	Specify						Price each			
Description				Backset	Par	Part number Fir		Finish	1		Pric	e eac	1	
Square corner, 1-1/8" x 2-1/4"			2-3/4"	1	13-247	7	].	Finish	n]		\$13	80.00		
Anti-friction fire door latch, Square corner, 1-1/8" x 2-1/4", 3/4" throw			2-3/4"	1	4-049	9	.[Finish]				\$54	46.00		
Square corner, 1-1/8"	Square corner, 1-1/8" x 2-1/4"			2-3/8"	1	14-05	1	.[Finish]			\$178.00			
Square corner, 1-1/8" x 2-1/4"			3-3/4"	1	4-050	)	.[	Finish	ո]		\$16	52.00		
				•	,									

								Available finishes											
INTERIOR LEVER (CLOSED)				605	606	612	613	619	622	625	626	643e 6	526AM						
								•	N/A	•	•	•	•						
Description	Ctule entions	New part #	Original part #	Specify								)							
Description	Style options			Lever design Finish						Price									
Inside Lever, Closed	ATH (Athens) RHO (Rhodes) SPA (Sparta) TLR (Tubular)	03-230	03-030	.[Lever] .[Finish]			1]		\$20	06.00									

EXTERIOR LEVER (LESS CYLINDER)							Available finishes											
	ussis Type, Cylinder OEM, Cylinder Type, Cylinder Deta	ail\		605	606	612	613	619	622	625	626	643e 6	526AM					
(Select by Cha		uit)		•	•	•	N/A	•	N/A	•	•	•	•					
Chassis type	Description	New part #	Original part #			Specify						Price						
Chassis type	Description	New part #	Oligiliat part #	Lev	er des	sign		Finish			File							
Cylindrical	Schlage, KIL, P6/L	03-231	03-031		.[Lever]			Finish	ո]		\$2	06.00						
Cylindrical	Schlage, FSIC, R/J	03-232	03-032		.[Lever]			Finish	ո]									
Cylindrical	Schlage, SFIC, G/B	03-200	03-000		.[Lever]			.[Finish]			] \$206.00							
Cylindrical	Falcon, KIL, L-FA7 (7-pin) Standard	03-280	23779739		.RHO		.[Finish]			nish] \$223.0								
Cylindrical	Falcon, KIL, L-FA7 (7-pin) Standard	03-280	23779762		.SPA		.[	Finish	nish] \$223			23.00						
Cylindrical	Falcon, KIL, L-FA7 (7-pin) Knurled	03-280	23779747		.8RO		].	Finish	ո]		\$2	93.00						
Cylindrical	Falcon, KIL, L-FA7 (7-pin) Knurled	03-280	23779770		.8SP			Finish	ո]		\$2	93.00						
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin)	03-266	03-066		.[Lever]			Finish	ո]		\$3	79.00						
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin) Standard	03-235	23854524		.RHO			.[Finish]			\$3	79.00						
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin) Standard	03-235	23854540	.SPA			.SPA .[Finish]			\$379.00								
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin) Standard	03-235	23854565	.TLR			.[	.[Finish]			\$3	79.00						



EYTEDIOD I E	KTERIOR LEVER (LESS CYLINDER)							Available finishes											
	assis Type, Cylinder OEM, Cylinder Type, Cylinder De	etail)		605	60	06 612					5 6	26 64	3e 62	26AN					
(00:00:0) 0::0	T	1		•	- 1	• •	N/A	•	N/A	•		• •		•					
Chassis type	Description	New part #	Original part#	Lev	/er	Sı design	ecify	Finis				Pric	e						
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin) Knurled	03-235	23854532			RO		Finis				\$449.	00						
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin) Knurled	03-235	23854557		.8	SP		- [Finis	h]			\$449.	00						
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin) Knurled	03-235	23854573		.8	TR		- [Finis	 h]	\$449.00									
Cylindrical	Sargent, KIL, L-SAR (6-pin)	03-244	03-044		[Le	ver]		[Finis	h]	\$379.00									
Cylindrical	Sargent, FSIC, J-SAR (6-pin)	03-277	03-077		.[Lever]				 h]			\$379.0	00						
Cylindrical	Medeco, FSIC, J-MED (6-pin)	03-237	09-388		.[Lever]				h]			\$379.0	 00						
Cylindrical	Yale, FSIC, J-YA6 (6-pin)	03-255	09-355		[Le	ver]		[Finis	h]		_	\$379.0	00						
Cylindrical	Yale, FSIC, J-YA7 (7-pin)	03-236	09-399		[Le	ver]		Finis	h]			\$379.0	00						
Cylindrical	Corbin Russwin, KIL, L-CO6 (6-pin)	03-234	-		[Le	ver]		[Finis	h]			\$379.0	00						
Mortise	Schlage, KIL, P6/L	03-231	09-331		[Le	ver]		Finis	h]			\$206.	00	_					
Mortise	Schlage, FSIC, R/J	03-232	09-332		[Le	ver]		[Finis	h]			\$206.	00						
Mortise	Schlage, SFIC, G/B	03-200	03-000		[Le	ver]		[Finis	h]			\$206.	00						
Mortise	Falcon, KIL, L-FA7 (7-pin)	03-280	09-331		.[Lever]				h]	\$223.00									
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin)	03-266	09-366		[Le	ver]		.[Finish]				\$379.0	00						
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	09-366		[Le	ver]		.[Finish]				\$379.00							
Mortise	Sargent, KIL, L-SAR (6-pin)	03-244	09-344		[Le	ver]		[Finis	h]	\$379.00									
Mortise	Sargent, FSIC, J-SAR (6-pin)	03-277	09-377		[Le	ver]		[Finis	h]	\$379.00									
Mortise	Medeco, FSIC, J-MED (6-pin)	03-237	09-388		[Le	ver]		[Finis	h]	\$379.00									
Mortise	Yale, FSIC, J-YA6 (6-pin)	03-255	09-355		[Le	ver]		[Finis	h]			\$379.0	00						
Mortise	Yale, FSIC, J-YA7 (7-pin)	03-236	09-399		[Le	ver]		[Finis	h]			\$379.0	00						
Mortise	Corbin Russwin, KIL, L-CO6 (6-pin)	03-234	-		[Le	ver]		[Finis	h]			\$379.0	00						
Exit	Schlage, KIL, P6/L	03-231	03-331		[Le	ver]		[Finis	h]			\$206.	00						
Exit	Schlage, FSIC, R/J	03-232	03-332		[Le	ver]		[Finis	h]			\$206.	00						
Exit	Schlage, SFIC, G/B	03-200	03-300		[Le	ver]		[Finis	h]			\$206.	00						
Exit	Falcon, KIL, L-FA7 (7-pin)	03-280	03-331		[Le	ver]		[Finis	h]			\$223.0	00						
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin)	03-266	03-366		[Le	ver]		[Finis	h]			\$379.0	00						
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin)	03-235	03-366		[Le	ver]		[Finis	h]			\$379.0	00						
Exit	Sargent, KIL, L-SAR (6-pin)	03-244	03-344		[Le	ver]		[Finis	h]			\$379.0	00						
Exit	Sargent, FSIC, J-SAR (6-pin)	03-277	03-377		[Le	ver]		[Finis	h]			\$379.0	00						
Exit	Medeco, FSIC, J-MED (6-pin)	03-237	03-388		[Le	ver]		[Finis	h]			\$379.0	00						
Exit	Yale, FSIC, J-YA6 (6-pin)	03-255	03-355		[Le	ver]		[Finis	h]			\$379.0	00						
Exit	Yale, FSIC, J-YA7 (7-pin)	03-236	03-399		[Le	ver]		[Finis	h]			\$379.0	00						
Exit	Corbin Russwin, KIL, L-CO6 (6-pin)	03-234	-		[Le	ver]		[Finis	h]			\$379.0	00						

	TERIOR LEVER (LESS CYLINDER) - NEW LEVER OPTIONS elect by Chassis Type, Cylinder OEM, Cylinder Type, Cylinder Detail)													
							613	619	622	625	626 643	e 626	M	
(Select by Cha	issis Type, Cytilidel OEM, Cytilidel Type, C	ytilidel Detail)		•	•	•	N/A	•	N/A	•				
Chassis type	Description	New part #	Original part #			Spe	Specify				Price			
Chassis type	Description	New part #	Original part #	Lev	er des	sign		Finisl	1		Price			
Cylindrical	Boardwalk - Closed	47258044	-		.BRK .[Finish]					\$206.00				
Cylindrical	Boardwalk - J	47258052	-		.BRK			[Finisl	ո]		\$206.0	0		
Cylindrical	Boardwalk - P6/L	47258048	-		.BRK			[Finisl	ո]		10			
Cylindrical	Boardwalk - BDC/B/G/H	47258040	-		.BRK		.[Finish]				\$206.0	10		
Cylindrical	Broadway - Closed	47258043	-		.BRW	,		[Finisl	ո]	\$206.00				
Cylindrical	Broadway - J	47258051	-		.BRW	,		[Finisl	n]	\$206.00				
Cylindrical	Broadway - P6/L	47258047	-		.BRW	,		[Finisl	ո]		\$206.0	10		
Cylindrical	Broadway - BDC/B/G/H	47258039	-		.BRW	,		[Finisl	ո]		\$206.0	10		
Cylindrical	Latitude - Closed	47258045	-		.LAT			[Finisl	ո]		\$206.0	10		
Cylindrical	Latitude - J	47258053	-		.LAT .[Finish]						\$206.0	0		
Cylindrical	Latitude - P6/L	47258049	-		.LAT .[Finish]					\$206.00				
Cylindrical	Latitude - BDC/B/G/H	47258041	-		.LAT			[Finisl	ո]		\$206.0	0		
Cylindrical	Longitude - Closed	47258046	-		.LON			[Finisl	n]		\$206.0	0		

Available finishes

NDE LOCK



	VER (LESS CYLINDER) - NEW LEVER OPTIC			605 606 612	613 619 622	625 626 643e 626
(Select by Cha	ssis Type, Cylinder OEM, Cylinder Type, Cylind	er Detail)			N/A ■ N/A	
Chassis type	Description	New part #	Original part #	Spe Lever design	cify Finish	Price
Cylindrical	Longitude - J	47258054	-	.LON	.[Finish]	\$206.00
Cylindrical	Longitude - P6/L	47258050	-	.LON	.[Finish]	\$206.00
Cylindrical	Longitude - BDC/B/G/H	47258042	-	.LON	.[Finish]	\$206.00
Cylindrical	Boardwalk (Tactile) - Closed	47260554	_	.8BK	.[Finish]	\$276.00
Cylindrical	Boardwalk (Tactile) - J	47260546	-	.8BK	.[Finish]	\$276.00
Cylindrical	Boardwalk (Tactile) - P6/L	47260550	-	.8BK	.[Finish]	\$276.00
Cylindrical	Boardwalk (Tactile) - BDC/B/G/H	47260538	_	.8BK	.[Finish]	\$276.00
Cylindrical	Broadway (Tactile) - Closed	47260553	_	.8BY	.[Finish]	\$276.00
Cylindrical	Broadway (Tactile) - J	47260545	_	.8BY	.[Finish]	\$276.00
Cylindrical	Broadway (Tactile) - P6/L	47260549	_	.8BY	.[Finish]	\$276.00
Cylindrical	Broadway (Tactile) - BDC/B/G/H	47260537	_	.8BY	.[Finish]	\$276.00
Cylindrical	Latitude (Tactile) - Closed	47260555	_	.8LT	.[Finish]	\$276.00
Cylindrical	Latitude (Tactile) - J	47260533		.8LT	.[Finish]	\$276.00
Cylindrical	Latitude (Tactile) - J	47260547	-	.8LT		\$276.00
-		47260531	-	.8LT	.[Finish]	\$276.00
Cylindrical	Latitude (Tactile) - BDC/B/G/H		-		.[Finish]	
Cylindrical	Longitude (Tactile) - Closed	47260556	-	.8LN	.[Finish]	\$276.00
Cylindrical	Longitude (Tactile) - J	47260548	-	.8LN	.[Finish]	\$276.00
Cylindrical	Longitude (Tactile) - P6/L	47260552	-	.8LN	.[Finish]	\$276.00
Cylindrical	Longitude (Tactile) - BDC/B/G/H	47260540		.8LN	.[Finish]	\$276.00
Mortise	Boardwalk - Closed	47258044	-	.BRK	.[Finish]	\$206.00
Mortise	Boardwalk - J	47258052	-	.BRK	.[Finish]	\$206.00
Mortise	Boardwalk - P6/L	47258048	-	.BRK	.[Finish]	\$206.00
Mortise	Boardwalk - BDC/B/G/H	47258040	-	.BRK	.[Finish]	\$206.00
Mortise	Broadway - Closed	47258043	-	.BRW	.[Finish]	\$206.00
Mortise	Broadway - J	47258051	-	.BRW	.[Finish]	\$206.00
Mortise	Broadway - P6/L	47258047	-	.BRW	.[Finish]	\$206.00
Mortise	Broadway - BDC/B/G/H	47258039	-	.BRW	.[Finish]	\$206.00
Mortise	Latitude - Closed	47258045	-	.LAT	.[Finish]	\$206.00
Mortise	Latitude - J	47258053	-	.LAT	.[Finish]	\$206.00
Mortise	Latitude - P6/L	47258049	-	.LAT	.[Finish]	\$206.00
Mortise	Latitude - BDC/B/G/H	47258041	-	.LAT	.[Finish]	\$206.00
Mortise	Longitude - Closed	47258046	-	.LON	.[Finish]	\$206.00
Mortise	Longitude - J	47258054	-	.LON	.[Finish]	\$206.00
Mortise	Longitude - P6/L	47258050	-	.LON	.[Finish]	\$206.00
Mortise	Longitude - BDC/B/G/H	47258042	-	.LON	.[Finish]	\$206.00
Mortise	Boardwalk (Tactile) - Closed	47260554	-	.8BK	.[Finish]	\$276.00
Mortise	Boardwalk (Tactile) - J	47260546	-	.8BK	.[Finish]	\$276.00
Mortise	Boardwalk (Tactile) - P6/L	47260550	-	.8BK	.[Finish]	\$276.00
Mortise	Boardwalk (Tactile) - BDC/B/G/H	47260538	-	.8BK	.[Finish]	\$276.00
Mortise	Broadway (Tactile) - Closed	47260553	-	.8BY	.[Finish]	\$276.00
Mortise	Broadway (Tactile) - J	47260535	-	.8BY	.[Finish]	\$276.00
Mortise	Broadway (Tactile) - 7	47260549	-	.8BY	.[Finish]	\$276.00
Mortise	Broadway (Tactile) - PO/L  Broadway (Tactile) - BDC/B/G/H	47260537	-	.8BY	.[Finish]	\$276.00
			<del> </del>			
Mortise Mortise	Latitude (Tactile) - Closed	47260555	-	.8LT	.[Finish]	\$276.00
Mortise	Latitude (Tactile) - J	47260547	-	.8LT	.[Finish]	\$276.00
Mortise	Latitude (Tactile) - P6/L	47260551	-	.8LT	.[Finish]	\$276.00
Mortise	Latitude (Tactile) - BDC/B/G/H	47260539	-	.8LT	.[Finish]	\$276.00
Mortise	Longitude (Tactile) - Closed	47260556	-	.8LN	.[Finish]	\$276.00
Mortise	Longitude (Tactile) - J	47260548	-	.8LN	.[Finish]	\$276.00
Mortise	Longitude (Tactile) - P6/L	47260552	-	.8LN	.[Finish]	\$276.00
Mortise	Longitude (Tactile) - BDC/B/G/H	47260540	-	.8LN	.[Finish]	\$276.00



EXTERIOR	VER (LESS CYLINDER) - NEW LEVER OPTION	ONS		Available finishes 605 606 612 613 619 622 625 626 643e 626AN											
	ussis Type, Cylinder OEM, Cylinder Type, Cylind				606								26AN		
		<del> </del>		•	•	•	N/A	•	N/A	•	•	•	•		
Chassis type	Description	New part #	Original part#	Lev	er de	<u>.</u>	ecify	Finisl	n		Pr	ice			
Exit	Boardwalk - J	47258052	-		.BRK		].	Finisl	h]	\$206.00					
Exit	Boardwalk - P6/L	47258048	-		.BRK .[Finish]			\$206.00							
Exit	Boardwalk - BDC/B/G/H	47258040	-		.BRK .[Finish]				\$20	6.00					
Exit	Broadway - Closed	47258043	-		.BRW	/	].	Finisl	n]		\$20	6.00			
Exit	Broadway - J	47258051	-		.BRW	1	.[	Finisl	n]		\$20	6.00			
Exit	Broadway - P6/L	47258047	-		.BRW	/	.[	Finisl	ո]		\$20	6.00			
Exit	Broadway - BDC/B/G/H	47258039	-		.BRW	,	].	Finisl	n]		\$20	6.00			
Exit	Latitude - Closed	47258045	-		.LAT		].	Finisl	n]		\$20	6.00			
Exit	Latitude - J	47258053	-		.LAT		.[	Finisl	n]		\$20	6.00			
Exit	Latitude - P6/L	47258049	-		.LAT		].	Finisl	n]		\$20	6.00			
Exit	Latitude - BDC/B/G/H	47258041	-		.LAT		].	Finisl	n]		\$20	6.00			
Exit	Longitude - Closed	47258046	-		.LON		.[	Finisl	n]		\$20	6.00			
Exit	Longitude - J	47258054	-		.LON		.[	Finisl	n]	\$206.00					
Exit	Longitude - P6/L	47258050	-		.LON		].	Finisl	n]	\$206.00					
Exit	Longitude - BDC/B/G/H	47258042	-		.LON		].	Finisl	n]	\$206.00					
Exit	Boardwalk (Tactile) - Closed	47260554	-		.8BK		.[	Finisl	n]		\$27	6.00			
Exit	Boardwalk (Tactile) - J	47260546	-		.8BK		].	Finisl	n]		\$27	6.00			
Exit	Boardwalk (Tactile) - P6/L	47260550	-		.8BK		.[	Finis	n]		\$27	6.00			
Exit	Boardwalk (Tactile) - BDC/B/G/H	47260538	-		.8BK		.[	Finis	n]		\$27	6.00			
Exit	Broadway (Tactile) - Closed	47260553	-		.8BY		.[	Finisl	ո]		\$27	6.00			
Exit	Broadway (Tactile) - J	47260545	-		.8BY		].	Finisl	n]		\$27	6.00			
Exit	Broadway (Tactile) - P6/L	47260549	-		.8BY		.[	Finisl	ո]		\$27	6.00			
Exit	Broadway (Tactile) - BDC/B/G/H	47260537	-		.8BY		.[	Finisl	ո]		\$27	6.00			
Exit	Latitude (Tactile) - Closed	47260555	-		.8LT		].	Finisl	n]		\$27	6.00			
Exit	Latitude (Tactile) - J	47260547	-		.8LT		.[	Finis	n]		\$27	6.00			
Exit	Latitude (Tactile) - P6/L	47260551	-		.8LT		.[	Finisl	ո]		\$27	6.00			
Exit	Latitude (Tactile) - BDC/B/G/H	47260539	-		.8LT		.[	Finisl	n]		\$27	6.00			
Exit	Longitude (Tactile) - Closed	47260556	-		.8LN		.[	Finisl	n]		\$27	6.00			
Exit	Longitude (Tactile) - J	47260548	-		.8LN		.[	Finisl	ո]		\$27	6.00			
Exit	Longitude (Tactile) - P6/L	47260552	-		.8LN		.[	Finisl	ո]		\$27	6.00			
Exit	Longitude (Tactile) - BDC/B/G/H	47260540	-		.8LN		].	Finis	าไ		\$27	6.00			

EVTEDIODIE	VER (LESS CYLINDER), 10-PIECE BULK PACK						A	vailab	le finis	shes			
	ussis Type, Cylinder OEM, Cylinder Type, Cylinder			605	606	612	613	619	622	625	626	643e	626AM
(Select by Cha	issis Type, Cytilidei OLIVI, Cytilidei Type, Cytilidei	Detail)			•	•	N/A	•	N/A	•	•	•	-
Chassis type	Description	New part #	Original part #			Sp	ecify					Price	
Chassis type	Description	New part #	Oliginat part #	Lev	er des	sign		Finis	1			riice	
Cylindrical	Schlage, KIL, P6/L <sup>1</sup>	K103-681	K103-031	.[Lever] .[Finish]			\$1,615.00						
Cylindrical	Schlage, FSIC, R/J¹	K103-682	K103-032		.[Lever] .[Finish]				\$1,	923.00	<u> </u>		
Cylindrical	Schlage, SFIC, G/B <sup>1</sup>	K103-680	K103-000		[Lever	_ever] .[Finish]				\$1,	923.00	<u> </u>	
Cylindrical	Falcon, KIL, L-FA7 (7-pin)	K103-689	-		[Lever	ever] .[Finish]			.[Finish] \$3,084			084.00	)
Cylindrical	Sargent, KIL, L-SAR (6-pin) <sup>1</sup>	K103-683	K103-044		.[Lever] .[Finish]		.[Finish] \$3,832			,832.00	)		
Cylindrical	Sargent, FSIC, J-SAR (6-pin) <sup>1</sup>	K103-685	K103-077		[Lever	]		[Finisl	ո]	\$3,792.00		)	
Cylindrical	Medeco, FSIC, J-MED (6-pin) <sup>1</sup>	K103-687	K109-388		[Lever	]		[Finisl	า]	] \$3,837.00			)
Cylindrical	Yale, FSIC, J-YA6 (6-pin) <sup>1</sup>	K103-686	K103-055		[Lever	.]		[Finisl	ո]	\$3,837.00			)
Cylindrical	Yale, FSIC, J-YA7 (7-pin) <sup>1</sup>	K103-688	K109-399		[Lever	.]		[Finisl	ո]		\$3	,837.00	)
Cylindrical	Corbin Russwin, FSIC, J-CO6 (6-pin) <sup>1</sup>	K103-684	K103-066		[Lever	[Finish]		.[Finish]		\$2,	995.00	)	
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991086		.RHO .[Finish]		.[Finish] \$3,084		084.00	)			
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991094	.SPA .[Finish]			ish] \$3,084.00			)			
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991102		.TLR .[Finish]			sh] \$2,974.00			)		
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991110		.8RO			[Finisl	ո]		\$3	,799.00	)

<sup>&</sup>lt;sup>1</sup> This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

NDE LOCK



EVTEDIODIE	VED (LESS CVLINDED) TO DIECE BUILD DAG	V			Availabl	e finis	shes									
	VER (LESS CYLINDER), 10-PIECE BULK PAC ASSIS Type, Cylinder OEM, Cylinder Type, Cylinde			605 606 612	2 613 619	622	625	626	643e (	526AN						
(Select by Cha		er Detail)			N/A •	N/A		•	•	•						
Chassis type	Description	New part #	Original part #	Sp	pecify			ь	rice							
Chassis type	Description	•	Original part #	Lever design	Finish	sh										
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991128	.8SP	.[Finish	1]		\$3,7	99.00	I						
Cylindrical	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	23991136	.8TR	.[Finish	1]		\$3,7	99.00	1						
Mortise	Schlage, KIL, P6/L <sup>1</sup>	K103-681	K109-331	.[Lever]	.[Finish	1]		\$1,6	515.00							
Mortise	Schlage, FSIC, R/J¹	K103-682	K109-332	.[Lever]	.[Finish	1]		\$1,9	23.00							
Mortise	Schlage, SFIC, G/B <sup>1</sup>	K103-680	K103-000	.[Lever]	.[Finish	1]		\$1,9	23.00							
Mortise	Falcon, KIL, L-FA7 (7-pin)	K103-689	K109-331	.[Lever]	.[Finish	1]		\$3,0	84.00	)						
Mortise	Sargent, KIL, L-SAR (6-pin) <sup>1</sup>	K103-683	K109-344	.[Lever]	.[Finish	1]		\$3,8	332.00	)						
Mortise	Sargent, FSIC, J-SAR (6-pin) <sup>1</sup>	K103-685	K109-377	.[Lever]	.[Finish	1]		\$3,7	92.00	i						
Mortise	Medeco, FSIC, J-MED (6-pin) <sup>1</sup>	K103-687	K109-388	.[Lever]	.[Finish	1]		\$3,8	337.00	i						
Mortise	Yale, FSIC, J-YA6 (6-pin) <sup>1</sup>	K103-686	K109-355	.[Lever]	.[Finish	.[Finish]			\$3,837.00							
Mortise	Yale, FSIC, J-YA7 (7-pin) <sup>1</sup>	K103-688	K109-399	.[Lever]	.[Finish	.[Finish] \$			\$3,837.00							
Mortise	Corbin Russwin, FSIC, J-CO6 (6-pin) <sup>1</sup>	K103-684	K109-366	.[Lever]	.[Finish] \$2			\$2,9	95.00	)						
Mortise	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	K109-366	.[Lever]	.[Finish]		.[Finish]		.[Finish]		.[Finish]			\$3,0	84.00	)
Exit	Schlage, KIL, P6/L <sup>1</sup>	K103-681	K103-331	.[Lever]	.[Finish	1] \$1,615.0			15.00							
Exit	Schlage, FSIC, R/J¹	K103-682	K103-332	.[Lever]	.[Finish	1]		\$1,9	23.00							
Exit	Schlage, SFIC, G/B <sup>1</sup>	K103-680	K103-000	.[Lever]	.[Finish	1]		\$1,9	23.00							
Exit	Falcon, KIL, L-FA7 (7-pin)	K103-689	K103-331	.[Lever]	.[Finish	1]		\$3,0	84.00	)						
Exit	Sargent, KIL, L-SAR (6-pin) <sup>1</sup>	K103-683	K103-344	.[Lever]	.[Finish	1]		\$3,8	332.00	,						
Exit	Sargent, FSIC, J-SAR (6-pin) <sup>1</sup>	K103-685	K103-377	.[Lever]	.[Finish	1]		\$3,7	92.00	1						
Exit	Medeco, FSIC, J-MED (6-pin)	K103-687	K103-388	.[Lever]	.[Finish	1]		\$3,8	337.00	,						
Exit	Yale, FSIC, J-YA6 (6-pin) <sup>1</sup>	K103-686	K103-355	.[Lever]	.[Finish	1]		\$3,8	337.00	,						
Exit	Yale, FSIC, J-YA7 (7-pin) <sup>1</sup>	K103-688	K103-399	.[Lever]	.[Finish	1]		\$3,8	337.00	1						
Exit	Corbin Russwin, FSIC, J-CO6 (6-pin)	K103-684	K103-366	.[Lever]	.[Finish	1]		\$2,9	95.00	)						
Exit	Corbin Russwin, FSIC, J-CO7 (7-pin)	K103-690	K103-366	.[Lever]	.[Finish	1]		\$3.0	84.00	)						

 $<sup>^{\</sup>rm l}$  This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.

	Available finishes									
INTERIOR ROSE	605	606	612	613	619	622	625	626 643e		626AM
	-	•	•	•	•	N/A	•	•	•	N/A
Bassalada			Spe	cify				_		
Description	Part number Fini			Finish	n		Price			
Interior rose (626 finish)	03-	042-F	RHO		-			\$1!	56.00	
Interior rose (605/606/612/619/625/643e finishes)	03-042-RHO -				\$1!	56.00				
Interior rose (613 finish)	03-	042-F	RHO		-			\$1:	56.00	

				A۷	ailab	le finis	hes			
DEADBOLT THUMBTURN ASSEMBLY (WITH E-CLIP)	605 606 612			613 619 622			625 626 643e 626AM			
		N			•	N/A	•	•	•	•
Description	Specify					Price				
Description		Part number			Finish			•	Price	
Deadbolt thumb turn assembly (with E-clip)	40	69291	13	.[	Finish	า]		\$!	52.00	

LOCK RETRACT	OR (Select by Chassis Type, Chassis Thickness)		
Chassis type	Description	Specify	Price
Cylindrical	Retractor	46928800	\$517.00
Mortise case	1-1/16" Narrow - (door thicknesses 1-3/8" to 1-5/8")	46928818	\$662.00
Mortise case	1-1/4" Standard - (door thicknesses 1-3/4" to 2-3/4")	46928826	\$662.00
Mortise case	1-1/16" Narrow - (door thicknesses 1-3/8" to 1-5/8")	46928834	\$837.00
with deadbolt	1-1/4" Standard - (door thicknesses 1-3/4" to 2-3/4")	46928842	\$837.00



SPINDLE AND	HUB KIT (Select by Chassis Type)		
Chassis type	Description	Specify	Price
Exit	Exit spindle and hub kit (Includes spindle, spindle cover, spindle hub, tailpiece, twisted tailpiece, tailpiece spring, pine tree clip, screw)	46929295	\$64.00

SPINDLE SPRING	Specify	Price
Inside spindle spring (25 pack)	47256978	\$119.00

HUB, 10-PIEC	EBULK PACK (Select by Chassis Type)		
Chassis type	Description	Specify	Price
Cylindrical	Hub (10-piece bulk pack)	23599228	\$235.00
Mortise	Hub (10-piece bulk pack)	23599228	\$235.00

STRIKE PLATE	(Select by Chass	is Type)									
10-025	10-013	10-016	K510-066	10-072	10-075	37-015					
Available strike	nlato finichos					605 606 6	12 613 6	519 622	625	626 6436	626AM

Available strike pla	te finishes		003 000 012	013 019	022 023 020	U-SC SZUAIVI
Available Strike pla	te misies			N/A •	N/A • •	• •
Chassis type	Description	Default lip length	Part number	Specify Finish	Lip length	Price
Cylindrical	1-1/4" x 4-7/8" ANSI, no box <sup>1</sup>	1-3/16"	10-025-1316	.[Finish]	.LIP1-3/16	\$23.10
Cylindrical	1-1/4" x 4-7/8" ANSI, no box <sup>1</sup>	1-3/8"	10-025-138	.[Finish]	.LIP1-3/8	\$66.40
Cylindrical	1-1/4" x 4-7/8" ANSI, no box <sup>1</sup>	1-1/2"	10-025-112	.[Finish]	.LIP1-1/2	\$66.40
Cylindrical	1-1/8" x 2-3/4" square corner, T-strike, box <sup>1</sup>	1-1/8"	10-013-118	.[Finish]	.LIP1-1/8	\$23.10
Cylindrical	1-1/8" x 2-3/4" square corner, T-strike, box1	1-1/2"	10-013-112	.[Finish]	.LIP1-1/2	\$23.10
Cylindrical	1-1/8" x 2-3/4" square corner, T-strike, deep box <sup>1,2</sup>	1-1/8"	10-016	.[Finish]	.LIP1-1/8	\$23.10
Cylindrical	Box for ANSI strike (finish not applicable) <sup>1</sup>	-	K510-066	-		\$10.20
Mortise Deadbolt	1-1/4" x 4-7/8" square corner, box (standard with Lip at 1-3/16", 1", 1-1/2", 1-3/4", or 2") <sup>1</sup>	1-3/16"	10-072-1316	.[Finish]	.LIP1-3/16	\$34.00
Mortise Deadbolt	1-1/4" x 4-7/8" square corner, box (specify lip length [xx] as 1" or 1-1/2")	1-3/16"	10-072-xx	.[Finish]	.[Lip length]	\$34.00
Mortise Deadbolt	1-1/4" x 4-7/8" square corner, box (specify lip length [xx] as 1-3/4", 1" or 2")	1-3/16"	10-072-xx	.[Finish]	.[Lip length]	\$86.00
Mortise Deadbolt	1/2" Rabbeted <sup>1</sup>		10-075	.[Finish]	.[Lip length]	\$219.00
Mortise Deadbolt	Strike frame reinforcer (finish not applicable)	-	37-015	-	-	\$37.30

- 1. This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.
- 2. Use with fire door latch.



MORTISE ARMOR FR	RONT (Select by Width	n, Door Thickness)											
09-663	09-666 **	09-669 &	09-672 **										
Available finishes				,	605	606		613 N/A	619	622 N/A	625	626 643	Be 626AN
					Specify			IVA					
Description					Part	t numl	ber		Finish	1	Price		)
1-1/4" Wide (Standar	d armor size for 1-3/4'	and larger door thick	nesses)										
Latch x auxiliary latch	I				0	9-663	}	.[	Finish	ո]		\$55.1	0
Latch x auxiliary latch	x deadbolt <sup>1</sup>				0	9-666	5	].	Finish	า]		\$55.7	0
1-1/16" Wide (armor s	size for doors thinner t	than 1-3/4", including 1	1-3/8" doors)										
Latch x auxiliary latch	ı				0	9-669	)	.[	Finish	ո]		\$55.1	0
Latch x auxiliary latch	x deadbolt <sup>1</sup>				0	9-672		].	Finish	ո]		\$55.1	0

- $1. \ \ \, \text{This part is shared with Schlage Mechanical and defaults to the Schlage Mechanical discount.}$
- 2. Use with fire door latch.

			Available finishes										
DECORATIVE PLATE	DECORATIVE PLATE (Select by Size)		613 619 622	625 626 643e 626AM									
			N/A N/A N/A	N/A • • N/A									
Sino	Description		cify	Price									
Size		Part number	Finish	Price									
1.5" x 3.25" x .105"	Decorative plate (with screws) - (Exit trim)	23631823	.[Finish]	\$55.00									
1.7" x 3.5" x .075"	Decorative plate (with screws)	23760267	.[Finish]	\$40.00									
3.2" x 3.5" x .075"	Decorative plate (with screws)	23760283	.[Finish]	\$62.00									
6.0" x 3.5" x .075"	Decorative plate (with screws)	23760317	.[Finish]	\$94.00									
6.6" x 3.5" x .075"	Decorative plate (with screws)	23760325	.[Finish]	\$94.00									
8.0" x 3.5" x .075"	Decorative plate (with screws)	23760309	.[Finish]	\$97.00									
8.0" x 3.5" x .075"	Decorative plate (with screws and welded standoff)	23760291	.[Finish]	\$131.00									
10.5" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>1</sup>	23760259	.[Finish]	\$125.00									
12.0" x 3.5" x .075"	Decorative plate (no screws necessary) - (under lock) <sup>1</sup>	23760275	.[Finish]	\$124.00									

- 1. Please consider overall Door Thickness when ordering.
- ${\it 2. \ Single \ Decorative \ plate. \ Interior \ and \ Exterior \ Decorative \ plates \ may \ be \ required.}$
- 3. Decorative plates may have multiple applications. Please see AD Series Retrofit Template Overlay guide at <a href="https://www.schlage.com/support">www.schlage.com/support</a> for more information.

DOOR THICKNESS KIT (Select by Chassis Type, Door Thickness)								
		Speci						
Chassis type	Description	Part number	Door thickness	Price				
Cylindrical	1-3/8" Door thickness kit (Includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	23599376-138	.[ ].	\$253.00				
Cylindrical	1-1/2" Door thickness kit (Includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	23599376-112	.[ ].	\$180.00				
Cylindrical	1-5/8" Door thickness kit (Includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	23599376-158	.[ ].	\$129.00				
Cylindrical	Door thickness kit (Includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, standoffs) <sup>1</sup>	23599376-xxx	.[ ].	\$77.00				

<sup>1.</sup> Must specify door thickness: 1-3/4" to 2-3/4" in 1/8" increments.



DOOR THICKNESS KIT (Select by Chassis Type, Door Thickness)									
			Specify						
Chassis type	Description	Part number	Door thickness	Price					
Mortise	1-3/8" Door thickness kit (Includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	23599384-138	.[ ].	\$253.00					
Mortise	1-1/2" Door thickness kit (Includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	23599384-112	.[ ].	\$180.00					
Mortise	1-5/8" Door thickness kit (Includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, shim plates, standoffs)	23599384-158	.[ ].	\$129.00					
Mortise	Door thickness kit (Includes baseplate screws, reader screws, spindles, spring, pin wrench, fire plate screw, standoffs) <sup>1</sup>	23599384-xxx	.[ ]	\$77.00					

1. Must specify door thickness: 1-3/4" to 2-3/4" in 1/8" increments.

BATTERY HOLDER AND COVER KIT (Select by Chassis Type, Battery Capacity)  60		Available finishes									
		605 606 612		613	619	622	625	626	643e	626AM	
		•	•	•	N/A	•	N/A	•	•	•	
Chassis tune				Spe	ecify				_	Price	
Chassis type Description	Description	Part number Finish						-	rice		
Calle dela al	4AA Battery holder and cover kit (Includes 4AA Battery holder with cable, 4AA battery	4B-CM		[Finish]		.1		4.0	26 50		
Cylindrical	strap, (2) battery strap screws, 4AA battery cover, cover screw, Torx® cover screw)	(23599202)			(23599202)			\$86.50			
Mortico	4AA Battery holder and cover kit (Includes 4AA Battery holder with cable, 4AA battery	4	4B-CM		re:		.1		4.0	26 50	
Mortise	strap, (2) battery strap screws, 4AA battery cover, cover screw, Torx cover screw)		5992	02)	.[Finish]			\$86.50			
Exit	4AA Battery holder and cover kit (Includes 4AA Battery holder with cable, 4AA battery		4B-E		[Finish]			4.0	26 E0		
	strap, (2) battery strap screws, 4AA battery cover, cover screw, Torx cover screw)		5992	85)	.[Finish]			\$86.50			

DOOR POSITION SWITCH	Specify	Price
Door position switch	46929121	\$49.00

		Available finishes								
	605	606	612	613	619	622	625	626	643e 6	526AM
	•	•	•	N/A	•	N/A	•	•	•	-
Barriella.		Specify								
Description	Part number Finish				Price					
Interior shim plate (with interior spring cage spacer) (Device is 0.063" thick)	23599368		].	Finish	۱]		\$	37.00		

EXTERIOR SHIM PLATE	Specify	Price
Exterior shim plate (Device is 0.063" thick)	23458599	\$35.00

TORX® TAMPER SCREW PACK (Select by Chassis Type)									
Chassis type	Description	Specify	Price						
Cylindrical	Torx tamper screw pack	23631765	\$62.00						
Mortise	Torx tamper screw pack	23631781	\$62.00						
Exit	Torx tamper screw pack	23631799	\$50.00						

BATTERY HOLDER KIT	Specify	Price
4AA Battery holder kit (Includes 4AA battery holder with cable, 4AA battery strap, battery strap screws)	46929063	\$37.00

BATTERY (Select by Battery Type)	Specify	Price
(4) AA Batteries	F206-488	\$17.00

REQUEST-TO-EXIT SWITCH KIT	Specify	Price
Von Duprin RX-LC (also called SI-LC or Von Duprin part number 050281)	RX-LC	\$501.00

Please see Falcon Price Book for Falcon AD part number 650359.



WIRELESS PARTS	Specify	Price
Terminal block kit – (Includes one power connector and ten I/O connectors) supports CT5000	47250326	\$69.00

CABLES	Specify	Price
Storeroom (70) Thru-door cable (for CO200 Locks only)	23518392	\$29.00
Privacy (40) and Office (50) Thru-door cable (for CO200 Locks only)	23518384	\$46.00
(Warm) Keypad, CO, KIT	47269270	\$58.00
(Warm) Keypad, core, keypad + proximity, CO, KIT	47269272	\$58.00
Inside push button, AD/CO	47269170	\$90.00
CO Battery cable (5 pack)	47267321	\$58.00

MISCELLANEOUS	Specify	Price	
MISCELLANEOUS	Model number	Price	
Clutch pin (mushroom pin) - contains 50 units	47942587	\$13.00	
Spring (mushroom spring) - contains 50 units	47942589	\$3.00	
Motor drive assembly - contains 25 units	47939573	\$260.00	
Cam interface - contains 25 units	48048245	\$260.00	



# **Contents**

M490 Max security series	260
M450 High security series	261
M420 Traffic control series	262
M490DE Delayed egress series	263
M390RFK Retrofit lock	264
Filler plates and angle brackets	265
Electromagnetic specialty locks	266
M490G Gate lock	266
320M MiniLine magnet lock	266
320M MiniLine magnet lock  GF3000 Shear lock mortise series	
_	267

Customer service	Technical support	
<ul> <li>Order status</li> <li>Credit returns of non-defective products</li> <li>General sales questions</li> </ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>	
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com	




# M490 MAX SECURITY SERIES


# with Limited Lifetime Warranty on Magnetic Coil Assembly

#### Standard features

- ANSI/BHMA 156.23 Grade 1
- UL 1034 listed for burglary resistance
- UL 10C listed; cUL
- UL 294 listed for access control system units
- CSFM California State Fire Marshal listed



M490/M490P Single lock






Electromagnetic locks and accessories

M492/M492P
Double lock - single housing

1) SELECT MODEL	Specify	Price
Electromagnetic lock with automatic voltage selection	M490	\$1,110.00
Electromagnetic lock with automatic voltage selection	M492	\$2,325.00
Electromagnetic lock with automatic voltage selection, Door Position Switch (DPS), Magnetic Bond Sensor (MBS), Relocking Time Delay (RTD)	M490P	\$1,436.00
Electromagnetic lock with automatic voltage selection, Door Position Switch (DPS), Magnetic Bond Sensor (MBS), Relocking Time Delay (RTD)	M492P	\$2,979.00

2) SELECT OPTIONS & ACCESSORIES	M490/	M490P	M492/	M492P
Description	Specify	Price	Specify	Price
Anti-Tamper Switch (ATS), MBS indicator (LED) <sup>1</sup>	450/490-ATS/LED	\$124.00	450/490-ATS/LED-2	\$250.00
Herculite door bracket	HDB490	\$557.00	HDB490-2	\$1,123.00
Top jamb (inswinging doors)	TJ490	\$269.00	TJ492	\$542.00
M452/M492 Connector kit - Used to convert two (2) single mag locks to a double	-	-	DBK450/490	\$104.00

1. For M490P/M492P only.



# 3) SELECT FILLER PLATES & ANGLE BRACKETS - Listed on page 265

SPECIFICATIONS	M490/M490P	M492/M492P
Holding force	1500 lbs	1500 lbs per door leaf
Input voltage	12/24 VDC	12/24 VDC
Current draw - Automatic dual voltage 12/24 VDC	.65A @ 12 VDC; .35A @ 24 VDC	1.3A @ 12 VDC; .7A @ 24 VDC
Height	3"	3"
Length	12-1/2"	25-1/16"
Width	1-3/4"	1-3/4"
Weight (approximate)	14 lbs	28 lbs




M450 HIGH SECURITY SERIES


# with Limited Lifetime Warranty on Magnetic Coil Assembly


#### Standard features

- ANSI/BHMA 156.23 Grade 1
- UL 1034 listed for burglary resistance
- UL 10C listed; cUL
- UL 294 listed for access control system units
- CSFM California State Fire Marshal listed



M450/M450P Single lock








Electromagnetic locks and accessories

1) SELECT MODEL	Specify	Price
Electromagnetic lock with automatic voltage selection	M450	\$1,015.00
Electromagnetic lock with automatic voltage selection	M452	\$2,127.00
Electromagnetic lock with automatic voltage selection, Door Position Switch (DPS), Magnetic Bond Sensor (MBS), Relocking Time Delay (RTD)	M450P	\$1,349.00
Electromagnetic lock with automatic voltage selection, Door Position Switch (DPS), Magnetic Bond Sensor (MBS), Relocking Time Delay (RTD)	M452P	\$2,801.00

2) SELECT OPTIONS & ACCESSORIES	M450/	M450P	M452/	M452P
Description	Specify	Price	Specify	Price
Anti-Tamper Switch (ATS), MBS indicator (LED) <sup>1</sup>	450/490-ATS/LED	\$124.00	450/490-ATS/LED-2	\$250.00
Herculite door bracket	HDB450	\$557.00	HDB450-2	\$1,123.00
Top jamb (inswinging doors)	TJ450	\$269.00	TJ452	\$542.00
M452/M492 Connector kit - Used to convert two (2) single mag locks to a double	-	-	DBK450/490	\$104.00

### 1. For M450P/M452P only.



# 3) SELECT FILLER PLATES & ANGLE BRACKETS - Listed on page 265

SPECIFICATIONS	M450/M450P	M452/M452P
Holding force	1000 lbs	1000 lbs per door leaf
Input voltage	12/24 VDC	12/24 VDC
Current draw - Automatic dual voltage 12/24 VDC	.75A @ 12 VDC; .38A @ 24 VDC	1.5A @ 12 VDC; 0.75A @ 24 VDC
Height	3"	3"
Length	10-1/4"	20-9/16"
Width	1-3/4"	1-3/4"
Weight (approximate)	10 lbs	20 lbs




# M420 TRAFFIC CONTROL SERIES


# with Limited Lifetime Warranty on Magnetic Coil Assembly

#### Standard features

- ANSI/BHMA 156.23 Grade 1
- UL 1034 listed for burglary resistance
- UL 10C listed; cUL
- UL 294 listed for access control system units
- CSFM California State Fire Marshal listed



M420/M420P Single lock



M422/M422P Double lock with single housing




Electromagnetic locks and accessories

1) SELECT MODEL	Specify	Price
Electromagnetic lock with automatic voltage selection	M420	\$887.00
Electromagnetic lock with automatic voltage selection	M422	\$1,877.00
Electromagnetic lock with automatic voltage selection, Door Position Switch (DPS), Magnetic Bond Sensor (MBS), Relocking Time Delay (RTD)	M420P	\$1,223.00
Electromagnetic lock with automatic voltage selection, Door Position Switch (DPS), Magnetic Bond Sensor (MBS), Relocking Time Delay (RTD)	M422P	\$2,511.00

2) SELECT OPTIONS & ACCESSORIES	M490/M490P		M492/M492P	
Description	Specify	Price	Specify	Price
Anti-Tamper Switch (ATS), MBS indicator (LED) <sup>1</sup>	420-ATS/LED	\$124.00	420-ATS/LED-2	\$250.00
Herculite door bracket	HDB420	\$557.00	HDB420-2	\$1,192.00
Top jamb (inswinging doors)	TJ420	\$269.00	TJ422	\$542.00
M422 Connector kit - Used to convert two (2) single mag locks to a double	-	-	DBK420	\$104.00

<sup>1.</sup> For M420P/M422P only.



# 3) SELECT FILLER PLATES & ANGLE BRACKETS - Listed on page 265

SPECIFICATIONS	M420/M420P	M422/M422P
Holding force	500 lbs	500 lbs per door leaf
Input voltage	12/24 VDC	12/24 VDC
Current draw - Automatic dual voltage 12/24 VDC	.75A @ 12 VDC; .38A @ 24 VDC	1.5A @ 12 VDC; .76A @ 24 VDC
Height	2-1/2"	2-1/2"
Length	9"	18-1/16"
Width	1-3/8"	1-3/8"
Weight (approximate)	6 lbs	12 lbs

**READER CONTROLLERS** 




# M490DE DELAYED EGRESS SERIES

# with Limited Lifetime Warranty on Magnetic Coil Assembly


#### Standard features

- Delayed egress with plunger switch & external switch input
- Designed to meet NFPA 101 Life Safety Code
- Automatic voltage selection
- UL294 Special locking arrangement including BOCA1
- ANSI/BHMA 156.24
- UL 10C listed; cUL
- CSFM California State Fire Marshal listed
- Authorized release input
- On-board audible alarm
- On-board bi-color LED
- Fire alarm terminals
- <sup>1</sup> All 30 second delay requests require a letter from the local fire marshal or local jurisdiction for approval.



Single Lock





Patent #'s 6,053,546/5,479,151/5,133,581

Double Lock - Separate Housing

	_	•				
1) SELECT MODEL	15 sec	30 sec	Single Lock	Price	Double Lock	Price
Electromagnetic delayed egress lock (DE)	•		M490DE	\$2,387.00	M490DE-2	\$4,672.00
Delayed egress plus (DEP)	•		M490DEP	\$3,582.00	M490DEP-2	\$6,926.00

1. Plus (P): Door Status Monitor (DSM), Magnetic Bond Sensor (MBS), Relocking Time Delay (RTD)

### Factory Set Delay

	_	-				
2) SELECT OPTIONS & ACCESSORIES	15 sec	30 sec	Part number	Price adder	Part number	Price adder
Delayed egress/Delayed egress plus (DEP)		•	-30S	\$79.00	-30S	\$79.00
Delayed egress plus, BOCA (DEP-BC) <sup>2</sup>	•		BC	\$0.00	ВС	\$0.00
Delayed egress plus, BOCA (DEP-BC) <sup>2</sup>		•	BC30S	\$79.00	BC30S	\$79.00
Herculite (glass) door bracket	_	_	HDB490	\$557.00	HDB490-2	\$1,123.00

- 2. For BOCA option please contact Customer Care. Only available on Plus (P) models.
- 3. PCB Kits (:15, :30 second) are sold separate for in-field updates. See Parts Section for M490DE, M490DEP and M490DEP BOCA kits.
- 4. All 30 second delay requests (product/ PCB kits), require a letter from the local fire marshal for approval or local jurisdiction.

### 3) SELECT FILLER PLATES AND ANGLE BRACKETS - Listed on page 265

SPECIFICATIONS	M490DE/M490DEP	M490DE-2/M490DEP-2
Holding force	1300 lbs	1300 lbs per door leaf
Input voltage	12/24 VDC	12/24 VDC
Current draw - Automatic dual voltage 12/24 VDC	.75A @ 12 VDC; .45A @ 24 VDC	1.25A @ 12 VDC; 0.76A @ 24 VDC
Height	3"	3"
Length	12-1/2"	25-1/16"
Width	3-1/16"	3-1/16"
Weight (approximate)	16 lbs	32 lbs



# M390RFK RETROFIT LOCK

# with Limited Lifetime Warranty on Magnetic Coil Assembly

Designed to retrofit Locknetics 390+ without any additional prep


#### Standard features

- ANSI/BHMA 156.23 Grade 1
- UL 294 listed for access control systems units
- UL 10C listed; cUL

Width

Weight (approximate)

• CSFM California State Fire Marshal listed



Electromagnetic locks and accessories

Patent # 5,133,581

Single Lock


SPECIFICATIONS	
Holding force	1500 lbs
Input voltage	12/24 VDC
Current draw - Automatic dual voltage 12/24 VDC	.65A @ 12 VDC .45A @ 24 VDC
Height	2-7/8"
Length	10-1/2"


1) SELECT MODEL	Specify	Price
Electromagnetic lock with automatic voltage selection, 628 Satin Aluminum finish, Magnetic Bond Sensor (MBS), Door Status Monitor (DSM)	M390RFK	\$1,396.00

1-5/8"

12.4 lbs







ANGLE BRACKETS	M420 (9")		M450 (10-1/4")	
Width x Height	Bracket number	Price each	Bracket number	Price each
]"x]"	4201A	\$133.00	4501A	\$133.00
1-1/2" x 1"	4202A	\$145.00	4502A	\$145.00
1-1/2" x 1-1/2"	4203A	\$152.00	4503A	\$152.00
1-1/2" x 2"	4204A	\$198.00	4504A	\$198.00
1-1/2" x 2-1/2"	4205A	\$239.00	4505A	\$239.00

Note: Overall lengths are cut to the appropriate magnet size.

ANGLE BRACKETS	M490/M490DE (12-1/2")		M490G Corrosion Resistant (11")	
Width x Height	Bracket number	Price each	Bracket number	Price each
]" X ]"	4901A	\$133.00	49G1A	\$133.00
1-1/2" x 1"	4902A	\$145.00	49G2A	\$145.00
1-1/2" x 1-1/2"	4903A	\$152.00	49G3A	\$152.00
1-1/2" x 2"	4904A	\$198.00	49G4A	\$198.00
1-1/2" x 2-1/2"	4905A	\$239.00	49G5A	\$239.00

Note: Overall lengths are cut to the appropriate magnet size.

FILLER PLATES	M420	M420 (9")		10-1/4")
Width x Height	Plate number	Price each	Plate number	Price each
1-1/4" x 1/8"	4201F	\$113.00	4501F	\$113.00
1-1/4" x 1/4"	4202F	\$113.00	4502F	\$113.00
1-1/4" x 3/8"	4203F	\$126.00	4503F	\$126.00
1-1/4" x 1/2"	4204F	\$126.00	4504F	\$126.00
1-1/4" x 5/8"	4205F	\$126.00	4505F	\$126.00
3/4" x 1/2"	4206F	\$126.00	4506F	\$126.00
3/4" x 5/8"	4207F	\$142.00	4507F	\$142.00
3/4" x 3/4"	4208F	\$142.00	4508F	\$142.00

FILLER PLATES	M490/M490DE (12-1/2")		M490G Corrosion Resistant (11")	
Width x Height	Plate number	Price each	Plate number	Price each
1-1/4" x 1/8"	4901F	\$113.00	49G1F	\$113.00
1-1/4" x 1/4"	4902F	\$113.00	49G2F	\$113.00
1-1/4" x 3/8"	4903F	\$126.00	49G3F	\$126.00
1-1/4" x 1/2"	4904F	\$126.00	49G4F	\$126.00
1-1/4" x 5/8"	4905F	\$126.00	49G5F	\$126.00
3/4" x 1/2"	4906F	\$126.00	49G6F	\$126.00
3/4" x 5/8"	4907F	\$142.00	49G7F	\$142.00
3/4" x 3/4"	4908F	\$142.00	49G8F	\$142.00

When ordering 422, 452 or 492 two Angle Brackets or Filler Plates are required. Double bracket part number is no longer available. Convert two single brackets.




# M490G GATE LOCK

### with Limited Lifetime Warranty on Magnetic Coil Assembly


#### Standard features

- Includes universal mounting brackets for swinging or sliding gate
- Special corrosion-resistant finish
- 1/2" EMT compression fitting
- Built in voltage spike suppression
- Door Status Monitor
- Magnetic Bond Sensor
- ANSI/BHMA 156.23. Outdoor Rated Certified for use -31° to 151° F (-35° to 66° C)


Note: Brackets for both applications included.



# Electromagnetic specialty locks and accessories







MOUNTING CONCEPTS SWINGING GATE 490G GATE LOCK AND MOUNTING BRACKET

Patent # 4,957,316

1) SELECT MODEL		
Description	Specify	Price
Gate lock	M490G	\$1,123.00

MOUNTING CONCEPTS

# 320M MINILINE MAGNET LOCK

# with Limited Lifetime Warranty on Magnetic Coil Assembly


#### Standard features

- Mortise mount for sliding doors
- Includes mounting tabs and armature mounting block
- Door Status Monitor and Magnetic Bond Sensor
- Adjustable relocking delay
- UL 10C listed; cUL
- CSFM California State Fire Marshal listed

SPECIFICATIONS	320M
Holding force	400 lbs. @ 12 VDC 550 lbs. @ 24 VDC
Input voltage	12/24 VDC
Current draw	.23A @ 12 VDC
(Dual voltage field selectable)	.45A @ 24 VDC
Height	1-3/8"
Length	7"
Width	1-7/8"
Weight (approximate)	6 lbs







Note: For Wood Frames: Due to higher ambient operating temperatures, it is REQUIRED that the 12 VDC configuration be used.

1) SELECT MODEL		
Description	Specify	Price
Mini line	320M	\$954.00

SOFTWARE



# GF3000 SHEAR LOCK MORTISE SERIES


### with Limited Lifetime Warranty on Magnetic Coil Assembly

#### Standard features


- Microprocessor controlled
- Built-in Auto Relocking Switch (ARS)
- Jump 1/4" gap no in-rush current (noticeable noise level when connecting)
- Automatic voltage selection 12 VDC or 24 VDC
- Cool temperature regulator
- Adjustable time delay: 2-30 sec. from face of magnet
- ANSI/BHMA 156.23
- UL 10C listed; cUL
- CSFM California State Fire Marshal listed

SPECIFICATIONS		
Holding force	3000 lbs	
Current draw	0.90A @ 12 VDC 0.45A @ 24 VDC	
Lock size	9-1/2" L x 1-1/2" W x 1-1/2" H	
Weight (approximate)	7 lbs	
With mounting tabs	11-9/16" L x 1-1/2" W x 1-1/2" H	
Armature	8-3/8" L x 1-3/8" W x 1/2" D	
Armature bracket	10-5/8" L x 1-3/8" W x 1" D	


Note: Filtered, regulated power supply recommended. See  $\underline{\sf PS900 \ Series \ Power \ Supplies}$ .











GF3000BRD

1) SELECT MODEL (Not recommended for wood doors)			
Description	Specify	Price	
Standard unit - Adjustable from top edge of door	GF3000	\$1,778.00	
<b>Top rail door</b> - Mounting assembly which provides armature adjustment from latch edge of door. Recommended with zero clearance condition between top of door and ceiling.	GF3000TRD	\$2,443.00	
<b>Bottom rail door</b> - Mounting assembly to mortise armature into bottom rail of door. Magnet is installed in floor/threshold. Provides solution when no top rail is available.	GF3000BRD	\$2,622.00	

2) SELECT OPTIONS		
Description	Specify	Price
Door Status Monitor (DSM) / Magnetic Bond Sensor (MBS)	DSM/MBS	\$436.00

Patent # 6,611,414







# GF3000 SHEAR LOCK SURFACE SERIES


### with Limited Lifetime Warranty on Magnetic Coil Assembly

#### Standard features

- Microprocessor controlled
- Built-in Auto Relocking Switch (ARS)
- Jump 1/4" gap no in-rush current (noticeable noise when connecting)
- Automatic voltage selection 12 VDC or 24 VDC
- Cool temperature regulator
- Adjustable time delay, 2-30 sec. from face of magnet
- Satin black, anodized housing (not available in special finishes)
- ANSI/BHMA 156.23
- UL 10C listed; cUL
- CSFM California State Fire Marshal listed

SPECIFICATIONS	
Holding force	3000 lbs
Current draw	0.90A @ 12 VDC; 0.45A @ 24 VDC
Lock housing	9-13/16" L x 1-1/4" W x 1-1/2" H
Armature housing	8-3/8" L x 1-3/8" W x 1/2" D
Weight (approximate)	9 lbs (SM, TJ suffix)

Note: Filtered, regulated power supply recommended See 900 Series Power Supplies.



1) SELECT MODEL		
Description	Specify	Price
Standard unit (Outswinging doors) - Adjustable from top edge of armature. Finish plates available in 628 Satin Aluminum, Clear Anodized Finish.	GF3000SM	\$2,167.00
<b>Top jamb unit (Inswinging doors)</b> - Magnet mounts on inside top jamb. Adjustable from top edge of armature. Finish plates available in 628 Satin Aluminum, Clear Anodized Finish.	GF3000TJ	\$2,167.00

2) SELECT OPTIONS		
Description	Specify	Price
Door Status Monitor (DSM) / Magnetic Bond Sensor (MBS)	DSM/MBS	\$436.00

Note: Housing available in Satin Black, Anodized (335) finish only.









# PARTS AND ACCESSORIES

ELECTROMAGNETIC LOCK PARTS	Specify	Price
PCB Assembly basic with tape	P44488484	\$218.00
PCB Assembly plus with tape	P44488492	\$394.00
M490 Mounting plate	P23561665	\$106.00
M450 Mounting plate	P23561954	\$98.00
M420 Mounting plate	P23561962	\$88.00
M490 DEL 2 Cable assembly	P44487825	\$198.00
Sex nuts 5/16 inside thread, 1-3/4" door	P390498	\$27.00
Sex nuts 5/16 inside thread, 1-1/2" door	P390498-2	\$127.00
Sex nuts 5/16 inside thread, 2" door	P390498-5	\$176.00
Sex nuts 5/16 inside thread, 2-1/8" door	P390498-6	\$206.00
Sex nuts 5/16 inside thread, 2-1/4" door	P390498-7	\$206.00
Sex nuts 5/16 inside thread, 2-3/8" door	P390498-8	\$207.00
Sex nuts 5/16 inside thread, 2-1/2" door	P390498-9	\$208.00
Sex nuts 5/16 inside thread, 2-3/4" door	P390498-11	\$235.00
Armature TJ fastener pack	P44489342	\$26.00
Magnetic TJ fastener pack	P23566821	\$26.00
490 Armature mounting fastener pack	P44489110	\$35.00
450/420 Armature mounting fastener pack	P44489128	\$47.00
M450/452/M490/M492 Screw mounting pack	P44488377	\$127.00
420 DBK Double magnet connector kit (Screw mounting pack sold separate)	P44488286	\$127.00
DE Cover security screw pack	P23879471	\$37.00
M450/490 Cover plate kit	P23841067	\$26.00
M420 Cover plate kit	P23841075	\$26.00
M420 Mag mounting pack	P23840283	\$26.00
M490/450 Mag mounting pack	P23840291	\$26.00
M490DE PCB Cover kit	P23840911	\$134.00
M490DE-S Cover kit	P23840929	\$122.00
M490DEP PCB Kit (:15 sec. delay)	P23840937	\$1,124.00
490G TJ Kit Assembly	P23688815	\$417.00
M490DEP PCB Kit (:30 sec. delay)	P47261542	\$1,155.00
M490DE PCB Kit (:15 sec. delay)	P23840945	\$904.00
M490DE PCB Kit (:30 sec. delay)	P47261543	\$904.00
M490DE Arm mount fast pack	P47244950	\$31.00
M490DE Cover plate assembly	P44487817	\$75.00
M490DEP BOCA PCB Kit (:15 sec. delay)	P23840952	\$488.00
M490DEP BOCA PCB Kit (:30 sec. delay)	P47261544	\$523.00
HDB Screw kit	P23841208	\$26.00
Screw pack, M400 Series filler plate, angle bracket	P23850357	\$69.00
M490 Armature housing assembly	P23566359	\$138.00
M450 Armature housing assembly	P23561996	\$131.00
M420 Armature housing assembly	P23566888	\$128.00
M490 Armature	P23561707	\$394.00
M450 Armature	P44489318	\$185.00



# PARTS AND ACCESSORIES

ELECTROMAGNETIC LOCK PARTS	Specify	Price
M420 Armature	P23562025	\$139.00
M490DEL Armature	P44487767	\$407.00
M490DE Basic remote (DE Remote only)	P44488443	\$2,284.00
M490DEP Plus Remote (DE Plus Remote only)	P44488468	\$3,343.00
GF3000 Armature mounting assembly TRD and BRD	P280037	\$295.00
GF3000BR Threshold box	P280043	\$58.00
GF3000BRD Armature assembly	P280052	\$201.00
GF3000BRD Mounting hardware pack	P280053	\$34.00
GF3000BRD Switch kit ARSM	P280055	\$56.00
GF3000 Magnet bracket	P280113	\$74.00
GF3000 Armature	P280120	\$198.00
GF3000 Armature bracket	P280124	\$62.00
GF3000 Control module	P280130-2	\$572.00
GF3000 Mounting hardware pack	P280135	\$101.00
GF3000TRD Armature assembly	P280147	\$258.00
GF3000BRD Connector assembly	P300000	\$18.00
GF3000 and TRD Connector assembly	P300001	\$374.00
GF3000 DSM Switch	P679024	\$248.00
Mag lock circuit control module	P320210	\$52.00



# **Contents**

Power supplies and option boards	272
PS902	272
PS904	272
PS906	272
Option boards	272

Customer service	Technical support				
<ul> <li>Order status</li> <li>Credit returns of non-defective products</li> <li>General sales questions</li> </ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>				
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com				



# 1) SELECT POWER SUPPLY



Description	Specify	Price each
Base Power Supply (2A @ 12/24 VDC- field selectable)  PS902 is able to accept a total of one optional distribution board, plus one fire alarm relay along with one battery backup board and up to two 7A/hr batteries	PS902	\$389.00
Base Power Supply (4A @ 12/24 VDC- field selectable)  PS904 is able to accept a total of two optional distribution boards, plus one battery backup board and up to two 7A/hr batteries	PS904	\$735.00
Base Power Supply (6A @ 12/24 VDC- field selectable)  PS906 is able to accept a total three optional distribution boards or two optional boards with battery backup board and two 7A/hr batteries	PS906	\$1,139.00
"Buy America Act" compliant power supply option will be labeled as "Assembled in the U.S.A. with U.S. and foreign materials"	BAA¹	\$60.00

<sup>1.</sup> BAA compliant products must have the cover letter on page 307 included with the order. Failure to use this cover letter will result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund. BAA compliant product requires a longer lead time, please contact customer service for details.

# 2) SELECT OPTIONAL DISTRIBUTION BOARD WITH OR WITHOUT FA (FIRE ALARM RELAY)

Description	Specify	Price each
Independently controlled relays	900-4R	\$262.00
Independently controlled relays with FA	900-4R-FA	\$358.00
2 Relay board output	900-2RS	\$266.00
2 Relay board output with FA	900-2RS-FA	\$362.00
4 Relay board integrated logic for controlling security interlocks, auto operators and time delays	900-4RL	\$721.00
4 Relay board integrated logic for controlling security interlocks, auto operators and time delays with FA	900-4RL-FA	\$817.00
8 fuse protected outputs	900-8F	\$96.00
8 fuse protected outputs with FA	900-8F-FA	\$192.00
8 PTC protected outputs	900-8P	\$96.00
8 PTC protected outputs with FA	900-8P-FA	\$192.00
Battery backup kit (includes two 7A/hr batteries)	900-BBK	\$376.00
Battery backup board only (sold separately)	900-BB	\$190.00
Batteries only - (two 7A/hr batteries, sold separately)	900-BAT	\$190.00

Note: For field installation, use model number. Example: 900-2RS.

# 3) SELECT OTHER POWER SUPPLY OPTIONS

Description	Specify	Price each
<ul> <li>Fire alarm relay (EIR) module is a plug-in relay to provide an interface with fire or other emergency override systems</li> <li>PS902: May be installed directly on power supply or may be used with optional distribution boards.</li> <li>PS904, PS906: Must be used with optional distribution boards. If an optional board is not listed the 900-8F-FA will be provided.</li> </ul>	900-FA	\$96.00
Key lock cover (Not available with BAA)	900-KL	\$61.00

PS902, PS904, and PS906 power supplies require connection to AC line voltage. Installation and all electrical connections (high and low voltage) should be performed by a qualified electrical contractor.

#### Standard features

- UL294 Listed for Access Control
- Class 2 rated power limited output\*
- Universal 120-240 VAC Input
- Regulated and filtered DC outputs
- \* PS906 is Class 2 when used with 900-8P option board
- AC input, battery and DC output LED indicators
   AC monitoring
- Plug and play connectors for optional distribution boards
- AC input status indication on outside cover
- 14" H x 12" W x 4" D enclosure

<sup>2.</sup> When specifying power supply with "EL" or "QEL" Electric Latch Retraction devices, the 2RS is furnished when board option is not specified.

# **VON DUPRIN**

# **Contents**

Power supplies	274
PS914	274
Delayed exit system	274
Electric power transfer	274
Von Duprin Remote Undogging (RU) and	
Remote Monitoring (RM)	274
Electric strikes	275
4200 Series	275
5100 Series	275
6100 Series	276
6200 Series	276
6300 Series	277
6400 Series	277

Customer service	Technical support				
<ul> <li>Order status</li> <li>Credit returns of non-defective products</li> <li>General sales questions</li> </ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>				
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Exits_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com				

 $For Von \, Duprin \, Access \, Control \, Products \, Warranty \, Information, please \, see \, the \, Von \, Duprin \, Exit \, Hardware \, and \, Parts \, book.$ 

# POWER SUPPLIES

**VON DUPRIN** 

#### See Von Duprin Exit Hardware and Parts price book

#### PS914 4A @ 12/24 VDC - field selectable

- Designed for high inrush current
- UL 294 Listed for Access Control
- Class 2 rated power limited output
- Universal 120-240 VAC input
- Regulated and filtered DC outputs
- LED indicators: AC input (visible on outside of enclosure) and DC output
- 2 connectors for optional distribution boards
- AC monitoring
- 14" H x 12" W x 4" enclosure



# PS914

# **DELAYED EXIT SYSTEM**

See Von Duprin Exit Hardware and Parts price book

DE5300 SERIES	
Application	<ul> <li>Designed to meet NFPA 101 "Special Locking Arrangement" applications</li> <li>Ideal for controlled areas</li> <li>Addresses life safety and security needs</li> <li>Commonly used on narrow stile doors where a standard narrow stile Chexit is not practical</li> </ul>

### FLECTRIC POWER TRANSFER

See Von Duprin Exit Hardware and Parts price book

EPT	
Application	<ul> <li>Provide a means for transferring electrical power from a door frame to the edge of a swinging door</li> <li>Units are completely concealed when the door is in the closed position</li> <li>Ideally suited for applications involving abuse or heavy traffic</li> </ul>
Popular models	<ul> <li>EPT-2: Two 18 gauge wires; Up to 2 amps @ 24VDC, with a 16 AMP maximum surge</li> <li>EPT-10: Ten 24 gauge wires; Up to 1 amp @ 24VDC, with a 16 AMP maximum surge</li> </ul>

Additional electrified products available in the IVES price book and the LCN price book.

### REMOTE UNDOGGING AND REMOTE MONITORING

Modular Retrofit Option for 98/99 and 33A/35A Series Devices

Description	Specify	Price
Remote Undogging (RU) 3' kit	47258681	\$1,467.00
Remote Undogging (RU) 4' kit	47258682	\$1,467.00
Remote Monitoring (RM) 3' kit	47258683	\$1,120.00
Remote Monitoring (RM) 4' kit	47258684	\$1,120.00

- 1. Access control managed via an IP or RSI/RS-485 connection to the ENGAGE gateway through Allegion software alliance members, consult your access control software provider for specific scope of support.
- 2.  $\mathsf{ENGAGE}^\mathsf{m}$  gateway sold separately.
- 3. Compatible with 98/99 and 33A/35A series rim, SVR, CVR, CVC and 3-point devices.
- 4. Specify CON for Allegion Connect.

#### **RU option:**

- Enables both remote undogging and Door Status Monitoring (DPS, RX and LX)
- Not compatible with exit devices with the following options: QEL, DI/CDSI/HDSI, RX2, Schlage AD/CO Trim, SD, SS, PN, E-Strikes/Pullman Latch, CX
- Compatible device lengths: All 33A/35A and 98/99 device types 3' (914 mm) length to 2' 9" (838 mm), 4' (1219 mm) length to 3' 3" (991 mm)

#### RM option

- Enables Door Status Monitoring (DPS, RX and LX) only
- Not compatible with exit devices with the following options: DI/CDSI/HDSI, RX2, Schlage AD/CO Trim, SD, SS, PN, E-Strikes/Pullman Latch, CX
- If the door and exit device are fire rated, and the exit device type is a 98/99-F Rim manufactured prior to April 1, 2018, a new center case will be required before proceeding with the installation of the RM kit. 98/99-F Rim Center Case Kit Less Cover, part number 050026.

#### **Von Duprin Electric strikes**

# **ELECTRIC STRIKES**

**VON DUPRIN** 

 ${\bf Additional\ Electric\ Strikes\ available\ exclusively\ through\ Von\ Duprin.}$ Please see Von Duprin price book for current list price information.

# 4200 SERIES

Orderable through Von Duprin (ships from Indianapolis, IN)

4200 SERIES ELECTRIC STRIKES FOR CYLINDRICAL AND DEADLATCH LOCKS										
Description Throw Fire Hollow rated metal Wood Aluminum Single Mullion pair		Model	Finish	630						
4211 - Shallow 1-3/8" backbox depth	1/2"-3/4"		-		•	•		4211	.[Finish]	\$299.00
4212 - Includes latchbolt monitor. Shallow backbox.	1/2"-5/8"		•		•	•		4212	.[Finish]	\$358.00

#### **OPTIONS**

OPTIONS (PLEASE SPECIFY)		Specify	Price each	
SO12 Rectifier kit	SO12 Rectifier kit Converts 12 VAC to 12 VDC			
SO24 Rectifier kit	Converts 24 VAC to 24 VDC	24 VAC		
Entry Buzzer	Use in fail-secure applications	EB	\$63.00	
4200 Hardware kit Includes mounting tab hardware, mounting screws, allen wrench and diode		050805	\$25.00	
Faceplate, square corner		090114	\$32.00	
Faceplate, round corner	Additional faceplate option, square corner is standard in the box, both in BHMA 630/US32D satin stainless steel finish	090110	\$32.00	

Note: SO rectifier kit intended for fail secure / momentary use only. Contact product support for assistance. For additional parts list, please see Von Duprin price book.

- Field selectable fail-safe/fail-secure without disassembly
- Dual voltage: 12 VDC at 200 mA/24 VDC at 100 mA
- Compatible with all Schlage and Falcon cylindrical locks as well as cylindrical and deadlatch locks of many other manufacturers



# 5100 SERIES

Orderable through Von Duprin (ships from Indianapolis, IN)

5100 SERIES ELECTRIC STRIKE FOR	5100 SERIES ELECTRIC STRIKE FOR CYLINDRICAL AND DEADLATCH LOCKS										
Description	Throw	Fire rated	Hollow metal	Wood	Aluminum	Single	Mullion pair	Model	Finish	Price	
5100 - 3 faceplates included with hardware for an all-in-one boxed solution	1/2"-5/8"		•	•	•	•		5100-3FP	.[Finish]	Please see Von Duprin price book for current list price information.	

#### **OPTIONS**

OPTIONS (PLEASE SPECIFY)	OPTIONS (PLEASE SPECIFY)				
SO12 Rectifier kit	Converts 12 VAC to 12 VDC	12 VAC	\$64.00		
SO24 Rectifier kit	Converts 24 VAC to 24 VDC	24 VAC	\$64.00		
Entry Buzzer	Use in fail-secure applications	EB	\$63.00		

Note: SO rectifier kit intended for fail secure/momentary use only. Contact product support for assistance. For additional parts list, please see Von Duprin price book.

- Adjustable keeper improves fit on tight door preps
- Field selectable fail-safe/fail-secure
- Dual voltage: 12 VDC at 380 mA/24 VDC at 190 mA
- Compatible with Schlage and Falcon cylindrical and deadlatch locks including those of many other manufacturers
- UL 1034 burglary-resistant

**SYSTEM ACCESSORIES** 

# **ELECTRIC STRIKES**

Additional Electric Strikes available exclusively through Von Duprin. Please see Von Duprin price book for current list price information.

# 6100 SERIES

Orderable through Von Duprin (ships from Indianapolis, IN)

6100 SERIES ELECTRIC STRIKES FOR RIM EXIT DEVICES	6100 SERIES ELECTRIC STRIKES FOR RIM EXIT DEVICES											
Description	Throw	Fire rated	Hollow metal	Wood	Aluminum	Single	Mullion pair	Model	Finish	Price		
6111 - Can use with vertical rod exit devices	3/4"		•					6111	.[Finish]	Please see		
6112 - Designed to replace FA 310-5 with minor frame modification	3/4"	•	•	•	•	•		6112	.[Finish]	Von Duprin price book		
6113 - Retrofits VD 3011, 3021	3/4"	•	•	•	•	-		6113	.[Finish]	for current		
6114 - Surface applied for use with rim nightlatch devices	3/4"		•		•	•		6114	.[Finish]	list price		
6121 - For rim exit devices on double doors without mullion <sup>1</sup>	3/4"		•	•	•		1	6121	.[Finish]	information.		

<sup>1.</sup> For rim exit devices on double doors without mullion.

For specified options and complete parts list, please see Von Duprin price book.

#### **Features**

- Furnished standard in fail secure configuration unless specified fail safe (see options)
- 24 VDC supplied standard if not specified otherwise (see options)
- Compatible with Von Duprin and Falcon rim exit devices and those of many other manufacturers
- UL10C fire rated (fail secure only)
- UL1034 burglary-resistant

# 6200 SERIES

Orderable through Von Duprin (ships from Indianapolis, IN)

Description	Throw	Fire rated	Hollow metal	Wood	Aluminum	Single	Mullion pair	Model	Finish	Price
6210 - Mortise only. Includes strike pocket inserts for deadlocking triggers	3/4"	•	•		•	•		6210	.[Finish]	
6211 -Retrofits VD 3140 or FA 712	3/4"	•	•		•	•		6211	.[Finish]	
6211AL - Retrofits FA 722	3/4"	•			•	•		6211AL	.[Finish]	
6211WF - Retrofits FA 732 with minor frame modification	3/4"	•		•		•		6211WF	.[Finish]	
6212 - Fits modified ANSI 115.2 cutout. Retrofits VD 3146.	3/4"	•		Retrofits only	•	•		6212	.[Finish]	
6212WF	3/4"	•		•		•		6212WF	.[Finish]	Please see
6213 - Retrofits VD 3041, 3042, 3061 and 3062	3/4"	•						6213	.[Finish]	Von Duprin
6214 - Retrofits FA 310-2 3/4	3/4"	•			•	•		6214	.[Finish]	price book
6215 - Retrofits FA 310-2	3/4"	•	•		•	•		6215	.[Finish]	for current
6216 - Retrofits FA 310-3-1. For mortise with manually operated deadbolt - 1" throw	3/4"	•		•		•		6216	.[Finish]	list price information
6221 - Retrofits VD 3071 and 3072. 4-3/4" minimum stile required	3/4"	•	•	•			•	6221	.[Finish]	
6222 - Retrofits FA 310-2 3/4 OB	3/4"	•	•		•		•	6222	.[Finish]	
6223 - Retrofits VD 3091 and 3092. 4-3/4" minimum stile required	3/4"	•	•	•	•		•	6223	.[Finish]	
6224 - Retrofits FA 310-2 3/4. For door thicknesses 1-3/4" or 2-1/4"	3/4"	•	-		•		•	6224	.[Finish]	
6224AL - Retrofits FA 310-2RF. For door thicknesses 1-3/4" or 2-1/4"	3/4"	•			•		•	6224AL	.[Finish]	
6225 - Retrofits FA 310-2 OB	3/4"	•	•		•		•	6225	.[Finish]	
6226 - Retrofits FA 310-2. For door thicknesses 1-3/4" or 2-1/4"	3/4"		•		•			6226	.[Finish]	

For specified options and complete parts list, please see Von Duprin price book.

#### **Features**

- Furnished standard in fail secure configuration unless specified fail safe (see Von Duprin price book for options)
- 24 VDC supplied standard if not specified otherwise (see Von Duprin price book for options)
- Compatible with mortise (without deadbolt) and cylindrical lock applications except where noted
- ANSI/BHMA 156.31 Grade 1: 6210, 6211, 6211AL, and 6211WF
- UL10C fire rated (fail secure only)
- UL1034 burglary-resistant

# **VON DUPRIN**

# **ELECTRIC STRIKES**

Additional Electric Strikes available exclusively through Von Duprin.

Please see Von Duprin price book for current list price information.

# 6300 SERIES

• Orderable through Von Duprin (ships from Indianapolis, IN)

6400 SERIES MODULAR ELECTRIC STRIKE FOR MORTISE OR CYLINDRICAL LOCKS											
Description	Throw	Fire rated	Hollow metal	Wood	Aluminum	Single	Mullion pair	Model	Finish	630	
6300 - No cut, surface mount design	Up to 3/4"	•	•	•	•	•	•	6300	.[Finish]	\$1,149.00	

For specified options and complete parts list, please see Von Duprin price book.

#### **OPTIONS**

OPTIONS (PLEASE SPEC	CIFY)	Specify	Price each
1/16" Shim	Can be ordered separately as part 050804-00	SHIM	\$97.00
SO12 Rectifier kit	Converts 12 VAC to 12 VDC	12 VAC	\$64.00
SO24 Rectifier kit	Converts 24 VAC to 24 VDC (Order 010058)	24 VAC	\$64.00
Entry buzzer	Use in fail-secure applications	EB	\$63.00

 $Included\ with\ strike:\ two\ plug-in\ voltage\ connectors,\ mounting\ template,\ spacer\ plate,\ mounting\ screws,\ and\ hex\ wrench.$ 

Refer to the Electric Strike Parts section for a complete list of available parts.

NOTE: SO rectifier kit intended for fail secure / momentary use only. Contact product support for assistance.

#### **Features**

- Dual voltage: 12 VDC at 500 mA/24 VDC at 240 mA
- Compatible with most rim exit devices
- UL 1034, UL 294, CSFM
- UL 10C 3-hour fire rated (fail secure only)

# 6400 SERIES

• Orderable through Von Duprin (ships from Indianapolis, IN)

6400 SERIES MODULAR ELECTRIC STRIKE FOR MORTISE OR CYLINDRICAL LOCKS											
Description	Throw	Fire rated	Hollow metal	Wood	Aluminum	Single	Mullion pair	Model	Finish	630	
6400 - Up to 1" deadbolt throw (must be manually retracted and extended)	Up to 3/4"	•	•	•	•	•		6400	.[Finish]	\$811.00	

#### OPTIONS

OPTIONS (PLEASE SPEC	OPTIONS (PLEASE SPECIFY)			
Latch monitor	Optional plug-in latch monitor can be added in the field	LM6400	\$86.00	
SO12 Rectifier kit	Converts 12 VAC to 12 VDC	12 VAC	\$64.00	
SO24 Rectifier kit	Converts 24 VAC to 24 VDC (Order 010058)	24 VAC	\$64.00	
Entry buzzer	Use in fail-secure applications	EB	\$63.00	

Included with strike: two plug-in voltage connectors, self-adhesive template for frame cuts, trim filler plate, mounting tabs and shims, as well as tamper-resistant screws with a security driver bit.

NOTE: SO rectifier kit intended for fail secure / momentary use only. Contact product support for assistance. For additional parts list, please see Von Duprin price book.

#### Features

- Dual voltage: 12 VDC at 375 mA/24 VDC at 190 mA
- Modular options fit cylindrical and nearly any mortise lock
- Includes movable deadbolt keeper, plug and deadlatch ramp inserts
- UL 1034, UL 294, CSFM
- 3-hour fire rated to UL 10C (fail secure only)





Contents	
Consoles and monitoring stations	279
8200 Series	279
800 Series	279
Electronic access releasing devices	280
672 TouchBar	280
692 SmartBar	281
672 TouchBar / 692 SmartBar Parts	282
600 Series Heavy duty pushbuttons	283
600 Series Heavy duty pushbutton parts	284
700 Series Entry level pushbutton	285
650 Series Heavy duty keyswitches	286
650 Series Heavy duty keyswitch parts	287
Specialty equipment	288
Door position switches	288
Door cords	288
Accessories	289
Electronic horns	289
Scanners/PIRs	289
740 Series Emergency break glass	289
660 Series Surface mini box	289
Electromechanical locks	290
442S Series Cabinet lock	290
PB405/PB405S PowerBolts	290

Customer service	Technical support					
<ul><li>Order status</li><li>Credit returns of non-defective products</li><li>General sales questions</li></ul>	<ul><li>Technical questions/issues</li><li>Returns of defective products</li><li>Repairs</li></ul>					
USA Allegion_Orders@allegion.com CAN Canada.CustomerService@allegion.com	USA Electronic_Lock_TechProdSupport@allegion.com CAN Canada.TechServices@allegion.com					




# 8200 SERIES

#### Consoles

#### **Features**

- Slope front design, with anodized face plate and durable housing
- Each station provides maintained or momentary SPDT pushbutton switch
- Red and green indicator lamps
- Security keyswitch
- Signaling horn
- Alarm reset button
- 24 VDC operation
- UL 294 listed for access control system



4 or 8 zone console

#### SELECT MODEL

- 1. Select model last digit indicates # of zones and select pushbutton function by zone

z. Specify a switch for each	2. Specify a switch for each zone, in (from entary) of A (attendate action, maintained)											
Model number	ZONE	1	2	3	4	5	6	7	8	Price		
8204		-	-	-	-					\$2,124.00		
8208		-	-	-	-	-	-	-	_	\$3,739.00		

8200 SERIES REPLACEMENT PARTS	8200 SERIES REPLACEMENT PARTS										
Description	Specify part number	Price									
Momentary switch assembly	8200MS	\$240.00									
Alternate Action (maintained) switch assembly	8200AS	\$240.00									
8 Zone PCB assembly	P810033	\$375.00									
Console silence button	P810049	\$131.00									
Console keyswitch	P810050	\$148.00									

# 800 SERIES

### Remote and local monitoring stations





800A 801

800 SERIES		
Description	Specify model number	Price
Remote monitoring - Audible sound, 70 dB @ 2ft	800A	\$239.00
Local monitoring - One LED indicator - Red, green or amber	800L1	\$121.00
Two LED indicators - Red, green or amber	800L2	\$164.00
Local or remote monitoring station - Requires MBS option on locking device	801	\$441.00
Local or remote monitoring station with keyswitch (less cylinder)  For Legal Release and Reset feature (requires MBS on locking device)  SPDT momentary x SPDT maintained contact arrangement	801KS	\$1,167.00



# 672 TOUCHBAR


The 672 TouchBar is a request-to-exit device used to release electromagnetic locks. Designed for easy installation, smooth operation, and maximum durability.

# (UL)

Patent Issued

#### Standard features

- Pushpad with "PUSH TO EXIT" signage
- 1/4" Movement to activate switch
- Heavy-duty aluminum extrusion and powder coated zinc end caps
- Double pole, double throw switch
- UL 294 listed for access control system
- Universal mounting system for aluminum, hollow metal and wood doors (Includes self-drilling, self-tapping screws for aluminum or wood door application: RIV nuts for hollow metal door applications)
- Field reversible



**REX Bar Application** 



1) SELECT MODEL		
Description	Specify	Price
For aluminum, hollow metal and wood doors	672	\$566.00

2) SELECT DOOR SIZE		
Description	Specify	Price adj.
Standard door width	36", 42" or 48"	Standard

3) SELECT FINISH		
Description	Specify	Price adj.
Clear Anodized Aluminum	628	Standard
Dark Satin Bronze Anodized Aluminum	313	\$53.00

4) SELECT PUSHPAD		
Description	Specify	Price adj.
Black pushpad with Red letters "PUSH TO EXIT"	RD	Standard
Black pushpad with Glow-In-The-Dark letters "PUSH TO EXIT"	GID	No charge

5) SELECT HANDING		
Description	Specify	Price adj.
Right hand reverse	RHR	Standard
Left hand reverse	LHR	No charge

6) SELECT OPTION/ACCESSORY		
Description	Specify	Price adj.
798-18, 18" x 1/2" Armored door cord (less wires) in/out swinging	AR	\$101.00
Sexnut door kit for heavy-duty wood door and hollow metal door applications (includes 4 sex bolts and screws)	WD	\$132.00
Aluminum door mounting shim kit (Includes brackets/shims and screws)	SHK	\$132.00

See 672 TouchBar Parts on page 282.

#### **Specifications**

Mechanical

- Available in standard lengths to fit 36", 42" and 48" doors
- Can also be field cut at the installation site for custom lengths

#### Electrical

Switch: DPDT contacts rated 4A @ 30 VDC

Wiring: 6 Conductor Cable - 20 AWG (standard)



692 SMARTBAR Patent Issued


The 692 TouchBar is a request-to-exit device with no moving parts used to release electromagnetic locks. Designed for easy installation, smooth operation and maximum durability.



#### Standard features

- Push pad with "PUSH TO EXIT" signage
- Touch any point on the pushpad to release locking device
- Audible alarm
- Heavy duty aluminum extrusion and powder coated zinc end caps
- Directionally opposed infrared detection circuits
- DPDT relay

- Universal mounting system for aluminum, hollow metal and wood doors (Includes selfdrilling, self-tapping screws for aluminum or wood door application: RIV nuts for hollow metal door applications)
- 798-18, 18" x 1/2" Armored door cord (798-18) shipped standard
- UL 294 listed for access control system



1) SELECT MODEL		
Description	Specify	Price
For aluminum, hollow metal and wood doors	692	\$1,014.00

2) SELECT DOOR SIZE		
Description	Specify	Price
Standard door width	36", 42" or 48"	Standard

3) SELECT FINISH		
Description	Specify	Price
Clear Anodized Aluminum	628	Standard
Dark Satin Bronze Anodized Aluminum	313	\$53.00

4) SELECT PUSHPAD		
Description	Specify	Price
Black pushpad with RED letters "PUSH TO EXIT"	RD	Standard
Black pushpad with Glow-In-The-Dark letters "PUSH TO EXIT"	GID	No charge

5) SELECT HANDING		
Description	Specify	Price
Right hand reverse	RHR	Standard
Left hand reverse	LHR	No charge

6) SELECT OPTION/ACCESSORY			
Description	Specify	Price	
Sexnut door kit (for heavy-duty wood door and hollow metal door applications)	WD	\$132.00	
Aluminum door mounting shim kit (Includes brackets/shims and screws)	SHK	\$132.00	

See 692 SmartBar Parts on page 282.

#### **Specifications**

#### Mechanical

- Available in standard lengths to fit 36", 42" and 48" doors
- Can also be field cut at the installation site

#### Electrical

■ Input voltage: 12 or 24 VDC. Maximum current draw .50A

Contact rating: 4A @ 30 VDC

• Wiring: 8 Conductor Cable - 20 AWG - 6 ft long



# PARTS AND ACCESSORIES

672/692 SHARED PARTS			
Description	Specify	Price	
672/692 Channel end cap bracket	P972797	\$156.00	
Exit insert - Red	P972792	\$148.00	
Exit plate - Black	P972791	\$148.00	
672/692 Mounting screw pack	P900256	\$148.00	
REX SNB kit, 630 (US32D), quantity of 4	P900257-628	\$148.00	
REX SNB kit, 695 (SP313)	P900257-313	\$148.00	
Spacer adapter - Black	P900275-BLK	\$176.00	
Spacer adapter - Gray	P900275-GRY	\$176.00	
Standard pushbar - 36" - 313	P972772-313	\$253.00	
Standard pushbar - 36" - 628	P972772-628	\$253.00	
Standard pushbar - 42" - 313	P972773-313	\$253.00	
Standard pushbar - 42" - 628	P972773-628	\$253.00	
Standard pushbar - 48" - 313	P972774-313	\$253.00	
Standard pushbar - 48" - 628	P972774-628	\$253.00	

672 PARTS		
Description	Specify	Price
672 Cover plate - 36"- 628	P972766-628	\$191.00
672 Cover plate - 42"- 313	P972767-313	\$191.00
672 Cover plate - 42"- 628	P972767-628	\$191.00
672 Cover plate - 48"- 313	P972768-313	\$191.00
672 Cover plate - 48"- 628	P972768-628	\$191.00
672 Channel end cap - Black 672	P972784-BLK	\$157.00
672 Channel end cap	P972784-GRY	\$157.00
PCB Assembly DPDT 672	P114281	\$314.00

692 PARTS			
Description		Specify	Price
692 Beam housing assembly - Black	Р	692001	\$269.00
Control board assembly - 692	F	P114285	\$526.00
692 Cover plate - 36"- 313	P97	72769-313	\$191.00
692 Cover plate - 36"- 628	P97	2769-628	\$191.00
692 Cover plate - 42"- 313	P97	72770-313	\$191.00
692 Cover plate - 42"- 628	P97	2770-628	\$191.00
692 Cover plate - 48"- 313	P9	72771-313	\$191.00
692 Cover plate - 48"- 628	P97	72771-628	\$191.00
692 Wire harness - 6 Ft	F	P114287	\$201.00
End Cap PCB cable assembly - 692	F	P114284	\$157.00



# 600 SERIES

# Heavy duty pushbuttons

- 3A@30 VDC, Momentary (Standard) contacts
- UL 294 listed for access control system


Model number	Cover plate	Cone	Button		Price	
621AL				Aluminum	\$332.00	
621ALEX				Alum. "Push to Exit" engraved	\$332.00	
621ALRDEX				Alum. (red coated), "Push to Exit" engraved	\$332.00	
621BLH				Blue handicapped symbol	\$266.00	
621BK				Black	\$266.00	
621GR	Stainless steel 2-3/4" x 4-1/2"	Plastic Translucent	1-1/4"	Green	\$266.00	
621GREX	2 3/4 X4 1/2	Hanstocciit		Green "Push to Exit"	\$266.00	
621RD				Red	\$266.00	
621RDEX				Red "Push to Exit"	\$266.00	
621GID				Glow-in-the-Dark	\$266.00	
621GIDEX				Glow-in-the-Dark "Push to Exit"	\$266.00	
623BLH				Blue handicapped symbol	\$266.00	
623BK				Black	\$266.00	
623GR				Green	\$266.00	
623GREX	Stainless steel		Plastic	1-5/8"	Green "Push to Exit"	\$266.00
623RD	2-3/4" x 4-1/2"		1-5/8"	Red	\$266.00	
623RDEX					Red "Push to Exit"	\$266.00
623GID				Glow-in-the-Dark	\$266.00	
623GIDEX				Glow-in-the-Dark "Push to Exit"	\$266.00	
625BLH				Blue handicapped symbol	\$266.00	
625BK				Black	\$266.00	
625GR	Stainless steel	Plastic	2-3/4"	Green	\$266.00	
625GREX	2-3/4" x 4-1/2"	Translucent	2-3/4"	Green "Push to Exit"	\$266.00	
625RD				Red	\$266.00	
625RDEX				Red "Push to Exit"	\$266.00	
631AL <sup>1</sup>	Cast zinc			Aluminum	\$488.00	
631ALEX <sup>1</sup>	2-3/4" x 4-1/2"	Zinc	1-1/4"	Aluminum "Push to Exit" engraved	\$489.00	
631ALRDEX1	Extreme duty			Aluminum (red coated) "Push to Exit" engraved silver	\$489.00	



621, 623



621-NS, 623-NS



625



625-NS

<sup>1.</sup> Not available in special finishes.

2) SELECT OPTIONS	Specify	Price
Delayed pneumatic action (3A @ 30 VDC, form Z contacts)	DA	\$727.00
Narrow stile - Stainless steel plate (1-3/4" x 4-1/2")	NS	No charge
Alternate action/maintained (3A @ 30VDC)	AA	No charge
LEDs for glow thru cone for 621 and 623 models (12-24 VDC .025A @ 28VDC)	L2/ILL	\$107.00
DPDT - Double pole, double throw (not available with DA option)	DP	\$53.00

3) SELECT FINISH - HEAVY DUTY PLATE (HDP Included - Required for Special Finish)	Specify	Price
BHMA 630 (US32D) on .035 Satin Stainless Steel	630	Standard
Oil Rubbed Bronze on heavy-duty zinc	SF-613	\$233.00
Bright Chrome on heavy-duty zinc	SF-625	\$233.00
Satin Chrome on heavy-duty zinc (standard on 631 models)	SF-626	\$92.00



# PARTS AND ACCESSORIES

PCB ASSEMBLY ONLY	Specify	Price
DPDT - PC Board assembly	P620009-1	\$124.00
SPDT - PC Board assembly	P620009	\$70.00
L2/ILL - PC Board assembly	P395362	\$108.00

621 BUTTON ONLY	Specify	Price
Button 1-1/4" Metal	P620136	\$67.00
Button 1-1/4" Metal "Push to Exit"	P620026-1	\$67.00
Button 1-1/4" Blue Handicap	P620092-BL	\$47.00
Button 1-1/4" Black	P620090-BK	\$47.00
Button 1-1/4" GID	P620090-GID	\$47.00
Button 1-1/4" Green	P620090-GR	\$47.00
Button 1-1/4" Red	P620090-RD	\$47.00
Button 1-1/4" GID	P620091-GID	\$47.00
Button 1-1/4" Green	P620091-GR	\$47.00
Button 1-1/4" Red	P620091-RD	\$47.00

623 BUTTON ONLY	Specify	Price
Button 1-5/8" Blue Handicap	P620032-BL	\$47.00
Button 1-5/8" GID	P620014-GID	\$47.00
Button 1-5/8" GID "Push to Exit"	P620031-GID	\$47.00
Button 1-5/8" Green	P620014-GR	\$47.00
Button 1-5/8" Green "Push to Exit"	P620031-GR	\$47.00
Button 1-5/8" Red	P620014-RD	\$47.00
Button 1-5/8" Red "Push to Exit"	P620031-RD	\$47.00
Button 1-5/8" Black	P620014-BK	\$47.00


625 BUTTON ONLY	Specify	Price
Button 2-3/4" Black	P620029-BK	\$47.00
Button 2-3/4" Blue Handicap	P620027-BL	\$47.00
Button 2-3/4" Green	P620029-GR	\$47.00
Button 2-3/4" Green "Push to Exit"	P620028-GR	\$47.00
Button 2-3/4" Red	P620029-RD	\$47.00
Button 2-3/4" Red "Push to Exit"	P620028-RD	\$47.00


FACEPLATES ONLY	Specify	Price
Heavy duty plate - 613 Dark Satin Bronze	P620008-613	\$233.00
Heavy duty plate - 625 Bright Chrome	P620008-625	\$233.00
Heavy duty plate - 626 Satin Chrome	P620008-626	\$85.00
Heavy duty plate narrow - 613 Dark Satin Bronze	P620020-613	\$233.00
Heavy duty plate narrow - 625 Bright Chrome	P620020-625	\$233.00
Heavy duty plate narrow - 626 Satin Chrome	P620020-626	\$92.00
Plate narrow - Stainless Steel	P620088	\$90.00
Plate single gang - Stainless Steel	P620033	\$90.00



# 700 SERIES

### Entry level pushbutton









701RD-L2

701RD-NS-L2

709BLH ILL-L2

709RD EX ILL-L2

### **Specifications**

Output contact rating:

701 Series
 3A @ 30 VAC/VDC, momentary SPDT contacts
 5A @ 30 VAC/VDC, momentary SPDT contacts
 UL 294 listed for access control system

1) SELECT MODEL					
Model number	Cover plate	Button			Price
701RD		Red 7	7/8"		\$217.00
701BK	Stainless steel only	Black 7	7/8"		\$217.00
701RDEX	2-3/4" x 4-1/2"	Red 5	5/8"	Engraved "Push to Exit"	\$217.00
701RDEXILL		Red 5	5/8"	Illuminated "Push to Exit"	\$261.00
709RDEXILL <sup>1</sup>		Red 2	2" sq	Illuminated "Push to Exit"	\$253.00
709GREXILL <sup>1</sup>	Stainless steel only 2-3/4" x 4-1/2"	Green 2	2" sq	Illuminated "Push to Exit"	\$253.00
709BLHILL <sup>1</sup>	1	Blue 2	2" sq	Illuminated handicapped symbol	\$253.00

2) SELECT OPTIONS			
Description	Specify	Price	
Two LEDs, red or green, dual voltage	L2	\$107.00	
Alternate action	AA <sup>2</sup>	\$33.00	
Narrow stile plate	NS <sup>3</sup>	No charge	

- 1. Must specify 12 VDC or 24 VDC when ordering 709 Series Pushbuttons.
- 2. Maintained for 701 Series only.
- 3. For 701 Series only.

PARTS			
Description		Specify	Price
701 Button 7/8" - Red		P100682	\$66.00
701 Button 7/8" - Black		P100688	\$66.00
701 Narrow Stainless Steel plate		P701629	\$52.00
701 Stainless Steel plate		P701607	\$52.00
701 Stainless Steel plate L2		P701628	\$52.00



# 650 SERIES

# Heavy duty keyswitches

- Patented magnetic spring design
- Momentary to maintained functions
- 5A @ 30 VDC, SPDT contacts
- Standard faceplate finish 630 Stainless Steel
- UL 294 listed for access control system







653-04-L2-NS

Patent # 6689972

Note: 650 Series Keyswitches operate with either a 1-1/8" or 1-1/4" cylinder having a straight type cam. 1-1/4" Cylinders require a 1/8" blocking/spacer ring (included with the CYL and CYL-KA options). Cannot be used with cylinder and/or collar greater than 1-3/8".

1) SELECT KEYSWITCH FUNCTION				
Description	Cover plate	Specify	Price	
SPDT maintained single direction - Stainless Steel	2-3/4" x 4-1/2"	653-04	\$355.00	
SPDT momentary single direction - Stainless Steel	2-3/4" x 4-1/2"	653-05	\$355.00	
DPDT maintained single direction - Stainless Steel	2-3/4" x 4-1/2"	653-14	\$410.00	
DPDT momentary single direction - Stainless Steel	2-3/4" x 4-1/2"	653-15	\$410.00	
(2) DPDT maintained bi-direction - Stainless Steel	2-3/4" x 4-1/2"	653-1414	\$542.00	
DPDT maintained x DPDT momentary - Stainless Steel	2-3/4" x 4-1/2"	653-1415	\$542.00	
(2) DPDT momentary bi-direction - Stainless Steel	2-3/4" x 4-1/2"	653-1515	\$542.00	
SPDT maintained x key remove one position - Stainless Steel	2-3/4" x 4-1/2"	653-041	\$355.00	
(2) SPDT maintained bi-direction - Stainless Steel	2-3/4" x 4-1/2"	653-0404	\$410.00	
SPDT maintained x SPDT momentary - Stainless Steel	2-3/4" x 4-1/2"	653-0405	\$410.00	
DPDT maintained x key remove one position - Stainless Steel	2-3/4" x 4-1/2"	653-141	\$410.00	
(2) SPDT momentary bi-direction - Stainless Steel	2-3/4" x 4-1/2"	653-0505	\$410.00	

2) SELECT OPTIONS (CYL or CYL-KA must be chosen to receive a core)			
Description	Specify	Price	
Two LEDs (red/green), dual voltage 12/24 VDC	L2	\$107.00	
Narrow stile - Stainless Steel Plate (1-3/4" x 4-1/2")	NS	No charge	
Anti-Tamper Switch	ATS	\$101.00	
Water resistant cover fits 1-1/8" cylinder only (not available with NS or L2 or special finishes)	WP	\$128.00	
1-1/4" Schlage Everest mortise cylinder with two keys and 1/8" spacer ring	CYL	\$121.00	
1-1/4" Schlage Everest mortise cylinder with two keys and 1/8" spacer ring	CYL-KA (keyed alike)	\$121.00	

3) SELECT PLATE FINISH			
Description	Specify	Price	
BHMA 630 (US32D) on .035 Satin Stainless Steel	630	Standard	
Oil Rubbed Bronze on heavy-duty zinc	SF-613	\$233.00	
Bright Chrome on heavy-duty zinc	SF-625	\$233.00	
Satin Chrome on heavy-duty zinc	SF-626	\$92.00	

4) SELECT OPTIONAL BLOCKING RING (Only necessary when using with a competitive cylinder)		
Description Specify Price		
Blocking ring for use without compression ring	36-079	\$20.90

5) SPECIFY BLOCKING RING SIZE (Example: 36-079-012)	Specify
1/8" length	012
3/16" length	018
1/4" length	025
5/16" length	031
3/8" length	037
7/16" length	043
1/2" length	050



# PARTS AND ACCESSORIES

MOUNTING HARDWARE ONLY			
Description	Specify	Price	
Heavy duty mounting hardware - 613 Dark Satin Bronze	P630013-613	\$38.00	
Heavy duty mounting hardware - 625 Bright Chrome	P630013-625	\$38.00	
Heavy duty mounting hardware - 626 Satin Chrome	P630013	\$19.00	

SINGLE GANG FACEPLATE ONLY		
Description	Specify	Price
Standard plate - Stainless Steel	P653063	\$92.00
Heavy duty plate - 613 Dark Satin Bronze	P653009-613	\$233.00
Heavy duty plate - 625 Bright Chrome	P653009-625	\$233.00
Heavy duty plate- 626 Satin Chrome	P653009-626	\$92.00
Standard plate - Stainless Steel - L2	P653064	\$92.00
Heavy duty plate - L2 - 613 Dark Satin Bronze	P653015-613	\$233.00
Heavy duty plate - L2 - 625 Bright Chrome	P653015-625	\$233.00
Heavy duty plate - L2 - 626 Satin Chrome	P653015-626	\$92.00

NARROW FACEPLATE ONLY			
Description	Specify	Price	
Standard plate narrow - Stainless Steel	P653065	\$92.00	
Heavy duty plate narrow - 613 Dark Satin Bronze	P653026-613	\$233.00	
Heavy duty plate narrow - 625 Bright Chrome	P653026-625	\$233.00	
Heavy duty plate narrow - 626 Satin Chrome	P653026-626	\$90.00	
Standard plate narrow - Stainless Steel - L2	P653066	\$187.00	
Heavy duty plate narrow - L2 - 613 Dark Satin Bronze	P653027-613	\$233.00	
Heavy duty plate narrow - L2 - 625 Bright Chrome	P653027-625	\$233.00	
Heavy duty plate narrow - L2 - 626 Satin Chrome	P653027-626	\$92.00	

SWITCHES ONLY		
Description	Specify	Price
Anti-Tamper Switch and magnet	P653067	\$37.00
Switch and lead assembly	P653059	\$47.00



# DOOR POSITION MONITORS AND SWITCHES

FSS1 HIGH SECURITY DOOR POSITION MONITOR - (UL 634 LEVEL 2 RATING)	Specify	Price
FSS1 High security DPS surface mount with conduit	194555101647	\$1,091.00
FSS1 High security DPS surface mount without conduit	194555101654	\$1,091.00
FSS1 High security DPS flush mount mortised	194555101661	\$1,091.00

DOOR POSITION SWITCHES	Specify	Price
Overhead door floor mount	674-OH	\$445.00



679-05 Concealed SPDT magnetic switch

679 SERIES CONCEALED SPDT MAGNETIC SWITCH (0.3A @ 30 VDC)	Specify	Price
Wood door and frame	679-05	\$97.00
HM Hollow metal door and frame	679-05HM	\$134.00
WD Wood door and metal frame	679-05WD	\$160.00



7764 Concealed door position switch

7700 SERIES DOOR POSITION SWITCHES (0.25A @ 30 VDC)	Specify	Price
Concealed/flush mount	7764	\$323.00
Surface mount	7766	\$343.00



Door cord


DOOR CORDS	Specify	Price
12" x 3/8" Armored door cord - less wires	788-12	\$105.00
12" x 3/8" Armored door cord with 20" 4-conductor wire	788C-12	\$160.00
18" x 3/8" Armored door cord - less wires	788-18	\$139.00
18" x 3/8" Armored door cord with 26" 4-conductor wire	788C-18	\$188.00
12" x 1/2" Armored door cord - less wires	798-12	\$122.00
12" x 1/2" Armored door cord with 20" 4-conductor wire	798C-12	\$160.00
18" x 1/2" Armored door cord - less wires	798-18	\$154.00
18" x 1/2" Armored door cord with 26" 4-conductor wire	798C-18	\$188.00

Notes: C Suffix = 20 AWG wires Classified by UL to UL 10C



# **ELECTRONIC HORNS**


- Immediate, local audible warning device
- Designed for indoor application
- Surface and flush mounting kits included with all horns
- Latching units require a reset action
- Strobe units activate / deactivate based on the state of the horn
- Horn color is white
- Dual decibel settings high/low 102 and 88 with dba's



ELECTRONIC HORNS	Specify	Price
12/24 VDC Horn, current draw 14 mA @ 12 VDC; 28 mA @ 24 VDC	1910-1	\$725.00
24 VDC Horn with strobe, current draw 71mA	1910S-1	\$987.00
24 VDC Horn with latching, current draw 28mA	L1910-1	\$1,002.00
24 VDC Horn with strobe and latching, current draw 71mA	L1910S-1	\$1,308.00


#### SCANNERS/PIRS

- Passive infrared detector
- Surface Mounting height range is from 7 to 15 ft
- Two form "C" relay contacts rated 2A @ 30 VDC for DC resistive loads
- Relay latch time is adjustable up to 64 seconds
- UL 294 listed by manufacturer as an access control device
- Designed for indoor applications



SCAN II-W


SCANNERS/PIRS	Specify	Price
Black	Scan II - B	\$855.00
White	Scan II - W	\$855.00



740 SERIES EMERGENCY BREAK GLASS - Switch contact form "Z", rated 6A @ 30 VDC	Specify	Price
Assembly only	740	\$610.00
With indicator light	741	\$624.00
With Sonalert	742	\$679.00

Assembly mounts in 3 gang electrical box.

P800003 is the part number for the 5 pack of glass disc replacements. List \$137.00.



660

660 SERIES SURFACE MINI BOX - Dimensions: 2" H x 2" W x 1" D; Switch contact rating: 6A @ 120 VAC	Specify	Price
SPDT Momentary pushbutton	660-PB	\$230.00
SPDT Maintained toggle	660-T4	\$226.00

Recommended for concealed desk application.



# 442S SERIES CABINET LOCK

Patent #'s 4,557,121/4,579,376

SPECIFICATIONS	
Overall Dimensions	3"Lx1"Wx1"D
Current Draw	0.50A @ 12 VDC; 0.25A @ 24 VDC (field selectable)



442S

442S SERIES CABINET LOCK		
Description	Specify	Price
Lock with strike - Black Lexan finish; Fail Secure	442S	\$425.00

# PB405/PB405S POWERBOLTS

#### Standard features

- Magnetic door status monitor
- Magnetic relocking switch

SPECIFICATIONS	
Bolt size 405/405S	.61" diameter x .67" throw
PB405 overall size	7.87" x 1.26" x 1.57", 90° locking
PB405S overall size	7.87" x 1.26" x 1.57"
Current draw	0.9A @ 12 VDC; 0.45A @ 24 VDC 12/24 VDC dual voltage, field selectable



#### PB405/PB405S

PB405/PB405S POWERBOLTS		
Description	Specify	Price
Fail Safe, rectangular front (Fail Secure Lock – Requires power to unlock)	PB405	\$880.00
Fail Secure, rectangular front (Fail Safe Lock – Requires power to lock)	PB405S	\$1,092.00
Retro fit kit	PB405-RFK	\$99.00

Note: Electromechanical PowerBolts not recommended where life safety may be compromised, or where panic bar hardware is the only means of egress. Mortise mount electric bolts furnished in Satin Aluminum finish.





CREDENTIALS

READERS

SOFTWARE

READER CONTROLLERS

**ELECTRONIC LOCKS** 




# **Contents**

Merchandising aids	292
Agency listings	293
Door and frame handing chart	295
System design guide	296
Master key system summary	297
Wiring diagrams	304
United States Wiring diagram request form	305
Canada Electrical drawing request form	306
PAA/ADDA Cover letter	20-



# MERCHANDISING AIDS



SCHLAGE XE3	50 DISPLAY MOUNTS						
				Dimensio	n (inches)		
Part number D	Description	Backset	Bore	Faceplate width	Total height	Width at base	Price
47709952	XE360 Tubular mount	2-3/4"	2-1/8"	1"	19-7/8"	8"	\$292.00
47709953	XE360 Mortise mount	2-3/4"	1"	1-1/4"	19-7/8"	8"	\$292.00
47709954	XE360 Falcon 25 Exit mount	2-3/4"	2-1/8"	-	19-7/8"	8"	\$292.00

SCHLAGE ELEC	CTRONICS WHI	TE WOOD MOUN	ITS						
# .: .: .:	8 4.								
47284859	47284860	47284861	47284862	47284867	47284868	47284869	47284870	47284871	47286238
DISPLAY MOU	NTS			·					
						Dimension	(inches)		
Part number	Description			Backset	Bore	Faceplate width	Total height	Width at base	Price
47284859	AD Mortise mo	ount		2-3/4"	2-1/8"	1-1/4"	19-7/8"	8"	\$232.00
47284860	LE Mount			2-3/4"	1"	1-1/4"	19-7/8"	8"	\$232.00
47284861	CO Mortise mo	ount		2-3/4"	2-1/8"	1-1/4"	19-7/8"	8"	\$232.00
47284862	4" Interconnec	t mount		2-3/8"	2-1/8"	1"	19-7/8"	8"	\$232.00
47284867	5.5" Interconne	ect mount		2-3/8"	2-1/8"	ן"	19-7/8"	8"	\$232.00
47284868	CO Cylindrical	mount		2-3/4"	2-1/8"	1-1/8"	19-7/8"	8"	\$232.00
47284869	AD Cylindrical	mount		2-3/4"	2-1/8"	1-1/8"	19-7/8"	8"	\$232.00
47284870	NDE Mount			2-3/4"	2-1/8"	1-1/8"	19-7/8"	8"	\$232.00
47284871	Deadbolt, knob	o, and keypad mo	ount	2-3/8"	2-1/8"	1"	19-7/8"	8"	\$232.00
44-115	Clear plastic m	ount ring		-	-	-	-	-	\$62.40
47286238	Mount carton o	arrying strap		-	-	-	-	-	\$28.90

Note: Price does not include lock.



# AGENCY LISTINGS

PRODUCT	LISTING	STANDARD	AGENCY
M420/M420P	Builders Hardware - Aux. Locks	UL 10C/UL 1034/UL 294	UL/cUL CSFM
M450/M450P	Builders Hardware - Aux. Locks	UL 10C/UL 1034/UL 294	UL/cUL CSFM
M490/M490P	Builders Hardware - Aux. Locks	UL 10C/UL 1034/UL 294	UL/cUL CSFM
M490DE	Builders Hardware - Aux. Locks	UL10C UL294 Special Locking Arrangement including BOCA	UL/cUL CSFM
M390RFK	Builders Hardware - Aux. Locks	UL 10C UL/cUL	UL/cUL CSFM
490G	Builders Hardware - Aux. Locks (outdoor rated)	-	-
320 Series (M suffix)	Builders Hardware - Aux. Locks	UL10C	UL/cUL CSFM
GF3000 (Surface Mount)	Builders Hardware - Aux. Locks	UL10C	UL /cUL
GF3000 (Mortise Mount)	Builders Hardware - Aux. Locks	UL10C	UL/cUL CSFM
PS902	Power Supply	UL294	UL/cUL FCC Part 15 and Rotts Compliant
PS904	Power Supply	UL294	UL/cUL FCC Part 15 and Rotts Compliant
PS906	Power Supply	UL294	UL/cUL FCC Part 15 and Rotts Compliant
900-2RS	Power Supply Option Board	UL294	UL/cUL
900-4R/900-4RL	Power Supply Option Board	UL294	UL/cUL
900-8P/900-8F	Power Supply Option Board	UL294	UL/cUL
900-FA/900-BB	Power Supply Option Board	UL294	UL/cUL
672 Series All models including BRG	Access Control System Units Burglary Resistant Electric Locking Mechanism Accessory	UL294 UL1034	UL UL
692 Series All models including BRG	Access Control Systems Units Burglary Resistant Electronic Locking Mechanism Accessory	UL294 UL1034	UL UL
7764 Switch	Connectors and Switches Misc Fire Door Accessories	UL634 UL10B	UL - multiple listing UL - multiple listing
7766 Switch	Connectors and Switches	UL634	UL - multiple listing
8200 Series	Access Control Units	UL294	UL
SCAN-II-W SCAN-II-B	Access Control System Units	UL294	UL - multiple listing



# LISTED ELECTROMAGNETIC LOCKS

#### A156.23-2010

#### **ANSI Type Numbers Licensee's Catalog**

DESIGNATIONS			
ANSI Function Number	1500 lbf Rating	1000 lbf Rating	500 lbf Rating
E18501	M490, M490P, M390RFK	M450, M450P, 70	M420, 420P, 40
E18511	M492, M492P	M452, M452P, 72	M422, M422P
E18531	M490-TJ, M490P-TJ	M450-TJ, M450P-TJ, 70-TJ	M420-TJ, M420P-TJ, 40-TJ
E18541	M490-HDB, M490P-HDB	M450-HDB, M450P-HDB, 70-HDB	M420-HDB, M420P-HDB, 40-HDB
E08501	M490G1		
E08531	M490G1		
E08561	GF3000, GF3000TJ		
E08571	280		
E08581	GF3000, 280		
E08591	GF3000, 280		
E08601	GF3000BRD		

Outdoor rated lock.

All of the above available in 12VDC or 24VDC.

CERTIFIED FINISHES	
Finish Type	Licensee's Catalog Designations
Clear Anodized Aluminum	628
Satin Black, Anodized	335

# AD SERIES & CO SERIES ELECTRONIC LOCKS

PRODUCT	STANDARD
	UL294
	UL10C
AD Series and CO Series	BHMA/ANSI 156.25 Grade 1 Operation and Security  • A156.2  • A156.3  • A156.12  • A156.13  • NFPA 101 – Ch 7  • NFPA 80 – Ch 6 and 7  • IBC – Ch 10
	ADA – Ch 4.13
	FCC Part 15
	Industry Canada (IC) RSS-210
	Florida Building Code
	RoHS



# DOOR & FRAME HANDING CHART






# DOOR HANDING FROM READER SIDE

LEFT HAND Hinges on Left Opens Inward	RIGHT HAND Hinges on Right Opens Inward
LEFT HAND REVERSE Hinges on Left Opens Outward	RIGHT HAND REVERSE Hinges on Right Opens Outward

ARCHITECTURAL FINISHES CHART				
Finish description	Finish No.	BHMA No.	Government	
Bright Brass	605 or 666	605E	US3	
Bright Chrome	625 or 672	625E	US26	
Oil-Rubbed Bronze, Anodized	690 or 313	690	US20A	
Oil-Rubbed Bronze	613 or 710	613E	US10B	
Satin Aluminum, Clear Anodized	628	628	US28	
Satin Black, Anodized	711 or 335	711	US19	
Satin Brass	606	606E	US4	
Satin Bronze	612 or 668	612E	US10	
Satin Chrome	626	626E	US26D	
Satin Stainless Steel	630	630	US32D	
Oil-Rubbed Bronze, Powder Paint	SP313	-	-	
Satin Black, Powder Paint	SP335	-	-	

Note: To preserve finishes, wipe clean with a soft cloth. Commercial cleaners may damage finish.



DESCRIPTION OF OPERATION	
ELECTRIC LOCK	TYPE: VOLTAGE: CURRENT DRAW
OPTIONS	LOCK STATUS SW: DOOR STATUS SW
POWER SUPPLY	MODEL: VOLTAGE: CURRENT CAPACITY
OPTIONS	FIRE SYSTEM TIE-IN: STANDBY BATTERIES
CONTROL-ACCESS	TYPE:
CONTROL-EGRESS	TYPE:
MONITORING REQUIRED – DESCRIBE:	
INTERLOCK REQUIRED – DESCRIBE:	

#### This form must be attached to the **MASTER KEY** ALLEGION 👯 Master Key Order form and P.O. Please provide as complete and accurate as **SYSTEM SUMMARY** possible so we can provide what you need for your Key System. Job Name Account No. Address City / State P.O.# Country For detailed instructions on how to complete this form please refer to pages 4 & 5 **System Overview** ☐ New ☐ Existing (provide info below) Registry # Attached Dealer Specified Combinations Structure or Factory Order # \_\_\_\_ 1. Select System Falcon Schlage ☐ Standard Classic ☐ Schlage C ☐ Classic Primus \* ☐ Restricted \* Everest® ☐ Interchangeable Core A2 ■ B (Small Format IC, Restricted \*) ☐ Interchangeable Core A4 C (Open) ☐ Primus®\* ☐ D (Restricted \*) ☐ Primus®\* Everest 29 key sections are backwards compatible to Everest Everest 29™ keyways and have the following relationships: R (Small Format IC, Restricted \*) R family sections > B family keyways ☐ S (Open) S family sections > C family keyways ☐ Primus®\* T family sections > D family keyways ☐ T (Restricted \*) ☐ Primus®\* **Type** ☐ 5-pin ☐ 6-pin ☐ 7-pin Full Size Construction Cores ICA ICB ICC See compatibility chart on page 5 (Schlage Only)

Keyway \_\_\_\_\_\_
Small Format Construction Cores
□ Brown
□ Green

Specified \*\*:\_\_\_\_\_
Construction Keyed Type
□ Falcon
□ CK (BOK)
□ Lost Ball

\*\* = The Commercial Master Key Department makes the final decision in the selection of key sections
□ Schlage
□ CK (Split)
□ RCK (5-Pin C only)

2. Select Keys & Key Stamping	_		
	er Symbol Keys per Cylinder		
Туре			
☐ Standard Bow	Standard Bow (Unembossed)	☐ Access Bow	☐ Large Bow
Key Stamp Details			
☐ Keyset Symbol	☐ Do Not Duplicate (DND)	☐ With Custom Die (Specify)	
☐ Non-standard Code (Specify)			
Change Key Packaging and Shipping	<u>Instructions</u>		
Pack Keys Independently (PKI) of Lock or	r Cylinder ***	*** = Furnished s	standard at no charge with onstruction keying
☐ Yes ☐ No		Spit Ney C	onstruction reying
If PKI, ship change keys to:			
☐ Dealer	Other		
☐ See Primus Facesheet			
3. Select Cylinder Stamping			
<u>Cylinder Stamp Details</u>	_		
☐ With Industry Standard Key Symbol	☐ Non-Standard Code (Specify)		
Cylinder Stamping Location			
Plug Face (N/A in Primus) - VKC		Concealed (N/A in Fa	ılcon STD) - CKC

4. Select Key Quantities				
<u>Level</u>	Qty. Per	Master Key Symbo	ol (s)	Total Quantity
GGM				<u> </u>
GM				
MK or RMK	. <u>———</u>			
Control				
Emergency				
Others				
Ship Master Keys To:				
☐ Dealer ☐ See Primus	Facesheet 🖵 (	Other		
Special Function	Qty. Per			Qty. Per
RCK (Lost Ball) ****		Full Size Construc	tion Core Keys (Schlage Only)	
CK (Split Key) ****		Full Size Construc	tion Core Control Keys (Schlage On	
Extractor Tools ****		Small Format Cor	struction Core Keys	
			struction Core Control Keys	
		**** = Use with C	onstruction Keying	
5. Master Key Future Exp	ansion			
<b>5. Master Key Future Exp</b> List Future MK Symbols	ansion		Approx. # of Change Key Symbol	ols Under Each Future MK
	ansion		Approx. # of Change Key Symb	ols Under Each Future MK
List Future MK Symbols		l, BK	Approx. # of Change Key Symbo	ols Under Each Future MK
List Future MK Symbols  Example:  MK		I, BK	1	ols Under Each Future MK
List Future MK Symbols  Example:  MK  GGM		I, BK	1	ols Under Each Future MK
List Future MK Symbols  Example: MK  GGM GM		I, BK	1	ols Under Each Future MK
Example: MK  GGM GM MK		I, BK	1	ols Under Each Future MK
Example: MK  GGM   GM   MK   MK   MK   MK   MK   MK		I, BK	1	ols Under Each Future MK
Example: MK  GGM  GM  MK  MK  MK		I, BK	1	ols Under Each Future MK
Example: MK  GGM GM MK MK MK MK MK MK MK		I, BK	1	ols Under Each Future MK
Example: MK  GGM  GM  MK  MK  MK  MK		I, BK	1	ols Under Each Future MK
Example: MK	BJ		40 each	ols Under Each Future MK
Example: MK  GGM GM MK MK MK MK MK Others	BJ		40 each	ols Under Each Future MK
Example: MK	BJ ————————————————————————————————————		40 each  te cross-keyed cylinders)	
Example: MK	BJ	naster keys will opera	40 each   te cross-keyed cylinders)  Cross Keyed	is operated by
Example: MK	BJ ————————————————————————————————————	naster keys will opera	40 each   te cross-keyed cylinders)  Cross Keyed	
Example: MK	BJ	naster keys will opera	te cross-keyed cylinders)  Cross Keyed Cylinder X	is operated by
Example: MK	BJ	naster keys will opera	te cross-keyed cylinders)  Cross Keyed Cylinder	is operated by
Example: MK	BJ	naster keys will opera	te cross-keyed cylinders)  Cross Keyed Cylinder X X X	is operated by

#### 7. Instructions and Compatibility

#### **General Information**

If you do not know the registry number (R#), structure number or the original factory order number for an existing system, contact Customer Service prior to placing the order:

USA: CANADA:

Tel. 1-877-671-7011 Tel. 1-800-900-4734 Fax 1-800-452-0663 Fax 1-800-209-4734

- Only one structure may be ordered on the same purchase order
- · Classic refers to Obverse, Numbered (Paracentric), Quad, and Reverse key section families
- · Classic Primus refers to Primus Obverse and Primus Quad key section families

#### Section 1: Select System

**Full Size Construction Cores** 

Schlage only

**Small Format Construction Cores** 

- 7-pin only for Schlage
- 6- and 7-pin for Falcon

CK (Split)

- · 6-pin for Schlage and Falcon
- Split key construction keying is not available for Classic Primus or Everest 29 Primus

RCK (Lost Ball)

- · 5-pin (C keyway) only for Schlage
- · 5-, 6-, and 7-pin for Falcon

System Selection

· Refer to the compatibility chart

#### Section 2: Select Keys and Key Stamping

Stamp Details

- Unless otherwise specified, industry standard key symbols are stamped on Everest 29™ and Primus® keys
- For custom die, attach RFQ approval for Schlage

#### Section 3: Select Cylinder Stamping

Type

• For cylinder type refer to the compatibility chart

Keyway (specify)

· Schlage Commercial's default key section for new Master Key Systems is Everest™ S145

#### **Section 4: Key Quantities**

Level

• Unless otherwise specified, the control key has the same cut as the highest-level key in the system (Except SFIC systems)

Special Function

· Construction keys are not furnished unless specified

Change Keys

· Unless otherwise specified 2 change keys are furnished per lock or cylinder

#### **Section 5: Master Key Future Expansion**

• Do not use the letters "I", "O", "CK", "KA, or "KD" for any master key symbols

#### **Section 6: Operating Instructions**

- · Cross keying reduces the security and expansion of key systems
- · Unless otherwise specified, all hierarchical master keys will operate cross-keyed cylinders

#### Compatibility Chart


	5 Pin	6 Pin	7 Pin	Split Key	Block O-Key	Lost Ball	Temp Core	A2	Α4	0.025	0.018
Schlage	Schlage										
Classic	Х	Х		Х		Х	Х				
Everest 29 S		Х		Х			Х				
Everest 29 T		Х		Х			Х				
Everest 29 R			Х				Х	Х			
Classic Primus (XP)		Х					Х				
Everest 29 Primus (XP)		Х					Х				
Falcon											
Open	Х	Х	Х		Х	Х					Х
Restricted		Х	Х		Х	Х				Х	
Schlage C		Х		Х							
SFIC Open		Х	Х				Х	Х	Х		
SFIC Restricted		Х	Х				Х	Х	Х		

ADDITIONAL DETAILS
Use for Key Section and Bitting Information,
KA Groups, Primus® No., Locksmith ID No., etc. DATE P.O. NO. Non-Master Keyed ORDER ≅ ACCOUNT NO. SHIP TO: ExT 몺풎 STRIKE LATCH ALLEGION 📆 CUSTOMER NAME AND ADDRESS: HAND Z L INSIDE DES MARK CARTONS: Z L OUTSIDE DES PRICE BOOK# FOR FURTHER INFORMATION, CONTACT: PRODUCT SHIPPING INSTRUCTIONS REQUESTED SHIPDATE ORDER WRITTEN BY Ω QUOTE# Phone: Name: L R ITEM **Fax**:


Page 1 of SCHLAGE



End User Letterhead - REQUIRED District 10 Schools 555 Main Street End User City, State 5555 (555) 555-5555



Jones Elementary School is to be keyed using a new Everest 29 T Restricted Key System. For security reasons, we would like to have all keys for this facility shipped to a location other than the job site. Master keyed products, however, can be shipped directly to the site. This letter authorizes Schlage to ship our restricted products to the following addresses:



These two addresses above serve as our only authorized shipment addresses for all orders placed for our facility. We understand that this letter will be kept on file and referenced for our future orders and that a new letter is only required to add, remove, or change authorized shipping locations.

Sincerely,

End User Representative
Facilities Manager

End User Representative Signature -REOUIRED

#### **United States**

Letter may be mailed or faxed to Schlage Schlage Restricted Order Processing 3899 Hancock Expressway Colorado Springs, CO 80911

#### Canada

Letter may be mailed or faxed to Schlage
Allegion Canada Inc.
Attn: Master Key Department
1076 Lakeshore Rd E Mississauga, ON, L5E 1E4

A library of common wiring diagrams are available at no-charge for use in single and double door applications utilizing various configurations of Allegion door hardware products. These diagrams can be accessed through our Knowledge Center tool at <a href="http://kc.allegion.com/">http://kc.allegion.com/</a>

Click on Common Wiring Diagrams located under the column Top Solutions.

# **CUSTOM WIRING DIAGRAMS**

When common wiring diagrams do not meet the needs of the job requirements, Allegion offers a service to purchase custom wiring diagrams. All custom wiring diagrams include a point-to-point with theory of operation and a riser diagram. Custom wiring diagrams fall into two categories: Standard and Complex.

- Standard drawings: All Allegion products with a single opening and a basic theory of operation. These drawings are quoted on a per drawing basis.
- **Complex drawings**: Generic contacts, 3rd party components, complex relay logic, timer circuit logic, any other additional advanced logic. These drawings must be processed through a quote process to determine the total NET cost of the request.

#### How does the Custom Wiring Diagram Request Process work?

- Custom wiring diagrams can only be ordered by and shipped to current Allegion Channel Partners.
- For United States, Wiring Diagram Request Forms can be obtained by:
  - Sending an email request to Wiring.Diagram.Request@allegion.com
  - Using the form located on page 305
- For Canada, Wiring Diagram Request Forms can be obtained by:
  - Sending an email request to Canada. Tech Services@allegion.com
  - Using the form located on page 306
- For United States, email the completed request form to Wiring.Diagram.Request@allegion.com. For Canada, please email the completed request form to Canada.TechServices@allegion.com.
- Be sure and include the following information to prevent delays to the request:
  - All supporting documentation for non-Allegion products
  - Hardware list with complete part numbers
  - Detailed theory of operation for all openings
- Upon receipt, the custom wiring coordinator will review and clarify the request as needed.
- Once all clarifications are resolved, a QUOTE#, NET pricing, and lead time will be assigned and communicated to the requester within one business day.
- Drawings that fall under a Standard type will be quoted a NET \$300.00 for each drawing.
- Drawings that fall under a Complex type will receive a NET quote depending on the time required to complete the drawings at an hourly rate of \$300.00/hour.
- A purchase order with the QUOTE# must be received for the wiring diagrams to be produced.
  - For United States, send the completed PO to Wiring.Diagram.Request@allegion.com
  - For Canada, send the completed PO to Canada. Tech Services@allegion.com
- Lead time is generally 2-3 weeks from time PO is received, more complex requests will have longer lead times.
- Changes to the original request after a quote approval may incur additional charges and affect lead time.
- QUOTE# is valid for 90 days.
- Custom wiring diagrams, once completed, will be emailed to the requester.



# **United States Wiring Diagram Request Form**

Must be a Schlage Electronics, LCN, or Von Duprin Dealer

UNITED STATES ELECTRICAL DRAWING REQUEST FORM	
Date:	Project Name:
Dealer/Distributor:	
Account Number:	Dealer Contact Name:
Phone:	
Provide a Primary Technical Contact:	Phone:
Provide/Attach the Following:	
All supporting documentation for all non-Allegion products	
<ul> <li>Included hardware list with complete part numbers</li> </ul>	
Detailed Theory of Operation for all openings	
Additional information that helps expedite the project:	
Door Number:	
Door Size:	
Door Material:	
Fire Rated Opening:	
Single/Pair:	
Double Egress:	
Interior/Exterior:	
Interlocked Opening:	
Basic Floor Plan/Traffic Flow:	

# **United States**

Email completed form and supporting documentation to:
Wiring.Diagram.Request@allegion.com



# **Canada Wiring Diagram Request Form**

CANADA ELECTRICAL DRAWING REQUEST FORM					
Rep./Distributor Name:		Job Name:			
Contact Name:		Phone:	Fax:		
P.O.#		Date:			
Select Drawing Type	Riser:	Point to Point:	Both:		
Door Type:		Door Number:			
Fire Rated Opening:	Double Egress:	Single:	Pair:		
Specify all electrical hardware:			Quantity:		
Power Supply:					
Maglock/Elec. Strike:					
Card Reader/Keypad:					
Controller/Console:					
Keyswitch:					
Push Button:					
Auto Operator:					
Actuator:					
Closer/Holder:					
Exit Device:					
Power Transfer:					
Door Contact:					
Other:					
Specify daytime operation:					
Push Side:					
Pull Side:					
Specify nighttime operation:					
Push Side:					
Pull Side:					
Provide a sketch of the door ope	ening if positioning of hardware is	pertinent:			

# Canada

Email completed form and supporting documentation to: Canada.TechServices@allegion.com



# **BAA Order Transmittal Cover Letter**



# Buy America Act and American Recovery and Reinvestment Act (BAA/ARRA)

Note that orders requiring BAA compliant products MUST include this cover letter to be properly identified.



#### **About Allegion**

At Allegion (NYSE: ALLE), we design and manufacture innovative security and access solutions that help keep people safe where they live, learn, work and connect. We're pioneering safety with our strong legacy of brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Our comprehensive portfolio of hardware, software and electronic solutions is sold around the world and spans residential and commercial locks, door closer and exit devices, steel doors and frames, access control and workforce productivity systems.

For more, visit www.allegion.com

KRYPTONITE - LCN - SCHLAGE - STEELCRAFT - VON DUPRIN

