

WESLOCK®



Price Book No. 20.2
June 2025

Security | Safety | Style
Since 1932

CORPORATE COMMUNICATIONS

800-575-BOLT (2658)
www.weslock.com

Accounting Department

accounting@weslock.com
Accounts Receivable / Accounts Payable

Customer Service Department

918-294-3869 fax
orders@weslock.com
Purchase Order Submission / Purchase Order Status

Warranty Department

warranty@weslock.com
Dealer & Homeowner Product Inquiries

Sales Department

sales@weslock.com
Sample Requests / Credit Applications / Sales Representative Inquiries

Marketing Department

marketing@weslock.com
Marketing Materials / Advertising

GENERAL INFORMATION

| | |
|-----------------------------------------|-----|
| CONTACT INFORMATION | 1 |
| TABLE OF CONTENTS | 2 |
| TERMS AND CONDITIONS OF SALE | 3-4 |
| HAND OF DOOR / HOW TO READ A LOCK ORDER | 5 |
| HOW TO WRITE A LOCK ORDER | 6 |
| KEYING INFORMATION | 7 |
| HOW TO REMOVE A WESLOCK® CYLINDER | 8 |
| KEYING CHARGES / PRODUCT FINISH CODES | 8 |
| NOTES | 9 |

MOLTEN BRONZE COLLECTION

| | |
|--------------------------------|-----|
| PRODUCT DESCRIPTION CODES | 2 |
| ENTRY HANDLES & SPECIFICATIONS | 3-5 |
| DEADBOLTS & SPECIFICATIONS | 6 |

ELEGANCE COLLECTION

| | |
|--------------------------------|-----|
| PRODUCT DESCRIPTION CODES | 2 |
| ENTRY HANDLES & SPECIFICATIONS | 3-4 |
| KNOBS & SPECIFICATIONS | 5 |
| LEVERS & SPECIFICATIONS | 6 |
| DEADBOLTS & SPECIFICATIONS | 7 |

TRADITIONALE COLLECTION

| | |
|--------------------------------|---|
| PRODUCT DESCRIPTION CODES | 2 |
| ENTRY HANDLES & SPECIFICATIONS | 3 |
| KNOBS & SPECIFICATIONS | 4 |
| LEVERS & SPECIFICATIONS | 5 |
| DEADBOLTS & SPECIFICATIONS | 6 |

INTERCONNECT COLLECTION

| | |
|--------------------------------------------|---|
| PRODUCT DESCRIPTION CODES | 2 |
| 1400 SERIES ENTRY HANDLES & SPECIFICATIONS | 3 |
| 1500 SERIES UNIGUARD & SPECIFICATIONS | 4 |

PREMIERE ESSENTIALS® COLLECTION

| | |
|--------------------------------|-----|
| PRODUCT DESCRIPTION CODES | 2 |
| ENTRY HANDLES & SPECIFICATIONS | 3-4 |
| KNOBS & SPECIFICATIONS | 5 |
| LEVERS & SPECIFICATIONS | 6 |
| DEADBOLTS & SPECIFICATIONS | 7 |
| KNOB/DEADBOLT COMBOS | 8 |
| LEVER/DEADBOLT COMBOS | 8 |

TRANSITIONAL COLLECTION

| | |
|--------------------------------------|-----|
| PRODUCT DESCRIPTION CODES | 2 |
| ENTRY HANDLES & SPECIFICATIONS | 3-5 |
| KNOBS & SPECIFICATIONS | 6 |
| LEVERS & SPECIFICATIONS | 7 |
| DEADBOLTS & SPECIFICATIONS | 8 |
| UL KNOBS, DEADBOLTS & SPECIFICATIONS | 9 |
| UL LEVERS & SPECIFICATIONS | 10 |

MISCELLANEOUS

| | |
|---------------------------|-----|
| POCKET DOOR HARDWARE | |
| SLIDING POCKET DOOR LOCKS | 2 |
| PARTS & ACCESSORIES | |
| REPLACEMENT CYLINDERS | 3 |
| INSTALLATION TOOLS | 3 |
| KEYING KITS | 4 |
| LATCHES & STRIKES | |
| STRIKES & FACEPLATES | 5 |
| LATCHES | 6-7 |

The Terms and Conditions of Sale contained herein shall apply to all orders submitted for the purchase of our products and all quotations for the sale of our products. We reserve the right to refuse to accept any orders which may be submitted to us. Our acceptance of your order is expressly made conditional upon your assent to these Terms and Conditions of Sale. Your acceptance of shipment of any of the products which are ordered or your failure to specifically object to us in writing of those Terms and Conditions of Sale within five (5) days after our mailing of order acknowledgment to you shall constitute your assent to these Terms and Conditions of Sale as the entire agreement between Customer and the Company and shall cancel and supersede all previous communications, understandings, representations and agreements oral or written.

1. PRICES

- A. All prices are in U.S. \$ and are subject to change without notice and are not guaranteed. All orders will be shipped at prices in effect at time of order entry.
- B. Prices stated do not include any applicable sale, use or excise tax or any other tax, duty or charge which is now in effect or may be hereafter imposed by any Federal, State or other authority. All applicable taxes, duties or other charges shall be paid by customer in addition to price quoted or invoiced.

2. FREIGHT

- A. Delivery of the goods shall be FOB the Company's shipping point. Customer assumes all risks of loss or damage to goods following delivery to carrier at Company's point of shipment and shall provide transit insurance in amounts not, less than the full invoice price of the goods to be delivered with the Company named as loss payee or additional insured.
- B. The Company will be responsible for the payment of freight charges on all shipments of \$1,250 net or more by the carrier of the Company's selection to all points in the continental United States. Freight charges will not be paid for by the Company for shipments of less than \$1,250 net.

3. TERMS

Terms are net 30 days from date of invoice, with approved credit for domestic orders. All international sales orders must be paid with an irrevocable letter of credit, confirmed by a United States Bank payable at sight, valid for a least 75 days or prepaid before shipment.

4. ORDERS AND ACKNOWLEDGMENTS

- A. No order will be binding on the Company unless or until it has been accepted and acknowledged in writing by an authorized representative of the Company.
- B. Orders and all shipments thereunder are subject to approval by the Company.
- C. All sales are final.

5. ORDER CHANGES

Changes to any custom order after it has been released for production are subject to a charge to be determined by the Company but to be not less than \$25.00 net. All changes to any order must be in writing and accepted in writing by the Company. Additions to any in-house order must be handled as a separate order and must meet applicable minimum order requirements.

6. MINIMUM CHARGES

Due to the expense involved in the entering, handling and charging for orders less than \$200.00 net invoice, a fee of \$25.00 will be added, and the minimum order size for locks must be ordered in full case quantities.

7. SHIPMENTS

- A. Upon delivery of shipments to the carrier at the Company's facility, title to, and the risk of loss or damage in transit for such shipments, passes to our customer.
- B. Orders will be filled to the extent of our stock on hand and any balance forwarded as soon as possible.
- C. Ship dates on acknowledgments are estimates only which cannot be guaranteed because of the possibility of circumstances and conditions beyond our reasonable control. Under no circumstances shall we be responsible for any inability or delay in meeting shipping schedules or for any loss or damage (whether direct or consequential) resulting therefrom.
- D. Orders returned due to incorrect ship to address will be assessed a \$10 Handling Fee per box, plus freight charges for re-shipment.

8. PRICE CLAIMS

Claims on prices must be submitted within thirty days from date of invoice.

9. ERRORS IN SHIPMENT

Buyer is responsible for inspecting shipments and notifying Company within ten (10) days of any shortages, defects or other problems in delivery. No goods are to be returned to the Company without prior written approval. Credit or replacement will only be made after a thorough inspection of the products has been made by our representatives and investigation shows an error in shipment. A factory return authorization will be provided by our sales representative for returnable merchandise and must accompany the shipment.

10. RETURNS

No goods are to be returned to the Company without prior written approval. A factory return good authorization (RGA) must accompany the returned shipment. Credit or replacement will only be made after a thorough inspection has been made to confirm quantity and disposition of product. There will be a 25% product restocking fee on all returned merchandise.

11. CANCELLATIONS

Cancellations of orders or any portion thereof will be allowed only upon our prior written consent and the payment of such cancellation charges as we may determine. Cancellations accepted on goods which are not regular stock; in the process of manufacture; or ready for shipment will be subject to a substantial cancellation charge.

12. MATERIAL AND FINISHES

- A. Specifications, weights, dimensions and descriptions are actual or careful estimates but are not guaranteed and are subject to variations or change without notice.
- B. We reserve the right to furnish materially equivalent substitutes for material which cannot be obtained in sufficient quantities due to existing shortages or other factors outside the Company's control.
- C. Although we apply the finest protective coating available to the plated surface of our products (Brass, and other Antique Finishes), they have their limitations and in time the protective coating may deteriorate from exposure to weather, perspiration, frequency of use or other factors. Tarnishing or excessive wear of these finishes is therefore, not a defect, but a normal process which is unavoidable. Under these circumstances, finishes cannot be guaranteed and, therefore, products will not be repaired or replaced under our limited warranty for deterioration, tarnishing or wear of finishes.

13. LIMITED WARRANTY

Warranties cover the original residential user of Weslock® Products against defects in material and workmanship as long as the original user occupies the residential premises upon which the product was originally installed. This warranty DOES NOT COVER abused or misused products or if a Weslock® Product is used in commercial applications. Upon return of a defective Product to Weslock®, Weslock® shall either repair or replace the Product. Weslock® is not responsible for the cost to install the product or any defects caused by incorrect installation.

IF YOU HAVE A COVERED DEFECT, CALL OR FAX CUSTOMER SERVICE:

Phone: (800) 575-2658 Fax: (918) 294-3869

Please allow 4 to 6 weeks for warranty work or refund.

A finish deterioration occurring from the use of paints, solvents, or other chemicals is not a defect in the finish and is not covered by this warranty. Weslock® is not liable for incidental or consequential damages. Some states do not allow the exclusion or limitations of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

Prior to November 1998 all Weslock® Products carried a Full 1 Year Warranty.

FOLLOWING WARRANTIES WERE IN EFFECT NOV. 1998 - DEC. 31, 2001

| | |
|-----------------------------------------------------------------------|--------------------------------------------|
| Limited Lifetime Mechanical <u>1 Year Finish</u> | 10 Year Mechanical <u>1 Year Finish</u> |
| 600 Series Knobs and Levers Levers | 400 Series Knobs and Levers |
| 2100, 1300, Plus, 1400, 1600, 1800, 680, 670 Deadbolts products | 370 Series Deadbolts 1500, U.L. Rated |

PREMIUM WARRANTIES WERE IN EFFECT JUNE 1999 - DEC. 31, 2001

| | |
|-------------------------------------------------------------------|-----------------------------------------------------------------------|
| Lifetime Finish PVD coating <u>Limited Lifetime Mechanical</u> | Optional Lifetime Finish when <u>ordered from factory with PVD</u> |
| Series: 6600, 6800 Exterior side 2100 Series Exterior side | Series: (640, 371, 671) Exterior side |

FOLLOWING WARRANTIES WERE IN EFFECT JAN. 1, 2002 - JAN. 31, 2005

| | |
|---------------------------------------------------------------|------------------------------------------------------|
| Limited Lifetime Mechanical <u>Limited Lifetime Finish</u> | Limited Lifetime Mechanical <u>10 Year Finish</u> |
| 700 Series Knobs & Levers | 400 Series Knobs & Levers* |
| 600 Series Knobs & Levers | 300 Series Deadbolts* |
| 2100 Series Entry Handles | 300, 1500 Entry Handles* |
| 600 Series Deadbolts Molten Bronze | |

* PVD Product is Limited Lifetime Finish

For warranties in effect subsequent to December 31, 2005 please see individual collections' stated warranties.

THESE WARRANTIES ARE EXPRESSLY IN LIEU OF ALL OTHER EXPRESS WARRANTIES. IMPLIED WARRANTIES SHALL BE LIMITED TO THE DURATION OF THE WARRANTY PERIOD OF THESE EXPRESS WARRANTIES. WESLOCK® SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OR FOR REPAIRS BY THIRD PARTIES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATIONS OF INCIDENTAL OR CONSEQUENTIAL DAMAGES SO THE ABOVE LIMITATIONS OR EXCLUSION MAY NOT APPLY.

THESE WARRANTIES GIVE YOU SPECIAL RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE .

14. PATENT INDEMNITY

The sale of products by the Company does not convey any license, by implication, estoppel or otherwise, under patents covering the products alone or in combination with other devices or elements, in the event that any legal proceeding is brought against Customer claiming that the goods infringe a United States patent of a third party, the Company may agree to defend at its own expense that portion of such legal proceeding which relates to such claim and to pay any damages or costs awarded by a court on such claim against Customer, provided:

- Customer gives the Company prompt written notice of any such claim and the institution of such proceeding;
- Customer gives the Company all necessary authority, information, cooperation, and reasonable assistance to enable the Company, at its option, to compromise, settle or defend such legal proceeding;
- Customer shall not, without prior written consent of the Company, compromise any such claim or deal with the claimant in any manner with respect to such claim.

THE COMPANY SHALL HAVE NO LIABILITY TO INDEMNIFY CUSTOMER FOR ANY INFRINGEMENT ARISING FROM:

- The combination of the goods with any other product, part, device or element not furnished by the Company to Customer if the infringement would not have occurred from the use of the goods alone;
- A modification of the goods made at the request of Customer; or
- The furnishing to Customer of any information, date, assistance, maintenance or operation handbooks supplied with the goods.

THE COMPANY SHALL NOT BE LIABLE FOR ANY COSTS OR EXPENSES INCURRED WITHOUT THE COMPANY'S WRITTEN AUTHORIZATION.

THE FOREGOING IS STATED IN LIEU OF ANY OTHER EXPRESS, IMPLIED OR STATUTORY WARRANTIES WITH RESPECT TO ANY ALLEGED PATENT INFRINGEMENT AND SHALL BE THE SOLE AND EXCLUSIVE REMEDY OF CUSTOMER FOR PATENT INFRINGEMENT OF ANY KIND.

15. DEFAULT

If Customer is in default under any order or contract with the Company or any of our affiliated divisions or companies, or if at any time the Company shall not be satisfied with Customer's financial condition or responsibility, the Company shall have the right, without prejudice to any other legal remedy, to suspend further deliveries until such default or condition is remedied.

16. ASSIGNMENT

Customer shall not assign its orders nor any of its rights or obligations thereunder without the prior written consent of the Company.

17. APPLICABLE LAW

These Terms and Conditions of Sale and any transaction pursuant hereto between the Company and Customer shall be construed in accordance with the laws of the State of Oklahoma.

18. WAIVER AND MODIFICATION

No waiver or modification of any of these Terms and Conditions of sale shall be effective unless such waive or modification is in writing and signed by an authorized representative of the Company.

19. SEVERABILITY

If any of these Terms and Conditions of Sale are declared to be void or unenforceable for any reason, the remaining Terms and Conditions of Sale shall be unaffected and remain valid for all purposes.

20. BROKEN CASE CHARGE

There will be a 10% upcharge for all order quantities of less than full case, except for crossfunction keyed products.

21. INCOMPLETE LOCKSETS

Locksets ordered less component parts are billed at full price (Does not apply to bulk pack product)

22. MINIMUM ANNUAL SALES VOLUME REQUIREMENTS

The Company reserves the right to discontinue direct sales to any Customer who does not meet the minimum annual sales volume requirements during each Calendar Year. That requirement currently is \$30,000. The minimum annual sales volume requirement is determined on the basis of accepted, non-canceled customer orders during each applicable Calendar Year. This requirement is necessary because our bookkeeping, catalog, and sales support and service costs to keep accounts open in most cases may run over any significant profit which might be realized on any sales volume below this level. The Company reserves the right to change any or all minimum annual sale volume requirements from time to time. It is also agreed and understood that the attainment of the minimum annual sales volume requirement is but one of the Company's requirements to continue as a direct customer of the Company and that we may terminate direct sales to any Customer in accordance with any agreements between the Company and the Customer or for failure to meet the Company's requirements as determined by the Company in its sole judgment.

23. MISCELLANEOUS

- Orders not specified with keying requirements in Molten Bronze, Elegance and Traditionale Collection will be shipped Keyed Differently (KD) for entry handles and shipped Keyed Alike (3) for all other products.
- Orders not specified with keying requirements in Premiere Essentials and Transitional Collections will be shipped Keyed Differently (KD) for entry handles and shipped Keyed Alike (2) for all other products.
- WESLOCK® reserves the right to revise or modify products, product information or pricing without notice.
- Product specifications and prices reflect available information at the printing of this price list.
- WESLOCK® is not responsible for typographical or printing errors.


24. BACK CHARGES

We are not responsible for unauthorized back charges and will not accept any charges for labor or material incurred by anyone other than Weslock® for any installation repair, service or replacement unless prior written approval has been given.

HOW TO DETERMINE HAND OF DOOR


LEFT HAND DOOR

1. Stand outside room.
2. Face Door.
3. Hinges on left side.



RIGHT HAND DOOR


1. Stand outside room.
2. Face Door.
3. Hinges on right side.



Weslock's® computer program requires assigning a unique 13 digit part number to each specific item being ordered. Each of the 13 digit positions describes the specific attributes of the product. The information provided by each digit's position is illustrated as follows:

HOW TO READ A LOCK ORDER

(How to read a 13 digit part number.)



HOW TO WRITE A LOCK ORDER

(The following ordering example shows the 13 digit product code as it will appear on all acknowledgments.)

| POSITION | 1 | 2-5 | 6 | 7 | 8 | 9 | 10-11 | 12 | 13 |
|-------------------------------------------------------------------------------------------------------------|---------|---------|-----------------|-------------|-----------------|-------------|-------------------|------------|-------------|
| QUANTITY | HANDING | MODEL # | EXT. KNOB STYLE | EXT. FINISH | INT. KNOB STYLE | INT. FINISH | LATCH/STRIKE CODE | PACK CODE* | KEYING CODE |
| ENTRY HANDLE | | | | | | | | | |
| Example: 2810 Series Entry Handle in Satin Nickel with Interior Hudson Knob, Keyed Different | | | | | | | | | |
| 4 | 0 | 2810 | - | N | G | N | FR | 2 | D |
| DEADBOLT | | | | | | | | | |
| Example: Builder Box 300 Series Double Cylinder Deadbolt in Antique Brass, Keyed Different and Master Keyed | | | | | | | | | |
| 30 | 0 | 0471 | - | A | - | A | SL | 2 | KD/MK |
| KEYLOCK | | | | | | | | | |
| Example: Builder Box Impresa Keylock in Oil-Rubbed Bronze with Drive-in Latches, Keyed Alike in sets of 3 | | | | | | | | | |
| 30 | 0 | 0640 | I | 1 | I | 1 | DI | 2 | KA3 |
| Example: Builder Box Right Handed Bordeáu Keylock in Black with adjustable latch. Keyed Alike in sets of 2 | | | | | | | | | |
| 12 | R | 0640 | U | 2 | U | 2 | SL | 2 | KA2 |
| PASSAGE/PRIVACY | | | | | | | | | |
| Example: Builder Box Bordeáu Passage Lever in Brass | | | | | | | | | |
| 12 | 0 | 0600 | U | 3 | U | 3 | SL | 2 | 0 |
| Example: Builder Box Julienne Privacy in Satin Nickel | | | | | | | | | |
| 30 | 0 | 0610 | J | N | J | N | SL | 2 | 0 |
| DUMMY | | | | | | | | | |
| Example: Builder Box Impresa Dummy Knob in Bright Chrome | | | | | | | | | |
| 30 | 0 | 0605 | I | A | - | - | 00 | 2 | 0 |
| Example: Builder Box Impresa Dummy Passage Set in Satin Chrome | | | | | | | | | |
| 30 | 0 | 0606 | I | N | I | N | 00 | 2 | 0 |

*NOTE: Builder Box Pack Code "2".

KEYING TERMS

| | |
|-----|-----------------------------------|
| KD | Keyed Different |
| KA | Keyed Alike |
| KA2 | Keyed Alike (2 Locks) |
| KA3 | Keyed Alike (3 Locks) |
| KA6 | Keyed Alike (6 Locks) |
| MK | Master Keyed |
| GM | Grand Master Keyed |
| KTP | Keyed to Pass |
| OG | Owner-Guard (construction keying) |
| BK | Owner-Guard (Master Key System) |
| HG | Home-Guard (construction keying) |
| KO | Knockout Key |

TYPES OF KEYING

STANDARD KEYING

All locksets, deadbolts and entry handles come with 2 keys per lockset and will be keyed alike in any quantity. Specify KA2 (2 locks alike) - KA5 (5 locks alike)

EXAMPLE: 640 IMP AB X AB KA5 (five (5) locks would be keyed alike)

MASTER KEYING

Frequently it becomes necessary to provide a group of locks, each having a different and non-interchangeable key, but all having in common one master key capable of operating each of the locks in the group. This arrangement is most often used in rental units such as apartment or office buildings.

EXAMPLE: 640 IMP AB X AB KD MK (all locks would be keyed differently - all operable by one master key)

Often, single family housing tracts require groups of locks keyed alike, but having only one (such as the front door lock) master keyed.

EXAMPLE: 640 IMP AB X AB KA3 1MK (three (3) locks would be keyed alike - only one operable by master key)

GRAND MASTER KEYING

On occasion, it becomes necessary to provide more than one group of locks each having a different and non-interchangeable key, each group having in common one master key capable of operating each of the locks in the group plus a grand master key capable of operating every lock in each group.

EXAMPLE: 640 IMP AB X AB KA3 3MK 3GM (three (3) locks would be keyed alike - three (3) locks would be master keyed to be operable by the group and grand master keys)

EXAMPLE: 640 IMP AB X AB KA3 1MK 1GM (three (3) locks would be keyed alike - only one of the three would be master keyed to be operable by the group and grand master keys)

HOME-GUARD™ KEYING

SEE ILLUSTRATION (this page)

EXAMPLE: 640 IMP AB X AB KA3 3MK 3HG (three (3) locks would be keyed alike - three (3) locks would be operable by the builder master key until disabled by the tenant or owner key)

OWNER-GUARD™ KEYING

SEE ILLUSTRATION (this page)

EXAMPLE: 640 IMP AB X AB KA3 3MK 3OG (three (3) locks would be keyed alike - all locks would be operable by the builder master key until disabled by the knock-out key - master key continues to operate all locks after builder master has been disabled)

KEYED TO PASS KEYING

This type of keying is usually used in keylocks for doors which are common to a particular building or complex, i.e. utility rooms, recreation rooms, laundry rooms, swimming pool gates, in which all different and non-interchangeable tenant keys must operate the keyed to pass lock.


EXAMPLE: 640 IMP AB X AB MK KTP (this lock would be keyed such that every tenant key and the master would operate this common lock)

HOME-GUARD™

The Home-Guard (HG) version normally uses two (2) keys, a BUILDER KEY, for use during construction and a TENANT OR OWNER KEY which automatically disables (knocks out) the builder key the first time it is used. For maximum control of the tenant key, it is supplied in a sealed envelope since the builder key is used during installation.

This version is not normally master-keyed, but may be if desired.

HERE'S HOW THE HOME-GUARD WORKS:




OWNER-GUARD™

The Owner-Guard (OG) version normally uses four (4) keys, a BUILDER KEY, for use during construction, a MASTER KEY, which works during, as well as after construction, a TENANT KEY, which does not disable the builder key, and a separate KNOCKOUT KEY, that does disable the builder key and will not work thereafter.


A special feature of the new construction-key system is that a customer can inter-mix the two versions (HG & OG) since they can be keyed to use the same builder key (and same master key, if desired).

HERE'S HOW THE OWNER-GUARD WORKS:




WHEN ORDERING HOME-GUARD AND OWNER-GUARD LOCKS FOR PRE-EXISTING OR ON-GOING SYSTEMS, YOU ARE REQUIRED TO ORDER HG, OG AND KO KEYS SEPARATELY.


HOW TO REMOVE A WESLOCK® CYLINDER AND CHANGE THE HAND OF DOOR




1
To remove outside knob/lever, remove spring clip with screwdriver (if necessary).




2
Turn knob to the extreme left and remove.




3
Insert and turn key 180°, withdraw cylinder, turn key 180° again, and withdraw key.




4
Remove screw and tailpiece.




5
Turn tailpiece 180° and re-insert. Adjust screw tension to insure free rotation of plug.



6
Insert key, turn 180°. Put cylinder in knob, tailpiece OPPOSITE the spindle. Turn key 180° and withdraw.



7
Insert knob with cylinder into housing. Turn to the extreme left and PUSH until knob is seated and rotates in normal position. Push button, locking assembly.



8
Reinsert spring clip if necessary. Lock is now ready for installation.

* Does not apply to the Premiere Essentials® or Transitional collections of Products

KEYING CHARGES

| DESCRIPTION | KEYING CODES | LIST PRICE |
|---------------------------------------------------|--------------|------------|
| Keyed Alike | A | Included |
| Keyed Different | D | Included |
| Master Keying charge per lock | M | \$5.50 |
| Grand Master Keying charge per lock | G | \$7.50 |
| Keying to Pass charge per lock | KTP | \$10.00 |
| Home Guard charge per lock | HG | \$6.00 |
| Owner Guard charge per lock (includes Master Key) | BK | \$6.50 |
| Owner Guard charge per lock | OG | \$6.00 |

The above keying charges are added to the list price(s) of Keyed Lockset(s) when the corresponding special keying is requested.

PRODUCT FINISH CODES

| FINISHES | U.S. | BMA | WESLOCK |
|-------------------------------|------|------|---------|
| Polished Brass | 3 | 605 | 3 |
| Lifetime Polished Brass (PVD) | L03 | 605E | B |
| Antique Brass | 5 | 609 | A |
| Bright Chrome | 26 | 625 | 6 |
| Satin Nickel | 15 | 619 | N |
| Oil Rubbed Bronze | 10B | 613 | 1 |
| Matte Black | 19 | 622 | 2 |
| Satin Brass | 4 | 606 | 4 |





GENERAL INFORMATION

PRODUCT DESCRIPTION CODES 2

COLLECTION PRICING & SPECIFICATIONS

ENTRY HANDLES 3-5

DEADBOLTS 6

Limited Lifetime Mechanical Warranty • Limited One Year Finish Warranty

[THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION
CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.]

**HANDING
POSITION 1**

Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (0) when handing is not required.

**MODEL NUMBERS
POSITIONS 2,3,4,5**

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (0) in position 2.

- Deadbolts: See model numbers on page 6
- Handlesets: See model numbers on pages 3, 4 & 5

**EXTERIOR & INTERIOR KNOB & LEVER DESIGNS
POSITIONS 6 & 8**

| KNOBBS | | CODE |
|---------|-------------------------------------------------------------------------------------|------|
| Wexford |  | F |
| Durham |  | M |
| LEVERS | | CODE |
| Carlow |  | H |
| Boulder |  | C |

**EXTERIOR & INTERIOR FINISH CODES
POSITIONS 7 & 9**

| FINISHES | U.S. | BMA | WESLOCK |
|-------------------|------|-----|---------|
| Oil Rubbed Bronze | 10B | 613 | 1 |
| Black | 19 | 622 | 2 |

**LATCH CODES
POSITIONS 10 & 11**

| CODE | LATCH |
|------|------------------------------------------------------------------------|
| SL | 2-3/8" or 2-3/4", Adjustable Latch Square & Radius Faceplate |
| DI | 2-3/8" or 2-3/4", Adjustable Drive-in Latch Square & Radius Faceplates |

**PACKAGING CODES
POSITION 12**

| PACKAGING TYPES | CODE |
|---------------------------------------|------|
| Box Pack w/ Phillips Head Wood Screws | 2 |

**KEYING CODES
POSITION 13**

| KEYING TYPES | CODE |
|---------------------------------------------------|------|
| Keyed Alike | A |
| Keyed Different | D |
| Master Keying charge per lock | M |
| Grand Master Keying charge per lock | G |
| Keying to Pass charge per lock | KTP |
| Home Guard charge per lock | HG |
| Owner Guard charge per lock (includes Master Key) | BK |
| Owner Guard charge per lock | OG |
| No Cylinder (zero) | 0 |





CASTLETOWN INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|
| ^R/L | 7625 | Single Cylinder Handleset | Box | 37 | 4 | 498.00 | 498.00 |
| ^R/L | 7615 | Dummy Handleset | Box | 37 | 4 | 498.00 | 498.00 |

Available with Wexford or Durham knobs and Carlow lever.

^Handing required when using Carlow lever.



STONEBRIAR INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|
| ^R/L | 7631 | Single Cylinder Handleset | Box | 42 | 4 | 537.00 | 537.00 |
| ^R/L | 7635 | Dummy Handleset | Box | 42 | 4 | 537.00 | 537.00 |

Available with Wexford or Durham knobs and Carlow lever.

^Handing required when using Carlow lever.



WILTSHIRE INTERIOR TRIM INCLUDED


| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|
| ^R/L | 7680 | Single Cylinder Handleset | Box | 48 | 4 | 576.00 | 576.00 |
| ^R/L | 7685 | Dummy Handleset | Box | 48 | 4 | 576.00 | 576.00 |

Available with Wexford or Durham knobs and Carlow lever.

^Handing required when using Carlow lever.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------|-----------------------------------|---------------------------------------------------------|----------------------------------|----------------------------------------|----------|-----------------------------------------------------------|-----|------------------|-----|---------------------|--------|-----------|-------------|-----------------|---------|--------------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Handlesets | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square | 2-1/4" full lip, Radius & Square | 1" x 2-1/4", Removable Radius & Square | Drive-in | Specify handing on all interior trims with handed levers. | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | | A | B | C | D | E |
|------------|----------|--------|---------|--------------|---------|--------|
| Castletown | Exterior | 2-3/4" | *5-1/2" | 8-3/4" - 10" | 18-1/2" | 2-3/4" |
| | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| Stonebriar | Exterior | 2-3/4" | 5-1/2" | 8-3/4" - 10" | 18-1/2" | 2-3/4" |
| | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| Wiltshire | Exterior | 2-3/4" | 5-1/2" | 8-3/4" - 10" | 19-1/4" | 2-3/4" |
| | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |

*5-1/4" minimum

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



ASPEN INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|
| - | 7925 | Single Cylinder Handleset | Box | 39 | 4 | 498.00 | 498.00 |
| - | 7915 | Dummy Handleset | Box | 39 | 4 | 498.00 | 498.00 |

Available with Wexford or Durham knobs and Boulder lever.



GREYSTONE INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|
| - | 7931 | Single Cylinder Handleset | Box | 45 | 4 | 537.00 | 537.00 |
| - | 7935 | Dummy Handleset | Box | 45 | 4 | 537.00 | 537.00 |

Available with Wexford or Durham knobs and Boulder lever.




ROCKFORD INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|
| - | 7980 | Single Cylinder Handleset | Box | 51 | 4 | 576.00 | 576.00 |
| - | 7985 | Dummy Handleset | Box | 51 | 4 | 576.00 | 576.00 |

Available with Wexford or Durham knobs and Boulder lever.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------|-----------------------------------|---------------------------------------------------------|----------------------------------|----------------------------------------|----------|--------------|-----|------------------|-----|---------------------|--------|-----------|-------------|-----------------|---------|--------------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Handlesets | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square | 2-1/4" full lip, Radius & Square | 1" x 2-1/4", Removable Radius & Square | Drive-in | Reversible | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | | A | B | C | D | E |
|-----------|----------|--------|---------|--------------|---------|--------|
| Aspen | Exterior | 2-3/4" | *5-1/2" | 8-3/4" - 10" | 18-1/2" | 2-3/4" |
| Greystone | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 2-3/4" | 5-1/2" | 8-3/4" - 10" | 18-1/2" | 2-3/4" |
| Rockford | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 2-3/4" | 5-1/2" | 8-3/4" - 10" | 19" | 2-3/4" |

*5-1/4" minimum

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



TRAMORE INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|-----------------------------------|------|---------|----------|--------|--------|
| - | 7641 | Single Cylinder Deadbolt Passage | Box | 23 | 4 | 353.00 | 353.00 |
| - | 7645 | Dummy Handleset (all parts rigid) | Box | 23 | 4 | 353.00 | 353.00 |

Available with Wexford or Durham knobs and Carlow or Boulder levers.




BRAUGHTON INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|-----------------------------------|------|---------|----------|--------|--------|
| - | 7941 | Single Cylinder Deadbolt Passage | Box | 23 | 4 | 353.00 | 353.00 |
| - | 7945 | Dummy Handleset (all parts rigid) | Box | 23 | 4 | 353.00 | 353.00 |

Available with Wexford or Durham knobs and Carlow or Boulder levers.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------|-----------------------------------|---------------------------------------------------------|----------------------------------|----------------------------------------|----------|--------------|-----|------------------|-----|---------------------|--------|-----------|-------------|-----------------|---------|--------------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Handlesets | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square | 2-1/4" full lip, Radius & Square | 1" x 2-1/4", Removable Radius & Square | Drive-in | Reversible | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | | A | B | C | D | E |
|-----------|----------|--------|--------|---|---------|--------|
| Tramore | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 2-3/4" | 5-1/2" | - | 10-1/4" | 2-3/4" |
| Braughton | Interior | 2-1/2" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 2-1/2" | 5-1/2" | - | 10-1/4" | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



PREMIERE DEADBOLT

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|-----------------|------|---------|----------|--------|--------|
| - | 7571 | Single Cylinder | Box | 36 | 18 | 126.00 | 126.00 |



SQUARE DEADBOLT

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 1 | 2 |
|---------|---------|-----------------|------|---------|----------|--------|--------|
| - | 7971 | Single Cylinder | Box | 37 | 18 | 126.00 | 126.00 |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------|-----------------------------------|------------------------------|--------|----------------------------------------|----------|--------------|-----------------------------------------|------|------------------|---------------------|------------------|-----------|----------------|-----------------|---------|-----------------------------|----------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | |
| Deadbolts | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 1" x 2-1/4", Radius & Square | | 1" x 2-1/4", Removable Radius & Square | | Drive-in | Reversible for right or left-hand doors | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" |



| MODEL | | | A | B | C | D | E |
|----------|----------------------|----------|--------|---|---|----|--------|
| PREMIERE | 7571 Single Cylinder | Interior | 1-3/4" | - | - | 4" | 2-3/4" |
| | | Exterior | 3/4" | - | - | 4" | 2-3/4" |
| SQUARE | 7971 Single Cylinder | Interior | 1-3/4" | - | - | 4" | 2-3/4" |
| | | Exterior | 3/4" | - | - | 4" | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



GENERAL INFORMATION

| | |
|---------------------------|---|
| PRODUCT DESCRIPTION CODES | 2 |
|---------------------------|---|

COLLECTION PRICING & SPECIFICATIONS

| | |
|---------------|-----|
| ENTRY HANDLES | 3-4 |
| KNOBS | 5 |
| LEVERS | 6 |
| DEADBOLTS | 7 |

Limited Lifetime Mechanical Warranty • Limited Lifetime Finish Warranty

[THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION
CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.]

**HANDING
POSITION 1**







Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (0) when handing is not required.

**MODEL NUMBERS
POSITIONS 2,3,4,5**

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (0) in position 2.

- Knobsets / Leversets: See model numbers on pages 6 & 7
- Deadbolts: See model numbers on page 8
- Handlesets: See model numbers on pages 3, 4 & 5

**EXTERIOR & INTERIOR KNOB & LEVER DESIGNS
POSITIONS 6 & 8**

| KNOBBS | | CODE |
|-----------|-------------------------------------------------------------------------------------|------|
| Impresa |  | I |
| Julienne |  | J |
| Mesa |  | 4 |
| LEVERS | | CODE |
| Bordeáu |  | U |
| Philtower |  | 7 |
| Utica |  | 3 |

**EXTERIOR & INTERIOR FINISH CODES
POSITIONS 7 & 9**

| FINISHES | U.S. | BMA | WESLOCK |
|-------------------|------|-----|---------|
| Satin Nickel | 15 | 619 | N |
| Oil Rubbed Bronze | 10B | 613 | 1 |
| Matte Black | 19 | 622 | 2 |

**LATCH CODES
POSITIONS 10 & 11**

| CODE | LATCH |
|------|------------------------------------------------------------------------|
| SL | 2-3/8" or 2-3/4", Adjustable Latch Square & Radius Faceplate |
| DI | 2-3/8" or 2-3/4", Adjustable Drive-in Latch Square & Radius Faceplates |

**PACKAGING CODES
POSITION 12**

| PACKAGING TYPES | CODE |
|---------------------------------------|------|
| Box Pack w/ Phillips Head Wood Screws | 2 |

**KEYING CODES
POSITION 13**

| KEYING TYPES | CODE |
|---------------------------------------------------|------|
| Keyed Alike | A |
| Keyed Different | D |
| Master Keying charge per lock | M |
| Grand Master Keying charge per lock | G |
| Keying to Pass charge per lock | KTP |
| Home Guard charge per lock | HG |
| Owner Guard charge per lock (includes Master Key) | BK |
| Owner Guard charge per lock | OG |
| No Cylinder (zero) | 0 |





MANSION® INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|---|--------|
| ^R/L | 6651 | Single Cylinder Handleset | Box | 26 | 4 | 428.00 | - | 428.00 |
| ^R/L | 6655 | Dummy Handleset | Box | 26 | 4 | 428.00 | - | 428.00 |

Available with Impresa or Julienne knobs and Bordeáu lever.

^Handing required when using Bordeáu lever.



PHILBROOK INTERIOR TRIM INCLUDED


| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|--------|
| ^R/L | 6641 | Single Cylinder Handleset | Box | 28 | 4 | 472.00 | 472.00 | 472.00 |
| ^R/L | 6645 | Dummy Handleset | Box | 28 | 4 | 472.00 | 472.00 | 472.00 |

Available with Impresa or Julienne knobs and Bordeáu lever.

^Handing required when using Bordeáu lever.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | | |
|------------------|----------------------|-----------------------------------|---------------------------------------------------------|----------------------------------|----------------------------------------|----------|-----------------------------------------------------------|-----|------------------|-----|---------------------|--------|-----------|----------------|-----------------|---------|------------------|------------------|--------|------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE | |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | | |
| Handlesets | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square | 2-1/4" full lip, Radius & Square | 1" x 2-1/4", Removable Radius & Square | Drive-in | Specify handing on all interior trims with handed levers. | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2-1/4" | N/A | Adjustable | 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | | A | B | C | D | E |
|-----------|----------|--------|--------|--------------|---------|--------|
| Mansion | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 3" | 5-1/2" | 8-3/4" - 10" | 18-1/2" | 2-3/4" |
| Philbrook | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 2-3/4" | 5-1/2" | 8-3/4" - 10" | 19-1/4" | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



WOODWARD™ INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|--------|
| - | 6681 | Single Cylinder Handleset | Box | 42 | 4 | 399.00 | 399.00 | 399.00 |
| - | 6685 | Dummy Handleset | Box | 42 | 4 | 399.00 | 399.00 | 399.00 |

Available with Impresa, Julienne, or Mesa knobs and Philtower or Utica levers.



BELMONT INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|--------|--------|
| - | 6691 | Single Cylinder Handleset | Box | 46 | 4 | 499.00 | 499.00 | 499.00 |
| - | 6695 | Dummy Handleset | Box | 46 | 4 | 499.00 | 499.00 | 499.00 |

Available with Impresa, Julienne, or Mesa knobs and Philtower or Utica levers.




ATTEBERRY INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|----------------------------------|------|---------|----------|--------|--------|--------|
| - | 6671 | Single Cylinder Deadbolt Passage | Box | 23 | 4 | 349.00 | 349.00 | 349.00 |
| - | 6675 | Dummy Handle (all parts rigid) | Box | 23 | 4 | 349.00 | 349.00 | 349.00 |

Available with Impresa, Julienne, or Mesa knobs and Philtower or Utica levers.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|----------------------------------|----------------------|-----------------------------------|---------------------------------------------------------|----------------------------------|----------------------------------------|----------|--------------|-----|------------------|-----|---------------------|--------|-----------|----------------|-----------------|---------|-----------------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Woodward, Belmont, and Atteberry | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square | 2-1/4" full lip, Radius & Square | 1" x 2-1/4", Removable Radius & Square | Drive-in | Reversible | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | | A | B | C | D | E |
|-----------|----------|--------|--------|--------------|---------|--------|
| Woodward | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 2-3/4" | 5-1/2" | 8-3/4" - 10" | 18-1/4" | 2-3/4" |
| Belmont | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 2-3/4" | 5-1/2" | 8-3/4" - 10" | 19" | 2-3/4" |
| Atteberry | Interior | 2-3/4" | 5-1/2" | - | 10-1/8" | 2-3/4" |
| | Exterior | 2-3/4" | 5-1/2" | - | 10-1/4" | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

IMPRESA™ KNOB (I)



| | HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|----------|---------|---------|-------------------------|------|---------|----------|--------|--------|--------|
| WOODWARD | - | 3700 | Passage (Hall & Closet) | Box | 24 | 18 | 117.50 | 117.50 | 117.50 |
| | - | 3705 | Dummy Knob | Box | 13 | 18 | 77.50 | 77.50 | 77.50 |
| | - | 3710 | Privacy (Bed & Bath) | Box | 25 | 18 | 117.50 | 117.50 | 117.50 |
| | - | 3740 | Keylock (Keyed Entry) | Box | 45 | 18 | 142.50 | 142.50 | 142.50 |


MESA KNOB (4)



| | HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|----------|---------|---------|-------------------------|------|---------|----------|--------|--------|--------|
| WOODWARD | - | 3700 | Passage (Hall & Closet) | Box | 43 | 18 | 117.50 | 117.50 | 117.50 |
| | - | 3705 | Dummy Knob | Box | 26 | 18 | 77.50 | 77.50 | 77.50 |
| | - | 3710 | Privacy (Bed & Bath) | Box | 44 | 18 | 117.50 | 117.50 | 117.50 |
| | - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|------------------|----------------------|-----------------------------------|----------------------------------|--------|----------------------------------------|----------|-----------------------------------------|-----|------------------|-----|---------------------|--------|-------------|-----------------|----------|-----------------------------|------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Knobs | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip, Radius & Square | | 1" x 2-1/4", Removable Radius & Square | Drive-in | Reversible for right or left-hand doors | N/A | A 156.2 Grade II | N/A | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" | | |



| MODEL | A | B | C | D | E |
|---------|----------|---|---|----|--------|
| Impresa | 2-3/4" | - | - | 5" | 2-3/4" |
| Mesa | 2-11/16" | - | - | 5" | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

PHILTOWER NON-HANDED LEVERSETS (7)



| | HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|----------|---------|---------|-------------------------|------|---------|----------|--------|--------|--------|
| WOODWARD | - | 3700 | Passage (Hall & Closet) | Box | 34 | 12 | 117.50 | 117.50 | 117.50 |
| | - | 3705 | Dummy Lever | Box | 20 | 18 | 77.50 | 77.50 | 77.50 |
| | - | 3710 | Privacy (Bed & Bath) | Box | 35 | 12 | 117.50 | 117.50 | 117.50 |
| | - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - |


UTICA NON-HANDED LEVERSETS (3)



| | HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|----------|---------|---------|-------------------------|------|---------|----------|--------|--------|--------|
| WOODWARD | - | 3700 | Passage (Hall & Closet) | Box | 35 | 12 | 117.50 | 117.50 | 117.50 |
| | - | 3705 | Dummy Lever | Box | 20 | 18 | 77.50 | 77.50 | 77.50 |
| | - | 3710 | Privacy (Bed & Bath) | Box | 36 | 12 | 117.50 | 117.50 | 117.50 |
| | - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|------------------|----------|----------|----------------------------------|--------|----------------------------------------|----------|-----------------------------------------|-----|------------------|-----|---------------------|--------|-------------|-----------------|----------|-----------------------------|------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Lever | N/A | N/A | 2-1/4" full lip, Radius & Square | | 1" x 2-1/4", Removable Radius & Square | Drive-in | Reversible for right or left-hand doors | Yes | A 156.2 Grade II | N/A | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" | | |



| MODEL | A | B | C | D | E |
|-----------|----------|---|---|----|--------|
| Philtower | 2-11/16" | - | - | 5" | 2-3/4" |
| Utica | 2-5/16" | - | - | 5" | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

WOODWARD™ DEADBOLT



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-----------------|------|---------|----------|--------|--------|--------|
| - | 3771 | Single Cylinder | Box | 34 | 18 | 112.50 | 112.50 | 112.50 |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|------------------|----------------------|-----------------------------------|------------------------------|--------|----------------------------------------|----------|--------------|-----------------------------------------|------|------------------|---------------------|--------|-----------|----------------|-------------|-----------------|------------------|-----------------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Deadbolts | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 1" x 2-1/4", Radius & Square | | 1" x 2-1/4", Removable Radius & Square | | Drive-in | Reversible for right or left-hand doors | N/A | A 156.2 Grade II | N/A | 2-1/8" | | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" |



| MODEL | | A | B | C | D | E | |
|----------|----------------------|----------|--------|---|---|--------|--------|
| Woodward | 3771 Single Cylinder | Interior | 1-3/4" | - | - | 3-7/8" | 2-3/4" |
| | | Exterior | 7/8" | - | - | 3-7/8" | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



GENERAL INFORMATION

PRODUCT DESCRIPTION CODES 2

COLLECTION PRICING & SPECIFICATIONS

ENTRY HANDLES 3

KNOBS 4

LEVERS 5

DEADBOLTS 6

Limited Lifetime Mechanical Warranty • Limited Lifetime Finish Warranty

[THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION
CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.]

**HANDING
POSITION 1**





Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (0) when handing is not required.

**MODEL NUMBERS
POSITIONS 2,3,4,5**

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (0) in position 2.

- Knobsets / Leversets: See model numbers on pages 4 & 5
- Deadbolts: See model numbers on page 7
- Handlesets: See model numbers on page 3

**EXTERIOR & INTERIOR KNOB & LEVER DESIGNS
POSITIONS 6 & 8**

| KNOB | | CODE |
|----------|-------------------------------------------------------------------------------------|------|
| Eleganti |  | E |
| Impresa |  | I |
| Julienne |  | J |
| LEVERS | | CODE |
| Bordeáu |  | U |

**EXTERIOR & INTERIOR FINISH CODES
POSITIONS 7 & 9**

| FINISHES | U.S. | BMA | WESLOCK |
|-------------------------------|------|------|---------|
| Polished Brass | 3 | 605 | 3 |
| Lifetime Polished Brass (PVD) | L03 | 605E | B |
| Antique Brass | 5 | 609 | A |
| Satin Nickel | 15 | 619 | N |
| Oil Rubbed Bronze | 10B | 613 | 1 |
| Matte Black | 19 | 622 | 2 |

**LATCH CODES - STANDARD
POSITIONS 10 & 11**

| CODE | LATCH |
|------|-----------------------------------------------------------------------|
| SL | 2-3/8" or 2-3/4" Adjustable Latch Square & Radius Faceplates |
| DI | 2-3/8" or 2-3/4" Adjustable Drive-in Latch Square & Radius Faceplates |

**PACKAGING CODES
POSITION 12**

| PACKAGING TYPES | CODE |
|---------------------------------------|------|
| Box Pack w/ Phillips Head Wood Screws | 2 |

**KEYING CODES
POSITION 13**

| KEYING TYPES | CODE |
|---------------------------------------------------|------|
| Keyed Alike | A |
| Keyed Different | D |
| Master Keying charge per lock | M |
| Grand Master Keying charge per lock | G |
| Keying to Pass charge per lock | KTP |
| Home Guard charge per lock | HG |
| Owner Guard charge per lock (includes Master Key) | BK |
| Owner Guard charge per lock | OG |
| No Cylinder (zero) | 0 |



LEXINGTON™ 2100 SERIES INTERIOR TRIM INCLUDED




| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | *3 (B) | 3 | A | N | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|---|--------|--------|--------|--------|
| ^R/L | 2115 | Single Cylinder Handleset | Box | 28 | 4 | 381.70 | - | 352.50 | 381.70 | 381.70 | 381.70 |
| ^R/L | 2105 | Dummy Handleset | Box | 28 | 4 | 381.70 | - | 352.50 | 381.70 | 381.70 | 381.70 |

Available with Impresa or Eleganti knobs and Bordeáu lever.

^Handing required when using Bordeáu lever.
*PVD only on exterior.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|---------------------------|----------------------|-----------------------------------|---------------------------------------------------------|----------------------------------|----------------------------------------|----------|-----------------------------------------------------------|-----|------------------|-----|---------------------|--------|-----------|-------------|----------------|-------------|-----------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | Edge Bore | Latch Face | Standard | Special | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| 2100 Series Entry Handles | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square | 2-1/4" full lip, Radius & Square | 1" x 2-1/4", Removable Radius & Square | Drive-in | Specify handing on all interior trims with handed levers. | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2" | 2" - 2-1/4" | Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | A | B | C | D | E |
|----------------|--------|--------|--------|-----|--------|
| 2100 Lexington | 2-7/8" | 5-1/2" | 9-1/4" | 18" | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

ELEGANTI™ KNOB (E)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 3 (B) | 3 | A | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|-------|---|-------|---|---|---|
| - | 0600 | Passage (Hall & Closet) | Box | 37 | 30 | - | - | 52.40 | - | - | - |
| - | 0605 | Dummy Knob | Box | 11 | 30 | - | - | 23.00 | - | - | - |
| - | 0610 | Privacy (Bed & Bath) | Box | 40 | 30 | - | - | 55.70 | - | - | - |
| - | 0640 | Keylock (Keyed Entry) | Box | 46 | 30 | - | - | 83.40 | - | - | - |

IMPRESA™ KNOB (I)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | *3 (B) | 3 | A | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|--------|-------|-------|-------|-------|-------|
| - | 0600 | Passage (Hall & Closet) | Box | 37 | 30 | - | 38.80 | 43.00 | 45.30 | 45.30 | 45.30 |
| - | 0605 | Dummy Knob | Box | 11 | 30 | - | 16.80 | 18.50 | 19.80 | 19.80 | 19.80 |
| - | 0610 | Privacy (Bed & Bath) | Box | 40 | 30 | - | 42.80 | 46.90 | 50.00 | 50.00 | 50.00 |
| - | 0640 | Keylock (Keyed Entry) | Box | 46 | 30 | 70.80 | - | 70.80 | 75.20 | 75.20 | 75.20 |

*PVD only on exterior.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------|-----------------------------------|----------------------------------|--------|----------------------------------------|----------|--------------|-----------------------------------------|------|------------------|---------------------|--------|-----------|------------|----------------|-----------------|-----------------|-----------------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | Edge Bore | Latch Face | Standard | Special | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Knobs | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip, Radius & Square | | 1" x 2-1/4", Removable Radius & Square | | Drive-in | Reversible for right or left-hand doors | N/A | A 156.2 Grade II | NA | 2-1/8" | | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | 1-3/4" - 2-1/4" | Adjustable 2-3/8" or 2-3/4" | 1/2" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



| MODEL | A | B | C | D | E |
|----------|--------|---|---|---|--------|
| Eleganti | 2-1/8" | - | - | - | 2-1/2" |
| Impresa | 2-1/8" | - | - | - | 2-1/2" |

BORDEÁU™ LEVERSETS (U)

Specify Right or Left when ordering dummy and keylock functions



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | *3 (B) | 3 | A | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|--------|-------|--------|--------|--------|--------|
| - | 0600 | Passage (Hall & Closet) | Box | 47 | 12 | - | 65.00 | 68.70 | 72.90 | 72.90 | 72.90 |
| R/L | 0605 | Dummy Lever | Box | 17 | 30 | - | 30.80 | 33.00 | 36.70 | 36.70 | 36.70 |
| - | 0610 | Privacy (Bed & Bath) | Box | 50 | 12 | - | 69.70 | 73.30 | 78.70 | 78.70 | 78.70 |
| R/L | 0640 | Keylock (Keyed Entry) | Box | 24 | 12 | 114.30 | - | 111.80 | 114.30 | 114.30 | 114.30 |

*PVD only on exterior.

TRADITIONALE COLLECTION

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------|-----------------------------------|----------------------------------|--------|----------------------------------------|----------|--------------------------------------------------------------------------------------------------|--------------------------------|------------------|-----|---------------------|--------|-------------|-----------------|-----------------|-----------------------------|---------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | Edge Bore | Latch Face | Standard | Special | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Lever | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip, Radius & Square | | 1" x 2-1/4", Removable Radius & Square | Drive-in | Specify handing for Bordeáu levers, all other styles are reversible for right or left-hand doors | All Functions Meet Sec. 4.13.9 | A 156.2 Grade II | N/A | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | 1-3/4" - 2-1/4" | Adjustable 2-3/8" or 2-3/4" | 1/2" | | |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



| MODEL | A | B | C | D | E |
|-------------------------|--------|---|---|---|--------|
| Bordeáu Handed Leverset | 2-3/8" | - | - | - | 2-1/2" |



SINGLE CYLINDER DEADBOLTS

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | *3 (B) | 3 | A | N | 1 | 2 |
|---------|---------|-----------------|------|---------|----------|--------|---|-------|-------|-------|-------|
| - | 471 | Single Cylinder | Box | 42 | 30 | 69.70 | - | 69.70 | 75.50 | 75.50 | 75.50 |

*PVD only on exterior.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|------------------|----------------------|------------------------------------|------------------------------|--------|----------------------------------------|----------|-----------------------------------------|-----|------------------|-----------|---------------------|--------|-------------|-----------------|----------|-----------------------------|------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | Edge Bore | Latch Face | Standard | | Special | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Deadbolts | 5 Pin Weslock Keyway | 5 Pin Schlage C or *Kwikset Keyway | 1" x 2-1/4", Radius & Square | | 1" x 2-1/4", Removable Radius & Square | Drive-in | Reversible for right or left-hand doors | Yes | A 156.2 Grade II | 20 minute | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | NA | Adjustable 2-3/8" or 2-3/4" | 1" | | |

*Kwikset Keyway - Limited Availability



| MODEL | | A | B | C | D | E | |
|-------|-----------------|----------|------|---|---|---|--------|
| 471 | Single Cylinder | Interior | 7/8" | - | - | - | 2-3/4" |
| | Exterior | 7/8" | - | - | - | - | 2-3/4" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)





GENERAL INFORMATION

PRODUCT DESCRIPTION CODES 2

COLLECTION PRICING & SPECIFICATIONS

1400 SERIES ENTRY HANDLES 3

1500 SERIES UNIGARD 4

Limited Lifetime Mechanical Warranty • Limited Lifetime Finish Warranty

[THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION
CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.]

**HANDING
POSITION 1**





Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

**MODEL NUMBERS
POSITIONS 2,3,4,5**

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (o) in position 2.

- Handlesets: See model numbers on page 3 & 4

**EXTERIOR & INTERIOR KNOB & LEVER DESIGNS
POSITION 6 & 8**

| KNOB | | CODE |
|----------|-------------------------------------------------------------------------------------|------|
| Eleganti |  | E |
| Impresa |  | I |
| Julienne |  | J |
| LEVERS | | CODE |
| Bordeáu |  | U |

**EXTERIOR & INTERIOR FINISH CODES
POSITIONS 7 & 9**

| FINISHES | U.S. | BMA | WESLOCK |
|-------------------------------|------|------|---------|
| Polished Brass | 3 | 605 | 3 |
| Lifetime Polished Brass (PVD) | L03 | 605E | B |
| Antique Brass | 5 | 609 | A |
| Satin Nickel | 15 | 619 | N |
| Oil Rubbed Bronze | 10B | 613 | 1 |

**LATCH CODES - 1400 SERIES ENTRY HANDLES & 1501 UNIGARD®
POSITIONS 10 & 11**

| CODE | LATCH |
|------|--------------------------------------------------------------------|
| SL | 2-3/8" or 2-3/4", Adjustable Latches Square & Radius Faceplates |
| DI | 2-3/8" or 2-3/4", Adjustable Drive-in Latches No Faceplates |

**LATCH CODES - 1510 UNIGARD®
POSITIONS 10 & 11**

| CODE | LATCH |
|------|-------------------------------------------------------------|
| 38 | 2-3/8" Non-Adjustable Latches Square & Radius Faceplates |
| 34 | 2-3/4" Non-Adjustable Latches Square & Radius Faceplates |

**PACKAGING CODES
POSITION 12**

| PACKAGING TYPES | CODE |
|---------------------------------------|------|
| Box Pack w/ Phillips Head Wood Screws | 2 |

**KEYING CODES
POSITION 13**

| KEYING TYPES | CODE |
|------------------------------------------------------|------|
| Keyed Alike | A |
| Keyed Different | D |
| Master Keying charge per lock | M |
| Grand Master Keying charge per lock | G |
| Keying to Pass charge per lock | KTP |
| Home Guard charge per lock | HG |
| Owner Guard charge per lock (includes Master Key) | BK |
| Owner Guard charge per lock | OG |
| No Cylinder (zero) | 0 |



LEXINGTON™ 1400 SERIES INTERIOR TRIM INCLUDED



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | *3 (B) | 3 | A | D | 6 | N | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|--------|---|--------|---|---|--------|--------|---|
| ^R/L | 1441 | Single Cylinder Handleset | Box | 24 | 4 | 529.00 | - | 529.00 | - | - | 529.00 | 529.00 | - |
| ^R/L | 1445 | Dummy Handleset | Box | 24 | 4 | 529.00 | - | 529.00 | - | - | 529.00 | 529.00 | - |

Available with Impresa, Julienne or Eleganti knobs and Bordeáu lever.

^Handing required when using Bordeáu lever.

*PVD only on exterior.

REQUIRES 2-7/8" CENTER TO CENTER.
WILL NOT FIT 5-1/2" CENTER TO CENTER.

(Single-point locking & Interconnect)
Adjustable Foot Screw

COLONIAL™ 1400 SERIES INTERIOR TRIM INCLUDED



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 3 (B) | 3 | A | D | 6 | N | 1 | 2 |
|---------|---------|---------------------------|------|---------|----------|-------|---|--------|---|---|---|---|---|
| ^R/L | 1411 | Single Cylinder Handleset | Box | 25 | 4 | - | - | 529.00 | - | - | - | - | - |
| ^R/L | 1415 | Dummy Handleset | Box | 25 | 4 | - | - | 529.00 | - | - | - | - | - |

Available with Impresa or Eleganti knobs and Bordeáu lever.


^Handing required when using Bordeáu lever.

REQUIRES 2-7/8" CENTER TO CENTER.
WILL NOT FIT 5-1/2" CENTER TO CENTER.

(Single-point locking & Interconnect)
Adjustable Foot Screw

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|---------------------------|----------------------|------------------------|---------------------------------------------------------|----------------------------------|-----------------------------------------|----------|-----------------------------------------------------------|-----|------|-----|---------------------|--------|-----------|----------------|-----------------|---------|-----------------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | Edge Bore | Latch Face | Standard | | Special | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| 1400 Series Entry Handles | 5 Pin Weslock Keyway | 5 Pin Schlage C Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square | 2-1/4" Full Lip, Radius & Square | 1" x 2-1/4", Removable Radius or Square | Drive-in | Specify handing on all interior trims with handed levers. | N/A | N/A | N/A | 2-1/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | | A | B | C | D | E |
|----------------|----------|----------|--------|-----------------|-----------|--------|
| 1441 Lexington | Interior | 2-3/4" | 2-7/8" | - | 6" | 3-1/8" |
| | Exterior | 2-13/16" | 2-7/8" | 7-1/2" - 8-3/4" | 14-15/16" | 3-1/2" |
| 1411 Colonial | Interior | 2-3/4" | 2-7/8" | - | 6" | 3-1/8" |
| | Exterior | 2-1/2" | 2-7/8" | 7-1/2" - 8-3/4" | 14-7/16" | 3-1/8" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

UNIGARD® PREMIERE / INTERIOR TRIM INCLUDED




| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | *3 (B) | 3 | A | D | 6 | N | 1 | 2 |
|---------|---------|--------------------------------------------------------------------------------------------------------------------|------|---------|----------|--------|---|--------|---|---|--------|---|---|
| - | 1501 | Key operated exterior, interconnected interior w/ thumbturn upper & passage, panic-proof lower knob. (Springlatch) | Box | 21 | 4 | 378.00 | - | 378.00 | - | - | 378.00 | - | - |
| - | 1510 | With combined faceplate & ASA strikes (square only) | Box | 21 | 4 | 410.00 | - | 410.00 | - | - | 410.00 | - | - |

Available with Impresa, Julienne, or Eleganti knobs and Bordeau lever.

*PVD only on exterior.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------|-----------------------------------|----------------------------------------------------------|----------------------------------|-----------------------------------------|----------|--------------|-----|------|-----|---------------------|--------|-----------|-----------------|----------------|-------------|--------------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | Edge Bore | Latch Face | Standard | Special | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| 1501 Unigard | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip", Radius & Square | 2-1/4" Full Lip, Radius & Square | 1" x 2-1/4", Removable Radius or Square | Drive-in | Reversible | N/A | N/A | N/A | 2-1/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-1/2" - 2" | 2" - 2-1/4" | Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |
| 1510 Unigard | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 1-1/4" x 4-7/8", Square (ASA strike) | N/A | Combined 4-1/4" x 1-1/8" Square | N/A | Reversible | N/A | N/A | N/A | 2-1/8" | 2-1/8" | 1" | 1-1/8" x 4-1/4" | 1-1/2" - 2" | 2" - 2-1/4" | Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | | A | B | C | D | E | |
|----------|--------------|----------|--------|---------|---|--------|--------|
| PREMIERE | Unigard 1501 | Interior | 2-3/4" | 2-7/8" | - | 6" | 3-1/8" |
| | | Exterior | 2-5/8" | 2-7/8" | - | 8-1/8" | 3-1/2" |
| | Unigard 1510 | Interior | 2-3/4" | *2-7/8" | - | 6" | 3-1/8" |
| | | Exterior | 2-5/8" | *2-7/8" | - | 8-1/8" | 3-1/2" |

* EDGE BORE C X C IS 2-3/8"

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



GENERAL INFORMATION

| | |
|---------------------------|---|
| PRODUCT DESCRIPTION CODES | 2 |
|---------------------------|---|

COLLECTION PRICING & SPECIFICATIONS

| | |
|-----------------------|-----|
| ENTRY HANDLES | 3-4 |
| KNOBS | 5 |
| LEVERS | 6 |
| DEADBOLTS | 7 |
| KNOB/DEADBOLT COMBOS | 8 |
| LEVER/DEADBOLT COMBOS | 8 |

Limited Lifetime Mechanical Warranty • Limited Five Year Finish Warranty

[THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION
CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.]

HANDING POSITION 1

Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

MODEL NUMBERS POSITIONS 2,3,4,5

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (o) in position 2.

- Knobsets / Leversets: See model numbers on page 5 & 6
- Deadbolts: See model numbers on page 7
- Handlesets: See model numbers on page 3 & 4
- Combos: See model numbers on page 8

EXTERIOR & INTERIOR KNOB & LEVER DESIGNS POSITIONS 6 & 8

| KNOB | CODE |
|---------------------|------|
| Hudson | G |
| Salem | S |
| LEVERS (NON-HANDED) | CODE |
| New Haven | X |

EXTERIOR & INTERIOR FINISH CODES POSITIONS 7 & 9

| FINISHES | U.S. | BMA | WESLOCK |
|-------------------|------|-----|---------|
| Satin Nickel | 15 | 619 | N |
| Oil Rubbed Bronze | 10B | 613 | 1 |
| Matte Black | 19 | 622 | 2 |

LATCH CODES - STANDARD POSITIONS 10 & 11

| CODE | LATCH |
|------|------------------------------------------------------------------|
| FR | 2-3/8" or 2-3/4", Adjustable Latch Radius Faceplate |
| DI | 2-3/8" or 2-3/4", Adjustable Drive-in Latch (No Faceplate) |

PACKAGING CODES POSITION 12

| PACKAGING TYPES | CODE |
|--------------------------------------|------|
| Box Pack w/Phillips Head Wood Screws | 2 |

KEYING CODES POSITION 13

| KEYING TYPES | CODE |
|------------------------------------------------------|------|
| Keyed Alike | A |
| Keyed Different | D |
| Master Keying charge per lock | M |
| Grand Master Keying charge per lock | G |
| Keying to Pass charge per lock | KTP |
| Home Guard charge per lock | HG |
| Owner Guard charge per lock (includes Master Key) | BK |
| Owner Guard charge per lock | OG |
| No Cylinder (zero) | 0 |





HILLCREST INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 6 | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|---|--------|--------|--------|
| ^R/L | 2810 | Single Cylinder | Box | 17 | 4 | - | 174.50 | 184.60 | 184.60 |
| ^R/L | 2815 | Single Cylinder (Dummy) | Box | 17 | 4 | - | 174.50 | 184.60 | 184.60 |

Available with any knob and lever styles in Premiere Essentials Collection.

^Handing required when ordering a New Haven lever.



PARKSIDE INTERIOR TRIM INCLUDED


| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | 6 | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|---|--------|--------|---|
| ^R/L | 2820 | Single Cylinder | Box | 17 | 4 | - | 174.50 | 184.60 | - |
| ^R/L | 2825 | Single Cylinder (Dummy) | Box | 17 | 4 | - | 174.50 | 184.60 | - |

Available with any knob and lever styles in Premiere Essentials Collection.

^Handing required when ordering a New Haven lever.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|----------------------------------|----------------------|----------------------------------|------------------------------------------------------------------|-------------------------|--------------------------|----------|---------------------------------------------------------------------------------------------|-----|-------------------|-----|---------------------|--------|-----------|-------------|-----------------|---------|-------------------------------------------------------------------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Handlesets (Hillcrest, Parkside) | 5 Pin Weslock Keyway | 5 Pin Schlage Cor Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius (Square Optional) | 2-1/4" full lip, Radius | 1" x 2-1/4" Fixed Radius | Drive-in | Specify handing for New Haven lever, for all others reversible for right or left-hand doors | N/A | A 156.2 Grade III | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | N/A | Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Non-Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | A | B | C | D | E |
|-----------|--------|---------|---------|-----|--------|
| Hillcrest | 2-1/2" | *5-1/2" | 8-7/16" | 17" | 2-7/8" |
| Parkside | 2-1/2" | *5-1/2" | 8-7/16" | 17" | 2-5/8" |

*5-1/4" minimum

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



MERCY INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|--------|--------|--------|
| ^R/L | 2830 | Single Cylinder | Box | 18 | 4 | 189.40 | 199.60 | 199.60 |
| ^R/L | 2835 | Single Cylinder (Dummy) | Box | 18 | 4 | 189.40 | 199.60 | 199.60 |

Available with any knob and lever styles in Premiere Essentials Collection.

^Handing required when ordering a New Haven lever.



BAILEY INTERIOR TRIM INCLUDED


| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|--------|---|--------|
| - | 2840 | Single Cylinder | Box | 18 | 4 | 210.80 | - | 223.20 |
| - | 2845 | Single Cylinder (Dummy) | Box | 18 | 4 | 210.80 | - | 223.20 |

Available with Salem and Hudson Knob or New Haven lever.

Adjustable Foot Screw

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|---------------------|----------------------|----------------------------------|------------------------------------------------------------------|-------------------------|--------------------------|----------|---------------------------------------------------------------------------------------------|-----|-------------------|-----|---------------------|--------|-----------|-------------|-----------------|---------|-------------------------------------------------------------------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Handlesets (Mercy) | 5 Pin Weslock Keyway | 5 Pin Schlage Cor Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius (Square Optional) | 2-1/4" full lip, Radius | 1" x 2-1/4" Fixed Radius | Drive-in | Specify handing for New Haven lever, for all others reversible for right or left-hand doors | N/A | A 156.2 Grade III | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | N/A | Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Non-Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |
| Handlesets (Bailey) | 5 Pin Weslock Keyway | 5 Pin Schlage Cor Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius (Square Optional) | 2-1/4" full lip, Radius | 1" x 2-1/4" Fixed Radius | Drive-in | Reversible for right or left-hand doors. | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Non-Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | A | B | C | D | E |
|--------|--------|---------|-------------|---------|--------|
| Mercy | 2-3/4" | *5-1/2" | 8-7/16" | 17-3/4" | 2-5/8" |
| Bailey | 2-1/4" | 5-1/2" | 8" - 9-1/2" | 16-3/4" | 2-1/2" |

*5-1/4" minimum

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

HUDSON KNOB (G)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|-------|-------|---|
| - | 0200 | Passage (Hall & Closet) | Box | 35 | 30 | 24.70 | 28.50 | - |
| - | 0205 | Dummy Knob | Box | 13 | 30 | 11.40 | 13.30 | - |
| - | 0210 | Privacy (Bed & Bath) | Box | 36 | 30 | 26.50 | 29.90 | - |
| - | 0240 | Keylock (Keyed Entry) | Box | 40 | 30 | 31.30 | 35.10 | - |

SALEM KNOB (S)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|-------|-------|-------|
| - | 0200 | Passage (Hall & Closet) | Box | 35 | 30 | 26.50 | 29.90 | 29.90 |
| - | 0205 | Dummy Knob | Box | 13 | 30 | 12.30 | 13.80 | 13.80 |
| - | 0210 | Privacy (Bed & Bath) | Box | 36 | 30 | 27.80 | 31.30 | 31.30 |
| - | 0240 | Keylock (Keyed Entry) | Box | 40 | 30 | 32.90 | 36.50 | 36.50 |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|------------------|----------------------------|-----------------------------------------------|----------------------------|--------|--------------------------------|----------|------------------------------------------------|-----|----------------------|-----|---------------------|--------|----------------|-------------------|----------|--------------------------------------|------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Knobs | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip, Radius | | 1" x 2-1/4" Fixed Radius | Drive-in | Reversible for right or left- hand doors | N/A | A 156.2 Grade III | N/A | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8"- 1-3/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" | | |



| MODEL | A | B | C | D | E |
|--------|--------|---|---|---|--------|
| Hudson | 2-7/8" | - | - | - | 2-5/8" |
| Salem | 2-5/8" | - | - | - | 2-5/8" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

NEW HAVEN NON-HANDED LEVERSETS (X)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|-------|-------|-------|
| - | 0200 | Passage (Hall & Closet) | Box | 30 | 18 | 46.10 | 49.80 | 49.80 |
| R/L | 0205 | Dummy Lever | Box | 13 | 18 | 19.80 | 21.30 | 21.30 |
| - | 0210 | Privacy (Bed & Bath) | Box | 31 | 18 | 47.60 | 51.20 | 51.20 |
| - | 0240 | Keylock (Keyed Entry) | Box | 34 | 18 | 52.50 | 56.30 | 56.30 |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------------|-----------------------------------------------|----------------------------|--------|--------------------------------|----------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|----------------------|-----|---------------------|--------|----------------|--------------------|----------------|--------------------------------------|---------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Lever | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip, Radius | | 1" x 2-1/4" Fixed Radius | Drive-in | Specify handing for 205 New Haven levers, all other functions are reversible for right or left- hand doors | 200 & 205 Functions Meet Sec. 4.13.9 | A 156.2 Grade III | N/A | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" | | |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



| MODEL | A | B | C | D | E |
|-----------|--------|---|---|---|--------|
| New Haven | 2-5/8" | - | - | - | 2-5/8" |



DEADBOLTS

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-----------------|------|---------|----------|-------|-------|-------|
| - | 0271 | Single Cylinder | Box | 25 | 30 | 29.20 | 32.20 | 32.20 |
| - | 0267 | Non-Cylinder | Box | 13 | 30 | 20.30 | 22.60 | 22.60 |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|------------------|----------------------|----------------------------------|----------------------------------------------|--------|--------------------------|----------|-----------------------------------------|-----|-------------------|-----|---------------------|--------|-------------|-----------------|----------|-----------------------------|------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Deadbolts | 5 Pin Weslock Keyway | 5 Pin Schlage Cor Kwikset Keyway | 2-1/4" full-lip and 1"x2-1/4" no lip, Radius | | 1" x 2-1/4" Fixed Radius | Drive-in | Reversible for right or left-hand doors | N/A | A 156.2 Grade III | N/A | 2-1/8" or 1-5/8" | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" | | |



| MODEL | | A | B | C | D | E | |
|-------|-----------------|----------|--------|---|---|---|--------|
| 271 | Single Cylinder | Interior | 15/16" | - | - | - | 2-1/2" |
| | | Exterior | 1" | - | - | - | 2-1/2" |
| 267 | Non-Cylinder | Interior | 15/16" | - | - | - | 2-1/2" |
| | | Exterior | - | - | - | - | - |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



HUDSON KNOB (G) / SINGLE CYLINDER DEADBOLT COMBO

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|----------------------------------------------------------------|------|---------|----------|-------|-------|---|
| - | 2271 | Keylock (Keyed Entry) and Single Cylinder Deadbolt Keyed Alike | Box | 33 | 14 | 60.50 | 67.30 | - |



SALEM KNOB (S) / SINGLE CYLINDER DEADBOLT COMBO

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|----------------------------------------------------------------|------|---------|----------|-------|-------|-------|
| - | 2271 | Keylock (Keyed Entry) and Single Cylinder Deadbolt Keyed Alike | Box | 33 | 14 | 62.10 | 68.70 | 68.70 |



NEW HAVEN NON-HANDED LEVER (X) / SINGLE CYLINDER DEADBOLT COMBO

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|----------------------------------------------------------------|------|---------|----------|-------|-------|-------|
| - | 2271 | Keylock (Keyed Entry) and Single Cylinder Deadbolt Keyed Alike | Box | 30 | 10 | 81.70 | 88.50 | 88.50 |







GENERAL INFORMATION

| | |
|---------------------------|---|
| PRODUCT DESCRIPTION CODES | 2 |
|---------------------------|---|

COLLECTION PRICING & SPECIFICATIONS

| | |
|----------------|-----|
| ENTRY HANDLES | 3-5 |
| KNOBS | 6 |
| LEVERS | 7 |
| DEADBOLTS | 8 |
| KNOBS (UL) | 9 |
| DEADBOLTS (UL) | 9 |
| LEVERS (UL) | 10 |

Limited Lifetime Mechanical Warranty • Limited Lifetime Finish Warranty

[THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION
CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.]

**HANDING
POSITION 1**

Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (0) when handing is not required.

**MODEL NUMBERS
POSITIONS 2,3,4,5**

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (0) in position 2.

- Knobsets/Leverets: See model numbers on pages 6, 7, 9 & 10
- Deadbolts: See model numbers on page 8 & 9
- Handlesets: See model numbers on page 3, 4 & 5

**EXTERIOR & INTERIOR KNOB & LEVER DESIGNS
POSITIONS 6 & 8**

| KNOBS | CODE |
|----------------------------|-------------|
| Mesa | 4 |
| LEVERS (NON-HANDED) | CODE |
| Philtower | 7 |
| Utica | 3 |
| Atlas | 5 |

**EXTERIOR & INTERIOR FINISH CODES
POSITIONS 7 & 9**

| FINISHES | U.S. | BMA | WESLOCK |
|-------------------|-------------|------------|----------------|
| Satin Nickel | 15 | 619 | N |
| Oil Rubbed Bronze | 10B | 613 | 1 |
| Matte Black | 19 | 622 | 2 |
| Satin Brass | 4 | 606 | 4 |

**LATCH CODES - STANDARD
POSITIONS 10 & 11**

| CODE | LATCH |
|-------------|-----------------------------------------------------------------------|
| FR | 2-3/8" or 2-3/4", Adjustable Latch Radius Faceplate |
| DI | 2-3/8" or 2-3/4", Adjustable Drive-in Latch (No Faceplate) |
| SL | 2-3/8" or 2-3/4", Adjustable Latch Radius and Square Faceplates |

**PACKAGING CODES
POSITION 12**

| PACKAGING TYPES | CODE |
|--------------------------------------|-------------|
| Box Pack w/Phillips Head Wood Screws | 2 |

**KEYING CODES
POSITION 13**

| KEYING TYPES | CODE |
|------------------------------------------------------|-------------|
| Keyed Alike | A |
| Keyed Different | D |
| Master Keying charge per lock | M |
| Grand Master Keying charge per lock | G |
| Keying to Pass charge per lock | KTP |
| Home Guard charge per lock | HG |
| Owner Guard charge per lock (includes Master Key) | BK |
| Owner Guard charge per lock | OG |
| No Cylinder (zero) | 0 |





BROOKSIDE INTERIOR TRIM INCLUDED


| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|--------|--------|--------|
| - | 2880 | Single Cylinder | Box | 17 | 4 | 234.80 | 247.20 | 247.20 |
| - | 2885 | Single Cylinder (Dummy) | Box | 17 | 4 | 234.80 | 247.20 | 247.20 |

Available with Mesa knob and Philtower, Utica or Atlas levers.

Adjustable Foot Screw

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------------|----------------------|-----------------------------------|------------------------------------------------|-------------------------|--------------------------|----------|--------------|-----|------------------|-----|---------------------|--------|-----------|-------------|-----------------|------------------------------------------------------------------|------------------------------------------------------------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Handlesets (Brookside) | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius | 2-1/4" full lip, Radius | 1" x 2-1/4" Fixed Radius | Drive-In | N/A | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2-1/4" | 1-3/8" - 1-3/4" Thin Door Kit Available (Part # 07002x (finish)) | Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | A | B | C | D | E |
|-----------|--------|--------|-----------|---------|--------|
| Brookside | 2-1/4" | 5-1/2" | 8"-9-1/4" | 16-3/4" | 2-1/2" |

*5-1/4" minimum

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)



Adjustable Foot Screw

LEIGHTON INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|--------|--------|--------|
| - | 2870 | Single Cylinder | Box | 26 | 4 | 342.50 | 372.00 | 372.00 |
| - | 2875 | Single Cylinder (Dummy) | Box | 21 | 4 | 342.50 | 372.00 | 372.00 |

Available with Mesa knob and Philtower, Utica, or Atlas levers.



Adjustable Foot Screw


XANTHIS INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|--------|--------|--------|
| - | 2890 | Single Cylinder | Box | 30 | 4 | 414.00 | 436.60 | 436.60 |
| - | 2895 | Single Cylinder (Dummy) | Box | 25 | 4 | 414.00 | 436.60 | 436.60 |

Available with Mesa knob and Philtower, Utica, or Atlas levers.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|--------------------------------|----------------------|-----------------------------------|-----------------------------------------------------------|------------------------------------|----------------------------------------|----------|--------------|-----|------------------|-----|---------------------|--------|-----------|-------------|-----------------|--------------------------------------------------------------------------|-----------------------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Handlesets (Leighton, Xanthis) | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius and Square | 2-1/4" full lip, Radius and Square | 1" x 2-1/4" Removable Radius or Square | Drive-In | N/A | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/4" - 2-1/4" | 1-3/8" Adjustable 2-3/8" Thin Door Kit Available (Part# 07002x (finish)) | Springlatch Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" |



| MODEL | | A | B | C | D | E |
|----------|----------|--------|--------|---------------|----------|--------|
| Leighton | Exterior | 2-1/4" | 5-1/2" | 8"-9-1/2" | 18-3/8" | 2-3/4" |
| | Interior | 2-1/4" | 5-1/2" | - | 11" | 2-3/4" |
| Xanthis | Exterior | 2-1/4" | 5-1/2" | 7-3/4"-9-1/4" | 17-3/8" | 2-1/2" |
| | Interior | 2-1/4" | 5-1/2" | - | 10-5/16" | 2-1/2" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)




ADDY INTERIOR TRIM INCLUDED

| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|----------------------------------|------|---------|----------|--------|--------|--------|
| - | 6621 | Single Cylinder Deadbolt Passage | Box | 20 | 4 | 257.50 | 274.40 | 274.40 |
| - | 6625 | Dummy Handle (all parts rigid) | Box | 16 | 4 | 257.50 | 274.40 | 274.40 |

Available with Mesa knob and Philtower, Utica, or Atlas levers.

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|-------------------|----------------------|-----------------------------------|-----------------------------------------------------------|------------------------------------|----------------------------------------|----------|--------------|-----|------------------|-----|---------------------|--------|-----------|-------------|------------------------------------------------------------------|------------------------------------------------------------------------------|---------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Handlesets (Addy) | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius and Square | 2-1/4" full lip, Radius and Square | 1" x 2-1/4" Removable Radius or Square | Drive-In | N/A | N/A | A 156.2 Grade II | N/A | 2-1/8" or 1-5/8" | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" Thin Door Kit Available (Part # 07002x (finish)) | Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Adjustable 2-3/8" or 2-3/4" | 1" | 1/2" | |



| MODEL | A | B | C | D | E |
|-------|----|--------|---|-----|----------|
| Addy | 2" | 5-1/2" | - | 11" | 2-13/16" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

MESA KNOB (4)



| | HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|--------|---------|---------|-------------------------|------|---------|----------|-------|---|-------|
| SQUARE | - | 0700 | Passage (Hall & Closet) | Box | 30 | 15 | 61.20 | - | 67.00 |
| | - | 0705 | Dummy Knob | Box | 15 | 15 | 30.70 | - | 34.00 |
| | - | 0710 | Privacy (Bed & Bath) | Box | 33 | 15 | 68.00 | - | 73.80 |
| | - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - |

| | | | | | | | | | |
|-----------|---|------|-------------------------|-----|----|----|-------|---|-------|
| RECTANGLE | - | 0900 | Passage (Hall & Closet) | Box | 30 | 15 | 76.00 | - | 81.60 |
| | - | 0905 | Dummy Knob | Box | 15 | 15 | 35.20 | - | 38.60 |
| | - | 0910 | Privacy (Bed & Bath) | Box | 33 | 15 | 82.80 | - | 88.50 |
| | - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------|----------|-------------------------|--------|--------------------------|----------|--------------|-----|-------------------|-----|---------------------|--------|-----------|-------------|-----------------|---------|-----------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Knobs (Mesa) | N/A | N/A | 2-1/4" Full Lip, Radius | | 1" x 2-1/4" Fixed Radius | Drive-In | Non-Handed | N/A | A 156.2 Grade III | N/A | 2-1/8" | | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" throw | |



| MODEL | A | B | C | D | E |
|------------------|---------|---|---|--------|--------|
| Mesa (Square) | 2-9/16" | - | - | 2-1/2" | 2-1/2" |
| Mesa (Rectangle) | 2-1/2" | - | - | 4-1/2" | 2-1/2" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

PHILTOWER NON-HANDED LEVERSETS (7)



| | HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 | 4 |
|-----------|---------|---------|-------------------------|------|---------|----------|-------|-------|-------|-------|
| SQUARE | - | 0700 | Passage (Hall & Closet) | Box | 42 | 18 | 61.20 | 67.00 | 67.00 | 78.30 |
| | - | 0705 | Dummy Lever | Box | 19 | 18 | 30.70 | 34.00 | 34.00 | 38.60 |
| | - | 0710 | Privacy (Bed & Bath) | Box | 43 | 18 | 68.00 | 73.80 | 73.80 | 85.10 |
| | - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - | - |
| RECTANGLE | - | 0900 | Passage (Hall & Closet) | Box | 42 | 18 | 76.00 | - | 81.60 | - |
| | - | 0905 | Dummy Knob | Box | 19 | 18 | 35.20 | - | 38.60 | - |
| | - | 0910 | Privacy (Bed & Bath) | Box | 43 | 18 | 82.80 | - | 88.50 | - |
| | - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - | - |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------|----------|-------------------------------------------|--------|--------------------------|----------|--------------|-----|-------------------|-----|---------------------|--------|-----------|-------------|-----------------|---------|-----------------------------|------------------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | SPECIAL | | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Philtower Levers | N/A | N/A | 2-1/4" Full Lip, Radius (Square Optional) | | 1" x 2-1/4" Fixed Radius | | Non-Handed | Yes | A 156.2 Grade III | N/A | 2-1/8" | | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" throw | |



| MODEL | A | B | C | D | E |
|-----------------------|--------|---|---|--------|--------|
| Philtower (Square) | 2-1/2" | - | - | 2-1/2" | 2-1/2" |
| Philtower (Rectangle) | 2-1/2" | - | - | 4-1/2" | 2-1/2" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

SQUARE DEADBOLT



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 | 4 |
|---------|---------|-----------------|------|---------|----------|-------|-------|-------|-------|
| - | 0771 | Single Cylinder | Box | 25 | 18 | 71.50 | 76.00 | 76.00 | 81.60 |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|------------------|----------------------------|-----------------------------------------------|------------------------------------------------------|--------|--------------------------------|----------|--------------|-----|----------------------|-----|---------------------|--------|----------------|--------------------|----------|--------------------------------------|------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Deadbolts | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" full lip and 1" x 2-1/4" no lip, Radius | | 1" x 2-1/4" Fixed Radius | Drive-In | N/A | Yes | A 156.2 Grade III | N/A | 2-1/8" or 1-5/8" | 1" | 1" x 2-1/4" | 1-3/8" - 1-3/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" throw | | |



| MODEL | | | A | B | C | D | E |
|-------|-----------------|----------|--------|---|---|--------|--------|
| 0771 | Single Cylinder | Interior | 1-1/4" | - | - | 2-1/2" | 2-1/2" |
| | | Exterior | 3/4" | - | - | 2-1/2" | 2-1/2" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

MESA KNOB (4)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|---|-------|-------|
| - | U700 | Passage (Hall & Closet) | Box | 40 | 15 | - | 78.30 | 78.30 |
| - | U706 | Dummy Knob Passage Set | Box | 33 | 15 | - | 73.80 | 73.80 |
| - | U710 | Privacy (Bed & Bath) | Box | 47 | 15 | - | 85.10 | 85.10 |
| - | N/A | Keylock (Keyed Entry) | | - | - | - | - | - |

SQUARE DEADBOLT



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-----------------|------|---------|----------|-------|-------|-------|
| - | U771 | Single Cylinder | Box | 27 | 18 | 77.10 | 81.60 | 81.60 |
| - | U767 | Non-Cylinder | Box | | 18 | 45.60 | 49.90 | 49.90 |

TRANSITIONAL COLLECTION (UL - 20 MIN.)

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | |
|------------------|----------------------|-----------------------------------|-----------------------------------------------------------|--------|---------------------------------------|----------|-----------------------------------------|-----|------------------|-----------|---------------------|--------|-------------|-----------------|----------|-----------------------------|------------------|----------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | |
| Knobs | N/A | N/A | 2-1/4" Full Lip, Radius and Square | | 1" x 2-1/4" Removable Radius & Square | N/A | Reversible for right or left-hand doors | No | A 156.2 Grade II | 20 Minute | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" Throw | |
| Deadbolts | 5 Pin Weslock Keyway | 5 Pin Schlage C or Kwikset Keyway | 2-1/4" Full Lip and 1" x 2-1/4" no lip, Radius and Square | | 1" x 2-1/4" Removable Radius & Square | N/A | Reversible for right or left-hand doors | Yes | A 156.2 Grade II | 20 Minute | 2-1/8" or 1-5/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1" Throw | |



| MODEL | A | B | C | D | E |
|-------|---------|---|---|---|--------|
| Mesa | 2-7/16" | - | - | - | 2-1/2" |



| MODEL | | | A | B | C | D | E |
|-------|-----------------|----------|--------|---|---|--------|--------|
| U771 | Single Cylinder | Interior | 1-1/4" | - | - | 2-1/2" | 2-1/2" |
| | | Exterior | 3/4" | - | - | 2-1/2" | 2-1/2" |
| U767 | Non-Cylinder | Interior | 1-1/4" | - | - | - | 2-1/2" |
| | | Exterior | - | - | - | - | - |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)

PHILTOWER NON-HANDED LEVERSETS (7)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|---|---|-------|
| - | U700 | Passage (Hall & Closet) | Box | 41 | 18 | - | - | 72.60 |
| - | U706 | Dummy Lever Passage Set | Box | 34 | 18 | - | - | 68.00 |
| - | U710 | Privacy (Bed & Bath) | Box | 43 | 18 | - | - | 79.40 |
| - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - |

UTICA NON-HANDED LEVERSETS (3)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|-------|-------|-------|
| - | 0700 | Passage (Hall & Closet) | Box | 41 | 18 | 67.00 | 72.60 | 72.60 |
| - | 0705 | Dummy Lever | Box | 18 | 18 | 30.70 | 34.00 | 34.00 |
| - | 0710 | Privacy (Bed & Bath) | Box | 43 | 18 | 73.80 | 79.40 | 79.40 |
| - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - |

ATLAS NON-HANDED LEVERSETS (5)



| HANDING | MODEL # | DESCRIPTION | PKG. | CASE WT | CASE QTY | N | 1 | 2 |
|---------|---------|-------------------------|------|---------|----------|---|-------|-------|
| - | 0700 | Passage (Hall & Closet) | Box | 41 | 18 | - | 72.60 | 72.60 |
| - | 0705 | Dummy Lever | Box | 18 | 18 | - | 34.00 | 34.00 |
| - | 0706 | Dummy Lever Passage Set | Box | 34 | 18 | - | 68.00 | 68.00 |
| - | 0710 | Privacy (Bed & Bath) | Box | 43 | 18 | - | 79.40 | 79.40 |
| - | N/A | Keylock (Keyed Entry) | - | - | - | - | - | - |

GENERAL SPECIFICATIONS

| PRODUCT CATEGORY | CYLINDER | | STRIKES | | FACEPLATES | | DOOR HANDING | ADA | ANSI | UL | BORING REQUIREMENTS | | | DOOR THICKNESS | | BACKSET | LATCH BOLT THROW | | |
|---------------------------|----------|----------|-------------------------------------------|---------------------------------------|------------|------------|--------------|-------------------|-----------|--------|---------------------|-------------|-----------------|----------------|-----------------------------|------------|------------------|----------|--------|
| | STANDARD | OPTIONAL | DEADBOLT | HANDLE | STANDARD | OPTIONAL | | | | | CROSS BORE | | EDGE BORE | LATCH FACE | STANDARD | | SPECIAL | DEADBOLT | HANDLE |
| | | | | | | | | | | | DEADBOLT | HANDLE | | | | | | | |
| Levers (Philtower, Atlas) | N/A | N/A | 2-1/4" Full Lip, Radius and Square | 1" x 2-1/4" Removable Radius & Square | Drive-In | Non-Handed | Yes | A 156.2 Grade III | 20 Minute | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" throw | | | |
| Levers (Utica) | N/A | N/A | 2-1/4" Full Lip, Radius (Square Optional) | 1" x 2-1/4" Fixed Radius | Drive-In | Non-Handed | Yes | A 156.2 Grade II | 20 Minute | 2-1/8" | 1" | 1" x 2-1/4" | 1-3/8" - 2-1/4" | N/A | Adjustable 2-3/8" or 2-3/4" | 1/2" throw | | | |



| MODEL | A | B | C | D | E |
|-----------|---------|---|---|--------|--------|
| Philtower | 2-7/16" | - | - | 2-1/2" | 2-1/2" |
| Utica | 2-7/16" | | | 2-1/2" | 2-1/2" |
| Atlas | 2-1/2" | | | 2-1/2" | 2-1/2" |

CLASSIFICATION KEY

- A - Projection from Door
- B - Center to Center
- C - Footscrew
- D - Full Length
- E - Width of Rose (Escutcheon Plate)





POCKET DOOR HARDWARE

SLIDING POCKET DOOR LOCKS 2

PARTS & ACCESSORIES

REPLACEMENT CYLINDERS 3


INSTALLATION TOOLS 3

KEYING KITS 4

LATCHES & STRIKES

STRIKES & FACEPLATES 5


LATCHES 6-7



SLIDING POCKET DOOR LOCKS - ROUND

| MODEL # | DESCRIPTION | CASE WT. | CASE QTY. | PRICE FINISH N,1,2 |
|---------|------------------------------|----------|-----------|--------------------|
| 0627 | Round - Passage (No locking) | 29lbs | 50 | 40.00 |
| 0677 | Round - Privacy Lock | 32lbs | 50 | 46.00 |


* Available in 2-3/8" backset only.
 * Requires 2-1/8" cross bore.



SLIDING POCKET DOOR LOCKS - SQUARE WITH ROUND

| MODEL # | DESCRIPTION | CASE WT. | CASE QTY. | PRICE FINISH N,2 |
|---------|----------------------------------------|----------|-----------|------------------|
| 0727 | Square w/ Round - Passage (No Locking) | 19lbs | 50 | 40.00 |
| 0777 | Square w/ Round - Privacy Lock | 20lbs | 50 | 46.00 |

* Available in 2-3/8" backset only.
 * Requires 2-1/8" cross bore.




SLIDING POCKET DOOR LOCKS - RECTANGULAR

| MODEL # | DESCRIPTION | CASE WT. | CASE QTY. | PRICE FINISH N,1 |
|---------|------------------------------------|----------|-----------|------------------|
| 0527 | Rectangular - Passage (No locking) | 19lbs | 50 | 26.00 |
| 0577 | Rectangular - Privacy Lock | 20lbs | 50 | 32.00 |

* Requires 2-3/4" by 2-1/2" rectangular cut out.


REPLACEMENT CYLINDERS



| MODEL # | DESCRIPTION | LIST PRICE |
|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| MOLTEN BRONZE, ELEGANCE, TRADITIONALE COLLECTIONS | | |
| 12292 | Molten Bronze, Elegance and Traditionale Collection Lever Keylocks | 25.30 |
| 12985* | Traditionale Collection Vestibule Keylock | 26.90 |
| 12987* | Molten Bronze, Elegance, Traditionale Collection Knob Keylocks | 25.30 |
| 14027* | Molten Bronze, Elegance, Traditionale Entry Handles and Traditionale Single Cylinder Deadbolts (Except 1300 Series & 1400 Series Twingard®) | 25.30 |
| 14029* | Molten Bronze and Elegance Deadbolts, All Molten Bronze and Elegance Entry Handles with 6204, 6404, 6604, 7604 and 7904 Interconnect Interior Kits. | 26.00 |
| 14412 | Traditionale 1300 Series Entry Handles (not available in SC-1 keyway) | 26.90 |
| 14746* | Molten Bronze, Elegance, and Traditionale Collection Double Cylinder Deadbolts (comes in pairs) | 53.10 |
| PREMIERE ESSENTIALS® COLLECTION | | |
| 02987 | Premiere Essentials Hudson Knob Cylinder | 22.90 |
| 02985 | Premiere Essentials Salem Knob Cylinder | 22.90 |
| 02292 | Premiere Essentials Lever Cylinder | 22.90 |
| 04027 | Premiere Essentials Deadbolt Cylinder | 22.90 |
| SC02987 | Schlage Premiere Essentials Hudson Knob Cylinder | 22.90 |
| SC02985 | Schlage Premiere Essentials Salem Knob Cylinder | 22.90 |
| SC02292 | Schlage Premiere Essentials Lever Cylinder | 22.90 |
| SC04027 | Schlage Premiere Essentials Deadbolt Cylinder | 22.90 |
| KW02987 | Kwikset Premiere Essentials Hudson Knob Cylinder | 22.90 |
| KW02985 | Kwikset Premiere Essentials Salem Knob Cylinder | 22.90 |
| KW02292 | Kwikset Premiere Essentials lever Cylinder | 22.90 |
| KW04027 | Kwikset Premiere Essentials Deadbolt Cylinder | 22.90 |
| TRANSITIONAL COLLECTION | | |
| 07047 | Transitional Deadbolt Cylinder | 22.90 |
| SC07047 | Schlage Transitional Deadbolt Cylinder | 22.90 |
| KW07047 | Kwikset Transitional Deadbolt Cylinder | 22.90 |
| SC08077 | Schlage Cylinder for Addy/Bailey/Brookside/Leighton/Xanthis | 28.90 |
| 08077 | Cylinder for Addy/Bailey/Brookside/Leighton/Xanthis | 28.90 |

*SC-1 and KW-1 keyways available.

INSTALLATION & MORTISE TOOLS



| MODEL # | DESCRIPTION | UNIT WEIGHT | LIST PRICE |
|------------|---------------------------------------------------------------------------------------------------|-------------|------------|
| 133 | Latch Mortise Maker | 9 oz | 54.40 |
| 134 | Strike Locator-Made of hardwood w/steel point for marking jamb to locate strike | 2 oz | 33.90 |
| 148 | Strike Mortise Maker | 13 oz | 67.80 |
| 150 | Marker & mortise set: 3 piece: Strike Mortise (#148), Latch Mortise (#133), Strike Locator (#134) | 1.5 lbs | 109.90 |
| 13105 XPRO | Boring Jig Assembly Only | 7 lb | 254.10 |
| 172 | 2 1/8" (54mm) Multi-Spur Machine Bit for use w/Boring Jig #13105 XPRO | 12 oz | 259.60 |
| 173 | Adapter for use w/Boring Jig #13105 XPRO | 6 oz | 136.00 |
| 177 | Carrying Case for Installation Tools (without tools) | 3 lbs | 66.80 |
| 184 | 1" (25mm) Spade Machine Bit for use w/Boring Jig #13105 XPRO | 1.5 lbs | 63.10 |
| 188 | Installation Kit w/Boring Jig # 13105 XPRO, Marker & Mortise #150, Spacer #130 | 10 lbs | 676.00 |


KEYING KITS & ACCESSORIES



00101



12345xLOGO



12345xBR



15201



13716

| MODEL # | DESCRIPTION | LIST PRICE |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 00101 | Kit for re-keying cylinders including master keyed cylinders | 202.80 |
| 00102 | Depth key gauge set | 21.70 |
| 00105 | Plug follower | 17.00 |
| 12344xBR | Key blanks (50/box) | 1.90/each |
| 12345xBR | Cut Keys (master keys, OG keys, etc.) | 2.50/each |
| 12344xLOGO | Entry Handle Key Blanks (50/box) | 2.50/each |
| 12345xLOGO | Entry Handle Cut Keys (50/box) | 2.70/each |
| 12344x(BUI) | Custom Logo Key Blanks (50/box) | 2.30/each |
| 12345x(BUI) | Custom Logo Cut Keys (50/box) | 3.20/each |
| SC12344xBR | Key Blanks - Schlage Keyway (50/box) | 1.90/each |
| 13175 | Bottom pin segments (100/bag) : #0-10/64", #1-11/64", #2-12/64", #3-13/64", #4-14/64", #5-15/64", #6-16/64", #7-17/64", #8-18/64", #9-19/64" | 15.00 |
| 13176 | Driver pin segments (100/bag) : #8-8/64", #11-11/64", #12-12/64", #14-14/64" | 15.00 |
| 13177 | Master pin segments (100/bag) : #2-2/64", #3-3/64", #4-4/64", #5-5/64", #6-6/64", #7-7/64", #8-8/64", #9-9/64" | 15.00 |
| 14560XST | Owner Guard Ball (100/bag) | 15.00 |
| 13716 | Brass bushing | 31.00 |
| 14111 | Wrench - cylinder plug retaining cap | 7.00 |
| 15201 | Key gauge (to determine key cut depth) | 8.10 |
| KW105 | 200 Series Plug follower | 15.30 |
| 12344xBR-PE | Premiere Essentials / Transitional key blank | 1.90 |
| SC12344xBR-PE | Schlage Premiere Essentials / Transitional key blank | 1.90 |
| KW12344xBR-PE | Kwikset Premiere Essentials / Transitional key blank | 1.90 |
| 14133xPRO | 200 Series cylinder removal tool (picklefork) | 3.50 |

STRIKES

| MODEL # | DESCRIPTION | CORNER | DIMENSIONS | LIST PRICE |
|---------|-------------|--------|------------|------------|
|---------|-------------|--------|------------|------------|

MOLTEN BRONZE, ELEGANCE, TRADITIONALE COLLECTIONS KNOBS & LEVERS, INCLUDING LIP



13220



13221

| | | | | |
|-------|--------------------------|--------|-----------------|------|
| 13220 | Full Lip, Adjustable Tab | Square | 2-1/4" x 1-3/4" | 4.50 |
| 13221 | Full Lip, Adjustable Tab | Radius | 2-1/4" x 1-3/4" | 4.50 |

*Please specify finish when ordering.

MOLTEN BRONZE, ELEGANCE, TRADITIONALE COLLECTIONS DEADBOLTS



13217



13218



13245



13247

| | | | | |
|-------|--------------------|--------|-----------------|------|
| 13217 | Full Lip, Deadbolt | Square | 2-1/4" x 1-3/4" | 4.50 |
| 13218 | Full Lip, Deadbolt | Radius | 2-1/4" x 1-3/4" | 4.50 |
| 13245 | No Lip, Deadbolt | Square | 2-1/4" x 1" | 4.50 |
| 13247 | No Lip, Deadbolt | Radius | 2-1/4" x 1" | 4.50 |

*Please specify finish when ordering.

PREMIERE ESSENTIALS® / TRANSITIONAL COLLECTIONS DEADBOLTS, KNOBS & LEVERS, INCLUDING LIP



03218



03221




03247


| | | | | |
|-------|--------------------------|--------|-----------------|------|
| 03221 | Full Lip, Adjustable Tab | Radius | 2-1/4" x 1-3/4" | 4.50 |
| 03218 | Full Lip, Deadbolt | Radius | 2-1/4" x 1-3/4" | 4.50 |
| 03247 | No Lip, Deadbolt | Radius | 2-1/4" x 1" | 4.50 |

*Please specify finish when ordering.

SPECIAL APPLICATION



13246



13258

13259

| | | | | |
|-------|--------------------------------------|--------|-----------------------|-------|
| 13258 | ASA "T" Type, Combination Right Hand | Square | 4-7/8" x 1-1/4" + Lip | 17.60 |
| 13259 | ASA "T" Type, Combination Left Hand | Square | 4-7/8" x 1-1/4" + Lip | 17.60 |
| 13246 | No Lip, Deadbolt | Square | 2-1/4" x 1-1/8" | 6.10 |

*Please specify finish when ordering.

LATCH FACEPLATES

| MODEL # | DESCRIPTION | LIST PRICE |
|--------------------|--------------------------------------------------------------------------------|------------|
| DEADLATCH | | |
| 12282 | Mortise Faceplate - Radius (Traditionale, Elegance & Molten Bronze Collection) | 2.30 |
| 12281 | Mortise Faceplate - Square (Traditionale, Elegance & Molten Bronze Collection) | 2.30 |
| 14270 | Mortise Faceplate - Square (1300 Series) | 2.30 |
| 14271 | Mortise Faceplate - Radius (1300 Series) | 2.30 |
| SPRINGLATCH | | |
| 12227 | Mortise Faceplate - Square (Traditionale, Elegance & Molten Bronze Collection) | 2.30 |
| 12228 | Mortise Faceplate - Radius (Traditionale, Elegance & Molten Bronze Collection) | 2.30 |
| 14279 | Mortise Faceplate - Square (1400/1500 Series) | 2.30 |
| 14280 | Mortise Faceplate - Radius (1400/1500 Series) | 2.30 |
| DEADBOLT | | |
| 15701 | Mortise Faceplate - Radius (Traditionale, Elegance & Molten Bronze Collection) | 2.30 |
| 15686 | Mortise Faceplate - Square (Traditionale, Elegance & Molten Bronze Collection) | 2.30 |

*Please specify finish when ordering.

LATCHES (SL - INCLUDES BOTH RADIUS AND SQUARE FACEPLATES)

| MODEL # | LEVER STRENGTH MODEL # | STRAIGHT LEVER STRENGTH MODEL # | BACKSET ADJ. | FACEPLATE | | | LIST PRICE |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------------------------|------------------|-----------|------------------------|-----------|------------|
| | | | | WIDTH | CORNER | TYPE | |
|  <p>MOLTEN BRONZE, ELEGANCE, & TRADITIONALE COLLECTIONS: PASSAGE/PRIVACY KNOBS, LEVERS, & ENTRY HANDLES - SPRINGLATCH</p> | | | | | | | |
| 12720-SL | 32720-SL | 52720-SL | 2-3/8" to 2-3/4" | 1" | Radius/Square | Removable | 19.10 |
| 12725-DI | 32725-DI | 52725-DI | 2-3/8" to 2-3/4" | None | Non-Mortise (Drive-in) | | 19.10 |
|  <p>MOLTEN BRONZE, ELEGANCE, & TRADITIONALE COLLECTIONS: KEYLOCK, KNOBS & LEVERS - DEADLATCH</p> | | | | | | | |
| 12721-SL | 32721-SL | 52721-SL | 2-3/8" to 2-3/4" | 1" | Radius/Square | Removable | 19.10 |
| 12728-DI | 32728-DI | 52728-DI | 2-3/8" to 2-3/4" | None | Non-Mortise (Drive-in) | | 19.10 |
|  <p>MOLTEN BRONZE, ELEGANCE, & TRADITIONALE COLLECTIONS: ENTRY HANDLES & DEADBOLTS - DEADBOLT LATCH</p> | | | | | | | |
| 12818-SL | - | - | 2-3/8" to 2-3/4" | 1" | Radius/ Square | Removable | 26.30 |
| 12820-DI | - | - | 2-3/8" to 2-3/4" | None | Non-Mortise (Drive-in) | | 26.30 |
|  <p>PREMIERE ESSENTIALS® COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH</p> | | | | | | | |
| 02720X | N/A | N/A | 2-3/8" to 2-3/4" | 1" | Radius | Fixed | 13.20 |
| 02725X | N/A | N/A | 2-3/8" to 2-3/4" | None | Non-Mortise | | 13.20 |
| ENTRY HANDLE - SPRINGLATCH | | | | | | | |
| 02738X | N/A | N/A | 2-3/8" | 1" | Radius | Fixed | 13.20 |
| 02734X | N/A | N/A | 2-3/4" | 1" | Radius | Fixed | 13.20 |
| KEYLOCK KNOBS & LEVERS - DEADLATCH | | | | | | | |
| 02721X | N/A | N/A | 2-3/8" to 2-3/4" | 1" | Radius | Fixed | 19.10 |
| 02728X | N/A | N/A | 2-3/8" to 2-3/4" | None | Non-Mortise | | 19.10 |
|  <p>TRANSITIONAL COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH</p> | | | | | | | |
| 01720X | N/A | N/A | 2-3/8" to 2-3/4" | 1" | Radius | Fixed | 13.20 |
| 01725X | N/A | N/A | 2-3/8" to 2-3/4" | None | Non-Mortise | | 13.20 |
| ENTRY HANDLE - SPRINGLATCH | | | | | | | |
| 01730XSL | N/A | N/A | 2-3/8" to 2-3/4" | 1" | Radius | Fixed | 13.20 |
| ENTRY HANDLE - DEADBOLT LATCH | | | | | | | |
| 12819XSL | N/A | N/A | 2-3/8" to 2-3/4" | 1" | Radius | Fixed | 26.30 |
|  <p>PREMIERE ESSENTIALS® & TRANSITIONAL COLLECTIONS: DEADBOLTS - DEADBOLT LATCH</p> | | | | | | | |
| 02817X | N/A | N/A | 2-3/8" to 2-3/4" | 1" | Radius | Fixed | 26.30 |
| 02820X | N/A | N/A | 2-3/8" to 2-3/4" | None | Non-Mortise | | 26.30 |
|  <p>MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.)</p> | | | | | | | |
| U1730XSL | N/A | N/A | 2-3/8" to 2-3/4" | 1" | Radius/Square | Removable | 13.20 |
| DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.) | | | | | | | |
| U12819XSL | N/A | N/A | 2-3/8" to 2-3/4" | 1" | Radius/Square | Removable | 26.30 |

^Please specify finish when ordering.

LATCHES (SL - INCLUDES BOTH RADIUS AND SQUARE FACEPLATES)

| MODEL # | LEVER STRENGTH MODEL # | STRAIGHT LEVER STRENGTH MODEL # | BACKSET ADJ. | FACEPLATE | | | LIST PRICE |
|---------|------------------------|---------------------------------|--------------|-----------|--------|------|------------|
| | | | | WIDTH | CORNER | TYPE | |

| | | | | | | | | |
|--|---------------------------------------------------------------------------|---|---|--------|------|------------------------|-----------|-------|
| | INTERCONNECT (UNIGARD® 1500 SERIES & 1441, 1411) - SPRINGLATCH | | | | | | | |
| | 14652-SL | - | - | 2-3/8" | 1" | Radius/Square | Removable | 18.40 |
| | 14656-SL | - | - | 2-3/4" | 1" | Radius/Square | Removable | 18.40 |
| | 14653-DI | - | - | 2-3/8" | None | Non-Mortise (Drive-in) | | 18.40 |
| | 14657-DI | - | - | 2-3/4" | None | Non-Mortise (Drive-in) | | 18.40 |

| | | | | | | | | |
|--|----------------------------------------------|---|---|--------|----|------------------------|-----------|-------|
| | TRADITIONALE (1343, 1313) - DEADLATCH | | | | | | | |
| | 15085-SL | - | - | 2-3/8" | 1" | Radius/Square | Removable | 26.30 |
| | 15142-SL | - | - | 2-3/4" | 1" | Radius/Square | Removable | 26.30 |
| | 15144-DL | - | - | 2-3/8" | 1" | Non-Mortise (Drive-in) | | 26.30 |
| | 15145-DL | - | - | 2-3/4" | 1" | Non-Mortise (Drive-in) | | 26.30 |

| | | | | | | | | |
|--|-------------------------------------------------------------------------------------------|---|---|--------|------|------------------------|-----------|-------|
| | INTERCONNECT (1400 & 1500 SERIES) & TRADITIONALE (1300 SERIES) - DEADBOLTS | | | | | | | |
| | 14232-SL | - | - | 2-3/8" | 1" | Radius/Square | Removable | 27.70 |
| | 14233-SL | - | - | 2-3/4" | 1" | Radius/Square | Removable | 27.70 |
| | 14235-DI | - | - | 2-3/8" | None | Non-Mortise (Drive-in) | | 27.70 |
| | 14236-DI | - | - | 2-3/4" | None | Non-Mortise (Drive-in) | | 27.70 |

| | | | | | | | | |
|--|-------------------------------------------------------|---|---|--------|--------|--------|-------|-------|
| | NON-U.L. COMBINED - SPRINGLATCH & DEADBOLT | | | | | | | |
| | 15863-38 | - | - | 2-3/8" | 1-1/8" | Square | Fixed | 64.70 |
| | 15864-34 | - | - | 2-3/4" | 1-1/8" | Square | Fixed | 64.70 |

^Please specify finish when ordering.

WESLOCK®

Security | Safety | Style | Since 1932

For more information call us at:

1-800-575-2658
(BOLT)

www.WESLOCK.com

