1 VESLOCK®



Security | Safety | Style | Since 1932

CORPORATE COMMUNICATIONS

800-575-BOLT (2658) www.weslock.com

Accounting Department

accounting@weslock.com Accounts Receivable / Accounts Payable

Customer Service Department

918-294-3869 fax orders@weslock.com Purchase Order Submission / Purchase Order Status

Warranty Department

warranty@weslock.com Dealer & Homeowner Product Inquiries

Sales Department

sales@weslock.com Sample Requests / Credit Applications / Sales Representative Inquiries

Marketing Department

marketing@weslock.com Marketing Materials / Advertising

GENERAL INFORMATION TRANSITIONAL COLLECTION CONTACT INFORMATION 1 PRODUCT DESCRIPTION CODES 2 **ENTRY HANDLES & SPECIFICATIONS** 3-5 2 TABLE OF CONTENTS **KNOBS & SPECIFICATIONS** 6 TERMS AND CONDITIONS OF SALE 3-4 HAND OF DOOR / HOW TO READ A LOCK ORDER 5 **LEVERS & SPECIFICATIONS** 7 HOW TO WRITE A LOCK ORDER DEADBOLTS & SPECIFICATIONS 8 6 **UL KNOBS, DEADBOLTS & SPECIFICATIONS** 9 **KEYING INFORMATION** HOW TO REMOVE A WESLOCK[®] CYLINDER 8 **UL LEVERS & SPECIFICATIONS** 10 KEYING CHARGES / PRODUCT FINISH CODES 8 NOTES **MISCELLANEOUS** MOLTEN BRONZE COLLECTION POCKET DOOR HARDWARE SLIDING POCKET DOOR LOCKS 2 PRODUCT DESCRIPTION CODES 2 PARTS & ACCESSORIES **ENTRY HANDLES & SPECIFICATIONS** 3-5 REPLACEMENT CYLINDERS 3 **DEADBOLTS & SPECIFICATIONS** 6 INSTALLATION TOOLS 3 KEYING KITS 4 LATCHES & STRIKES **STRIKES & FACEPLATES ELEGANCE COLLECTION** LATCHES 6-7 PRODUCT DESCRIPTION CODES 2 **ENTRY HANDLES & SPECIFICATIONS** 3-4 **KNOBS & SPECIFICATIONS** 5 LEVERS & SPECIFICATIONS 6 **DEADBOLTS & SPECIFICATIONS** TRADITIONALE COLLECTION PRODUCT DESCRIPTION CODES **ENTRY HANDLES & SPECIFICATIONS** 3 **KNOBS & SPECIFICATIONS** 4 LEVERS & SPECIFICATIONS 5 **DEADBOLTS & SPECIFICATIONS** INTERCONNECT COLLECTION PRODUCT DESCRIPTION CODES 2 1400 SERIES ENTRY HANDLES & SPECIFICATIONS 3 1500 SERIES UNIGUARD & SPECIFICATIONS 4 PREMIERE ESSENTIALS® COLLECTION

PRICE BOOK EFFECTIVE JUNE 2025

3-4

6

8

PRODUCT DESCRIPTION CODES ENTRY HANDLES & SPECIFICATIONS

DEADBOLTS & SPECIFICATIONS KNOB/DEADBOLT COMBOS

KNOBS & SPECIFICATIONS LEVERS & SPECIFICATIONS

LEVER/DEADBOLT COMBOS

The Terms and Conditions of Sale contained herein shall apply to all orders submitted for the purchase of our products and all quotations for the sale of our products. We reserve the right to refuse to accept any orders which may be submitted to us. Our acceptance of your order is expressly made conditional upon your assent to these Terms and Conditions of Sale. Your acceptance of shipment of any of the products which are ordered or your failure to specifically object to us in writing of those Terms and Conditions of Sale within five (5) days after our mailing of order acknowledgment to you shall constitute your assent to these Terms and Conditions of Sale as the entire agreement between Customer and the Company and shall cancel and supersede all previous communications, understandings, representations and agreements oral or written.

1. PRICES

- A. All prices are in U.S. \$ and are subject to change without notice and are not guaranteed. All orders will be shipped at prices in effect at time of order entry.
- B. Prices stated do not include any applicable sale, use or excise tax or any other tax, duty or charge which is now in effect or may be hereafter imposed by any Federal, State or other authority. All applicable taxes, duties or other charges shall be paid by customer in addition to price quoted or invoiced.

2. FREIGHT

- A. Delivery of the goods shall be FOB the Company's shipping point. Customer assumes all risks of loss or damage to goods following delivery to carrier at Company's point of shipment and shall provide transit insurance in amounts not, less than the full invoice price of the goods to be delivered with the Company named as loss payee or additional insured.
- B. The Company will be responsible for the payment of freight charges on all shipments of \$1,250 net or more by the carrier of the Company's selection to all points in the continental United States. Freight charges will not be paid for by the Company for shipments of less than \$1,250 net.

3. TERMS

Terms are net 30 days from date of invoice, with approved credit for domestic orders. All international sales orders must be paid with an irrevocable letter of credit, confirmed by a United States Bank payable at sight, valid for a least 75 days or prepaid before shipment.

4. ORDERS AND ACKNOWLEDGMENTS

- A. No order will be binding on the Company unless or until it has been accepted and acknowledged in writing by an authorized representative of the Company.
- B. Orders and all shipments thereunder are subject to approval by the Company.
- C. All sales are final.

5. ORDER CHANGES

Changes to any custom order after it has been released for production are subject to a charge to be determined by the Company but to be not less than \$25.00 net. All changes to any order must be in writing and accepted in writing by the Company. Additions to any in-house order must be handled as a separate order and must meet applicable minimum order requirements.

6. MINIMUM CHARGES

Due to the expense involved in the entering, handling and charging for orders less than \$200.00 net invoice, a fee of \$25.00 will be added, and the minimum order size for locks must be ordered in full case quantities.

7. SHIPMENTS

- A. Upon delivery of shipments to the carrier at the Company's facility, title to, and the risk of loss or damage in transit for such shipments, passes to our customer.
- B. Orders will be filled to the extent of our stock on hand and any balance forwarded as soon as possible.
- C. Ship dates on acknowledgments are estimates only which cannot be guaranteed because of the possibility of circumstances and conditions beyond our reasonable control. Under no circumstances shall we be responsible for any inability or delay in meeting shipping schedules or for any loss or damage (whether direct or consequential) resulting therefrom.
- D. Orders returned due to incorrect ship to address will be assessed a \$10 Handling Fee per box, plus freight charges for re-shipment.

8. PRICE CLAIMS

Claims on prices must be submitted within thirty days from date of invoice.

9. ERRORS IN SHIPMENT

Buyer is responsible for inspecting shipments and notifying Company within ten (10) days of any shortages, defects or other problems in delivery. No goods are to be returned to the Company without prior written approval. Credit or replacement will only be made after a thorough inspection of the products has been made by our representatives and investigation shows an error in shipment. A factory return authorization will be provided by our sales representative for returnable merchandise and must accompany the shipment.

10. RETURNS

No goods are to be returned to the Company without prior written approval. A factory return good authorization (RGA) must accompany the returned shipment. Credit or replacement will only be made after a thorough inspection has been made to confirm quantity and disposition of product. There will be a 25% product restocking fee on all returned merchandise.

11. CANCELLATIONS

Cancellations of orders or any portion thereof will be allowed only upon our prior written consent and the payment of such cancellation charges as we may determine. Cancellations accepted on goods which are not regular stock; in the process of manufacture; or ready for shipment will be subject to a substantial cancellation charge.

12. MATERIAL AND FINISHES

- A. Specifications, weights, dimensions and descriptions are actual or careful estimates but are not guaranteed and are subject to variations or change without notice.
- B. We reserve the right to furnish materially equivalent substitutes for material which cannot be obtained in sufficient quantities due to existing shortages or other factors outside the Company's control.
- C. Although we apply the finest protective coating available to the plated surface of our products (Brass, and other Antique Finishes), they have their limitations and in time the protective coating may deteriorate from exposure to weather, perspiration, frequency of use or other factors. Tarnishing or excessive wear of these finishes is therefore, not a defect, but a normal process which is unavoidable. Under these circumstances, finishes cannot be guaranteed and, therefore, products will not be repaired or replaced under our limited warranty for deterioration, tarnishing or wear of finishes.

13. LIMITED WARRANTY

Warranties cover the original residential user of Weslock® Products against defects in material and workmanship as long as the original user occupies the residential premises upon which the product was originally installed. This warranty DOES NOT COVER abused or misused products or if a Weslock® Product is used in commercial applications. Upon return of a defective Product to Weslock®, Weslock® shall either repair or replace the Product. Weslock® is not responsible for the cost to install the product or any defects caused by incorrect installation.

IF YOU HAVE A COVERED DEFECT, CALL OR FAX CUSTOMER SERVICE:

Phone: (800) 575-2658 Fax: (918) 294-3869

Please allow 4 to 6 weeks for warranty work or refund.

A finish deterioration occurring from the use or paints, solvents, or other chemicals is not a defect in the finish and is not covered by this warranty. We slock is not liable for incidental or consequential damages. Some states do not allow the exclusion or limitations of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

Prior to November 1998 all Weslock® Products carried a Full 1 Year Warranty.

FOLLOWING WARRANTIES WERE IN EFFECT NOV. 1998 - DEC.

31,2001

Levers

Limited Lifetime Mechanical

10 Year Mechanical

1 Year Finish

1 Year Finish

400 Series Knobs and Levers

400 Series Knobs and

2100, 1300, Plus, 1400, 1600, 1800, 680, 670 Deadbolts

370 Series Deadbolts 1500, U.L. Rated

products

PREMIUM WARRANTIES WERE IN EFFECT JUNE 1999 - DEC. 31,

2001

Lifetime Finish PVD coating
Limited Lifetime Mechanical
Series: 6600, 6800 Exterior side
2100 Series Exterior side
Optional Lifetime Finish when ordered from factory with PVD
Series: (640, 371, 671) Exterior side

FOLLOWING WARRANTIES WERE IN EFFECT JAN. 1, 2002 – JAN. 31, 2005

Limited Lifetime Mechanical	Limited Lifetime Mechanical
Limited Lifetime Finish	10 Year Finish
700 Series Knobs & Levers	400 Series Knobs & Levers*
600 Series Knobs & Levers	300 Series Deadbolts*
2100 Series Entry Handles	300, 1500 Entry Handles*
600 Series Deadbolts Molten Bro	onze

^{*} PVD Product is Limited Lifetime Finish

For warranties in effect subsequent to December 31, 2005 please see individual collections' stated warranties.

THESE WARRANTIES ARE EXPRESSLY IN LIEU OF ALL OTHER EXPRESS WARRANTIES. IMPLIED WARRANTIES SHALL BE LIMITED TO THE DURATION OF THE WARRANTY PERIOD OF THESE EXPRESS WARRANTIES. WESLOCK® SHALL UNDER NO CIRCUMSTANCES BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OR FOR REPAIRS BY THIRD PARTIES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATIONS OF INCIDENTAL OR CONSEQUENTIAL DAMAGES SO THE ABOVE LIMITATIONS OR EXCLUSION MAY NOT APPLY.

THESE WARRANTIES GIVE YOU SPECIAL RIGHTS, AND YOU MAY ALSO HAVE OTHER LEGAL RIGHTS WHICH VARY FROM STATE .

14. PATENT INDEMNITY

The sale of products by the Company does not convey any license, by implication, estoppel or otherwise, under patents covering the products alone or in combination with other devices or elements, in the event that any legal proceeding is brought against Customer claiming that the goods infringe a Unites States patent of a third party, the Company may agree to defend at its own expense that portion of such legal proceeding which relates to such claim and to pay any damages or costs awarded by a court on such claim against Customer, provided:

- A. Customer gives the Company prompt written notice of any such claim and the institution of such proceeding;
- B. Customer gives the Company all necessary authority, information, cooperation, and reasonable assistance to enable the Company, at its option, to compromise, settle or defend such legal proceeding;
- C. Customer shall not, without prior written consent of the Company, compromise any such claim or deal with the claimant in any manner with respect to such claim.

THE COMPANY SHALL HAVE NO LIABILITY TO INDEMNIFY CUSTOMER FOR ANY INFRINGEMENT ARISING FROM:

- A. The combination of the goods with any other product, part, device or element not furnished by the Company to Customer if the infringement would not have occurred from the use of the goods alone;
- B. A modification of the goods made at the request of Customer; or
- C. The furnishing to Customer of any information, date, assistance, maintenance or operation handbooks supplied with the goods.

THE COMPANY SHALL NOT BE LIABLE FOR ANY COSTS OR EXPENSES INCURRED WITHOUT THE COMPANY'S WRITTEN AUTHORIZATION.

THE FOREGOING IS STATED IN LIEU OF ANY OTHER EXPRESS, IMPLIED OR STATUTORY WARRANTIES WITH RESPECT TO ANY ALLEGED PATENT INFRINGEMENT AND SHALL BE THE SOLE AND EXCLUSIVE REMEDY OF CUSTOMER FOR PATENT INFRINGEMENT OF ANY KIND.

15. DEFAULT

If Customer is in default under any order or contract with the Company or any of our affiliated divisions or companies, or if at any time the Company shall not be satisfied with Customer's financial condition or responsibility, the Company shall have the right, without prejudice to any other legal remedy, to suspend further deliveries until such default or condition is remedied.

16. ASSIGNMENT

Customer shall not assign its orders nor any of its rights or obligations thereunder without the prior written consent of the Company.

17. APPLICABLE LAW

These Terms and Conditions of Sale and any transaction pursuant hereto between the Company and Customer shall be construed in accordance with the laws of the State of Oklahoma

18. WAIVER AND MODIFICATION

No waiver or modification of any of these Terms and Conditions of sale shall be effective unless such waive or modification is in writing and signed by an authorized representative of the Company.

19. SEVERABILITY

If any of these Terms and Conditions of Sale are declared to be void or unenforceable for any reason, the remaining Terms and Conditions of Sale shall be unaffected and remain valid for all purposes.

20. BROKEN CASE CHARGE

There will be a 10% upcharge for all order quantities of less than full case, except for crossfunction keyed products.

21. INCOMPLETE LOCKSETS

Locksets ordered less component parts are billed at full price (Does not apply to bulk pack product)

22. MINIMUM ANNUAL SALES VOLUME REQUIREMENTS

The Company reserves the right to discontinue direct sales to any Customer who does not meet the minimum annual sales volume requirements during each Calendar Year. That requirement currently is \$30,000. The minimum annual sales volume requirement is determined on the basis of accepted, non-canceled customer orders during each applicable Calendar Year. This requirement is necessary because our bookkeeping, catalog, and sales support and service costs to keep accounts open in most cases may run over any significant profit which might be realized on any sales volume below this level. The Company reserves the right to change any or all minimum annual sale volume requirements from time to time. It is also agreed and understood that the attainment of the minimum annual sales volume requirement is but one of the Company's requirements to continue as a direct customer of the Company and that we may terminate direct sales to any Customer in accordance with any agreements between the Company and the Customer or for failure to meet the Company's requirements as determined by the Company in its sole judgment.

23. MISCELLANEOUS

- A. Orders not specified with keying requirements in Molten Bronze, Elegance and Traditionale Collection will be shipped Keyed Differently (KD) for entry handles and shipped Keyed Alike (3) for all other products.
- B. Orders not specified with keying requirements in Premiere Essentials and Transitional Collections will be shipped Keyed Differently (KD) for entry handles and shipped Keyed Alike (2) for all other products.
- C. WESLOCK® reserves the right to revise or modify products, product information or pricing without notice.
- D. Product specifications and prices reflect available information at the printing of this price list.
- E. WESLOCK® is not responsible for typographical or printing errors.


24. BACK CHARGES

We are not responsible for unauthorized back charges and will not accept any charges for labor or material incurred by anyone other than Weslock® for any installation repair, service or replacement unless prior written approval has been given.

HOW TO DETERMINE HAND OF DOOR


LEFT HAND DOOR

- 1. Stand outside room.
- 2. Face Door.
- 3. Hinges on left side.



RIGHT HAND DOOR


- 1. Stand outside room.
- 2. Face Door.
- 3. Hinges on right side.



Weslock's® computer program requires assigning a unique 13 digit part number to each specific item being ordered. Each of the 13 digit positions describes the specific attributes of the product. The information provided by each digit's position is illustrated as follows:

HOW TO READ A LOCK ORDER

(How to read a 13 digit part number.)



HOW TO WRITE A LOCK ORDER

(The following ordering example shows the 13 digit product code as it will appear on all acknowledgments.)

POSITION	1	2-5	6	7	8	9	10-11	12	13
QUANTITY	HANDING	MODEL#	EXT. KNOB STYLE	EXT. FINISH	INT. KNOB STYLE	INT. FINISH	LATCH/ STRIKE CODE	PACK CODE*	KEYING CODE
ENTRY HAND	NTRY HANDLE								
Example: 2810 Se	eries Entry Handle	in Satin Nickel wit	h Interior Hudson	Knob, Keyed Diffe	rent				
4	0	2810	_	N	G	N	FR	2	D
DEADBOLT									
Example: Builder	Box 300 Series Do	ouble Cylinder Dea	adbolt in Antique E	Brass, Keyed Differ	ent and Master Ke	yed			
30	0	0471	_	Α	-	Α	SL	2	KD/MK
KEYLOCK									
Example: Builder	· Box Impresa Keyl	ock in Oil-Rubbed	Bronze with Drive	-in Latches, Keyed	Alike in sets of 3				
30	0	0640	I	1	I	1	DI	2	KA3
Example: Builder	Box Right Handed	d Bordeáu Keylock	in Black with adju	stable latch. Keyed	Alike in sets of 2				
12	R	0640	U	2	U	2	SL	2	KA2
PASSAGE/PRI	IVACY								
Example: Builder	· Box Bordeáu Pass	sage Lever in Brass	5						
12	0	0600	U	3	U	3	SL	2	0
Example: Builder	Box Julienne Priv	acy in Satin Nickel		•		•			
30	0	0610	כ	N	כ	N	SL	2	0
DUMMY									
Example: Builder	Example: Builder Box Impresa Dummy Knob in Bright Chrome								
30	0	0605	I	Α		-	00	2	0
Example: Builder	Box Impresa Dum	nmy Passage Set in	Satin Chrome						
30	0	0606	I	N	I	N	00	2	0

^{*}NOTE: Builder Box Pack Code "2".

KEYING TERMS

KD	Keyed Different
KA	Keyed Alike
KA2	Keyed Alike (2 Locks)
KA3	Keyed Alike (3 Locks)
KA6	Keyed Alike (6 Locks)
MK	Master Keyed
GM	Grand Master Keyed
KTP	Keyed to Pass
OG	Owner-Guard (construction keying)
ВК	Owner-Guard (Master Key System)
HG	Home-Guard (construction keying)
ко	Knockout Key

TYPES OF KEYING

STANDARD KEYING

All locksets, deadbolts and entry handles come with 2 keys per lockset and will be keyed alike in any quantity. Specify KA2 (2 locks alike) - KA5 (5 locks alike)

EXAMPLE: 640 IMP AB X AB KA5 (five (5) locks would be keyed alike)

MASTER KEYING

Frequently it becomes necessary to provide a group of locks, each having a different and non-interchangeable key, but all having in common one master key capable of operating each of the locks in the group. This arrangement is most often used in rental units such as apartment or office buildings.

EXAMPLE: 640 IMP AB X AB KD MK (all locks would be keyed differently - all operable by one master key)

Often, single family housing tracts require groups of locks keyed alike, but having only one (such as the front door lock) master keyed.

EXAMPLE: 640 IMP AB X AB KA3 1MK (three (3) locks would be keyed alike only one operable by master key)

GRAND MASTER KEYING

On occasion, it becomes necessary to provide more than one group of locks each having a different and non-interchangeable key, each group having in common one master key capable of operating each of the locks in the group plus a grand master key capable of operating every lock in each group.

EXAMPLE: 640 IMP AB X AB KA3 3MK 3GM (three (3) locks would be keyed alike - three (3) locks would be master keyed to be operable by the group and grand master keys)

EXAMPLE: 640 IMP AB X AB KA3 1MK 1GM (three (3) locks would be keyed alike - only one of the three would be master keyed to be operable by the group and grand master keys)

HOME-GUARD™ KEYING SEE ILLUSTRATION (this page)

EXAMPLE: 640 IMP AB X AB KA3 3MK 3HG (three (3) locks would be keyed alike - three (3) locks would be operable by the builder master key until disabled by the tenant or owner key)

OWNER-GUARD™ KEYING SEE ILLUSTRATION (this page)

EXAMPLE: 640 IMP AB X AB KA3 3MK 3OG (three (3) locks would be keyed alike - all locks would be operable by the builder master key until disabled by the knock-out key - master key continues to operate all locks after builder master has been disabled)

This type of keying is usually used in keylocks for doors which are common to a particular building or complex, i.e. utility rooms, recreation rooms, laundry rooms, swimming pool gates, in which all different and non-interchangeable tenant keys must operate the keyed to pass lock


EXAMPLE: 640 IMP AB X AB MK KTP (this lock would be keyed such that every tenant key and the master would operate this common lock)

HOME-GUARDTM

The Home-Guard (HG) version normally uses two (2) keys, a BUILDER KEY, for use during construction and a TENANT OR OWNER KEY which automatically disables (knocks out) the builder key the first time it is used. For maximum control of the tenant key, it is supplied in a sealed envelope since the builder key is used during

This version is not normally master-keyed, but may be if desired.

HERE'S HOW THE HOME-GUARD WORKS:



2. The knockout key is rotated slowly, approximately 45° to the right for all series locks. This positions the ball over a hole in the cylinder plug where the driver spring pushes the ball into the escape hole, removing it permanently.




3. The tumbler combination has now been changed so the homeowner key is the only key that will properly align the pins and operate the lock. The builder key is permanently prevented from opening the lock. The master key, if any, will operate exactly as before knock-out.


OWNER-GUARDTM

The Owner-Guard (OG) version normally uses four (4) keys, a BUILDER KEY, for use during construction, a MASTER KEY, which works during, as well as after construction, a TENANT KEY, which does not disable the builder key, and a separate KNOCKOUT KEY, that does disable the builder key and will not work thereafter.

A special feature of the new construction-key system is that a customer can inter-mix the two versions (HG & OG) since they can be keyed to use the same builder key (and same master key, if desired).

HERE'S HOW THE OWNER-GUARD WORKS:






2. The knockout key is rotated slowly, approximately 45° to the right for all series locks. This positions the ball over a hole in the cylinder plug where the driver spring pushes the ball into the escape hole, removing it permanently.



KEY ROTATED TO POSITION THE ESCAPE HOLE WITH THE BALL

3. The tumbler combination has now been changed so the 3. The tulliber commender has now been changed so on homeowner key is the only key that will properly align the pins and operate the lock. The builder key is permanently prevented from opening the lock. The master key, if any, will operate exactly as before knock-out.




WHEN ORDERING HOME-GUARD AND OWNER-GUARD LOCKS FOR PRE-EX-ISTING OR ON-GOING SYSTEMS, YOU ARE REQUIRED TO ORDER HG, OG AND KO KEYS SEPARATELY.

HOW TO REMOVE A WESLOCK® CYLINDER AND CHANGE THE HAND OF DOOR




To remove outside knob/lever, remove spring clip with screwdriver (if necessary).



Turn knob to the extreme left and remove.



Insert and turn key 180°, withdraw cylinder, turn key 180° again, and withdraw key.




Remove screw and tailpiece.








Insert key, turn 180°. Put cylinder in knob, tailpiece OPPOSITE the spindle. Turn key 180° and withdraw.



Insert knob with cylinder into housing. Turn to the extreme left and PUSH until knob is seated and rotates in normal position. Push button, locking assembly.



Reinsert spring clip if necessary. Lock is now ready for installation.

KEYING CHARGES

DESCRIPTION	KEYING CODES	LIST PRICE	
Keyed Alike	А	Included	
Keyed Different	D	Included	
Master Keying charge per lock	М	\$5.50	
Grand Master Keying charge per lock	G	\$7.50	
Keying to Pass charge per lock	КТР	\$10.00	
Home Guard charge per lock	HG	\$6.00	
Owner Guard charge per lock (includes Master Key)	ВК	\$6.50	
Owner Guard charge per lock	OG	\$6.00	

The above keying charges are added to the list price(s) of Keyed Lockset(s) when the corresponding special keying is requested.


PRODUCT FINISH CODES

FINISHES	U.S.	вма	WESLOCK	
Polished Brass	3	605	3	
Lifetime Polished Brass (PVD)	L03	605E	В	
Antique Brass	5	609	А	
Bright Chrome	26	625	6	
Satin Nickel	15	619	N	
Oil Rubbed Bronze	10B	613	1	
Matte Black	19	622	2	
Satin Brass	4	606	4	

^{*} Does not apply to the Premiere Essentials $^{\scriptsize @}$ or Transitional collections of Products

NOTES





THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.

HANDING POSITION 1

Position τ is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

MODEL NUMBERS POSITIONS 2,3,4,5

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (o) in position 2.

- Deadbolts: See model numbers on page 6
- Handlesets: See model numbers on pages 3, 4 & 5

EXTERIOR & INTERIOR KNOB & LEVER DESIGNS POSITIONS 6 & 8

KNOBS	CODE
Wexford	F
Durham	М
LEVERS	CODE
Carlow	н

EXTERIOR & INTERIOR FINISH CODES POSITIONS 7 & 9

FINISHES	U.S.	вма	WESLOCK	
Oil Rubbed Bronze	10B	613	1	
Black	19	622	2	

LATCH CODES POSITIONS 10 & 11

CODE	LATCH
S L	2-3/8" or 2-3/4", Adjustable Latch Square & Radius Faceplate
DI	2-3/8" or 2-3/4", Adjustable Drive-in Latch Square & Radius Faceplates

PACKAGING CODES POSITION 12

PACKAGING TYPES	CODE
Box Pack w/ Phillips Head Wood Screws	2

KEYING CODES POSITION 13

KEYING TYPES	CODE
Keyed Alike	А
Keyed Different	D
Master Keying charge per lock	М
Grand Master Keying charge per lock	G
Keying to Pass charge per lock	KTP
Home Guard charge per lock	HG
Owner Guard charge per lock (includes Master Key)	ВК
Owner Guard charge per lock	OG
No Cylinder (zero)	0





CASTLETOWN INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2
^R/L	7625	Single Cylinder Handleset	Box	37	4	498.00	498.00
^R/L	7615	Dummy Handleset	Вох	37	4	498.00	498.00
Available with Wexford or Durham knobs and Carlow lever.							

 $^{{}^{\}wedge} Handing\ required\ when\ using\ Carlow\ lever.$



STONEBRIAR INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2				
^R/L	7631	Single Cylinder Handleset	Box	42	4	537.00	537.00				
^R/L	7635	Dummy Handleset	Вох	42	4	537.00	537.00				
Available with V	Available with Wexford or Durham knobs and Carlow lever.										

[^]Handing required when using Carlow lever.




WILTSHIRE INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2			
^R/L	7680	Single Cylinder Handleset	Вох	48	4	576.00	576.00			
^R/L	7685	Dummy Handleset	Вох	48	4	576.00	576.00			
Available with \	Available with Wexford or Durham knobs and Carlow lever.									

[^]Handing required when using Carlow lever.

GENERAL SPECIFICATIONS

	PRODUCT CATEGORY	CYLINDER		CYLINDER STRIKES		FACEP	PLATES DOOR HANDING		ADA	BORING DOOR REQUIREMENTS THICKNESS BACKS							BACKSET	LATO BOI THRO	LT																	
	AIEGORI	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING				CROSS			EDGE		EDGE				CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE				LATCH	STANDARD	SPECIAL		DEADBOLT	HANDLE
L												DEADBOLT	HANDLE	BORE	FACE																					
	Handlesets	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square	2-1/4" full lip, Radius & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Specify handing on all interior trims with handed levers.	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1"× 2-1/4"	1-3/4" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1"	1/2"																



MODEL		Α	В	С	D	E
Castletown	Exterior	2-3/4"	*5-1/2"	8-3/4" - 10"	18-1/2"	2-3/4"
Stonebriar	Interior	2-3/4"	5-1/2"	-	10-1/8"	2-3/4"
Stonebriar	Exterior	2-3/4"	5-1/2"	8-3/4" - 10"	18-1/2"	2-3/4"
	Interior	2-3/4"	5-1/2"	-	10-1/8"	2-3/4"
Wiltshire	Exterior	2-3/4"	5-1/2"	8-3/4" - 10"	19-1/4"	2-3/4"

*5-1/4" minimum

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)



ASPEN INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2			
-	7925	Single Cylinder Handleset	Box	39	4	498.00	498.00			
-	7915	Dummy Handleset	Box	39	4	498.00	498.00			
Available with Wexford or Durham knobs and Boulder lever.										

GREYSTONE INTERIOR TRIM INCLUDED

•	0
	50
I	

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2		
-	7931	Single Cylinder Handleset	Вох	45	4	537.00	537.00		
-	7935	Dummy Handleset	Вох	45	4	537.00	537.00		
Available with Wexford or Durham knobs and Boulder lever.									


ROCKFORD INTERIOR TRIM INCLUDED



HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2		
-	7980	Single Cylinder Handleset	Вох	51	4	576.00	576.00		
-	7985	Dummy Handleset	Вох	51	4	576.00	576.00		
Available with Wexford or Durham knobs and Boulder lever.									

GENERAL SPECIFICATIONS

PRODUCT CATEGORY		CYLINDER		CYLINDER STRIKES		FACEP	LATES DOOR HANDING		ADA .	ANSI	ANSI UL	REG	BORING REQUIREMEN				OR (NESS	BACKSET	LATCH BOLT THROW	
CAI	EGORI	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING				CROSS	CROSS BORE ED		LATCH FACE	STANDARD	SPECIAL		DEADBOLT	HANDLE
												DEADBOLT	HANDLE	BUKE	FACE					
На	ndlesets	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square	2-1/4" full lip, Radius & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Reversible	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1" x 2-1/4"	1-3/4" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1"	1/2"



MODEL		Α	В	С	D	E
Aspen	Exterior	2-3/4"	*5-1/2"	8-3/4" - 10"	18-1/2"	2-3/4"
Constant	Interior	2-3/4"	2-3/4" 5-1/2" -		10-1/8"	2-3/4"
Greystone	Exterior	2-3/4"	5-1/2"	8-3/4" - 10"	18-1/2"	2-3/4"
	Interior	2-3/4"	5-1/2"	-	10-1/8"	2-3/4"
Rockford	Exterior	2-3/4"	5-1/2"	8-3/4" - 10"	19"	2-3/4"

*5-1/4" minimum

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)



TRAMORE INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2			
-	7641	Single Cylinder Deadbolt Passage	Box	23	4	353.00	353.00			
-	7645	Dummy Handleset (all parts rigid)	Вох	23	4	353.00	353.00			
Available with V	Available with Wexford or Durham knobs and Carlow or Boulder levers.									




BRAUGHTON INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2		
-	7941	Single Cylinder Deadbolt Passage	Box	23	4	353.00	353.00		
-	7945	Dummy Handleset (all parts rigid)	Вох	23	4	353.00	353.00		
Available with Wexford or Durham knobs and Carlow or Boulder levers.									

GENERAL SPECIFICATIONS

PRODUCT CATEGORY	CYLIN	NDER	STR	IKES	FACEP	LATES	DOOR ADA		ADA ANSI		BORING REQUIREMENTS			DOOR THICKNESS		BACKSET	LATCH BOLT THROW		
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING				CROSS	BORE	EDGE BORE	LATCH FACE	STANDARD	SPECIAL		DEADBOLT	HANDLE
										DEADBOLT	HANDLE	BORE	IACL						
Handlesets	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square	2-1/4" full lip, Radius & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Reversible	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1" x 2-1/4"	1-3/4" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1"	1/2"



MODEL		Α	В	С	D	E
T	Interior	2-3/4"	5-1/2"	-	10-1/8"	2-3/4"
Tramore	Exterior	2-3/4"	5-1/2"	-	10-1/4"	2-3/4"
Draughtan	Interior	2-1/2"	5-1/2"	-	10-1/8"	2-3/4"
Braughton	Exterior	2-1/2"	5-1/2"	-	10-1/4"	2-3/4"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)





PREMIERE DEADBOLT

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2
-	7571	Single Cylinder	Box	36	18	126.00	126.00





SQUARE DEADBOLT

	HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	1	2
ſ	-	7971	Single Cylinder	Box	37	18	126.00	126.00

GENERAL SPECIFICATIONS

	PRODUCT CATEGORY	CYLIN	IDER	STR	IKES	FACEP	LATES	DOOR	ADA	DA ANSI L		ANSI	ANSI	ANSI	ANSI UL	BORII REQUIREI		-		OR (NESS	BACKSET	LATCH BOLT THROW	
	CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING				CROSS BORE	EDGE BORE	LATCH FACE	STANDARD	SPECIAL		DEADBOLT	HANDLE				
L												DEADBOLT HANDLE											
	Deadbolts	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	l .	2-1/4", & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Reversible for right or left- hand doors	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	1"	1" x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1"	,				



М	DDEL		Α	В	С	D	E
IIERE	7571	Interior	1-3/4"	-	-	4"	2-3/4"
PREMIERE	Single Cylinder	Exterior	3/4"	-	-	4"	2-3/4"
ARE	7971	Interior	1-3/4"	-	-	4"	2-3/4"
SQUARE	Single Cylinder	Exterior	3/4"	-	-	4"	2-3/4"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)





PRODUCT DESCRIPTION CODES 2

COLLECTION PRICING & SPECIFICATIONS

ENTRY HANDLES	3-4
KNOBS	5
LEVERS	6
DEADBOLTS	7

Limited Lifetime Mechanical Warranty • Limited Lifetime Finish Warranty

WWW.WESLOCK.COM

THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.

HANDING POSITION 1

Position τ is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

MODEL NUMBERS POSITIONS 2,3,4,5

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (0) in position 2.

- Knobsets / Leversets: See model numbers on pages 6 & 7
- Deadbolts: See model numbers on page 8
- Handlesets: See model numbers on pages 3, 4 & 5

EXTERIOR & INTERIOR KNOB & LEVER DESIGNS POSITIONS 6 & 8

KNOBS	CODE
Impresa	I
Julienne	J
LEVERS	CODE
Bordeáu	U
Philtower	7

EXTERIOR & INTERIOR FINISH CODES POSITIONS 7 & 9

FINISHES	U.S.	вма	WESLOCK
Satin Nickel	15	619	N
Oil Rubbed Bronze	10B	613	1
Matte Black	19	622	2

LATCH CODES POSITIONS 10 & 11

CODE	LATCH					
S L	2-3/8" or 2-3/4", Adjustable Latch Square & Radius Faceplate					
DI	2-3/8" or 2-3/4", Adjustable Drive-in Latch Square & Radius Faceplates					

PACKAGING CODES POSITION 12

PACKAGING TYPES	CODE
Box Pack w/ Phillips Head Wood Screws	2

KEYING CODES POSITION 13

KEYING TYPES	CODE
Keyed Alike	A
Keyed Different	D
Master Keying charge per lock	М
Grand Master Keying charge per lock	G
Keying to Pass charge per lock	KTP
Home Guard charge per lock	HG
Owner Guard charge per lock (includes Master Key)	ВК
Owner Guard charge per lock	OG
No Cylinder (zero)	0





$MANSION^{\tiny{(8)}} \ interior \ trim \ included$

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
^R/L	6651	Single Cylinder Handleset	Вох	26	4	428.00	-	428.00
^R/L	6655	Dummy Handleset	Вох	26	4	428.00	-	428.00
Available with	Available with Impresa or Julienne knobs and Bordeáu lever.							

[^]Handing required when using Bordeáu lever.


PHILBROOK INTERIOR TRIM INCLUDED

	HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
	^R/L	6641	Single Cylinder Handleset	Box	28	4	472.00	472.00	472.00
	^R/L	6645	Dummy Handleset	Box	28	4	472.00	472.00	472.00
Available with Impresa or Julienne knobs and Bordeáu lever.									

[^]Handing required when using Bordeáu lever.

GENERAL SPECIFICATIONS

PRODUCT	CYLIN	IDER	STR	IKES	FACEP	FACEPLATES DOOR ADA AN	ANSI	UL	-		BORING REQUIREMENTS				BACKSET	LAT BO THR	LT		
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING		Aug. GI		CROSS	BORE	EDGE LATCH BORE FACE		STANDARD	SPECIAL		DEADBOLT	HANDLE
Handlesets	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square	2-1/4" full lip, Radius & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Specify handing on all interior trims with handed levers.	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1" x 2-1/4"	1-3/4" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1"	1/2"



MODEL		A	В	С	D	E
Mansion	Interior	2-3/4"	5-1/2"	-	10-1/8"	2-3/4"
iviansion	Exterior	3"	5-1/2"	8-3/4" - 10"	18-1/2"	2-3/4"
Philbrook	Interior	2-3/4"	5-1/2"	-	10-1/8"	2-3/4"
Philiprook	Exterior	2-3/4"	5-1/2"	8-3/4" - 10"	19-1/4"	2-3/4"

CLASSIFICATION KEY

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length

E - Width of Rose (Escutcheon Plate)



$WOODWARD^{TM}$ INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2	
-	6681	Single Cylinder Handleset	Box	42	4	458.00	-	458.00	
-	6685	Dummy Handleset	Box	42	4	458.00	-	458.00	
Available with I	Available with Impresa or Julienne knobs and Philtower lever.								


BELMONT INTERIOR TRIM INCLUDED

HANDIN	G MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	6691	Single Cylinder Handleset	Вох	46	4	509.00	509.00	509.00
-	6695	Dummy Handleset	Вох	46	4	509.00	509.00	509.00
Available w	Available with Impresa or Julienne knobs and Philtower lever.							



GENERAL SPECIFICATIONS

	PRODUCT CATEGORY	CYLIN	NDER	STR	IKES	FACEP	LATES	DOOR HANDING	ADA	ANSI	UL	RE													BORING REQUIREME		TS	THICK	OR (NESS	BACKSET	BO THR	LT
ľ	CATEGORT	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING				CROSS	BORE	EDGE BORE	LATCH FACE	STANDARD	SPECIAL		DEADBOLT	HANDLE												
L												DEADBOLT	HANDLE	BORE	FACE																	
I				2-1/4"																												
			5 Pin	full lip															!	1 1												
		5 Pin	Schlage	and 1"	2-1/4"	1" x 2-1/4",						2-1/8"						Adjustable	. !	1 1												
	Handlesets	Weslock	Cor	x 2-1/4"	full lip,	Removable	Drive-in	Reversible	N/A	A 156.2	N/A		2-1/8"	411	1"x	1-3/4" -	N/A	2-3/8"	1 1 1	1/2"												
	Handlesets			no lip,	Radius &	Radius &	Drive-in	Reversible	IN/A	Grade II	IN/A	or	2-1/8	' '	2-1/4"	2-1/4"	IN/A	or	'	1/2												
		Keyway	Kwikset	Radius	Square	Square						1-5/8"						2-3/4"	!	1 1												



MODEL		Α	В	С	D	E
Woodward	Interior	2-3/4"	5-1/2"	-	10-1/8"	2-3/4"
vvoodward	Exterior	2-3/4"	5-1/2"	8-3/4" - 10"	18-1/4"	2-3/4"
Dalmant	Interior	2-3/4"	5-1/2"	-	10-1/8"	2-3/4"
Belmont	Exterior	2-3/4"	5-1/2"	8-3/4" - 10"	19"	2-3/4"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

$\mathbf{IMPRESA}^{\scriptscriptstyle{\mathrm{TM}}} \; \mathsf{KNOB} \; (\mathbf{I})$



	HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
8	-	3700	Passage (Hall & Closet)	Box	39	18	72.80	72.80	72.80
I ≼	-	3705	Dummy Knob	Box	13	18	32.80	32.80	32.80
000	-	3710	Privacy (Bed & Bath)	Box	41	18	77.20	77.20	77.20
×	-	3740	Keylock (Keyed Entry)	Box	45	18	101.90	101.90	101.90

GENERAL SPECIFICATIONS

PRODUCT	CYLI	NDER	STR	IKES	FACEP	PLATES	DOOR	ADA	BORING DOOR REQUIREMENTS THICKNESS BAC		BACKSET	LAT BO THR	LT					
CATEGORY	STANDARD	RD OPTIONAL DEADBOLT H		HANDLE	STANDARD	OPTIONAL	HANDING				CROSS BORI	EDGE BORE	LATCH FACE	STANDARD	SPECIAL		DEADBOLT	HANDLE
Knobs	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	l	full lip, & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Reversible for right or left- hand doors	N/A	A 156.2 Grade II	N/A	2-1/8"	1"	1" x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/2	2"



MODEL	Α	В	С	D	E
Impresa	2-1/2"	-	-	5"	2-3/4"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

PHILTOWER NON-HANDED LEVERSETS (7)





	HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
RD	-	3700	Passage (Hall & Closet)	Box	44	18	103.30	103.30	103.30
۱	-	3705	Dummy Lever	Box	17	18	51.00	51.00	51.00
000	-	3710	Privacy (Bed & Bath)	Box	45	18	107.60	107.60	107.60
Ĭ	-	N/A	Keylock (Keyed Entry)	-	-	-	-	-	-

GENERAL SPECIFICATIONS

PRODUCT CATEGORY		CYLINDER		CYLINDER		CYLINDER STRIKE		STRIKES FACEPLATES		DOOR ADA	ANSI	UL		BORING REQUIREMENTS			DO THICK	-	BACKSET	LAT BO THR	LT
	CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING				CROSS BO		EDGE BORE	LATCH FACE	STANDARD	SPECIAL		DEADBOLT	HANDLE	
	Philtower Lever	N/A	N/A		full lip, k Square	1" x 2-1/4", Fixed Radius	Drive-in	Non-Handled	Yes	A 156.2 Grade II	N/A	2-1/8"		1"	1" x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/2	<u>}</u> "	



MODEL	Α	В	С	D	E
Philtower Handed Leverset	2-5/8"	-	-	5"	2-3/4"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

$WOODWARD^{TM}$ DEADBOLT





HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	3771	Single Cylinder	Вох	34	18	85.20	85.20	85.20

GENERAL SPECIFICATIONS

PRODUCT CATEGORY	CYLINDER		CYLINDER		STRIKES		FACER	PLATES	DOOR	ADA	ANSI	UL .	BORI REQUIRE		-		DOOR THICKNESS		BACKSET	LATCH BOLT THROW	
	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING			,	CROSS	HANDLE	EDGE BORE	LATCH FACE	STANDARD	SPECIAL		DEADBOLT	HANDLE		
Deadbolts	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	l	2-1/4", & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Reversible for right or left- hand doors	N/A	A 156.2 Grade II	N/A	2-1/8"		2-1/8"		1"	1" x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1"	





М	ODEL		A	В	С	D	E
dward	3771	Interior	1-3/4"	-	-	3-7/8"	2-3/4"
Wood	Single Cylinder	Exterior	7/8"	-	-	3-7/8"	2-3/4"

- A Projection from Door
- B Center to Center
- C Footscrew D Full Length
- E Width of Rose (Escutcheon Plate)





2

COLLECTION PRICING & SPECIFICATIONS

ENTRY HANDLES 3
KNOBS 4
LEVERS 5
DEADBOLTS 6

Limited Lifetime Mechanical Warranty • Limited Lifetime Finish Warranty

WWW.WESLOCK.COM

THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.

HANDING POSITION 1

Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

MODEL NUMBERS POSITIONS 2,3,4,5

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (o) in position 2.

- Knobsets / Leversets: See model numbers on pages 4 & 5
- \bullet Deadbolts: See model numbers on page 7
- Handlesets: See model numbers on page 3

EXTERIOR & INTERIOR KNOB & LEVER DESIGNS POSITIONS 6 & 8

KNOBS	CODE
Eleganti	E
Impresa	I
Julienne	J
LEVERS	CODE
Bordeáu	U

EXTERIOR & INTERIOR FINISH CODES POSITIONS 7 & 9

FINISHES	U.S.	ВМА	WESLOCK
Polished Brass	3	605	3
Lifetime Polished Brass (PVD)	L03	605E	В
Antique Brass	5	609	А
Satin Nickel	15	619	N
Oil Rubbed Bronze	10B	613	1
Matte Black	19	622	2

LATCH CODES - STANDARD POSITIONS 10 & 11

CODE	LATCH
SL	2-3/8" or 2-3/4" Adjustable Latch Square & Radius Faceplates
DI	2-3/8" or 2-3/4" Adjustable Drive-in Latch Square & Radius Faceplates

PACKAGING CODES POSITION 12

PACKAGING TYPES	CODE
Box Pack w/ Phillips Head Wood Screws	2

KEYING CODES POSITION 13

KEYING TYPES	CODE
Keyed Alike	A
Keyed Different	D
Master Keying charge per lock	М
Grand Master Keying charge per lock	G
Keying to Pass charge per lock	KTP
Home Guard charge per lock	HG
Owner Guard charge per lock (includes Master Key)	ВК
Owner Guard charge per lock	OG
No Cylinder (zero)	0






LEXINGTONTM 2100 SERIES INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	*3 (B)	3	A	N	1	2
^R/L	2115	Single Cylinder Handleset	Вох	28	4	381.70	-	352.50	381.70	381.70	381.70
^R/L	2105	Dummy Handleset	Вох	28	4	381.70	-	352.50	381.70	381.70	381.70

Available with Impresa or Eleganti knobs and Bordeáu lever.

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STRI	IKES	FACEP	LATES	DOOR	ADA	ANSI		UL	BORII	BORING REQUIREMEN			DO		BACKSET	LATCH I	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	OL	CROSS	BORE	Edge Bore	Latch Face	Standard	Special	BACKSEI	DEADBOLT	HAN- DLE	
2100 Series Entry Handles	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square	2-1/4" full lip, Radius & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Specify handing on all interior trims with handed levers.	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1" x 2-1/4"	1-3/4" - 2"	2" - 2-1/4"	Adjustable 2-3/8" or 2-3/4"	1"	1/2"	



MODEL	Α	В	С	D	E
2100 Lexington	2-7/8"	5-1/2"	9-1/4"	18"	2-3/4"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

[^]Handing required when using Bordeáu lever.

^{*}PVD only on exterior.

ELEGANTI TM knob (E)



HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	3 (B)	3	A	N	1	2
-	0600	Passage (Hall & Closet)	Вох	37	30	-	-	52.40	-	-	-
-	0605	Dummy Knob	Вох	11	30	-	-	23.00	-	-	-
-	0610	Privacy (Bed & Bath)	Вох	40	30	-	-	55.70	-	-	-
-	0640	Keylock (Keyed Entry)	Вох	46	30	-	-	83.40	-	-	-

$IMPRESA^{\rm TM}\ KNOB\ (I)$



HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	*3 (B)	3	A	N	1	2
-	0600	Passage (Hall & Closet)	Вох	37	30	-	38.80	43.00	45.30	45.30	45.30
-	0605	Dummy Knob	Вох	11	30	-	16.80	18.50	19.80	19.80	19.80
-	0610	Privacy (Bed & Bath)	Вох	40	30	-	42.80	46.90	50.00	50.00	50.00
-	0640	Keylock (Keyed Entry)	Вох	46	30	70.80	-	70.80	75.20	75.20	75.20

^{*}PVD only on exterior.

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STRI	KES	FACEP	LATES	DOOR				BORII	NG REQ	UIREMEI	NTS	DO THICK			LATCH I	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	Edge Bore	Latch Face	Standard	Special	BACKSET	DEADBOLT	HAN- DLE
Knobs	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" Radius 8	full lip, k Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Reversible for right or left- hand doors	N/A	A 156.2 Grade II	N/A	2-1.	/8"	1"	1" x 2-1/4"	1-3/8" - 1-3/4"	1-3/4" - 2-1/4"	Adjustable 2-3/8" or 2-3/4"	1/2"	,



MODEL	Α	В	С	D	E
Eleganti	2-1/8"	-	-	-	2-1/2"
Impresa	2-1/8"	-	-	-	2-1/2"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

$f BORDE\acute{A}U^{TM}\ LEVERSETS\ (U)$ Specify Right or Left when ordering dummy and keylock functions





HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	*3 (B)	3	A	N	1	2
-	0600	Passage (Hall & Closet)	Вох	47	12	-	65.00	68.70	72.90	72.90	72.90
R/L	0605	Dummy Lever	Вох	17	30	-	30.80	33.00	36.70	36.70	36.70
-	0610	Privacy (Bed & Bath)	Вох	50	12	-	69.70	73.30	78.70	78.70	78.70
R/L	0640	Keylock (Keyed Entry)	Вох	24	12	114.30	-	111.80	114.30	114.30	114.30

^{*}PVD only on exterior.

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STRI	IKES	FACEP	LATES	DOOR				BORII	NG REQU	JIREMEI	NTS	DO THICK			LATCH I	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	Edge Bore	Latch Face	Standard	Special	BACKSET	DEADBOLT	HAN- DLE
Levers	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" Radius 8	full lip, & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Specify handing for Bordeáu levers, all other styles are reversible for right or left- hand doors	All Functions Meet Sec. 4.13.9	A 156.2 Grade II	N/A	2-1,	/8"	1"	1" x 2-1/4"	1-3/8" - 1-3/4"	1-3/4" - 2-1/4"	Adjustable 2-3/8" or 2-3/4"	1/2"	



MODEL	Α	В	С	D	E
Bordeáu Handed Leverset	2-3/8"	-	-	-	2-1/2"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)





HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	*3 (B)	3	А	N	1	2
-	471	Single Cylinder	Вох	42	30	69.70	-	69.70	75.50	75.50	75.50





GENERAL SPECIFICATIONS

PRODUCT	CYLI	NDER	STRI	IKES	FACEP	LATES	DOOR	ADA	ANSI	UL	BORI	NG REQI	JIREMEN	NTS	DO THICK		BACKSET	_	H BOLT ROW
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	0.	CROSS	BORE	Edge	Latch	Standard	Special	DACKSET	DEADBOLT	HANDLE
											DEADBOLT	HANDLE	Bore	Face					
Deadbolts	5 Pin Weslock Keyway	5 Pin Schlage C or *Kwikset Keyway		2-1/4", & Square	1" x 2-1/4", Removable Radius & Square	Drive-in	Reversible for right or left- hand doors	Yes	A 156.2 Grade II	20 minute	2-1	/8"	1"	1" x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1	i"

^{*}Kwikset Keyway - Limited Availability



МОГ	DEL		Α	В	С	D	E
471	Single Culinder	Interior	7/8"	-	-	-	2-3/4"
4/1	Single Cylinder	Exterior	7/8"	-	-	-	2-3/4"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)





Limited Lifetime Mechanical Warranty • Limited Lifetime Finish Warranty

WWW.WESLOCK.COM

THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.

HANDING POSITION 1

Position 1 is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

MODEL NUMBERS POSITIONS 2,3,4,5

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (0) in position 2.

 \bullet Handlesets: See model numbers on page 3 & 4

EXTERIOR & INTERIOR KNOB & LEVER DESIGNS POSITION 6 & 8

KNOBS	CODE
Eleganti	E
Impresa	-
Julienne	J
LEVERS	CODE
Bordeáu	U

EXTERIOR & INTERIOR FINISH CODES POSITIONS 7 & 9

1 051110115 7 & 5			
FINISHES	U.S.	ВМА	WESLOCK
Polished Brass	3	605	3
Lifetime Polished Brass (PVD)	L03	605E	В
Antique Brass	5	609	А
Satin Nickel	15	619	N
Oil Rubbed Bronze	10B	613	1

LATCH CODES - 1400 SERIES ENTRY HANDLES & 1501 UNIGARD® POSITIONS 10 & 11

CODE	LATCH
SL	2-3/8" or 2-3/4", Adjustable Latches Square & Radius Faceplates
DI	2-3/8" or 2-3/4", Adjustable Drive-in Latches No Faceplates

LATCH CODES - 1510UNIGARD® POSITIONS 10 & 11

CODE	LATCH
38	2-3/8" Non-Adjustable Latches Square & Radius Faceplates
34	2-3/4" Non-Adjustable Latches Square & Radius Faceplates

PACKAGING CODES POSITION 12

PACKAGING TYPES	CODE
Box Pack w/ Phillips Head Wood Screws	2

KEYING CODES POSITION 13

KEYING TYPES	CODE
Keyed Alike	А
Keyed Different	D
Master Keying charge per lock	М
Grand Master Keying charge per lock	G
Keying to Pass charge per lock	KTP
Home Guard charge per lock	HG
Owner Guard charge per lock (includes Master Key)	вк
Owner Guard charge per lock	OG
No Cylinder (zero)	0



${\bf LEXINGTON^{TM}}$ 1400 SERIES INTERIOR TRIM INCLUDED



HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	*3 (B)	3	А	D	6	N	1	2
^R/L	1441	Single Cylinder Handleset	Box	24	4	529.00	-	529.00	-	-	529.00	529.00	-
^R/L	1445	Dummy Handleset	Box	24	4	529.00	-	529.00	-	-	529.00	529.00	-
Available with Impress, Julianna or Floranti knobs and Bordośw Javor													

Available with Impresa, Julienne or Eleganti knobs and Bordeáu lever.

(Single-point locking & Interconnect) Adjustable Foot Screw REQUIRES 2-%" CENTER TO CENTER.
WILL NOT FIT 5-½" CENTER TO CENTER.





COLONIALTM 1400 SERIES INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	3 (B)	3	A	D	6	N	1	2
^R/L	1411	Single Cylinder Handleset	Box	25	4	-	-	529.00	-	-	-	-	-
^R/L	1415	Dummy Handleset	Box	25	4	-	-	529.00	-	-	-	-	-
Available with Impresa or Eleganti knobs and Bordeáu lever.													


Available with impress of Eleganti knobs and Bore

(Single-point locking & Interconnect) Adjustable Foot Screw

REQUIRES 2-%" CENTER TO CENTER.
WILL NOT FIT 5-½" CENTER TO CENTER.

GENERAL SPECIFICATIONS

PRODUCT	CYLII	CYLINDER STRIKES		STRIKES FACEPLATES		DOOR		DOOR	DOOR	DOOR	DOOR			BORING REQ			NG REQU	JIREMEI	NTS	DO THICK			LATCH E	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS BORE		CROSS BORE		Edge			Special	BACKSET	DEADBOLT	HAN- DLE			
											DEADBOLT	HANDLE	Bore	Face		.,			DLE					
1400 Series Entry Handles	5 Pin Weslock Keyway	5 Pin Schlage C Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius & Square	2-1/4" Full Lip, Radius & Square	1" x 2-1/4", Removable Radius or Square	Drive-in	Specify handing on all interior trims with handed levers.	N/A	N/A	N/A	2-1/8"	2-1/8"	1"	1" x 2-1/4"	1-3/4" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1"	1/2"					



MODEL		A	В	С	D	E
1441	Interior	2-3/4"	2-7/8"	-	6"	3-1/8"
Lexington	Exterior	2-13/16" 2-7/8"		7-1/2" - 8-3/4"	14-15/16"	3-1/2"
1411	Interior	2-3/4"	2-7/8"	-	6"	3-1/8"
Colonial	Exterior	2-1/2"	2-7/8"	7-1/2" - 8-3/4"	14-7/16"	3-1/8"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

[^]Handing required when using Bordeáu lever.

^{*}PVD only on exterior.

[^]Handing required when using Bordeáu lever.








${f UNIGARD}^{f g}$ premiere / interior trim included

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	*3 (B)	3	А	D	6	N	1	2
-	1501	Key operated exterior, interconnected interior w/ thumbturn upper & passage, panic-proof lower knob. (Springlatch)	Box	21	4	378.00	-	378.00	-	,	378.00	-	-
-	1510	With combined faceplate & ASA strikes (square only)	Box	21	4	410.00	-	410.00	-	-	410.00	-	-
Available v	Available with Impresa, Julienne, or Eleganti knobs and Bordeáu lever.												

^{*}PVD only on exterior.

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STR	IKES	FACEPLATES		DOOR				BORI	NG REQI	JIREMEI	NTS	DO THICK			LATCH BOL THROW																																																														
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	ANSI UL		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		CROSS BORE		Latch	Standard	Special	BACKSET	DEADBOLT	HAN- DLE
											DEADBOLT	HANDLE	Bore	Face		- P			DLE																																																													
1501 Unigard	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4 no lip", Radius & Square	2-1/4" Full Lip, Radius & Square	1" x 2-1/4", Removable Radius or Square	Drive-in	Reversible	N/A	N/A	N/A	2-1/8"	2-1/8"	1"	1" x 2-1/4"	1-1/2" - 2"	2" - 2-1/4"	Adjustable 2-3/8" or 2-3/4"	1"	1/2"																																																													
1510 Unigard	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	1-1/4" x 4-7/8", Square (ASA strike)	N/A	Combined 4-1/4" x 1-1/8" Square	N/A	Reversible	N/A	N/A	N/A	2-1/8"	2-1/8"	1"	1-1/8" × 4-1/4"	1-1/2" - 2"	2" - 2-1/4"	Adjustable 2-3/8" or 2-3/4"	1"	1/2"																																																													



	MODEL		Α	В	С	D	E
	Unigard	Interior	2-3/4"	2-7/8"	-	6"	3-1/8"
IERE	1501	Exterior	2-5/8" 2-7/8"		-	8-1/8"	3-1/2"
PREMIERE	Unigard	Interior	2-3/4"	*2-7/8"	-	6"	3-1/8"
	1510	Exterior	2-5/8"	*2-7/8"	-	8-1/8"	3-1/2"

* EDGE BORE C X C IS 2-3/8"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)





WWW.WESLOCK.COM

THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.

HANDING POSITION 1

Position I is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

MODEL NUMBERS POSITIONS 2,3,4,5

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (0) in position 2.

- Knobsets / Leversets: See model numbers on page 5 & 6
- Deadbolts: See model numbers on page 7
- Handlesets: See model numbers on page 3 & 4
- Combos: See model numbers on page 8

EXTERIOR & INTERIOR KNOB & LEVER DESIGNS POSITIONS 6 & 8

KNOBS	CODE
Hudson	G
Salem	S
LEVERS (NON-HANDED)	CODE
New Haven	Х

EXTERIOR & INTERIOR FINISH CODES POSITIONS 7 & 9

FINISHES	U.S.	ВМА	WESLOCK
Satin Nickel	15	619	N
Oil Rubbed Bronze	10B	613	1
Matte Black	19	622	2

LATCH CODES - STANDARD POSITIONS 10 & 11

CODE	LATCH
FR	2-3/8" or 2-3/4", Adjustable Latch Radius Faceplate
DI	2-3/8" or 2-3/4", Adjustable Drive-in Latch (No Faceplate)

PACKAGING CODES POSITION 12

PACKAGING TYPES	CODE
Box Pack w/Phillips Head Wood Screws	2

KEYING CODES POSITION 13

1 OSI 1 TON 13	
KEYING TYPES	CODE
Keyed Alike	А
Keyed Different	D
Master Keying charge per lock	М
Grand Master Keying charge per lock	G
Keying to Pass charge per lock	KTP
Home Guard charge per lock	HG
Owner Guard charge per lock (includes Master Key)	ВК
Owner Guard charge per lock	OG
No Cylinder (zero)	0









HILLCREST INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	6	N	1	2
^R/L	2810	Single Cylinder	Вох	17	4	-	174.50	184.60	184.60
^R/L	2815	Single Cylinder (Dummy)	Вох	17	4	-	174.50	184.60	184.60
Available with	any knob and	lover styles in Premiero Essentials	Collection						

[^]Handing required when ordering a New Haven lever.








PARKSIDE INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	PKG. CASE WT		6	N	1	2
^R/L	2820	Single Cylinder	Box	17	4	-	174.50	184.60	-
^R/L	2825	Single Cylinder (Dummy)	Вох	17	4	-	174.50	184.60	-
Available with	any knob and	lover styles in Premiere Essentials	Collection						

Available with any knob and lever styles in Premiere Essentials Collection.

GENERAL SPECIFICATIONS

PRODUCT	CYLINDER		STRIKES		FACEPLATES		DOOR				BORING REQUIREMENTS			DOOR THICKNESS			LATCH BOLT THROW		
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS BORE		EDGE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT	DEADBOLT HANDLE		BORE FACE					
Handlesets (Hillcrest, Parkside)	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x2-1/4" no lip, Radius (Square Optional)	2-1/4" full lip, Radius	1" x2-1/4" Fixed Radius	Drive-in	Specify handing for New Haven lever, for all others reversible for right or left- hand doors	N/A	A 156.2 Grade III	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1"x 2-1/4"	1-3/8" - 1-3/4"	N/A	Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Non- Adjustable 2-3/8" or 2-3/4"	1"	1/2"



MODEL	Α	В	С	D	E
Hillcrest	2-1/2"	*5-1/2"	8-7/16"	17"	2-7/8"
Parkside	2-1/2"	*5-1/2"	8-7/16"	17"	2-5/8"

*5-1/4" minimum

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

 $^{^{\}wedge} Handing\ required\ when\ ordering\ a\ New\ Haven\ lever.$




MERCY INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1
^R/L	2830	Single Cylinder	Вох	18	4	189.40	199.60
^R/L	2835	Single Cylinder (Dummy)	Вох	18	4	189.40	199.60

Available with any knob and lever styles in Premiere Essentials Collection.



BAILEY INTERIOR TRIM INCLUDED








Adjustable Foot Screw

GENERAL SPECIFICATIONS

PRODUCT	CYLINDER		STRIKES		FACEPLATES		DOOR				BORING REQUIREMENTS				DOOR THICKNESS			LATCH BOLT THROW	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	EDGE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT	HANDLE	BORE	FACE					
Handlesets (Mercy)	5 Pin Weslock Keyway	5 Pin Schlage Cor Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius (Square Optional)	2-1/4" full lip, Radius	1" x2-1/4" Fixed Radius	Drive-in	Specify handing for New Haven lever, for all others reversible for right or left- hand doors	N/A	A 156.2 Grade III	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1"× 2-1/4"	1-3/8" - 1-3/4"	N/A	Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Non- Adjustable 2-3/8" or 2-3/4"	1"	1/2"
Handlesets (Bailey)	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius (Square Optional)	2-1/4" full lip, Radius	1"x2-1/4" Fixed Radius	Drive-in	Reversible for right or left-hand doors.	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1"x 2-1/4"	1-3/8" - 2-1/4"	N/A	Deadbolt Adjustable 2:3/8" or 2:3/4" Springlatch Non- Adjustable 2:3/8" or 2:3/4"	1"	1/2"



MODEL	Α	В	С	D	E
Mercy	2-3/4"	*5-1/2"	8-7/16"	17-3/4"	2-5/8"
Bailey	2-1/4"	5-1/2"	8" - 9-1/2"	16-3/4"	2-1/2"

*5-1/4" minimum

CLASSIFICATION KEY

2 199.60 199.60

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

[^]Handing required when ordering a New Haven lever.

HUDSON KNOB (G)



HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	0200	Passage (Hall & Closet)	Box	35	30	24.70	28.50	-
-	0205	Dummy Knob	Вох	13	30	11.40	13.30	-
-	0210	Privacy (Bed & Bath)	Box	36	30	26.50	29.90	-
-	0240	Keylock (Keyed Entry)	Вох	40	30	31.30	35.10	-

SALEM KNOB (S)



		(/						
HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	0200	Passage (Hall & Closet)	Box	35	30	26.50	29.90	29.90
-	0205	Dummy Knob	Вох	13	30	12.30	13.80	13.80
-	0210	Privacy (Bed & Bath)	Box	36	30	27.80	31.30	31.30
-	0240	Keylock (Keyed Entry)	Box	40	30	32.90	36.50	36.50

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR				BORIN	G REQU	JIREMI	ENTS	DO THICK	_		LATCH THR	-
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	EDGE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT	HANDLE	BORE	FACE					
Knobs	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	l	full lip, dius	1" x 2-1/4" Fixed Radius	Drive-in	Reversible for right or left- hand doors	N/A	A 156.2 Grade III	N/A	2-1/	8"	1"	1"x 2-1/4"	1-3/8" - 1-3/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/3	2"



MODEL	Α	В	С	D	E
Hudson	2-7/8"	-	-	-	2-5/8"
Salem	2-5/8"	-	-	-	2-5/8"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

NEW HAVEN NON-HANDED LEVERSETS (X)



			\	/				
HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	0200	Passage (Hall & Closet)	Вох	30	18	46.10	49.80	49.80
R/L	0205	Dummy Lever	Вох	13	18	19.80	21.30	21.30
-	0210	Privacy (Bed & Bath)	Вох	31	18	47.60	51.20	51.20
-	0240	Keylock (Keyed Entry)	Вох	34	18	52.50	56.30	56.30

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR				BORIN	G REQU	JIREM	ENTS	DO THICK			LATCH THR	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	EDGE BORE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
Levers	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	l	full lip, dius	1"x2-1/4" Fixed Radius	Drive-in	Specify handing for 205 New Haven levers, all other functions are reversible for right or left- hand doors	200 & 205 Functions Meet Sec. 4.13.9	A 156.2 Grade III	N/A	2-1/	8"	1"	1"x 2-1/4"	1-3/8" - 1-3/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/2	2"



MODEL	Α	В	С	D	E
New Haven	2-5/8"	-	-	-	2-5/8"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)



DEADBOLTS



	HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
	-	0271	Single Cylinder	Вох	25	30	29.20	32.20	32.20
Γ	-	0267	Non-Cylinder	Вох	13	30	20.30	22.60	22.60

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR				BORIN	G REQI	JIREM	ENTS	DO THICK	_		LATCH THR	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	EDGE	LATCH	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT	HANDLE	BORE	FACE					
Deadbolts	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	l	ip and 1"x2- ip, Radius	1" x 2-1/4" Fixed Radius	Drive-in	Reversible for right or left- hand doors	N/A	A 156.2 Grade III	N/A	2-1/ oi 1-5/		1"	1"x 2-1/4"	1-3/8" - 1-3/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1'	



МОГ	DEL		Α	В	С	D	E
271	Cincella Collinada	Interior	15/16"	-	-	-	2-1/2"
2/1	Single Cylinder	Exterior	1"	-	-	-	2-1/2"
267	Non-Cylinder	Interior	15/16"	-	-	-	2-1/2"
207	Non-Cylinder	Exterior	-	-	-	-	-

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)



$HUDSON\ KNOB\ (G)\ /\ SINGLE\ CYLINDER\ DEADBOLT\ COMBO$

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	2271	Keylock (Keyed Entry) and Single Cylinder Deadbolt Keyed Alike	Box	33	14	60.50	67.30	-





SALEM KNOB (S) / single cylinder deadbolt combo

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	2271	Keylock (Keyed Entry) and Single Cylinder Deadbolt Keyed Alike	Box	33	14	62.10	68.70	68.70



6

NEW HAVEN NON-HANDED LEVER (\mathbf{X}) / single cylinder deadbolt combo

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	2271	Keylock (Keyed Entry) and Single Cylinder Deadbolt Keyed Alike	Вох	30	10	81.70	88.50	88.50







THE FOLLOWING TABLES DESCRIBE SPECIFIC PRODUCT DESCRIPTION CODES THAT ARE UNIQUE TO EACH POSITION IN THE SYSTEM.

HANDING POSITION 1

Position I is used for indicating right (R) or left (L) handing of levers and handlesets when applicable. Use a zero (o) when handing is not required.

MODEL NUMBERS POSITIONS 2,3,4,5

Positions 2, 3, 4 & 5 are used to indicate the model and function of knobs, levers, deadbolts and handlesets. For those products with only three (3) digit model numbers, place a zero (0) in position 2.

- Knobsets/Leversets: See model numbers on pages 6, 7, 9 & 10
- Deadbolts: See model numbers on page 8 & 9
- Handlesets: See model numbers on page 3, 4 & 5

EXTERIOR & INTERIOR KNOB & LEVER DESIGNS POSITIONS 6 & 8

KNOBS	CODE					
Mesa	4					
LEVERS (NON-HANDED)	CODE					
Philtower	7					
Utica	3					
Atlas	5					

EXTERIOR & INTERIOR FINISH CODES POSITIONS 7 & 9

FINISHES	U.S.	вма	WESLOCK
Satin Nickel	15	619	N
Oil Rubbed Bronze	10B	613	1
Matte Black	19	622	2
Satin Brass	4	606	4

LATCH CODES - STANDARD POSITIONS 10 & 11

CODE	LATCH
FR	2-3/8" or 2-3/4", Adjustable Latch Radius Faceplate
DI	2-3/8" or 2-3/4", Adjustable Drive-in Latch (No Faceplate)
SL	2-3/8" or 2-3/4", Adjustable Latch Radius and Square Faceplates

PACKAGING CODES POSITION 12

PACKAGING TYPES	CODE
Box Pack w/Phillips Head Wood Screws	2

KEYING CODES POSITION 13

KEYING TYPES	CODE
Keyed Alike	А
Keyed Different	D
Master Keying charge per lock	М
Grand Master Keying charge per lock	G
Keying to Pass charge per lock	KTP
Home Guard charge per lock	HG
Owner Guard charge per lock (includes Master Key)	ВК
Owner Guard charge per lock	OG
No Cylinder (zero)	0






BROOKSIDE INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	2880	Single Cylinder	Вох	17	4	234.80	247.20	247.20
-	2885	Single Cylinder (Dummy)	Вох	17	4	234.80	247.20	247.20
Available with	Mesa knob an	d Philtower, Utica or Atlas levers.					`	

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR				BORIN	BORING REQUIREMENTS DOOR THICKNESS				LATCH THR				
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	EDGE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	OLT HANDLE	
											DEADBOLT	HANDLE	BORE	PACE				lt		
Handlesets (Brookside)	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius	2-1/4" full lip, Radius	1"x2-1/4" Fixed Radius	Drive-In	N/A	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1"x 2-1/4"	1-3/4" - 2-1/4"	1-3/8" -1-3/4" Thin Door Kit Available (Part# 07002x (finish))	Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Adjustable 2-3/8" or 2-3/4"	1"	1/2"	



MODEL	Α	В	С	D	E
Brookside	2-1/4"	5-1/2"	8"- 9-1/4"	16-3/4"	2-1/2"

*5-1/4" minimum

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)



LEIGHTON INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2			
-	2870	Single Cylinder	Вох	26	4	342.50	372.00	372.00			
-	- 2875 Single Cylinder (Dummy)		Вох	21	4	342.50	372.00	372.00			
Available with I	Available with Mesa knob and Philtower, Utica, or Atlas levers.										




XANTHIS INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2			
-	2890	Single Cylinder	Вох	30	4	414.00	436.60	436.60			
-	- 2895 Single Cylinder (Dummy)		Вох	25	4	414.00	436.60	436.60			
Available with N	Available with Mesa knob and Philtower, Utica, or Atlas levers.										

GENERAL SPECIFICATIONS

PRODUCT -	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR						JIREM	ENTS	DO THICK			LATCH THR	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	EDGE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT	HANDLE	BORE	FACE					
																	Deadbolt		
																1-3/8"	Adjustable		
			2-1/4" full													- 1-3/4"	2-3/8"		
		5 Pin	lip and 1"	2-1/4" full	1" x 2-1/4"											Thin	or		
Handlesets	5 Pin	Schlage	x 2-1/4"	lip,					A 156.2		2-1/8"			1"x	1-3/4"	Door Kit	2-3/4"		
(Leighton,	Weslock	Cor	no lip,	Radius	Removable	Drive-In	N/A	N/A	Grade II	N/A	or	2-1/8"	1"	2-1/4"	- 2-1/4"	Avail-		1"	1/2"
Xanthis)	Keyway	Kwikset	Radius	and	Radius or				Grade II		1-5/8"			2-1/4	- 2-1/4	able	Springlatch		
		Keyway	and	Square	Square										(Part#	Adjustable			
			Square													07002x	2-3/8"		
														l		(finish))	or		
																	2-3/4"		



MODEL		Α	В	С	D	E
Laightan	Exterior	2-1/4"	5-1/2"	8"- 9-1/2"	18-3/8"	2-3/4"
Leighton	Interior	2-1/4"	5-1/2"	-	11"	2-3/4"
Xanthis	Exterior	2-1/4"	5-1/2"	7-3/4"- 9-1/4"	17-3/8"	2-1/2"
Aantnis	Interior 2-1/4" 5-1/2"	-	10-5/16"	2-1/2"		

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)




ADDY INTERIOR TRIM INCLUDED

HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2		
-	6621	Single Cylinder Deadbolt Passage	Вох	20	4	257.50	274.40	274.40		
-	- 6625 Dummy Handle (all parts rigid)		Box	16	4	257.50	274.40	274.40		
Available with N	Available with Mesa knob and Philtower, Utica, or Atlas levers.									

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STRI	KES	FACEP	LATES	DOOR				BORIN	IG REQ	UIREM	ENTS	DO THICK	-		LATCH THR	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	EDGE BORE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT	HANDLE	BORE						
Handlesets (Addy)	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" full lip and 1" x 2-1/4" no lip, Radius and Square	2-1/4" full lip, Radius and Square	1"x2-1/4" Removable Radius or Square	Drive-In	N/A	N/A	A 156.2 Grade II	N/A	2-1/8" or 1-5/8"	2-1/8"	1"	1"x 2-1/4"	1-3/4" - 2-1/4"	1-3/8" -1-3/4" Thin Door Kit Available (Part # 07002x (finish))	Deadbolt Adjustable 2-3/8" or 2-3/4" Springlatch Adjustable 2-3/8" or 2-3/4"	1"	1/2"




MODEL	Α	В	С	D	E
Addy	2"	5-1/2"	-	11"	2-13/16"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

MESA KNOB (4)







Щ	-	0900	Passage (Hall & Closet)	Box	30	15	76.00	-	81.60
NGI	-	0905	Dummy Knob	Box	15	15	35.20	-	38.60
ECTA	-	0910	Privacy (Bed & Bath)	Box	33	15	82.80	-	88.50
2	-	N/A	Keylock (Keyed Entry)	-	-	-	-	-	-

GENERAL SPECIFICATIONS

PRODUCTCATEGORY	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR				BORIN	G REQU	JIREM	ENTS	DO THICK			LATCH THR	-
	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS	BORE	EDGE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT	HANDLE	BORE	FACE					
Knobs (Mesa)	N/A	N/A	2-1/4" Full	Lip, Radius	1" x 2-1/4" Fixed Radius	Drive-In	Non-Handed	N/A	A 156.2 Grade III	N/A	2-1/4	3"	1"	1" x 2-1/4"	1-3/8" - 1-3/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/2" ti	hrow




MODEL	A	В	С	D	E
Mesa (Square)	2-9/16"	-	-	2-1/2"	2-1/2"
Mesa (Rectangle)	2-1/2"	-	-	4-1/2"	2-1/2"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

PHILTOWER NON-HANDED LEVERSETS (7)







_										
	-	0900	Passage (Hall & Closet)	Вох	42	18	76.00	-	81.60	-
Į Š	-	0905	Dummy Knob	Вох	19	18	35.20	-	38.60	-
ECT _A	-	0910	Privacy (Bed & Bath)	Вох	43	18	82.80	-	88.50	-
=	-	N/A	Keylock (Keyed Entry)	-	-	-	-	-	-	-

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR	ADA	ANG		BORIN	G REQU	JIREM	ENTS	DO THICK	-	DACKSET	LATCH THR	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ADA ANSI UL	CROSS	BORE	EDGE BORE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE	
Philtower Levers	N/A	N/A	Rad	Full Lip, dius Optional)	1" x 2-1/4" Fixed Radius	Drive-In	Non-Handed	Yes	A 156.2 Grade III	N/A	2-1/	'8"	1"	1"x 2-1/4"	1-3/8" - 1-3/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/2" tl	hrow



MODEL	Α	В	С	D	E
Philtower (Square)	2-1/2"	-	-	2-1/2"	2-1/2"
Philtower (Rectangle)	2-1/2"	-	-	4-1/2"	2-1/2"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

SQUARE DEADBOLT







í	\sim									
l	HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2	4
Ī	-	0771	Single Cylinder	Вох	25	18	71.50	76.00	76.00	81.60

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR				BORING	3 REQU	JIREM	ENTS	DO THICK			LATCH THR	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS E	BORE	EDGE	LATCH	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
	JIANDARD	OI HOURE	DEADSOLI	IIAIDEE	SIAIDAID	OI HORAL					DEADBOLT	HANDLE	BORE	FACE	JIANDAND	JI LUIAL		DEADBOLI	HANDLE
Deadbolts	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	1" x 2-1/	ıll lip and '4" no lip, dius	1" x 2-1/4" Fixed Radius	Drive-In	N/A	Yes	A 156.2 Grade III	N/A	2-1/8" or ²	1-5/8"	1"	1" x 2-1/4"	1-3/8" - 1-3/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1" th	row



MOD	EL		Α	В	С	D	E
0771	Single	Interior	1-1/4"	-	-	2-1/2"	2-1/2"
0//1	Cylinder	Exterior	3/4"	-	-	2-1/2"	2-1/2"

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

MESA KNOB (4)



HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	U700	Passage (Hall & Closet)	Box	40	15	-	78.30	78.30
-	U706	Dummy Knob Passage Set	Box	33	15	-	73.80	73.80
-	U710	Privacy (Bed & Bath)	Вох	47	15	-	85.10	85.10
-	N/A	Keylock (Keyed Entry)		-	-	-	-	-

SQUARE DEADBOLT



HANI	DING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-		U771	Single Cylinder	Вох	27	18	77.10	81.60	81.60
		U767	Non-Cylinder	Вох		18	45.60	49.90	49.90



GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STRIE	CES	FACEPLA	TES	DOOR			l	BORII	NG REQ	JIREM	ENTS	DO THICK			LATCH THR	-
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROS	S BORE	EDGE BORE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT	HANDLE	DOKE						
Knobs	N/A	N/A	2-1/4" Fu Radius and		1" x 2-1/4" Removable Radius & Square	N/A	Reversible for right or left- hand doors	No	A 156.2 Grade II	20 Minute	2-	1/8"	1"	1"x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/2"T	hrow
Deadbolts	5 Pin Weslock Keyway	5 Pin Schlage C or Kwikset Keyway	2-1/4" Fu and 1" x 2- lip, Radiu Squa	-1/4" no us and	1" x 2-1/4" Removable Radius & Square	N/A	Reversible for right or left- hand doors	Yes	A 156.2 Grade II	20 Minute	2-1/8"	or 1-5/8"	1"	1" x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1"Th	irow



MODEL	Α	В	С	D	E
Mesa	2-7/16"	-	-	-	2-1/2"



MOD	EL		Α	В	С	D	E
U771	Single Cylinder	Interior	1-1/4"	-	-	2-1/2"	2-1/2"
0//1	Single Cylinder	Exterior	3/4"	-	-	2-1/2"	2-1/2"
U767	Non-Cylinder	Interior	1-1/4"	-	-	-	2-1/2"
0767	Non-Cylinder	Exterior	-	-	-	-	-

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)

PHILTOWER NON-HANDED LEVERSETS (7)



								O
HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	U700	Passage (Hall & Closet)	Вох	41	18	-	-	72.60
-	U706	Dummy Lever Passage Set	Вох	34	18	-	-	68.00
-	U710	Privacy (Bed & Bath)	Вох	43	18	-	-	79.40
-	N/A	Keylock (Keyed Entry)	-	-	-	-	-	-

UTICA NON-HANDED LEVERSETS (3)



HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	0700	Passage (Hall & Closet)	Вох	41	18	67.00	72.60	72.60
-	0705	Dummy Lever	Вох	18	18	30.70	34.00	34.00
-	0710	Privacy (Bed & Bath)	Вох	43	18	73.80	79.40	79.40
-	N/A	Keylock (Keyed Entry)	-	-	-	-	-	-

ATLAS NON-HANDED LEVERSETS (5)



HANDING	MODEL#	DESCRIPTION	PKG.	CASE WT	CASE QTY	N	1	2
-	0700	Passage (Hall & Closet)	Вох	41	18	-	72.60	72.60
-	0705	Dummy Lever	Вох	18	18	-	34.00	34.00
-	0706	Dummy Lever Passage Set	Вох	34	18	-	68.00	68.00
-	0710	Privacy (Bed & Bath)	Вох	43	18	-	79.40	79.40
-	N/A	Keylock (Keyed Entry)	-	-	-	-	-	-

GENERAL SPECIFICATIONS

PRODUCT	CYLII	NDER	STR	IKES	FACEP	LATES	DOOR		ANG		BORING REQU	JIREM	ENTS	DO THICK		DACKSET	LATCH THR	
CATEGORY	STANDARD	OPTIONAL	DEADBOLT	HANDLE	STANDARD	OPTIONAL	HANDING	ADA	ANSI	UL	CROSS BORE	EDGE	LATCH FACE	STANDARD	SPECIAL	BACKSET	DEADBOLT	HANDLE
											DEADBOLT HANDLE	BORE	FACE					
Levers (Philtower, Atlas)	N/A	N/A	2-1/4" l Radius ar	Full Lip, nd Square	1" x 2-1/4" Removable Radius & Square	Drive-In	Non-Handed	Yes	A 156.2 Grade III	20 Minute	2-1/8"	1"	1" x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/2" tł	nrow
Levers (Utica)	N/A	N/A		Full Lip, dius Optional)	1" x 2-1/4" Fixed Radius	Drive-In	Non-Handed	Yes	A 156.2 Grade II	20 Minute	2-1/8"	1"	1" x 2-1/4"	1-3/8" - 2-1/4"	N/A	Adjustable 2-3/8" or 2-3/4"	1/2" tł	nrow



MODEL	Α	В	С	D	E
Philtower	2-7/16"	-	-	2-1/2"	2-1/2"
Utica	2-7/16"			2-1/2"	2-1/2"
Atlas	2-1/2"			2-1/2"	2-1/2"

CLASSIFICATION KEY

F

E

F

- A Projection from Door
- B Center to Center
- C Footscrew
- D Full Length
- E Width of Rose (Escutcheon Plate)











SLIDING POCKET DOOR LOCKS - ROUND

MODEL #	DESCRIPTION	CASE WT.	CASE QTY.	PRICE FINISH N,1,2
0627	Round - Passage (No locking)	29lbs	50	40.00
0677	Round - Privacy Lock	32lbs	50	46.00

^{*} Available in 2-3/8" backset only.

727





SLIDING POCKET DOOR LOCKS - SQUARE WITH ROUND

MODEL#	DESCRIPTION	CASE WT.	CASE QTY.	PRICE FINISH N,2
0727	Square w/ Round - Passage (No Locking)	19lbs	50	40.00
0777	Square w/ Round - Privacy Lock	20lbs	50	46.00

^{*} Available in 2-3/8" backset only.

527



MODEL#	DESCRIPTION	CASE WT.	CASE QTY.	PRICE FINISH N,1
0527	Rectangular - Passage (No locking)	19lbs	50	26.00
0577	Rectangular - Privacy Lock	20lbs	50	32.00

SLIDING POCKET DOOR LOCKS - RECTANGULAR

^{*} Requires 2-3/4" by 2-1/2" rectangular cut out.



^{*} Requires 2-1/8" cross bore.


^{*} Requires 2-1/8" cross bore.

14027

REPLACEMENT CYLINDERS

MODEL#	DESCRIPTION	LIST PRICE
MOLTEN BR	ONZE, ELEGANCE, TRADITIONALE COLLECTIONS	
12292	Molten Bronze, Elegance and Traditionale Collection Lever Keylocks	25.30
12985*	Traditionale Collection Vestibule Keylock	26.90
12987*	Molten Bronze, Elegance, Traditionale Collection Knob Keylocks	25.30
14027*	Molten Bronze, Elegance, Traditionale Entry Handles and Traditionale Single Cylinder Deadbolts (Except 1300 Series &1400 Series Twingard*)	25.30
14029*	Molten Bronze and Elegance Deadbolts, All Molten Bronze and Elegance Entry Handles with 6204, 6404, 6604, 7604 and 7904 Interconnect Interior Kits.	26.00
14412	Traditionale 1300 Series Entry Handles (not available in SC-1 keyway)	26.90
14746*	Molten Bronze, Elegance, and Traditionale Collection Double Cylinder Deadbolts (comes in pairs)	53.10
PREMIERE E	SSENTIALS® COLLECTION	
02987	Premiere Essentials Hudson Knob Cylinder	22.90
02985	Premiere Essentials Salem Knob Cylinder	22.90
02292	Premiere Essentials Lever Cylinder	22.90
04027	Premiere Essentials Deadbolt Cylinder	22.90
SC02987	Schlage Premiere Essentials Hudson Knob Cylinder	22.90
SC02985	Schlage Premiere Essentials Salem Knob Cylinder	22.90
SC02292	Schlage Premiere Essentials Lever Cylinder	22.90
SC04027	Schlage Premiere Essentials Deadbolt Cylinder	22.90
KW02987	Kwikset Premiere Essentials Hudson Knob Cylinder	22.90
KW02985	Kwikset Premiere Essentials Salem Knob Cylinder	22.90
KW02292	Kwikset Premiere Essentials lever Cylinder	22.90
KW04027	Kwikset Premiere Essentials Deadbolt Cylinder	22.90
TRANSITION	NAL COLLECTION	
07047	Transitional Deadbolt Cylinder	22.90
SC07047	Schlage Transitional Deadbolt Cylinder	22.90
KW07047	Kwikset Transitional Deadbolt Cylinder	22.90
SC08077	Schlage Cylinder for Addy/Bailey/Brookside/Leighton/Xanthis	28.90
08077	Cylinder for Addy/Bailey/Brookside/Leighton/Xanthis	28.90





INSTALLATION & MORTISE TOOLS











MODEL#	DESCRIPTION	UNIT WEIGHT	LIST PRICE
133	Latch Mortise Maker	9 oz	54.40
134	Strike Locator-Made of hardwood w/steel point for marking jamb to locate strike	2 oz	33.90
148	Strike Mortise Maker	13 oz	67.80
150	Marker & mortise set: 3 piece: Strike Mortise (#148), Latch Mortise (#133), Strike Locator (#134)	1.5 lbs	109.90
13105 XPRO	Boring Jig Assembly Only	7 lb	254.10
172	2 1/8" (54mm) Multi-Spur Machine Bit for use w/Boring Jig #13105 XPRO	12 oz	259.60
173	Adapter for use w/Boring Jig #13105 XPRO	6 oz	136.00
177	Carrying Case for Installation Tools (without tools)	3 lbs	66.80
184	1" (25mm) Spade Machine Bit for use w/Boring Jig #13105 XPRO	1.5 lbs	63.10
188	Installation Kit w/Boring Jig # 13105 XPRO, Marker & Mortise #150, Spacer #130	10 lbs	676.00

KEYING KITS & ACCESSORIES



12345xLOGO







15201





MODEL#	DESCRIPTION	LIST PRICE	
00101	Kit for re-keying cylinders including master keyed cylinders	202.80	
00102	Depth key gauge set	21.70	
00105	Plug follower	17.00	
12344×BR	Key blanks (50/box)	1.90/each	
12345xBR	Cut Keys (master keys, OG keys, etc.)	2.50/each	
12344xLOGO	Entry Handle Key Blanks (50/box)	2.50/each	
12345xLOGO	Entry Handle Cut Keys (50/box)	2.70/each	
12344x(BUI)	Custom Logo Key Blanks (50/box)	2.30/each	
12345x(BUI)	Custom Logo Cut Keys (50/box)	3.20/each	
SC12344xBR	Key Blanks - Schlage Keyway (50/box)	1.90/each	
42475	Bottom pin segments (100/bag) :	15.00	
13175	#0-10/64", #1-11/64", #2-12/64", #3-13/64", #4-14/64", #5-15/64", #6-16/64", #7-17/64", #8-18/64", #9-19/64"		
42477	Driver pin segments (100/bag):	15.00	
13176	#8-8/64", #11-11/64", #12-12/64", #14-14/64"		
13177	Master pin segments (100/bag) :	15.00	
131//	#2-2/64", #3-3/64", #4-4/64", #5-5/64", #6-6/64", #7-7/64", #8-8/64", #9-9/64"		
14560XST	Owner Guard Ball (100/bag)	15.00	
13716	Brass bushing	31.00	
14111	Wrench - cylinder plug retaining cap	7.00	
15201	Key gauge (to determine key cut depth)	8.10	
KW105	200 Series Plug follower	15.30	
12344xBR-PE	Premiere Essentials / Transitional key blank	1.90	
SC12344xBR-PE	Schlage Premiere Essentials / Transitional key blank	1.90	
KW12344xBR-PE	Kwikset Premiere Essentials / Transitional key blank	1.90	
14133xPRO	200 Series cylinder removal tool (picklefork)	3.50	

STRIKES

MODEL # DESCRIPTION CORNER DIMENSIONS LIST PRICE
--







MOLTEN BRONZE, ELEGANCE, TRADITIONALE COLLECTIONS KNOBS & LEVERS, INCLUDING LIP

13220	Full Lip, Adjustable Tab	Square	2-1/4" x 1-3/4"	4.50
13221	Full Lip, Adjustable Tab	Radius	2-1/4" x 1-3/4"	4.50

[^]Please specify finish when ordering.











13247

^Please specify finish when ordering.





13246







13258 13259

MOLTEN BRONZE, ELEGANCE, TRADITIONALE COLLECTIONS **DEADBOLTS**

13217	Full Lip, Deadbolt	Square	2-1/4" x 1-3/4"	4.50
13218	Full Lip, Deadbolt	Radius	2-1/4" x 1-3/4"	4.50
13245	No Lip, Deadbolt	Square	2-1/4" x 1"	4.50
13247	No Lip, Deadbolt	Radius	2-1/4" x 1"	4.50

PREMIERE ESSENTIALS® / TRANSITIONAL COLLECTIONS DEADBOLTS, KNOBS & LEVERS, INCLUDING LIP

03221	Full Lip, Adjustable Tab	Radius	2-1/4" x 1-3/4"	4.50
03218	Full Lip, Deadbolt	Radius	2-1/4" x 1-3/4"	4.50
03247	No Lip, Deadbolt	Radius	2-1/4" x 1"	4.50

[^]Please specify finish when ordering.

SPECIAL APPLICATION

13258	ASA "T" Type, Combination Right Hand	Square	4-7/8" x 1-1/4" + Lip	17.60
13259	ASA "T" Type, Combination Left Hand	Square	4-7/8" x 1-1/4" + Lip	17.60
13246	No Lip, Deadbolt	Square	2-1/4" x 1-1/8"	6.10

[^]Please specify finish when ordering.

LATCH FACEPLATES

MODEL#	DESCRIPTION	LIST PRICE				
DEADLATO	DEADLATCH					
12282	Mortise Faceplate - Radius (Traditionale, Elegance & Molten Bronze Collection)	2.30				
12281	Mortise Faceplate - Square (Traditionale, Elegance & Molten Bronze Collection)	2.30				
14270	Mortise Faceplate - Square (1300 Series)	2.30				
14271	Mortise Faceplate - Radius (1300 Series)	2.30				
SPRINGLA	SPRINGLATCH					
12227	Mortise Faceplate - Square (Traditionale, Elegance & Molten Bronze Collection)	2.30				
12228	Mortise Faceplate - Radius (Traditionale, Elegance & Molten Bronze Collection)	2.30				
14279	Mortise Faceplate - Square (1400/1500 Series)	2.30				
14280	Mortise Faceplate - Radius (1400/1500 Series)	2.30				
DEADBOLT	DEADBOLT					
15701	Mortise Faceplate - Radius (Traditionale, Elegance & Molten Bronze Collection)	2.30				
15686	Mortise Faceplate - Square (Traditionale, Elegance & Molten Bronze Collection)	2.30				

[^]Please specify finish when ordering.

LATCHES (SL - INCLUDES BOTH RADIUS AND SQUARE FACEPLATES)

12818-5L		LATCI	LATCHES (SL - INCLUDES BOTH RADIUS AND SQUARE FACEPLATES)									
MODEL		MODEL #							LICTODICE			
PASSAGE/PRIVACY KNOBS, LEVERS, & ENTRY HANDLES. SPRINGLATCH 12725 DI 12		MODEL#			ADJ.	WIDTH	CORNER	TYPE	LISTPRICE			
PASSAGE/PRIVACY KNOBS, LEVERS, & ENTRY HANDLES. SPRINGLATCH 12725 DI 12	~	MOLT	FN BRON	ZE ELECA	NCE & TE	RADIT	TONALEC	OLLECI	TONS			
12720 12725 12720 12720 12725 1272												
12720 2	12725	'	1	1	1	1	1	Removable	19.10			
MOLTENBRONZE, ELEGANCE, & TRADITIONALE COLLECTIONS REPUDCIS, INNOISS & LEVERS - DEADLATCH 1772 151 37721 51 51 51 51 51 51 51	12720				-	+	· ·		-			
RETLOCK, KNOBS & LEVERS - DEADLATCH 1271-51 32721				32723-01								
12721 12728 12721-5L 12721-5L 12728-DI 1272		MOLT	MOLTEN BRONZE, ELEGANCE, & TRADITIONALE COLLECTIONS:									
12721 12728-DI 32728-DI 52738-DI 52738-DI 2-3/8" to 2-3/4" None Non-Mortise (Drive-in) 19:10		KEYLOCK										
MOLTEN BRONZE, ELEGANCE, & TRADITIONALE COLLECTIONS	12728	12721-SL	32721-SL	52721-SL	2-3/8" to 2-3/4"	1″	Radius/Square	Removable	19.10			
ENTRY HANDLES & DEADBOLTS - DEADBOLT LATCH 12819 St.	12721	12728-DI	32728-DI	52728-DI	2-3/8" to 2-3/4"	None	Non-Mortise (Drive-in)	19.10			
ENTRY HANDLES & DEADBOLTS - DEADBOLT LATCH 12819 St.		MOLT	ENI DDON	ZE ELECA	NOT 9-TT		TONALEC	OLLECI	TONIC.			
12318-SL - 2-3/8* to 2-3/4* 1* Radius Square Removable 2-5.30		MOLI	WOLIEN BRONZE, ELEGANCE, & TRADITIONALE COLLECTIONS:									
12818.5L	12820	ENTRYHA	ANDLES & DEA	ADBOLTS-DEAD	BOLTLATCH							
PREMIERE ESSENTIALS® COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH 02720X N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 02738 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 02738 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 02734 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 02734 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 02721 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 02721 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 19.10 02721 N/A N/A 2-3/8* to 2-3/4* None Non-Mortise 19.10 02728 N/A N/A N/A 2-3/8* to 2-3/4* None Non-Mortise 19.10 01720 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 01725 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 01725 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 01725 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 01725 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 01720 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 13.20 01720 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 01720 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 01720 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 01720 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 01720 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 01720 N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30 02820 N/A N/A N/A 2-3/8* to 2-3/4* 1' Radius Fixed 26.30	12818	12818-SL	-	-	2-3/8" to 2-3/4"	1"	Radius/ Square	Removable	26.30			
PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH 02720		12820-DI	-	-	2-3/8" to 2-3/4"	None	Non-Mortise (Drive-in)	26.30			
PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH 02720												
PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH 02720		PREM	HERE ES	SSENTIAL	LS® COLI	ECT	ION:					
02728												
02728		02720X	N/A	N/A	2-3/8" to 2-3/4"	1"	Radius	Fixed	13.20			
ENTRY HANDLE - SPRINGLATCH 02738X N/A N/A 2-3/8* 1' Radius Fixed 13.20 02734X N/A N/A 2-3/8* 1' Radius Fixed 13.20 EXEMPLICATION STRING SET			+	 	-	+			-			
02738X	02734	ENTRY	IANDLE - SP	RINGLATCH								
02734X			T	1	2 2/8"	1"	Padius	Eivad	13 20			
Non-Mortise 19.10							 	+				
02721X												
19.10 19.1	02721 02728											
TRANSITIONAL COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH 01720X N/A N/A 2.3/8" to 2.3/4" 1" Radius Fixed 13.20 01725X N/A N/A 2.3/8" to 2.3/4" 1" Radius Fixed 13.20 ENTRY HANDLE - SPRINGLATCH 01730XSL N/A N/A 2.3/8" to 2.3/4" 1" Radius Fixed 13.20 ENTRY HANDLE - DEADBOLT LATCH 12819XSL N/A N/A 2.3/8" to 2.3/4" 1" Radius Fixed 26.30 PREMIERE ESSENTIALS® & TRANSITIONAL COLLECTIONS DEADBOLTS - DEADBOLT LATCH 02820X N/A N/A 2.3/8" to 2.3/4" 1" Radius Fixed 26.30 02820X N/A N/A 2.3/8" to 2.3/4" 1" Radius Fixed 26.30 O2820X N/A N/A 2.3/8" to 2.3/4" None Non-Mortise 26.30 MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2.3/8" to 2.3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)			-	 		 	 					
PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH 01720X N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 13.20 01725X N/A N/A 2-3/8" to 2-3/4" None Non-Mortise 13.20 ENTRY HANDLE - SPRINGLATCH 01730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 13.20 ENTRY HANDLE - DEADBOLT LATCH 12819XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 PREMIERE ESSENTIALS® & TRANSITIONAL COLLECTIONS DEADBOLTS - DEADBOLT LATCH 02817 N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 02820X N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 ease specify finish when ordering. MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)		02/28X	N/A	N/A	2-3/8" to 2-3/4"	None	Non-Mor	tise	19.10			
PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH 01720X N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 13.20 01725X N/A N/A 2-3/8" to 2-3/4" None Non-Mortise 13.20 ENTRY HANDLE - SPRINGLATCH 01730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 13.20 ENTRY HANDLE - DEADBOLT LATCH 12819XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 PREMIERE ESSENTIALS® & TRANSITIONAL COLLECTIONS DEADBOLTS - DEADBOLT LATCH 02817 N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 02820X N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 ease specify finish when ordering. MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)		TDAN	SITION	AT COLL	FCTION.							
01720	300											
01725X N/A N/A 2-3/8" to 2-3/4" None Non-Mortise 13.20 ENTRY HANDLE - SPRINGLATCH 01730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 13.20 ENTRY HANDLE - DEADBOLT LATCH 12819XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 PREMIERE ESSENTIALS® & TRANSITIONAL COLLECTIONS DEADBOLTS - DEADBOLT LATCH 02817X N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 02820X N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 ease specify finish when ordering. MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)	01720		T	1	1		Padius	Fixed	13 20			
ENTRY HANDLE - SPRINGLATCH 01730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 13.20 ENTRY HANDLE - DEADBOLT LATCH 12819XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 PREMIERE ESSENTIALS® & TRANSITIONAL COLLECTIONS DEADBOLTS - DEADBOLT LATCH 02817X N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30 02820X N/A N/A 2-3/8" to 2-3/4" None Non-Mortise 26.30 ease specify finish when ordering. MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)	01725					-	 		-			
O1730XSL	0											
12819 ENTRY HANDLE - DEADBOLT LATCH 12819XSL N/A N/A 2·3/8" to 2·3/4" 1" Radius Fixed 26.30	01730				T	1	T	Γ .				
12819X5L N/A N/A 2-3/8" to 2-3/4" 1" Radius Fixed 26.30		01730XSL	N/A	N/A	2-3/8" to 2-3/4"	1"	Radius	Fixed	13.20			
PREMIERE ESSENTIALS® & TRANSITIONAL COLLECTIONS DEADBOLTS - DEADBOLT LATCH 02817X		ENTRY H	ENTRY HANDLE - DEADBOLT LATCH									
DEADBOLTS - DEADBOLT LATCH		12819XSL	N/A	N/A	2-3/8" to 2-3/4"	1"	Radius	Fixed	26.30			
DEADBOLTS - DEADBOLT LATCH		DDEM		CENTELAT		NICITED		TIDOT	TONIC			
02817												
ease specify finish when ordering. MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)	02817 02820		1	1	_	1		<u> </u>	1			
MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)			 		1	 						
MULTI-FAMILY COLLECTION: PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)	Diagram with the transfer to t		N/A	N/A	2-3/8" to 2-3/4"	None	Non-Mor	tise	26.30			
PASSAGE/PRIVACY KNOBS & LEVERS - SPRINGLATCH (20 MINUTE U.L.) U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)	riease specity tinish when orderi	ng.										
01730 U1730XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 13.20 DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)		MULT	MULTI-FAMILY COLLECTION:									
DEADBOLTS-DEADBOLT LATCH (20 MINUTE U.L.)	01730	PASSAGE	PRIVACY K	NOBS & LEVE	RS - SPRING	LATCH	(20 MINUTE U.	L.)				
DEADBOLIS-DEADBOLI LAIGH (20 MINUTE U.L.)		U1730XSL	N/A	N/A	2-3/8" to 2-3/4"	1"	Radius/Square	Removable	13.20			
U12819XSL N/A N/A 2-3/8" to 2-3/4" 1" Radius/Square Removable 26.30		DEADBO	LTS-DEADB	OLT LATCH (2	0 MINUTE U.	L.)						
		U12819XSL	N/A	N/A	2-3/8" to 2-3/4"	1"	Radius/Square	Removable	26.30			

LATCHES (SL - INCLUDES BOTH RADIUS AND SQUARE FACEPLATES)

		LEVER	STRAIGHT LEVER	BACKSET		LIST				
	MODEL#	STRENGTH MODEL#	STRENGTH MODEL#	ADJ.	WIDTH	CORNER	TYPE	PRICE		
	INTERCONNECT (UNIGARD® 1500 SERIES & 1441, 1411) - SPRINGLATCH									
14652 0	14652-SL	-	-	2-3/8"	1"	Radius/Square	Removable	18.40		
0000	14656-SL	-	-	2-3/4"	1″	Radius/Square	Removable	18.40		
14657	14653-DI	-	-	2-3/8"	None	Non-Mortise (Drive-in)		18.40		
14653	14657-DI	-	-	2-3/4"	None	Non-Mortise (Drive-in)		18.40		
	TRADITIONALE (1343, 1313) - DEADLATCH									
15085	15085-SL	-	-	2-3/8"	1″	Radius/Square	Removable	26.30		
15142	15142-SL	-	-	2-3/4"	1″	Radius/Square	Removable	26.30		
	15144-DL	-	-	2-3/8"	1″	Non-Mortise (Drive-in)		26.30		
15144 15145	15145-DL	-	-	2-3/4"	1″	Non-Mortise (Drive-in)		26.30		
	INTERCONNECT (1400 & 1500 SERIES) & TRADITIONALE (1300 SERIES) - DEADBOLTS									
14232	14232-SL	-	-	2-3/8"	1"	Radius/Square	Removable	27.70		
	14233-SL	-	-	2-3/4"	1"	Radius/Square	Removable	27.70		
14235	14235-DI	-	-	2-3/8"	None	Non-Mortise (Drive-in)		27.70		
14236	14236-DI	-	-	2-3/4"	None	Non-Mortise (Drive-in)		27.70		
	NON-	U.L. CO	MBINED -	- SPRINGLA	ГСН & І	DEADBOLT				
	15863-38	-	-	2-3/8"	1-1/8"	Square	Fixed	64.70		
15863 15864	15864-34	-		2-3/4"	1-1/8"	Square	Fixed	64.70		
^Please specify finish when ordering	j.									



Security | Safety | Style | Since 1932

For more information call us at: $1\text{-}800\text{-}575\text{-}2658 \qquad \text{(BOLT)}$

www.WESLOCK.com







